



KETCHAM

MEDICINE CABINETS
& ACCESSORIES

Ketcham Medicine Cabinets & Accessories

A Division of Fred Silver & Company

Fred Silver & Company's story is as much about quality as it is longevity. Our reputation for reliability didn't happen overnight. Founded in Newark, New Jersey in 1937, the Silver Bros., Fred and Archie, opened a store front re-silvering and repairing silver products. By 1945, the brothers started producing convex mirrors made of glass and in years to come introduced acrylic lenses. In 1950, Archie sold his shares to Fred, and the company name changed to Fred Silver & Company. With our founder Fred Silver at the helm, the company grew to offer various types of silvered glass products which provided products to the home decor, beauty, safety, optical and aerospace industries. Fred Silver & Co., however, became most famous worldwide for our convex and dome mirrors used mainly for theft detection, traffic safety and surveillance.

For 52 years, Fred ran the company until he passed away in 1989. The company control was then passed on to his daughter, Andrea Silver Schlossberg and her husband, Martin Schlossberg. Martin became President, a position he still holds today, along with Andrea as Chairman of the Board and granddaughters Darian Jennings and Debra West who are all also actively involved.

In 1992, Fred Silver and Co. acquired Ketcham Company, makers of medicine cabinets and bathroom accessories. In these 22 years, Ketcham has become the leading producer of superior quality and affordable medicine cabinets. Respected nationwide, Ketcham has sales offices in Ronkonkoma, New York and has become the go-to choice for architects, remodelers, and property managers due to our glowing reputation nationwide. We pride ourselves in providing a wide selection of the highest quality products, made to last, and at a cost to fit any budget, big or small.

With Ketcham, Fred Silver & Co. has seen dramatic expansion, taking us from New Jersey to Mount Vernon, Ohio, to be more centrally located to our customers. Two expansions later, Fred Silver & Company/Ketcham is at home in our state-of-the art, 24,000 square foot industrial and manufacturing facility.

We stand behind all of our products and our commitment to you is "Exceptional service is our best product!" We look forward to continuing to serve the contracting, remodeling and supply distribution industries with quality convex mirrors and domes, medicine cabinets, and bathroom accessories.



Toll Free: **877-MY-KETCHAM** (877-695-3824)
Phone: **631-615-6151** • Fax: **631-615-6155**
www.mirrorsandcabinets.com



The Table of **CONTENTS**

■ **MEDICINE CABINETS**

Accessible Series	2
Builders Grade Series	3
Corner Series	4
Deluxe Series	5
Deluxe with Top Light Series	6
Deluxe Stainless Steel Series	7
Dual Door Series	8
Euroline Series	9
Euroline II Series	10
Lockable Series	11
Round Corner Series	12
Sliding Door Series	13
Stainless Steel Series	14-15
Tri-View Series	16
Tri-View with Light Series	17

■ **WASHROOM MIRRORS**

Fixed Tilt Mirror - Stainless Steel	19
Fixed Tilt Mirror - White Enamel	19
Adjustable Tilt Mirror - Stainless Steel	20
Wall Mount Stainless Steel Mirrors	20
Theft Proof Washroom Mirrors	22
Shatter Resistant Theft Proof Washroom Mirrors	22

■ **FRED SILVER SECURITY MIRRORS**

Convex Mirrors	24
Reflect-A-Dome Mirrors	25
Utility and General Purpose/Elevator Mirrors	26
Portable Inspection Mirrors	27
Flat Mirrors	27



MEDICINE CABINETS





Accessible Medicine Cabinet With Tilting Mirror

Features: Stainless steel framed tilting mirrored door.

Specifications: Accessible Medicine Cabinets are fabricated with 20 gauge white baked enamel steel bodies and doors.

Mirrors/Doors: 3/16" first quality plate glass. Doors are mounted on a full length piano hinge equipped with a magnetic door catch. Tilt mirror operates on two heavy duty elbow hinges and is secured with a bullet type latch.

Shelves: 1/4" adjustable glass shelves mounting on locking adjustable aluminum shelf clips.



Model: 174-HCSM Mirror Tilted shown above



ACCESSIBLE Series

Recessed Mounted

Stainless Steel Framed	Overall Size w x h	Wall Opening w x h	Glass Shelves
172-HC	16" x 22"	14" x 20" x 3"	2
173-HC	16" x 30"	14" x 28" x 3"	3
174-HC	18" x 24"	16" x 22" x 3"	3
175-HC	16" x 26"	14" x 24" x 3"	3

Surface Mounted

Stainless Steel Framed	Overall Size w x h	Glass Shelves
172-HCSM	16" x 22"	2
173-HCSM	16" x 30"	3
174-HCSM	18" x 24"	3
175-HCSM	16" x 26"	3



KETCHAM Builders Grade



Features: Stainless steel framed, beveled or polished edge mirrored doors, adjustable glass shelves mounted on aluminum shelf clips, high gloss white baked enamel body. Cabinets can be inverted for right or left hand installation.

Specifications: Builders Grade Cabinets are fabricated with 26 gauge white baked enamel steel bodies and doors.

Mirrors/Doors: 1/8" first quality plate glass. Doors are mounted on a full length piano hinge equipped with a magnetic door catch.

Shelves: 1/4" adjustable tempered glass shelves mounting on locking adjustable aluminum shelf clips.

Model: 1626BV-SM
shown left

Surface Mounted

Stainless Steel Framed	Polished Edge Mirror	Beveled Mirror	Overall Size w x h	Glass Shelves
1622-SM	1622PE-SM	1622BV-SM	16" x 22"	2
1626-SM	1626PE-SM	1626BV-SM	16" x 26"	3

Recessed Mounted

Stainless Steel Framed	Polished Edge Mirror	Beveled Mirror	Overall Size w x h	Wall Opening w x h x d	Glass Shelves
1622	1622PE	1622BV	16" x 22"	14" x 18" x 3-1/2"	2
1626	1626PE	1626BV	16" x 26"	14" x 24" x 3-1/2"	3
1636	N/A	N/A	16" x 36"	14" x 34" x 3-1/2"	3

KETCHAM Plastic Body Cabinet

Features: Rust proof polystyrene ideal for budget conscious projects.

Specifications: White high impact injection molded polystyrene cabinet, magnetic door catch with split butt hinge.

Mirrors/Doors: Stainless steel framed mirror door.

Shelves: Two adjustable plastic molded shelves.

Polystyrene Body: Builders Grade Series are economically priced while meeting high quality standards. They feature stainless steel framed mirror doors mounted on split butt hinges and fixed molded shelves. Cabinets can be inverted in the field for right or left door swing. (1622M only)

Recessed Mounted

Model	Overall Size w x h x d	Shelves
1622M	16" x 22" x 3-1/2"	2



Model: 1622M shown above

KETCHAM Corner Cabinet

Features: Corner Series are ideal for saving space. Cabinets can be inverted in the field for right or left door swing.

Specifications: Corner Medicine Cabinets are fabricated with 20 gauge white baked enamel steel bodies and doors.

Mirrors/Doors: 3/16" first quality plate glass. Doors are mounted on a full length piano hinge equipped with a magnetic door catch.

Shelves: Removable 1/4" rounded edge glass shelves mounting on fixed shelf brackets.



Model: CMC-1430PE shown above



Polished Edge Mirror	Beveled Edge Mirror	Overall Size w x h	Glass Shelves
CMC-1430PE	CMC-1430BV	14" x 30"	2
CMC-1436PE	CMC-1436BV	14" x 36"	3

CORNER Series



Deluxe Series

Features: Doors mounted on a continuous full-length piano hinge in a wide array of sizes. Ideal design to meet HUD housing and federal specifications. Cabinets can be inverted for right or left swing installation.

Specifications: Deluxe Medicine Cabinets are fabricated with 20 gauge white baked enamel steel bodies and doors.

Mirrors/Doors: 3/16" first quality plate glass. Doors are mounted on a full length piano hinge equipped with a magnetic door catch.

Shelves: 1/4" adjustable glass shelves mounting on locking adjustable aluminum shelf clips.

Special sizes available on request.



Model: 184-SM shown above

Surface Mounted

Stainless Steel Framed	Polished Edge Mirror	Beveled Edge Mirror	Overall Size w x h	Glass Shelves
160-SM	N/A	N/A	14" x 20"	2
170-SM	N/A	N/A	12" x 36"	4
172-SM	172PE-SM	172BV-SM	16" x 22"	2
173-SM	173PE-SM	173BV-SM	16" x 30"	3
174-SM	174PE-SM	174BV-SM	18" x 24"	3
175-SM	175PE-SM	175BV-SM	16" x 26"	3
176-SM	176PE-SM	176BV-SM	20" x 26"	3
177-SM	177PE-SM	177BV-SM	16" x 36"	4
178-SM	178PE-SM	178BV-SM	18" x 36"	4
179-SM	179PE-SM	179BV-SM	18" x 42"	4
180-SM	180PE-SM	180BV-SM	18" x 60"	5
181-SM	181PE-SM	181BV-SM	18" x 30"	3
182-SM	N/A	N/A	20" x 30"	3
184-SM	N/A	N/A	24" x 24"	3
190-SM	190PE-SM	190BV-SM	24" x 30"	4
192-SM	192PE-SM	192BV-SM	24" x 36"	4

Recessed Mounted

Stainless Steel Framed	Polished Edge Mirror	Beveled Edge Mirror	Overall Size w x h	Glass Shelves	Wall Opening w x h x d
160	N/A	N/A	14" x 20"	2	12" x 18" x 3"
170	N/A	N/A	12" x 36"	4	10" x 34" x 3"
171	171PE	171BV	16" x 22"	2	14" x 18" x 3"
172	172PE	172BV	16" x 22"	2	14" x 20" x 3"
173	173PE	173BV	16" x 30"	3	14" x 28" x 3"
174	174PE	174BV	18" x 24"	3	16" x 22" x 3"
175	175PE	175BV	16" x 26"	3	14" x 24" x 3"
176	176PE	176BV	20" x 26"	3	18" x 24" x 3"
177	177PE	177BV	16" x 36"	4	14" x 34" x 3"
178	178PE	178BV	18" x 36"	4	16" x 34" x 3"
179	179PE	179BV	18" x 42"	4	16" x 40" x 3"
180	180PE	180BV	18" x 60"	5	16" x 58" x 3"
181	181PE	181BV	18" x 30"	3	16" x 28" x 3"
182	N/A	N/A	20" x 30"	3	18" x 28" x 3"
184	N/A	N/A	24" x 24"	3	22" x 22" x 3"
190	190PE	190BV	24" x 30"	4	22" x 28" x 3"
192	192PE	192BV	24" x 36"	4	22" x 34" x 3"

DELUXE Series



Deluxe Series with Top Light

Features: Traditional style for urban housing and multi-residential housing projects. Ideal design to meet HUD housing and federal specifications.

Specifications: Deluxe Medicine Cabinets are fabricated with 20 gauge white baked enamel steel bodies and doors.

Mirrors and Doors: 3/16" first quality plate glass. Doors are mounted on a full length piano hinge equipped with a magnetic door catch and polished stainless steel frame.

Shelves: 1/4" adjustable glass shelves mounted on locking adjustable aluminum shelf clips.

Top Light: Hard wire integral tip light features two light sockets. G25 Base required.

*For incandescent lighting do not exceed 40 watts.
Light fixture with diffuser projects 7-3/8".*

Stainless Steel Framed	Overall Size w x h	Door Size w x h	Glass Shelves
171-TL	16" x 23-5/8"	16" x 20"	2
173-TL	16" x 33-5/8"	16" x 30"	3

Model: 171-TL
shown right



DELUXE WITH TOP LIGHT Series



Deluxe Stainless Steel Cabinet

Features: Heavy duty stainless steel construction ideal for public housing, dormitories and multi-residential housing projects.

Specifications: Fabricated with 18-8 gauge type 304 satin stainless steel. Cabinets have a 1" flange and a door thickness of 1/4" for an overall depth of 4-1/4". Cabinets can be inverted in the field for right or left door swing.

Mirrors/Doors: 3/16" first quality plate glass. Doors are mounted on a full length piano hinge equipped with magnetic door catches.

Shelves: Stainless steel shelves mounting on locking adjustable aluminum shelf clips.

Special sizes available for large quantity.



Model: 174-SS shown above (open)

Surface Mounted

Stainless Steel Framed	Overall Size w x h	Stainless Steel Shelves
174SS-SM	18" x 24"	3
175SS-SM	16" x 26"	3

Recessed Mounted

Stainless Steel Framed	Overall Size w x h	Wall Opening w x h x d	Stainless Steel Shelves
174SS	18" x 24"	16" x 22" x 3"	3
175SS	16" x 26"	14" x 24" x 3"	3



Dual Door Surface Mounted Cabinet

Features: A pan door construction for inset european hinge design. Door operates without the use of magnetic closure, this hinging arrangement allows for six way door adjustment. The cabinets are equipped with rubber door silencer pads. Fixed metal shelves are provided with the same gauge and finish as the cabinet body.

Specifications: Dual Door Series Cabinets are fabricated of 20 gauge white baked enamel steel bodies, doors and shelves.

Mirrors/Doors: 3/16" first quality plate glass. Pan doors are equipped with cabinet style hinges to allow six way adjustment. Door thickness is 3/4" on all models.

Special sizes are available upon request.



Model: DD-2424PE shown above

Polished Stainless Steel Trim	Polished Edge Frameless Mirror	Overall Size w x h	Metal Shelves
DD-2424	DD-2424PE	24" x 24"	2
DD-2430	DD-2430PE	24" x 30"	3
DD-2436	DD-2436PE	24" x 36"	4

DUAL DOOR Series

Features: A contemporary design for a clean sleek look. European style door hinges allow the door to pivot over the body of the cabinet to provide the option for tandem installation of multiple cabinets or a combination of cabinets and wall mirrors. The mirror door operates with a touch latch magnet to open and close the door. Cabinets can be inverted in the field for right or left door swing. Surface mounted cabinets can be ordered with optional mirrored sides as listed.

Specifications: Euroline Medicine Cabinets are fabricated with 20 gauge white baked enamel steel bodies and doors.

Mirrors/Doors: 3/16" first quality plate glass. Doors are mounted on European-style cabinet hinges.

Shelves: 1/4" adjustable glass shelves mounting on locking adjustable aluminum shelf clips.

Options: Mirrored side kits are fabricated of 1/8" polished edge mirror for surface mounted units only.

Special sizes available on request.



Model: 123BV-SM
shown above



Model: 123BV
shown right (open)

Surface Mounted

Stainless Steel Framed	Polished Edge Mirror	Beveled Edge Mirror	Overall Size w x h	Glass Shelves	Add for Optional Mirrored Sides
121-SM	121PE-SM	121BV-SM	13-1/2" x 36"	3	MS-336
123-SM	123PE-SM	123BV-SM	16" x 22"	2	MS-322
125-SM	125PE-SM	125BV-SM	16" x 26"	3	MS-326
126-SM	126PE-SM	126BV-SM	16" x 30"	3	MS-330
127-SM	127PE-SM	127BV-SM	18" x 24"	3	MS-324
129-SM	129PE-SM	129BV-SM	16" x 36"	4	MS-336
131-SM	131PE-SM	131BV-SM	18" x 36"	4	MS-336
133-SM	133PE-SM	133BV-SM	18" x 42"	5	MS-342

Flush Mounted

Stainless Steel Framed	Polished Edge Mirror	Beveled Edge Mirror	Overall Size w x h	Glass Shelves	Wall Opening w x h x d
121	121PE	121BV	13-1/2" x 36"	3	12-3/8" x 34-1/4" x 3-1/4"
123	123PE	123BV	16" x 22"	2	14-7/8" x 20-1/4" x 3-1/4"
125	125PE	125BV	16" x 26"	3	14-7/8" x 24-1/4" x 3-1/4"
126	126PE	126BV	16" x 30"	3	14-7/8" x 28-1/4" x 3-1/4"
127	127PE	127BV	18" x 24"	3	16-7/8" x 22-1/4" x 3-1/4"
129	129PE	129BV	16" x 36"	4	14-7/8" x 34-1/4" x 3-1/4"
131	131PE	131BV	18" x 36"	4	16-7/8" x 34-1/4" x 3-1/4"
133	133PE	133BV	18" x 42"	5	16-3/8" x 40-1/4" x 3-1/4"

Partially Recessed

Stainless Steel Framed	Polished Edge Mirror	Beveled Edge Mirror	Overall Size w x h	Glass Shelves	Wall Opening w x h x d
121-PR	121PE-PR	121BV-PR	13-1/2" x 36"	3	12-3/8" x 34-1/4" x 2"
123-PR	123PE-PR	123BV-PR	16" x 22"	2	14-7/8" x 20-1/4" x 2"
125-PR	125PE-PR	125BV-PR	16" x 26"	3	14-7/8" x 24-1/4" x 2"
126-PR	126PE-PR	126BV-PR	16" x 30"	3	14-7/8" x 28-1/4" x 2"
127-PR	127PE-PR	127BV-PR	18" x 24"	3	16-7/8" x 22-1/4" x 2"
129-PR	129PE-PR	129BV-PR	16" x 36"	4	14-7/8" x 34-1/4" x 2"
131-PR	131PE-PR	131BV-PR	18" x 36"	4	16-7/8" x 34-1/4" x 2"
133-PR	133PE-PR	133BV-PR	18" x 42"	5	16-3/8" x 40-1/4" x 2"



Euroline II

Features: A contemporary design for a clean sleek look. This series features a mirror mounted in the interior of the cabinet. European style door hinges allow the door to pivot over the body of the cabinet to provide the option for tandem installation of multiple cabinets or a combination of cabinets and wall mirrors. The mirror door operates with a touch latch magnet to open and close the door. Cabinets can be inverted in the field for right or left door swing. Surface mounted cabinets can be ordered with optional mirrored sides as listed.

Specifications: Euroline Medicine Cabinets are fabricated with 20 gauge white baked enamel steel bodies and doors.

Mirrors/Doors: Polished edge 3/16" first quality plate glass mirror. Doors are mounted on european style cabinet hinges.

Shelves: 1/4" adjustable glass shelves mounting on locking adjustable aluminum shelf clips.

Options: Mirrored side kits are fabricated of 1/8" polished edge mirror for surface mounted units only.



Model: 126PE-MI shown above

Surface Mounted Polished Edge Mirror – Mirror Interior

Model Number	Overall Size w x h	Glass Shelves	Add for Optional Mirrored Sides
126PE-MI-SM	16" x 30"	3	MS-330
131PE-MI-SM	18" x 36"	4	MS-336

Flush Mounted Polished Edge Mirror – Mirror Interior

Model Number	Overall Size w x h	Glass Shelves	Wall Opening w x h x d
126PE-MI	16" x 30"	3	14-7/8" x 28-1/4" x 3-1/4"
131PE-MI	18" x 36"	4	16-7/8" x 34-1/4" x 3-1/4"

Series
EUROLINE II

Stainless Steel Medicine Cabinet with Lock

Features: A pin hinge door construction. Door operates with a keyed lock. Fixed metal shelves are provided with the same gauge and finish as the cabinet body.

Specifications: Stainless Steel Medicine Cabinets are fabricated of 22 gauge stainless steel, type SUS430 in a satin stainless steel finish.

Mirrors/Doors: Frosted safety glass.

Shelves: Fixed stainless steel shelf.

Model Number	Overall Size w x h x d	Stainless Shelves
915K	9-7/8" x 15-3/4" x 4-5/16"	1



Model: 915K shown above

Lockable Medicine/Storage Cabinet

Features: For use alone or inserted in a medicine cabinet, this box is designed for security purposes. Ideal for use in assisted living facilities, nursing homes, hospitals or homes to secure medication. Keyed alike or differently, specify when ordering.

Specifications: Fabricated of heavy-duty 20 gauge steel with a rust resistant white baked enamel finish. Door mounted on a full length piano hinge with a stainless steel cam and lock assembly.

Model Number	Overall Size w x h x d
LB-3	13" x 5" x 3-1/2"



Model: LB-3 shown above



Round Corner

Features: Doors mounted on a continuous full-length piano hinge in a rounded corner frame, with a bar door stop. Specify right or left swing when ordering. Ideal design to meet HUD housing and federal specifications.



Model: 105RSWT shown above
closed view

Specifications: Rounded Corner Series Medicine Cabinets are fabricated with 20 gauge white baked enamel steel bodies and doors.

Mirrors/Doors: 3/16" first quality plate glass. Doors are mounted on a full length piano hinge equipped with a magnetic door hatch.

Shelves: Adjustable acrylic shelves mounting on locking adjustable aluminum shelf clips.

Round Corner Stainless Steel Frame	Overall Size w x h	Acrylic Shelves
105RSWT	16" x 22"	3
105RSWT-HC	16" x 28"	3

Specify RH for right hand swing
Specify LH for left hand swing



Model: 105RSWT-RH shown right
open view

ROUND CORNER Series



Sliding Door Medicine Cabinets

Specifications: Sliding polished edge mirror doors on an integral track system.

Body: Fabricated of heavy-duty 26 gauge galvanized steel in a white baked enamel finish, cabinet is trimmed in a high polished stainless.

Mirrors/Doors: Two electro copper plated 1/8" polished edge plate sliding mirror doors with handles, set on an integral track system for easy sliding.

SDL-2419: Features a light fixture with acrylic light diffuser. Cabinet body tapers from 7-1/4" at the top to 4-3/4" for this model only. Do not exceed 40 watt light bulbs (not included).



Model: SDL-2419 shown above

Surface Mounted

Model Number	Overall Size w x h x d	Shelves
SD-2420	24" x 20" x 4"	1
SDL-2419	24" x 19-3/8" x 7-1/4"	1

Recessed Mounted

Model Number	Overall Size w x h	Wall Opening w x h x d
SD-2420R	24" x 20"	23" x 18" x 3-1/2"

KETCHAM Stainless Steel Surface Mounted Single Door


Features: Pan door construction for inset european hinge design. The cabinets are equipped with rubber door silencer pads. Fixed metal shelves are provided with the same gauge and finish as the cabinet body.

Specifications: Stainless Steel Medicine Cabinets are fabricated of 22 gauge stainless steel, available in polished or satin finish.

Mirrors/Doors: 1/8" polished edge first quality mirror. Pan doors are 3/4" thick and equipped with rubber door silencers, and european style hinges to allow six way adjustment. Doors are hinged on the left.

Shelves: Fixed stainless steel shelves.

Polished Edge Mirror	Overall Size w x h x d	Stainless Steel Shelves	Finish
1526	15" x 26-7/16" x 4-3/4"	2	Polished
1526-S	15" x 26-7/16" x 4-3/4"	2	Satin



Model: 1526 shown above

KETCHAM Stainless Steel Corner Cabinet



Model: CMC-1333 shown above



Model: CMC-1333 (open) shown above

Features: Pan door construction for inset european hinge design. Door operates without the use of magnetic closure, this hinging arrangement allows for six way door adjustment. The cabinets are equipped with rubber door silencer pads. Fixed metal shelves are provided with the same gauge and finish as the cabinet body.

Specifications: Stainless steel medicine cabinets are fabricated of 22 gauge stainless steel, available in either polished or satin finish.

Mirrors/Doors: 1/8" polished edge first quality mirror. Pan doors are 3/4" thick and equipped with rubber door silencers, and european style hinges to allow six way adjustment. Doors are hinged on the left.

Shelves: Fixed stainless steel shelves.

Polished Edge Mirror	Overall Size w x h x d	Stainless Steel Shelves	Stainless Steel Finish
CMC-1333	13-13/16" x 33-1/2" x 5-1/2"	2	Polished
CMC-1333-S	13-13/16" x 33-1/2" x 5-1/2"	2	Satin

STAINLESS STEEL Series



Stainless Steel Dual Door

Features: Pan door construction for inset european hinge design. Door operates without the use of magnetic closure, this hinging arrangement allows for six way door adjustment. The cabinets are equipped with rubber door silencer pads. Fixed metal shelves are provided with the same gauge and finish as the cabinet body.

Specifications: Stainless Steel Medicine Cabinets are fabricated of 22 gauge stainless steel, available in polished or satin finish.

Mirrors/Doors: 1/8" polished edge first quality mirror. Pan doors are 3/4" thick and equipped with rubber door silencers, and european style hinges to allow six way adjustment.

Shelves: Fixed stainless steel shelves.

Special sizes are available upon request.



Model: DD-2326 (open) shown above

Polished Edge Mirror	Overall Size w x h x d	Stainless Steel Shelves	Finish
DD-1926	19-11/16" x 26-7/16" x 4-3/4"	2	Polished
DD-1926-S	19-11/16" x 26-7/16" x 4-3/4"	2	Satin
DD-2326	23-5/8" x 26-7/16" x 4-3/4"	2	Polished
DD-2326-S	23-5/8" x 26-7/16" x 4-3/4"	2	Satin



Stainless Steel Tri-View



Model: 3722 shown above

Features: Pan door construction for inset european hinge design. Door operates without the use of magnetic closure, this hinging arrangement allows for six way door adjustment. The cabinets are equipped with rubber door silencer pads. Fixed metal shelves are provided with the same gauge and finish as the cabinet body.

Specifications: Stainless Steel Medicine Cabinets are fabricated of 22 gauge stainless steel, available in polished or satin finish.

Mirrors/Doors: 1/8" polished edge first quality mirror. Pan doors are 3/4" thick and equipped with rubber door silencers, and european style hinges to allow six way adjustment.

Shelves: Fixed stainless steel shelves.

Polished Edge Mirror	Overall Size w x h x d	Stainless Steel Shelves	Finish
3722	37-7/16" x 22-7/8" x 4-3/4"	2	Polished
3722-S	37-7/16" x 22-7/8" x 4-3/4"	2	Satin



Model: SM-3630 shown above

Model: SM-3630 (open)
shown right



Tri-View

Features: A pan door construction for inset European hinge design. Door operates without the use of magnetic closure, this hinging arrangement allows for six way door adjustment. The cabinets are equipped with rubber door silencer pads. Fixed metal shelves are provided with the same gauge and finish as the cabinet body.

Specifications: Tri-View Cabinets are fabricated with 20 gauge white baked enamel steel bodies, doors and shelves.

Mirrors/Doors: 3/16" first quality plate glass. Pan doors are equipped with cabinet style hinges to allow six way adjustment. Door thickness is 3/4" on all models.

Special sizes are available upon request.

Surface Mounted

Surface mounted cabinets are 5-1/4" deep from face of mirror to the wall

Stainless Steel Trim	Polished Edge Mirror	Beveled Edge Mirror	Overall Size w x h	Metal Shelves	Optional Mirrored Sides
SM-2430	SM-2430PE	SM-2430BV	24" x 30"	3	MS-430
SM-3030	SM-3030PE	SM-3030BV	30" x 30"	3	MS-430
SM-3036	SM-3036PE	SM-3036BV	30" x 36"	3	MS-436
SM-3630	SM-3630PE	SM-3630BV	36" x 30"	4	MS-430
SM-3636	SM-3636PE	SM-3636BV	36" x 36"	4	MS-436
SM-4830	SM-4830PE	SM-4830BV	48" x 30"	3	MS-430
SM-4836	SM-4836PE	SM-4836BV	48" x 36"	4	MS-436
SM-6036	SM-6036PE	SM-6036BV	60" x 36"	4	MS-436

Fully Recessed

Fully recessed cabinets have a 3/4" projection from face of mirror to the wall

Stainless Steel Trim	Polished Edge Mirror	Beveled Edge Mirror	Overall Size w x h	Fixed Metal Shelves	Wall Opening
R-2430	R-2430PE	R-2430BV	24" x 30"	3	21-3/4" x 28" x 3-1/4"
R-3030	R-3030PE	R-3030BV	30" x 30"	3	27-3/4" x 28" x 3-1/4"
R-3036	R-3036PE	R-3036BV	30" x 36"	3	27-3/4" x 34" x 3-1/4"
R-3630	R-3630PE	R-3630BV	36" x 30"	4	33-3/4" x 28" x 3-1/4"
R-3636	R-3636PE	R-3636BV	36" x 36"	4	33-3/4" x 34" x 3-1/4"
R-4830	R-4830PE	R-4830BV	48" x 30"	3	45-3/4" x 28" x 3-1/4"
R-4836	R-4836PE	R-4836BV	48" x 36"	4	45-3/4" x 34" x 3-1/4"
R-6036	R-6036PE	R-6036BV	60" x 36"	4	57-3/4" x 34" x 3-1/4"

Semi-Recessed

Semi-recessed cabinets have a 1-3/4" projection from face of mirror to the wall

Stainless Steel Trim	Polished Edge Mirror	Beveled Edge Mirror	Overall Size w x h	Fixed Metal Shelves	Wall Opening w x h x d
SR-2430	SR-2430PE	SR-2430BV	24" x 30"	3	23-3/4" x 29-1/2" x 3"
SR-3030	SR-3030PE	SR-3030BV	30" x 30"	3	29-3/4" x 29-1/2" x 3"
SR-3036	SR-3036PE	SR-3036BV	30" x 36"	3	28-3/4" x 34-1/2" x 3"
SR-3630	SR-3630PE	SR-3630BV	36" x 30"	4	35-3/4" x 29-1/2" x 3"
SR-3636	SR-3636PE	SR-3636BV	36" x 36"	4	35-3/4" x 35-1/2" x 3"
SR-4830	SR-4830PE	SR-4830BV	48" x 30"	3	47-3/4" x 29-1/2" x 3"
SR-4836	SR-4836PE	SR-4836BV	48" x 36"	4	47-3/4" x 35-1/2" x 3"
SR-6036	SR-6036PE	SR-6036BV	60" x 36"	4	59-3/4" x 35-1/2" x 3"

TRI-VIEW Series





Tri-View with Light

Features: A pan door construction for inset european hinge design. Door operates without the use of magnetic closure, this hinging arrangement allows for six way door adjustment. The cabinets are equipped with rubber door silencer pads. Fixed metal shelves are provided with the same gauge and finish. Overall 5-1/4" deep from face of mirror to wall.

Specifications: Tri-View Cabinets are fabricated with 20 gauge white baked enamel steel bodies, doors and shelves. Light bulbs not included.

Mirrors/Doors: 3/16" first quality plate glass. Pan doors are equipped with cabinet style hinges to allow six way adjustment. Door thickness is 3/4" on all models.

Additional size available for large quantities.



Model: SM-L-3630 PE shown above

Surface Mounted

Surface mounted cabinets are 5-1/4" deep from face of mirror to the wall

Polished Edge Mirror	Overall Size with light w x h	Mirrored Door Size w x h	Metal Shelves	Number of Bulbs
SM-L-2430PE	24" x 34"	24" x 30"	3	4
SM-L-3030PE	30" x 34"	30" x 30"	3	5
SM-L-3630PE	36" x 34"	36" x 30"	3	5
SM-L-4830PE	48" x 34"	48" x 30"	3	6



WASHROOM MIRRORS

Stainless Steel

Features: Heavy duty satin stainless steel mirror for use in accessible applications. Ideal for commercial or public restrooms.

Specifications: 20 gauge type 304 heavy gauge stainless steel with satin finish. 3/16" number one quality electrocopper plated plate glass mirror. Galvanized steel backplate, fully welded and smooth edges for a seamless finish. Four slotted mounting holes complete with hardware with integral screw head lock. Mirror frame tapers from 4" tilt on top of mirror to 1".

Satin Finish Steel Framed	Overall Size w x h
FTM-1630	16" x 30"
FTM-1824	18" x 24"
FTM-1836	18" x 36"
FTM-2430	24" x 30"
FTM-2436	24" x 36"



Model: FTM-2430 shown above (stainless steel finish)

White Enamel

Features: A white baked enamel frame mirror for use in accessible restrooms. Perfect for nursing homes, assisted living facilities or private residences.

Specifications: 20 gauge steel finished in a white baked enamel finish. 3/16" number one quality electrocopper plated plate glass mirror. Galvanized steel backplate, fully welded and smooth edges for a seamless finish. Four slotted mounting holes complete with hardware with integral screw head lock. Mirror frame tapers from 4" tilt on top of mirror to 1".

White Painted Steel Framed	Overall Size w x h
WTM-1630	16" x 30"
WTM-1830	18" x 30"



Model: WTM-1630 shown above (white enamel finish)




Wall Mount Stainless Steel Mirrors

Features: High polished stainless steel for a reflective mirror surface, ideal for institutional, penal or highly vandalized areas.

Specifications: Type 430, 20 gauge stainless steel with bright annealed finish for use in high traffic areas.

Note: Stainless Steel Mirrors reflect images in different quality than glass mirror. A slight distortion is an inherent characteristic of stainless steel.

Model Number	Overall Size w x h
SSF-1014	10" x 14"
SSF-1620	16" x 20"
SSF-1630	16" x 30"
SSF-1824	18" x 24"



Model: SSF-1014 shown above



Adjustable Tilt Stainless Steel Accessible Mirror

Features: Stainless steel channel framed mirror with adjustable tilt for accessibility.

Specifications: 20 gauge type 304 heavy gauge stainless steel with satin finish. 3/16" number one quality electrocopper plated plate glass mirror. Galvanized steel backplate, fully welded and smooth edges for a seamless finish. Mounted on a full length piano hinge across the bottom edge of unit, with two heavy duty self locking support brackets.

Model Number	Overall Size w x h
ATM-1630	16" x 30"
ATM-1824	18" x 24"
ATM-1836	18" x 36"
ATM-2430	24" x 30"
ATM-2436	24" x 36"



Model: ATM-1630 (tilted down)
shown right



Model: ATM-1630 shown above

MIRROR Series





Model: TPM-1622 shown above



Theft Proof Washroom Mirrors

Features: Theft resistant channel framed mirror. Ideal for schools, hospitals or any other restroom.

Specifications: Stainless Steel Channel Framed Mirror 1/2" rolled formed channel frame with mitered corners. 3/16" thick electrolytic copper plated mirror, galvanized pre-plated sheet steel with slotted hole mounting.

Model Number	Overall Size w x h
TPM-1622	16" x 22"
TPM-1824	18" x 24"
TPM-1830	18" x 30"
TPM-1836	18" x 36"
TPM-2436	24" x 36"



Model: TPMA-1622 shown above



Shatter Resistant Theft Proof Washroom Mirrors

Features: Shatter resistant acrylic mirror mounted in a theft resistant channel frame. Ideal for schools, public restrooms and high use restrooms.

Specifications: Stainless Steel Channel Framed Mirror 1/2" rolled formed channel frame with mitered corners. 1/8" thick shatter resistant acrylic mirror. Heavy duty galvanized steel backplate welded in place, four slotted locking mounting holes for theft proof mounting.

Model Number	Overall Size w x h
TPMA-1622	16" x 22"
TPMA-1824	18" x 24"
TPMA-1830	18" x 30"

MIRROR Series





SECURITY MIRRORS





Convex Mirrors *Series*

Acrylic, Glass and Polycarbonate

Convex mirrors are widely used for retail, warehouse, hospital, public areas, loading docks, manufacturer/production facilities, garages and driveways.

Can be ceiling or wall mounted and are available in sizes ranging from 13" to 48". We also offer roundtangular, flat, and dome mirrors.


Most Convex mirrors come with our advanced mounting hardware kit for easier mounting. Larger mirror diameter of 26" and above being used outside may require "double hardware" for safe mounting. (Call for pricing)

Features:

ACRYLIC - Our most popular mirror, shatter resistant, excellent clarity. Clean with furniture polish. Also consider our roundtangular mirror for low ceiling applications such as around curves or around machinery.

GLASS - Excellent clarity, will not scratch easily. Easy to clean, wet or dry and is unaffected by most cleaning chemicals. Option of shatter resistance is available.

POLYCARBONATE - is a far more durable mirror and is made using a material that is virtually unbreakable and widely used outdoors.



Model PLX-18 shown above

Indoor/Outdoor Models

Acrylic Indoor Model	Glass Indoor Model	Polycarbonate Indoor Model	Maximum Distance Seen/Covered	Dimensional Overall Size
PLX-13	CV-13	PC-CRM-13	13 Feet	13" DIA
PLX-18	CV-18	PC-CRM-18	18 Feet	18" DIA
PLX-26	CV-26	PC-CRM-26	26 Feet	26" DIA
PLX-30	CV-30	PC-CRM-30	30 Feet	30" DIA
PLX-36	CV-36	PC-CRM-36	36 Feet	36" DIA
PLX-48	N/A	N/A	48 Feet	48" DIA



Model PLXR-30 shown above

Outdoor Models - Heavy Duty

Acrylic Metal Back	Acrylic ABS Plastic Back	Glass Metal Back	Polycarbonate Metal Back	Polycarbonate ABS Plastic Back	Dimensional Overall Size
PLXR-M-13	PLXR-P-13	SCR-M-13	PC-CRM-M-13	PC-CRM-P-13	13" DIA
PLXR-M-18	PLXR-P-18	SCR-M-18	PC-CRM-M-18	PC-CRM-P-18	18" DIA
PLXR-M-26	PLXR-P-26	SCR-M-26	PC-CRM-M-26	PC-CRM-P-26	26" DIA
PLXR-M-30	PLXR-P-30	SCR-M-30	PC-CRM-M-30	PC-CRM-P-30	30" DIA
PLXR-M-36	PLXR-P-36	SCR-M-36	PC-CRM-M-36	PC-CRM-P-36	36" DIA
PLXR-M-48	PLXR-P-48	N/A	N/A	N/A	48" DIA

M=Galvanized Metal Back P=ABS Plastic Back

ROUNDTANGULAR



Model PLX-1524 shown above

Indoor/Outdoor Models - Roundtangular

Convex roundtangular mirrors for indoor and outdoor applications are available in Acrylic and Glass. For low ceiling applications.

Acrylic Indoor Model	Acrylic Outdoor Model	Glass Indoor Model	Glass Outdoor Model	Dimensional Overall Size
PLX-1524	PLXR-1524	CV-1524	CR-1524	15" x 24"
PLX-2030	PLXR-2030	CV-2030	CR-2030	20" x 30"



Reflect-A-Dome Series

Dome Mirrors

The Full Dome mirror provides 360 degrees of viewing area, making it the optimal product for the industrial application, saving companies and institutions millions of dollars a year in easily avoidable workplace accidents. Along with being suspended from a ceiling providing a full 4-way view, they can be mounted on a wall to provide a larger viewing area than a standard convex safety mirror. (Available in acrylic and polycarbonate.)

FULL DOME MODELS: come with chain kits for suspension from ceiling providing 4-way viewing, vertically mounted directly to a wall for a bird's eye view or wall mount to an end wall in a hallway or at the end of warehouse racking. Most models are available with galvanized metal backing upon request.

HALF DOME MODELS: provide a full 180 degree viewing. Great for use at "T" intersections to prevent pedestrian accidents. Half Dome mirrors are increasingly popular in hospitals, schools, retail or any other areas with a large volume of foot traffic and blind corners.

QUARTER DOME MODELS: these models fit easily into most corners and provide a full 90 degree viewing area, making them optimal safety mirrors when installed at "L" corner intersections, eliminating blind spots and preventing accidents.

DROP-IN DOME MODELS: are easy to install by replacing ceiling tiles and require no tools.

Features:

ACRYLIC - our most popular mirror, shatter resistant, excellent clarity.

POLYCARBONATE - is made to be indestructible/unbreakable and is used in high security areas.

**Black trim is available for all full, half and quarter dome models, call for pricing. *Full and half domes are available with galvanized metal backing, call for pricing.*



Full Dome with hanging chain

Full Domes 360 degree viewing area

Acrylic Shatter Resistant	Polycarbonate Unbreakable	Hardware Kit Available	Viewing Area	Flange to Flange
DOME-X-18	PC-DOME-18	CK-1	360 4-Way	18"
DOME-X-26	PC-DOME-26	CK-1	360 4-Way	26"
DOME-X-32	PC-DOME-32	CK-2	360 4-Way	32"
DOME-X-36	PC-DOME-36	CK-2	360 4-Way	36"
DOME-X-48	N/A	CK-3	360 4-Way	48"

All models come with chain kits for suspension from ceiling providing 4-way viewing.




Half Dome mounted on wall at ceiling

Half Domes 180 degree viewing area

Acrylic Shatter Resistant	Polycarbonate Unbreakable	Hardware Kit Available	Viewing Area	Flange to Flange
H-DOME-18	PC-HD-18	N/A	180 3-Way	18"
H-DOME-26	PC-HD-26	N/A	180 3-Way	26"
H-DOME-32	PC-HD-32	N/A	180 3-Way	32"
H-DOME-36	PC-HD-36	N/A	180 3-Way	36"
H-DOME-48	N/A	N/A	180 3-Way	48"

Half Domes are to be mounted for 180 degree viewing, 3-way intersections mount to wall or ceiling.



Quarter Dome

Quarter Domes 90 degree viewing area

Acrylic Shatter Resistant	Polycarbonate Unbreakable	Hardware Kit Available	Viewing Area
Q-DOME-18	N/A	N/A	90 2-Way
Q-DOME-26	N/A	N/A	90 2-Way
Q-DOME-32	N/A	N/A	90 2-Way
Q-DOME-36	N/A	N/A	90 2-Way

Quarter Domes are to be mounted for 90 degree viewing area, 2-way intersections, corner mount.



Drop-In Dome into ceiling grid

Drop-In Domes 360 degree viewing area

Acrylic Shatter Resistant	Hardware Kit Available	Viewing Area	Flange to Flange
D-DROP-24	N/A	360 4-Way	23-3/4" X 23-3/4"
D-DROP-2448	N/A	360 4-Way	23-3/4" X 47-3/4"

Drop-In Domes are to be mounted for full 360 degree viewing. Reduce shoplifting and improve personal surveillance of hidden areas.





Utility & General Purpose/ Elevator Mirrors *Series*

Utility And General Purpose Mirror

- Available in both glass and acrylic models
- Available in 5" and 8" diameter
- Excellent for OEM replacement parts on forklifts
- Rectangular available in 4" x 8" or 6" x 9"
- Lightweight and durable

Model/Type	Size	Material	Trim
E-48	4-3/4" x 8" x 1/8"	Glass	Molded Black/Plastic Back
E-50	5-3/8" x 4" x 3/4"	Glass	Rubber/Metal Back
E-80	8" Diameter	Glass	Rubber/Metal Back
PE-80	8" Diameter	Acrylic	Rubber/Metal Back
E-69	6-3/8" x 9" x 3/8"	Glass	Rubber/Metal Back
PE-69	6-3/8" x 9" x 3/8"	Acrylic	Rubber/Metal Back

Utility mirrors small size and low space requirements make them excellent for use in areas with limited space.



Forklift Utility Mirror



Rectangular Glass Utility Mirror

Elevator Mirror


- Available in stainless steel
- Available in 10" diameter
- Vandal resistant mounting bracket

Model/Type	Size	Material
ME-10	Triangle 10"	Stainless Steel

Elevator mirrors allow for observation of mirror and monitoring of occupancy levels in elevators.



Elevator Mirror




Elevator Mirror Back with Mounting

Elevator Certificate Frame

- Constructed of stainless steel with a satin finish
- Fits most certificates
- Tamper proof hex screw deters and prevents vandalism
- Easy and quick installation

Model/Type	Size Outside	Material
CF-1	7-1/8" x 10-1/8"	Polished Stainless Steel



Elevator Certificate Frame



Portable Inspection Mirror *Series*

Fred Silver Portable Inspection Mirror with Wheels

PORTABLE INSPECTION MIRROR:

- Swivel wheels, rolling casters for easy and quick inspection
- 11" diameter convex acrylic
- Handle adjustment from 36" up to 60"

SOME OF THE MANY USES:

- Motor vehicle inspection stations
- Entrances for security areas on military bases, manufacturing plants, power stations, prisons
- International border crossings
- Police and law enforcement personnel
- Construction sites

Mode	Overall Size
IR-91-M	11"



Model:IR-91M
shown above

Flashlight not included



Flat Mirrors *Series*


Indoor applications are available in acrylic, glass and shatter resistant glass

Flat Mirrors are widely used around machinery, assisting the operator to see behind the back side of the machine. All products are available with glass or acrylic lenses.


Features:

GLASS - excellent clarity, will not scratch easily. Easy to clean, wet or dry and is unaffected by most cleaning chemicals. Options of shatter resistance are available.

ACRYLIC - our most popular mirror, shatter resistant excellent clarity. Clean with furniture polish. Also consider our roundtangular mirror for low ceiling applications as shown in Convex Mirror Series.



Model:FSC-1216 shown above



Model:PLXF-2436 shown above



Model:PLXF-1216 shown above

Flat Mirrors - Round

Glass Indoor Model	Overall Size
F-13	13"
F-18	18"
F-26	26"

Flat Indoor Mirrors - Rectangular

Acrylic Indoor Model	Glass Shatter Resistant	Overall Size
PLXF-1212	FSC-1212	12" x 12"
PLXF-1216	FSC-1216	12" x 16"
PLXF-1624	FSC-1624	16" x 24"
PLXF-2436	FSC-2436	24" x 36"





NOTES





Toll Free: **877-MY-KETCHAM** (877-695-3824)
Phone: **631-615-6151** • Fax: **631-615-6155**
www.mirrorsandcabinets.com