

BYP-75S | 75A Series

Steel or aluminum track hardware for 75 lb by-pass doors.

Hardware for mid-weight two panel by-pass doors. The BYP-75S (steel track) and 75A (aluminum track) series features adjustable door guides and 4-wheel carriers for smooth door movement. Ideal for 75 lb by-pass doors used in residential closets, pantries, and room dividers.

Door thickness: 1-3/8" to 1-3/4"

Load rating: Up to 75 lbs per door




Track: 75S - single steel box track
75A - single aluminum box track

Carrier: 4-wheel low friction bearing

Compares to: Hettich/Grant 6064, Stanley BP75-01, BP75-02

Conforms to: ANSI/BHMA A156.14-2007
Grade 2, D8742

BYP-75S/75A series configuration



Door Thickness:
1-3/8" – 1-3/4"

50 60 **75** 100 125 150 175 250 275

By-Pass Door Weight (Lb)

BYP-50S BYP-60S | 60A | 60AFR | 60AFS | 60AFS3 | 60SW | 60APW BYP-75AFW | **75S | 75A**
BYP-100A BYP-125A BYP-150A BYP-250A BYP-175I | 275I Components

Packaged Sets

SKU	Door Panel Configuration	Pack Qty	Pack Qty Weight (Lb)
BYP-75S-2D-4	2 x 24" doors	5	23
BYP-75S-2D-5	2 x 30" doors	5	30
BYP-75S-2D-6	2 x 36" doors	5	31
BYP-75S-2D-8	2 x 48" doors	5	41
BYP-75A-2D-4	2 x 24" doors	5	19
BYP-75A-2D-5	2 x 30" doors	5	22
BYP-75A-2D-6	2 x 36" doors	5	24
BYP-75A-2D-8	2 x 48" doors	5	29

Hardware Contents	BYP-75S-2D-4	BYP-75S-2D-5	BYP-75S-2D-6	BYP-75S-2D-8	BYP-75A-2D-4	BYP-75A-2D-5	BYP-75A-2D-6	BYP-75A-2D-8
Track-1599	2 X z47"	2 X z59"	2 X z71"	2 X z95"	–	–	–	–
Track-1602	–	–	–	–	46"	58"	70"	94"
Door stop-0880	1	1	1	1	1	1	1	1
Finger pull-0684-US15P	2	2	2	2	2	2	2	2
Door guide-0909	1	1	1	1	1	1	1	1
Quick release top mount plate-1800-DBA	4	4	4	4	4	4	4	4
Wrench-8665	1	1	1	1	1	1	1	1
4-wheel carriers-1572-QR	4	4	4	4	4	4	4	4
1574-Spacer kit	1	1	1	1	–	–	–	–
Screws	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes



BYP-75S-2D



BYP-75A-2D

Tracks

SKU	Description	Pack Qty	Pack Qty Weight (Lb)
BK-1599-Z47	45" Steel track	20	20
BK-1599-Z55	55" Steel track	20	38
BK-1599-Z59	59" Steel track	20	40
BK-1599-Z63	63" Steel track	20	44
BK-1599-Z71	71" Steel track	20	49
BK-1599-Z95	95" Steel track	10	32
BK-1599-Z119	119" Steel track	10	40
BK-1599-Z143	143" Steel track	10	48

Note: For by-pass applications, two box tracks are required.

BK-1602-46	46" Aluminum track	5	10
BK-1602-58	58" Aluminum track	5	12
BK-1602-70	70" Aluminum track	5	15
BK-1602-94	94" Aluminum track	5	20
BK-1602-118	118" Aluminum track	5	23
BK-1602-142	142" Aluminum track	5	30

Fascia with Header

BK-1709-72	72" Aluminum fascia	10	17
BK-1709-96	96" Aluminum fascia	10	22



BK-1599 steel tracks



BK-1602 aluminum tracks



BK-1709 aluminum fascia

Part Bags

SKU	Door Panels	Pack Qty	Pack Qty Weight (Lb)
PB-BYP-75-2	2	10	10

Hardware Contents

PB-BYP-75-2

Door stop-0880	1
Finger pull-0864-US15	2
Door guide-0909	1
Quick release top mount plate-1800-DBA	4
Wrench-8665	1
4-wheel carrier-1572-QR	4
Spacer kit-1574	1
Screws	yes



PB-BYP-75-2

Door Thickness:
1-3/8" – 1-3/4"

50 60 **75** 100 125 150 175 250 275

By-Pass Door Weight (lb)


BYP-50S BYP-60S | 60A | 60AFR | 60AFS | 60AFS3 | 60SW | 60APW **BYP-75AFW | 75S | 75A**
BYP-100A BYP-125A BYP-150A BYP-250A BYP-175I | 275I Components

Components

SKU	Description	Pack Qty	Pack Qty Weight (Lb)
BK-0351	Non-adjustable door guide	50	3
BK-0351-WT	Non-adjustable door guide (white)	50	3
BK-0354	3/4" riser, fits 0351 and 0353	50	6
BK-0864-US3	3/4" finger pull (bright brass)	100	1
BK-0865-WT	1-3/4" finger pull (white)	100	2
BK-1572-QR	4-wheel carrier, 7/8" diameter	20	3
BK-1800-DBA	Quick release top mount plate	20	2
BN-0353	Adjustable door guide, 3/4" to 1-3/8"	100	4
BN-0868-US10B	2-1/8" finger pull (oil rubbed bronze)	150	5
BN-0868-US15	2-1/8" finger pull (satin nickel)	150	5
BN-0868-US26	2-1/8" finger pull (bright chrome)	150	5
BN-0868-US3	2-1/8" finger pull (bright brass)	150	5
BN-0868-US5	2-1/8" finger pull (antique brass)	150	5
BN-0880	Angle door stop	100	6
PB-0909	Guide for 2 doors up to 1-3/4"	20	4
PB1068-26DA	Sliding door lock, nickel, keyed alike	5	2
PB1068-US26D	Sliding door lock, nickel, keyed different	5	2
PB1068-US3	Sliding door lock, brass, keyed different	5	2
PB1068-US3A	Sliding door lock, brass, keyed alike	5	2



BY-PASS COMPONENTS



1574 Spacer Spacer kit

- **Materials:** Plastic
- **Notes:** Includes screws. Used in the 75S series.



BK-0354 Carpet riser

- **Materials:** Steel with bright zinc finish
- **Rise:** 3/4" (19mm)
- **Notes:** For mounting 0351 and 0353 floor guides over carpeting.



2074 Spacer Spacer kit

- **Materials:** Plastic
- **Notes:** Includes screws. Used in the 75S, 125A, 150A and 250A series.



BK-0400-A Single wheel carrier

- **Materials:** Zinc plated with molded plastic wheels
- **Wheel:** 3/4" diameter
- **Notes:** Side mounted with precise cam adjustment. "A" offset is 3/8".



BK-0200-A Single wheel carrier

- **Materials:** Zinc plated steel with molded plastic wheels
- **Wheel:** 3/4" diameter
- **Notes:** Side mounted with slot adjust offset. "A" is offset of 3/8".



BK-0400-B Single wheel carrier

- **Materials:** Zinc plated with molded plastic wheels
- **Wheel:** 3/4" diameter
- **Notes:** Side mounted with precise cam adjustment. "B" offset is 11/16".



BK-0200-B Single wheel carrier

- **Materials:** Zinc plated steel with molded plastic wheels
- **Wheel:** 3/4" diameter
- **Notes:** Side mounted with slot adjust offset. "B" is offset of 11/16".




BK-0815 Snugger

- **Materials:** Zinc plated steel and rubber
- **Notes:** Screws onto track.



BK-0351 Non-adjustable door guide

- **Materials:** High density polyethylene
- **Dimensions:** 4-9/16" x 1" x 11-3/16" (116mm x 25mm x 46mm)
- **Notes:** For door thickness up to 1-3/4".



BK-0864-US3 Pull

- **Finish:** Brass
- **Diameter:** 3/4"



BK-0351-WT Non-adjustable door guide

- **Materials:** High density polyethylene, white
- **Dimensions:** 4-9/16" x 1" x 11-3/16" (116mm x 25mm x 46mm)
- **Notes:** For door thickness up to 1-3/4".



BK-0864-US15 Pull

- **Finish:** Satin Nickel
- **Diameter:** 3/4"



BK-0865-WT Pull

- **Finish:** White
- **Diameter:** 1-3/4"




BK-1911 Fixed bottom door guide

- **Notes:** Fixed bottom door guide for I-beam applications.



BK-1572-QR 4-wheel carrier

- **Materials:** Steel with zinc finish
- **Wheel:** 7/8" (22mm) diameter
- **Notes:** Wheel self-align for consistent contact with track. Lubricated plastic wheels.



BK-1914-72 Bottom guard rail

- **Materials:** Aluminum
- **Guide:** 7/8" x 1/2" (22mm x 13mm)
- **Notes:** Door bottom prep requires 1/4" (6mm) kerf and 9/16" (14mm) depth. Pre-punched for use with flat head screws.



BK-1606-QR 4-wheel ball bearing carrier

- **Materials:** Steel with brass dichromate finish
- **Wheel:** 7/8" (22mm) diameter
- **Notes:** Wheels self-align for consistent contact with track. Lubricated plastic wheels on steel ball bearing shafts.




BK-1914-96 Bottom guard rail

- **Materials:** Aluminum
- **Guide:** 7/8" x 1/2" (22mm x 13mm)
- **Notes:** Door bottom prep requires 1/4" (6mm) kerf and 9/16" (14mm) depth. Pre-punched for use with flat head screws.



BK-1800-DBA Quick release top mount

- **Materials:** Zinc plated steel with plastic lever
- **Notes:** Attaches to door. Carrier attaches to plate. Quick release feature.



BK-1914-120 Bottom guard rail

- **Materials:** Aluminum
- **Guide:** 7/8" x 1/2" (22mm x 13mm)
- **Notes:** Door bottom prep requires 1/4" (6mm) kerf and 9/16" (14mm) depth. Pre-punched for use with flat head screws.



BK-1820 4-wheel ball bearing carrier

- **Materials:** Zinc plated steel
- **Wheel:** 1-1/4" (32mm) diameter
- **Notes:** Wheels self-align for consistent contact with track. Lubricated plastic wheels on steel shafts with steel ball bearings.



BK-1914-144 Bottom guard rail

- **Materials:** Aluminum
- **Guide:** 7/8" x 1/2" (22mm x 13mm)
- **Notes:** Door bottom prep requires 1/4" (6mm) kerf and 9/16" (14mm) depth. Pre-punched for use with flat head screws.



BK-1900 Door stop

- **Notes:** Heavy-duty I-Beam door stop.



BK-1915 Bottom door guide

- **Materials:** Aluminum
- **Guide:** 7/8" x 3/4" x 3" (22mm x 19mm x 76mm)
- **Notes:** Door bottom prep requires 1/4" (6mm) kerf and 9/16" (14mm) depth.



BK-1922-144 Bottom track

- **Materials:** Extruded aluminum
- **Channel:** 5/8" x 3/4" (16mm x 19mm)
- **Notes:** Screws not provided. Mortised into floor or surface mounted.



BK-1922-96 Bottom track

- **Materials:** Extruded aluminum
- **Channel:** 5/8" x 3/4" (16mm x 19mm)
- **Notes:** Screws not provided. Mortised into floor or surface mounted.



BK-7200-A Single wheel carrier

- **Materials:** Zinc plated steel with molded plastic wheels
- **Wheel:** 7/8" diameter
- **Notes:** Side mounted with slot adjust offset. "A" offset is 3/8".



BK-7200-ATW Twin wheel carrier

- **Materials:** Zinc plated steel with molded plastic wheels
- **Wheel:** 7/8" diameter
- **Notes:** Side mounted with slot adjust offset. "A" offset is 3/8".



BK-7200-B Single wheel carrier

- **Materials:** Zinc plated steel with molded plastic wheels
- **Wheel:** 7/8" diameter
- **Notes:** Side mounted with slot adjust offset. "B" offset is 11/16".



BK-7200-BTW Twin wheel carrier

- **Materials:** Zinc plated steel with molded plastic wheels
- **Wheel:** 7/8" diameter
- **Notes:** Side mounted with slot adjust offset. "B" offset is 11/16".



BK-7400-A Single wheel carrier

- **Materials:** Zinc plated steel with molded plastic wheels
- **Wheel:** 7/8" diameter
- **Notes:** Side mounted with precise cam adjustment. "A" offset is 3/8".



BK-7400-B Single wheel carrier

- **Materials:** Zinc plated steel with molded plastic wheels
- **Wheel:** 7/8" diameter
- **Notes:** Side mounted with precise cam adjustment. "B" offset is 11/16".



BN-0353 Adjustable door guide

- **Materials:** High density polyethylene
- **Notes:** Adjustable guide from 3/4" (19mm) to 1-3/8" (35mm).



BN-0868-US10B Pull

- **Finish:** Oil rubbed bronze
- **Diameter:** 2-1/8"



BN-0868-US15 Pull

- **Finish:** Satin nickel
- **Diameter:** 2-1/8"



BN-0868-US26 Pull

- **Finish:** Bright chrome
- **Diameter:** 2-1/8"



BN-0868-US3 Pull

- **Finish:** Bright brass
- **Diameter:** 2-1/8"



BN-0868-US5 Pull

- **Finish:** Antique brass
- **Diameter:** 2-1/8"



BN-0880 Angle door stop

- **Materials:** Zinc plated steel and rubber
- **Dimensions:** 1-1/4" x 1-1/4" x 7/8" (32mm x 32mm x 22mm)
- **Notes:** Keeps rear door pull exposed. Mounts on door.



PB-0340 Jump-proof guard

- **Materials:** Steel with brass finish
- **Notes:** Includes four guards with screws.



PB-0352 Adjustable door guide

- **Materials:** Steel and plastic
- **Notes:** Adjustable guide from 3/4" (19mm) to 1-3/8" (35mm).



PB-0400-ATW Twin wheel carrier

- **Materials:** Zinc plated steel with molded plastic wheels
- **Wheel:** 3/4" diameter
- **Notes:** Side mounted with precise cam adjustment. "A" is offset 3/8".



PB-0400-BTW Twin wheel carrier

- **Materials:** Zinc plated steel with molded plastic wheels
- **Wheel:** 3/4" diameter
- **Notes:** Side mounted with precise cam adjustment. "B" is offset 11/16".



PB-0909 Adjustable door guide

- **Materials:** Steel with bright zinc and molded plastic
- **Guide:** 4-7/8" x 1-5/8" x 1-3/16" (124mm x 41mm x 30mm)
- **Notes:** Adjustable guide from 3/4" (19mm) to 1-3/4" (44mm).



PB-1921 Bottom roller guide

- **Materials:** Zinc plated steel, bronze roller
- **Guide:** 1" x 3-1/2" x 3/16" (25mm x 89mm x 5mm)
- **Post:** 2-1/2" x 5/16" (64mm x 8mm)



PB-2004 4-wheel carrier

- **Materials:** Zinc plated steel
- **Wheel:** 1" (25mm) diameter
- **Notes:** Wheels self-align for consistent contact with track. Lubricated plastic wheels.



PB-2004-BB 4-wheel ball bearing carrier

- **Materials:** Zinc plated steel
- **Wheel:** 1" (25mm) diameter
- **Notes:** Wheels self-align for consistent contact with track. Lubricated plastic wheels.



PB-3126 Side wall bracket

- **Materials:** Steel with bright zinc
- **Notes:** Mounts along track every foot.



PB1068-26DA Lock

- **Materials:** Steel
- **Notes:** Nickel, keyed alike



PB1068-US26D Lock

- **Materials:** Steel
- **Notes:** Nickel, keyed different (5 key random).



PB1068-US3 Lock

- **Materials:** Steel
- **Notes:** Brass, keyed different (5 key random).



PB1068-US3A Lock

- **Materials:** Steel
- **Notes:** Brass, keyed alike.

BY-PASS CROSS-REFERENCE

KV Series	Hettich/Grant	Johnson	Stanley
BYP-50S	6034	1166, 1138, 113F	–
BYP-60S	6065	1166, 1138, 113F	BP60, BPD60
BYP-60A	6065	2222	BP60, BPD60, BP75-03
BYP-60AFR	6065	2204F, 2200F	BP75-06
BYP-60AFS	6065	2200F	BP75-06
BYP-60AFS3	6065	2200F	BP75-05
BYP-60SW	6065	–	BP75-01
BYP-60AFW	6065	2200F	BP75-03
BYP-75AFW	6065	2200F, 118F	BP75-03
BYP-75S 75A	6064	–	BP75-01, BP75-02
BYP-100A	6064	–	BP75-02
BYP-125A	–	134F, 138F	–
BYP-150A	72-034, 72-118, 72-134, 72-138, 72-222, 72-223, 73-034, 73-134, 73-138	111SD	BP150N
BYP-250A	–	100SD	BP250N
BYP-175I 275I	72-034, 72-118, 72-134, 72-138, 72-222, 72-223	200SD	–