

BYP-60S Series

Steel track hardware for 60 lb by-pass doors.



Hardware for light to mid-weight two and three panel by-pass doors. The BYP-60S series is ideal for 60 lb by-pass doors used in residential closets, pantries, and room dividers.

Door thickness: 3/4" to 1-3/8"

Load rating: Up to 60 lbs per door



Track: Double-J steel track

Carrier: Twin wheel low friction bearing

Compares to: Hettich/Grant 6065, Johnson 1166, 1138, 113F, Stanley BP60

Conforms to: ANSI/BHMA A156.14-2007
Grade 2, D8742

BYP-60S series configuration



Door Thickness:
3/4" – 1-3/8"

50 **60** 75 100 125 150 175 250 275

By-Pass Door Weight (Lb)


BYP-50S **BYP-60S** | 60A | 60AFR | 60AFS | 60AFS3 | 60SW | 60AFW | BYP-75AFW | 75S | 75A
BYP-100A | BYP-125A | BYP-150A | BYP-250A | BYP-175I | 275I | Components

Packaged Sets

SKU	Door Panel Configuration	Pack Qty	Pack Qty Weight (Lb)
BYP-60S-2D-4	2 x 24" doors	5	14
BYP-60S-2D-5	2 x 30" doors	5	16
BYP-60S-2D-6	2 x 36" doors	5	19
BYP-60S-2D-8	2 x 48" doors	5	22
BYP-60S-3D-8	3 x 32" doors	5	31

Note: Package sets are designed for 3/4" and 1-3/8" thick doors. For 1" to 1-1/8" thick doors, either all A or B carriers are required and may be ordered in the components section.

Hardware Contents	BYP-60S-2D-4	BYP-60S-2D-5	BYP-60S-2D-6	BYP-60S-2D-8	BYP-60S-3D-8
Track	3800-z47"	3800-z59"	3800-z71"	3800-z94"	3800-z94"
Twin wheel carriers-0400-ATW	2	2	2	2	2
Twin wheel carriers-0400-BTW	2	2	2	2	4
Door guide-0353	1	1	1	1	2
Finger pulls-0864-US15P	2	2	2	2	3
Door stop-0880	1	1	1	1	1
Screws	Yes	Yes	Yes	Yes	Yes



BYP-60S-2D



BYP-60S-3D

Tracks


SKU	Description	Pack Qty	Pack Qty Weight (Lb)
BK-3800-Z47	47" Double-J zinc finished steel track	20	42
BK-3800-Z59	59" Double-J zinc finished steel track	20	52
BK-3800-Z71	71" Double-J zinc finished steel track	20	56
BK-3800-Z94	94" Double-J zinc finished steel track	10	41
BK-3800-Z120	120" Double-J zinc finished steel track	10	43



Part Bags

SKU	Door Panels	Pack Qty	Pack Qty Weight (Lb)
PB-BYP-60S-2	2	10	9
PB-BYP-60S-3	3	10	15

Hardware Contents	PB-BYP-60S-2	PB-BYP-60S-3
Twin wheel carrier 0400-ATW	2	2
Twin wheel carrier 0400-BTW	2	4
Door guide-0353	1	2
Finger pulls-0864-US15	2	3
Door stop-0880	1	1
Screws	Yes	Yes



PB-BYP-60S-2



PB-BYP-60S-3

Door Thickness:
3/4" – 1-3/8"

50 **60** 75 100 125 150 175 250 275

By-Pass Door Weight (Lb)

BYP-50S **BYP-60S** | 60A | 60AFR | 60AFS | 60AFS3 | 60SW | 60AFW | BYP-75AFW | 75S | 76A
BYP-100A | BYP-125A | BYP-150A | BYP-250A | BYP-175I | 275I | Components

Components

SKU	Description	Pack Qty	Pack Qty Weight (Lb)
BK-0351	Non-adjustable door guide	50	3
BK-0351-WT	Non-adjustable door guide (white)	50	3
BK-0354	3/4" riser, fits 0351 and 0353	50	6
BK-0864-US3	3/4" finger pull (bright brass)	100	1
BK-0865-WT	1-3/4" finger pull (white)	100	2
BN-0353	Adjustable door guide, 3/4" to 1-3/8"	100	4
BN-0868-US10B	2-1/8" finger pull (oil rubbed bronze)	150	5
BN-0868-US15	2-1/8" finger pull (satin nickel)	150	5
BN-0868-US26	2-1/8" finger pull (bright chrome)	150	5
BN-0868-US3	2-1/8" finger pull (bright brass)	150	5
BN-0868-US5	2-1/8" finger pull (antique brass)	150	5
PB-0400-ATW	Twin wheel carrier with dial adjustment, A offset, 3/4" diameter wheel	20	4
PB-0400-BTW	Twin wheel carrier with dial adjustment, B offset, 3/4" diameter wheel	20	4
PB1068-26DA	Sliding door lock, nickel, keyed alike	5	2
PB1068-US26D	Sliding door lock, nickel, keyed different	5	2
PB1068-US3	Sliding door lock, brass, keyed different	5	2
PB1068-US3A	Sliding door lock, brass, keyed alike	5	2



BY-PASS COMPONENTS



1574 Spacer Spacer kit

- **Materials:** Plastic
- **Notes:** Includes screws. Used in the 75S series.



BK-0354 Carpet riser

- **Materials:** Steel with bright zinc finish
- **Rise:** 3/4" (19mm)
- **Notes:** For mounting 0351 and 0353 floor guides over carpeting.



2074 Spacer Spacer kit

- **Materials:** Plastic
- **Notes:** Includes screws. Used in the 75S, 125A, 150A and 250A series.



BK-0400-A Single wheel carrier

- **Materials:** Zinc plated with molded plastic wheels
- **Wheel:** 3/4" diameter
- **Notes:** Side mounted with precise cam adjustment. "A" offset is 3/8".



BK-0200-A Single wheel carrier

- **Materials:** Zinc plated steel with molded plastic wheels
- **Wheel:** 3/4" diameter
- **Notes:** Side mounted with slot adjust offset. "A" is offset of 3/8".



BK-0400-B Single wheel carrier

- **Materials:** Zinc plated with molded plastic wheels
- **Wheel:** 3/4" diameter
- **Notes:** Side mounted with precise cam adjustment. "B" offset is 11/16".



BK-0200-B Single wheel carrier

- **Materials:** Zinc plated steel with molded plastic wheels
- **Wheel:** 3/4" diameter
- **Notes:** Side mounted with slot adjust offset. "B" is offset of 11/16".




BK-0815 Snugger

- **Materials:** Zinc plated steel and rubber
- **Notes:** Screws onto track.



BK-0351 Non-adjustable door guide

- **Materials:** High density polyethylene
- **Dimensions:** 4-9/16" x 1" x 11-3/16" (116mm x 25mm x 46mm)
- **Notes:** For door thickness up to 1-3/4".



BK-0864-US3 Pull

- **Finish:** Brass
- **Diameter:** 3/4"



BK-0351-WT Non-adjustable door guide

- **Materials:** High density polyethylene, white
- **Dimensions:** 4-9/16" x 1" x 11-3/16" (116mm x 25mm x 46mm)
- **Notes:** For door thickness up to 1-3/4".



BK-0864-US15 Pull

- **Finish:** Satin Nickel
- **Diameter:** 3/4"



- BK-0865-WT Pull**
- **Finish:** White
 - **Diameter:** 1-3/4"



- BK-1911 Fixed bottom door guide**
- **Notes:** Fixed bottom door guide for I-beam applications.



- BK-1572-QR 4-wheel carrier**
- **Materials:** Steel with zinc finish
 - **Wheel:** 7/8" (22mm) diameter
 - **Notes:** Wheel self-align for consistent contact with track. Lubricated plastic wheels.



- BK-1914-72 Bottom guard rail**
- **Materials:** Aluminum
 - **Guide:** 7/8" x 1/2" (22mm x 13mm)
 - **Notes:** Door bottom prep requires 1/4" (6mm) kerf and 9/16" (14mm) depth. Pre-punched for use with flat head screws.



- BK-1606-QR 4-wheel ball bearing carrier**
- **Materials:** Steel with brass dichromate finish
 - **Wheel:** 7/8" (22mm) diameter
 - **Notes:** Wheels self-align for consistent contact with track. Lubricated plastic wheels on steel ball bearing shafts.



- BK-1914-96 Bottom guard rail**
- **Materials:** Aluminum
 - **Guide:** 7/8" x 1/2" (22mm x 13mm)
 - **Notes:** Door bottom prep requires 1/4" (6mm) kerf and 9/16" (14mm) depth. Pre-punched for use with flat head screws.



- BK-1800-DBA Quick release top mount**
- **Materials:** Zinc plated steel with plastic lever
 - **Notes:** Attaches to door. Carrier attaches to plate. Quick release feature.



- BK-1914-120 Bottom guard rail**
- **Materials:** Aluminum
 - **Guide:** 7/8" x 1/2" (22mm x 13mm)
 - **Notes:** Door bottom prep requires 1/4" (6mm) kerf and 9/16" (14mm) depth. Pre-punched for use with flat head screws.



- BK-1820 4-wheel ball bearing carrier**
- **Materials:** Zinc plated steel
 - **Wheel:** 1-1/4" (32mm) diameter
 - **Notes:** Wheels self-align for consistent contact with track. Lubricated plastic wheels on steel shafts with steel ball bearings.



- BK-1914-144 Bottom guard rail**
- **Materials:** Aluminum
 - **Guide:** 7/8" x 1/2" (22mm x 13mm)
 - **Notes:** Door bottom prep requires 1/4" (6mm) kerf and 9/16" (14mm) depth. Pre-punched for use with flat head screws.



- BK-1900 Door stop**
- **Notes:** Heavy-duty I-Beam door stop.



- BK-1915 Bottom door guide**
- **Materials:** Aluminum
 - **Guide:** 7/8" x 3/4" x 3" (22mm x 19mm x 76mm)
 - **Notes:** Door bottom prep requires 1/4" (6mm) kerf and 9/16" (14mm) depth.



- BK-1922-144** Bottom track
- **Materials:** Extruded aluminum
 - **Channel:** 5/8" x 3/4" (16mm x 19mm)
 - **Notes:** Screws not provided. Mortised into floor or surface mounted.



- BK-7400-A** Single wheel carrier
- **Materials:** Zinc plated steel with molded plastic wheels
 - **Wheel:** 7/8" diameter
 - **Notes:** Side mounted with precise cam adjustment. "A" offset is 3/8".



- BK-1922-96** Bottom track
- **Materials:** Extruded aluminum
 - **Channel:** 5/8" x 3/4" (16mm x 19mm)
 - **Notes:** Screws not provided. Mortised into floor or surface mounted.



- BK-7400-B** Single wheel carrier
- **Materials:** Zinc plated steel with molded plastic wheels
 - **Wheel:** 7/8" diameter
 - **Notes:** Side mounted with precise cam adjustment. "B" offset is 11/16".



- BK-7200-A** Single wheel carrier
- **Materials:** Zinc plated steel with molded plastic wheels
 - **Wheel:** 7/8" diameter
 - **Notes:** Side mounted with slot adjust offset. "A" offset is 3/8".



- BN-0353** Adjustable door guide
- **Materials:** High density polyethylene
 - **Notes:** Adjustable guide from 3/4" (19mm) to 1-3/8" (35mm).



- BK-7200-ATW** Twin wheel carrier
- **Materials:** Zinc plated steel with molded plastic wheels
 - **Wheel:** 7/8" diameter
 - **Notes:** Side mounted with slot adjust offset. "A" offset is 3/8".



- BN-0868-US10B** Pull
- **Finish:** Oil rubbed bronze
 - **Diameter:** 2-1/8"



- BK-7200-B** Single wheel carrier
- **Materials:** Zinc plated steel with molded plastic wheels
 - **Wheel:** 7/8" diameter
 - **Notes:** Side mounted with slot adjust offset. "B" offset is 11/16".



- BN-0868-US15** Pull
- **Finish:** Satin nickel
 - **Diameter:** 2-1/8"



- BK-7200-BTW** Twin wheel carrier
- **Materials:** Zinc plated steel with molded plastic wheels
 - **Wheel:** 7/8" diameter
 - **Notes:** Side mounted with slot adjust offset. "B" offset is 11/16".



- BN-0868-US26** Pull
- **Finish:** Bright chrome
 - **Diameter:** 2-1/8"



- BN-0868-US3 Pull**
- **Finish:** Bright brass
 - **Diameter:** 2-1/8"



- PB-0400-BTW Twin wheel carrier**
- **Materials:** Zinc plated steel with molded plastic wheels
 - **Wheel:** 3/4" diameter
 - **Notes:** Side mounted with precise cam adjustment. "B" is offset 11/16".



- BN-0868-US5 Pull**
- **Finish:** Antique brass
 - **Diameter:** 2-1/8"



- PB-0909 Adjustable door guide**
- **Materials:** Steel with bright zinc and molded plastic
 - **Guide:** 4-7/8" x 1-5/8" x 1-3/16" (124mm x 41mm x 30mm)
 - **Notes:** Adjustable guide from 3/4" (19mm) to 1-3/4" (44mm).



- BN-0880 Angle door stop**
- **Materials:** Zinc plated steel and rubber
 - **Dimensions:** 1-1/4" x 1-1/4" x 7/8" (32mm x 32mm x 22mm)
 - **Notes:** Keeps rear door pull exposed. Mounts on door.



- PB-1921 Bottom roller guide**
- **Materials:** Zinc plated steel, bronze roller
 - **Guide:** 1" x 3-1/2" x 3/16" (25mm x 89mm x 5mm)
 - **Post:** 2-1/2" x 5/16" (64mm x 8mm)



- PB-0340 Jump-proof guard**
- **Materials:** Steel with brass finish
 - **Notes:** Includes four guards with screws.



- PB-2004 4-wheel carrier**
- **Materials:** Zinc plated steel
 - **Wheel:** 1" (25mm) diameter
 - **Notes:** Wheels self-align for consistent contact with track. Lubricated plastic wheels.



- PB-0352 Adjustable door guide**
- **Materials:** Steel and plastic
 - **Notes:** Adjustable guide from 3/4" (19mm) to 1-3/8" (35mm).



- PB-2004-BB 4-wheel ball bearing carrier**
- **Materials:** Zinc plated steel
 - **Wheel:** 1" (25mm) diameter
 - **Notes:** Wheels self-align for consistent contact with track. Lubricated plastic wheels.



- PB-0400-ATW Twin wheel carrier**
- **Materials:** Zinc plated steel with molded plastic wheels
 - **Wheel:** 3/4" diameter
 - **Notes:** Side mounted with precise cam adjustment. "A" is offset 3/8".



- PB-3126 Side wall bracket**
- **Materials:** Steel with bright zinc
 - **Notes:** Mounts along track every foot.



PB1068-26DA Lock

- **Materials:** Steel
- **Notes:** Nickel, keyed alike



PB1068-US26D Lock

- **Materials:** Steel
- **Notes:** Nickel, keyed different (5 key random).



PB1068-US3 Lock

- **Materials:** Steel
- **Notes:** Brass, keyed different (5 key random).



PB1068-US3A Lock

- **Materials:** Steel
- **Notes:** Brass, keyed alike.

BY-PASS CROSS-REFERENCE

KV Series	Hettich/Grant	Johnson	Stanley
BYP-60S	6034	1166, 1138, 113F	-
BYP-60S	6065	1166, 1138, 113F	BP60, BPD60
BYP-60A	6065	2222	BP60, BPD60, BP75-03
BYP-60AFR	6065	2204F, 2200F	BP75-06
BYP-60AFS	6065	2200F	BP75-06
BYP-60AFS3	6065	2200F	BP75-05
BYP-60SW	6065	-	BP75-01
BYP-60AFW	6065	2200F	BP75-03
BYP-75AFW	6065	2200F, 118F	BP75-03
BYP-75S 75A	6064	-	BP75-01, BP75-02
BYP-100A	6064	-	BP75-02
BYP-125A	-	134F, 138F	-
BYP-150A	72-034, 72-118, 72-134, 72-138, 72-222, 72-223, 73-034, 73-134, 73-138	111SD	BP150N
BYP-250A	-	100SD	BP250N
BYP-175I 275I	72-034, 72-118, 72-134, 72-138, 72-222, 72-223	200SD	-