Railing & Fittings



Brass and Stainless Steel Fittings, Tubing and Extrusion



©2009 Lavi Industries All Rights Reserved.

Lido-Tone, Lido-Lustre, and GlassGrip are registered trademarks of Lavi Industries.

All product designs @ Lavi Industries.

No part of these specification sheets may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, without prior written permission from Lavi Industries.

Lavi Industries has a policy of continuous development and improvement to our product line. Specifications, data, and dimensions may change without notice. When these specifications or colors are critical, consult the factory for current information.



Solid Brass and Stainless Steel Components



Constructed of heavy-duty materials, our brackets offer strong and durable railing support.



Solid Brass and Stainless Steel Components

Standard Finishes & Materials: Polished Brass, Chrome, Polished Stainless Steel, & Satin Stainless Steel.

In addition to our standard finishes, Brass Clear Coat & Lido Tone finishes may be available. Please call for details.

BRASS & CHROME
STAINLESS STEEL
BRASS & STAINLESS STEEL



Standard Handrail Bracket

Item	1#	Tubing	СР	D
301 /	/1H	1 ½"	2 ½"	2 ½"
301 /	/2	2"	2 3/4"	2 ½"



Undrilled Handrail Bracket

	Item#	Tubing	CP	D
)	301U/1H	1 ½"	2 ½"	2 ½"
)	301U/2*	2"	2 ¾"	2 ½"




JUZ Deluxe Handrail Bracket

Item#	Tubing	CP	D
302/2	2"	2 3/4"	3 1/8"



	Item#	Tubing	CP	D	
	304/1H	1 ½"	2 5/8"	2 ½"	
•	304/2	2"	2 5/8"	2 ½	





Handrail Bracket

	Item#	Tubing	CP	D
•	308/1H*	1 ½"	3"	3"
•	308/2*	2"	3"	3"


*Also available in undrilled (308U)





Glass Mount Rail Bracket

Item#	Tubing	CP	D
308GM/1H	1 ½"	2 7/8"	3"
308GM/2	2"	2 7/8"	3"



SIU Flat Rail Bracket

Item#	Tubing	СР	D
310	N/A	2 ½"	2 3/8"



Related Products



Lido-Lustre Metal Polish LB-00202




Lido Weld Adhesive LB-00201



Wall Return (608)



Flush 147° Angle (730A)



Please check our current price list for ongoing information updates.

Tubing



Interchangeable Stainless Steel Component Series



An innovative system that allows you to customize a variety of handrail and short rail projects.



Interchangeable Stainless Steel Component Series

Custom and special orders available. Please call for quote.









Low Saddle Post

$) \bigcirc$	40	44
Tubing	CP	D
1 ½"	3 7/8"	3"
2"	3 7/8"	3"
	1 ½"	1 ½" 3 7/8"



Tall Saddle Post

$) \bigcirc$	40	44
Tubing	CP	D
1 ½"	6 1/8"	3"
2"	6 1⁄4"	3"
	1 ½"	Tubing CP 1 ½" 6 1/8"





Handrail Bracket

$\mathcal{O}($		40	44
Item#	Tubing	CP	D
308/1H*	1 ½"	3"	3"
308/2*	2"	3"	3"

*Also available in undrilled (308U)



Glass Mount Rail Bracket

40 44			
Item#	Tubing	CP	D
308GM/1H	1 ½"	2 7/8"	3"
308GM/2	2"	2 7/8"	3"



300STM Bracket Stem

$\bigcirc\bigcirc\bigcirc$	40 44
Item#	Height
300STM	2 3/16"
300STM/L	2 3/16"

Hardware sold separately



300HS Handrail Saddle

$\bigcirc\bigcirc\bigcirc$	40 44
Item#	Tubing
300HS/1H	1 ½"
300HS/2	2"

Hardware sold separately



300PS

Post Saddle

$\bigcirc\bigcirc\bigcirc$	40 44
Item#	Tubing
300PS/1H	1 ½"
300PS/2	2"

Hardware sold separately



300P

Bracket Mounting Plate

OO(40 44
Item#	Diameter
300P	3"
300P/U*	3"

*Undrilled Hardware sold separately



300GP

Glass Mount Back Plate

	40 44
Item#	Diameter
300GP	3"

Hardware sold separately

Please check our current price list for ongoing information updates.

Related Products



Lido-Lustre Metal Polish LB-00202




Lido Weld Adhesive LB-00201



Wall Return (608)



Flush 147° Angle (730A)





Cap Rail Components

Solid Brass Components





Solid brass components add elegance to commercial and residential projects.



Cap Rail Components

Solid Brass Components

Standard Finishes & Materials: Polished Brass, Chrome, Polished Stainless Steel, & Satin Stainless Steel In addition to our standard finishes, Brass Clear Coat & Lido Tone finishes may be available. Please call for details.

BRASS & CHROME STAINLESS STEEL BRASS & STAINLESS STEEL






Item#	Α	В
H1600SL	9"	11 ¹ /8"



Lateral Scroll (right)


Item#	Α	В
H1600SR	9"	11 ¹ /8"



H1600SE

Cap Rail Scroll End


Item#	Α	В
H1600SE	2 ½"	5 1/4"



H1600CB


Cap Rail Corner Bend

Item#	Α	В
H1600CB	5 ¾"	5 3/4"



Cap Rail Lamb Tongue End

Item#	Α	В
H1600LT	4 ½"	5 1/4"



H1600E Cap Rail Square End

Item#	Α	В
H1600E	2"	3 5/8"



H1600BF Cap Rail Ball Finial

Item#	Α	В
H1600BF	3 1/4"	3"








H1600PC

Cap Rail Picket Connector


Item#	Α	В
H1600PC	1 ½"	2"

H1600PC is used with picket extrusion B0404. See chart below for dimensions.



310 Flat Rail Bracket

	Item#	CP	D
•	310	2 ½"	2 1/4"



Deluxe Flat Rail Bracket

Item#	CP	D
311	3"	3 1⁄4"

Rail Installation

Please check our current price list for ongoing information updates.



Cap Rail Extrusions

Item#	Α	В	Mill Length
H1300	1 ½"	1 ¹ / ₁₆	16 ft.
H1600	2"	1 ⁵ / ₁₆	16 ft. / 20 ft.
H1800	2 1/4	1 9/16	16 ft.

Picket Extrusions



	Item#	Α	В	Mill Length
•	B0202	1/4	1/4	12 ft.
•	B0404	1/2	1/2	12 ft.

Short Rail Posts

Solid Brass and Stainless Steel Components

Short Rail Posts are the perfect choice for short walls, curtain rods, door pulls, and much more!



Short Rail Posts

Solid Brass and Stainless Steel Components

Standard Finishes & Materials: Polished Brass, Chrome, Polished Stainless Steel, & Satin Stainless Steel. In addition to our standard finishes, Brass Clear Coat & Lido Tone finishes may be available. Please call for details.

BRASS & CHROME
STAINLESS STEEL
BRASS & STAINLESS STEEL



Ball End Post

Item#	Tubing	CP	D
330/1	1"	2 3/4"	2 1/4"
330/1H	1 ½"	2 3/4"	2 15/16"
330/2	2"	3"	3 3/8"



Ball Center Post

Item#	Tubing	CP	D
332/1	1"	2 ¾"	2 1/4"
332/1H	1 ½"	2 ¾"	2 15/16"
332/2	2"	3"	3 3/8"



6 Ball End Post

Item#	Tubing	CP	D
334/2	2"	5"	3 1⁄4"



330 6 Ball Center Post

	Item#	Tubing	CP	D
•	336/2	2"	5"	3 1/4"



340 Flush End Post

Item#	Tubing	CP	D
340/1	1"	2 1/8"	1 3/4"
340/1H	1 ½"	2 7/16"	2 5/16"
340/2	2"	3 1/4"	2 1/2"



Item#	Tubing	СР	D
341/1H	1 ½"	2 ½"	2 1/4"
341/2	2"	3 1/4"	2 ½"



Unarillea Saaale Post				
Tubing	CP	D		
1 ½"	2 ½"	2 1/4"		
2"	3 1/4"	2 ½"		
	Tubing	Tubing CP 1 ½" 2 ½"		





342Flush Center Post

Item#	Tubing	CP	D
342/1	1"	2 1/8"	1 3/4"
● 342/1H	1 ½"	2 7/16"	2 5/16"
342/2	2"	3 1/4"	2 ½"



548Low Saddle Post

Item#	Tubing	CP	D
348/1H	1 ½"	4"	3"
348/2	2"	4 1/8"	3"



Tall Saddle Post

Please check our current price list for ongoing information updates.

Item#	Tubing	CP	D
348L/1H	1 ½"	6"	3"
348L/2	2"	6 1/8"	3"

Related Products



Lido-Lustre Metal Polish LB-00202




Lido Weld Adhesive LB-00201



Flush End Cap (600)



Flush Ell (732)



Tubing

Brackets for Footrail & Armrail

Solid Brass and Stainless Steel Components







Lavi's full line of foot rail and arm rail fittings enhance both traditional and contemporary railing projects.

Brackets for Footrail & Armrail

Solid Brass and Stainless Steel Components

Standard Finishes & Materials: Polished Brass, Chrome, Polished Stainless Steel, & Satin Stainless Steel. In addition to our standard finishes, Brass Clear Coat & Lido Tone finishes may be available. Please call for details.

BRASS & CHROME STAINLESS STEEL BRASS & STAINLESS STEEL



Combination Bracket


Item#	Tubing	CP	Н
400/1H	1 ½"	6 7/16"	6 5/8"
400/2	2"	6 1/8"	7"
400/2H	2 ½"	6 1/8"	7 1/4"
400/3	3"	6 1/8"	7 ½"



Bar Mount Bracket

Item#	Tubing	CP	В	
402/1H	1 ½"	6 1/16"	4"	
402/2	2"	6 7/8"	4 1/4	

Bar Mount Bracket may be bolted from back side for additional strength.



Floor Mount Bracket

Item#	Tubing	CP	В
404/1H	1 ½"	6"	6 5/16"
404/2	2"	6 1/8"	6 11/16"



Item#	Tubing	CP	В
406/2	2"	6 1/16"	2 7/8"




Victorian Bracket

r retor terr	Diuciu		
Item#	Tubing	CP	В
410/2	2"	8 1/8"	4 11/16"



Deluxe Victorian Bracket

Item#	Tubing	CP	В
411/2	2"	7 ½"	4 5/8"



450 Armrail Bracket

Item#	Tubing	CP
450/1H	1 ½"	5 3/4"
450/2	2"	5 ⁹ /16"
450/2H	2 ½"	7"



Elephant Head Bracket

Item#	Tubing	CP
460/2	2"	3 1/4"

Related Products



Lido-Lustre Metal Polish LB-00202




Lido Weld Adhesive LB-00201



Flush 147° Angle (730A)



Ball Finial (604)



Tubing





Wall and floor flanges for almost any mounting condition.



Flanges

Solid Brass and Stainless Steel Components

Standard Finishes & Materials: Polished Brass, Chrome, Polished Stainless Steel, & Satin Stainless Steel. In addition to our standard finishes, Brass Clear Coat & Lido Tone finishes may be available. Please call for details.

BRAS

BRASS & CHROME

STAINLESS STEEL

BRASS & STAINLESS STEEL





	Item#	Tubing	D	Н
	500/1	1"	2"	7/8"
•	500U/1	1"		



502/510 3" Wall Flange

Tubing	D	Н
1"	3"	1 ½"
1 ½"	3"	1 1/4"
1 ½"	3"	1 1/4"
	1"	1" 3"



511/531
Cut Wall Flange

Item#	Tubing	D	W	
● 511/1H	1 ½"	3"	2"	
531/2	2"	4"	2 ½"	



512 4" Floor Flange

	Item#	Tubing	D	Н
•	512/1H	1 ½	4"	1 1/4"



515/535


Angle Flange 45°

Item#	Tubing	D	CP
515/1H	1 ½"	3"	2 1/8"
535/2	2"	4"	2 1/8"



530/550 4" & 5½" Wall Flanges

Item#	Tubing	D	Н
530/2	2"	4"	1 1/4"
550/2H	2 ½"	5 ½"	1 ½"
550/3	3"	5 ½"	1 ½"



532 5" Floor Flange

Item#	Tubing	D	Н
532/2	2"	5"	1 3/8"



533
Adjustable Angle Flange

Item#	Tubing	D	Н
533/2	2"	4"	2 9/16"



552/560 7" Floor Flange


Item#	Tubing	D	Н		
552/2H	2 ½"	7"	1 ½"		
560/3	3"	7"	1 ½"		



580/581/582/585

Socket Flang

1
4"
/16"
8"
8"



Flange for Square Tubing

Item#	Tubing	W	Н
590/1H	1 ½"	3 ½"	1 ½"
590/2	2"	4"	1 ½"





391Cut Flange for Square Tubing

	Item#	Tubing	W	L
•	591/1H	1 ½"	3 ½"	2 ½"
•	591/2	2"	4"	3 1⁄4"



Dia.	Thickness
1"	.050
1 ½"	.050
2"	.050
3"	.050
	1" 1 ½" 2"

Available in all finishes.




Clear Coat Brass



Please check our current price list for ongoing information updates.



End Caps & Finials Solid Brass and Stainless Steel Components



Solid brass and stainless steel fittings offer numerous ways to finish off your project.



End Caps & Finials


Solid Brass and Stainless Steel Components

Standard Finishes & Materials: Polished Brass, Chrome, Polished Stainless Steel, & Satin Stainless Steel.

In addition to our standard finishes, Brass Clear Coat & Lido Tone finishes may be available. Please call for details.


BRASS & CHROME
STAINLESS STEEL

BRASS & STAINLESS STEEL




600 Flush End Cap

	Item#	Tubing	D	Н
•	600/1	1"	1"	1/8"
	600/1H	1 ½"	1 ½"	1/8"
	600/2	2"	2"	1/8"
•	600/2H	2 ½"	2 ½"	Please Call
•	600/3	3"	3"	3/16"



600W Flush End Cap for Wood

Item#	Tubing	D	Н
600W/2	2"	2 1/8"	7/8"



602Half Ball/Rounded End Cap

It	em#	Tubing	D	Н
6 0	02/1	1"	1"	1/2"
6 0	02/1H	1 ½"	1 ½"	3/4"
6 0	02/2	2"	2"	1"
6 0	02/2H	2 ½"	2 ½"	Please Call
6	02/3	3"	3"	7/8"



604Ball Finial

	Item#	Tubing	D	Н
	604/1	1"	1 ½"	2"
	604/1H	1 ½"	2 5/8"	3 1/4"
•	604/2	2"	3 1/8"	4 ½"
	604/2	2"	3 3/16"	4 5/8"



606 Scroll Finial

Item#	Tubing	D	Н
● 606/1H	1 ½	2 3/4"	2 7/8"
606/2	2"	3 1/4"	2 ½"




Radius Wall Return

Item#	Tubing	W	Н
608/1H	1 ½"	3"	2 ¾"
608/2	2"	3 1/4"	3"




610 Snap-On End Cap

Item#	Tubing	D	Н
610/1H	1 ½"	1 ½"	1/32"
610/2	2"	2"	1/32"




640
Channel Tube End Cap

Item#	Tubing	D	Н
640/2	2"	2"	1/8"
● 640/2H	2 ½"	2 ½"	3/16"
640/3	3"	3"	3/16"



Flat Square End Cap

Item#	Tubing	W	Н
650/1	1"	1"	1/8"
650/1H	1 ½"	1 ½"	1/8"
650/2	2"	2"	1/4"



032 Coming Sou

Please check our current price list for ongoing information updates.

Conical Square End Cap

Item#	Tubing	W	Н
652/1H	1 ½"	1 ½"	3/4"
652/2	2"	2"	3/4"

Related Products




Lido-Lustre Metal Polish LB-00202



Lido Weld Adhesive LB-00201



Splice (830)



Tubing

Universal Connectors

Solid Brass and Stainless Steel Components



Custom angles are easy to achieve with our wide selection of Universal and Adjustable Connectors.



Universal Connectors

Solid Brass and Stainless Steel Components

Standard Finishes & Materials: Polished Brass, Chrome, Polished Stainless Steel, & Satin Stainless Steel. In addition to our standard finishes, Brass Clear Coat & Lido Tone finishes may be available. Please call for details.

BRASS & CHROME STAINLESS STEEL BRASS & STAINLESS STEEL



	Item#	Tubing	D	Н
	800/1H	1 ½"	1 3/4"	¹⁵ / ₁₆ "
•	800/2	2"	2 3/16"	1"
•	800/3	3"	3 1⁄4"	1 3/8"



Flush Angle Collar

	Item#	Tubing	D	Н
•	801/2	2"	2"	7/8"



1" Picket Connector

	Item#	D1	D2	Н
•	806/1	1"	2"	1 3/4"



Perpendicular Collar

Item#	Tubing	D	Н
818/1	1"	1"	1 ⁵ /8"
818/1H	1 ½"	1 ½"	1 15/16"
818/2	2"	2"	2"
818/2H	2 ½"	Please Call	Please Call

No installation hardware supplied. Mounting hole has clearance for 1/4" fastener.





Coped Perpendicular Collar

Item#	Tubing	D	Н	
818CP/2	2"	3 ½"	¹⁵ / ₁₆ "	

No installation hardware supplied. Mounting hole has clearance for 1/4" fastener.



Outer Perpendicular Collar

	Item#	Tubing	D	Н
•	819/2	2"	2 3/16"	1 3/4"

No installation hardware supplied. Mounting hole has clearance for 1/4" fastener.



Adjustable Saddle

	Item#	Tubing	D	CP	
•	820/1H	1 ½"	1 ½"	2 7/8"	
•	820/2	2"	2"	3 1/8"	



Ball Adjustable Saddle

Item#	Tubing	D	CP
821/1H	1 ½"	2"	3 5/8"
821/2	2"	2"	2 7/8"



Adjustab	le Te
Item#	Tubi

Item#	Tubing	D	CP
822/2	2"	2"	3"

Related Products



Lido Weld Adhesive LB-00201



Mounting Flange & Canopy (542SET)



Ball Ell (702)



Flush Radius Ell (731)



Please check our current price list for ongoing information updates.

Tubing



Ball Fittings

Solid Brass and Stainless Steel Components



A great choice for traditional railing projects.

Vertical posts should be made with continuous tubing (for strength) while horizontals can be cut to fit between posts.



Ball Fittings

Solid Brass and Stainless Steel Components

Standard Finishes & Materials: Polished Brass, Chrome, Polished Stainless Steel, & Satin Stainless Steel. In addition to our standard finishes, Brass Clear Coat & Lido Tone finishes may be available. Please call for details.

BRASS & CHROME

STAINLESS STEEL

BRASS & STAINLESS STEEL



Ball Single Outlet

	Item#	Tubing	D	L
	700/1H	1 ½"	2 ½"	2 3/4"
•	700/2	2"	3 1/4"	3 3/8"



Ball Parallel Outlet

Item#	Tubing	D	L
701/1H	1 ½"	2 ½"	2 7/8"
701/2	2"	3 1/4"	3 3/8"



135° Ball Ell

Item#	Tubing	D	L
701A/1H	1 ½"	3 1/4"	2 ½"
701A/2	2"	5"	3 1/4"



Ball 135° Side Outlet Ell

Item#	Tu	ıbing	D	L
708/1	H ·	1 ½"	3 1/4"	2 ½"
o 708/2		2"	4"	3 1/4"



Ball 135° Side Outlet Tee

Item#	Tubing	D	L
709/1H	1 ½"	3 1/4"	2 ½"
o 709/2	2"	4"	3 1/4"



Ball Ell

Item#	Tubing	D	L
7 02/1	1"	2"	2 ½"
7 02/1H	1 ½"	2 ½"	2 3/4"
7 02/2	2"	3 1/4"	3 1/4"
7 02/3	3"	5"	5 ½"



Ball Side Outlet Ell

Item#	Tubing	D	L
703/1	1"	2"	2 ½"
703/1H	1 ½"	2 ½"	2 3/4"
703/2	2"	3 1/4"	3 5/8 "



Ball Tee

Item#	Tubing	D	L
704/1	1"	2"	2 ½"
704/1H	1 ½"	2 ½"	2 3/4"
0 704/2	2"	3 1/4"	3 3/8"
704/3	3"	5"	5 ½"



Ball Side Outlet Tee

Item#	Tubing	D	L
705/1	1"	2"	2 ½"
705/1H	1 ½"	2 ½"	2 ¾"
705/2	2"	3 1/4"	3 3/8"



Ball Cross

Item#	Tubing	D	L
706/1H	1 ½"	2 ½"	3"
706/2	2"	3 1/4"	3 ½"
706/3	3"	5"	6"



707 Ball Side Outlet Cross

	Item#	Tubing	D	L
•	707/1	1"	2"	2 ½"
•	707/1H	1 ½	2 ½"	2 3/4"
•	707/2	2"	3 1/4"	3 3/8"



Angle Collar

	Item#	Tubing	D	Н
	800/1H	1 ½"	1 3/4"	¹⁵ /16"
	800/2	2"	2 3/16"	1"
•	800/3	3"	3 1⁄4"	1 3/8"






801 Flush Angle Collar

Item#	Tubing	D	Н
801/2	2"	2"	7/8"

Brass & Stainless Steel Tubing

Item#	Dia.	Thickness
A100	1"	.050
A110	1 ½"	.050
A120	2"	.050
A140	3"	.050















Please check our current price list for ongoing information updates.

Flush Fittings





The contemporary look of flush fittings enhance any railing project.

Our flush fittings feature a 1" long sleeve (the longest in the industry) for added strength and adhesive coverage.

Flush Fittings

Solid Brass and Stainless Steel Components

Standard Finishes & Materials: Polished Brass, Chrome, Polished Stainless Steel, & Satin Stainless Steel. In addition to our standard finishes, Brass Clear Coat & Lido Tone finishes may be available. Please call for details.

BRASS & CHROME

STAINLESS STEEL

RASS & STAINLESS STEEL



Flush 135° Angle

Item#	Tubing	W	L
730/1H	1 ½"	2 15/16"	3"
730/2	2"	2 7/8"	3 3/8"



730A Flush 147° Angle

Item#	Tubing	W	L
730A/1H	1 ½"	2 1/4"	3 1/4"
730A/2	2"	2 3/4"	3 ¾"



Flush Radius Ell

Item#	Tubing	W	L
731/1	1"	1 ⁷ /8"	1 ⁷ /8"
731/1H	1 ½"	2 7/8"	2 7/8"
731/2	2"	3"	3"



732 Flush Ell

	Item#	Tubing	W	L
	732/1H	1 ½"	2"	2"
•	732/2	2"	2 ½"	2 ½"



Flush Side Outlet Ell

	Item#	Tubing	W	L
•	733/1H	1 ½"	2 1/4"	2"
	733/2	2"	2 ½"	2 1/4'



Item#	Tubing	W	L
734/1H	1 ½"	3"	2 1/4"
734/2	2"	3"	2 ½"



Flush Side Outlet Tee

Item#	Tubing	W	L
735/1H	1 ½"	3"	2 1/4"
735/2	2"	3"	2 ½"



736 Flush Cross

Item#	Tubing	W	L
736/1H	1 ½"	3"	3"
736/2	2"	3"	3"



Flush 135° Side Outlet Ell

	Item#	Tubing	W	CP
	738/1H	1 ½"	2 1/4"	1 3/4"
•	738/2	2"	2 7/8"	2"



Flush Wall Return

Item#	Tubing	D	CP
752/1H	1 ½"	3"	2 3/4"
752/2	2"	4"	3 "



Flush Mount Tee

Item#	Tubing	D	CP
754/1H	1 ½"	3"	2 3/4"
754/2	2"	4"	3"





Perpendicular Collar

	Item#	Tubing	D	Н
•	818/1	1"	1"	1 5/8"
•	818/1H	1 ½"	1 ½"	1 ¹⁵ / ₁₆
•	818/2	2"	2"	2"
•	818/2H	2 ½"		
	No installation	n hardware si	upplied.	





Coped Perpendicular Collar

Item#	Tubing	D	Н
818CP/2	2"	3 ½"	¹⁵ / ₁₆ "
No installation hardware supplied.			

Polished Stainless Steel


Polished

Brass & Stainless Steel Tubing

Dia.	Thickness
1"	.050
1 ½"	.050
2"	.050
3"	.050
	1" 1 ½" 2"










Pre-Fab Ball Posts





- Prefabricated for quick and easy installation
 - Factory welded posts provide for greater strength
 - Space posts no greater than 4 feet apart for maximum stability



Pre-Fab Ball Posts

Factory-assembled posts arrive ready for installation

Custom and special orders available. Please call for quote.













SINGLE LINE BALL POSTS	DOUBLE LINE BALL POSTS	LOW LINE BALL POSTS
End Post	End Post Item# Tubing Height	Logo
Item# Tubing Height S103/3 1 ½" 36" S203/3 2" 36" S203/4 2" 42"	Item# Tubing Height D103/3 1 ½" 36" D203/3 2" 36" D203/4 2" 42" 42" 2" 42"	Corner Post
Item# Tubing Height S104/3 1 ½" 36" S204/3 2" 36" S204/4 2" 42"	Item# Tubing Height D104/3 1 ½" 36" D204/3 2" 36" D204/4 2" 42"	Item# Tubing Height L004/5* 1" 6" L104/5 1½" 6" L104/1 1½" 12" L204/5 2" 6" L204/1 2" 12" L204/1 2" L204/1
Tee Post	Tee Post Item# Tubing Height D105/3 1 ½" 36" D205/3 2" 36" D205/4 2" 42"	Tee Post
Tubing Height S108/3 1 ½" 36" S208/3 2" 36" S208/4 2" 42"	Tubing Height D108/3 1 ½" 36" D208/3 2" 36" D208/4 2" 42" 42" 2" 42"	Item# Tubing Height L108/5 1 ½" 6" L108/1 1 ½" 12" L208/5 2" 6" L208/1 2" 12"

Mounting Solutions:

Mounting Hardware Sold Separately

Please review the Mounting Solutions Specification Sheet to choose the mounting option best suited to your project. Mounting solutions are priced individually and need to be added to the "Factory Assembled" post prices.








Tubing:


Item#	Dia.	Thickness
A100	1"	.050
A110	1 ½"	.050
A120	2"	.050





Pre-Fab Flush Posts

Factory-assembled posts arrive ready for installation



Single Line Posts

Double Line Posts

Low Line Posts



- Factory welded posts provide for greater strength
 - Space posts no greater than 4 feet apart for maximum stability



Pre-Fab Flush Posts

Factory-assembled posts arrive ready for installation

Custom and special orders available. Please call for quote.













Satin Stainless Ste

SINGLE LINE FLUSH POSTS	DOUBLE LINE FLUSH POSTS	LOW LINE FLUSH POSTS
End Post	End Post Item# Tubing Height	Item# Tubing Height L132/5 1 ½" 6" L132/1 1 ½" 12" L232/5 2" 6" L232/1 2" 12"
Corner Post H	Item# Tubing Height D133/3 1 ½" 36" D233/3 2" 36" D233/4 2" 42"	Item# Tubing Height L133/5 1 ½" 6" L133/1 1 ½" 12" L233/5 2" 6" L233/1 2" 12"
Item# Tubing Height S134/3 1 ½" 36" S234/3 2" 36" S234/4 2" 42"	Center Post Item# Tubing Height D134/3 1 ½" 36" D234/3 2" 36" D234/4 2" 42" ** **Y Height: 36" Post = 19" 42" Post = 22" *** **Post = 22" **Post	Item# Tubing Height L134/5 1 ½" 6" L134/1 1 ½" 12" L234/5 2" 6" L234/1 2" 12"
Tee Post Item# Tubing Height S135/3 1 ½" 36" S235/3 2" 36" S235/4 2" 42"	Tee Post D1 Item# Tubing Height	Tee Post Item# Tubing Height
135° Corner Post H	135° Corner Post D138/3 1 ½" 36" D238/3 2" 36" D28/4 2" 42" X Height: 36" Post = 19" 42" Post = 22"	135° 1 1/2" 6" 1 1/2" 6" 1 1/2" 12

Mounting Solutions:

Mounting Hardware Sold Separately

Please review the Mounting Solutions Specification Sheet to choose the mounting option best suited to your project. Mounting solutions are priced individually and need to be added to the "Factory Assembled" post prices.








Tubing:

Item#	Dia.	Thicknes
A100	1"	.050
A110	1 ½"	.050
A120	2"	.050





Mounting Solutions Solid Brass and Stainless Steel Components



Mounting solutions to solve the most common installation problems.



Mounting Solutions

Solid Brass and Stainless Steel Components

Standard Finishes & Materials: Polished Brass, Chrome, Polished Stainless Steel, & Satin Stainless Steel.

In addition to our standard finishes, Brass Clear Coat & Lido Tone finishes may be available. Please call for details.

BRASS & CHROME
STAINLESS STEEL
BRASS & STAINLESS STEEL





540Flange Canopy

Item	# Tu	bing	D	Н
540 /	1H 1	1/2"	4"	1 ½"
540/ 2	2	2"	5"	1 ½"
540/	3	3"	7"	1 ½"





Sloped Flange Cover

	Item#	Tubing	D	Н	
•	540B/1H	1 ½"	4"	11/16"	





Cut Flange Canopy

Item#	Tubing	D	Н
● 540C/1H	1 ½"	4 ½"	1 3/4"
540C/2	2"	4 ½"	1 3/4"




20-541

Steel Flange w/ Steel Insert

Item#	Tubing	D	Н
20-541/1H	1 ½"	3 ½"	12"
20-541/2	2"	4 ½"	12"






542/set & 543/set

Mounting Flange & Canopy

Item#	Tubing
LR-02-542/SET	2"
LR-02-543/SET	1 ½"



344 Floor Socket and Cap

Item#	Tu	bing	D	Н
5 44/2		2" 2	2 7/8"	4 ¾"
544/20	CAP	2" 2	2 1/8"	7/8"
Nata CAA	n:	L-4L C-1.		0

Note: 544/2 includes both Socket and Cap, 544/2CAP is a Replacement Cap only.



State of the Socket and Cap

Item#	Tubing	D	Н
545/2	2"	4 7/8"	4 ½"
• 545/2CAP	2"	2 1/8"	3/4"

Note: 545/2 includes both Socket and Cap, 545/2CAP is a Replacement Cap only.



512 4" Floor Flange

, - , , , , , , , , , , , , , , , , , ,			
Item#	Tubing	D	Н
512/1H	1 ½	4"	1 1/4"




5 1 tool 1 tunge				
Item#	Tubing	D	Н	
532/2	2"	5"	1 3/8"	





Item#	Tubing	D	Н	
● 552/2H	2 ½"	7"	1 ½"	
560/3	3"	7"	1 ½"	

Mounting Solutions

Please check our current price list for ongoing information updates.









Glass Clips Solid Brass and Stainless Steel Components





The perfect solution for booth dividers, guard rails, shelving and more!



Glass Clips

Solid Brass and Stainless Steel Components

Standard Finishes & Materials: Polished Brass, Chrome, Polished Stainless Steel, & Satin Stainless Steel. In addition to our standard finishes, Brass Clear Coat & Lido Tone finishes may be available. Please call for details. **BRASS & CHROME**

STAINLESS STEEL

BRASS & STAINLESS STEEL

















1/4" Glass Clip

Iten	n#	Tubing	W	Н
8 12	/1H	1 ½"	1 ½"	1 ½"
812	/2	2"	1 ½"	1 ½"

812/S	SL & SR	
1/4" Glass	Clip w/ Stop	

Item#	Tubing	W	Н
812/1HSL	1 ½"	1 ½"	1 3/4"
812/1HSR	1 ½"	1 ½"	1 3/4"
812/2SL	2"	1 3/8"	1 3/16"
812/2SR	2"	1 3/8"	1 3/16"

-½" Glass Clip, Flat Back

1 '				
Item#	W	Н		
812F	3/4"	1 3/4"		

1/2" Glass Clip

Item#	Tubing	W	Н
8 13	2"	¹³ /16"	1 ½'

813/SL & SR 1/2" Glass Clip w/ Stop

Item#	Tubing	W	Н
813/SL	2"	3/4"	1 3/8
813/SR	2"	3/4"	1 3/8






















1/2" Glass Clin Flat Rack

72 G1033	Cup, 1 im 1	Juch
Item#	W	Н
813/F	¹³ /16"	1 ³ /8"



Item#	Tubing	W	Н
813/03	2"	13/16"	1 ³ /8"



Item#	Tubing	W	Н
813/03SL	2"	11/16"	1 ³ /8"
813/03SR	2"	11/16"	1 3/8"



3/8" Glass Clip, Flat Back				
Item#	W	Н		
813/03F	13/16"	1 ³ /8"		



Item#	Tubing	Α	В
813/2	2"	2 15/16"	1 ⁵ / ₁₆ "



















813G/F

72 Giuss	Grip , I'l	ui Duck
Item#	Α	В
813G/F	2 3/16"	1 ⁵ / ₁₆ "



	Item#	Tubing	Α	В
•	813R/2	2"	2 9/16"	1 ⁷ /16



	^	
Item#	Α	В
● 813R/F	2 5/16"	1 ⁷ /16"



	Item#	Tubing	Α	В
	816/1	1"	1 11/16"	1"
•	816/1H	1 ½"	2 ½"	1 ¹ / ₁₆
	816/2	2"	2 1/4"	¹⁵ /16"



¹/₄" - ³/₈" GlassGrip™, Flat Back


	Item#	Α	В
	816/F	2 1/4"	¹⁵ / ₁₆ "
•	816/FM	1 9/16"	11/16"

🜟 For ¼" glass only.

Please check our current price list for ongoing information updates.



Booth Dividers



Booth Dividers

Factory-assembled posts arrive ready for installation


Custom and special orders available. Please call for quote.



				Satin Stainless Steel
	END POST	CORNER POST	CENTER POST	TEE POST
12" 10" 440 12" 444 26	End Post Item# Tubing Glass PR41/E 1 ½" 1/4"	Corner Post	Center Post Item# Tubing Glass PR41/C 1 ½" 1¼"	Tee Post Item# Tubing Glass PR41/T 1 ½" ½"
16° 14° 10 40 20° 24° 44 26°	End Post	Corner Post Item# Tubing Glass PR51/L 1 ½" 1½" PR52/L 2" 1½" PR52/3L 2" 3%"	Center Post	Tee Post
16° 14" 10 26	End Post Item# Tubing Glass PR61/E 1 ½" ¼" PR62/E 2" ¼"	Corner Post Item# Tubing Glass PR61/L 1 ½" ¼" PR62/L 2" ¼"	Center Post Item# Tubing Glass PR61/C 1 ½" ¼" PR62/C 2" 1¼"	Tee Post Item# Tubing Glass PR61/T 1 ½" ¼" PR62/T 2" ¼"
26 SQUARE POST	End Post	Corner Post Item# Tubing Glass PR71/L 1 ½" ¼" PR72/L 2" ¼"	Item# Tubing Glass PR71/C 1 ½" 1¼" PR72/C 2" 1¼"	Tee Post
16 GLASS GRIP POST	End Post Item# Tubing Glass PR82/E 2" 1/4"	Corner Post Item# Tubing Glass PR82/L 2" 1/4"	Center Post Item# Tubing Glass PR82/C 2" 1/4"	Tee Post Item# Tubing Glass PR82/T 2" 1/4"
18 GLASS GRIP POST	End Post Item# Tubing Glass PR92/E 2" 1/4"-3/8"	Corner Post Item# Tubing Glass PR92/L 2" 1/4"-3/8"	Center Post Item# Tubing Glass PR92/C 2" 1/4"-3/8"	Item# Tubing Glass PR92/T 2" 1/4"-3/8"
Booth Dividers are pre- assembled with standard wall flanges. Narrow (cut) flanges may be substituted at no additional charge.	Standard: 3" 510 590 31/4"	Optional: -2"- -2½"- 3" 0 0 3½" 511 591	Standard: Standard:	Optional: * 2½" * *3¼" * 4"

Tubing and Extrusions

Solid Brass and Stainless Steel



- Solid Brass with polished, clear coat, or satin finish
- Polished or Satin Stainless Steel, Alloy 304
- Lido-Tone powder coated finish in a wide variety of colors
- Available in mill lengths
- Cutting service is available

Reeded Solid Brass Round Tubing



Spirated Solid Brass Round Tubing

Round Tubing				
Item#	Diameter (in.)	lbs./ft.	Mill ft.	
A60S	5/8	.231	12	
A100S	1	.246	12	
A110S	1-1/2	.571	12	
A120S	2	.765	12	

Steel Sleeve for Round Tubing

		. •	
Item#	Use With Tubing	lbs./ft.	Mill ft.
A100SL	A100	.563	20
A110SL	A110	1.328	12
A120SL	A120	1.922	12

Tubing Splice Round Tubing

Kouria Tubirig					
Item#	A (in.)	T (in.)	Length		
830/1	1	.050	6"		
830/1H	1-1/2	.050	6"		
830/2	2	.050	6"		
830/2H	2-1/2	.050	6"		
830/3	3	.050	6"		

Solid Brass Round Tubing

A20 1/4 .032 .081 12 A30 3/8 .050 .190 12 A50 1/2 .050 .257 12 A60 5/8 .040 .328 12 A70 3/4 .050 .398 12 A100 1 .050 .541 12 A105 1-1/4 .050 .694 12 A110 1-1/2 .050 .830 12,16 A110 ID 1-1/2 ID • • 16	110000				
A30 3/8 .050 .190 12 A50 1/2 .050 .257 12 A60 5/8 .040 .328 12 A70 3/4 .050 .398 12 A100 1 .050 .541 12 A105 1-1/4 .050 .694 12 A110 1-1/2 .050 .830 12,16 A110ID 1-1/2 ID • • 16 A120 2 .050 1.080 12,16 A120ID 2 ID • • 16 A121 2 .065 1.460 16 A130 2-1/2 .050 1.410 12 A131 2-1/2 .065 1.830 16	Item#	A (in.)	T (in.)	lbs./ft.	Mill ft.
A50 1/2 .050 .257 12 A60 5/8 .040 .328 12 A70 3/4 .050 .398 12 A100 1 .050 .541 12 A105 1-1/4 .050 .694 12 A110 1-1/2 .050 .830 12,16 A110ID 1-1/2 ID • • 16 A120 2 .050 1.080 12,16 A120ID 2 ID • • 16 A121 2 .065 1.460 16 A130 2-1/2 .050 1.410 12 A131 2-1/2 .065 1.830 16	A20	1/4	.032	.081	12
A60 5/8 .040 .328 12 A70 3/4 .050 .398 12 A100 1 .050 .541 12 A105 1-1/4 .050 .694 12 A110 1-1/2 .050 .830 12,16 A110ID 1-1/2 ID • • 16 A120 2 .050 1.080 12,16 A120ID 2 ID • • 16 A121 2 .065 1.460 16 A130 2-1/2 .050 1.830 16	A30	3/8	.050	.190	12
A70 3/4 .050 .398 12 A100 1 .050 .541 12 A105 1-1/4 .050 .694 12 A110 1-1/2 .050 .830 12,16 A110ID 1-1/2 ID • • 16 A120 2 .050 1.080 12,16 A120ID 2 ID • • 16 A121 2 .065 1.460 16 A130 2-1/2 .050 1.410 12 A131 2-1/2 .065 1.830 16	A50	1/2	.050	.257	12
A100 1 .050 .541 12 A105 1-1/4 .050 .694 12 A110 1-1/2 .050 .830 12,16 A110 ID 1-1/2 ID • • 16 A120 2 .050 1.080 12,16 A120ID 2 ID • • 16 A121 2 .065 1.460 16 A130 2-1/2 .050 1.410 12 A131 2-1/2 .065 1.830 16	A60	5/8	.040	.328	12
A105 1-1/4 .050 .694 12 A110 1-1/2 .050 .830 12,16 A110 ID 1-1/2 ID • • 16 A120 2 .050 1.080 12,16 A120ID 2 ID • • 16 A121 2 .065 1.460 16 A130 2-1/2 .050 1.410 12 A131 2-1/2 .065 1.830 16	A70	3/4	.050	.398	12
A110 1-1/2 .050 .830 12,16 A110 ID 1-1/2 ID • • 16 A120 2 .050 1.080 12,16 A120ID 2 ID • • 16 A121 2 .065 1.460 16 A130 2-1/2 .050 1.410 12 A131 2-1/2 .065 1.830 16	A100	1	.050	.541	12
A110 ID 1-1/2 ID • 16 A120 2 .050 1.080 12,16 A120ID 2 ID • • 16 A121 2 .065 1.460 16 A130 2-1/2 .050 1.410 12 A131 2-1/2 .065 1.830 16	A105	1-1/4	.050	.694	12
A120 2 .050 1.080 12,16 A120ID 2 ID • • 16 A121 2 .065 1.460 16 A130 2-1/2 .050 1.410 12 A131 2-1/2 .065 1.830 16	A110	1-1/2	.050	.830	12,16
A120ID 2 ID • 16 A121 2 .065 1.460 16 A130 2-1/2 .050 1.410 12 A131 2-1/2 .065 1.830 16	A110 ID	1-1/2 ID	•	•	16
A121 2 .065 1.460 16 A130 2-1/2 .050 1.410 12 A131 2-1/2 .065 1.830 16	A120	2	.050	1.080	12,16
A130 2-1/2 .050 1.410 12 A131 2-1/2 .065 1.830 16	A120ID	2 ID	•	•	16
A131 2-1/2 .065 1.830 16	A121	2	.065	1.460	16
	A130	2-1/2	.050	1.410	12
A140 3 .050 1.710 12	A131	2-1/2	.065	1.830	16
	A140	3	.050	1.710	12

Stainless Steel Round Tubing

Round Tubing				
Item#	A (in.)	T (in.)	lbs./ft.	Mill ft.
A60	5/8	.040	.328	12
A100	1	.050	.510	20
A110	1-1/2	.050	.770	20
A111	1-1/2	.065	.990	20
A120	2	.050	1.020	20
A121	2	.065	1.300	20
A130	2-1/2	.050	1.280	20
A131	2-1/2	.065	1.690	20
A140	3	.050	1.540	20

Lido-Tone® Round Tubing

11000000	coons					
Item#	A (in.)	T (in.)	lbs./ft.	Mill ft.		
A120	2	.050	1.460	16		
A130	2-1/2	.050	1.410	12		
A131	2-1/2	.065	1.830	16		
A140	3	.050	1.710	12		

Polished Chrome Round Tubing

1 to min 1	LUCII IS					
Item#	A (in.)	T (in.)	lbs./ft.	Mill ft.		
A100	1	.050	.500	12		
A105	1-1/4	.050	.630	12		
A106	1-5/16	.080	1.02	12		
A110	1-1/2	.050	.760	12		
A120	2	.050	1.030	12		
A130	2-1/2	.050	1.300	12		
A140	3	.050	1.570	12		

Solid Brass Square Tubing

square.	Inomg			
Item#	A (in.)	T (in.)	lbs./ft.	Mill ft.
C08081	1	.050	.710	12
C08082	1	.065	.920	12
C12121	1-1/2	.050	1.070	12
C12122	1-1/2	.065	1.380	12
C16161	2	.050	1.440	12
C16162	2	.065	1.860	12



Tubing and Extrusions

Solid Brass and Stainless Steel

Configuring a Part Number for Ordering: Finish-Item#/Length

EXAMPLE:

 $5/8" \times 5/8"$ Solid Brass Channel in Polished Brass in 12' Length=

00-05053/12 Item Number

Please check current price list for availability of materials and finishes.

00- Polished

01- Mill

02- Clear Coat 04- Satin Clear Coat

Stainless Steel 40- Polished

41- Mill 44- Satin

10- Over Steel 12- Over Brass

26- Over Steel 06- Over Brass

50-Aluminum

Note: Items listed in **bold** type below are commonly used with our Fittings and Components.

Finish

Solid Brass Framing Channel



Aluminum






Aluminum Base

Item#	A (in.)	B (in.)	C (in.)	lbs./ft.	Mill ft.
A122B	3½	21/4	3/4	7.00	16

Solid Brass & Stainless Steel Cladding

sicci ciamini				-
Item#	A (in.)	C (in.)	T (in.)	Mill ft.
SRS420/3	3½	3/4	.050	8

Solid Brass Channel Tubing



Stainless Steel Channel Tubing

Citative Italia				B I		
Item#	A (in.)	B (in.)	T (in.)	lbs./ft.	Mill ft.	
A121U	2	3/4	.062	1.950	10	
A132U	21/2	3/4	.062	2.300	10, 19	
A142U	3	3/4	.062	2.650	10	
A152U	3½	3/4	.062	3.000	10	

Solid Brass Angle

Item#	A (in.)	B (in.)	T (in.)	lbs./ft.	Mill ft.
L04042	1/2	1/2	.065	.220	12
L04043	1/2	1/2	.090	.312	12
L04044	1/2	1/2	.125	.420	12
L05052	5/8	5/8	.065	.280	12
L06062	3/4	3/4	.065	.320	12
L06064	3/4	3/4	.125	.630	12
L08082	1	1	.065	.460	12
L08084	1	1	.125	.890	12
L12124	1½	1½	.125	1.220	12

Solid Brass Channel

Item#	A (in.)	B (in.)	T (in.)	lbs./ft.	Mill ft.
U03032	3/8	3/8	.062	.190	12
U04032	1/2	3/8	.062	.224	12
U04043	1/2	1/2	.094	.440	12
U04083	3/4	1/2	.094	.600	12
U05053	5/8	5/8	.094	.570	12
U06063	3/4	3/4	.094	.690	12
U08083	1	1	.110	1.200	12

Solid Brass Radius Back Channel

Item#	A (in.)	B (in.)	T (in.)	lbs./ft.	Mill ft.
U04043C	1/2	1/2	.094	.464	12
U05053C	5/8	5/8	.094	.700	12

Stainless Steel Radius Rack Channel

Tamus Dack Chain			rtCt ← B →				
	Item#	A (in.)	B (in.)	T (in.)	lbs./ft.	Mill ft.	
	U03052C	5/8	3/8	.065	.350	12	
	U04052C	5/8	1/2	.065	.320	12	

Solid Brass

Radius Angle			(order separa			
Item#	A (in.)	B (in.)	T (in.)	lbs./ft.	Mill ft.	
L08043C	3/4	1/2	.090	.510	12	

Solid Brass Bar


8 (1)			
A (In.)	B (in.)	lbs./ft.	Mill ft.
1/8	1/2	.230	12
1/8	5/8	.288	12
1/8	3/4	.346	12
1/8	1	.461	12
1/8	1-1/2	.691	12
1/8	2	.920	12
1/4	1/4	.230	12
1/4	1/2	.461	12
1/4	3/4	.691	12
1/4	1	.920	12
1/4	1-1/2	1.380	12
1/4	2	1.840	12
3/8	1	1.380	12
3/8	2	2.760	12
1/2	1/2	.920	12
1/2	3/4	1.380	12
1/2	1	1.840	12
1/2	1-1/2	2.760	12
1/2	2	3.680	12
	1/8 1/8 1/8 1/8 1/8 1/8 1/8 1/8 1/4 1/4 1/4 1/4 1/4 1/4 1/4 1/4 1/2 1/2 1/2 1/2	1/8 5/8 1/8 3/4 1/8 1 1/8 1 1/8 2 1/4 1/4 1/4 1/2 1/4 3/4 1/4 1 1/4 2 3/8 1 3/8 2 1/2 1/2 1/2 3/4 1/2 1 1/2 1/2 1/2 3/4 1/2 1 1/2 1 1/2 1 1/2 1 1/2 1 1/2 1 1/2 1 1/2 1 1/2 1 1/2 1 1/2 1 1/2 1	1/8 1/2 .230 1/8 5/8 .288 1/8 3/4 .346 1/8 1 .461 1/8 1 - 1/2 .691 1/8 2 .920 1/4 1/4 .230 1/4 1/2 .461 1/4 3/4 .691 1/4 1 .920 1/4 1 - 1/2 1.380 1/4 2 1.840 3/8 1 1.380 3/8 2 2.760 1/2 1/2 .920 1/2 3/4 1.380 1/2 1 1.840 1/2 1-1/2 2.760

Solid Brass Handrail Can Extrusion

Сир Ели изгон			< // >	
Item#	A (in.)	B (in.)	lbs./ft.	Mill ft.
H1300	1-5/8	1-1/16	1.820	16
H1600	2	1-5/16	2.280	16
H1800	2-1/4	1-9/16	2.910	16

For a full line of fittings for the H1600, refer to spec sheet for Cap Rail Components.

Recessed Solid Brass Tubing











Please check our current price list for ongoing information updates