


LOCKEY
USA

Celebrating
30 *years*



GATE & PANIC HARDWARE

vol. 1902

GATE CLOSERS

TB100

www.LockeyUSA.com/product/TB100



Order #:

TB100

Gently closes gates up to 125 lbs.
Pushes gate closed
Adjustable closing speed

Recommended for use with:
Metal/Vinyl/Wood/Chain Link gates
with in-line/flush hinges.

Max. Gate Weight: 125 lbs.
Max. Gate Width: 54"
Max. Opening Angle: 90 degrees
Material: Steel

Please note: LockeyUSA product warranty requires a gate stop to be installed in conjunction with the gate closer to prevent gates from opening past the listed maximum opening angle. www.LockeyUSA.com/warranty

TB175

www.LockeyUSA.com/product/TB175



Order #:	Color:
TB175B	Black
TB175W	White

Flush mount gate closer
Pushes the gate closed
Hold open feature
Adjustable closing/latching speed
Recommended for use with:
Metal, Vinyl, and Wood gates
with in-line hinges.

Max. Gate Weight: 125 lbs.
Max. Gate Width: 54"
Max. Opening Angle: 90 degrees
Material: Steel

TB200, TB400, TB600

TB200
TB400
TB600

TB200SS
TB400SS
TB600SS



Order #:	Material:	Color:	Gate Weight:	Gate Width:	Opening Pressure:
TB200	EG Steel	Black	50-125 lbs.	30"-52"	3-7 lbs.
TB200SS	Stainless Steel	Silver	50-125 lbs.	30"-52"	3-7 lbs.
TB400	EG Steel	Black	75-175 lbs.	40"-64"	6-12 lbs.
TB400SS	Stainless Steel	Silver	75-175 lbs.	40"-64"	6-12 lbs.
TB600	EG Steel	Black	150-250 lbs.	44"-72"	8-18 lbs.
TB600SS	Stainless Steel	Silver	150-250 lbs.	44"-72"	8-18 lbs.

www.LockeyUSA.com/product/TB200
www.LockeyUSA.com/product/TB400
www.LockeyUSA.com/product/TB600

Mounting Hardware



Hydraulic controlled closing speed
Installs on top/middle/bottom
Works with left and right hand gates
Mounts on opening side of gate
Pushes the gate closed
Mounting brackets and fitting bar included
Hinge Arrangements: In-line or Offset
Max. Opening Angle: 100 degrees

TB250, TB450, TB650 Adjustable

www.LockeyUSA.com/product/TB250
www.LockeyUSA.com/product/TB450
www.LockeyUSA.com/product/TB650



Adjustable Closing Speed!

Order #:	Specify Color:	Gate Weight:	Gate Width:	Opening Pressure:
TB250B TB250W TB250G	Black White Gray	50-125 lbs.	30"-52"	3-7 lbs.
TB450B TB450W TB450G	Black White Gray	75-175 lbs.	40"-64"	6-12 lbs.
TB650B TB650W TB650G	Black White Gray	150-250 lbs.	44"-72"	8-18 lbs.

Mounting Hardware



Adjustable hydraulic controlled closing speed
Installs on top/middle/bottom
Works with left and right hand gates
Mounts on opening side of gate
Pushes the gate closed
Mounting brackets and fitting bar included
Hinge Arrangements: In-line or Offset
Max. Opening Angle: 100 degrees
Material: Electro-galvanized (EG) Steel
Finish: PVC wrapped

TB950 Magnum Closer & Hinge

www.LockeyUSA.com/product/TB950



All-in-one closer and hinge system
Concealed, high use, pedestrian gate closer
Self-closing, no hold open
Tamper and vandal resistant
Two speed adjustments: closing & latching
Closes gates weighing between 50-250 lbs.
Restrictor to avoid over opening
Speed adjustments hidden from view
180 degree capable (saloon style) with 180 Drive Plate*

Accessories

Order #: TB-LINX

To mount closer on chain link
(TB200,400,600 & TB250,450,650)

Order #: TB950-LINX

To mount TB950 on chain link

Order #: TB950-180 Plate

To make the TB950 180 degree capable (saloon style)

GATE LOCKS & BOXES

LockeyUSA recommends installing a hydraulic gate closer along with the gate lock and gate stop in order to prevent the gate from slamming and to increase the lifetime of the latch.

SUMO GL2 Gate Lock

www.LockeyUSA.com/product/SUMO

SUMO
SURFACE MOUNT
SECURITY GATE LOCK

Order #:	Lock Body:	Finish:
GL2SCMG	Single Combination	SCMG*
GL2JBMG	Single Combination	JBMG*
GL2SCMGDC	Double Combination	SCMG*
GL2JBMGDC	Double Combination	JBMG*



Easy to install surface mount gate kit, lock included
Locks automatically
Equipped with passage function
Keyed cylinder lockout function prevents code use when locked
Deadlocking spring latch prevents tampering
Adjustable strike accommodates gaps between gate & post up to 2"
One user code, thousands of possible combinations
Changeable handing
Ideal for ornamental, aluminum, vinyl, and wood gates
Dimensions on gate post:
Length: 9 5/16"
Width: 2 1/2"
Depth: 4"
Dimensions on fence post:
Length: 8 5/8"
Width: 1 1/2"
Depth: 2 1/4"

**NO
WELDING
NEEDED!**

Gate Boxes & Gate Box Kits

www.LockeyUSA.com/gate-boxes



GB200M
For use with M210, M230
Steel: GB200M
Aluminum: GB200MAL



GB210
For use with M210 + knob/lever
Steel: GB210
Aluminum: GB210AL



GB900
For use with 2930, 2985
Steel (black): GB900
Aluminum: GB900AL



GB950
For use with 2900, 2950
Steel (black): GB950
Aluminum: GB950AL



GB1150
For use with 1150, 1600
Steel: GB1150
Aluminum: GB1150AL



GB2500
For use with 2210, 2830,
2835, 3210, 3830, 3835
Steel: GB2500
Aluminum: GB2500AL



GBADDABOLT (box only)
For use with M210DC & a
drive-in-deadbolt
Designed for narrow stiles
Black: GB-ADD-A-BOLT-B
White: GB-ADD-A-BOLT-W

**NO
WELDING
NEEDED!**



GB2900-LINX
For use with 2900 Series
2900, 2930, 2950, 2985
Stainless Steel for Chain Link
1 5/8": GB2900-LINX
1 7/8": GB2900-LINX 1 7/8"



GBADDABOLT KIT
Includes GBADDABOLT box,
M210DC & drive-in-deadbolt
Designed for narrow stiles
Black: GBADDABOLTKITB
White: GBADDABOLTKITW



GB210PLUSDC Kit
Includes GB210 box, M210DC
& a knob or lever
Specify knob or lever
Steel: GB210PLUSDC
Aluminum: GB210PLUSDCAL

Keyless Locks for Gates

For our full selection of LockeyUSA locks, visit www.LockeyUSA.com.



2835 Lever Lock
Shown above on GB2500
Available in 9 finishes:
AB, BB, BC, JB, MG* (above),
OIL, SC, SN, WH



M210 Deadbolt & M230 Lock
Shown above on GB200M
Available in 9 finishes:
AB, BB, BC, JB, MG* (above),
OIL, SC, SN, WH



3835 Passage Lever Lock
Shown above on GB2500
Available in 4 finishes:
JBMG*, OIL, SCMG*, SN



2900 Series Locks
Shown above on GB2900 LINX
Available in 9 finishes:
AB, BB, BC, JB, MG* (above),
OIL, SC, SN, WH (2930 not pictured)



1150 Heavy-Duty Lever Lock
Shown above on GB1150
Available in 3 finishes:
JB, MG*, OIL

AB: Antique Brass BB: Bright Brass BC: Bright Chrome JB: Jet Black *MG: Marine Grade OIL: Oil Rubbed Bronze SC: Satin Chrome SN: Satin Nickel WH: White
* MG in the finish indicates Marine Grade, which extends the life of the finish when exposed to corrosive elements of saltwater environments. *

**LOCKEY
USA**

LOCKEYUSA.COM | 888.395.0163 | INFO@LOCKEYUSA.COM

*Celebrating
30 years*

PANIC BARS & TRIMS

www.LockeyUSA.com/panic-bars

www.LockeyUSA.com/panic-trims

PB1100 Panic Bar

www.LockeyUSA.com/product/PB1100



Order #:	Material:	Length:
PB1100AL	Aluminum	33"
PB1142	Aluminum	42"
PB1100FR	Fire Rated	33"
PB1100SS	Stainless Steel	33"
PB1142SS	Stainless Steel	42"

Grade 1 Certified ANSI/BHMA A156.3 Series
Complies with ANSI A117.1 ADA requirements
UL/cUL Listed
Weather Resistant
Latch Bolt: Stainless Steel Powder Metallurgy, 11/16" throw
Deadlocking Latch: Stainless Steel Powder Metallurgy, 9/16" throw
Narrow Stile: 2 1/2"
Door Thickness: 1 3/4" (standard)
PB1100 Device Length: 33" for 36" doors
PB1142 Device Length: 42" for 48" doors
Field-sizable: Can be cut down to 27"
PB1100FR only: UL/cUL Listed 3 hour fire-rated 10C, UBC 7-2 (1997)
Compatible with all LockeyUSA Panic Trims & Keyless Panic Trims

PB2500 Panic Bar

www.LockeyUSA.com/product/PB2500



Order #:	Device Type:	Length:
PB2500	Panic Bar	33"
PB2500Alarm	Alarm Bar	33"
PB2542	Panic Bar	42"
PB2542Alarm	Alarm Bar	42"

Patented double-interlocking system makes the PB2500 virtually impossible to tamper with, pry, or force open

UL Certified ANSI/BHMA 156.3 2008, Grade 1
Listed by CA State Fire Marshall
ADA Compliant
Conforms to Positive Pressure Standards, UL 10C UBC 7-2
Accepted by NYC, Department of Buildings, MEA 337-92M
Standard lengths for 36" or 48" doors/gates
Can be field cut for undersized doors/gates
Designed for narrow stile aluminum doors
Made in the USA
Weather Resistant
Non-handed



DETEX V40 Series Panic Bars

www.LockeyUSA.com/product/DETEX-V40



Features:
ANSI and BHMA Grade 1 Certified
UL/cUL Listed
ADA Compliant
Narrow Stile: 2 1/2"
Door Thickness: 1 3/4" (standard)
Field-sizable
Weatherproof

LockeyUSA offers DETEX products & manufactures DETEX compatible panic shields & keyless trims. V40 Series bars are also offered as part of our Panic Shield Kits.

Non-Alarm Options:

33" Bar: V40
33" Bar, Black: V40x711
33" Bar, Weatherized: V40xW
42" Bar: V40x48
42" Bar, Black: V40x48x711

Alarm Options:

33" Alarm Bar: V40xEB
33" Alarm Bar, Black: V40x711xEB
33" Alarm Bar, Weatherized: V40xEBxW
33" Alarm Bar, Black, Weatherized: V40x711xEBxW
42" Alarm Bar: V40x48xEB
42" Alarm Bar, Weatherized: V40x48xEBxW
42" Alarm Bar, Black: V40x48x711xEB
42" Alarm Bar, Black Weatherized: V40x48x711xEBxW

Keyless Panic Trims

www.LockeyUSA.com/product/115P
www.LockeyUSA.com/product/160P

www.LockeyUSA.com/product/285P
www.LockeyUSA.com/product/310P



115P Heavy-Duty Lever Lock (1150 Lock Body)

Compatible with panic bars that accept a flat tail piece & have a turn radius of 74° or less.

Finish:	Order #:
JB	115PJB
MG*	115PMG*
OIL	115POIL



160P Heavy-Duty Knob Lock (1600 Lock Body)

Compatible with panic bars that accept a flat tail piece & have a turn radius of 90° or less.

Finish:	Order #:
JB	160PJB
MG*	160PMG*
OIL	160POIL



285P Lever Lock (2835 Lock Body)

Compatible with panic bars that accept a flat tail piece & have a turn radius of 74° or less.

Available in 9 finishes:

AB	285PAB
BB	285PBB
BC	285PBC
JB	285PJB
MG*	285PMG*
OIL	285POIL
SC	285PSC
SN	285PSN
WH	285PWH



310P Knob Lock (3210 Lock Body)

Compatible with panic bars that accept a flat tail piece & have a turn radius of 90° or less.

Finish:	Order #:
MG*	310PMG*

Compatible trim boxes for LockeyUSA keyless panic trims are listed on the "Panic Hardware" page of this catalog.

Panic Trims

Pull Handle Entry Trim



Order #:
PB-DUMED

Lever Handle Passage Trim



Order #:
PB-LHPS

Lever Handle Clutch Trim



Order #:
PB-LHCL

Lever Handle Keyed Entry



Order #:
PB-LHED

Lever Handle Storeroom



Order #:
PB-LHSR

Night Latch Handleset Trim



Order #:
PB-NLED

Thumbpiece Keyed Entry Trim



Order #:
PB-TPED

PANIC HARDWARE

LockeyUSA panic hardware (excluding 12" panic shields) is available individually or as a component of a Panic Shield Kit. See next page for more information.

Panic Shields

www.LockeyUSA.com/panic-shields



PS24S



PS3x1S24



ED3x1S24



PS12S



PS3x1S12



ED3x1S12

Order #:	Style:	Shield Height:	Color:	Hole Pattern:
PS3x1S24	Standard	24"	Silver	Predrilled for PB1100, PB2500 & V40 Series Panic Bars
PS3x1B24	Standard	24"	Black	Predrilled for PB1100, PB2500 & V40 Series Panic Bars
ED3x1S24	Edge	24"	Silver	Predrilled for PB1100, PB2500 & V40 Series Panic Bars
ED3x1B24	Edge	24"	Black	Predrilled for PB1100, PB2500 & V40 Series Panic Bars
PS3x1S12	Standard	12"	Silver	Predrilled for PB1100, PB2500 & V40 Series Panic Bars
PS3x1B12	Standard	12"	Black	Predrilled for PB1100, PB2500 & V40 Series Panic Bars
ED3x1S12	Edge	12"	Silver	Predrilled for PB1100, PB2500 & V40 Series Panic Bars
ED3x1B12	Edge	12"	Black	Predrilled for PB1100, PB2500 & V40 Series Panic Bars
PS24S	Standard	24"	Silver	No panic bar mounting holes
PS24B	Standard	24"	Black	No panic bar mounting holes
PS12S	Standard	12"	Silver	No panic bar mounting holes
PS12B	Standard	12"	Black	No panic bar mounting holes

Mounting plate for a panic bar
Turns gates into emergency exits
16ga eg-steel
Adjustable for 28"-54" gates
Available in 24" and 12" shield heights
Powder-coated finish



PS-EXT
Extension shields
Extends panic shield to 74"
Available in both 12" and 24"

Order #:	Shield Height:	Color:
PSEXTS	24"	Silver
PSEXTB	24"	Black
PSEXT12S	12"	Silver
PSEXT12B	12"	Black

Gate Hardware

www.LockeyUSA.com/gate-hardware

Latch Protector

Provides extra security to gate latches, for gates with over 1" gap
16ga eg-steel
23.375" long
Black: LPB
Silver: LPS



Max Guard

Mounts above panic bar to prevent tampering
4" Protrusion, 24" wide
Black: MAXB
Silver: MAXS



Gate Stop

Prevents gate from opening past 90°
Gate Stop: GS90



LINX Gate Stop

Prevents chain link gate from opening past 90°
3" Posts: GSLINX
4" Posts: GSLINX 4"



Edge Jamb Stop

Acts as a gate stop on EDGE shield setups
Order #: EDJS



PS Strike Bracket

For standard style shield setups, includes mounting hardware
Black: PSSBB
Silver: PSSBS



ED Strike Bracket

For edge style shield setups, includes mounting hardware
Black: EDSBB
Silver: EDSBS



2900 Strike Bracket

Strike Bracket for 2900/2950 locks
Includes necessary mounting hardware
Black: SB2900
Silver: SB2900



2985 Strike Bracket

Strike Bracket for 2930/2985 locks
Includes necessary mounting hardware
Black: SB2985
Silver: SB2985



Keyed Cylinder

For use with: PSGB5 and EDGB5
Order #: PS-CYL
Specify Keyed Alike or Keyed Different



Mounting Tabs

For use with: 2900 Series Locks
Order #: AR-2991-0965

Trim Boxes

www.LockeyUSA.com/panic-hardware



PSGB100

For use with 115P, 160P
Black: PSGB100B
Silver: PSGB100S



PSGB200 (STANDARD)

For use with 285P
Black: PSGB200B
Silver: PSGB200S



EDGB200 (EDGE)

For use with 285P
Black: EDGB200B
Silver: EDGB200S



PSGBLH

For use with PB-LHPS, PB-LHED, PB-LHSR
Black: PSGBLHB
Silver: PSGBLHS



PSGB5

For use with keyed cylinder for standard shield setups
Black: PSGB5B
Silver: PSGB5S



EDGB5

For use with keyed cylinder for EDGE shield setups
Black: EDGB5B
Silver: EDGB5S

PANIC SHIELD KITS

LockeyUSA 24" panic shields are available individually or as a component of a Panic Shield Kit. Information on how to order a panic shield kit is found below.

Standard vs. EDGE Style Kits

www.LockeyUSA.com/standard-kits


www.LockeyUSA.com/edge-kits

Panic Shield Kits are offered in two styles, Standard and EDGE

The main differences between Standard and EDGE panic shield kits:

- ✓ Panic bar mounts closer to the edge of the gate with EDGE kits
- ✓ Reduced strike size on EDGE kits when compared to Standard kits
- ✓ Reduced strike protrusion on EDGE kits when compared to Standard kits
- ✓ Latch Protector & Jamb Stop (gate stop) included with all EDGE kits

Standard



EDGE



Standard Style



PB1100 mounted on a Standard Style Panic Shield setup

EDGE Style



PB2500 mounted on an EDGE Style Panic Shield setup

How to Order a Panic Shield Kit

www.LockeyUSA.com/resources/ordering-information

KIT

4: Value
5: Safety
6: Security

SHIELD COLOR

S: Silver
B: Black

*OPTIONAL PANIC BAR UPGRADE SELECT ONLY ONE:



STYLE

PS: Standard Style
ED: EDGE Style



BAR

0: No Bar
1: PB1100
2: Detex V-40
3: Detex V-40xEBxW (WEATHERIZED ALARM)
4: PB2500
5: PB2500ALARM

For standard 36" doors/gates
Material: Aluminum



PB1100 UPGRADES

L: 42" Bar
M: Stainless Steel
F: Fire Rated
LM: 42" Stainless Bar

DETEX V-40 UPGRADES

L: 42" Bar
W: Weatherized V-40
7: Black V-40
L7: 42" Black V-40

DETEX V-40xEBxW UPGRADES

L: 42" Bar
7: Black V-40xEB
L7: 42" Black V-40xEB

PB2500 & PB2500AL UPGRADES

L: 42" Bar

WHAT'S INCLUDED?

(4) Value Kit: Shield, Bar, Strike Bracket
(5) Safety Kit: Shield, Bar, Strike Bracket, Key Box, Keyed Cylinder
(6) Security Kit: Shield, Bar, Strike Bracket, Gate Box, 285-P, Max Guard

****ALL EDGE STYLE KITS ALSO INCLUDE LATCH PROTECTOR & JAMB STOP****

PANIC SHIELD KITS

Refer to the "Panic Hardware" page of this catalog to view the individual items included in the various Panic Shield Kits.

Panic Shield Kits

www.LockeyUSA.com/standard-kits

www.LockeyUSA.com/edge-kits

Contents of kits are indicated by **x** below. See "How to Order Panic Shield Kit" for available panic bar upgrades.

Order #:	Value Safety Security	Style:	24" Shield	PB1100	V40	V40x-EBxW	PB2500	PB2500 Alarm	Strike Bracket	Key Box	Keyed Cylinder	Keyless Lock Trim Box	285P Keyless Trim	Max Guard	LP	Jamb Stop
PS40	Value	Standard	x						x							
PS41	Value	Standard	x	x					x							
PS42	Value	Standard	x		x				x							
PS43	Value	Standard	x			x			x							
PS44	Value	Standard	x				x		x							
PS45	Value	Standard	x					x	x							
PS50	Safety	Standard	x						x	x	x					
PS51	Safety	Standard	x	x					x	x	x					
PS52	Safety	Standard	x		x				x	x	x					
PS53	Safety	Standard	x			x			x	x	x					
PS54	Safety	Standard	x				x		x	x	x					
PS55	Safety	Standard	x					x	x	x	x					
PS60	Security	Standard	x						x			x	x	x		
PS61	Security	Standard	x	x					x			x	x	x		
PS62	Security	Standard	x		x				x			x	x	x		
PS63	Security	Standard	x			x			x			x	x	x		
PS64	Security	Standard	x				x		x			x	x	x		
PS65	Security	Standard	x					x	x			x	x	x		
ED40	Value	EDGE	x						x						x	x
ED41	Value	EDGE	x	x					x						x	x
ED42	Value	EDGE	x		x				x						x	x
ED43	Value	EDGE	x			x			x						x	x
ED44	Value	EDGE	x				x		x						x	x
ED45	Value	EDGE	x					x	x						x	x
ED50	Safety	EDGE	x						x	x	x				x	x
ED51	Safety	EDGE	x	x					x	x	x				x	x
ED52	Safety	EDGE	x		x				x	x	x				x	x
ED53	Safety	EDGE	x			x			x	x	x				x	x
ED54	Safety	EDGE	x				x		x	x	x				x	x
ED55	Safety	EDGE	x					x	x	x	x				x	x
ED60	Security	EDGE	x						x			x	x	x	x	x
ED61	Security	EDGE	x	x					x			x	x	x	x	x
ED62	Security	EDGE	x		x				x			x	x	x	x	x
ED63	Security	EDGE	x			x			x			x	x	x	x	x
ED64	Security	EDGE	x				x		x			x	x	x	x	x
ED65	Security	EDGE	x					x	x			x	x	x	x	x

WARRANTY STATEMENTS: LockeyUSA Hydraulic Gate Closers (not including the TB950 Magnum) are covered by a one year warranty. The one year warranty covers manufacturer defects to the hydraulic gate closer. The one year warranty does NOT cover defects resulting from vandalism, improper installation or use. LockeyUSA TB950 Magnum Hydraulic Gate Closer & Hinge is covered by a ten year warranty. The ten year warranty covers manufacturer defects to the hydraulic gate closer and hinge. The ten year warranty does not cover defects resulting from vandalism, improper installation, or use. LockeyUSA Panic Hardware including panic bars and panic shields, comes with a five year warranty. The five year warranty does NOT cover damage or defects to the product finish, defects resulting from vandalism, or defects resulting from improper installation or use. LockeyUSA product warranty does not apply to DETEX Panic Hardware, sold by LockeyUSA. All DETEX warranty inquiries must be directed to the manufacturer.

FULL WARRANTY STATEMENTS AVAILABLE AT www.LockeyUSA.com/warranty




LOCKEYUSA.COM | 888.395.0163 | INFO@LOCKEYUSA.COM



LOCKEY **USA**

Celebrating
30 *years*



FIND A DISTRIBUTOR

LockeyUSA.com/find-a-distributor




FIND AN ONLINE RETAILER

LockeyUSA.com/online-retailers

**4245 S. Lincoln Rd.
Mt. Pleasant, MI 48858
888.395.0163
LockeyUSA.com**

LOCKEY USA

Celebrating
30 *years*



LOCK CATALOG

vol. 1902

DEADBOLT LOCKS

Images of available lock finishes, descriptions of the various options & more product information can be found on the inside back cover of this catalog.

M210

www.LockeyUSA.com/product/M210



Mechanical, keyless deadbolt lock
Installs in minutes with EZ Plates
Thumbturn on exterior & interior
Covers standard 2 1/8" hole
Adjustable deadbolt backset
Door Thickness: 1 1/8" to 2"
Dimensions: 5" L x 1 1/2" W x 1 7/8" D

OPTIONS:

Keypad:

Single Combination, Double Combination (DC)

Finish:

Antique Brass (AB), Bright Brass (BB),
Bright Chrome (BC), Jet Black (JB),
Oil Rubbed Bronze (OIL), Marine Grade (MG),
Satin Chrome (SC), Satin Nickel (SN), White (WH)

**Lifetime
Mechanical
Warranty!**

2210KO

www.LockeyUSA.com/product/2210



Mechanical, keypad, key override deadbolt lock
Knob on exterior, thumbturn on interior
Covers standard 2 1/8" hole
Adjustable deadbolt backset
Door Thickness: 1 1/8" to 2"
Schlage keyway
Dimensions: 5 5/8" L x 1 5/8" W x 2 1/8" D

OPTIONS:

Keypad:

Single Combination, Double Combination (DC)

Finish:

Antique Brass (AB), Bright Brass (BB),
Bright Chrome (BC), Jet Black (JB),
Oil Rubbed Bronze (OIL), Marine Grade (MG),
Satin Chrome (SC), Satin Nickel (SN), White (WH)

**Limited
Lifetime
Mechanical
Warranty!**

SL910

www.LockeyUSA.com/product/SL910



Electronic/mechanical combination deadbolt
Manual drive deadbolt saves power
Covers standard 2 1/8" hole
Key override (Kwikset keyway)
LED Illumination for easy operation in the dark
Up to 20 user codes, 4-10 digits in length
Low battery alarm
Slim/small interior lock body

Dimensions:

Exterior: 4 1/16" L x 2 3/4" W x 1 11/16" D
Interior: 3 1/2" L x 2 9/16" W x 1 1/4" D

OPTIONS:

Finish:

Antique Brass (AB), Bright Brass (BB),
Oil Rubbed Bronze (OIL), Satin Nickel (SN)



E915

www.LockeyUSA.com/product/E915



Battery-powered electronic deadbolt lock
Remote capable (1 included, up to 5 capable)
Up to 6 user codes, 4-10 digits in length
Key Override (Schlage keyway)
Auto-locking function
Covers standard 2 1/8" hole
LED Illumination for easy operation in the dark
Disposable (one-time use) code capable

Dimensions:

Exterior: 5 1/8" L x 3 1/8" W x 1 3/8" D
Interior: 7 1/4" L x 2 7/8" W x 1 3/4" D

OPTIONS:

Finish:

Antique Brass (AB), Bright Brass (BB),
Satin Nickel (SN), Antique/Oil Rubbed Bronze (OIL)



2210

www.LockeyUSA.com/product/2210



Mechanical, keyless deadbolt lock
Knob on exterior, thumbturn on interior
Covers standard 2 1/8" hole
Adjustable deadbolt backset
Door Thickness: 1 1/8" to 2"
Dimensions: 5 5/8" L x 1 5/8" W x 1 5/8" D

OPTIONS:

Keypad:

Single Combination, Double Combination (DC)

Key Override Available (2210KO, 2210DCKO)

Finish:

Antique Brass (AB), Bright Brass (BB),
Bright Chrome (BC), Jet Black (JB),
Oil Rubbed Bronze (OIL), Marine Grade (MG),
Satin Chrome (SC), Satin Nickel (SN), White (WH)

**Lifetime
Mechanical
Warranty!**

3210

www.LockeyUSA.com/product/3210



Mechanical, keyless deadbolt lock
Oversized knob on exterior & interior
Covers standard 2 1/8" hole
Adjustable deadbolt backset
Door Thickness: 1 1/8" to 2"
Dimensions: 6 1/4" L x 1 3/4" W x 2" D

OPTIONS:

Keypad:

Single Combination, Double Combination (DC)

Finish:

Only available in Marine Grade finish. Closely
resembles the color of a Satin Chrome (26D) finish.
Recommended for saltwater environments where
the lock will sustain consistent exposure to the
elements. Longer lifetime than a standard finish.

**Lifetime
Mechanical
Warranty!**

E910

www.LockeyUSA.com/product/E910



Battery-powered electronic deadbolt lock
Remote capable (1 included, up to 5 capable)
Up to 6 user codes, 4-10 digits in length
Key Override (Schlage keyway)
Auto-locking function
Covers standard 2 1/8" hole
LED Illumination for easy operation in the dark

Dimensions:

Exterior: 5 1/2" L x 3 1/8" W x 1 3/8" D
Interior: 7 1/4" L x 2 3/4" W x 1 3/4" D

OPTIONS:

Finish:

Antique Brass (AB), Bright Brass (BB),
Satin Chrome (SC), Satin Nickel (SN),
Antique/Oil Rubbed Bronze (OIL)



EB915

www.LockeyUSA.com/product/EB915



Battery-powered electronic deadbolt lock
Bluetooth connectivity (up to 70 feet)
Up to 6 user codes, 4-10 digits in length
Administrator Usage Log, records unlocks via app
Key Override (Schlage keyway)
Auto-locking function
Covers standard 2 1/8" hole
LED Illumination for easy operation in the dark

Dimensions:

Exterior: 5 1/2" L x 3 1/8" W x 1 3/8" D
Interior: 7 1/4" L x 2 3/4" W x 1 3/4" D

OPTIONS:

Finish:

Antique Brass (AB), Bright Brass (BB),
Satin Nickel (SN), Antique/Oil Rubbed Bronze (OIL)



**Bluetooth
App
Compatible!**

SPRING LATCH LOCKS

For complete product information, including a full list of features, dimensions & specifications, **visit LockeyUSA.com**.

1150/1600

www.LockeyUSA.com/product/1150
www.LockeyUSA.com/product/1600



1150: Heavy-duty levers on exterior & interior
 1600: Heavy-duty knobs on exterior & interior
 Auto-locking with passage function
 Covers standard 2 1/8" hole
 Adjustable backset deadlocking spring latch
 Door Thickness: 1 1/8" to 2"
LIFETIME MECHANICAL WARRANTY
 1150 Dimensions: 7 5/16" H x 2 3/16" W x 2 5/16" D
 1600 Dimensions: 7 5/16" H x 2 3/16" W x 2 11/16" D
OPTIONS:
Keypad:
 Single Combination, Double Combination (DC)
Finish:
 Jet Black (JB), Oil Rubbed Bronze (OIL),
 Marine Grade (MG)



M230

www.LockeyUSA.com/product/M230



**Lifetime
Mechanical
Warranty!**

Mechanical, keyless deadlocking spring latch lock
 Automatically locks when door is closed
 Knobs on exterior & interior
 Covers standard 2 1/8" hole
 Adjustable backset deadlocking spring latch
 Door Thickness: 1 1/8" to 2"
 Dimensions: 5" L x 1 1/2" W x 1 7/8" D
OPTIONS:
Keypad:
 Single Combination, Double Combination (DC)
Finish:
 Antique Brass (AB), Bright Brass (BB),
 Bright Chrome (BC), Jet Black (JB),
 Oil Rubbed Bronze (OIL), Marine Grade (MG),
 Satin Chrome (SC), Satin Nickel (SN), White (WH)

2830

www.LockeyUSA.com/product/2830



**Lifetime
Mechanical
Warranty!**

Mechanical, keyless deadlocking spring latch lock
 Auto-locking with passage function
 Knobs on exterior & interior
 Covers standard 2 1/8" hole
 Adjustable backset deadlocking spring latch
 Door Thickness: 1 1/8" to 2"
 Dimensions: 5 5/8" L x 1 5/8" W x 2 1/4" D
OPTIONS:
Keypad:
 Single Combination, Double Combination (DC)
Finish:
 Antique Brass (AB), Bright Brass (BB),
 Bright Chrome (BC), Jet Black (JB),
 Oil Rubbed Bronze (OIL), Marine Grade (MG),
 Satin Chrome (SC), Satin Nickel (SN), White (WH)

2835

www.LockeyUSA.com/product/2835



**Lifetime
Mechanical
Warranty!**

Mechanical, keyless deadlocking spring latch lock
 Auto-locking with passage function
 Levers on exterior & interior
 Covers standard 2 1/8" hole
 Adjustable backset deadlocking spring latch
 Door Thickness: 1 1/8" to 2"
 Dimensions: 5 5/8" L x 1 5/8" W x 2 1/4" D
OPTIONS:
Keypad:
 Single Combination, Double Combination (DC)
Finish:
 Antique Brass (AB), Bright Brass (BB),
 Bright Chrome (BC), Jet Black (JB),
 Oil Rubbed Bronze (OIL), Marine Grade (MG),
 Satin Chrome (SC), Satin Nickel (SN), White (WH)

3830

NEW!

www.LockeyUSA.com/product/3830



**Lifetime
Mechanical
Warranty!**

Mechanical, keyless deadlocking spring latch
 Auto-locking with passage function
 Knobs on exterior & interior
 Covers standard 2 1/8" hole
 Adjustable backset deadlocking spring latch
 Door Thickness: 1 1/8" to 2"
 Dimensions: 6 5/16" L x 1 3/4" W x 2 1/4" D
OPTIONS:
Keypad:
 Single Combination, Double Combination (DC)
Finish:
 Jet Black Marine Grade (JBMG),
 Oil Rubbed Bronze (OIL),
 Satin Chrome Marine Grade (SCMG),
 Satin Nickel (SN)

3835

NEW!

www.LockeyUSA.com/product/3835



**Lifetime
Mechanical
Warranty!**

Mechanical, keyless deadlocking spring latch
 Auto-locking with passage function
 Levers on exterior & interior
 Covers standard 2 1/8" hole
 Adjustable backset deadlocking spring latch
 Door Thickness: 1 1/8" to 2"
 Dimensions: 6 5/16" L x 1 3/4" W x 2 1/4" D
OPTIONS:
Keypad:
 Single Combination, Double Combination (DC)
Finish:
 Jet Black Marine Grade (JBMG),
 Oil Rubbed Bronze (OIL),
 Satin Chrome Marine Grade (SCMG),
 Satin Nickel (SN)

E930/E985

www.LockeyUSA.com/product/E930
www.LockeyUSA.com/product/E985



Battery-powered electronic spring latch lock
 Remote capable (1 included, up to 5 capable)
 Up to 6 user codes, 4-10 digits in length
 Key Override (Schlage keyway)
 Auto-locking function
 Covers standard 2 1/8" hole
 LED Illumination for easy operation in the dark
 Customizable programming code for setup
 Ability to temporarily disable user codes
 Low battery indicator
 Dimensions: 5 1/2" L x 3 1/8" W x 2 1/2" D
OPTIONS:
Finish:
 Antique Brass (AB), Bright Brass (BB), Satin Chrome (SC),
 Satin Nickel (SN), Antique/Oil Rubbed Bronze (OIL)

E995

www.LockeyUSA.com/product/E995



Battery-powered electronic spring latch lock
 Remote capable (1 included, up to 5 capable)
 Up to 6 user codes, 4-10 digits in length
 Key Override (Schlage keyway)
 Auto-locking function
 Covers standard 2 1/8" hole
 LED Illumination for easy operation in the dark
 Customizable programming code for setup
 Ability to temporarily disable user codes
 Low battery indicator
 Dimensions: 5 1/8" L x 3 1/8" W x 2 5/8" D
OPTIONS:
Finish:
 Antique Brass (AB), Bright Brass (BB),
 Satin Nickel (SN), Antique/Oil Rubbed Bronze (OIL)

SURFACE MOUNT LOCKS

Images of available lock finishes, descriptions of the various options & more product information can be found on the inside back cover of this catalog.

C120

www.LockeyUSA.com/product/C120



Mechanical, keyless, surface mount deadbolt lock
Reversible long/short bar
One user code, thousands of possible combinations
Low profile, ideal for light-duty applications
Dimensions: 5" L x 1 1/4" W x 1 7/8" D
Door Thickness: 1 1/8" to 2"
1/8" thick & up with Thin Door Kit
Up to 5" thick with Extension Kit
Compatible with (sold separately):
C25 Pull Handle, Thin Door Kit, Extension Kit
OPTIONS:

Finish:
Antique Brass (AB), Bright Brass (BB), Jet Black (JB),
Oil Rubbed Bronze (OIL), Marine Grade (MG),
Satin Chrome (SC), Satin Nickel (SN), White (WH)

**Lifetime
Mechanical
Warranty!**



C150

www.LockeyUSA.com/product/C150



Mechanical, keyless, surface mount hook bolt lock
Thumbturn on exterior & interior
One user code, thousands of possible combinations
Low profile, ideal for sliding/patio doors
Dimensions: 5" L x 1 1/4" W x 1 7/8" D, Throw: 3/8"
Door Thickness: 1 1/8" to 2"
1/8" thick & up with Thin Door Kit
Up to 5" thick with Extension Kit
Compatible with (sold separately):
C25 Pull Handle, Thin Door Kit, Extension Kit
OPTIONS:

Finish:
Antique Brass (AB), Bright Brass (BB), Jet Black (JB),
Oil Rubbed Bronze (OIL), Marine Grade (MG),
Satin Chrome (SC), Satin Nickel (SN), White (WH)

**Lifetime
Mechanical
Warranty!**



C170

www.LockeyUSA.com/product/C170



Mechanical, keyless, surface mount cam lock
One user code, thousands of possible combinations
Low profile
Ideal for cabinet doors
Dimensions: 5" L x 1 1/4" W x 1 7/8" D
Door Thickness: 1 1/8" to 2"
1/8" thick & up with Thin Door Kit
Up to 5" thick with Extension Kit
Compatible with (sold separately):
C25 Pull Handle, Thin Door Kit, Extension Kit
OPTIONS:

Finish:
Antique Brass (AB), Bright Brass (BB),
Jet Black (JB), Oil Rubbed Bronze (OIL),
Satin Chrome (SC), Satin Nickel (SN), White (WH)

**Lifetime
Mechanical
Warranty!**

M220

www.LockeyUSA.com/product/M220



Mechanical, keyless, surface mount deadbolt lock
Reversible long/short bar
One user code, thousands of possible combinations
Low profile, ideal for narrow stile doors & cabinets
Thumbturn on exterior & interior
Dimensions: 5" L x 1 1/4" W x 1 7/8" D, Throw: 3/8"
Door Thickness: 1 1/8" to 2"
1/8" thick & up with Thin Door Kit
Up to 5" thick with Extension Kit
(Thin Door Kit and Extension Kit sold separately)
OPTIONS:

Finish:
Antique Brass (AB), Bright Brass (BB),
Jet Black (JB), Marine Grade (MG),
Satin Chrome (SC), Satin Nickel (SN), White (WH)

**Lifetime
Mechanical
Warranty!**



2200

www.LockeyUSA.com/product/2200



Mechanical, keyless, surface mount deadbolt lock
Narrow Stile
Long (2 1/4") and short (7/8") bar included
One user code, thousands of possible combinations
Knob on exterior, thumbturn on interior
Dimensions: 5 5/8" L x 1 5/8" W x 1 5/8" D
Door Thickness: 1 1/8" to 2"
1/8" thick & up with Thin Door Kit
Up to 5" thick with Extension Kit
(Thin Door Kit and Extension Kit sold separately)
Oversized Knob (OSK) Available (sold separately)
OPTIONS:

Finish:
Antique Brass (AB), Bright Brass (BB), Jet Black (JB),
Satin Chrome (SC), Satin Nickel (SN), White (WH)

**Lifetime
Mechanical
Warranty!**



2200KO

www.LockeyUSA.com/product/2200



Mechanical, surface mount deadbolt lock
Key Override, Schlage keyway, 3 keys included
Narrow Stile
Long (2 1/4") and short (7/8") bar included
One user code, thousands of possible combinations
Knob on exterior, thumbturn on interior
Dimensions: 5 5/8" L x 1 5/8" W x 2 1/8" D
Door Thickness: 1 1/8" to 2"
1/8" thick & up with Thin Door Kit
Up to 3" thick with Extension Kit
(Thin Door Kit and Extension Kit sold separately)
OPTIONS:

Finish:
Antique Brass (AB), Bright Brass (BB), Jet Black (JB),
Satin Chrome (SC), Satin Nickel (SN), White (WH)



2500

www.LockeyUSA.com/product/2500



Mechanical, keyless, surface mount hook bolt lock
Narrow Stile
One user code, thousands of possible combinations
Knob on exterior, thumbturn on interior
Multiple strikes for mortise or surface mounting
Dimensions: 5 5/8" L x 1 5/8" W x 1 5/8" D
Door Thickness: 1 1/8" to 2"
1/8" thick & up with Thin Door Kit
Up to 5" thick with Extension Kit
(Thin Door Kit and Extension Kit sold separately)
Oversized Knob (OSK) Available (sold separately)
OPTIONS:

Finish:
Antique Brass (AB), Bright Brass (BB), Jet Black (JB),
Satin Chrome (SC), Satin Nickel (SN), White (WH)

**Lifetime
Mechanical
Warranty!**



2500KO

www.LockeyUSA.com/product/2500



Mechanical, surface mount hook bolt lock
Key Override, Schlage keyway, 3 keys included
Narrow Stile
One user code, thousands of possible combinations
Knob on exterior, thumbturn on interior
Multiple strikes for mortise or surface mounting
Dimensions: 5 5/8" L x 1 5/8" W x 2 1/8" D
Door Thickness: 1 1/8" to 2"
1/8" thick & up with Thin Door Kit
Up to 3" thick with Extension Kit
(Thin Door Kit and Extension Kit sold separately)
OPTIONS:

Finish:
Antique Brass (AB), Bright Brass (BB), Jet Black (JB),
Satin Chrome (SC), Satin Nickel (SN), White (WH)



NARROW STILE LOCKS

For complete product information, including a full list of features, dimensions & specifications, visit LockeyUSA.com.

2900

www.LockeyUSA.com/product/2900



**Lifetime
Mechanical
Warranty!**

Mechanical, keyless, narrow stile deadbolt lock
Replaces Adams-Rite style locks
Knob on exterior, thumbturn on interior
One user code, thousands of possible combinations
1 1/8" backset
Ideal for aluminum storefront doors & gates
Dimensions: 5 5/8" L x 1 5/8" W x 1 5/8" D
OPTIONS:
Keypad:
Single Combination, Double Combination (DC)
Finish:
Antique Brass (AB), Bright Brass (BB),
Bright Chrome (BC), Jet Black (JB),
Oil Rubbed Bronze (OIL), Marine Grade (MG),
Satin Chrome (SC), Satin Nickel (SN), White (WH)

2930

www.LockeyUSA.com/product/2930



**Lifetime
Mechanical
Warranty!**

Mechanical, keyless, narrow stile deadlatching lock
One user code, thousands of possible combinations
Knob on exterior & interior
One user code, thousands of possible combinations
1 1/8" backset
Ideal for gates
Dimensions: 5 5/8" L x 1 5/8" W x 1 5/8" D
OPTIONS:
Keypad:
Single Combination, Double Combination (DC)
Finish:
Antique Brass (AB), Bright Brass (BB),
Bright Chrome (BC), Jet Black (JB),
Oil Rubbed Bronze (OIL), Marine Grade (MG),
Satin Chrome (SC), Satin Nickel (SN), White (WH)

2950

www.LockeyUSA.com/product/2950



**Lifetime
Mechanical
Warranty!**

Mechanical, keyless, narrow stile hook bolt lock
Replaces Adams-Rite style locks
Knob on exterior, thumbturn on interior
One user code, thousands of possible combinations
1 1/8" backset
Ideal for aluminum storefront doors & sliding gates
Dimensions: 5 5/8" L x 1 5/8" W x 1 5/8" D
OPTIONS:
Keypad:
Single Combination, Double Combination (DC)
Finish:
Antique Brass (AB), Bright Brass (BB),
Bright Chrome (BC), Jet Black (JB),
Oil Rubbed Bronze (OIL), Marine Grade (MG),
Satin Chrome (SC), Satin Nickel (SN), White (WH)

2985

www.LockeyUSA.com/product/2985



**Lifetime
Mechanical
Warranty!**

Mechanical, keyless, narrow stile deadlatching lock
One user code, thousands of possible combinations
Knob on exterior & interior
One user code, thousands of possible combinations
1 1/8" backset
Ideal for aluminum storefront doors & gates
Dimensions: 5 5/8" L x 1 5/8" W x 2 1/4" D
OPTIONS:
Keypad:
Single Combination, Double Combination (DC)
Finish:
Antique Brass (AB), Bright Brass (BB),
Bright Chrome (BC), Jet Black (JB),
Oil Rubbed Bronze (OIL), Marine Grade (MG),
Satin Chrome (SC), Satin Nickel (SN), White (WH)

PANIC TRIMS

www.LockeyUSA.com/product/115P
www.LockeyUSA.com/product/160P

www.LockeyUSA.com/product/285P
www.LockeyUSA.com/product/310P

115P



**115P
Heavy-Duty
Lever Lock
(1150 Lock Body)**
Compatible with
panic bars that
accept a flat tail
piece & have a
turn radius of
74° or less.

OPTIONS:
Finish:
Jet Black (JB),
Oil Rubbed Bronze (OIL)
Marine Grade (MG)

160P



**160P
Heavy-Duty
Knob Lock
(1600 Lock Body)**
Compatible with
panic bars that
accept a flat tail
piece & have a
turn radius of 74°
or less.

OPTIONS:
Finish:
Jet Black (JB),
Oil Rubbed Bronze (OIL)
Marine Grade (MG)

285P



**285P
Lever Lock
(2835 Lock Body)**
Compatible with
panic bars that
accept a flat tail
piece & have a
turn radius of 74°
or less.

OPTIONS:
Finish:
Antique Brass (AB), Bright Brass (BB),
Bright Chrome (BC), Jet Black (JB),
Oil Rubbed Bronze (OIL), Marine
Grade (MG), Satin Chrome (SC),
Satin Nickel (SN), White (WH)

310P



**310P
Knob Lock
(3210 Lock Body)**
Compatible with
panic bars that
accept a flat tail
piece & have a
turn radius of 90°
or less.

Finish:
Marine Grade (MG)
MG finish is recommended for
coastal environments. Longer
lifetime than a standard finish and
provides added strength against
the corrosive elements of coastal/
saltwater environments.

Panic Trims

www.LockeyUSA.com/panic-trims



Pull Handle
Entry Trim
PB-DUMED



Lever Handle
Passage Trim
PB-LHPS



Lever Handle
Clutch Trim
PB-LHCL



Lever Handle
Keyed Entry
PB-LHED



Lever Handle
Storeroom
PB-LHSR



Night Latch
Handleset Trim
PB-NLED



Thumbpiece Keyed
Entry Trim
PB-TPED

**LOCKEY
USA**

LOCKEYUSA.COM | 888.395.0163 | INFO@LOCKEYUSA.COM

*Celebrating
30 years*

SPECIALTY LOCKS

GE370 GEMINI

www.LockeyUSA.com/product/GE370



Electronic cam lock, 1/2 AA Battery included
Public and private user modes
Flush or surface mounting
Emergency Key Override (7 Disc Barrel)
LED lights with low battery indicator
8-digit master, 6-digit sub-master, 4-digit user code
Technician Mode
Dimensions: 3 3/4" L x 1 5/16" W x 1 3/8" D
Material: Zinc Alloy and ABS Construction
For Internal Use
OPTIONS:
Keypad Direction:
Vertical (V), Right (R), Left (L)
Finish:
Silver (S), Black (B), White (W)

GM270 GEMINI

www.LockeyUSA.com/product/GM270



Mechanical four wheel combination cam lock
10,000 unique combinations
Key Override
Flush or surface mounting
Simple, quick installation, easy to change code
4-digit user code
Lost code finder key
Dimensions: 3 3/4" L x 1 5/16" W x 1 3/8" D
OPTIONS:
Keypad Direction:
Vertical (V), Right (R), Left (L)* special order only
Finish:
Silver (S), Black (B), White (W)

MC728

www.LockeyUSA.com/product/MC728



**Lifetime
Mechanical
Warranty!**

Mechanical four wheel combination cam lock
10,000 possible combinations
Key override
Code Finding Feature:
- 10 Disc barrel with shutter cap
- Allows emergency access if code is lost
Code change function accessible while unlocked
Easy Installation
Diameter: 56mm
Depth: 28mm
For Exterior & Interior Use
Weather Resistant
OPTIONS:
Finish:
Silver (S), Black (B), Custom* special order only

EC950 HORIZON

www.LockeyUSA.com/product/EC950



Public, Private & Remote Allocation System (RAS)
Flush or surface mounting
Key override
Batteries included (CR123 Lithium Battery)
Auto unlock/lock mode
Secure pop-out turn handle
8-digit master, 6-digit sub-master, 6-digit technician
4 or 6 digit user code
OPTIONS:
Keypad Direction:
Vertical (V), Right (R), Left (L)
Finish:
Black (B), White (W), Custom (C)* special order only
Mode:
Remote Allocation System Mode* special order only

EC SERIES LOCKS

www.LockeyUSA.com/ecseries

View our **Electronic Cabinet & Locker Lock Catalog** for complete product information.



EC780



EC781
Wet Area



EC782
ADA



EC783
RFID



EC784
Flush



EC785
RFID
Flush



EC790
Locker
Lock

Public & Private Modes standard, Remote Allocation System Mode by custom order
Key Override, 2 keys included
Up to 80,000 cycles per pair of batteries (included)
8-digit master code, 6-digit submaster code, 6-digit technician code, 4-digit user codes
Contact LockeyUSA for minimum order quantities and lead times for custom orders.

KEY SAFE BOX

www.LockeyUSA.com/product/keybox



Secure solution to control access to keys
Designed using a LockeyUSA keyless lock
OPTIONS:
Finish:
Jet Black (JB), Marine Grade (MG), Satin Nickel (SN),
White (WH)
ORDER NUMBERS:
KEYBOX (specify finish)

KOS

www.LockeyUSA.com/product/KOS



**Lifetime
Mechanical
Warranty!**

Add-on key override system (KOS)
Compatible with 2000 series locks
Schlage keyway, keyed alike or keyed different
Three keys included
Dimensions: 8 1/16" L x 2 1/2" W x 2 3/4" D
Door Thickness: 1 1/8" to 2"
1/8" thick & up with Thin Door Kit (surface mount only)
Up to 5" thick with Extension Kit
(Thin Door Kit and Extension Kit sold separately)
OPTIONS:
Finish:
Antique Brass (AB), Bright Brass (BB),
Bright Chrome (BC), Jet Black (JB),
Marine Grade (MG), Oil Rubbed Bronze (OIL)
Satin Chrome (SC), Satin Nickel (SN), White (WH)

C25 PULL HANDLE

www.LockeyUSA.com/product/C25



Pull handle for mounting behind C Series locks
Compatible with C120, C150, C170
ORDER NUMBER:
C25 (specify finish) (not available in BB or MG)

MS40

www.LockeyUSA.com/product/ms40



Mechanical, keyless surface mount slide-bolt lock
Ideal for retrofitting gates, sheds, cabinets, trailers
ORDER NUMBER:
MS40

COMBO CORK

www.LockeyUSA.com/product/botloc



Perfect solution for securing fine wines and liquors
Simply set the combination, twist the top
Fits most wine & liquor bottles
ORDER NUMBER:
BOTLOC

SUMO SURFACE MOUNT SECURITY GATE LOCK

Dimensions on gate: Length: 9 5/16"
Width: 2 1/2"
Depth: 4"

Dimensions on fence post: Length: 8 5/8"
Width: 1 1/2"
Depth: 2 1/4"



Easy to install surface mount gate kit, lock included
Locks automatically
Equipped with passage function
Keyed cylinder lockout function prevents code use when locked
Deadlocking spring latch prevents tampering
Adjustable strike accommodates gaps between gate & post up to 2"
One user code, thousands of possible combinations
Changeable handing
Ideal for ornamental, aluminum, vinyl, and wood gates
Fits up to 3.5" thick gates (5" thick with extension kit, sold separately)

**NO
WELDING
NEEDED!**

KEY LOCKOUT:

Once locked with the key, SUMO remains locked, even with use of code, until unlocked with the key. Perfect for securing gates after-hours & community pool gates.

Visit www.LockeyUSA.com for a complete listing of LockeyUSA products. Refer to Gate & Panic Hardware Catalog vol. 1902 for information on LockeyUSA gate and panic hardware and the Electronic Cabinet & Locker Series Catalog vol. 1609 for our Electronic Cabinet & Locker Series.

ACCESSORIES & ORDERING INFO

FINISHES

www.LockeyUSA.com/resources/ordering-information



DC: Double Combination

Many of our products are available in Double Combination (DC). DC locks have a combination body on both the interior and exterior. DC locks require a code to unlock from both the interior and exterior. Codes on exterior and interior do not have to be the same.

MG: Marine Grade

Many products are offered in the Marine Grade (MG) finish, which is designed to extend the life of the finish when exposed to corrosive elements of saltwater environments. The Marine Grade finish closely resembles the Satin Chrome finish, unless otherwise specified.

KO: Key Override

Many of our products are available in Key Override (KO). Locks with Key Override have a Limited Lifetime Warranty which covers manufacturer defects to the keypad.

ACCESSORY NAME	COMPATIBLE WITH	PART #
E-Digital Remote	E910, E915, E930, E985, E985, E995	E-REMOTE
C-Series Pull Handle	C120, C150, C170 (Not available in BB or MG finish)	C-25
Extra Combination Tumblers	C, M, 1000, 2000, 2900, 3000, & P Series Locks	PIN KIT
Tamper Proof Screws	C, M, 1000, 2000, 2900 & 3000 Series	TPS (TPSDC for DC locks)
Extension Kit-1150	1150, 1600 (New Style)	EXT-1150
Extension Kit-2000	C Series, M Series, 2200, 2210, 2500, 2900, 2950 & 3000 Series	EXT-2000
Extension Kit-2835	2830, 2835, 2930 (New Style), 2985	EXT-2835
Thin Door Kit	C Series, M220, 2200, 2500	TDK
Adjustable Deadbolt	M210, 2210 & 3210	D-ADJ
Adjustable Knob Latch	M230	SKADJUSTABLE
Adjustable Latch	1150, 1600, 2830, 2835, 3830, 3835	SLADJUSTABLE
Drive-in Deadbolt	M210, 2210 & 3210	DID
900 Deadbolt	2900	900-BOLT
930 Latch	2930, 2985	930-LATCH
950 Hookbolt	2950	950-HOOK
T-Cover 1150 (3" x 8 1/2")	1150, 1600	T-COVER 1150
T-Cover 2500 (3 1/2" x 8 3/8")	2000 & 3000 Series	T-COVER 2500
Metal Trim Plate	2000 Series	T-METAL
Oversized Knob	2200, 2210, 2230, 2500, 2900, 2950	OSK
Push/Pull Guard	2000 Series, 3000 Series & 310P	PPG
Narrow Stile Mounting Tabs	2900 Series	AR-2991-0965



T-COVER 1150



T-COVER 2500



T-METAL TRIM PLATE




OVERSIZED
KNOB (OSK)



PUSH/PULL
GUARD (PPG)

LOCKEY **USA**

Celebrating
30 *years*



FIND A DISTRIBUTOR

LockeyUSA.com/find-a-distributor



FIND AN ONLINE RETAILER

LockeyUSA.com/online-retailers

**4245 S. Lincoln Rd.
Mt. Pleasant, MI 48858
888.395.0163
LockeyUSA.com**



LOCKEY
USA

Celebrating
30 *years*

PANIC SHIELD KITS

888.395.0163

www.LockeyUSA.com

PS VALUE KITS

PS41

Standard Panic Shield
Standard Strike Bracket
PB1100 33" Panic Bar

Specify Finish:
Silver or Black

Order Number:

Silver: PS41S
Black: PS41B



www.lockeyusa.com/product/ps41

PS42

Standard Panic Shield
Standard Strike Bracket
Detex V40 33" Panic Bar

Specify Finish:
Silver or Black

Order Number:

Silver: PS42S
Black: PS42B



www.lockeyusa.com/product/ps42

PS43

Standard Panic Shield
Standard Strike Bracket
Detex V40xEBxW

Specify Finish:
Silver or Black

Order Number:

Silver: PS43S
Black: PS43B



www.lockeyusa.com/product/ps43

PS44

Standard Panic Shield
Standard Strike Bracket
PB2500 Panic Bar

Specify Finish:
Silver or Black

Order Number:

Silver: PS44S
Black: PS44B



www.lockeyusa.com/product/ps44

PS45

Standard Panic Shield
Standard Strike Bracket
PB2500AL Alarm Bar

Specify Finish:
Silver or Black

Order Number:

Silver: PS45S
Black: PS45B



www.lockeyusa.com/product/ps45

PS VALUE KIT UPGRADES

PS41 (PB1100)

L: 42" Bar
M: Stainless Steel
F: Fire Rated
LM: 42" Stainless Bar

PS44 (PB2500)

L: 42" Bar

PS45 (PB2500AL)

L: 42" Bar

PS42 (DETEX V40)

L: 42" Bar
W: Weatherized V40
7: Black V40
L7: 42" Black V40

PS43 (DETEX V40xEBxW)

L: 42" Bar
7: Black
L7: 42" Black

HOW TO ORDER
AN UPGRADED KIT

*Example-
Kit:*

PS45

Finish:

Black

Panic Bar Upgrade:

42" PB2500AL

Order #: PS45BL

PS SAFETY KITS

PS51

Standard Panic Shield
Standard Strike Bracket
PB1100 33" Panic Bar
PSGB5 Key Box
Keyed Cylinder



Specify Finish:
Silver or Black

Order Number:

Silver: PS51S
Black: PS51B

www.lockeyusa.com/product/ps51

PS52

Standard Panic Shield
Standard Strike Bracket
Detex V40 33" Panic Bar
PSGB5 Key Box
Keyed Cylinder



Specify Finish:
Silver or Black

Order Number:

Silver: PS52S
Black: PS52B

www.lockeyusa.com/product/ps52

PS53

Standard Panic Shield
Standard Strike Bracket
Detex V40xEBxW
PSGB5 Key Box
Keyed Cylinder



Specify Finish:
Silver or Black

Order Number:

Silver: PS53S
Black: PS53B

www.lockeyusa.com/product/ps53

PS54

Standard Panic Shield
Standard Strike Bracket
PB2500 Panic Bar
PSGB5 Key Box
Keyed Cylinder



Specify Finish:
Silver or Black

Order Number:

Silver: PS54S
Black: PS54B

www.lockeyusa.com/product/ps54

PS55

Standard Panic Shield
Standard Strike Bracket
PB2500AL Alarm Bar
PSGB5 Key Box
Keyed Cylinder



Specify Finish:
Silver or Black

Order Number:

Silver: PS55S
Black: PS55B

www.lockeyusa.com/product/ps55

PS SAFETY KIT UPGRADES

PS51 (PB1100)

L: 42" Bar
M: Stainless Steel
F: Fire Rated
LM: 42" Stainless Bar

PS54 (PB2500)

L: 42" Bar

PS55 (PB2500AL)

L: 42" Bar

PS52 (DETEX V40)

L: 42" Bar
W: Weatherized V40
7: Black V40
L7: 42" Black V40

PS53 (DETEX V40xEBxW)

L: 42" Bar
7: Black
L7: 42" Black

**HOW TO ORDER
AN UPGRADED KIT**

Example-
Kit:

PS54

Finish:

Silver

Panic Bar Upgrade:
42" PB2500

Order #: PS54SL

PS SECURITY KITS

PS61

Standard Panic Shield
Standard Strike Bracket
PB1100 33" Panic Bar
Max Guard
PSGB200 Gate Box
285P Panic Trim

Specify Finish:
Silver or Black

Order Number:

Silver: PS61S

Black: PS61B



www.lockeyusa.com/product/ps61

PS62

Standard Panic Shield
Standard Strike Bracket
Detex V40 33" Panic Bar
Max Guard
PSGB200 Gate Box
285P Panic Trim

Specify Finish:
Silver or Black

Order Number:

Silver: PS62S

Black: PS62B



www.lockeyusa.com/product/ps62

PS63

Standard Panic Shield
Standard Strike Bracket
Detex V40xEBxW
Max Guard
PSGB200 Gate Box
285P Panic Trim

Specify Finish:
Silver or Black

Order Number:

Silver: PS63S

Black: PS63B



www.lockeyusa.com/product/ps63

PS64

Standard Panic Shield
Standard Strike Bracket
PB2500 Panic Bar
Max Guard
PSGB200 Gate Box
285P Panic Trim

Specify Finish:
Silver or Black

Order Number:

Silver: PS64S

Black: PS64B



www.lockeyusa.com/product/ps64

PS65

Standard Panic Shield
Standard Strike Bracket
PB2500AL Alarm Bar
Max Guard
PSGB200 Gate Box
285P Panic Trim

Specify Finish:
Silver or Black

Order Number:

Silver: PS65S

Black: PS65B



www.lockeyusa.com/product/ps65

PS SECURITY KIT UPGRADES

PS61 (PB1100)

L: 42" Bar

M: Stainless Steel

F: Fire Rated

LM: 42" Stainless Bar

PS64 (PB2500)

L: 42" Bar

PS65 (PB2500AL)

L: 42" Bar

PS62 (DETEX V40)

L: 42" Bar

W: Weatherized V40

7: Black V40

L7: 42" Black V40

PS63 (DETEX V40xEBxW)

L: 42" Bar

7: Black V40xEB

L7: 42" Black V40xEB

HOW TO ORDER
AN UPGRADED KIT

Example-
Kit:

PS62

Finish:

Black

Panic Bar Upgrade:

Weatherized V40

Order #: PS62BW

EDGE VALUE KITS


ED41

Edge Panic Shield
Edge Strike Bracket
PB1100 33" Panic Bar
Latch Protector
Jamb Stop

Specify Finish:
Silver or Black

Order Number:

Silver: ED41S
Black: ED41B



www.lockeyusa.com/product/ed41


ED42

Edge Panic Shield
Edge Strike Bracket
Detex V40 33" Panic Bar
Latch Protector
Jamb Stop

Specify Finish:
Silver or Black

Order Number:

Silver: ED42S
Black: ED42B



www.lockeyusa.com/product/ed42

ED43

Edge Panic Shield
Edge Strike Bracket
Detex V40xEBxW
Latch Protector
Jamb Stop

Specify Finish:
Silver or Black

Order Number:

Silver: ED43S
Black: ED43B



www.lockeyusa.com/product/ed43

ED44

Edge Panic Shield
Edge Strike Bracket
PB2500 Panic Bar
Latch Protector
Jamb Stop

Specify Finish:
Silver or Black

Order Number:

Silver: ED44S
Black: ED44B



www.lockeyusa.com/product/ed44

ED45

Edge Panic Shield
Edge Strike Bracket
PB2500AL Alarm Bar
Latch Protector
Jamb Stop

Specify Finish:
Silver or Black

Order Number:

Silver: ED45S
Black: ED45B



www.lockeyusa.com/product/ed45

EDGE VALUE KIT UPGRADES

ED41 (PB1100)

L: 42" Bar
M: Stainless Steel
F: Fire Rated
LM: 42" Stainless Bar

ED44 (PB2500)

L: 42" Bar

ED45 (PB2500AL)

L: 42" Bar

ED42 (DETEX V40)

L: 42" Bar
W: Weatherized V40
7: Black V40
L7: 42" Black V40

ED43 (DETEX V40xEBxW)

L: 42" Bar
7: Black
L7: 42" Black

**HOW TO ORDER
AN UPGRADED KIT**

Example-
Kit:

ED41

Finish:

Silver

Panic Bar Upgrade:


Fire Rated PB1100

Order #: ED41SF

EDGE SAFETY KITS

ED51

Edge Panic Shield
Edge Strike Bracket
PB1100 33" Panic Bar
Latch Protector
Jamb Stop
EDGB5 Key Box
Keyed Cylinder



Specify Finish:
Silver or Black

Order Number:

Silver: ED51S
Black: ED51B

www.lockeyusa.com/product/ed51

ED52

Edge Panic Shield
Edge Strike Bracket
Detex V40 33" Panic Bar
Latch Protector
Jamb Stop
EDGB5 Key Box
Keyed Cylinder



Specify Finish:
Silver or Black

Order Number:

Silver: ED52S
Black: ED52B

www.lockeyusa.com/product/ed52

ED53

Edge Panic Shield
Edge Strike Bracket
Detex V40xEBxW
Latch Protector
Jamb Stop
EDGB5 Key Box
Keyed Cylinder



Specify Finish:
Silver or Black

Order Number:

Silver: ED53S
Black: ED53B

www.lockeyusa.com/product/ed53

ED54

Edge Panic Shield
Edge Strike Bracket
PB2500 Panic Bar
Latch Protector
Jamb Stop
EDGB5 Key Box
Keyed Cylinder



Specify Finish:
Silver or Black

Order Number:

Silver: ED54S
Black: ED54B

www.lockeyusa.com/product/ed54

ED55

Edge Panic Shield
Edge Strike Bracket
PB2500AL Alarm Bar
Latch Protector
Jamb Stop
EDGB5 Key Box
Keyed Cylinder



Specify Finish:
Silver or Black

Order Number:

Silver: ED55S
Black: ED55B

www.lockeyusa.com/product/ed55

EDGE SAFETY KIT UPGRADES

ED51 (PB1100)

L: 42" Bar
M: Stainless Steel
F: Fire Rated
LM: 42" Stainless Bar

ED54 (PB2500)

L: 42" Bar

ED55 (PB2500AL)

L: 42" Bar

ED52 (DETEX V40)

L: 42" Bar
W: Weatherized V40
7: Black V40
L7: 42" Black V40

ED53 (DETEX V40xEBxW)

L: 42" Bar
7: Black
L7: 42" Black

HOW TO ORDER AN UPGRADED KIT

Example-
Kit:

ED53

Finish:

Black

Panic Bar Upgrade:

42" V40xEBxW

Order #: ED53BL

EDGE SECURITY KITS

ED61

Edge Panic Shield
Edge Strike Bracket
PB1100 33" Panic Bar
Latch Protector
Jamb Stop
Max Guard
EDGB200 Gate Box
285P Panic Trim



Specify Finish:
Silver or Black

Order Number:

Silver: ED61S

Black: ED61B

www.lockeyusa.com/product/ed61

ED62

Edge Panic Shield
Edge Strike Bracket
Detex V40 33" Panic Bar
Latch Protector
Jamb Stop
Max Guard
EDGB200 Gate Box
285P Panic Trim



Specify Finish:
Silver or Black

Order Number:

Silver: ED62S

Black: ED62B

www.lockeyusa.com/product/ed62

ED63

Edge Panic Shield
Edge Strike Bracket
Detex V40xEBxW
Latch Protector
Jamb Stop
Max Guard
EDGB200 Gate Box
285P Panic Trim



Specify Finish:
Silver or Black

Order Number:

Silver: ED63S

Black: ED63B

www.lockeyusa.com/product/ed63

ED64

Edge Panic Shield
Edge Strike Bracket
PB2500 Panic Bar
Latch Protector
Jamb Stop
Max Guard
EDGB200 Gate Box
285P Panic Trim



Specify Finish:
Silver or Black

Order Number:

Silver: ED64S

Black: ED64B

www.lockeyusa.com/product/ed64

ED65

Edge Panic Shield
Edge Strike Bracket
PB2500AL Alarm Bar
Latch Protector
Jamb Stop
Max Guard
EDGB200 Gate Box
285P Keyless Panic Trim



Specify Finish:
Silver or Black

Order Number:

Silver: ED65S

Black: ED65B

www.lockeyusa.com/product/ed65

EDGE SECURITY KIT UPGRADES

ED61 (PB1100)

L: 42" Bar

M: Stainless Steel

F: Fire Rated

LM: 42" Stainless Bar

ED64 (PB2500)

L: 42" Bar

ED65 (PB2500AL)

L: 42" Bar

ED62 (DETEX V40)

L: 42" Bar

W: Weatherized V40

7: Black V40

L7: 42" Black V40

ED63 (DETEX V40xEBxW)

L: 42" Bar

7: Black

L7: 42" Black

HOW TO ORDER AN UPGRADED KIT

Example-
Kit:

ED62

Finish:

Black

Panic Bar Upgrade:

Weatherized V40

Order #: ED62BW



HOW TO ORDER A PANIC SHIELD KIT

	KIT 4: Value 5: Safety 6: Security		SHIELD COLOR S: Silver B: Black		*OPTIONAL PANIC BAR UPGRADE SELECT ONLY ONE:
STYLE PS: Standard Style ED: Edge Style		BAR 0: No Bar 1: PB1100  2: Detex V-40  3: Detex V-40xEBxW (WEATHERIZED ALARM)  4: PB2500  5: PB2500ALARM  For standard 36" doors/gates Material: Aluminum		PB1100 UPGRADES L: 42" Bar M: Stainless Steel F: Fire Rated LM: 42" Stainless Bar DETEX V-40 UPGRADES L: 42" Bar W: Weatherized V-40 7: Black V-40 L7: 42" Black V-40 DETEX V-40xEBxW (WEATHERIZED ALARM) UPGRADES L: 42" Bar 7: Black V-40xEB L7: 42" Black V-40xEB PB2500 & PB2500AL UPGRADES L: 42" Bar	

WHAT'S INCLUDED?
(4) Value Kit: Shield, Bar, Strike Bracket
(5) Safety Kit: Shield, Bar, Strike Bracket, Key Box, Keyed Cylinder
(6) Security Kit: Shield, Bar, Strike Bracket, Gate Box, 285-P, Max Guard
ALL EDGE STYLE KITS ALSO INCLUDE LATCH PROTECTOR & JAMB STOP