

TB100 TURTLEBACK GATE CLOSER

- Gently closes gates up to 125 lbs. and 54" wide
- Pushes gate closed with adjustable closing speed
- Can be used on lightweight, non-fire rated doors
- Hinge Arrangements: In-Line/Flush Hinges
- Gap between hinges and gate post should be 1" or less



WEATHER
RESISTANT



Part Number	Description
TB100	Turtleback Gate Closer

Dimensions & Specs : 7-1/2" L X 13" W X 2-1/2" D, MOUNTING BRACKET DIMENSIONS: 3-1/4" X 1-3/4", MAX. GATE WEIGHT: 125 LBS., MAX. GATE WIDTH: 54", MAX. OPENING ANGLE: 90 DEGREES, MIN. OPERATING TEMPERATURE: 10 DEGREES, MAX. OPERATING TEMPERATURE: 110 DEGREES, GATE MATERIAL TYPE: VINYL, WOOD, METAL, CHAIN LINK, CLOSING/LATCHING METHOD: HYDRAULIC, MATERIAL: STEEL, FINISH: POWDER COATED, FINISH COLOR: BLACK, HINGE ARRANGEMENTS: IN-LINE/FLUSH, OPENING PRESSURE: VARIABLE DEPENDING ON GATE SIZE

TB175 GARDEN GATE CLOSER

- Gently closes gates up to 110 lbs. and 54" wide
- Pushes gate closed with adjustable closing and latching speed
- Hold-open feature allows gate to be temporarily held open
- Flush mount closer
- Hinge Arrangements: In-Line/Flush Hinges



Part Number	Description
TB175B	Garden Gate Closer, Black
TB175W	Garden Gate Closer, White



WEATHER
RESISTANT

Available Finishes : Black (B), White (W)

Dimensions & Specs : 12-1/2" L X 2-1/2" W X 2-3/8" D, MAX. GATE WEIGHT: 110 LBS., MAX. GATE WIDTH: 54", MAX. OPENING ANGLE: 90 DEGREES, GATE MATERIAL TYPE: METAL, VINYL, WOOD, CLOSING/LATCHING: ADJUSTABLE, MATERIAL: STEEL, FINISH: POWDER COATED, FINISH COLOR: BLACK OR WHITE, HINGE ARRANGEMENTS: IN-LINE, OPENING PRESSURE: VARIABLE DEPENDING ON GATE SIZE

HYDRAULIC GATE CLOSERS

- Hydraulic controlled closing speed
- Installs on top/middle/bottom of left and right hand gates
- Mounts on opening side of gate, pushes the gate closed
- Mounting brackets and fitting bar included
- Hinge Arrangements: In-line or Offset

WEATHER
RESISTANT

TB200 / TB400 / TB600



Part Number	Description	Opening Pressure
TB200	Hydraulic Gate Closer for gates 50 to 125 lbs., 30-52" wide	3-7 lbs.
TB400	Hydraulic Gate Closer for gates 75 to 175 lbs., 40-64" wide	6-12 lbs.
TB600	Hydraulic Gate Closer for gates 150 to 250 lbs., 44-72" wide	8-18 lbs.

Available Finishes : Black

Dimensions & Specs : MAX. OPENING ANGLE: 100 DEGREES, MIN. OPERATING TEMPERATURE: 15 DEGREES FAHRENHEIT*, MAX. OPERATING TEMPERATURE: 122 DEGREES FAHRENHEIT*, TYPE OF GATE MATERIAL: VINYL, STEEL, WOOD, CHAIN LINK**, CLOSING/LATCH METHOD: HYDRAULIC/NITROGEN GAS, MATERIAL: STEEL. *OPERATION OF THE CLOSER IN TEMPERATURES BELOW OR ABOVE THE MINIMUM AND MAXIMUM OPERATING TEMPERATURES MAY RESULT IN IMPROPER OPERATION OR COMPLETE FAILURE OF THE CLOSER. **CAN BE MOUNTED ON CHAIN LINK GATES WITH THE TBLINX, SOLD SEPARATELY.

Compatible with : TBLINX, TBLINX 4"



TB200SS / TB400SS / TB600SS



Part Number	Description	Opening Pressure
TB200SS	Hydraulic Gate Closer for gates 50 to 125 lbs., 30-52" wide, Stainless Steel	3-7 lbs.
TB400SS	Hydraulic Gate Closer for gates 75 to 175 lbs., 40-64" wide, Stainless Steel	6-12 lbs.
TB600SS	Hydraulic Gate Closer for gates 150 to 250 lbs., 44-72" wide, Stainless Steel	8-18 lbs.

Available Finishes : Stainless Steel

Dimensions & Specs : MAX. OPENING ANGLE: 100 DEGREES, MIN. OPERATING TEMPERATURE: 15 DEGREES FAHRENHEIT*, MAX. OPERATING TEMPERATURE: 122 DEGREES FAHRENHEIT*, TYPE OF GATE MATERIAL: VINYL, STEEL, WOOD, CHAIN LINK**, CLOSING/LATCH METHOD: HYDRAULIC/NITROGEN GAS, MATERIAL: STAINLESS STEEL. *OPERATION OF THE CLOSER IN TEMPERATURES BELOW OR ABOVE THE MINIMUM AND MAXIMUM OPERATING TEMPERATURES MAY RESULT IN IMPROPER OPERATION OR COMPLETE FAILURE OF THE CLOSER. **CAN BE MOUNTED ON CHAIN LINK GATES WITH THE TBLINX, SOLD SEPARATELY.

Compatible with : TBLINX, TBLINX 4"

ADJUSTABLE HYDRAULIC GATE CLOSERS

- Adjustable Hydraulic controlled closing speed
- Installs on top/middle/bottom of left and right hand gates
- Mounts on opening side of gate, pushes the gate closed
- Mounting brackets and fitting bar included
- Hinge Arrangements: In-line or Offset



WEATHER
RESISTANT



TB250 / TB450 / TB650

Part Number	Description	Opening Pressure
TB250-(finish)	Adjustable Hydraulic Gate Closer for gates 50 to 125 lbs., 30-52" wide	3-7 lbs.
TB450-(finish)	Adjustable Hydraulic Gate Closer for gates 75 to 175 lbs., 40-64" wide	6-12 lbs.
TB650-(finish)	Adjustable Hydraulic Gate Closer for gates 150 to 250 lbs., 44-72" wide	8-18 lbs.

Available Finishes : Black (B), White (W), Grey (G)

Dimensions & Specs : MAX. OPENING ANGLE: 100 DEGREES, MIN. OPERATING TEMPERATURE: 15 DEGREES FAHRENHEIT*, MAX. OPERATING TEMPERATURE: 122 DEGREES FAHRENHEIT*, TYPE OF GATE MATERIAL: VINYL, STEEL, WOOD, CHAIN LINK**, CLOSING/LATCH METHOD: HYDRAULIC/NITROGEN GAS, MATERIAL: STEEL, FINISH: PVC WRAPPED. *OPERATION OF THE CLOSER IN TEMPERATURES BELOW OR ABOVE THE MINIMUM AND MAXIMUM OPERATING TEMPERATURES MAY RESULT IN IMPROPER OPERATION OR COMPLETE FAILURE OF THE CLOSER. **CAN BE MOUNTED ON CHAIN LINK GATES WITH THE TBLINX, SOLD SEPARATELY.

Compatible with : TBLINX, TBLINX 4"

TB950 MAGNUM GATE CLOSER

- All-in-one closer and hinge system
- Concealed, high use, pedestrian gate closer
- Tamper and vandal resistant
- Million cycle tested
- Two speed adjustments: closing & latching



WEATHER
RESISTANT

Part Number	Description
TB950	All-in-One Gate Closer and Hinge System for high-use gates 50-250 lbs.

Compatible with : TB950 LINX, TB950PLATE 180 DRIVE



TB600
HYDRAULIC
GATE CLOSER

GATE CLOSER ACCESSORIES

Product	Description
TBLINX	For mounting TB200, TB400, TB600, TB250, TB450, TB650 on chain link gates
TBLINX 4"	For mounting TB200, TB400, TB600, TB250, TB450, TB650 on chain link gates, 4"
TB950 LINX	For mounting TB950 Magnum on chain link gates
TB950PLATE 180 DRIVE	180 Drive Plate for TB950, increases max. opening angle to 180 degrees, saloon style
TBMOUNTING KIT	Mounting Kit for TB200, TB400, TB600, TB250, TB450, TB650

For a list of all available accessories, please contact your LockeyUSA sales representative.

GATE & PANIC HARDWARE

2900 STRIKE BRACKET

- Strike Bracket for 2900/2950 locks, includes necessary mounting hardware



Part Number	Description
SB2900-KIT	Strike Bracket for use with 2900, 2950

2985 STRIKE BRACKET

- Strike Bracket for 2930/2985 locks, includes necessary mounting hardware



Part Number	Description
SB2985-KIT	Strike Bracket for 2930, 2985

PS STRIKE BRACKET

- For standard style shield setups, includes mounting hardware



Part Number	Description
PSSBB-KIT	Strike Bracket, black
PSSBS-KIT	Strike Bracket, silver

ED STRIKE BRACKET

- For EDGE style shield setups, includes mounting hardware



Part Number	Description
ED-SB-BLACK	EDGE Strike Bracket, black
ED-SB-SILVER	EDGE Strike Bracket, silver

MAX GUARD

- Mounts above panic bar to prevent tampering 4" Protrusion, 24" wide



Part Number	Description
PSMAXBLACK	Max Guard, black
PSMAXSILVER	Max Guard, silver

LATCH PROTECTOR

- Provides extra security to gate latches, for gates with over 1" gap



Part Number	Description
LPB	Latch Protector, black
LPS	Latch Protector, silver

GATE STOP

- Prevents gate from opening past 90°



Part Number	Description
GSHD-90 KIT	Gate Stop, Heavy Duty

EDGE JAMB STOP

- Prevents chain link gate from swinging through



Part Number	Description
ED-LINX	EDGE LINX Gate Jamb Stop

GATE STOP FOR CHAIN LINK GATES

- Prevents chain link gate from opening past 90°



Part Number	Description
GS-LINX	Gate Stop for Chain Link Gates
GS-LINX4"	Gate Stop for Chain Link Gates, 4"

PRE-DRILLED PANIC SHIELDS

- Mounting plate for a panic bar
- Pre-drilled for PB1100 and V40 Series
- Turns gates into emergency exits
- 16ga Electro-galvanized Steel
- Adjustable width from 28" to 54"
- Available in 12" and 24" shield heights
- Powder coated finish



Part Number	Description
ED3X1BLACK12"	12" EDGE Style Panic Shield 3x1, predrilled for PB1100 & V40 Series Panic Bars, black
ED3X1SILVER12"	12" EDGE Style Panic Shield 3x1, predrilled for PB1100 & V40 Series Panic Bars, silver
ED3X1BLACK24"	24" EDGE Style Panic Shield 3x1, predrilled for PB1100 & V40 Series Panic Bars, black
ED3X1SILVER24"	24" EDGE Style Panic Shield 3x1, predrilled for PB1100 & V40 Series Panic Bars, silver
PS3X1BLACK12"	12" PS Panic Shield 3x1, predrilled for PB1100 & V40 Series Panic Bars, black
PS3X1SILVER12"	12" PS Panic Shield 3x1, predrilled for PB1100 & V40 Series Panic Bars, silver
PS3X1BLACK24"	24" PS Panic Shield 3x1, predrilled for PB1100 & V40 Series Panic Bars, black
PS3X1SILVER24"	24" PS Panic Shield 3x1, predrilled for PB1100 & V40 Series Panic Bars, silver

PANIC SHIELDS

- Mounting plate for a panic bar
- Turns gates into emergency exits
- 16ga Electro-galvanized Steel
- Adjustable width from 28" to 54"
- Available in 12" and 24" shield heights
- Powder coated finish



PS12

PS24

Part Number	Description
PS12-B	12" PS Panic Shield, black
PS12-S	12" PS Panic Shield, silver
PS24-B	24" PS Panic Shield, black
PS24-S	24" PS Panic Shield, silver

PANIC SHIELD EXTENSION PANELS

- Extension shields
- Extends panic shield to 74"
- 16ga Electro-galvanized Steel
- Available in 12" and 24" shield heights
- Powder coated finish



PSEXT12

PSEXT24

Part Number	Description
PSEXT12BLACK	12" PS Extension Panel, black
PSEXT12SILVER	12" PS Extension Panel, silver
PSEXT24BLACK	24" PS Extension Panel, black
PSEXT24SILVER	24" PS Extension Panel, silver