

**Master
Lock®**

**TOUGH
UNDER
FIRE**

Commercial Security Products Catalog

**Custom Built.
Commercial Quality.
Complete Security.**



Page	Section
2	About Master Lock
3	The Latest Innovations
4 - 5	Padlock Keying Security
6	ProSeries® High Security
7	ProSeries® All Weather Padlocks
8	ProSeries® Specialty
9	Hasps
10	General Security – Rekeyables
11	General Security – Non-Rekeyables
12	General Security
13	Grade 2 Door Hardware
14	Locker Locks – Portable
15	Locker Locks – Built-Ins
16 - 17	Safety Lockout Products
18	Flexible Security
19	Fleet Security
20	Specialty Products
21	Product Displays
22	Online Services

As the world's largest manufacturer of padlocks and portable security products, Master Lock has set the standard for quality and selection for more than 90 years. Building on this tradition, Master Lock has greatly expanded its commercial product line, especially for safety lockout and high security applications. Today, there are many good reasons to specify Master Lock padlocks for your applications:

The broadest line: Master Lock offers a full line of products for virtually any commercial, institutional and industrial security and safety application.

Superior product quality: All Master Lock products are built with the unmatched strength and durability that you've come to know and trust. Each lock is individually tested to ensure years of trouble-free operation, dependable performance and peace of mind.

Controlled key security: Allows you to establish a safe, secure and convenient locking system. Master Lock stands alone among padlock suppliers in (a) designing security into the padlock's cylinder and operating key, and (b) providing key and installation database security management services as needed to assure the utmost in system integrity.

Unmatched sales support: Service and consultation is available to you both through our broad network of distributors as well as Master Lock's experienced sales organization.

Personal service: Our inside customer service group stands ready to provide assistance to your call.

prompt delivery to you: Direct from our stocking distributors, or alternatively, through one of Master Lock's ISO-9001 certified facilities; our stock product distribution center or special product 'Make-to-Order' factory.

You can trust Master Lock for the products, security, support and service you need.

**For more information, call us today at
1-800-308-9242 (1-800-227-9599 in Canada),
or visit our web site at www.masterlock.com**

The Latest Innovations from Master Lock Commercial Security



**ProSeries®
Resettable
Combination Locks**

See page 8



**ProSeries®
Solid Steel
Recodable Locks**

See page 8




**Lock Lubricant
with PTFE**

See page 20



**Advanced Cylinder
Technology**



**BumpStop® Advanced
Cylinder Technology**

See page 4



Edge™ Key Control

See page 5



Keying Security is Equally Important to Physical Security in Commercial Security Applications.

Keying security includes both (a) the security designed into the padlock's cylinder and operating key, and (b) the way in which the product is supplied to the marketplace. Master Lock stands alone among padlock suppliers in both categories of keying security:



Master Lock provides the largest range of tight-tolerance cylinders and keys that vastly eliminate unwanted key interchange. This will better ensure that one employee's key will not be able to inadvertently open a second lock.



Master Lock offers key control services, charted and reserved systems all of which assure that your company's padlocking system maintains the utmost in key integrity, even as you reorder padlocks year-after-year. This means that additional padlocks ordered can all be specified to operate by distinct keys, if that is your requirement.



Keyed
Different

Establishing an Optimal Padlock Security System

Evaluate Your Present & Future Needs:



Do you want each padlock to have a different operating key? Specify Keyed-Different (KD) padlocks.



Do you want groups of padlocks to be opened by a single key? If so, order Keyed-Alike (KA) padlocks. For example, it is often desirable for each employee to have his own set of keyed-alike locks.



Do you want a supervisor to be able to open a range of keyed-different padlocks? Order Master Keyed (MK) locks. See "Master Keying" section for more information.



How many padlocks will you need? If you require thousands of distinct operating keys, with no repeats, you will want to specify a Master Lock commercial security padlock with a 5-pin or 6-pin cylinder. See "Key System Capacity" for more information.



Do you want your padlock to be opened by the same key that opens your door lock? You can!



Keyed Alike
Systems
One Key
Opens
All Locks



Master Key




Advanced Cylinder
Technology

Lock Bumping Solution

Lock bumping has become a recognized method of violating most in-line pin tumbler cylinders. In response, Master Lock Company stepped forward to create a revolutionary new lock cylinder that provides unsurpassed protection against lock bumping, exceeding the highest Grade 6 criteria for bump resistance established in the ASTM Standard F883-09. Our BumpStop® solution employs an innovative, patent pending design which utilizes a unique reserve rake tapered driver pin, high performance springs, and precision tolerance chambers. During a bump attempt, this solution prevents the transfer of force from the bump key to the pins and blocks rotation of the cylinder – so the lock stays locked. This feature is available in a broad range of Master Lock padlocks and door hardware and can be ordered by adding an "N" to the product number. Example: 6121N (vs. 6121), 3N (vs. 3).

Master Lock Cylinder Cross-section



Matching Your Security Door Lock Keys

The versatile Pro Series® line can also be ordered to operate with the same keys used in your current door security system. This can greatly increase convenience (fewer keys to carry) and security (padlocks operate with the same high security, controlled keys). Pro Series® can integrate with door security systems from Schlage®, Yale®, Kwikset®, Corbin®, Weiser®, Sargent®, Russwin® and Weslock®; even Interchangeable Core keyways by Best®, Arrow™ and Falcon®...many popular keyways available!



Key System Capacity

All cylinders have limits to the number of change keys that can be provided. Be aware that whenever KD padlocks are supplied from open stock, the possibility exists that two or more locks provided will have the same operating key. This possibility of overlap increases as additional non-charted (see Charting Service) stock orders are received. It is important to know the key change limits of the padlocks you are considering for your security system. If the supplier does not, or can not, provide this information, the integrity of your keying system may be suspect.


Master Keying

Master Keyed (MK) locks have to be ordered as such initially. Locks are not automatically pre-set so that a master key can later operate them. When you initiate a master keyed lock system, you should also identify how large and complex the system might eventually become.


Padlock Series	Model Numbers	# of Key Changes in KD system	# of Key Changes in MK system
Edge™ 6 Pin	WP6 in Master Lock	90,000	6,000
Edge™ 4 Pin	WP4 in Master Lock	1,200	140
ProSeries® 6 Pin	6100's, 6300's, 6800's, 7000's	90,000	10,100
ProSeries® 5 Pin	6100's, 6300's, 6800's, 7000's	14,200	1,300
Safety Lockout	410, 411	44,000+	140
5 Pin Laminated Pin Tumbler	15, 17, 21, 24, 31, 81 & others	14,200	1,300
4 Pin Laminated Pin Tumbler	1, 2, 3, 4, 5, 6 & others	1,200	248
Small 4 Pin Laminated Pin Tumbler	7, 8 & others	800	160

This chart identifies the change key ranges of standard BumpStop® technology padlock cylinders.

Quantities listed in the last two columns are actual quantities of keys available. Mathematically there are many more keys that can be calculated but may have been eliminated because they are undesirable or create a mechanical limitation. For additional models and key change information, contact Master Lock Company Customer Care.




This chart illustrates a simple MK system, wherein a single master key will open any of several keyed-different change keys (CK).



Many MK systems provide additional levels of control, as diagrammed here. The Level 3 grand master key (GMK), held by the Security Director, would open all locks throughout the system.

Key Control Options:



Edge™ Key Control System This patented system provides absolute key control, eliminating the risk of unauthorized key duplication. The innovative and exclusive cylinder design has an additional locking feature to increase security. The Edge™ System is available in the full range of Master Lock Commercial Laminated and Pro Series® padlocks.

Restricted Keyways Key blanks are not sold. Cut keys are only available from the factory for charted systems. Master Lock maintains Restricted Key Systems specifically for Safety Lockout Padlocks, where safeguarding employee safety is the absolute priority.

Reserved Keyways The factory limits key blank distribution to specific customers. Cut keys are not readily available. Master Lock offers Reserved Key Systems (RSV) for its complete ProSeries® and Laminated product lines for commercial applications.



Charting Services Master Lock will keep a complete record of the progressive key codes assigned and manufactured into a customer's padlocks for each order. Request this special service to receive a Commercial User ID number to reference on all subsequent orders. Any order submitted with the Commercial User ID will be manufactured to comply with the facility's key system requirements.

Consulting & Support:

Master Lock's customer service staff and field sales representatives are qualified and ready to help you establish a safe and convenient padlock security system for your company. Call or visit the Master Lock web site to get started on the path to effective keying security.

Pro Series® High Security

• Greatest physical security available:

- Heavy steel bodies
- Hardened steel and boron alloy shackles for superior cut resistance
- Dual deadbolt locking for extreme resistance to prying

• High key security:

- 5-pin tumbler Pro Series® cylinders provide tens of thousands of key changes
- Special spool pins are virtually impossible to pick

• Rekeyable - replaceable cylinder and shackle




Solid Iron Shroud

Greatest Security Against Bolt Cutters


- Proprietary rustproofing for longer life
- Defeats attempts to pry and cut

Master Lock Model#	Laminated Steel Description	Vertical Shackle Clearance (B)
6321	2-1/8" (54mm) w. Body. Shackle Dim.: A: 5/16" (8mm) C: 7/8" (22mm)	3/4" (19mm)
6325	2-3/8" (60mm) w. Body. Shackle Dim.: A: 3/8" (10mm) C: 7/8" (22mm)	3/4" (19mm)
6327	2-5/8" (67mm) w. Body. Shackle Dim.: A: 7/16" (11mm) C: 7/8" (22mm)	3/4" (19mm)

Keying Options:	KD-Keyed Different (default option), KA-Keyed Alike, MK-Master Keyed, N-BumpStop® Advanced Cylinder Technology, WP4-Edge™ Key Control 4-pin and WP6-Edge™ Key Control 6-pin cylinders
-----------------	---



6321



7035
7045

Solid Steel


Outstanding Protection Against Physical Attacks

- Chrome rustproofing provides longer life
- Shrouded & hidden shackle models defy bolt cutters and prying


Master Lock Model#	Solid Steel Description	Vertical Shackle Clearance (B)
7030	1-9/16" (40mm) w. Body. Shackle Dim.: A: 1/4" (6mm) C: 25/32" (20mm)	1-1/16" (27mm)
7035	1-9/16" (40mm) w. Body, Shrouded. Shackle Dim.: A: 1/4" (6mm) C: 25/32" (20mm)	1-1/16" (27mm)
7040	1-3/4" (44mm) w. Body. Shackle Dim.: A: 5/16" (8mm) C: 29/32" (23mm)	1-3/16" (30mm)
7045	1-3/4" (44mm) w. Body, Shrouded. Shackle Dim.: A: 5/16" (8mm) C: 29/32" (23mm)	1-3/16" (30mm)
7050	2" (51mm) w. Body. Shackle Dim.: A: 3/8" (10mm) C: 29/32" (23mm)	1-1/2" (38mm)
6230	2-1/2" (63mm) w. Body. Shackle Dim.: A: 7/16" (11mm) C: 7/8" (22mm)	1-1/8" (29mm)
6270	2-7/8" (73mm) w. Body. Hidden 3/8" (10mm) Diameter Shackle	n/a
6271	2-7/8" (73mm) w. Reinforced Die Cast Body. Hidden 3/8" (10mm) Diameter Shackle	n/a
770	9" (23mm) w. x 4-1/2" (11.4cm) High Solid Steel Hasp. Use With 6270 and 6271 Locks	n/a

Keying Options:	KD-Keyed Different (default option), KA-Keyed Alike, MK-Master Keyed, N-BumpStop® Advanced Cylinder Technology, WP4-Edge™ Key Control 4-pin and WP6-Edge™ Key Control 6-pin cylinders
-----------------	---



Shackle Options:	LF = 1-9/16" (40mm) - Lock Model 7030 LH = 2" (51mm) - Lock Model 6230 LJ = 2-1/2" (63mm) - Lock Models 7040, 7050 LT = 3" (72mm) - Lock Model 7030
------------------	--




7030
7040
7050



6230



770



6270, 6271



Pro Series® All Weather

- Hardened steel and boron alloy shackles for superior cut resistance
- Dual deadbolt locking for extreme resistance to prying
- **High key security:**
 - 5-pin tumbler Pro Series® cylinders provide tens of thousands of key changes
 - Special spool pins are virtually impossible to pick
- **Rekeyable - replaceable cylinder and shackle**

Weather Tough®


Lock Functions in All Conditions

- Exclusive cover protects lock from water, ice, dirt and grime
- Heavy steel bodies withstand physical attacks
- Keyway cover keeps out dust and dirt

Master Lock Model#	Laminated Steel Description	Vertical Shackle Clearance (B)
6121	2-1/8" (54mm) w. Body. Shackle Dim.: A: 5/16" (8mm) C: 7/8" (22mm)	1-1/8" (29mm)
6125	2-3/8" (61mm) w. Body. Shackle Dim.: A: 3/8" (10mm) C: 7/8" (22mm)	1-3/8" (35mm)
6127	2-5/8" (67mm) w. Body. Shackle Dim.: A: 7/16" (11mm) C: 7/8" (22mm)	1-3/8" (35mm)

Keying Options:	KD-Keyed Different (default option), KA-Keyed Alike, MK-Master Keyed, N-BumpStop® Advanced Cylinder Technology, WP4-Edge™ Key Control 4-pin and WP6-Edge™ Key Control 6-pin cylinders
------------------------	---

Shackle Options:	LH = 2" (51mm) - Lock Model 6127 LJ = 2-1/2" (63mm) - Lock Models 6121, 6125, 6127
-------------------------	---



Solid Brass


Solid Brass Body Provides Extra Corrosion Resistance

- Optional brass shackles available for 100% corrosion resistance

Master Lock Model#	Solid Brass Description	Vertical Shackle Clearance (B)
6830	1-9/16" (40mm) w. Body. Shackle Dim.: A: 1/4" (6mm) C: 25/32" (20mm)	1-1/16" (27mm)
6840	1-3/4" (44mm) w. Body. Shackle Dim.: A: 5/16" (8mm) C: 29/32" (23mm)	1-3/16" (30mm)
6850	2" (51mm) w. Body. Shackle Dim.: A: 3/8" (10mm) C: 29/32" (23mm)	1-1/2" (38mm)

Keying Options:	KD-Keyed Different (default option), KA-Keyed Alike, MK-Master Keyed, N-BumpStop® Advanced Cylinder Technology, WP4-Edge™ Key Control 4-pin and WP6-Edge™ Key Control 6-pin cylinders
------------------------	---

Shackle Options:	LF = 1-9/16" (40mm) - Lock Model 6830 LJ = 2-1/2" (63mm) - Lock Models 6840, 6850 LT = 3" (72mm) - Lock Models 6830
-------------------------	---



Resettable Combination Locks

- Octagonal boron-carbide shackle for superior cut resistance
- Dead locking mechanism protects against prying, shimming & rap attacks
- Shackle seal and dial dust cover protect internal components and dials for trouble-free operation
- Durable brass, stainless or die cast bodies withstand the elements



Master Lock Model#	Resettable Description	Vertical Shackle Clearance (B)
1174	2-1/4" (57mm) w. stainless steel body. Shackle Dim.: A: 5/16" (8mm) C: 1" (25mm)	1-1/16" (28mm)
1175	2-1/4" (57mm) w. brass body. Shackle Dim.: A: 3/8" (10mm) C: 15/16" (24mm)	1-1/16" (28mm)
1177	2-1/4" (57mm) w. shrouded brass body. Shackle Dim.: A: 3/8" (10mm) C: 15/16" (24mm)	1-1/16" (28mm)
1178	2-1/4" (57mm) w. diecast body. Shackle Dim.: A: 3/8" (10mm) C: 15/16" (24mm)	1-1/16" (28mm)
1175 Shackle Options:	LH = 2-1/16" (53mm) LHRs = 2-1/16" (53mm) Round LHSS = 2-1/16" (53mm) Round, Stainless Steel RS = 1-1/16" (28mm) Round	




1174
1175
1178



1178



1174



1177



1177




1175LH

Recodable Locks

- Rekey locks in seconds, as often as needed
- Match your recodable padlock to your Master Lock Grade 3 Residential, Master Lock Recodable door hardware, or door hardware with Kwikset® keyway for security and convenience – carry just one key

Master Lock Model#	Description	Vertical Shackle Clearance (B)
7053	2" (50mm) w. Solid Steel Body, Recodable. Shackle Dim.: A: 3/8" (10mm) C: 1" (25mm)	1-1/2" (38mm)
Shackle Options:	LJ = 2-1/2" (63mm)	



7053






Commercial Grade Hasps

Security to Match Pro Series® Padlocks

- Solid steel body resists cutting, hammering and prying
- Hardened alloy locking eye withstands bolt cutters
- Hardened hinge pins

Master Lock Model #	Description	Accepts Shackle Dia. Up To:
730	7-1/4" (18cm) Straight Bar	7/16" (11mm)
731	90° Angle Bracket, Hasp Length: 5-3/16" (13cm)	
732	90° Angle Bar, Hasp Length: 4-3/4" (12cm)	
770	Hasp used w/6270 Padlock, Length: 9" (23cm)	n/a




See page 6 for 6270 hidden shackle padlock used with 770 hasp.

Standard Security

General Purpose Hasps

- Ribbed steel body with rolled edges protects against prying
- Tamper-proof hinge protects against forcible attacks
- Hardened steel locking eye resists cutting

Master Lock Model #	Description	Accepts Shackle Dia. Up To:
720DPF	6-1/4" (16cm) Single-Hinge	7/16" (11mm)
722DPF	7-3/4" (20cm) Double-Hinge	




Hasplocks

Hasps with Integral Locking Mechanisms for Convenient Locking

- Hardened steel hasps with locking eyes and laminated steel lock bodies
- Choose from high security pin tumbler and standard security warded locking mechanisms

Master Lock Model #	Description	Hasp Length	Lock Body Width
475	Keyed Different, 4-Pin Tumbler	4-1/2" (11cm)	1-3/4" (44mm)
475KA	Keyed Alike, 4-Pin Tumbler		
450D	Keyed Different, Warded		




General Security Rekeyables

Rekeyable Products

- Rekeyable padlocks allow you to quickly remove old cylinder and either change the pins or replace the cylinder
- 5-pin cylinder standard for all rekeyable padlocks
- Save money and replace cylinders instead of locks
- Rekeying kit contains an extensive assortment of the most frequently used components to replace or rekey cylinders (including Pro Series® locks)
- Extra reach lock (no. 101) is ideal for wide-span applications; e.g. commercial refrigerators




Master Lock Model #	Laminated Steel Description	Vertical Shackle Clearance (B)
21	1-3/4" (44mm) w. Body. Shackle Dim.: A: 5/16" (8mm) C: 3/4" (19mm)	15/16" (24mm)
25	2" (51mm) w. Body. Shackle Dim.: A: 3/8" (10mm) C: 15/16" (24mm)	1" (25mm)
27	2" (51mm) w. Body. Shackle Dim.: A: 7/16" (11mm) C: 3/4" (19mm)	1" (25mm)
101	3-1/4" (83mm) w. Body. Shackle Dim.: A: 5/16" (8mm) C: 2-1/4" (57mm)	3" (76mm)




21
25
27

Master Lock Model #	Laminated Brass Description	Vertical Shackle Clearance (B)
24	1-3/4" (44mm) w. Body. Shackle Dim.: A: 5/16" (8mm) C: 3/4" (19mm)	1-1/4" (32mm)

Master Lock Model #	Solid Zinc, Die-Cast Description	Vertical Shackle Clearance (B)
220	2" (51mm) w. Body. Shackle Dim.: A: 7/16" (11mm) C: 3/4" (19mm)	1" (25mm)
230	2-1/2" (63mm) w. Body. Shackle Dim.: A: 7/16" (11mm) C: 15/16" (24mm)	1" (25mm)



101



220
230

Keying Options:	KD-Keyed Different (default option), KA-Keyed Alike, MK-Master Keyed, N-BumpStop® Advanced Cylinder Technology, WP4-Edge™ Key Control 4-pin cylinder
-----------------	--

Shackle Options:	LF = 1-1/2" (38mm) - Lock Model 21 LH = 2" (51mm) - Lock Models 220, 230 LJ = 2-1/2" (63mm) - Lock Model 21
------------------	---

291	Pin Tumbler Rekeying Parts Kit	n/a
-----	--------------------------------	-----



291






General Security

- Reinforced laminated lock bodies
- Double locking mechanisms provide extra pry resistance (1-1/8" bodies are single-locking)
- Pin tumbler key security: 4 and 5-pin cylinders
 - Master keyed and reserved systems available
 - Thousands of key changes

Laminated Steel

For Perimeter & Storefront Gates, Tool Cribs, Construction Equipment, Vending & Truck Doors, General Use

- Hardened steel and alloy shackles for extra cut resistance (1-1/8" body shackles are not hardened)
- Proprietary rustproofing for longer life
- Full range of sizes to best secure your applications



Master Lock Model#	Laminated Steel Description	Vertical Shackle Clearance (B)
7	1-1/8" (29mm) w. Body. Shackle Dim.: A: 3/16" (5mm) C: 1/2" (13mm)	9/16" (14mm)
3	1-9/16" (40mm) w. Body. Shackle Dim.: A: 9/32" (7mm) C: 5/8" (16mm)	3/4" (19mm)
1	1-3/4" (44mm) w. Body. Shackle Dim.: A: 5/16" (8mm) C: 3/4" (19mm)	15/16" (24mm)
5	2" (51mm) w. Body. Shackle Dim.: A: 3/8" (10mm) C: 15/16" (24mm)	1" (25mm)
17	2" (51mm) w. Body. 5-Pin Cylinder. Shackle Dim.: A: 7/16" (11mm) C: 3/4" (19mm)	1" (25mm)
15	2-1/2" (63mm) w. Body. 5-Pin Cylinder. Shackle Dim.: A: 7/16" (11mm) C: 1-3/16" (30mm)	1-1/4" (32mm)


Keying Options: KD-Keyed Different (default option), KA-Keyed Alike, MK-Master Keyed, N-BumpStop® Advanced Cylinder Technology, WP4-Edge™ Key Control 4-pin cylinder

Shackle Options: LF = 1-1/2" (38mm) - Lock Models 7, 3, 1, 5
 LH = 2" (51mm) - Lock Models 3, 17, 15
 LJ = 2-1/2" (63mm) - Lock Models 7, 1, 5
 LN = 5-3/4" (15cm) - Lock Model 1
 B = Brass Shackle - Lock Models 7, 3, 1, 5, 17

Laminated Brass

Excellent for Outdoor Use and Marine Environments

- Available brass shackles for maximum corrosion resistance
- Hardened chrome plated steel shackles for extra cut resistance
- Brass bodies and cylinders provide excellent corrosion resistance



Master Lock Model#	Laminated Brass Description	Vertical Shackle Clearance (B)
8	1-1/8" (29mm) w. Body. Shackle Dim.: A: 3/16" (5mm) C: 1/2" (13mm)	9/16" (14mm)
4	1-9/16" (40mm) w. Body. Shackle Dim.: A: 9/32" (7mm) C: 5/8" (16mm)	3/4" (19mm)
2	1-3/4" (44mm) w. Body. Shackle Dim.: A: 5/16" (8mm) C: 3/4" (19mm)	15/16" (24mm)
6	2" (51mm) w. Body. Shackle Dim.: A: 3/8" (10mm) C: 15/16" (24mm)	1" (25mm)

Keying Options: KD-Keyed Different (default option), KA-Keyed Alike, MK-Master Keyed, N-BumpStop® Advanced Cylinder Technology, WP4-Edge™ Key Control 4-pin cylinder

Shackle Options: LF = 1-1/2" (38mm) - Lock Models 8, 4, 2, 6
 LH = 2" (51mm) - Lock Models 4
 LJ = 2-1/2" (63mm) - Lock Models 8, 2, 6
 B = Brass Shackle - Lock Models 8, 2, 6



Economy Steel Series

For Applications Requiring Basic Tamper Resistance;
Well Covers, Dumpsters and Low-Valued Property

- Laminated steel body withstands physical abuse
- Warded locking mechanism minimizes binding from dirt and grime
- Rustproofed for extended wear
- Nos. 510 and 517 feature removable adjustable shackles
- No. 500BRK shackle can be shattered by a hammer in emergencies

Master Lock Model #	Laminated Steel Description	Vertical Shackle Clearance (B)
10D	1" (25mm) w. Body. Shackle Dim.: A: 5/32" (4mm) C: 13/32" (10mm)	7/16" (11mm)
105D	1-1/8" (29mm) w. Body. Shackle Dim.: A: 3/16" (5mm) C: 1/2" (13mm)	1/2" (13mm)
22	1-1/2" (38mm) w. Body. Shackle Dim.: A: 1/4" (6mm) C: 9/16" (14mm)	5/8" (16mm)
500	1-3/4" (44mm) w. Body. Shackle Dim.: A: 9/32" (7mm) C: 13/16" (21mm)	13/16" (21mm)
500BRK	1-3/4" (44mm) w. Body. Shackle Dim.: A: 9/32" (7mm) C: 13/16" (21mm) Breakaway Shackle	
510D	1-3/4" (44mm) w. Body. Shackle Dim.: A: 9/32" (7mm) C: 13/16" (21mm)	5/8"-2" (16mm-51mm)
517D	1-3/4" (44mm) w. Body. Shackle Dim.: A: 9/32" (7mm) C: 13/16" (21mm)	2-3/4"-5-3/8" (7cm-14cm)


Shackle Options: LF = 1-1/2" (38mm) - Lock Model 22



Economy Brass Series

- Brass bodies and cylinders provide extra corrosion-resistance
- Pin tumbler cylinders provide greater pick-resistance


Master Lock Model #	Solid Brass Description	Vertical Shackle Clearance (B)
4120	3/4" (19mm) w. Body. Shackle Dim.: A: 5/32" (4mm) C: 3/8" (10mm)	7/16" (11mm)
4130	1-1/8" (28mm) w. Body. Shackle Dim.: A: 3/16" (5mm) C: 9/16" (14mm)	9/16" (14mm)
4140	1-1/2" (38mm) w. Body. Shackle Dim.: A: 1/4" (6mm) C: 13/16" (20mm)	13/16" (20mm)
4150	1-7/8" (47mm) w. Body. Shackle Dim.: A: 9/32" (7mm) C: 1" (25mm)	15/16" (24mm)



Resettable Combination

Set Your Own Combination Convenience & Security

- Use combination reset feature to restrict/change allowed access
- Reset to any of 10,000 numbers
- 4-digit direct dial operation
- 2" wide solid case for strength and weatherability
- Heavy hardened shackle provides high resistance to cutting and prying
- No. 176 with key override feature for supervisory access



175
176
178



Master Lock Model #	Resettable Description	Vertical Shackle Clearance (B)
175	2" (51mm) w. Solid Brass Case. Shackle Dim.: A: 5/16" (8mm) C: 1" (25mm)	1" (25mm)
175DWD	175 w/4-Digit Letter Combination Padlock	1" (25mm)
176	Key Override, 2" (51mm) w. Solid Brass Case. Shackle Dim.: A: 5/16" (8mm) C: 1" (25mm)	7/8" (22mm)
178BLK	Die-Cast Black, 2" (51mm) w. Solid Brass Case. Shackle Dim.: A: 5/16" (8mm) C: 1" (25mm)	1" (25mm)

Shackle Options: LH = 2-1/4" (57mm) - Lock Models 175, 176



Commercial Grade 2 Door Hardware

- Provides a cost-effective, dependable replacement for 21 brands of commercial door hardware
- 6-pin Schlage® C Compatible cylinder is standard
- Featuring BumpStop® Advanced Cylinder Technology to resist against bumping attacks
- Brushed Chrome finish
- Available in 24 different keyways (see chart below)



**Advanced Cylinder
Technology**

Master Lock Model#	Cylindrical Ball Knob Description
BLC0132DKA4	Keyed Entry with D046 BumpStop® Cylinder
BLC0332D	Privacy
BLC0432D	Storage
BLC0232DKA4	Storeroom with D046 BumpStop® Cylinder
BLC0932DKA4	Classroom with D046 BumpStop® Cylinder

Master Lock Model#	Cylindrical Lever Description
SLC0126DKA4	Keyed Entry with D046 BumpStop® Cylinder
SLC0326D	Privacy
SLC0426D	Storage
SLC0226DKA4	Storeroom with D046 BumpStop® Cylinder
SLC0926DKA4	Classroom with D046 BumpStop® Cylinder

Master Lock Model#	Heavy-Duty Cylindrical Lever Description
SLCHKE26D	Keyed Entry with D046 BumpStop® Cylinder-ASA Strike
SLCHPV26D	Privacy
SLCHPG26D	Storage
SLCHSR26D	Storeroom with D046 BumpStop® Cylinder-ASA Strike
SLCHCR26D	Classroom with D046 BumpStop® Cylinder-ASA Strike

Master Lock Model#	Deadbolts Description
DSC0632DKA4	Single Cylinder with D046 BumpStop® Cylinder
DSC0732DKA4	Double Cylinder with D046 BumpStop® Cylinder
DSC0532D	One-Sided Cylinder

Master Lock Model#	Heavy-Duty Deadbolts Description
DSCHSD32D	Single Cylinder with D046 BumpStop® Cylinder-ASA Strike
DSCHDD32D	Double Cylinder with D046 BumpStop® Cylinder-ASA Strike



Cylindrical
Ball Knob



Cylindrical
Lever



Deadbolts

Cylinder Options			D10 Arrow® K5, K6, L6A	D01 Corbin® 59A1-A2	D29 Corbin® 60	D07 Corbin®/ Russwin® L4	D32* Dexter®/ Master® 67 (composite)	D12* Kwikset (composite)
D08 Lockwood®	D02 Lori® L200	D80* Lori® Locksmith 80	D90** Loricentric® 90	D11 Russwin® 981/852	D30 Russwin® D1	D36 Sargent® LA-LC (Composite)	D70 Sargent® RA-RC (Composite)	D02** Sargent® S
D02** Sargent® U	D04 Schlage® C	D34 Schlage® E	D28 Schlage® P (accepts C-L)	D27* Segal® 9.265	D13 Weiser® (composite)	D33 Westlock®	D03 Yale® 8	D15 Yale® GA

*Exclusively available as 5-pin cylinder

**Exclusively available as 6-pin cylinder

To view the full-line of Master Lock Door Hardware, visit www.masterdoorlock.com

Combination Security

World's Best Selling Combination Lock

- Reinforced stainless steel outer case
- Hardened steel shackle for cut and saw resistance
- BlockGuard® Anti-Shim Technology deters shimming

High Security Combination Lock

- Double armored stainless steel case
- Dual ball locking and Boron alloy shackle for superior pull, pry, rap and cut resistance
- 1525 and 2010 have key control override for supervisory access (key ordered separately)



Master Lock Model #	Description	Vertical Shackle Clearance (B)
1500	1-7/8" (48mm) w. Stainless Steel Body. Shackle Dim.: A: 9/32" (7mm) C: 13/16" (21mm)	3/4" (19mm)
1502	1-7/8" (48mm) w. Stainless Steel Body. Shackle Dim.: A: 9/32" (7mm) C: 13/16" (21mm) Control Chart Included.	3/4" (19mm)
1525	1-7/8" (48mm) w. Stainless Steel Body. Shackle Dim.: A: 9/32" (7mm) C: 13/16" (21mm) Control Chart Included.	3/4" (19mm)
2001	2-3/16" (55mm) w. High Security. Shackle Dim.: A: 5/16" (8mm) C: 15/16" (24mm)	1" (25mm)
2002	2-3/16" (55mm) w. High Security. Shackle Dim.: A: 5/16" (8mm) C: 15/16" (24mm) Control Chart Included.	1" (25mm)
2010	2-3/16" (55mm) w. High Security. Shackle Dim.: A: 5/16" (8mm) C: 15/16" (24mm) Extra Length Shackle, Control Chart Included.	1" (25mm)

CNTLKEY	Control Key for 1525 and 2010	n/a
----------------	-------------------------------	-----


Shackle Options:	LF = 1-1/2" (38mm) - Lock Model 1500, 1525 LH = 2" (51mm) - Lock Model 1500 S = 1/2" (13mm) - Lock Model 2002, 2010
-------------------------	---

Options:	KA-Combination Alike - Lock Model 1500
-----------------	--

Models 1502, 1525, 2002, and 2010 are charted products.



**Now Featuring
BlockGuard®
Anti-Shim
Technology**



1500,1502



1525



2001



2002



2010

Set Your Own Speed Dial Combination Lock

The world's first combination lock that opens on up/down/left/right directional movements.

- High security with anti-shim technology
- Combination can be reset to any number of movements in any sequence
- Hardened steel shackle for increased bolt cutter protection
- Letters, numbers, colors, shapes, symbols are included for added customization –simply apply over arrows

Master Lock Model #	Description	Vertical Shackle Clearance (B)
1500iD	2" (51mm) wide metal body. Shackle Dim.: A: 1/4" (6mm), C: 3/4" (19mm)	1" (25mm)



1500iD




Built-in Combination

For Lift Handle, Turn Handle, Single Point Latch, and Box Lockers

- End user registration and control charts provided to secure and simplify administration
- Longer useful life with five different combinations-easily changed with the touch of a button, which maintains security for new students or employees
- Concealed mounting and rugged steel case deter vandalism
- Standard key control allows quick supervisory access
- Secure, three digit combination is easy to dial

Master Lock Model #	Description
Automatic Deadbolt Locking Mechanism for Lift Handle Lockers	
1630	For Lockers with Door Hinges on Right
1631	For Lockers with Door Hinges on Left
Automatic Springbolt Locking Mechanism for Single Point Latch Lockers	
1652	For Lockers with Door Hinges on Right
1653	For Lockers with Door Hinges on Left
Automatic Springbolt Locking Mechanism for Box Type Lockers	
1654	For Lockers with Door Hinges on Right
1655	For Lockers with Door Hinges on Left
Manual Deadbolt Locking Mechanism for All Types of Lockers	
1670	For Lockers with Door Hinges on Right
1671	For Lockers with Door Hinges on Left
CNTLKEYBI	Control Key



Wrap-Around-Latch Built-In Combination and Key Operated Locks

The best lock for Single Point Latch Lockers

- Uses the same technology as an automotive door lock system, utilizing slam shut operation combined with a rotating latch that wraps around the latch plate.
- Designed for Single Point Latch Lockers
- Provides the most robust design and requires the least adjustment for proper operation.

Master Lock Model #	Description
1690	Automatic deadbolt locking for single point latch lockers. For doors with door hinges on the right.
1790	High Security Cylinder and Manual Deadbolt Locking
CNTLKEYBI	Control Key



All Purpose Key Operated

High Security Built-in Locks For All Locker Applications

- High security, 5-pin tumbler cylinder for superior pick resistance
- Keyed alike, master key and group key options provide complete flexibility to match a facility's requirements
- Concealed mounting and rugged steel case deter vandalism
- Each model fits both left handed and right handed doors
- Appropriate for lockers with multiple users who are assigned access for short time periods
- Group key and keyed alike options available
- Two keys provided for each lock

Master Lock Model #	Description
1710	High Security Cylinder and Manual Locking Deadbolt
1714	High Security Cylinder and Automatic Locking Springbolt
Keying Options:	KA-Keyed Alike, MK-Master Keyed, GK-Group Keyed



ADA Compliant options available. Visit our website for details:
www.masterlock.com/ada

Zenex™ Thermoplastic Safety Lockout Padlocks


Designed Exclusively for Lockout/Tagout

- Designed by Safety Directors specifically for OSHA lockout compliance
- Durable, lightweight, non-conductive Zenex™ Thermoplastic lock body is easy to carry
- Customize on-site with permanent, write-on "Danger" and "Property of" labels
- High security, reserved-for-safety cylinder – up to 100,000 key changes
- Compliance with OSHA "one employee, one lock, one key" directive
- Laser engraving service available for an additional charge
- Key retaining - ensures that padlocks are not left unlocked



Master Lock Model#	Zenex™ Thermoplastic Description	Vertical Shackle Clearance (B)
406	1-1/2" (38mm) w., 1-3/4" (44mm) Tall Body. Shackle Dim.: A: 1/4" (6mm) C: 25/32" (20mm)	1-1/2" (38mm)
410	1-1/2" (38mm) w., 1-3/4" (44mm) Tall Body. Shackle Dim.: A: 1/4" (6mm) C: 25/32" (20mm)	1-1/2" (38mm)
411	1-1/2" (38mm) w., 3" (72mm) Tall Body. Shackle Dim.: A: 1/4" (6mm) C: 25/32" (20mm)	1-1/2" (38mm)
0411-5705	Six #411 Laminated Photo I.D. Labels	n/a
S31	1-3/8" (35mm) w., 1-7/8" (48mm) Tall Body. Shackle Dim.: A: 3/16" (5mm) C: 5/8" (16mm)	1-1/2" (38mm)
S33	1-3/8" (35mm) w., 1-7/8" (48mm) Tall Body. Shackle Dim.: A: 3/16" (5mm) C: 5/8" (16mm)	1-1/2" (38mm)
S142	Photo ID labels - 406, 410, S31, S33	n/a

Shackle Options:	LT = 3" (72mm) - Lock Model 410, 411, S31, S33
Color Options:	Add Desired Color Suffix: RED, ORJ, YLW, GRN, BLU, TEAL, PRP, BLK, WHT (S31 and S33 only)



406



S31RED



S142



410




411

Personalize 411 Safety Padlocks with an Employee Photo Order #411-5705 contains six photo I.D. labels for 411. Key charting available, see page 5.

Safety Lockout Hasps

Lockout by Up to 6 Workers at Each Lockout Point

- Keep equipment inoperative while repairs or adjustments are made
- Attach device to energy disconnect switch
- Traditional, scissor-action hasps
 - Available in tow jaw diameters to fit all applications
 - Durable heavy gauge steel construction
 - Insulated with bright vinyl coating
- New, Snap-On Hasp
 - Quick, one-handed attachment to energy switches and controls
 - Aluminum and stainless steel construction
 - Write-on, erase-off labels included for worker identification



420




427

Master Lock Model#	Description
420	1" (25mm) Inside Diameter, Scissor Hasp
421	1-1/2" (38mm) Inside Diameter, Scissor Hasp
427	1-3/8" (35mm) Inside Diameter, Snap-on Hasp

Powder Coated Aluminum

Safety Color Recognition Plus High Security

- Baked-on powder-coated finish stays bright
- Ideal for corrosive and tough environments
- Tens of thousands of key changes available
- Rekeyable bodies for easy key system maintenance
- Hardened shackles for superior resistance to cutting
- Laser engraving service available for an additional charge



6835

Available in six vibrant colors for easy lockout customization

Master Lock Model#	Powder Coated Aluminum Description	Vertical Shackle Clearance (B)
6835	1-9/16" (40mm) w. Body. Shackle Dim.: A: 1/4" (6mm) C: 25/32" (20mm)	1-1/16" (27mm)
6835-5700	Six #6835 Laminated Photo ID Labels	n/a

Shackle Options:	LF = 1-9/16" (40mm) LT = 3" (72mm)
-------------------------	---------------------------------------

Color Options:	Add Desired Color Suffix: RED, ORJ, YLW, GRN, BLU, BLK
-----------------------	--



Laser Engraving

A name...logo...key number
To customize your Master Lock Safety padlocks, choose laser engraving for a look that will last.

Personalize 6835 Safety Padlocks with an Employee Photo.
Order #6835-5700 contains six photo I.D. labels for 6835.

Steel Body

Traditional and Durable Lockout Series

- Reinforced laminated steel construction
- Ideal when locks may be subjected to physical abuse
- Six bumper colors for segmentation by department, etc.
- 1,400 key changes available


Master Lock Model#	Laminated Steel Description	Vertical Shackle Clearance (B)
3	1-9/16" (40mm) w. Body. Shackle Dim.: A: 9/32" (7mm) C: 5/8" (16mm)	3/4" (19mm)

Shackle Options:	LF = 1-1/2" (38mm) - Lock Model 3 LH = 2" (51mm) - Lock Model 3
-------------------------	--

Color Options:	Add Desired Color Suffix: RED, YLW, BLU, WHT, GRN, BLK
-----------------------	--



3



Key Charting Services Available

Large users of padlocks may wish to track key codes used in their facility to ensure no key is duplicated. See page 9 for details.



S806

480-485

491B/493B

S3068

Other Safety Series™ Lockout Products

For more information on the most innovative Safety Products available, please check out the Master Lock Safety Series™ product catalog (7000-0193) or the Master Lock website.



8491



8413



Python™ Adjustable Locking Cable

No Other Cable Fits and Protects Like the Python™

- Patented cinch locking mechanism holds the cable tight for infinite locking positions
- Weather tough aluminum alloy body, cylinder shutter, and vinyl coated cable resist rust and operate in extreme conditions
- Keyed alike convenience with the removable, rekeyable cylinder—key to other Python™ locking cables, Master Lock padlocks or systems with the M1 keyway
- Increased pick resistance with the patented, modified wafer cylinder
- Cut resistant, 3/8" (10mm) 100% steel, braided cable
- Interchangeable cables in 4' (1.2m) to 30' (9.1m) for application flexibility
- Order any cable length from 2' to 30' in 1 foot increments

Master Lock Model #	Description
Python™ Adjustable Locking Cable - Keyed Different	
8413	6' (1.8m) x 3/8" (10mm)
Python™ Adjustable Locking Cable - Keyed Alike	
8413KACBL4	4' (1.2m) x 3/8" (10mm)
8413KACBL8	8' (2.4m) x 3/8" (10mm)
8413KACBL15	15' (4.6m) x 3/8" (10mm)
8413KACBL30	30' (9.1m) x 3/8" (10mm)
Rekeying Parts Kit	
8491	Disc Tumbler Rekeying Parts Kit

Cables, Cable Locks & Chains

Flexible, High Security

- Keep trailers, generators, power tools and ladders securely locked
- All cables feature vinyl-coated braided steel wires for strength with flexibility
- High security chain with nylon sleeves protects high value property

Master Lock Model #	Description
Cable Locks	
8119DPF	3/8" (10mm) Diameter, 5' (1.5m) Long Resettable Combination Cable Lock
8154DPF	3/8" (10mm) Diameter, 6' (1.8m) Long Integrated Keyed Cable Lock
8155DPF	5/8" (15mm) Diameter, 6' (1.8m) Long Integrated Keyed Cable Lock
Braided Security Cables	
72DPF	3/8" (10mm) Diameter, 15' (4.6m) Long Braided Steel Cable w/Loops
78DPF	3/8" (10mm) Diameter, 6' (1.8m) Long Braided Steel Cable w/Loops
85DPF	3/8" (10mm) Diameter, 4' (1.2m) Long Braided Steel Cable w/Loops
Chains	
8291DPS	3/8" (10mm) Diameter, 3' (91cm) Long Hardened Steel Chain



8291DPS



8154
8155



8119



72
78
85

U-Locks

High Security

- U-Locks provide maximum protection against prying, cutting, and sawing
- Double locking shackles for maximum pry resistance
- 7-pin tumbler for extreme pick resistance

Master Lock Model #	Description
U-Locks	
8118DPF	3-11/16" (9cm) w. Vinyl-Coated U-Lock; Works Great With Looped Cables
8174DLWPF	8-1/4" (21cm) w. Vinyl-Coated U-Lock



8118




8174



Auto, Truck and Trailer Protection

- Prevent theft, deter break-in's
- Steering wheel lock (no. 252) adjusts to fit all wheel types
- Protect unattended trailers with (no. 377) universal coupler lock; "1-size-fits-all" design securely encloses coupler socket
- Nos. 374 & 375 receiver hitch locks feature "snap-on" bodies, weather-protected cylinders

Master Lock Model #	Description
Steering Wheel Locks	
252DAT	Advanced Security Steering Wheel Lock; Quad Hook
Coupler Locks	
377DAT	Universal Coupler Lock
2847DAT	Adjustable Coupler Latch Lock; 6 locking positions from 9/16" (14mm) to 2-3/4" (56 mm)
37D	1-9/16" (40mm) Armored Coupler/Trigger Lock
605DAT	2" (51mm) Solid Brass Coupler/Trigger Lock
1471DAT	Coupler Latch Lock; 9/32" (7mm) Diameter x 3-1/2" (85mm) Long Shackle; Fits Surge-Brake and UFP Brand Coupler Latches
1475DAT	Coupler Latch Lock; 9/32" (7mm) Diameter x 7/8" (22mm) Long Shackle; Fits Surge-Brake and UFP Brand Coupler Latches
2999DAT	5/8" Chrome Plated Swivel Head, King Pin Coupler Lock
Receiver Locks & Pins	
2866DAT	Receiver Lock; Fits both 1/2" (13mm) and 5/8" (16mm) Receiver Holes; Class I/II for 1/2" Pin and Class III/IV for 5/8" Pin
2848DAT	Receiver and Latch Lock; Stainless Steel Nos. 2847DAT and 2866DAT
1479DAT	Receiver Lock; 5/8" (16mm) Diameter x 2-1/2" (63mm) Long Shackle
1480DAT	Stainless Steel Receiver Lock; Removable Stainless Steel Shackle Sleeve; Fits Both 5/8" (16mm) and 1/2" (13mm) Receiver Holes
370DAT	Class II 1/2" (13mm) Diameter Hitch Pin and Clip
371DAT	Class III/IV 5/8" (16mm) Diameter Hitch Pin and Clip
Semi-Trailer Lock	
387	Keyed Different; High Security King Pin Lock
387KA	Keyed Alike; High Security King Pin Lock
Spare Tire & Lug Nut Locks	
613DAT	6' (1.8m) Self-Coiling Steel Cable & No. 311 Weather Tough Steel Lock
614DAT	6' (1.8m) Self-Coiling Steel Cable & No. 141 Covered Brass Padlock
262DAT	Spare Tire Lock, Lug Nut Style



Specialty Locks

- Titanium Series™ padlocks feature protected shackles and sleek design:
 - Easy to remove and apply; even in tight spaces
 - Front access keyway is convenient to use with sliding cover to keep dirt out
- Single post-and Discus-style locks are ideal for valves, vending machines and self-storage facilities
- Break-away shackle lock (no. 500KABRK) is specified for sprinkler shutoff valves and fire hose housings
- TSA-Accepted Set-Your-Own Combination Lock (no. 4687)
 - Allows TSA screeners to inspect and relock baggage, without damaging the lock
 - Instant Alert indicator signals when lock has been opened by the TSA
 - Great for tool boxes, cabinets, luggage and sport bags
- Key Safe Set-Your-Own Combination Lock (no. 5400 & 5401)
 - The safest place for your key
 - Storage compartments hold up to five house, car or padlock keys

Master Lock Model #	Description
Titanium Series Padlocks	
185D	1-15/16" (49mm) Wide; Keyed Different
187XD	2-5/16" (59mm) Wide; Keyed Different
Shrouded and Protected Shackle Padlocks	
40D	Keyed Different
443	Keyed Different 5/8" (16mm) Post
TSA-Accepted Padlocks	
4687DNKL	1-3/16" (30mm) TSA-Accepted Set-Your-Own Combination Lock with Indicator, Nickel Finish
Key Safes	
5400D	3-1/4" (83mm) Wide; Portable Set-Your-Own
5401D	3-1/4" (83mm) Wide; Wall-Mounted Set-Your-Own Combination Lock

Keying Options:

KD-Keyed Different (default option), KA-Keyed Alike



Lock Lubricant with PTFE

Ideal for Maintaining Lock Performance

Master Lock® Lock Lubricant is the ideal lubricant for multiple lock applications, including: padlocks, door locks, automotive, marine and multipurpose applications. The PTFE formulation cleans the lock components while lubricating and leaves behind a protective shield against dust, dirt, salt, moisture and other corrosive materials. This unique formulation is excellent for locks used within a wide temperature range and will help de-ice pre-lubricated locks. Lubricant helps maintain lock performance and increases the life of your security products.

Master Lock Model #	Description
2305	5.25 oz. Aerosol Can, PTFE Dry Formula
2311	11 oz. Aerosol Can, PTFE Dry Formula
2300D	0.25 oz. Pen, PTFE Oiler, Retail Carded Package



Product Displays

- Attractive displays generate impulse sales
- Customers are able to handle real products
- Illustrations and product feature copy to help make selection easier

Master Lock Model #	Description
Free Standing Rotating Displays	
1061DSPL	Rotating Floor Display (1050DSPL) with Signs
Commercial Product Spinner Assortments	
1083	Commercial Security Assortment; includes 1250DSPL and 2 ea. of Nos. 7040D, 6230D, 6321D, 6121D, 6840D, 5T, 175DLH, 178D, 1DLJ, 1D, 3DLH, 8413XDPF, 7D, 140D, 79DPF, 720DPF, 704D, 1500D, 78DPF and 8119DPF
Showroom Signage	
MLLOCKSIGN	Master Lock "Security and Safety Sold Here" 24" x 10" Header Sign
Counter Displays	
1224BMP1	Display Tray with 3 each of Nos. 3NDLHCOM, 5NTCOM, and 1NDLJ
1286LUBE	Display Tray with 24 No. 2300D Oiler Pens
2300DCLP	Clip Strip with 12 No. 2300D Oiler Pens
Display Boards	
DB001	ProSeries® & Commercial Security "Made-To-Your-Requirements" 28" x 30" Display Board



1286LUBE



1224BMP1



2300DCLP



MLLOCKSIGN



DB001



1083

Online Services

masterlock.com

The official website for all Master Lock padlocks and security products. Right from the home page, find your recommended security product in 3 easy steps, view our latest innovations, connect with us for service and support, and much more!



masterdoorlock.com

The official website for residential, commercial, and multi-family recodable door hardware offers a variety of resources ranging from product information to customer support. Learn about Master Lock exclusive features as NightWatch®, BumpStop®, and Antibacterial Silver Bonded finish in one easy click of the mouse.



bumpstopsecurity.com

Master Lock Company has stepped forward to create a revolutionary new lock cylinder that provides unsurpassed protection against lock bumping. Architects, security professionals, property managers, locksmiths, government officials, and many more can see what BumpStop® Advanced Cylinder Technology has to offer them.



safetyseries.com

Master Lock Safety Series offers a complete line of Safety Lockout/Tagout products, to complement our full range of safety padlocks. View our full line of LO/TO devices, including cable and circuit breaker lockouts, ball and gate valve covers, individual or group kits and stations, and the rest of our OSHA compliant products.





CELEBRATING
90 YEARS OF
QUALITY &
INNOVATION



**Master
Lock®**

Continuing Harry Soref's passion for advancing security with **Product Innovation**. Partnering with professional locksmiths and security experts, to **Protect People and Property**.



Advanced Cylinder
Technology

Edge™
Key Control



More support at www.masterlock.com



www.masterlock.com

Master Lock Company LLC, Milwaukee, WI 53154 U.S.A. | 800-308-9242
Master Lock Canada, Oakville, Ontario L6H 5S7 Canada | 800-227-9599
© 2002-2012 Master Lock Company | All Rights Reserved

**Master
Lock®**