





ALL DIMENSIONS GIVEN ABOUT CENTERLINES MUST BE CENTRAL WITHIN TOLERANCE UNLESS OTHERWISE SPECIFIED.



THIS DOCUMENT IS THE PROPERTY OF MEDECO SECURITY LOCKS, INC. ITS USE IS CONDITIONED UPON THE USER'S AGREEMENT NOT TO COPY OR REPRODUCE THIS DOCUMENT IN WHOLE OR IN PART, OR TO USE THE DOCUMENT TO REPRODUCE THE MATERIAL DESCRIBED THEREIN, OR FOR ANY OTHER PURPOSE WITHOUT THE WRITTEN PERMISSION OF MEDECO SECURITY LOCKS.

COMPUTER FILENAME:
pk-120172-b-bl.prt

DO NOT SCALE DWG.
REMOVE ALL BURRS

TOLERANCES UNLESS SPECIFIED


FRACTIONS ±.015
2 PLACE DEC. ±.010
3 PLACE DEC. ±.005
CONCENTRICITY ±.004 I.R.
ANGLES 0° 30'

ABOVE DIMS. APPLY BEFORE PLATING. IF PLATED SEE PLATING SPEC. SHEET.


MATERIAL:

FINISH:

B		3142	SH	4/9/93	
A		1601	AB	8/21/90	DB
REV.	ZONE	E.C.N.	BY	DATE	APPR.
DRAWN		AWB			
DATE		7/24/90			
CHECKED					
APPROVED					
		medeco [®] SALEM, VA. HIGH SECURITY LOCKS A HILLENBRAND INDUSTRY			
		DOOR & FRAME PREP FOR WOODEN DOOR STANDARD DEADBOLT			
		PART NO. PK-120172			
		SCALE: FULL SHT. 1 OF 1			




HALF DOOR THICKNESS
(MEASURED FROM DOOR
STOP OR SILENCER
WHEN USED)



ALL DIMENSIONS GIVEN
ABOUT CENTERLINES
MUST BE CENTRAL WITH-
IN TOLERANCE UNLESS
OTHERWISE SPECIFIED.

THIRD ANGLE
PROJECTION SHOWN



THIS DOCUMENT IS THE PROPERTY OF MEDECO SECURITY LOCKS, INC.
ITS USE IS CONDITIONED UPON THE USER'S AGREEMENT NOT TO COPY
OR REPRODUCE THIS DOCUMENT IN WHOLE OR IN PART, OR TO USE THE
DOCUMENT TO REPRODUCE THE MATERIAL DESCRIBED THEREIN, OR FOR
ANY OTHER PURPOSE WITHOUT THE WRITTEN PERMISSION OF MEDECO
SECURITY LOCKS.

COMPUTER FILENAME:
pk-120173-b-bl.prt

DO NOT SCALE DWG.
REMOVE ALL BURRS

TOLERANCES
UNLESS SPECIFIED


FRACTIONS ±.015
2 PLACE DEC. ±.010
3 PLACE DEC. ±.005
CONCENTRICITY ±.004 I.R.
ANGLES 0° 30'

ABOVE DIMS. APPLY
BEFORE PLATING. IF
PLATED SEE PLAT-
ING SPEC. SHEET.

MATERIAL:


FINISH:

B		3142	SH	4/9/93	
A		1601	AB	8/21/90	DB
REV.	ZONE	E.C.N.	BY	DATE	APPR.
DRAWN		AWB			
DATE		7/24/90			
CHECKED					
APPROVED					
		medeco [®] HIGH SECURITY LOCKS A HILLENBRAND INDUSTRY			
		SALEM, VA.			
		FRAME PREPARATION FOR WOODEN DOOR DEADBOLT STRIKE			
		PART NO. PK-120173			
		SCALE: FULL SHT. 1 OF 1			



ALL DIMENSIONS GIVEN
ABOUT CENTERLINES
MUST BE CENTRAL WITH-
IN TOLERANCE UNLESS
OTHERWISE SPECIFIED.

THIRD ANGLE
PROJECTION SHOWN



THIS DOCUMENT IS THE PROPERTY OF MEDECO SECURITY LOCKS, INC.
ITS USE IS CONDITIONED UPON THE USER'S AGREEMENT NOT TO COPY
OR REPRODUCE THIS DOCUMENT, IN WHOLE OR IN PART, OR TO USE THE
DOCUMENT TO REPRODUCE THE MATERIAL DESCRIBED THEREIN, OR FOR
ANY OTHER PURPOSE WITHOUT THE WRITTEN PERMISSION OF MEDECO
SECURITY LOCKS.

COMPUTER FILENAME:
pk-120174-a-bl.prt

DO NOT SCALE DWG.
REMOVE ALL BURRS

TOLERANCES
UNLESS SPECIFIED



FRACTIONS ±.015
2 PLACE DEC. ±.010
3 PLACE DEC. ±.005
CONCENTRICITY ±.004 I.R.
ANGLES 0° 30'

ABOVE DIMS. APPLY
BEFORE PLATING. IF
PLATED SEE PLAT-
ING SPEC. SHEET.

MATERIAL:


FINISH:

A		1601	AB	8/22/90	
REV.	ZONE	E.C.N.	BY	DATE	APPR.
DRAWN AWB		medeco [®] HIGH SECURITY LOCKS A HILLENBRAND INDUSTRY SALEM, VA.			
DATE 8/22/90					
CHECKED					
APPROVED		DOOR & FRAME PREP FOR METAL DOOR STANDARD DEADBOLT			
		PART NO. PK - 120174			
		SCALE: FULL		SHT. 1 OF 1	



ALL DIMENSIONS GIVEN ABOUT CENTERLINES MUST BE CENTRAL WITHIN TOLERANCE UNLESS OTHERWISE SPECIFIED.

THIRD ANGLE PROJECTION SHOWN



THIS DOCUMENT IS THE PROPERTY OF MEDECO SECURITY LOCKS, INC. ITS USE IS CONDITIONED UPON THE USER'S AGREEMENT NOT TO COPY OR REPRODUCE THIS DOCUMENT IN WHOLE OR IN PART, OR TO USE THE DOCUMENT TO REPRODUCE THE MATERIAL DESCRIBED THEREIN, OR FOR ANY OTHER PURPOSE WITHOUT THE WRITTEN PERMISSION OF MEDECO SECURITY LOCKS.

COMPUTER FILENAME:
pk-120175-a-bl.prt

DO NOT SCALE DWG.
REMOVE ALL BURRS

TOLERANCES UNLESS SPECIFIED

FRACTIONS ±.015
2 PLACE DEC. ±.010
3 PLACE DEC. ±.005
CONCENTRICITY ±.004 I.R.
ANGLES 0° 30'

ABOVE DIMS. APPLY BEFORE PLATING. IF PLATED SEE PLATING SPEC. SHEET.

MATERIAL:


FINISH:

A		1601	AB	8/22/90	
REV.	ZONE	E.C.N.	BY	DATE	APPR.
DRAWN		AWB			
DATE		8/22/90			
CHECKED					
APPROVED					
		 SALEM, VA.			
		FRAME PREPARATION FOR METAL DOOR DEADBOLT STRIKE			
		PART NO. PK-120175			
		SCALE: FULL SHT. 1 OF 1			

4


A7892A

© Medeco Security Locks, Inc.





Drill 1" Hole Center In Door Thickness

A6719D



Fold On High Edge Of Door






BACKSET	"X"	"Y"
2 3/8"	1"	
2 3/4"	1 1/8"	

NOTES:

- CUTOUTS ARE LISTED BY BACKSET AND FUNCTION. PLEASE READ TEMPLATE CAREFULLY AND ONLY DRILL HOLES FOR YOUR SPECIFIC FUNCTION.



COMPUTER FILENAME
94-0137-a-bl.prt


INCH MM	DO NOT SCALE
THIS DOCUMENT IS THE PROPERTY OF MEDCO SECURITY LOCKS, INC. ITS USE IS CONDITIONED UPON THE USER'S AGREEMENT NOT TO COPY OR REPRODUCE THIS DOCUMENT IN WHOLE OR IN PART, OR TO USE THE DOCUMENT TO REPRODUCE THE MATERIAL DESCRIBED THEREIN, OR FOR ANY OTHER PURPOSE WITHOUT THE WRITTEN PERMISSION OF MEDCO SECURITY LOCKS.	
TOLERANCES UNLESS NOTED	
FRACTIONS $\pm 1/64$	
X.X $\pm .030$	
X.XX $\pm .010$	
X.XXX $\pm .005$	
ANGLES $\pm 0^{\circ}30'$	




MATERIAL

FINISH

A		6015	MD	2/14/00	
REV	ZONE	DESCRIPTION	BY	DATE	APPROVED
DRAWN	medeco HIGH SECURITY LOCKS 		24 SERIES INSTALLATION TEMPLATE, WOOD DOOR W/ STANDARD LOCK FRONT		
M.DUNTON					
DATE					
2/14/00					
CHECKED					
ENGINEER					
		SIZE	DRAWING NUMBER		REV
		B	94-0137		A
		SCALE NTS		SHEET	OF



FRONT



BACK

6 STRIKE LOCATOR
PLACE THIS EDGE
AGAINST DOOR STOP



DRILL 1" (25mm) DIA.
HOLE 5/8" (19mm) DEEP
INTO DOOR JAM

3 MARK CENTER
OF HOLE
ON DOOR FACE

4 DRILL 2 1/8"
(54mm) HOLE

2 3/4"
BACKSET

2 1/8" (54mm) hole.

2 3/8" (60mm)
BACKSET

TEMPLATE
FOR INSTALLING KNOBSET

1 FOLD HERE ON
DOOR EDGE



2

MARK FOR
1 3/4" (44mm)
DOOR

5 DRILL 1" (25mm) HOLE IN
CENTER OF DOOR EDGE
FOR RECTANGULAR LATCH
OR ROUND FACE

PK-130046

PLACE TEMPLATE FOLD ON EDGE OF DOOR SWINGING AWAY FROM THE FRAME

IMPORTANT!