



I. Product Description

Natural Degreaser™ is a unique, biodegradable, heavy duty cleaner/degreaser that is extremely effective for dissolving and removing grease, oil, lubricants, adhesives and contaminants without requiring water wash off and without leaving a residue. **Natural Degreaser™** evaporates quickly and is non-corrosive, non-abrasive and non-staining. It features a pleasant citrus scent.

II. Applications

Recommended for the effective removal of grease, oil, corrosion, sludge, adhesives and tar from air tools, mechanical brakes, clutches, chains, wire rope, motors, dies, molds, parts, bearings, generators and compressors.

III. Features & Benefits

- **Readily biodegradable per OECD 301B.**
- **Leaves No Residue.** Prevents harmful buildup on equipment and eliminates wiping and rinsing.
- **Fast Evaporation.** Minimizes downtime associated with "clean-in-place" cleaning methods.
- **No Class I or II Ozone Depleting Chemicals.** Offers strong alternative to 1,1,1-Trichloroethane products while complying with the EPA regulations on the use of ozone depleting chemicals.
- **M.S.D.[L.]™ Material Safety Data Label.** Provides instant access to current safety information should an accident or OSHA inspection occur. Helps comply with **OSHA Hazard Communications Standard 29 CFR 1910.1200.**

IV. Physical Properties without propellant

Flash Point	104° F TCC		Boiling Point	168°F
Odor	Citrus		Freezing Point	Not determined
Appearance	Colorless liquid		Solubility	Negligible
Vapor Density	4.7		% Volatile	100%
VOC Content (Fed)	Aerosol 832 g/L	Bulk 869 g/L	Specific Gravity	0.87
Sara Title III, Sect. 313 Chemicals	No		Evaporation Rate	4-5 minutes (conductor dependent)
Prop 65	Yes		pH	N/A

V. Specifications and Approvals

- Meets 1998 USDA guidelines for use in meat and poultry plants.

VI. Performance Characteristics

ASTM D-1130 (KB Value)	>200
ASTM D-877 (Dielectric Strength)	36,500 volts
ASTM D-56 (Flash Point)	104°F (TCC)

VII. Directions

- May be harmful to some plastics or paints.
- Test on small area before using.
- If in doubt, call the manufacturer of the equipment.
- Do not use on sensitive electronic equipment such as computers, tape decks or VCRs. Use a CRC precision cleaner.
- To remove grease, oil and other contaminants, spray or brush until clean.
- Remove heavy deposits by scraping.
- Allow to air dry, or dry with absorbent cloth.
- If necessary, repeat application until area is clean.
- After application, relubricate moving parts.
- To protect equipment and parts from future rust and corrosion after cleaning, apply a CRC corrosion inhibitor.
- For personal safety, do not use while equipment is energized.

VIII. Package Description

Part Number	Container Size
14005	16 oz Aerosol
14007	5 Gallon Pail
14008	55 Gallon Drum

IX. Disposal

Disposal requirements vary by state and local jurisdiction. All used and unused product should be disposed of in conformance with local, state and federal regulations.

IX. Special Use Warnings

Aerosol Cans

Do not puncture, incinerate or store above 120° F. Exposure to high temperatures may cause can to burst. Do not place in direct sunlight or near any heat source. Aerosol cans will conduct electricity. Keep away from all live electrical sources including battery terminals, solenoids, electrical panels and other electronic components. Failure to observe this warning may result in serious injury from flash fire and/or electrical shock.

General

Use only in well ventilated area. Ventilation may be improved by opening a window or door or providing mechanical assistance. Avoid continuous breathing of vapor and spray mist. Avoid contact with skin and eyes. If ventilation is not adequate, respiratory protection should be worn. For more information regarding short term and long term exposure, review this product's Material Safety Data Sheet.

PRODUCT WARRANTY: CRC offers a conditional warranty on this product for the period of 2 years from the date of manufacture.

DISCLAIMER: This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. All products should be tested for suitability on a particular application prior to actual use. CRC Industries, Inc. makes no representations or warranties of any kind concerning this data.