REPRINT

April 1883 Catalogue Norwich Lock Mfg. Co. Norwich, Conn U. S. A. PADLOCKS



KEY COLLECTORS INTERNATIONAL

Don Stewart, Editor

902 East Country Gables

Phoenix, Arizona 85022

All Trade Marks, Designs and Illustrations of Locks and Keys are the property of the Manufacturer - They are reproduced solely for identification and study by key collectors. All other use is prohibited. Reprint © 1982 Don Stewart

ILLUSTRATED

AND

DESCRIPTIVE CATALOGUE



HARDWARE




NORWICH LOCK MANUFACTURING CO.,

NORWICH, CONN., U.S. A.




APRIL, 1883.

CRIILI ETIN PRINT



SOLID CAST BRASS Self-Locking Tumbler Padlocks.


Number	Size. Inches.						D£8	CRIPTI	ION,									
1510	ī	Self-Locking, 1 Tumbler,									· · · · ·							
1515	1 ½	Self-Locking, 1 Tumbler,		-					-	_			•	Ţ	-	-	-	-
1520	1 3 g	Self-Locking, 1 Tumbler,	-	_	_	-			_	_	-		-	-	-	-	-	•
1525	1 1/2	Self-Locking, 1 Tumbler,	-	-	-		-	_	_					_		-	•	•
1530	1 7/8	Self-Locking, 1 Tumbler,	-	-			_	-	-			_		-	-	-	-	-
535	2 1/8	Self-Locking, 1 Tumbler,	-	_		-	_		_	_		_	-	•	•	-	•	-
1540	238	Self-Locking, 1 Tumbler,		-	-	-	-				_			•		-	-	




SOLID CAST BRASS Self-Locking Tumbler Padlocks.

WITH SPRING DROP.


Number,	Size. Inches.	DESCRIPTION.
1532	1 7/8	Self-Locking, Spring Drop, 1 Tumbler,
1537	2 1/8	Self-Locking, Spring Drop, t Tumbler,
1542	238	Self-Locking, Spring Drop, 1 Tumbler,







SOLID-CAST BRASS Self-Locking Tumbler Padlocks.

Number,	Sixe. Inches.	 			DESC	RIPTIO	אל.										
1531	1 7/8		Self-Locking, with Chain, 1 Tumbler,	-		-	٠	•			-	-	-	-	-		
1536	2 1/8	į	Self-Locking, with Chain, 1 Tumbler,	-	-		-	-	-	-	-	-		-	-	-	
1541	238		Self-Locking, with Chain, 1 Tumbler,		•	-	-	•		-	•	-	-	-		-	!








Solid CAST BRASS Self-Locking Tumbler Padlocks.

WITH CHAIN AND DROP.


Number.	Size. Inches.	DESCRIPTION.
1533	r 7/8	Self-Locking, with Chain and Spring Drop, r Tumbler,
1538	2 1/8	Self-Locking, with Chain and Spring Drop, 1 Tumbler,
1543	238	Self-Locking, with Chain and Spring Drop, 1 Tumbler,









Nos. 1620, and 1650.







WITH LOOSE SHACKLE.


Number.	Weight, Per Dozen.	DESCRIPTION,	DESCRIPTION,														
1615	6 lbs.	Painted Red, 2 Keys, 3 Tumblers,															
1620	8 lbs.	Painted Red, 2 Keys, 4 Tumblers,															
1625 ⁻	12 lbs.	Painted Red, 2 Keys, 4 Tumblers,															
1630	20 lbs.	Painted Red, 2 Keys, 6 Tumblers,															
1645	6 lbs.	Brass Plated, 2 Keys, 3 Tumblers,															
1650	8 lbs.	Brass Plated, 2 Keys, 4 Tumblers,															
1655	12 lbs.	Brass Plated, 2 Keys, 4 Tumblers,															
1660	20 Nos.	Brass Plated, 2 Keys, 6 Tumblers,															



WITH SECURED SHACKLE.

Number.	Weight. Per Dozen.	DESCRIPTION.
1616	6 lbs.	Painted Red, Secured Shackle, 2 Keys, 3 Tumblers,
1621	8 lbs.	Painted Red, Secured Shackle, 2 Keys, 4 Tumblers, -
626	12 lbs.	Painted Red, Secured Shackle, 2 Keys, 4 Tumblers, -
1634 │	20 lbs.	Painted Red, Secured Shackle, 2 Keys, 6 Tumblers, -









Nos. 1720, and 1750.








Nos. 1730, and 1760.


WITH FLAT STEEL KEYS. LOOSE SHACKLE.

Number.	Weight. Per Dozen.	FLAT STEEL KEY	S AND I	REVOL	VING H	UBS.								į
1715	6 lbs.	Painted Red, 2 Nickel Plated Keys, 3 Tumblers,			-	-	-	-		-		•	_	-
1720	8 lbs.	Painted Red, 2 Nickel Plated Keys, 4 Tumblers,	-	-		-	-	-	-	-	-			·
1725	12 lbs.	Painted Red, 2 Nickel Plated Keys, 4 Tumblers,	•	-	-	-	-		-		:	_	-	- !
1730	20 lbs.	Painted Red, 2 Nickel Plated Keys, 6 Tumblers,		-	-			-	-	-		-	-	
1745	6 lbs.	Brass Plated, 2 Nickel Plated Keys, 3 Tumblers,		-	•	-	-				-			
1750	8 lbs.	Brass Plated, 2 Nickel Plated Keys, 4 Tumblers,	-		-		-	-	-	-	-			•
1755	12 lbs.	Brass Plated, 2 Nickel Plated Keys, 4 Tumblers,			•			-		-	-			,
1760	20 lbs.	Brass Plated, 2 Nickel Plated Keys, 6 Tumblers,	-	-	-		-	-	-	•	-	-		•




WITH SECURED SHACKLE. FLAT STEEL KEYS.


Number.	Weight. Per Dozen.	FLAT STEEL, KETS AND REVOLVING HUBS.
1716	6 lbs.	Painted Red, Secured Shackle, 2 Nickel Plated Keys, 3 Tumblers,
1721	8 lbs.	Painted Red, Secured Shackle, 2 Nickel Plated Keys, 4 Tumblers,
1726	12 lbs.	Painted Red, Secured Shackle, 2 Nickel Plated Keys, 4 Tumblers,
1731	20 lbs.	Painted Red, Secured Shackle, 2 Nickel Plated Keys, 6 Tumblers,




Cast Iron Spring Padlocks.

Number,	hize. Inches.					SPRING	SHAC:	rles.			•	,					
1600	2	Plain Japanned Case, Bi	right Hasp.		-	-				-	-	-		-	_	-	_
1601	a∦	Plain Japanned Case, Bi	right Hasp,	•		•	-	•	-		-	•		•			
1602	236 ,	Plain Japanned Case, Bi	right Hasp,	•	٠	-		•			•	-	•	. •		*	







Nos. 1846, 1847, 1856, 1857, 1866, 1867.

Flat Iron Padlocks.

SPRING SHACKLES. FLAT STEEL KEYS.


Number.	Size. Inches.	DESCRIPTION.
1844	2 1/4	Red Case, 1 Nickel Plated Key,
1845	2 1/4	Red Case, 2 Nickel Plated Keys,
1854	2 1/4	Brass Plated Case, 1 Nickel Plated Key,
1855	2 1/4	Brass Plated Case, 2 Nickel Plated Keys,
1864	2 1/2	Nickel Plated Case, 1 Nickel Plated Key,
1865	2 1/4	Nickel Plated Case, 2 Nickel Plated Keys,
1846	2 1/2	Red Case, r Nickel Plated Key,
1847	2 1/2	Red Case, 2 Nickel Plated Keys,
1856	2 1/2	Brass Plated Case, 1 Nickel Plated Key,
1857	2 1/2	Brass Plated Case, 2 Nickel Plated Keys,
866	2 1/2	Nickel Plated Case, 1 Nickel Plated Key,
867	21/2	Nickel Plated Case, 2 Nickel Plated Keys.

For extra Keys, add 50 Cents per Dozen, List.

t Dozen in a box.









Nos. 1833, 1834, and 1835.

ORNAMENTAL

Bronzed Iron Padlocks.


ROLLING SHACKLE.

Number.	Siza. Inches.					DES	CRIPT	юĸ.									
1833	21/2	Bronzed Case and Key, -	-	-							_	_					<u>.</u>
1834	2 1/2	Brass Plated Case and Key,		-		-	-			-	-	-	-				-
1835	21/4	Nickel Plated Case and Key,	-	-	-	-	-	-			-	-	-			-	-
1836	2 1/2	Bronzed Case and Key, -			-	-			-		-					-	-
1837	2 1/2	Brass Plated Case and Key,	-	-		-	٠.			•	_	-			-		-
1838	2 1/2	Nickel Plated Case and Key,			-			_			-	-		-		_	


For extra Keys, add 35 Cents per Dozen, List.

1 Dozen in a box.

























ORNAMENTAL Bronzed Iron Padlocks.

FLAT STEEL KEYS AND REVOLVING HUBS.


Number.	Size. Inches.			DESC	RIPTI										
1823	13/1	Bronzed Case, Nickel Plated Key,			-	-		-	-	•		-		-	-
1824	13/1	Brass Plated Case, Nickel Plated Key,	•	-	-	-	-	•	-	-	•	-	-	-	-
1825	13/	Nickel Plated Case and Key,	-		-	•	-		-	-	•	•	-	-	-
1826	2	Bronzed Case, Nickel Plated Key, -	-	•	-	•	-	•	-	•	٠	٠	•	-	-
1827	2	Brass Plated Case, Nickel Plated Key,	-	•		-		- "	*	٠	-	٠	· -	٠	-
1828	2	Nickel Plated Case and Key,	-		-	-	•	-	•	•	-	-	-	-	-
1830	2 1/4	Bronzed Case, Nickel Plated Key, -		-	•	+	-	-	-	-	-	-	•	-	-
1831	2 1/4	Brass Plated Case, Nickel Plated Key,	-	-	-	•		-	•		-	-	•	٠	
1832	2 1/1	Nickel Plated Case and Key,	-	-	•	-	•	•	-	-	-		-	-	-



Nos. 1806, 1807, and 1808.








Nos. 1810, 1811, and 1812.

Ornamental Bronzed Iron Padlocks.

Number.	Size. Inches.					DES	CRIPIT	оя.									
1803	2	Bronzed Case and Key, -	_														
1804	2	Brass Plated Case and Key,		-		-	_				-	-	•	-	-	-	•
1805	2	Nickel Plated Case and Key,			_		-		-	•		•	•	•	-		-
1806	2 1/4	Bronzed Case and Key,	_					•		-	•			-	-	-	-
1807	21/4	Brass Plated Case and Key,	-	-		-	-	_	_			•	•	•	•	•	-
1808	2 1/4 2 1/2	Nickel Plated Case and Key,			-	-	_	_	-					٠.	-	-	-
1810	2 1/2	Bronzed Case and Key,		•		-			_						•	•	-
1811	2 1/2	Brass Plated Case and Key,	-	-		-				_				•		•	•
1812	2 1/2	Nickel Plated Case and Key,						-		-					•		-
1814	23/4	Bronzed Case and Key,		•		-	-				-		-		_	•	, -
1815	23/4	Brass Plated Case and Key,	-	-	-									-	-	•	•
1816	23/1	Nickel Plated Case and Key.	•	-			-						•		-	-	•








Nos. 1876, 1877, 1886, 1887, 1896, 1897.

ORNAMENTAL


Bronzed Iron Padlocks.

SPRING SHACKLES. FLAT STEEL KEYS.


Number.	Size. Inches.		DESC	RIPTI	DN.									
1874	2 1/4	Bronzed Case, 1 Nickel Plated Key,	-	-	_	-					•			
1875	2 1/1	Bronzed Case, 2 Nickel Plated Keys.				-	-	-						•
1884	2 1/1	Brass Plated Case, t Nickel Plated Key, -			-	•		-	-		-	•	-	-
1885	2 1/4	Brass Plated Case, 2 Nickel Plated Keys,		-	-						-		-	-
1894	2 14	Nickel Plated Case, r Nickel Plated Key.	-		-	-	-			-	-			•
1895	2 14	Nickel Plated Case, 2 Nickel Plated Keys.				•				-	-			-
1876	2 1 2	Bronzed Case, 1 Nickel Plated Key,											-	•
1877	2 1 2	Bronzed Case, 2 Nickel Plated Keys,	-	•						-		-	-	-
1886	2/1/2	Brass Plated Case, r Nickel Plated Key,		-									-	
1887	2 1/2	Brass Plated Case, 2 Nickel Plated Keys,	-	-		-					-		•	
1896	2 1 2	Nickel Plated Case, r Nickel Plated Key,												
1897	2 1 2	Nickel Plated Case, 2 Nickel Plated Keys.		-		-		-						_




Numers.	Size. Inches.	DESCRIPTION,	
0000	2	Spring Shackle, Self-Locking,	
000	2 <u>1</u> 2	r Wheel, Wrought Iron Shackle and Boit, and the second sec	
00	÷14	Brass Drop, i Wheel, Wrought Iron Snackle and Bolt, Fig. 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5	
O	2 1/2	Brass Drop and Bushing, r Wheel, Wrought Iron Shackle and Bolt,	




Number.	Size. Inches.	DESCRIPTION.	_
ι	2 1/2	Brass Drop, Wrought Iron Shackle and Bolt, 4 Changes to the Dozen.	
2	2 1/2	Brass Drop and Bushing, 1 Wheel, 4 Side Wards, 12 Changes to the Dozen.	
3	2 / 2	Brass Drop and Bushing, 1 Wheel, 4 Side Wards, 12 Changes to the Dozen.	
4	2 1.2	Brass Drop and Bushing, t Wheel, 4 Side Wards, 12 Changes to the Dozen.	
5	2,7,5	Brass Frop and Bushing, r Wheel, 4 Side Wards, 12 Changes to the Dozen.	




Number,	Size. Inches.	DESCRIPTION.
7 8	234 3	Brass Drop and Bushing, 2 Wheels, Side and Bridge Wards, 12 Changes to the Dozen, Brass Drop and Bushing, 2 Wheels, Side and Bridge Wards, 12 Changes to the Dozen,







No. 21.




No. 23.

umber.	Size, Inches.	·				DES	CRIPTI	o n.								•	
20	21/2	r Wheel,	. ,						_	_	_						
21 22	21/2	Brass Bushing, 1 Wheel,					-						-			-	
23	21/4	Brass Drop, 1 Wheel, Brass Drop and Bushing, 1		•	-	-	-	-	-	•	٠	-	٠	•	•	-	






Nos. 34, and 934.



Nos. 30, and 930.




Nos. 32, and 932.




Nos. 31, and 931. Nos. 33, and 933.

Number.	Size. Inches.	DESCRIPTION.
29	2 1/4	Brass Bushing, r Wheel,
30	2 1/4	Brass Drop, i Wheel,
30 31 32 33 34	2 1/4	Brass Drop and Bushing, 1 Wheel,
32	21/4 21/2	Brass Drop, r Wheel,
33	2 1 2	Brass Drop and Bushing, Wheel and Side Wards, 12 Changes to the Dozen.
34	2 1/2	Brass Bushing, Wheel and Side Wards, 12 Changes to the Dozen.
929	2 1/4	Same as No. 29, but Self-1 cking and with Spring Shackle,
930	2 1/	Same as No. 30, but Self-Licking and with Spring Shackle.
931	2 1/4 2 1/4 2 1/2	Same as No. 31, but Self Locking and with Spring Shackle,
932	2 1/2	Same as No. 32, but Self-Locking and with Spring Shackle,
933	21/2	Same as No. 33, but Self-Locking and with Spring Shackle,
934	2 1/2	Same as No. 34, but Self-Locking and with Spring Shackle,




Number.	Size. Inches.	DESCRIPTION.
24	2 3/2	Brass Drop, t Wheel,
25 26	2 ½ 2 ½	Fancy Drop and Bushing, 1 Wheel, 4 Side Wards, 12 Changes to the Dozen, Brass Bushing, 1 Wheel, 4 Side Wards, 12 Changes to the Dozen,
40	2 1/4	Brass Bushing, Cylindrical Keys, 6 Changes to the Dozen,
44	2 1/2	Brass Bushing, Cylindrical Keys, 6 Changes to the Dozen,




REVOLVING HUBS.

Number.	Size. Inches.	DESCRIPTION.								
400	2	Brass Bushing, Self-Locking, Spring Shackle, Nickeled Steel Key,			-	-		-		-
122	2 1/4	Brass Bushing, r Wheel Ward, Nickeled Steel Key,	-		-		-		-	
430	21/4	Brass Bushing, 1 Wheel Ward, Nickeled Steel Key,		-	· -		-			
431	2 J <u>á</u>	Brass Drop and Bushing, r Wheel Ward, Nickeled Steel Key,			-	_	-	_		
022	21/4"	Same as No. 422, but Self-Locking and with Spring Shackle,				_			-	
030	21/4	Same as No. 430, but Self-Locking and with Spring Shackle,				-			_	
031	21/2	Same as No. 431, but Self Locking and with Spring Shackle,						_		_












WITH BRASS BUSHING ON BACK.

WROUGHT IRON SHACKLES AND BOLTS. FLAT STEEL KEYS AND REVOLVING HUBS.


Number.	Bize. Inches.	DESCRIPTION.			
416 421	23/ ₄ 3	Brass Drop and Bushing, Wheel, Side and Bridge Wards, 12 Changes to the Doze Brass Drop and Bushing, Wheel, Side and Bridge Wards, 12 Changes to the Doze	-		
421	3	Brass Drop and Bushing, Wheel, Side and Bridge Wards, 12 Changes to the Doze	 -	-	








Nos. 423, and 1023.





Nos. 424, and 1024.

Number.	Size. Inches.	WROUGHT IRON SHACKLES AND BOLTS, FLAT STEEL KEYS AND REVOLVING HUBS.
405	2 1/4	Brass Drop and Bushing, 1 Wheel.
423	2 1/4	Brass Drop and Bushing, 1 Wheel,
424	2 1/2	Brass Bushing, Wheel and Side Wards,
432	2 1/2	Brass Bushing, Wheel and Side Wards,
1023	234	Same as No. 423, but Self-Locking and with Spring Shackle,
1024	2,32	Same as No. 424, but Self-Locking and with Spring Shackle,
1032	2 1/2	Same as No. 432, but Self-Locking and with Spring Shackle,




No. 411.






Nos. 532, and 1132.




Nos. 425, and 1025. Wrought Iron Tumbler Padlocks.

Number.	Size. Inches	!	WROUGHT IRON SHACKLES AND BOLTS, REVOLVING KEY HUBS.
411	2 1/2		Brass Drop and Bushing, 1 Wheel, Flat Nickeled Steel Key, 12 Changes,
425	2 1/2	į.	Brass Drop and Bushing, 1 Wheel, Flat Nickeled Steel Key, 12 Changes,
532	2 1/2	i	Brass Bushing, Double Chamber, 1 Wheel and Bridge Ward, Nickeled Double Bit Steel Key, 12 Changes,
533	2 1/2	,	Brass Drop and Bushing, Double Chamber, 1 Wheel and Bridge Ward, Nickeled Double Bit Steel Key,
1025	2 1/2		Same as No. 425, but Self-Locking and with Spring Shackle,
4132	2 1.2		Same as No. 532, but Self-Locking and with Spring Shackle,
l133	2 5 2		Same as No. 533, but Self-Locking and with Spring Shackle,




Nos. 523, 524, 530, 1123, 1124, and 1130 have Brass Bushing on back.

Number.	Size. Inches.	WROUGHT IRON SHACKLES AND BOLTS.
523	214	Brass Bushing, 1 Wheel and Bridge Ward. Double Chamber, Nickeled Double Bit Flat Steel Key,
524	212	Brass Bushing, 1-Wheel and Bridge Ward, Double Chamber, Nickeled Double Bit Flat Steel Key, 12 Changes,
526	2 1 2	Fancy Drop, Brass Bushing, r Wheel and Bridge Ward, 4 Side Wards, Double Chamber, Double Bit Malleable Key, 12 Changes,
530	2 14	Brass Bushing, t Wheel and Bridge Ward, Double Chamber, Nickeled Double Bit Flat Steel Key,
1123	214	Same as No. 523, but Self-Locking and with Spring Shackle,
1124	2 J 👼	Same as No. 524, but Self-Locking and with Spring Shackle,
1130	2!4	Same as No. 530, but Self-Locking and with Spring Shackle,




WITH BRASS KEYS.


Number.	Size. Inches.	WROUGHT INON SHACKLES AND BOLTS.	•
110	2 1/4	Brass Drop and Bushing, 1 Wheel,	
115	2 1/2	Brass Drop and Bushing, 1 Wheel, 4 Side Wards, 12 Changes to the Dozen,	
125	2 1/2	Fancy Drop and Bushing, 1 Wheel, 4 Side Wards, 12 Changes to the Dozen, -	




EXTRA HEAVY Wrought Iron Tumbler Padlocks. Nos. 427, 438, and 525 have Brass Bushing on back.

Number.	Size. Inches	WROUGHT IRON SHACKLES AND BOLTS.
· 	-	
38	2,15	Fancy Drop and Bushing, 2 Tumblers, 1 Wheel Ward, 4 Side Wards, 400 Changes,
427	216	Fancy Drop, Brass Bushing, t Wheel and Bridge Ward, 4 Side Wards, Wide Bit Steel Key, Revolving Hub,
438	2 1/2	Fancy Drop, Brass Bushing, 2 Tumblers, t Wheel Ward, 4 Side Wards, Nickeled Steel Key, 400 Changes, -
525	2 1/2	Fancy Drop, Brass Bushing, t Wheel and Bridge Ward, Double Chamber, Double Bitted Nickeled Steel Key,









Nos. 129, and 1229.

Nos. 131, and 1231.

Number.	Size. Inches.	WROUGHT IRON SHACKLES AND BOLTS.
129	2 1/4	Brass Bushing, 1 Wheel,
130	2 1/4	Brass Drop, 1 Wheel,
131	2 1/4	Brass Drop and Bushing, 1 Wheel,
1229	2 1/4	Same as No. 129, but Self-Locking and with Spring Shackle,
1230	2 1/4	Same as No. 130, but Self-Locking and with Spring Shackle,
1231	2 1/4	Same as No. 131, but Self-Locking and with Spring Shackle,




Nos. 134, and 1234.




Nos. 132, and 1232.

Number.	Size. Inches	WROUGHT IRON SHACKLES AND BOLTS.
· 		
132	2 1/2	Brass Drop, 1 Wheel,
134	21/2	Brass Bushing, 1 Wheel, 4 Side Wards, 12 Changes,
1232	21/2 🛖	Same as No. 132, but Self-Locking and with Spring Shackle,
1234	2 1/2	Same as No. 134, but Self-Locking and with Spring Shackle,





Number.	Size. Inches.	WROUGHT IRON SHACELES AND BOLTS.
133	2 1/2	Brass Drop and Bushing, 1 Wheel, 4 Side Wards, 12 Changes,
135	2 1/2	Fancy Drop and Bushing, 2 Tumblers, 1 Wheel, 4 Side Wards, 400 Changes.
1133	2 1/2	Same as No. 133, but Self-Locking and with Spring Shackle,



WITH CHAIN.

Size. Inches.	WROUGHT IRON SHACKLES AND BOLTS, STREL KETS AND REVOLVING HUBS.
2 1/2	Brass Bushing, 1 Wheel Ward,
2 1/2	Brass Drop and Bushing, 1 Wheel Ward,
2 1/2	Brass Bushing, 1 Wheel Ward, Double Chamber, Double Bitted Flat Steel Key,
21/4	Same as No. 630, but Self-Locking and with Spring Shackle,
. 21/4	Same as No. 631, but Self-Locking and with Spring Shackle,
2 1/4	Same as No. 730, but Self-Locking and with Spring Shackle,
	2 1/2 2 1/2 2 1/2 2 1/4 2 1/4 2 1/4







Nos. 633, and 1333.

WITH CHAIN.

Inches.	WROUGHT IRON SHACKLES AND BOLTS, FLAT STEEL KEYS AND REVOLVING HUBS,
2 1/2	Brass Bushing, Wheel and Side Wards, 12 Changes,
2 1/2	Brass Drop and Bushing, Wheel and Side Wards, 12 Changes,
2 1/2	Same as No. 632, but Self-Locking and with Spring Shackle,
2 3/2	Same as No. 633, but Self-Locking and with Spring Shackle,
	2 ½ 2 ½ 2 ½ 2 ½



Nos. 732, and 1432.



Nos. 733, and 1433.

WITH CHAIN.

Number.	Size. Inches.	WROUGHT IKON SHACKLES AND BOLTS, DOUBLE BITTED FLAT STEEL KEYS AND REVOLVING HUBS.	- :-
732	2 1/2	Brass Bushing, 1 Wheel Ward, Double Chamber, 12 Changes,	į
733	2 1/2	Brass Drop and Bushing, 1 Wheel Ward, Double Chamber, 12 Changes,	
1432	2 1/2	Same as No. 732, but Self-Locking and with Spring Shackle,	
1433	2 1/2	Same as No. 733, but Self-Locking and with Spring Shackle, - ,	
			-