

Architectural Door Accessories

Pemko Pocket Frame Kit

ASSA ABLOY
Opening Solutions


Experience a safer
and more open world



A Space Saving Solution

Applications

- Offices
- Conference Rooms
- Hospitality
- Healthcare Facilities



Pemko Pocket Frame Kits

Pocket doors slide into a compartment in the wall, almost disappearing when the door is open. They conserve and recover space that is lost to swinging doors.

The Pemko Pocket Frame Kit has solid wood studs encased in extruded aluminum to reduce corrosion and minimize any bowing effect. Door actuation requires less than 5 lbs. of horizontal force, meeting ADA requirements.

Kits are available for 2x4 construction with 3-1/2" stud, Wood 2x6 construction with 5-1/2" stud, and Steel 2x6 construction with 6" stud.

The soft close option gently closes the door and brings it to a controlled stop, which eliminates bouncing and slamming helping to expand the life of the door and hardware.

Features	Benefits
Allows doors to be completely concealed within walls	Saves valuable space
Requires less than 5 lbs. of horizontal force to open	Meets ADA requirements
Space saving sturdy design	Trouble-free operation for years of use
Knock down construction	Easy to assemble
Extruded aluminum studs with solid wood core	Reduces corrosion and minimizes bowing effect
Chrome plated steel hangers	Corrosion resistant and maintenance free



Available Kits:	2 x 4 (3 1/2" Stud)	2 x 6 (5 1/2" Stud)	2 x 6 (6" Stud)	Options*
PF134KIT - Must be ordered when using 1-3/4" thick doors in 2x4 wood or metal stud constructed wall kit (3-1/2" stud kit)	PF28200A6080	PF28200A6080-2x6	PF28200A6080-SP6	PFAS84, PFCDKIT for Bi-Parting door Openings
	PF28200A7280	PF28200A7280-2x6	PF28200A7280-SP6	PFAS84, PFCDKIT for Bi-Parting door Openings, SC- Soft Close
	PF28200A9680	PF28200A9680-2x6	PF28200A9680-SP6	PFAS84, PFCDKIT for Bi-Parting door Openings, SC- Soft Close
	PF28200A6084	PF28200A6084-2x6	PF28200A6084-SP6	PFAS88, PFCDKIT for Bi-Parting door Openings
	PF28200A7284	PF28200A7284-2x6	PF28200A7284-SP6	PFAS88, PFCDKIT for Bi-Parting door Openings, SC- Soft Close
	PF28200A9684	PF28200A9684-2x6	PF28200A9684-SP6	PFAS88, PFCDKIT for Bi-Parting door Openings, SC- Soft Close
	PF28200A6096	PF28200A6096-2x6	PF28200A6096-SP6	PFAS100, PFCDKIT for Bi-Parting door Openings
	PF28200A7296	PF28200A7296-2x6	PF28200A7296-SP6	PFAS100, PFCDKIT for Bi-Parting door Openings, SC- Soft Close
	PF28200A9696	PF28200A9696-2x6	PF28200A9696-SP6	PFAS100, PFCDKIT for Bi-Parting door Openings, SC- Soft Close

*Use SC- prefix when ordering Soft Close, Ex: SC-PF28200A7284

Technical Specifications


- Heavy duty hardware supports doors up to 200 lbs. each leaf
- Door actuation requires less than 5 lbs. of horizontal force, meeting ADA requirements
- Extruded aluminum track
- Solid wood studs encased in extruded aluminum reduces corrosion and minimizes bowing effects
- Chrome plated steel hangers are corrosion resistant and no maintenance is required

Materials Included:

- Header Track Assembly (1)
- Aluminum Cased Wood Studs (4)
- Pre-mounted Header Brackets (2)
- Hangers (2)
- Floor Cleats (2)
- Assembly Kit: mounting hardware, bumper stop, bottom guide, and adjusting wrench. For part numbers of kit components, see full line catalog.

Options:

- SC- Soft Close and Soft Open option. For doors up to 200 lbs. each, 35-1/4" minimum door width
- PFAS84 - For doors over 3' wide an extra pair of 84" center studs with floor cleat for 80" tall doors recommended
- PFAS88 - For doors over 3' wide an extra pair of 88" center studs with floor cleat for 84" tall doors recommended
- PFAS100 - For doors over 3' wide an extra pair of 100" center studs with floor cleat for 96" tall doors recommended
- PFCDKIT - Conversion Kit to achieve a bipart double door frame



NOTE: Sliding and Folding products are under warranty for 5 years on Pemko Sliding & Folding Products and 2 years on Henderson Sliding & Folding Products.

The ASSA ABLOY Group is the global leader in access solutions.
Every day, we help billions of people experience a more open world.

ASSA ABLOY
Opening Solutions

ASSA ABLOY Opening Solutions leads the development within door openings and products for access solutions in homes, businesses and institutions. Our offering includes doors, frames, door and window hardware, mechanical and smart locks, access control and service.

ARCHITECTURAL DOOR ACCESSORIES™
Markar | McKinney | Pemko | Rockwood

ASSA ABLOY Opening Solutions
Architectural Door Accessories
orders.pemko@assaabloy.com
www.assaabloydooraccessories.us

ASSA ABLOY Opening Solutions
Door Security Solutions Canada
160 Four Valley Drive
Vaughan, ON L4K 4T9
www.assaabloydss.ca
1 800 461 3007