#### MATERIAL SAFETY DATA SHEET

Section 1: Product & Company Identification

**Product Name:** Power Lube® Multi-Purpose Lubricant - Aerosol

Product Number (s): 05003, 05005, 05005-6, 05005P, 05005T, 05006, 75005, 85005

Manufactured By: CRC Industries, Inc. (215) 674-4300

885 Louis Drive, Warminster, PA 18974

24-Hour Emergency Information: CHEMTREC (800) 424-9300

Section 2: Composition/Information on Ingredients

Component	CAS	ACGIH	OSHA	OTHER	%
	NUMBER	TLV	PEL	LIMITS	
Petroleum Distillate	64742-47-8	NE	400 ppm	100 ppm	50-80
Inhibited Paraffinic Oil	NA	5 mg/m3	5 mg/m3	(mist)	1-30
Carbon Dioxide	124-38-9	5000 ppm	10000 ppm	NE	1-10

Section 3: Hazards Identification

**Emergency Overview** 

Appearance & Odor: Amber liquid, pleasant odor.

Danger: Flammable. Harmful or Fatal if Swallowed. Contents Under Pressure.

Potential Health Effects:

Inhalation: Headaches, nausea, dizziness and breathing problems.

Eyes: Irritation, burning

Skin: Dryness Ingestion: NA

Carcinogenicity: OSHA: No IARC: No NTP: No

Chronic Overexposure: Dermatitis.

Medical Conditions Aggravated by Exposure: NA

Section 4: First Aid Measures

Inhalation: Remove to fresh air. Give artificial respiration if necessary.

Eyes: Flush with large amounts of water for 15 minutes.

Skin: Remove contaminated clothing and wash area with soap and water.

Ingestion: Call a physician. Do not induce vomiting.

\_\_\_\_\_\_

**Product Name: Power Lube® Multi-Purpose Lubricant - Aerosol** 

Product Number (s): 05003, 05005, 05005-6, 05005P, 05005T, 05006, 75005, 85005

Section 5: Fire-Fighting Measures

Flashpoint: 165°F TCC LEL: ND Method: UEL: ND

Extinguishing Media: CO<sub>2</sub>, dry chemical and foam **Hazardous Combustion Products:** CO<sub>2</sub> and carbon monoxide (fire)

Remove containers from fire area if possible. Use self-contained Fire-fighting Instructions:

breathing apparatus for fire fighting. Aerosol cans may explode if heated

above 120°F.

Flammability: 2 NFPA: Health: 1 Reactivity:

Flammability: 2 Health: 1 Reactivity: HMIS: PPE: B

Section 6: Accidental Release Measures

Spill/Leak Procedures: Usually not a problem with aerosols. Area should be ventilated. Absorbent should be used to pick up excess material. All used and unused product should be disposed of in accordance with federal, state and local regulations.

\_\_\_\_\_\_

Section 7: Handling and Storage

Handling Procedures: Store in a cool, dry area. Aerosol cans must be maintained below 120°F to prevent cans from exploding.

Aerosol Level: III

Section 8: Exposure Controls/Personal Protection

Engineering Controls: Adequate to prevent accumulation of vapors. Use mechanical means if necessary to maintain levels below the exposure limits. If working in a confined space, follow applicable OSHA regulations.

Respiratory: Use NIOSH/MSHA compliant respirators or self-contained breathing apparatus above exposure limits. Follow OSHA regulations 29 CFR 1910.134.

Protective Clothing/Equipment: Wear chemically protective gloves and safety glasses. Use a splash apron and boots if splashing occurs. \_\_\_\_\_

Section 9: Physical & Chemical Properties

Physical State: Appearance & Odor: Amber liquid, pleasant odor Liquid

Specific Gravity: 0.8223 Boiling Point: 380°F (initial) Vapor Pressure: ND Freezing Point: 0.23 mm slow .01 (toluene=1) Vapor Pressure: 0.23 slow .01 (toluene=1) Vapor Density (air = 1) > air Evaporation Rate:

Solubility: Negligible in water pH:

Volatile Organic Compounds %: 50 g/L: 398 lbs./gal: 3.32

Section 10: Stability and Reactivity

Stable Hazardous Polymerization: No Stability:

Chemical Incompatibilities: Strong oxidizers. Materials to Avoid: Strong oxidizers.

Hazardous Decomposition Products: None

**Product Name:** Power Lube® Multi-Purpose Lubricant - Aerosol

Product Number (s): 05003, 05005, 05005-6, 05005P, 05005T, 05006, 75005, 85005

# Section 11: Toxicological Information

Long-term toxicological studies have not been conducted for this product. See Section 3 of this MSDS for acute symptoms of overexposure and carcinogenicity information.

\_\_\_\_\_\_

### Section 12: Ecological Information

Ecotoxicity: No data available.

Environmental Fate: No data available for biodegradation.

\_\_\_\_\_

### Section 13: Disposal Considerations

Disposal: This material if discarded may be hazardous waste under U.S. EPA RCRA regulations. All disposal activities must comply with federal, state and local regulations. Contact your local or state environmental agency for specific rules. Do not dump into sewers, on the ground or into any body of water.

\_\_\_\_\_

## Section 14: Transportation Information

Shipping Name: Consumer Commodity

Hazard Class: ORM-D UN Number: NA Packing Group: NA

Label: NA Placard: NA

Special Provisions: NA

\_\_\_\_\_

#### Section 15: Regulatory Information

TSCA: All components are either listed under TSCA or are exempt.

SARA Title III: Section 311/312: Acute/Pressure Section 313\*: None

CERCLA/Superfund (RQ):

Extremely Hazardous Substances:

No
California Prop 65:

NA

## \* See section 2 for percentage

## Section 16: Additional Information

Prepared By: Michelle Milburn Date: February 17, 2004

Technical Information: (800) 521-3168 CRC #: 462C

This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label.

CAS: Chemical Abstract Service Not Applicable NA: Not Determined Parts per Million ND: ppm: Tag Closed Cup Not Established TCC: NE: Lower Explosive Limit LEL: g/L: grams per Liter Upper Explosive Limit pounds per gallon UEL: lbs./gal: Personal Protection Equipment Reportable Quantity PPE: RO:

COC: Cleveland Closed Cup