


Quality Engineered Products Co., Inc.

Manufacturers of Steel Doors and Frames

Distributors of Finish Hardware and
Architectural Wood Doors




Steel Doors and Frames That Will Meet Your Toughest
Commercial and Industrial Requirements

QUALITY ENGINEERED PRODUCTS CO., INC.

4506 Quality Lane • Tampa, Florida 33634

Phone 813-885-1693 • Fax 813-884-2673

Standard and Custom Hollow Metal Frames




STANDARD FRAME

Features:

- Interlocking corner
- Continuously welded
- 14 or 16 gauge
- Galvanized (A60) steel standard
- Anchors available for masonry, wood and steel stud walls
- 3" – 20" jamb depths
- 2" face and 1/2" return standard
- 5/8" stops
- Equal rabbet design
- Prime painted

Special Options

- Special faces available (any size)
- Special returns available (3/8" – 1-1/2")
- Fire ratings available
- Hospital stops



KNOCKDOWN PRESSURE FIT


Features:

- Interlocking corner
- 14 or 16 gauge
- Galvanized (A60) steel standard
- 3" – 14" jamb depths
- 2" face and 1/2" return standard
- 5/8" stops
- Equal rabbet design
- Prime painted

Special Options

- Special faces available (any size)
- Fire ratings available
- Hospital stops

Pressure fit frames are designed for installation over finished walls




DOUBLE EGRESS FRAME

Features:

- 14 or 16 gauge
- Galvanized (A60) steel standard
- Continuously welded
- 5" – 14" jamb depths
- 5/8" stops
- 1/2" return standard
- Anchors available for masonry, wood and steel stud walls
- Prime painted

Special Options

- Custom faces available (1-1/4" – 4")
- Custom hardware preps
- Fire ratings available



STOREFRONT AND CUSTOM FRAMES


Features:

- Manufactured to your specifications
- Unlimited sizes
- Custom profile and faces
- 14 or 16 gauge
- Galvanized (A60) steel standard
- Continuously welded
- 5" – 14" jamb depths
- Anchors available for masonry, wood and steel stud walls
- Prime painted

Special Options


- Custom hardware preps
- Fire ratings available

Custom Hollow Metal Frames




Standard and custom frame illustrations show above are just a few of the designs available. The design possibilities are limitless. All are manufactured to meet or exceed current SDI and HMMA standards.


Frames Profiles




Double Rabbit



Single Rabbit




Double Egress




Drywall


Frame Anchors




Strap & Stirrup
(Masonry)




Wire Loop
(Masonry)




T-Strap
(Masonry)



Metal
Channel Stud




Pipe Spacer



Wood Stud

Standard and Custom Hollow Metal Doors




Standard Features:

- 14 or 16 gauge faces
- Galvanized (A60) steel standard
- 20 gauge steel hat shaped
- Stiffeners spot welded on 5" centers
- Fiberglass insulation
- Fully welded edges (seamless)
- Beveled edges (hinge & lock)
- 16 gauge top and bottom channels
- Top closed and sealed flush
- 16 gauge closer reinforcement
- Prime painted
- Meets SDI/HMMA standards


Special Options

- 450 temperature rise core
- 12 gauge closer reinforcement
- 16 or 18 gauge steel stiffeners
- Custom hardware preps
- Fire ratings available




Standard Features:

- 16 gauge face
- Galvanized (A60) steel standard
- Seamless design
- Meets STC50 (flush)
- Meets STC41 (window) max 288 sq in
- Includes frame and sound seals
- Beveled edges (hinge and lock)
- 16 gauge top and bottom channels
- Top closed and bottom (sealed flush)
- Prime painted
- Standard hinge prep
- Cam hinges not required



Standard Features:

- 14 or 16 gauge faces
- Galvanized (A60) steel standard
- Seamless design
- Polystyrene or steel stiffened core
- Single doors up to 4'0" x 8'0"
- Pair of doors up to 8'0" x 8'0"
- Flush, full glass and full louver designs available
- Prime painted



Standard Features:


- 16 or 18 gauge faces
- Galvanized (A60) steel standard
- Foldedge construction
- Polystyrene fully bonded core
- Top closed and sealed flush
- 16 gauge closer reinforcement
- Beveled edges (hinge and lock)
- Prime painted

Special Options


- 12 gauge closer reinforcement
- Custom hardware preps
- Steel stiffened core
- Polyurethane core
- Fire ratings available

Standard and Custom Door Design


Quality offers a wide variety of door types. Illustrations below are just a few of the designs available. All of the doors provide excellent strength and durability and are manufactured to meet or exceed current SDI and HMMA standards.




F




FV




NL




HG




FG




BL



FVBL



NLBL



HGBL



FL


Technical Construction Specifications



Foldedge Series

Features:

- Foldedge construction
- 18 or 16 gauge galvanized (A60) face sheets
- Polystyrene, polyurethane or 20 gauge steel stiffened core
- 3/16" thick hinge reinforcements (7 gauge)
- 16 gauge closer reinforcement standard (12 gauge opt)
- 12 gauge lock tabs
- 16 gauge top and bottom channels
- Top closed and sealed flush
- STC and hurricane ratings available
- UL or FM fire label available
- Single doors up to 4'0" x 10'0"
- Pair doors up to 8'0" x 10'0"



Seamless Series

Features:

- Seamless construction
- 16 gauge galvanized (A60) face sheets
- 20 gauge steel stiffened core with fiberglass insulation
- 3/16" thick hinge reinforcements (7 gauge)
- 16 gauge closer reinforcement standard (12 gauge opt)
- 12 gauge lock tabs
- 16 gauge top and bottom channels
- Top closed and sealed flush
- STC and hurricane ratings available
- UL or FM fire label available
- Single doors up to 4'0" x 10'0"
- Pair doors up to 8'0" x 10'0"

UL and FM Fire Certifications

Fire Rated Frames

Fire labels available for all frames

Fire Rated Doors

- 20 Minute Rating
- 45 Minute Rating
- 90 Minute Rating
- 3 Hour Rating

Dade County Product Certification

A complete listing of Quality's NOAs is available from the Miami Dade Building Code Compliance Office (product control division) www.miamidade.gov/buildingcode

**Quality is a Full Service Provider
of the following architectural wood doors
and contract hardware manufacturers**

Wood Doors

Lambton Doors ~ Algoma Hardwoods ~ Mohawk Flush Doors ~ Eggers Industries

Hardware

Hager Co. ~ Stanley ~ Best Locks ~ Precision Exit Devices ~ Marks Locks
Cal Royal ~ Rockwood ~ Pemko ~ National Guard Products ~ PDQ Locksets
Command Access ~ ABH ~ Select Products ~ Trimco ~ Dorma Door Controls
Lund Key Cabinets ~ Zero International ~ PC Henderson ~ Black and Decker/K2

Also Available

Schlage ~ Schlage Electronics ~ Von Duprin Exit Devices ~ LCN Closers
HES Innovations ~ Corbin/Russwin ~ Glynn Johnson ~ Sargent ~ Norton
Yale ~ Ives ~ Securitron ~ Rixson ~ Adams Rite ~ Folger Adams
McKinney Hinges ~ Falcon (Dor-o-matic, Monarch)

Jobs Completed

Over the years we have furnished numerous major contracts covering the entire state of Florida, Georgia, South Carolina, North Carolina, New York and Texas. We have completed over 200 schools in Palm Beach, Broward and Dade Counties as well as a number of private projects.

Listed below are just a few of the projects.

Walt Disney World, Orlando	George T. Baker Aviation School, Miami
Miami Beach Convention Center, Miami	Florida Gulf Coast University, Ft Myers
North Miami High School, Miami	Little Haiti Cultural Center, Miami
Sea World, Orlando	Pasco Hernando Community College, Brooksville
Bryant Park Hotel, New York City	Miami Senior High School, Miami
Wiregrass High School, Wesley Chapel	James A. Haley VA Hospital, Tampa
Tampa Marriott Waterside, Tampa	Lanier James Ed Center, Hialeah Beach
Cheeca Lodge, Islamorada	Jupiter Middle School, Jupiter
Tampa Airport Post Office, Tampa	Lakewood Ranch Retail Shops, Lakewood Ranch
Haulover Marina Dock Complex, Miami	Deerfield Beach Elementary, Deerfield Beach
Brevard Community College, Cocoa	Coral Springs Public Safety Complex, Coral Springs
Mercato, Naples	Homestead Air Reserve Base, Homestead
Ocean Reef Medical Center, Key Largo	Joe E. Newsome High School, Lithia
Marco Island RWPF, Marco Island	Miami Carol City Senior High, Miami Gardens



National Association of
Architectural Metal Manufacturers

MEMBER

QUALITY ENGINEERED PRODUCTS CO.

Phone 813-885-1693 • Fax 813-884-2673