



# EXTERIOR DOORS

REEB® IN-STOCK EXTERIOR STILE & RAIL CATALOG





# Introduction



**O7344** in Red Oak  
See Page 98 for details

Due to their traditional stile and rail construction, wood doors offer a level of definition that cannot be matched. Stile and rail wood doors are constructed using individual components which allows the doors to be made in nearly an infinite amount of designs and dimensions. Every wood door features unique grain patterns, bringing natural beauty to the entryway. Solid wood doors bring together beauty, strength, and durability for a door that can last a lifetime.



# Table of Contents

<b>Why Choose Reeb?</b> .....	4	<b>Contemporary, Satin Etch Glass</b> .....	58	<b>Sash, 1-5/8" SDL Bar, 1-1/8" DHRP</b> .....	102
<b>Reeb Specialty Products</b> .....	5	<b>French</b> .....	60	<b>French, 1-5/8" SDL Bar</b> .....	103
<b>Why Buy a Wood Door?</b> .....	6	<b>French, 7/8" SDL Bar</b> .....	64	<b>Sash, 1-5/8" SDL Bar, 3/4" Flat Panel</b> .....	104
<b>Door Durability</b> .....	7	<b>French, 1-3/8" TDL Bar</b> .....	66	<b>Unit Components</b> .....	105
<b>Exposure Types</b> .....	8	<b>French, 1-1/4" TDL Bar</b> .....	68		
<b>Wood Joinery</b> .....	10	<b>Dutch Doors</b> .....	70	<b>Combination Door Company</b>	
<b>Nantucket® Collection</b> .....	10	<b>Transoms &amp; Dentil Shelves</b> .....	72	<b>Storm &amp; Screen Doors</b> .....	106
<b>Metropolitan™ Collection</b> .....	12			<b>Anatomy of an Exterior Door</b> .....	108
<b>Performance Series®</b> .....	14	<b>Sapele Mahogany</b> .....	74	<b>Door Unit Configurations</b> .....	109
<b>Standard</b> .....	16	<b>Panel, 1-7/16" DHRP</b> .....	74	<b>Door Handing</b> .....	109
<b>Wood Species</b> .....	17	<b>Sash, 7/8" SDL Bar, 1-7/16" DHRP</b> .....	78	<b>Frames</b> .....	110
<b>Glass Options</b> .....	18	<b>Sash, 1-5/8" TDL Bar, 1-7/16" DHRP</b> .....	80	<b>Brickmould &amp; Casing</b> .....	112
<b>Glass Types</b> .....	19	<b>French</b> .....	81	<b>Sills</b> .....	114
<b>Douglas Fir</b> .....	20	<b>French, 7/8" SDL Bar</b> .....	82	<b>Ultimate Astragal</b> .....	116
<b>Panel, 1-7/16" DHRP</b> .....	20	<b>French, 1-3/8" TDL Bar</b> .....	83	<b>Ultimate Flip Lever Astragal</b> .....	116
<b>Panel, 1-7/16" Beaded V-Groove DHRP</b> .....	24	<b>Transom</b> .....	83	<b>Ultimate Multi-Point Astragal</b> .....	117
<b>Panel, V-Groove Plank</b> .....	25	<b>Ponderosa Pine</b> .....	84	<b>Ultimate Trilennium Astragal</b> .....	117
<b>Panel, 1-1/4" DHRP</b> .....	26	<b>Panel, 1-7/16" DHRP</b> .....	84		
<b>Panel, 3/4" DHRP</b> .....	28	<b>Sash, 1-7/16" DHRP</b> .....	85	<b>Hinges</b> .....	118
<b>Sash, 1-7/16" DHRP</b> .....	30	<b>Panel, 3/4" SHRP</b> .....	86	<b>Baldwin®</b> .....	119
<b>Sash, 1-7/16" DHRP, Santa Fe Glass</b> .....	34	<b>Sash, 1-5/16" TDL Bar, 1-3/16" DHRP</b> .....	87	<b>Emtek®</b> .....	120
<b>Sash, 3/4" DHRP</b> .....	35	<b>Sash, 1-3/8" TDL Bar,</b> <b>1-7/16" Scoop Raised Panel</b> .....	88	<b>Reeb® Specialty Products</b> .....	121
<b>Sash, 3/4" Flat Panel</b> .....	36	<b>Sash, 1-3/8" TDL Bar, 1-7/16" DHRP</b> .....	90	<b>Hardware</b> .....	122
<b>Sash, 3/4" Flat Panel, Solano® Glass</b> .....	38	<b>Sash, 1-5/16" TDL Bar, 1-3/16" DHRP</b> .....	92	<b>Endura Trilennium®</b> .....	122
<b>Sash, 7/8" SDL Bar, 1-7/16" DHRP</b> .....	40	<b>French</b> .....	94	<b>Tru-Lock®</b> .....	123
<b>Sash, 1-3/8" TDL Bar, 1-7/16" DHRP</b> .....	46	<b>French, 1-5/16" TDL Bar</b> .....	95	<b>Schlage®</b> .....	124
<b>Sash, 1-3/8" TDL Bar,</b> <b>1-7/16" Beaded V-Groove DHRP</b> .....	48	<b>Dutch Doors</b> .....	96	<b>Custom Doors</b> .....	130
<b>Sash, 2-3/4" TDL Bar, 1-7/16" DHRP</b> .....	51	<b>Red Oak</b> .....	98	<b>Index</b> .....	134
<b>Sash, 1-1/4" TDL Bar, 3/4" DHRP</b> .....	52	<b>Panel, 1-7/16" DHRP</b> .....	98	<b>Unit Dimensions &amp;</b> <b>Rough Openings</b> .....	144
<b>Sash, 2-3/4" TDL Bar, 3/4" Flat Panel</b> .....	54	<b>Sash, 1-3/8" TDL Bars, 1-7/16" DHRP</b> .....	99	<b>Care &amp; Finishing</b> .....	146
<b>Sash, 1-3/8" TDL Bar, 3/4" Flat Panel</b> .....	55	<b>Brazilian Oak</b> .....	100		
<b>Sash, 7/8" SDL Bar, 3/4" Flat Panel</b> .....	56	<b>Panel, 1-1/8" DHRP</b> .....	100		
		<b>Sash, 1-1/8" DHRP</b> .....	101		

DHRP - Double Hip Raised Panel  
SHRP - Single Hip Raised Panel

SDL - Simulated Divided Lite  
TDL - True Divided Lite



# Why Choose Reeb?



## Fast Lead Times.

Reeb has 5 East Coast warehouses and two high-speed pre-finishing plants, all capable of operating as one cohesive unit when production levels increase; keeping lead times low and product availability high.



## Large Inventory.

Reeb has an extensive inventory of stile and rail doors in a variety of designs and options to help homeowners create the look they desire for their home.



## Door Unit Components.

In addition to a large door inventory, Reeb stocks all the components necessary to create a pre-hung door unit – including frames, sills, and hinges.




## Quality Service.

Reeb's Customer Service and Field Service departments are dedicated to providing high quality service to each of our customers.



## Education.

Reeb provides door education through our in-stock catalogs and a guided selling showroom, while our online Reeb Learning Center helps customers choose the right product for their needs.



## Customization.

Reeb's Custom Department can help to create a unique door for any home. The possibilities are endless from the layout of the panels, to the wood species, to the pattern of the glass, to the shape and size of the door.





**BO6130** (8/0) in Brazilian Oak  
See Page 100 for details

## Reeb® Specialty Products

Our Reeb Specialty Products (RSP) brand offers high quality products with big savings. The quality of the products provided under the RSP brand are competitive with other major brands within our industry. Reeb Specialty Products – providing value pricing on quality products.


Within our Exterior Catalog, RSP is represented by the following products: Brazilian Oak Doors, Brazilian Oak Components and Hinges. Just look for the RSP logo.



# Why Buy a Wood Door?

One of the many attractions of a wood door is that every door is completely unique. From their unlimited flexibility in design to their natural grain patterns, no two wood doors are ever the same. Whether you're looking to stain or paint your door, the beautiful look of real wood shows through and creates a truly memorable impression.

The stiles and the rails provide details that you will not find in any alternative products. Wood doors are made from many different components that can be joined together to make really interesting custom designs and sizes. From a sticking with crisp lines to a sharp panel raise, wood doors are unique.



Flat Panel  
Ovolo Sticking  
Shown in Douglas Fir



Single Hip Raised Panel  
Ovolo Sticking  
Shown in Ponderosa Pine



Double Hip Raised Panel  
Ovolo Sticking  
Shown in Sapele Mahogany



Glass  
Shaker Sticking  
Shown in Douglas Fir

---

## Wood Door Styles and Construction Methods

When choosing a wood door, there are many considerations. For the highest level of privacy, you can get a panel door which has no glass. If you want to bring light into your home you can either get a sash door which pairs a piece of glass with panels or you can get a french door which allows in the most natural light. In addition to privacy and light, there are different layout options for the door. Architecturally correct doors have proportional stiles and rails while wide layout doors have larger 5-1/2" stiles to accommodate certain locking mechanisms. Reverse layout doors switch the intermediate and bottom panels, as well as lock rail and bottom rail, for a different look.



Panel



Sash



French



Architecturally Correct



Wide Layout



Reverse Layout

Solid wood doors provide all of the benefits that go along with real wood. Solid wood components join together to create ultimate strength and durability, while other non-wood products in the industry are filled with foam. Solid wood does not offer the best insulation values, but it is warm to the touch and does reduce sound transmission. So why buy a wood door? First of all, wood products are the real deal, not just another imitation product. Wood doors provide beauty, strength, and durability for a door that's going to last a lifetime.

# Door Durability

Knowing the durability of your door is important when it comes to moisture management. Moisture affects a door and causes it to warp or rot over time. Reeb stocks three durability levels – good, better, and best.



---

## Good Durability

Doors with a good level of durability look like solid wood, but they are a number of blocks glued together, covered with a veneer. Whether it's the stile or the rail, we can see these different parts, which are solid, but not solid lumber, and the product is glued together only at the dowel pins. These parts and pieces take on moisture at different rates, causing the door to open up and swell. More moisture can get in causing veneer delamination, stile and rail separation, and eventually rot.

---

## Better Durability

Doors with a better level of durability have a core covered with a veneer, but also have a composite block on the bottom of the stile. This block of composite material stops any water from being able to get into the stile making for a much tougher door. The bottom rail, the most vulnerable part of this door, is solid lumber; there is no core and no finger joints. The stile and rails are glued together at the dowel pins, but instead of just being glued at the dowel pins, this whole surface area of the stile and rail joint is covered with glue. It does two things: it makes a tough joint, and the glue gets into the open end grain of the solid lumber bottom rail and helps seal it up.



---

## Best Durability

Doors with the best level of durability are the toughest wood doors and are constructed in one of three ways. The construction of the better door can be taken up a level by adding a medium density overlay over the entire exterior of the door. This MDO stops water to make the door durable in any application. The other two doors with the best durability are solid lumber – no veneers, no edge strips, and no core.

Two boards are face glued together to keep the door rigid and stable and resists warping and bowing. One solid lumber door has its stile and rail joints held together with dowel pins and glued at the cope. The other solid lumber door has a massive mortise cut into the stiles and rails. Those components have glue applied along the cope and are joined by a tenon. Face pins are applied through the door and tenon to hold that joint together forever.

Wood doors look really similar but their different construction techniques dictate the durability level of the door. Durability is also directly related to the exposure of your home and what warranty your door will have. It's important to buy the very best quality product that's the most durable for the best return on investment. For more information on exposure types, see page 8.



# Exposure Types

Many homes have a covering over their front door also known as an overhang. Depending on the size of the overhang, your door may be partially or fully exposed to the elements. In these cases, it is important to consider the durability and construction of the door to make sure it stands up to the elements. Doorways can be grouped into three different protection levels: fully protected, partially protected, and unprotected.




**F7132** in Douglas Fir  
See Page 33 for details



**SM77506** in Sapele Mahogany  
See Page 79 for details

## Fully Protected Doorway

Fully Protected Doorways provide the most protection for your doorway. The overhang extends the same distance as the unit is high but it also extends past the door on the sides to cover all angles of the door. Rain and snow may come in at an angle and with this type of doorway, the door will be protected from the elements.



## Partially Protected Doorway

Partially Protected Doorways provide protection for the top half of the door, but many times the bottom half is exposed to the elements. This is the portion of the door that is susceptible to water and moisture or the sun can break down the finishing seal over time by baking the bottom half of the door. The height of the opening is the distance from the sill to the ceiling.

The overhang (X) of a partially protected doorway must extend half of the height (Y) distance ( $X = 1/2 Y$ ). If you have a height (Y) of 10 feet, the overhang of a partially protected doorway must come out 5 feet (X).





### Unprotected Doorway

Unprotected Doorways provide no protection from the weather. The overhang of these units either do not exist or only come out a small distance. If the height of the unit is 10 feet, then the overhang will come out less than half of the height. The smaller overhang provides less protection for the top of the door creating a need for a more durable overall door. Most homes have at least one unprotected doorway so it's important to choose a door with the best durability level to provide maximum protection from the elements.

### Exposure and Durability

Once you understand the protection level of your doorway, use the chart below to know which durability will work best in your doorway. Throughout the catalog, the doors are labeled as good durability, better durability, or best durability to help you choose a door that will work in your exposure type but also last a lifetime. For more about durability, see page 7.




	GOOD DURABILITY	BETTER DURABILITY	BEST DURABILITY
Fully Protected Doorway	✓	✓	✓
Partially Protected Doorway		✓	✓
Unprotected Doorway			✓





**Simpson® Nantucket® Collection** doors are the toughest wood doors available.

All the components of the Nantucket door are solid wood. The stiles and rails utilize a two-piece laminated construction, resulting in a straighter and more stable stile.




Innerbond® panels are created with offsetting grain patterns to provide extra strength to resist warping and splitting.



The Nantucket® door is joined with a modified mortise-and-tenon. A large mortise is cut into both the stile and rail.



Glue is added to the mortise of the stile and a tenon is inserted.



Additional glue is added to the stile and along the entire coped area.



Then the stiles and rails are assembled together.



A wood pin is driven into the face of the door to join the components together. The result is a unique beauty and durability that is only found in the Nantucket Collection.



In addition to advanced durability they have exquisite detail and feature a flat or double hip raised panel and have the choice to include a variety of glass options.



Flat Panel




Raised Panel

Made from wood that is naturally moisture-resistant, Nantucket® doors are stocked by Reeb in 2 species: Douglas Fir and Sapele Mahogany.

They feature a 10 year limited warranty and can be used in any exposure with no overhang required.



Douglas Fir



Sapele Mahogany




The Nantucket® Collection features the best durability possible with an unmatched character that can only be found in real wood. These doors will retain their rugged beauty and last for years, regardless of what nature sends their way. You can find Nantucket doors on pages 21, 41, 54, 57, 60, 64, 75, 79 and 82.





All the components of the **Metropolitan™** door are solid wood. The stiles and rails utilize a two-piece laminated construction, resulting in a straighter and more stable stile.

Innerbond® panels are created with offsetting grain patterns to provide extra strength to resist warping and splitting.



Innerbond® panels are created with offsetting grain patterns to provide extra strength to resist warping and splitting.



The stile and rails are joined by dowel pins.



They feature the Weather Seal™ process along the area where the stiles and rails meet, blocking water absorption and enhancing the glue joints.

The Metropolitan's joinery replaces the face pin with a traditional dowel pin for a minimalistic look. This joinery does not compare to the Nantucket's joint strength, but the door is still capable of being used in any exposure.



Nantucket



Metropolitan



In addition to advanced durability they have exquisite detail and feature a double hip raised panel.

Some styles include a raised moulding applied on one side for an additional design element.




Raised Panel




Raised Moulding

Made from wood that is naturally moisture-resistant, Metropolitan™ doors are stocked by Reeb in 2 species: Douglas Fir and Sapele Mahogany which feature a 5 year limited warranty. They can be used in any exposure with no overhang required.



Douglas Fir



Sapele Mahogany



**MF7466** in Douglas Fir  
See Page 23 for details

The Metropolitan Series features the best durability allowing these doors to be in any exposure. You can find Metropolitan doors on pages 23, 75 and 100-104.





**Simpson® Performance Series®** doors include components that provide additional protection to your door in harsh weather conditions. Performance Series doors utilize three moisture blocking features.

First, they utilize UltraBlock® Technology which is a water-resistant composite block added to the bottom of both door stiles.



Second, they feature the Weather Seal process. The sides of the rails are covered with glue.



Additional glue is also added to the holes for the dowels pins.




Including glue where stiles and rails meet blocks water absorption and enhances the glue joints.




Finally, all Simpson Performance Doors stocked by Reeb come with a solid bottom rail. Solid lumber is very durable especially in this vulnerable area of the door. By incorporating all three of these into a door, the entire bottom of the door is protected against moisture penetration.


Reeb stocks Performance Doors in Douglas Fir, Sapele Mahogany, Ponderosa Pine, and Red Oak; they come with a 5 year limited warranty in a partially protected doorway.




DOUGLAS FIR



SAPELE MAHOGANY



PONDEROSA PINE




RED OAK





Included as part of the Performance Series® doors is the **WaterBarrier® Series**. WaterBarrier doors include a Primed Medium Density Overlay (MDO) which is a material that covers the flat exterior portions of the door.



Innerbond double hip raised panels are covered with a water-resistant primer.



Water resistant glazing beads and bars are used to create an exterior that stops water in its tracks.

WaterBarrier technology can be used on virtually any species to receive the highest protection on the exterior of the door while getting the unmatched beauty of a real wood door on the inside. WaterBarrier doors are stocked by Reeb in Fir.



WaterBarrier® with Low-E Glass - Exterior Side



Interior Side (in Douglas Fir)

The Performance Series® takes an amazing wood door crafted with impeccable details and gives it three layers of security creating a door with better durability. By also incorporating WaterBarrier® technology the door is created with the best durability that is suited for the toughest exposures. Beauty is important in any door, but a beautiful door is only worth having if it lasts. You can find WaterBarrier® doors on pages 31, 43, 61 and 65.






**Standard construction** wood doors have a veneer over a finger-jointed core making it very susceptible to moisture especially in a partially or unprotected doorway.



The stile and rail joints are joined by dowel pins but are only glued at the dowels, not at the coped area.



Water can get through the coped area because it is not sealed by the glue. Once moisture begins to get through the coped area, it can lead to moisture infiltration, door swelling, and eventually rot and decay as well as veneer delamination.




**F418** in Douglas Fir  
See Page 53 for details

Doors with this joinery have only a good durability and should only be used in Fully Protected Doorways.




# Wood Species

Reeb® stocks a variety of wood species to match any home's design. Staining a door brings a layer of beauty and sophistication to an area. Each species has different characteristics, colors, and grain patterns which affect the stain application. To help understand which doors stain well, Reeb has created icons which identify the stainability of a species.




**DOUGLAS FIR**

PAGES 20-73




**SAPELE MAHOGANY**

PAGES 74-83




**PONDEROSA PINE**

PAGES 84-97



**RED OAK**

PAGES 98-99



**BRAZILIAN OAK - WHILE SUPPLIES LAST**

PAGES 100-105

Reeb's in-stock collection of exterior doors include the species shown on this page, however there is a broad range of wood species available. You can choose from the satin texture of Cherry, the chocolate-brown coloring of Walnut, or the textile-like surface appearance of Bamboo plus many more. If you are interested in another species type, it is likely that we can help.


To see Simpson's wood selector tool visit

<https://www.simpsondoor.com/doormagination-design-tools/wood-options/>




# Glass Options

Glass is an excellent way to bring natural light into any home. Most exterior door products utilize insulated glass. Also known as a double-pane glass, insulated glass consists of two panes of glass separated by an air pocket. This type of glass helps to reduce heat transfer across the door. Single Pane Glass is only one layer of glass and is typical of standard construction doors.




Double Pane Glass




Single Pane Glass

There are two types of divided lites: True Divided Lites (TDL) and Simulated Divided Lites (SDL). Doors with TDLs feature individual pieces of glass divided by muntin bars. They can utilize either single pane or double pane glass. Doors with SDLs are a single piece of double pane glass with bars applied to the glass surface. Many doors that utilize SDL Bars will also have a spacer bar in between for a more authentic look.



True Divided Lite



Simulated Divided Lite


Reeb® offers the option to apply SDL bars without an internal shadow spacer allowing for customized looks.



7/8" SDL Bar in Douglas Fir



7/8" SDL Bar in Sapele Mahogany



7/8" SDL Bar in PVC



1-3/8" SDL Bar in Douglas Fir




1-3/8" SDL Bar in Sapele Mahogany



1-3/8" SDL Bar in PVC

## Custom Lite Designs



Choose from one of the designs below or contact Reeb for a custom design. See page 130 for more about Custom Doors.



# Glass Types

**Clear glass** is a common option for exterior doors as it lets the most possible natural light into a home. Insulated glass, as explained on the previous page, is two panes of glass which are both tempered. Low-E glass is also clear, however gives additional energy savings by keeping the heat in during the winter months and the heat out in the summer.

**Textured glass** adds another level of design and privacy to your front door. Beveled glass is clear glass with a bevel to the edge for a design flair. Satin Etch is a semi-opaque glass with an etched frost texture that resists fingerprint and dust impressions. White Laminate is an opaque white glass that allows light in while providing the highest privacy.

**Decorative glass** brings intricate designs and reflects meticulous attention to detail. Available with black coming or wrought iron, doors with decorative glass bring a level of sophistication to any home.




BEVELED GLASS

PAGE 50



SATIN ETCH GLASS

PAGE 58




SOLANO® III GLASS

PAGE 38



TERRACE RIDGE® GLASS

PAGE 63



SANTA FE GLASS

PAGE 34

While the glass styles shown here are our in-stock options, there are many more textured and decorative glass options available. Visit <https://www.simpsondoor.com/doormagination-design-tools/glass-options/> to see Simpson's Glass Taste Test.



# Douglas Fir


PANEL DOORS 1-7/16" DOUBLE HIP RAISED PANEL



Nantucket® 1-7/16" Double Hip Raised Panel



Nantucket® Door Corner



Panel Profile





F77465, Simpson

**NANTUCKET® BEST DURABILITY**



**F77465**  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
Wide Layout  
3/0 x 6/8



**F77144**  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
Wide Layout  
3/0 x 6/8



**F77130**  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
Wide Layout  
3/0 x 6/8



# Douglas Fir


PANEL DOORS 1-7/16" DOUBLE HIP RAISED PANEL



Performance 1-7/16" Double Hip Raised Panel




Metropolitan™ Door Corner



Panel Profile



Performance Door Corner



Panel Profile



**METROPOLITAN™ BEST DURABILITY**



**MF7282\***  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking  
2/8 x 6/8    2/8 x 8/0  
3/0 x 6/8    3/0 x 8/0



**MF7465**  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking  
2/8 x 6/8    2/8 x 8/0  
3/0 x 6/8    3/0 x 8/0



**MF7467**  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking  
2/8 x 6/8  
3/0 x 6/8



**MF7466**  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking  
2/8 x 6/8  
3/0 x 6/8

**PERFORMANCE BETTER DURABILITY**



**MF7230\***  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking  
2/8 x 6/8    2/8 x 8/0  
3/0 x 6/8    3/0 x 8/0



**MF7701**  
Low-E  
Ovolo Sticking  
1/0 x 6/8    1/0 x 8/0  
1/2 x 6/8    1/2 x 8/0



\*Optional Raised Moulding on 1 Side



**F7130**  
1-7/16" Double Hip  
Raised Panel  
Wide Layout\*  
Ovolo Sticking  
2/0 x 6/8    2/0 x 7/0    3/0 x 8/0\*  
2/4 x 6/8    2/4 x 7/0  
2/6 x 6/8    2/6 x 7/0  
2/8 x 6/8\*    2/8 x 7/0\*  
3/0 x 6/8\*    3/0 x 7/0\*



# Douglas Fir


**PANEL DOORS** 1-7/16" BEADED V-GROOVE DOUBLE HIP RAISED PANEL



Performance 1-7/16" Beaded V-Groove Double Hip Raised Panel



Performance Door Corner (top)



Panel Profile  
(viewed from above)

## PERFORMANCE BETTER DURABILITY



**F7304**  
1-7/16" Beaded V-Groove  
Double Hip Raised Panel  
Wide Layout, Ovolo Sticking

2/8 x 6/8    2/8 x 7/0    3/0 x 8/0  
3/0 x 6/8    3/0 x 7/0



**F7326**  
1-7/16" Beaded V-Groove  
Double Hip Raised Panel  
Wide Layout, Ovolo Sticking

2/8 x 6/8  
3/0 x 6/8




**PANEL DOORS** V-GROOVE PLANK



**Standard** V-Groove Plank



**Standard** Door Corner (top)



Panel Profile  
(viewed from above)

**STANDARD** GOOD DURABILITY



**F4416V**

V-Groove Plank

2/6 x 6/8    3/0 x 7/0  
2/8 x 6/8  
3/0 x 6/8



# Douglas Fir


PANEL DOORS 1-1/4" DOUBLE HIP RAISED PANEL



Performance 1-1/4" Double Hip Raised Panel, Raised Moulding 1 Side



Performance Door Corner



Panel Profile

Due to the raised moulding applied on the exterior, not all handlesets will work.





**F3044**

1-1/4" Double Hip  
Raised Panel  
Raised Moulding 1 Side  
Ovolo Sticking  
3/0 x 6/8



**F3130**

1-1/4" Double Hip  
Raised Panel  
Raised Moulding 1 Side  
Ovolo Sticking  
3/0 x 6/8



**F3010**

1-1/4" Double Hip  
Raised Panel  
Raised Moulding 1 Side  
Ovolo Sticking  
3/0 x 6/8




F3130, Simpson



# Douglas Fir


PANEL DOORS 3/4" DOUBLE HIP RAISED PANEL



Standard 3/4" Double Hip Raised Panel



Standard Door Corner



Panel Profile

**STANDARD** GOOD DURABILITY



## F2044

3/4" Double Hip  
Raised Panel  
Ovolo Sticking

2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8





**F2044, Simpson**

**STANDARD** GOOD DURABILITY



**F2055**

3/4" Double Hip  
Raised Panel  
Ovolo Sticking

2/6 x 6/8 2/6 x 7/0  
2/8 x 6/8 2/8 x 7/0  
3/0 x 6/8 3/0 x 7/0



**F2130**

3/4" Double Hip  
Raised Panel  
Ovolo Sticking

2/6 x 6/8 2/6 x 7/0  
2/8 x 6/8 2/8 x 7/0  
3/0 x 6/8 3/0 x 7/0



**F2010**

3/4" Double Hip  
Raised Panel  
Ovolo Sticking

2/8 x 6/8  
3/0 x 6/8



**F2060**

3/4" Double Hip  
Raised Panel  
Ovolo Sticking

3/0 x 6/8



# Douglas Fir


**SASH DOORS** 1-7/16" DOUBLE HIP RAISED PANEL



WaterBarrier® 1-7/16" Double Hip Raised Panel with Low-E Glass - Exterior Side



WaterBarrier® Door Corner



Panel Profile

Glass Profile



1-7/16" Double Hip Raised Panel - Interior Side





**WATERBARRIER® BEST DURABILITY**



**F7081LEW**

Low-E  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking

2/8 x 6/8    2/8 x 7/0  
3/0 x 6/8    3/0 x 7/0



**F7044LEW**

Low-E  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking

2/8 x 6/8    2/8 x 7/0  
3/0 x 6/8    3/0 x 7/0



**F7501LEW**

Low-E  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking

2/8 x 6/8    2/8 x 7/0  
3/0 x 6/8    3/0 x 7/0



**F7801LEW**

Low-E  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking

1/0 x 6/8    1/0 x 7/0  
1/2 x 6/8    1/2 x 7/0



**EASY**  
STAINABILITY (Interior)

**SASH DOORS**  
1-7/16" DOUBLE HIP RAISED PANEL



# Douglas Fir


**SASH DOORS** 1-7/16" DOUBLE HIP RAISED PANEL



**Performance** 1-7/16" Double Hip Raised Panel with IG Glass



**Performance** Door Corner



Panel Profile

Glass Profile

**PERFORMANCE** BETTER DURABILITY



## F7044LE

Low-E  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking

2/6 x 6/8    3/0 x 8/0  
2/8 x 6/8  
3/0 x 6/8

## F7702

IG  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking

1/0 x 6/8    1/0 x 8/0 (LE)  
1/2 x 6/8    1/2 x 8/0 (LE)





**PERFORMANCE** BETTER DURABILITY



**F7031LE**

Low-E  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking

2/8 x 6/8  
3/0 x 6/8



**F7501LE**

Low-E  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking

2/6 x 6/8    2/6 x 8/0  
2/8 x 6/8    2/8 x 8/0  
3/0 x 6/8    3/0 x 8/0



**F7801LE**

Low-E  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking

1/0 x 6/8    1/0 x 8/0  
1/2 x 6/8    1/2 x 8/0



**F7132**

IG  
1-7/16" Double Hip  
Raised Panel  
Wide Layout\*  
Ovolo Sticking

2/6 x 6/8    2/6 x 7/0  
2/8 x 6/8\*    2/8 x 7/0\*  
3/0 x 6/8\*    3/0 x 7/0\*



# Douglas Fir

**SASH DOORS** SANTA FE DECORATIVE GLASS & 1-7/16" DOUBLE HIP RAISED PANEL




Performance 1-7/16" Double Hip Raised Panel with Santa Fe Wrought Iron Glass

## PERFORMANCE BETTER DURABILITY



Performance Door Corner



Panel Profile

Glass Profile



### F6490

IG  
Wrought Iron  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Raised Moulding 2 Sides  
Ovolo Sticking

3/0 x 6/8  
3/0 x 7/0



### F6493

IG  
Wrought Iron  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Raised Moulding 2 Sides  
Ovolo Sticking

1/0 x 6/8 1/0 x 7/0  
1/2 x 6/8 1/2 x 7/0



**SASH DOORS** 3/4" DOUBLE HIP RAISED PANEL




Standard 3/4" Double Hip Raised Panel

**STANDARD** GOOD DURABILITY



Standard Door Corner



Panel Profile

Glass Profile



**F2132**

Single Pane  
Safety Glass  
3/4" Double Hip  
Raised Panel  
Ovolo Sticking

2/8 x 6/8    2/8 x 7/0  
3/0 x 6/8    3/0 x 7/0



# Douglas Fir

SASH DOORS 3/4" FLAT PANEL




Performance 3/4" Flat Panel with IG Glass


**PERFORMANCE** BETTER DURABILITY



Performance Door Corner



Panel Profile



Glass Profile



**F6801LE**  
Low-E  
3/4" Flat Panel  
Wide Layout  
Ovolo Sticking  
3/0 x 6/8  
3/0 x 8/0



**F6175LE**  
Low-E  
3/4" Flat Panel  
Ovolo Sticking  
1/0 x 6/8  
1/2 x 6/8





**F6861LE**  
Low-E  
3/4" Flat Panel  
Ovolo Sticking  
3/0 x 6/8  
3/0 x 8/0



**F6801**  
IG  
3/4" Flat Panel  
Wide Layout  
Ovolo Sticking  
3/0 x 6/8  
3/0 x 8/0



**F6175**  
IG  
3/4" Flat Panel  
Ovolo Sticking  
1/0 x 6/8  
1/2 x 6/8



**F6861**  
IG  
3/4" Flat Panel  
Ovolo Sticking  
3/0 x 6/8  
3/0 x 8/0



**F6861** (door), **F6175** (sidelite), Simpson  
Unit shown is custom stained



# Douglas Fir


SASH DOORS SOLANO® III DECORATIVE GLASS & 3/4" FLAT PANEL




Performance 3/4" Flat Panel with Solano Decorative Glass



Performance Door Corner



Panel Profile



Solano® III Glass with Black Caming Close-up





**F6841**

Black Caming IG  
3/4" Flat Panel  
Wide Layout  
Ovolo Sticking

3/0 x 6/8  
3/0 x 8/0



**F6171**

Black Caming IG  
Ovolo Sticking

1/0 x 6/8  
1/2 x 6/8



**F6881**

Black Caming IG  
3/4" Flat Panel  
Ovolo Sticking

3/0 x 6/8  
3/0 x 8/0



F6841, Simpson



# Douglas Fir


**SASH DOORS** 7/8" SDL BAR & 1-7/16" DOUBLE HIP RAISED PANEL




Nantucket® 7/8" SDL Bar, 1-7/16" Double Hip Raised Panel with Low-E Glass



Nantucket® Door Corner



Panel Profile



Glass Profile





**F77662**

Low-E  
7/8" SDL Bar  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
Wide Layout  
3/0 x 6/8



**F77663RP**

Low-E  
7/8" SDL Bar  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
1/2 x 6/8



**F77944**

Low-E  
7/8" SDL Bar  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
Wide Layout  
2/8 x 6/8  
3/0 x 6/8



**F77703**

Low-E  
7/8" SDL Bar  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
1/2 x 6/8



**F77212**

Low-E  
7/8" SDL Bar  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
Wide Layout  
3/0 x 6/8



**F77804**

Low-E  
7/8" SDL Bar  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
1/2 x 6/8



**F77598**

Low-E  
7/8" SDL Bar  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
Wide Layout  
2/8 x 6/8  
3/0 x 6/8



**F77599**

Low-E  
7/8" SDL Bar  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
1/2 x 6/8



# Douglas Fir


**SASH DOORS** 7/8" SDL BAR & 1-7/16" DOUBLE HIP RAISED PANEL




WaterBarrier® 7/8" SDL Bar, 1-7/16" Double Hip Raised Panel with Low-E Glass - Exterior Side



WaterBarrier® Door Corner



Panel Profile



Glass Profile



1-7/16" Double Hip Raised Panel - Interior Side





## WATERBARRIER® BEST DURABILITY



### F37662LEW

Low-E  
7/8" SDL Bar  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking

3/0 x 6/8



### F37663LEW

Low-E  
7/8" SDL Bar  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking

1/0 x 6/8  
1/2 x 6/8



### F37982LEW

Low-E  
7/8" SDL Bar  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking

2/8 x 6/8 2/8 x 7/0  
3/0 x 6/8 3/0 x 7/0



### F37508LEW

Low-E  
7/8" SDL Bar  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking

2/6 x 6/8 2/6 x 7/0  
2/8 x 6/8 2/8 x 7/0  
3/0 x 6/8 3/0 x 7/0



**EASY**  
STAINABILITY (Interior)

**SASH DOORS**  
7/8" SDL BAR & 1-7/16" DOUBLE HIP RAISED PANEL



# Douglas Fir


**SASH DOORS** 7/8" SDL BAR & 1-7/16" DOUBLE HIP RAISED PANEL




Performance 7/8" SDL Bar, 1-7/16" Double Hip Raised Panel with Low-E Glass



Performance Door Corner



Panel Profile



Glass Profile





**F37662LE**, Simpson

**PERFORMANCE** BETTER DURABILITY



**F37120**

IG  
7/8" SDL Bar  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
2/8 x 6/8  
3/0 x 6/8



**F37662LE**

Low-E  
7/8" SDL Bar  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking  
3/0 x 8/0



**F37504LE**

Low-E  
7/8" SDL Bar  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking  
3/0 x 8/0



**F37506LE**

Low-E  
7/8" SDL Bar  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking  
2/8 x 8/0  
3/0 x 8/0



**F37512LE**

Low-E  
7/8" SDL Bar  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking  
3/0 x 8/0



# Douglas Fir


**SASH DOORS** 1-3/8" TDL BAR & 1-7/16" DOUBLE HIP RAISED PANEL




Performance 1-3/8" TDL Bar, 1-7/16" Double Hip Raised Panel & IG Glass



Performance Door Corner



Panel Profile



Glass Profile

## PERFORMANCE BETTER DURABILITY



### F7944

IG  
1-3/8" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking

2/6 x 6/8 2/6 x 7/0  
2/8 x 6/8 2/8 x 7/0  
3/0 x 6/8 3/0 x 7/0



### F7703

IG  
1-3/8" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking

1/0 x 6/8 1/0 x 7/0  
1/2 x 6/8 1/2 x 7/0





**F7508**

IG  
1-3/8" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking

2/0 x 6/8 2/0 x 7/0  
2/6 x 6/8 2/6 x 7/0  
2/8 x 6/8 2/8 x 7/0  
3/0 x 6/8 3/0 x 7/0



**F7804**

IG  
1-3/8" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking

1/0 x 6/8 1/0 x 7/0  
1/2 x 6/8 1/2 x 7/0



**F7662LE**

Low-E  
1-3/8" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking

3/0 x 6/8



**F7663LE**

Low-E  
1-3/8" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking

1/0 x 6/8  
1/2 x 6/8



**F7662**

IG  
1-3/8" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking

3/0 x 6/8  
3/0 x 7/0



**F7663**

IG  
1-3/8" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking

1/0 x 6/8 1/0 x 7/0  
1/2 x 6/8 1/2 x 7/0



**F7134**

IG  
1-3/8" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Wide Layout\*  
Ovolo Sticking

2/6 x 6/8 2/6 x 7/0  
2/8 x 6/8\* 2/8 x 7/0\*  
3/0 x 6/8\* 3/0 x 7/0\*



**F7604LE**

Low-E  
1-3/8" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking

3/0 x 6/8



**F7614LE**

Low-E  
1-3/8" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking

3/0 x 6/8



**F7512**

IG  
1-3/8" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking

2/6 x 6/8 2/6 x 7/0  
2/8 x 6/8 2/8 x 7/0  
3/0 x 6/8 3/0 x 7/0



# Douglas Fir

**SASH DOORS** 1-3/8" TDL BAR & 1-7/16" BEADED V-GROOVE DOUBLE HIP RAISED PANEL




**Performance** 1-7/16" Beaded V-Groove Double Hip Raised Panel with Low-E Glass

**PERFORMANCE** BETTER DURABILITY



**Performance** Door Corner



## F7228

Low-E  
1-3/8" TDL Bar  
1-7/16" Beaded V-Groove  
Double Hip Raised Panel  
Wide Layout  
Ovolo Sticking

2/8 x 6/8    3/0 x 8/0  
3/0 x 6/8  
2/8 x 7/0  
3/0 x 7/0

## F7219

Low-E  
1-3/8" TDL Bar  
1-7/16" Beaded V-Groove  
Double Hip Raised Panel  
Wide Layout  
Ovolo Sticking

1/0 x 6/8    1/0 x 8/0  
1/2 x 6/8    1/2 x 8/0  
1/0 x 7/0  
1/2 x 7/0





**F7226**

Low-E  
1-3/8" TDL Bar  
1-7/16" Beaded  
V-Groove  
Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking  
2/8 x 6/8 3/0 x 8/0  
3/0 x 6/8  
2/8 x 7/0  
3/0 x 7/0



**F7217**

Low-E  
1-3/8" TDL Bar  
1-7/16" Beaded  
V-Groove  
Double Hip  
Raised Panel  
Ovolo Sticking  
1/0 x 6/8 1/0 x 8/0  
1/2 x 6/8 1/2 x 8/0  
1/0 x 7/0  
1/2 x 7/0



**F7224**

Low-E  
1-3/8" TDL Bar  
1-7/16" Beaded  
V-Groove  
Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking  
2/8 x 6/8 3/0 x 8/0  
3/0 x 6/8  
2/8 x 7/0  
3/0 x 7/0



**F7215**

Low-E  
1-3/8" TDL Bar  
1-7/16" Beaded  
V-Groove  
Double Hip  
Raised Panel  
Ovolo Sticking  
1/0 x 6/8 1/0 x 8/0  
1/2 x 6/8 1/2 x 8/0  
1/0 x 7/0  
1/2 x 7/0



**F7222**

Low-E  
1-3/8" TDL Bar  
1-7/16" Beaded  
V-Groove  
Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking  
2/8 x 6/8  
3/0 x 6/8  
3/0 x 8/0



**F7213**

Low-E  
1-3/8" TDL Bar  
1-7/16" Beaded  
V-Groove  
Double Hip  
Raised Panel  
Ovolo Sticking  
1/0 x 6/8 1/0 x 8/0  
1/2 x 6/8 1/2 x 8/0



**F7218**

Low-E  
1-3/8" TDL Bar  
1-7/16" Beaded V-Groove  
Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking  
2/8 x 6/8 3/0 x 8/0  
3/0 x 6/8  
2/8 x 7/0  
3/0 x 7/0



**F7216**

Low-E  
1-3/8" TDL Bar  
1-7/16" Beaded V-Groove  
Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking  
2/8 x 6/8 3/0 x 8/0  
3/0 x 6/8



**F7214**

Low-E  
1-3/8" TDL Bar  
1-7/16" Beaded V-Groove  
Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking  
2/8 x 6/8 3/0 x 8/0  
3/0 x 6/8




**F7212**

Low-E  
1-3/8" TDL Bar  
1-7/16" Beaded V-Groove  
Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking  
2/8 x 6/8 3/0 x 8/0  
3/0 x 6/8



# Douglas Fir

**SASH DOORS** 1-3/8" TDL BAR & 1-7/16" DOUBLE HIP RAISED PANEL



Performance 1-3/8" TDL Bar, 1-7/16" Double Hip Raised Panel & Low-E Beveled Glass

**PERFORMANCE** BETTER DURABILITY



**F7598**  
IG Beveled  
1-3/8" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking

3/0 x 6/8  
3/0 x 7/0




**F7599**  
IG Beveled  
1-3/8" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking

1/0 x 6/8 1/0 x 7/0  
1/2 x 6/8 1/2 x 7/0



Performance Door Corner



Panel Profile

Glass Profile  
Beveled



**F7598LE**  
Low-E Beveled  
1-3/8" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking

3/0 x 8/0



**F7599LE**  
Low-E Beveled  
1-3/8" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking

1/0 x 8/0  
1/2 x 8/0



**SASH DOORS** 2-3/4" TDL BAR & 1-7/16" DOUBLE HIP RAISED PANEL



Performance 2-3/4" TDL Bar, 1-7/16" Double Hip Raised Panel

**PERFORMANCE** BETTER DURABILITY



**F7860**

IG  
2-3/4" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking

3/0 x 6/8  
3/0 x 7/0




**F7260**

IG  
2-3/4" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking

1/0 x 6/8 1/0 x 7/0  
1/2 x 6/8 1/2 x 7/0



Performance Door Corner



Panel Profile

Glass Profile



**F7860LE**

Low-E  
2-3/4" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking

3/0 x 8/0



**F7260LE**

Low-E  
2-3/4" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking

1/0 x 8/0  
1/2 x 8/0



# Douglas Fir


**SASH DOORS** 1-1/4" TDL BAR & 3/4" DOUBLE HIP RAISED PANEL




Standard 1-1/4" TDL Bar, 3/4" Double Hip Raised Panel with Single Pane Safety Glass



Standard Door Corner



Panel Profile



Glass Profile





**F2134**  
Single Pane  
Safety Glass  
1-1/4" TDL Bar  
3/4" Double Hip  
Raised Panel  
Ovolo Sticking  
2/8 x 6/8  
3/0 x 6/8



**F2005**  
Single Pane  
Safety Glass  
1-3/4" TDL Bar  
3/4" Double Hip  
Raised Panel  
Ovolo Sticking  
3/0 x 6/8



**F1662**  
Single Pane  
Safety Glass  
1-1/4" TDL Bar  
3/4" Double Hip  
Raised Panel  
Ovolo Sticking  
2/8 x 6/8  
3/0 x 6/8



**F318**  
Single Pane  
Safety Glass  
1-1/4" TDL Bar  
3/4" Double Hip  
Raised Panel  
Ovolo Sticking  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



**F418**  
Single Pane  
Safety Glass  
1-1/4" TDL Bar  
3/4" Double Hip  
Raised Panel  
Ovolo Sticking  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



**F944**  
Single Pane  
Safety Glass  
1-1/4" TDL Bar  
3/4" Double Hip  
Raised Panel  
Ovolo Sticking  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



**F2035**  
Single Pane  
Safety Glass  
1-1/4" TDL Bar  
3/4" Double Hip  
Raised Panel  
Ovolo Sticking  
2/8 x 6/8  
3/0 x 6/8



# Douglas Fir

**SASH DOORS** 2-3/4" TDL BAR & 3/4" FLAT PANEL




Nantucket® 2-3/4" TDL Bar, 3/4" Flat Panel with Low-E Glass

**NANTUCKET®** BEST DURABILITY



Nantucket® Door Corner



Panel Profile

Glass Profile



## F77860

Low-E  
2-3/4" TDL Bar  
3/4" Flat Panel  
Ovolo Sticking  
Wide Layout

3/0 x 6/8



## F77260

Low-E  
2-3/4" TDL Bar  
3/4" Flat Panel  
Ovolo Sticking

1/2 x 6/8




**SASH DOORS** 1-3/8" TDL BAR & 3/4" FLAT PANEL



Performance 1-3/8" TDL Bar, 3/4" Flat Panel with IG Glass



Performance Door Corner



Panel Profile      Glass Profile

**PERFORMANCE** BETTER DURABILITY



**F6803**  
IG  
1-3/8" TDL Bar  
3/4" Flat Panel  
Wide Layout  
Ovolo Sticking

3/0 x 6/8



**F6803LE**  
Low-E  
1-3/8" TDL Bar  
3/4" Flat Panel  
Wide Layout  
Ovolo Sticking

3/0 x 6/8



# Douglas Fir


SASH DOORS 7/8" SDL BAR & 3/4" FLAT PANEL



Nantucket® 7/8" SDL Bar, 3/4" Flat Panel with Low-E Glass



Nantucket® Door Corner



Panel Profile

Glass Profile





F77660, Simpson

**NANTUCKET® BEST DURABILITY**



**F77660**

Low-E  
7/8" SDL Bar  
3/4" Flat Panel  
Ovolo Sticking  
Wide Layout

3/0 x 6/8



**F77663**

Low-E  
7/8" SDL Bar  
3/4" Flat Panel  
Ovolo Sticking

1/2 x 6/8



SDL Close-up



# Douglas Fir


CONTEMPORARY DOORS SATIN ETCH GLASS



Contemporary with Satin Etch Low-E Glass



Glass Close-up



Glass Profile

Contemporary doors feature shaker sticking on the interior, with a gently sloped waterfall profile on the exterior, which allows water to cascade off and away from the door.



**PERFORMANCE BETTER DURABILITY**



**F7403LEE**  
Low-E  
Satin Etch Glass  
Wide Layout  
Shaker Sticking  
2/8 x 6/8  
3/0 x 6/8



**F7404LEE**  
Low-E  
Satin Etch Glass  
Wide Layout  
Shaker Sticking  
2/8 x 6/8  
3/0 x 6/8  
3/0 x 8/0



**F7405LEE**  
Low-E  
Satin Etch Glass  
Wide Layout  
Shaker Sticking  
2/8 x 6/8  
3/0 x 6/8



**F7406LEE**  
Low-E  
Satin Etch Glass  
Wide Layout  
Shaker Sticking  
3/0 x 8/0



**F7701LEE**  
Low-E  
Satin Etch Glass  
Wide Layout  
Shaker Sticking  
1/2 x 6/8  
1/2 x 8/0



**F7404LEE**, Simpson




# Douglas Fir

## FRENCH DOORS



Nantucket® with Low-E Glass

### NANTUCKET® BEST DURABILITY



Glass Profile



**F77002**  
Low-E  
Ovolo Sticking  
Wide Layout  
3/0 x 6/8



**F77701**  
Low-E  
Ovolo Sticking  
1/2 x 6/8






WaterBarrier® with Low-E Glass - Exterior Side



Interior Side

**WATERBARRIER® BEST DURABILITY**



Glass Profile



**F7002LEW**

Low-E  
Ovolo Sticking  
Wide Layout

2/6 x 6/8	2/0 x 8/0
2/8 x 6/8	2/6 x 8/0
3/0 x 6/8	2/8 x 8/0
	3/0 x 8/0



**F7701LEW**

Low-E  
Ovolo Sticking

1/0 x 6/8	1/0 x 7/0
1/2 x 6/8	1/2 x 7/0



**F7037W**

IG  
Ovolo Sticking  
Wide Layout

2/6 x 6/8	2/6 x 7/0
2/8 x 6/8	2/8 x 7/0
3/0 x 6/8	3/0 x 7/0




# Douglas Fir

## FRENCH DOORS



Performance with Low-E Glass

### PERFORMANCE BETTER DURABILITY



#### F7001

IG  
Ovolo Sticking

2/0 x 6/8	2/0 x 7/0	2/0 x 8/0
2/4 x 6/8	2/4 x 7/0	2/6 x 8/0
2/6 x 6/8	2/6 x 7/0	2/8 x 8/0
2/8 x 6/8	2/8 x 7/0	3/0 x 8/0
3/0 x 6/8	3/0 x 7/0	



#### F7701

IG  
Ovolo Sticking

1/0 x 6/8	1/0 x 7/0
1/2 x 6/8	1/2 x 7/0



#### F7037LE


Low-E  
Wide Layout  
Ovolo Sticking

3/0 x 8/0



**PERFORMANCE** BETTER DURABILITY

**STANDARD** GOOD DURABILITY



Glass Profile



**F7002LE**

Low-E  
Ovolo Sticking  
Wide Layout


2/0 x 6/8	2/0 x 8/0
2/6 x 6/8	2/6 x 8/0
2/8 x 6/8	2/8 x 8/0
3/0 x 6/8	3/0 x 8/0



**F7701LE**

Low-E  
Ovolo Sticking

1/0 x 6/8	1/0 x 8/0
1/2 x 6/8	1/2 x 8/0
1/0 x 7/0	
1/2 x 7/0	



Glass Profile



**F1501**

1/8" Single Pane  
Safety Glass  
Ovolo Sticking

2/0 x 8/0	2/6 x 8/0	3/0 x 8/0
2/4 x 8/0	2/8 x 8/0	

**PERFORMANCE** BETTER DURABILITY



**F6422**

Black Caming IG  
Wide Layout  
Ovolo Sticking

3/0 x 6/8
3/0 x 7/0



**F6423**

Black Caming IG  
Ovolo Sticking

1/0 x 6/8	1/0 x 7/0
1/2 x 6/8	1/2 x 7/0



Terrace Ridge® Glass with Black Caming Close-up




# Douglas Fir

FRENCH DOORS 7/8" SDL BAR



Nantucket® 7/8" SDL Bar with Low-E Glass

## NANTUCKET® BEST DURABILITY



Glass Profile



### F77015


Low-E  
7/8" SDL Bar  
Ovolo Sticking  
Wide Layout  
3/0 x 6/8



### F77705

Low-E  
7/8" SDL Bar  
Ovolo Sticking  
1/2 x 6/8





WaterBarrier® 7/8" SDL Bar with Low-E Glass - Exterior Side

**WATERBARRIER® BEST DURABILITY**



**F37010LEW**

Low-E  
7/8" SDL Bar  
Wide Layout  
Ovolo Sticking

2/0 x 6/8  
2/0 x 7/0



**F37705LEW**

Low-E  
7/8" SDL Bar  
Ovolo Sticking

1/0 x 6/8    1/0 x 7/0  
1/2 x 6/8    1/2 x 7/0



**F37015LEW**

Low-E  
7/8" SDL Bar  
Wide Layout  
Ovolo Sticking

2/6 x 6/8    2/6 x 7/0  
2/8 x 6/8    2/8 x 7/0  
3/0 x 6/8    3/0 x 7/0



SDL Close-up - Interior Side




# Douglas Fir

FRENCH DOORS 1-3/8" TDL BAR



Performance 1-3/8" TDL Bar with IG Glass

## PERFORMANCE BETTER DURABILITY



Glass Profile



### F7010

IG  
1-3/8" TDL Bar  
Ovolo Sticking

2/0 x 6/8  
2/0 x 7/0



### F7705

IG  
1-3/8" TDL Bar  
Ovolo Sticking

1/0 x 6/8 1/0 x 7/0  
1/2 x 6/8 1/2 x 7/0



### F7015

IG  
1-3/8" TDL Bar  
Wide Layout\*  
Ovolo Sticking

2/4 x 6/8 2/4 x 7/0  
2/6 x 6/8 2/6 x 7/0  
2/8 x 6/8\* 2/8 x 7/0\*  
3/0 x 6/8\* 3/0 x 7/0\*



### F7012LE

Low-E  
1-3/8" TDL Bar  
Ovolo Sticking

2/0 x 8/0



### F7706LE

Low-E  
1-3/8" TDL Bar  
Ovolo Sticking

1/0 x 8/0  
1/2 x 8/0





F7109, Simpson



**F7018LE**  
Low-E  
1-3/8" TDL Bar  
Ovolo Sticking

2/6 x 8/0  
2/8 x 8/0  
3/0 x 8/0



**F7109**  
IG  
1-3/8" TDL Bar  
Ovolo Sticking

2/6 x 6/8    2/6 x 7/0  
2/8 x 6/8    2/8 x 7/0  
3/0 x 6/8    3/0 x 7/0



**F7709**  
IG  
1-3/8" TDL Bar  
Ovolo Sticking

1/0 x 6/8    1/0 x 7/0  
1/2 x 6/8    1/2 x 7/0



TDL Close-up



# Douglas Fir


FRENCH DOORS 1-1/4" TDL BAR



Standard 1-1/4" TDL Bar with Single Pane Safety Glass



TDL Close-up



Glass Profile





F1510, Simpson

**STANDARD** GOOD DURABILITY



**F1510**  
Single Pane  
Safety Glass  
Film Protected  
1-1/4" TDL Bar  
Ovolo Sticking  
2/0 x 6/8  
2/0 x 7/0



**F1512**  
Single Pane  
Safety Glass  
1-1/4" TDL Bar  
Ovolo Sticking  
2/0 x 8/0



**F1515**  
Single Pane  
Safety Glass  
Film Protected  
1-1/4" TDL Bar  
Ovolo Sticking  
2/4 x 6/8    2/4 x 7/0  
2/6 x 6/8    2/6 x 7/0  
2/8 x 6/8    2/8 x 7/0  
2/10 x 6/8    2/10 x 7/0  
3/0 x 6/8    3/0 x 7/0



# Douglas Fir

## DUTCH DOORS

Reeb's stock of dutch doors are for inswing applications only. An excellent multi-point locking option for Dutch Doors is Tru-Lock®. It offers 2 points of contact and operates in place of a deadbolt. This multi-point lock option has the unique ability to pull the two sections of the door closer to the weatherstripping creating a tighter seal. For more information on Tru-Lock® see page 123.



1-7/16" Double Hip Raised Panel




FD2011, Simpson  
Custom Painted

For more information on custom door options, see page 130.



**Performance Door Corner**


Dutch Doors feature a solid bottom rail and the Weather Seal™ process, but do not come standard with UltraBlock®.



Panel Profile



TDL Close-up



Glass Profile





**FD4011**

IG  
1-7/16" Double Hip  
Raised Panel  
Solid Bottom Rail  
Ovolo Sticking  
2/8 x 6/8  
3/0 x 6/8



**FD4013**

IG  
1-7/16" Double Hip  
Raised Panel  
Solid Bottom Rail  
Ovolo Sticking  
2/8 x 6/8  
3/0 x 6/8




**FD2011**

IG  
1-3/8" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Solid Bottom Rail  
Ovolo Sticking  
2/8 x 6/8  
3/0 x 6/8




**FD2013**

IG  
1-3/8" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Solid Bottom Rail  
Ovolo Sticking  
2/8 x 6/8  
3/0 x 6/8




**Dutch Door Quadrant**



**Dutch Door Bolt**

Recommended where the top half will be opened frequently.


Both the Door Quadrant and the Door Bolt are available in the following finishes:



**US3**  
Bright Brass



**US15**  
Satin Nickel



**US10B**  
Oil Rubbed  
Bronze



# Douglas Fir

## TRANSOMS & DENTIL SHELVES

Transoms are an excellent addition to a door unit as a way to allow more natural light into the home. All rectangular transom units have a Unit Dimension height of 13-1/2". Transoms with 5-1/2" stiles will match doors that have a wide layout.

### Single Door Unit



#### F7743

Used with a single door  
Clear Glass  
1-3/8" TDL Bar  
4-1/2" Stiles



#### F7753

Used with a single door  
Clear Glass  
1-3/8" TDL Bar  
5-1/2" Stiles

### Single Door with Sidelite Unit



#### F7711LE

Used with a 1/0 x 3/0 x 1/0 Continuous Unit  
Low-E Glass  
2-3/16" Stiles



#### F7715

Used with a 1/0 x 3/0 x 1/0 Continuous Unit  
Clear Glass  
1-3/8" TDL Bar  
2-3/16" Stiles



#### F7725

Used with a 1/2 x 3/0 x 1/2 Continuous Unit  
Clear Glass  
1-3/8" TDL Bar  
2-3/16" Stiles

### Double Door Unit



#### F774554

Used with a 5/4 Double Door Unit  
Clear Glass  
1-3/8" TDL Bar  
4-1/2" Stiles



#### F774560

Used with a 6/0 Double Door Unit  
Clear Glass  
1-3/8" TDL Bar  
4-1/2" Stiles

### Double Door Unit or Single Door with Sidelites Unit



#### F7751

72" Width  
Used with a 1/2 x 3/0 x 1/2 or 6/0 Double Door Unit  
Clear Glass  
5-1/2" Stiles



#### F7751LE

72" Width  
Used with a 1/2 x 3/0 x 1/2 or 6/0 Double Door Unit  
Low-E Glass  
5-1/2" Stiles



#### F7755

72" Width  
Used with a 1/2 x 3/0 x 1/2 or 6/0 Double Door Unit  
Clear Glass  
1-3/8" TDL Bar  
5-1/2" Stiles

### Dentil Shelves

Dentil shelves are a nice complement to a Craftsman style door. Choose from a 4 block or a 16 block option.



#### F9541

4 Block Dentil Shelf



#### F9540

16 Block Dentil Shelf





**F6803** (door), **F9541** (optional dentil shelf)  
Custom sidelite and transom, Simpson



# Sapele Mahogany

PANEL DOORS 1-7/16" DOUBLE HIP RAISED PANEL




Nantucket® 1-7/16" Double Hip Raised Panel



Metropolitan™ 1-7/16" Double Hip Raised Panel




Nantucket® Door Corner



Panel Profile



Metropolitan™ Door Corner



Panel Profile



**NANTUCKET® BEST DURABILITY**



**SM77465**  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
Wide Layout

3/0 x 6/8



**SM77144**  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
Wide Layout

3/0 x 6/8



**SM77130**  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
Wide Layout

3/0 x 6/8  
3/6 x 6/8



**SM77701**  
Low-E  
Ovolo Sticking  
1/2 x 6/8

**METROPOLITAN™ BEST DURABILITY**



**MSM7282\***  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
Wide Layout

2/8 x 6/8    2/8 x 8/0  
3/0 x 6/8    3/0 x 8/0



**MSM7701**  
Low-E  
Ovolo Sticking  
1/0 x 6/8    1/0 x 8/0  
1/2 x 6/8    1/2 x 8/0



**MSM7465**  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
Wide Layout

2/8 x 6/8    2/8 x 8/0  
3/0 x 6/8    3/0 x 8/0



**MSM7282M\***  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking  
Modified Layout

2/8 x 6/8    2/8 x 8/0  
3/0 x 6/8    3/0 x 8/0



**MSM7230M\***  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
Modified Layout  
Wide Layout

2/8 x 6/8  
3/0 x 6/8



# Sapele Mahogany

PANEL DOORS 1-7/16" DOUBLE HIP RAISED PANEL



Performance 1-7/16" Double Hip Raised Panel




Performance Door Corner



Raised Moulding on 1 Side - Exterior Side





**SM7282**  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
Wide Layout  
3/0 x 6/8  
3/0 x 7/0




**SM7702**  
IG  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
3/0 x 6/8 1/0 x 7/0  
1/2 x 6/8 1/2 x 7/0



**SM7344**  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
Wide Layout  
3/0 x 6/8  
3/0 x 7/0




**SM7130**  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
Wide Layout  
2/8 x 6/8 2/8 x 7/0  
3/0 x 6/8 3/0 x 7/0



**SM7282RM**  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Raised Moulding, 1 Side  
Ovolo Sticking  
3/0 x 6/8  
3/0 x 7/0



**SM7702RM**  
IG  
1-7/16" Double Hip  
Raised Panel  
Raised Moulding, 1 Side  
Ovolo Sticking  
1/2 x 6/8  
1/2 x 7/0



**SM7501LE**  
Low-E  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking  
2/6 x 6/8 2/6 x 8/0  
2/8 x 6/8 2/8 x 8/0  
3/0 x 6/8 3/0 x 8/0



**SM7801LE**  
Low-E  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
1/0 x 6/8 1/0 x 8/0  
1/2 x 6/8 1/2 x 8/0



# Sapele Mahogany


**SASH DOORS** 7/8" SDL BAR & 1-7/16" DOUBLE HIP RAISED PANEL




Nantucket 7/8" SDL Bar & 1-7/16" Double Hip Raised Panel with Low-E Glass



Nantucket Door Corner



Panel Profile



Glass Profile





**SM77506**

Low-E  
7/8" SDL Bar  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
Wide Layout  
3/0 x 6/8



**SM77803**

Low-E  
7/8" SDL Bar  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
1/2 x 6/8



**SM77944**

Low-E  
7/8" SDL Bar  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
Wide Layout  
3/0 x 6/8



**SM77703**

Low-E  
7/8" SDL Bar  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
1/2 x 6/8



**SM77662**

Low-E  
7/8" SDL Bar  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
Wide Layout  
3/0 x 6/8



**SM77663**

Low-E  
7/8" SDL Bar  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
1/2 x 6/8





# Sapele Mahogany


**SASH DOORS** 1-3/8" TDL BAR & 1-7/16" DOUBLE HIP RAISED PANEL



Performance 1-3/8" TDL Bar, 1-7/16" Double Hip Raised Panel with IG Glass



Performance Door Corner



Panel Profile

Glass Profile

## PERFORMANCE BETTER DURABILITY



### SM7944

IG  
1-3/8" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking  
2/8 x 6/8 2/8 x 7/0  
3/0 x 6/8 3/0 x 7/0



### SM7703


IG  
1-3/8" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
1/0 x 6/8 1/0 x 7/0  
1/2 x 6/8 1/2 x 7/0



## FRENCH DOORS



SM7002, Simpson



Glass Profile

**PERFORMANCE** BETTER DURABILITY



**SM7002**

IG  
Ovolo Sticking  
Wide Layout

3/0 x 6/8  
3/0 x 7/0



Glass Close-up




# Sapele Mahogany

FRENCH DOORS 7/8" SDL BAR



Nantucket® 7/8" SDL Bar



Glass Profile

**NANTUCKET®** BEST DURABILITY



**SM77015**

Low-E  
7/8" SDL Bar  
Ovolo Sticking  
Wide Layout

3/0 x 6/8



**SM77705**

Low-E  
7/8" SDL Bar  
Ovolo Sticking


1/2 x 6/8



## FRENCH DOORS 1-3/8" TDL BAR



Performance 1-3/8" TDL Bar



Glass Profile

### PERFORMANCE BETTER DURABILITY



#### SM7015

IG  
1-3/8" TDL Bar  
Ovolo Sticking  
Wide Layout  
3/0 x 6/8  
3/0 x 7/0



#### SM7705

IG  
1-3/8" TDL Bar  
Ovolo Sticking  
1/0 x 6/8 1/0 x 7/0  
1/2 x 6/8 1/2 x 7/0



#### SM7755

Used with a 1/2 x 3/0 x 1/2 or 6/0 Double Door Unit  
IG Glass  
1-3/8" TDL Bar  
5-1/2" Stiles



# Ponderosa Pine

**PANEL DOORS** 1-7/16" DOUBLE HIP RAISED PANEL




Performance 1-7/16" Double Hip Raised Panel

## PERFORMANCE BETTER DURABILITY



Performance Door Corner



Panel Profile



### P7282

1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
Wide Layout

2/6 x 6/8	2/6 x 7/0
2/8 x 6/8	2/8 x 7/0
3/0 x 6/8	3/0 x 7/0



### P7130

1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking

2/8 x 6/8	2/8 x 7/0
2/10 x 6/8	2/10 x 7/0
3/0 x 6/8	3/0 x 7/0




## SASH DOORS 1-7/16" DOUBLE HIP RAISED PANEL



Performance 1-7/16" Double Hip Raised Panel with IG Glass

### PERFORMANCE BETTER DURABILITY



#### P7132

IG  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
Wide Layout  
3/0 x 6/8



#### P7044

IG  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking  
2/8 x 6/8  
3/0 x 6/8  
3/0 x 7/0



#### P7702

IG  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
1/0 x 6/8 1/0 x 7/0  
1/2 x 6/8 1/2 x 7/0



#### P7501

IG  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
Wide Layout  
3/0 x 6/8  
3/0 x 7/0



# Ponderosa Pine

PANEL DOORS 3/4" SINGLE HIP RAISED PANEL




Standard 3/4" Single Hip Raised Panel

**STANDARD** GOOD DURABILITY



Standard Door Corner



Panel Profile



## P1053

3/4" Single Hip  
Raised Panel  
Reverse Layout  
Ovolo Sticking

2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



## P100

3/4" Single Hip  
Raised Panel  
Reverse Layout  
Ovolo Sticking

1/6 x 6/8	2/8 x 6/8	2/6 x 7/0
2/0 x 6/8	2/10 x 6/8	2/8 x 7/0
2/4 x 6/8	3/0 x 6/8	2/10 x 7/0
2/6 x 6/8	3/6 x 6/8	3/0 x 7/0



**SASH DOORS** 1-5/16" TDL BAR & 1-3/16" DOUBLE HIP RAISED PANEL



Standard 1-5/16" TDL Bar




Standard 1-3/16" Double Hip Raised Panel

**STANDARD** GOOD DURABILITY



Standard Door Corner



Panel Profile Glass Profile



**P182**  
Single Pane  
1-3/16" Double Hip  
Raised Panel  
Ovolo Sticking  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



**P944**  
Single Pane  
1-5/16" TDL Bar  
1-3/16" Double Hip  
Raised Panel  
Ovolo Sticking  
2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



# Ponderosa Pine


**SASH DOORS** 1-3/8" TDL BAR & 1-7/16" SCOOP RAISED PANEL



**Performance** 1-3/8" TDL Bar & 1-7/16" Scoop Raised Panel with Low-E Glass



**Performance** Door Corner



Panel Profile

Glass Profile





**PERFORMANCE** BETTER DURABILITY



**P7386LE**

Low-E  
1-3/8" TDL Bar  
1-7/16" Scoop Raised Panel  
Wide Layout  
Ovolo Sticking  
3/0 x 6/8  
3/0 x 7/0



**P7389LE**

Low-E  
1-3/8" TDL Bar  
1-7/16" Scoop Raised Panel  
Wide Layout  
Ovolo Sticking  
3/0 x 6/8  
3/0 x 7/0



TDL Close-up



# Ponderosa Pine


**SASH DOORS** 1-3/8" TDL BAR & 1-7/16" DOUBLE HIP RAISED PANEL



Performance 1-3/8" TDL Bar & 1-7/16" Double Hip Raised Panel with IG Glass



Performance Door Corner



Panel Profile

Glass Profile





P7944, Simpson

**PERFORMANCE BETTER DURABILITY**



**P7944**

IG  
1-3/8" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking  
2/8 x 6/8  
3/0 x 6/8  
3/0 x 7/0



**P7703**

IG  
1-3/8" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
1/0 x 6/8 1/0 x 7/0  
1/2 x 6/8 1/2 x 7/0



**P7577**

IG  
1-3/8" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Wide Layout  
Ovolo Sticking  
2/8 x 6/8  
3/0 x 6/8



TDL Close-up





# Ponderosa Pine


**SASH DOORS** 1-5/16" TDL BAR & 1-3/16" DOUBLE HIP RAISED PANEL



Standard 1-5/16" TDL Bar & 1-3/16" Double Hip Raised Panel with Single Pane Glass




Standard Door Corner



Panel Profile



TDL Close-up



Glass Profile





**P26146**

Single Pane  
1-5/16" TDL Bar  
1-3/16" Double Hip  
Raised Panel  
Ovolo Sticking

3/0 x 6/8



**P982**

Single Pane  
1-5/16" TDL Bar  
1-3/16" Double Hip  
Raised Panel  
Ovolo Sticking

3/0 x 6/8



**P2035**

Single Pane  
1-5/16" TDL Bar  
1-3/16" Double Hip  
Raised Panel  
Ovolo Sticking

2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



**P510**

Single Pane  
1-5/16" TDL Bar  
1-3/16" Double Hip  
Raised Panel  
Ovolo Sticking

2/0 x 6/8



**P512**

Single Pane  
1-5/16" TDL Bar  
1-3/16" Double Hip  
Raised Panel  
Ovolo Sticking

2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



**P1705**

Single Pane  
1-5/16" TDL Bar  
Ovolo Sticking

1/0 x 6/8    1/0 x 7/0  
1/2 x 6/8    1/2 x 7/0  
1/4 x 6/8    1/4 x 7/0  
1/6 x 6/8    1/6 x 7/0




# Ponderosa Pine

## FRENCH DOORS



Performance with Low-E Glass

### PERFORMANCE BETTER DURABILITY



#### P7002LE

Low-E  
Wide Layout  
Ovolo Sticking

2/0 x 6/8 2/8 x 6/8  
2/4 x 6/8 2/10 x 6/8  
2/6 x 6/8 3/0 x 6/8




#### P7701LE

Low-E  
Ovolo Sticking

1/0 x 6/8  
1/2 x 6/8  
1/6 x 6/8

### STANDARD GOOD DURABILITY



#### P1501

Safety Glass  
Ovolo Sticking

2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8



#### P1701

Single Pane  
Ovolo Sticking

1/0 x 6/8 1/0 x 7/0  
1/2 x 6/8 1/2 x 7/0




## FRENCH DOORS 1-5/16" TDL BAR



Standard 1-5/16" TDL Bar

### STANDARD GOOD DURABILITY



Glass Profile



#### P1510

Safety Glass  
1-5/16" TDL Bar  
Ovolo Sticking

1/8 x 6/8	1/8 x 7/0
1/10 x 6/8	1/10 x 7/0
2/0 x 6/8	2/0 x 7/0
2/2 x 6/8	2/2 x 7/0



#### P1512

Safety Glass  
1-5/16" TDL Bar  
Ovolo Sticking

2/0 x 8/0



#### P1515

Safety Glass  
1-5/16" TDL Bar  
Ovolo Sticking

2/4 x 6/8	2/4 x 7/0
2/6 x 6/8	2/6 x 7/0
2/8 x 6/8	2/8 x 7/0
2/10 x 6/8	2/10 x 7/0
3/0 x 6/8	3/0 x 7/0



#### P1518

Safety Glass  
1-5/16" TDL Bar  
Ovolo Sticking

2/6 x 8/0
2/8 x 8/0
3/0 x 8/0



# Ponderosa Pine

## DUTCH DOORS

Reeb's stock of dutch doors are for inswing applications only. An excellent multi-point locking option for Dutch Doors is Tru-Lock®. It offers 2 points of contact and operates in place of a deadbolt. This multi-point lock option has the unique ability to pull the two sections of the door closer to the weatherstripping creating a tighter seal. For more information on Tru-Lock® see page 123.



Performance 1-7/16" Raised Panel




Performance 1-3/8" TDL Bar




Performance Door Corner

Dutch Doors feature a solid bottom rail and the Weather Seal™ process, but do not come standard with UltraBlock®.



Panel Profile



Glass Profile



PD2013, Simpson Custom Painted

For more information on custom door options, see page 130.





**PD4011**

IG  
1-7/16" Double Hip  
Raised Panel  
Solid Bottom Rail  
Ovolo Sticking

2/8 x 6/8  
3/0 x 6/8



**PD4013**

IG  
1-7/16" Double Hip  
Raised Panel  
Solid Bottom Rail  
Ovolo Sticking

2/8 x 6/8  
3/0 x 6/8



**PD2011**

IG  
1-3/8" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Solid Bottom Rail  
Ovolo Sticking


2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8




**PD2013**

IG  
1-3/8" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Solid Bottom Rail  
Ovolo Sticking

2/8 x 6/8  
3/0 x 6/8




**Dutch Door Quadrant**



**Dutch Door Bolt**

Recommended where the top half will be opened frequently.


Both the Door Quadrant and the Door Bolt are available in the following finishes:



**US3**  
Bright Brass



**US15**  
Satin Nickel



**US10B**  
Oil Rubbed  
Bronze



# Red Oak


PANEL DOORS 1-7/16" DOUBLE HIP RAISED PANEL



Performance 1-7/16" Double Hip Raised Panel



Performance Door Corner



Panel Profile

## PERFORMANCE BETTER DURABILITY

WHILE SUPPLIES LAST



### O7344

1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
Wide Layout

3/0 x 6/8



### O7130

1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
Wide Layout

2/8 x 6/8  
3/0 x 6/8




SASH DOORS 1-3/8" TDL BAR & 1-7/16" DOUBLE HIP RAISED PANEL



O7944, Simpson

PERFORMANCE BETTER DURABILITY

WHILE SUPPLIES LAST



Glass Profile



O7944

IG  
1-3/8" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
Wide Layout  
2/8 x 6/8 3/0 x 6/8



O7703

IG  
1-3/8" TDL Bar  
1-7/16" Double Hip  
Raised Panel  
Ovolo Sticking  
1/0 x 6/8 1/2 x 6/8



1-3/8" TDL Close-up



# Brazilian Oak


PANEL DOORS 1-1/8" DOUBLE HIP RAISED PANEL



Metropolitan™ 1-1/8" Double Hip Raised Panel



Metropolitan™ Door Corner



Panel Profile

**METROPOLITAN™** BEST DURABILITY

WHILE SUPPLIES LAST




**BO6130**

1-1/8" Double Hip  
Raised Panel  
Ovolo Sticking  
Wide Layout

2/8 x 6/8  
3/0 x 6/8  
3/0 x 8/0



## SASH DOORS 1-1/8" DOUBLE HIP RAISED PANEL



Metropolitan™ with Low-E Glass

### METROPOLITAN™ BEST DURABILITY

WHILE SUPPLIES LAST



**BO6501**  
Low-E  
1-1/8" Double Hip  
Raised Panel  
Ovolo Sticking  
Wide Layout  
2/8 x 6/8  
3/0 x 6/8  
3/0 x 8/0



**BO6801**  
Low-E  
1-1/8" Double Hip  
Raised Panel  
Ovolo Sticking  
1/0 x 6/8 1/0 x 8/0  
1/2 x 6/8 1/2 x 8/0


WHILE SUPPLIES LAST



**BO6044**  
Low-E  
1-1/8" Double Hip  
Raised Panel  
Ovolo Sticking  
Wide Layout  
2/8 x 6/8  
3/0 x 6/8



**BO6601**  
Low-E  
Ovolo Sticking  
1/0 x 6/8 1/0 x 8/0  
1/2 x 6/8 1/2 x 8/0



Glass Profile



# Brazilian Oak

**SASH & FRENCH DOORS** 1-5/8" SDL BAR & 1-1/8" DOUBLE HIP RAISED PANEL




Metropolitan™ 1-1/8" Double Hip Raised Panel



1-5/8" SDL Bar



Metropolitan™ Door Corner



Panel Profile

Glass Profile

**METROPOLITAN™** BEST DURABILITY

WHILE SUPPLIES LAST



**BO6216A**

Low-E  
1-5/8" SDL Bar  
1-1/8" Double Hip  
Raised Panel  
Ovolo Sticking  
Wide Layout

5/0 x 6/8  
6/0 x 6/8



**METROPOLITIAN™ BEST DURABILITY**

WHILE SUPPLIES LAST



**BO6218**

Low-E  
1-5/8" SDL Bar  
1-1/8" Double Hip  
Raised Panel  
Ovolo Sticking  
Wide Layout

2/8 x 6/8  
3/0 x 6/8  
3/0 x 8/0

**BO6219**

Low-E  
1-1/8" Double Hip  
Raised Panel  
Ovolo Sticking

1/0 x 6/8    1/0 x 8/0  
1/2 x 6/8

WHILE SUPPLIES LAST



**BO6015**

Low-E  
1-5/8" SDL Bar  
Ovolo Sticking  
Wide Layout

2/6 x 6/8  
2/8 x 6/8  
3/0 x 6/8

**BO6605**

Low-E  
1-5/8" SDL Bar  
Ovolo Sticking

1/0 x 6/8

WHILE SUPPLIES LAST



**BO6018**

Low-E  
1-5/8" SDL Bar  
Ovolo Sticking  
Wide Layout

3/0 x 8/0

**BO6606**

Low-E  
1-5/8" SDL Bar  
Ovolo Sticking

1/0 x 6/8  
1/0 x 8/0





# Brazilian Oak

**SASH DOORS** 1-5/8" SDL BAR & 3/4" FLAT PANEL




Metropolitan™ 3/4" Flat Panel




1-5/8" SDL Bar



Metropolitan™ Door Corner



Panel Profile



Glass Profile

**METROPOLITAN™** BEST DURABILITY

WHILE SUPPLIES LAST



## BO6662

Low-E  
1-5/8" SDL Bar  
3/4" Flat Panel  
Ovolo Sticking  
Wide Layout  
2/8 x 6/8 3/0 x 8/0  
3/0 x 6/8



## BO6663

Low-E  
1-5/8" SDL Bar  
3/4" Flat Panel  
Ovolo Sticking  
1/0 x 6/8 1/0 x 8/0  
1/2 x 6/8 1/2 x 8/0



# Brazilian Oak

UNIT COMPONENTS FRAMES, BRICKMOULD, TRANSOMS & SDL BAR

## TRANSOMS

WHILE SUPPLIES LAST



### BO6651

Used with a 6/0 Double Door Unit  
Low-E Glass  
5-1/2" Stiles

WHILE SUPPLIES LAST



Frame

WHILE SUPPLIES LAST



Brickmould

WHILE SUPPLIES LAST



1-5/8" SDL



BO6662, RSP



# Combination Door Company

## EASY CHANGE COMBINATION STORM & SCREEN DOORS

An Easy-Change Door is handmade with solid wood and engineered components joined together to create a one of a kind product that will endure time. The door and screen come together and the sash, or glass, comes separately to be inserted later. All Easy-Change Doors are 1-1/16" thick; 7/1 Doors include a 13-1/2" bottom rail for field trimming up to a 6/9.



### #50 Traditional

Ponderosa Pine

2/6 x 6/7	2/6 x 6/9	2/10 x 7/1
2/8 x 6/7	2/8 x 6/9	3/0 x 7/1
	2/10 x 6/9	
	3/0 x 6/9	



### #11 Traditional

Ponderosa Pine  
TDL Bar

2/6 x 6/7	2/6 x 6/9	2/10 x 7/1
2/8 x 6/7	2/8 x 6/9	3/0 x 7/1
	2/10 x 6/9	
	3/0 x 6/9	



### Colonial B

Ponderosa Pine

2/6 x 6/9	3/0 x 7/1
2/8 x 6/9	
3/0 x 6/9	



### Classic B

Ponderosa Pine

2/6 x 6/9	3/0 x 7/1
2/8 x 6/9	
3/0 x 6/9	



### Ultra-Vu

Primed

2/6 x 6/9
2/8 x 6/9
3/0 x 6/9



### Ultra-Vu

Ponderosa Pine

2/0 x 6/9	2/6 x 7/1
2/6 x 6/9	2/8 x 7/1
2/8 x 6/9	3/0 x 7/1
3/0 x 6/9	



### Ultra-Vu

Oak

3/0 x 6/9
-----------



### Ultra-Vu

Mahogany

2/6 x 7/1
2/8 x 7/1
3/0 x 7/1



## WOOD SCREEN DOORS

From top rail to bottom, these screen doors are built to take heavy duty traffic in stride. Designed for attractive, durable service, and constructed of Ponderosa Pine, they're today's best buy in screen doors. All styles are 1-1/16" thick and feature the strength and decorating flexibility of all-wood construction with a charcoal colored screen.



### 58-B

Ponderosa Pine

2/6 x 6/7    2/6 x 6/9    3/0 x 7/1  
2/8 x 6/7    2/8 x 6/9  
3/0 x 6/9



### 58-BRS

Ponderosa Pine

2/6 x 6/9  
2/8 x 6/9  
3/0 x 6/9



### 764


Ponderosa Pine

2/6 x 6/9  
2/8 x 6/9  
3/0 x 6/9


## SPECIAL ORDER GRILLES

Grilles are available by special order to add an additional designer look to your door. Manufactured from Ponderosa Pine, they arrive completely assembled and fasten to the door exterior. Below is a sampling of grilles available for Reeb's stock of Easy-Change Doors.

### Available for Colonial B and Classic B




Design A




9 Lite


### Available for Ultra-Vu




Victorian II



Victorian III




Chippendale




Prairie

### Available for #50 Traditional



Prairie



Montello



# Anatomy of an Exterior Door Unit



## Transoms



DIRECT SET TRANSOM



SASH SET TRANSOM

## Additional Accessories



KICK PLATE




DOOR VIEWER



MAILSLOT













# Door Unit Configurations and Handing



## Door Handing

Handing is viewed from the exterior side of the door.





# Frames

Exterior Frames come in a variety of options to best match your door unit. The kerf, or cutout, in the frame will have weatherstrip applied to help keep the elements out of the home. Choose from solid wood, FrameSaver® which has a composite block at the bottom, fully composite On-Guard™ jambs, or the PVC Ultra.



Primed



Solid Fir



Solid Clear Pine



Solid Oak



Solid Mahogany



Solid Sapele Mahogany





On-Guard™ White Cap



On-Guard™ Primed




On-Guard™ Straight Grain



On-Guard™ Woodgrain



Primed FrameSaver®



Ultra

For more information on Frames

visit [learn.reeb.com/stainable-exterior-frames/](https://learn.reeb.com/stainable-exterior-frames/) or [learn.reeb.com/primed-exterior-frames/](https://learn.reeb.com/primed-exterior-frames/)



# Brickmould & Casing



## Primed

2" Brickmould  
1x4 Flat Casing  
1x6 Flat Casing

5/4x4 Flat Casing  
5/4x6 Flat Casing



## Solid Fir

2" Brickmould  
5/4x4 Flat Casing  
5/4x6 Flat Casing




## Solid Clear Pine

2" Brickmould  
5/4x4 Flat Casing  
5/4x6 Flat Casing



## Solid Oak

2" Brickmould  
5/4x4 Flat Casing  
5/4x6 Flat Casing



## Solid Mahogany

2" Brickmould  
5/4x4 Flat Casing  
5/4x6 Flat Casing



## Solid Sapele Mahogany

2" Brickmould  
5/4x4 Flat Casing  
5/4x6 Flat Casing





**On-Guard™ White Cap**  
2" Brickmould




**On-Guard™ Primed**  
2" Brickmould



**On-Guard™ Straight Grain**  
2" Brickmould



**On-Guard™ Woodgrain**  
2" Brickmould



**FrameSaver®**  
2" Brickmould  
3" Brickmould  
5/4x4 Flat Casing



**Ultra**  
2" Brickmould  
1x4 Flat Casing  
1x6 Flat Casing  
5/4x4 Flat Casing  
5/4x6 Flat Casing




# Sills



INSWING 7/4 OAK SILL



INSWING 7/4 MAHOGANY SILL




INSWING 7/4 SILL LINE ART



INSWING NEW ENGLAND PROFILE  
OAK SILL



INSWING NEW ENGLAND PROFILE  
MAHOGANY SILL



INSWING NEW ENGLAND PROFILE SILL LINE ART



OUTSWING 7/4 OAK SILL



OUTSWING 7/4 SILL LINE ART

## SILL HORNS


Sill horns are a portion of the sill that extends in front of the jamb legs. The brickmould or casing rests on top of the horn, or extension, for a more traditional look.









INSWING ADJUSTABLE COMPOSITE SILL



INSWING ADJUSTABLE HARDWOOD SILL




INSWING SILL EXTENDERS



OUTSWING COMPOSITE SILLS




OUTSWING SILL EXTENDERS



OUTSWING BUMPER SILL



INSWING ENDURA® PUBLIC ACCESS SILL



OUTSWING ENDURA® PUBLIC ACCESS SILL



INSWING ENDURA® TILE BACK PUBLIC ACCESS SILL

**SILL FINISH  
OPTIONS**



Mill Finish



Bronze Finish




Satin Nickel Finish (N/A PA sill)

**CAP COLOR  
OPTIONS**



Light Cap



Dark Cap



Hardwood Cap (Inswing Only)

**For more information on Sills**

visit [learn.reeb.com/sill-options-for-exterior-doors/](http://learn.reeb.com/sill-options-for-exterior-doors/)



# Ultimate Astragal

## ULTIMATE FLIP LEVER ASTRAGAL

The Ultimate Flip Lever Astragal combines enhanced performance with the benefits of enhanced accessibility and ease of use. Just one flip of the easy-to-use built-in lever activates the Floating Boot and Flush Bolt system, securing the unit with two lasting seals, even in imperfect or changing conditions. The Floating Boot and Flush Bolt deliver a perfect seal every time, operating independently of each other to seal against the lowest point on the sill when engaged, while lifting clear of the sill when retracted for lasting, damage-free operation.

### HOW THE ULTIMATE FLIP LEVER ASTRAGAL WORKS:



With the Flip Lever upright, the Floating Boot and Flush Bolt are lifted clear of the sill.



As the Flip Lever is lowered, the Floating Boot drops independently to seal against the cap.



After the Floating Boot, the Flush Bolt lowers, engaging with the sill regardless of drill hole depth.



Bronze



Fir Wrap



Oak Wrap



Mahogany Wrap




Pine Wrap



---

## ULTIMATE MULTI-POINT ASTRAGAL

Protect your home and eliminate traditional double-door performance challenges with the one of a kind Multi-Point Astragal. MPA delivers the sealing power of a multi-point lock without the multi-point price tag – multi-point functionality is built right into the astragal and even works with standard deadbolt packages for ultimate cost-efficiency. Plus, MPA automatically forms a custom seal against the sill cap, even if conditions aren't perfect, saving time and eliminating costly service calls. Beyond delivering improved performance, MPA is easy to use, providing Enhanced Accessibility for a product homeowners will love.




Bronze

---

## ULTIMATE TRILENNIUM ASTRAGAL

Built to complement the strength and security of the Trilennium Multi-Point Locking System, the Endura® Trilennium Compatible Astragal offers superior French door performance. The standard Flip lever secures your French door unit with two lasting seals without reaching or bending, protecting against air and water infiltration, eliminating callbacks and putting your mind at ease. Expect high-performance and strength to work together with the Trilennium Compatible Astragal. Smarter French door performance and protection offer ultimate peace of mind when paired with the strongest lock on the market.



Bronze




Fir Wrap



Oak Wrap



Mahogany Wrap



Pine Wrap



# Hinges Overview

Hinges are hardware that attach the door to the frame. They position the door to properly compress the weatherstrip and help ensure smooth operation. Hinges are available in multiple finishes, shapes, manufacturers and functions that complement a variety of door styles.

## Hinge Size

The standard hinge size for a wood door is 4" x 4".

For a heavier duty hinge, a square 4-1/2" x 4-1/2" hinge is available for a 1-3/4" door.



4" X 4"



4-1/2" X 4-1/2"

## Hinge Shape

The standard hinge has a corner with a 5/8" radius.

For a more architectural look, square corner hinges are available.



RADIUS



SQUARE

## Hinge Types

Different hinge types exist based on the application of the door.



BALL-BEARING HINGE

Hinges include steel ball bearings in between the knuckle for added support and stability.



NON-BALL BEARING HINGE

Non-ball bearing hinges have no buffer between each knuckle, wearing down the hinge over time.



NRP HINGE

NRP Hinges include a non-removable pin (NRP) for use with an outswing door unit.



SELF-CLOSING HINGE

Self-closing hinges contain a tension spring that automatically closes a door each time it is opened.



# Baldwin®

## HINGES

Baldwin believes that quality should never be a compromise. From using the finest materials to crafting hardware by hand, they are committed to creating high-quality hardware that not only looks beautiful and flawless but also endures the rigors of time.



**4" X 4" 5/8" RADIUS**  
Non-Ball Bearing  
(shown in US3)

Available in: US3



**4" X 4" SQUARE**  
Non-Ball Bearing  
(shown in US10B)

Available in: US3LF, US10B,  
US15, VB



**4-1/2" X 4-1/2" SQUARE**  
Non-Ball Bearing  
(shown in US10B)


Available in: US3, US10B,  
US15, VB




**4-1/2" X 4-1/2" SQUARE**  
Ball Bearing  
(shown in US3)

Available in: US3, US10B,  
US15, VB


### Available Finishes




**US3/US3LF**  
Polished Brass/  
Lifetime Polished Brass



**US10B**  
Oil Rubbed Bronze



**US15**  
Satin Nickel



**VB**  
Venetian Bronze




Emtek is dedicated to bring personal style to life. Door hardware is more than a way to open, close, and secure a space. It is an integral part of a room's design theme and an extension of personal style.



**4" X 4" SQUARE**  
Non-Ball Bearing  
(shown in US10B)

Available in: US1D, US3, US7, US10B, US14, US15, US26, US26D



**4" X 4" SQUARE**  
Ball Bearing  
(shown in US3)

Available in: US1D, US3, US7, US10B, US14, US15, US26, US26D



**4" X 4" SQUARE**  
NRP Ball Bearing  
(shown in US15)


Available in: US3, US10B, US15, US26, US26D

### Available Finishes


Not all finishes are available in both Emtek and RSP.



**US1D**  
Flat Black




**US3**  
Bright Brass




**US4**  
Satin Brass




**US4B**  
Light Brass




**US15**  
Satin Nickel



**US15A**  
Antique Nickel



**US26**  
Polished Chrome



**US26D**  
Satin Chrome



# Reeb® Specialty Products

## HINGES

RSP offers a large selection of hinges in a variety of finishes carrying on a tradition of innovative design, superior quality and service excellence.



**4" X 4" 5/8" RADIUS**  
Non-Ball Bearing  
(shown in US15)

Available in: US1D, US3, US4, US4B, US5, US10B, US15, US15A, US26, US26D, US32D, USP



**4" X 4" 5/8" RADIUS**  
NRP Non-Ball Bearing  
(shown in US10B)

Available in: US1D, US3, US4B, US5, US10B, US15, US26, US26D, US32D



**4" X 4" 5/8" RADIUS**  
Ball Bearing  
(shown in US15)

Available in: US1D, US3, US4B, US5, US10B, US15, US26, US26D



**4" X 4" 5/8" RADIUS**  
NRP Ball Bearing  
(shown in US15)

Available in: US1D, US3, US4B, US5, US10B, US15, US15A, US26, US26D, US32D



**4" X 4" 5/8" RADIUS**  
Self-Closing  
(shown in US15)

Available in: US1D, US3, US4B, US10B, US15, US26, US26D




**4" X 4" SQUARE**  
Non-Ball Bearing  
(shown in US10B)

Available in: US1D, US3, US4, US5, US10B, US15, US26, US26D




**4" X 4" SQUARE**  
Ball Bearing  
(shown in US10B)


Available in: US3, US4, US4B, US5, US10B, US15, US26, US26D




**US5**  
Antique Brass




**US7**  
French Antique




**US10B**  
Oil Rubbed Bronze



**US14**  
Polished Nickel



**US32D**  
Stainless Steel



**USP**  
Primed



# Endura Trilennium®

## HARDWARE

The Trilennium Multi-Point Lock features a beefy, one piece, I-beam that strengthens the edge of the door as an additional measure to help prevent warping over the life of the door. It spans 55-1/2" to increase the strength and precision of the lock.

The Trilennium Multi-Point Lock features 3 latches that drop into the keeper without any action needed from the operator. When the key or thumb turn are turned, the latches extend deeper into the frame for security.

Reeb stocks this multi-point lock for 6/8, 7/0, and 8/0 hieght, 1-3/4" thick wood doors. In addition to the hardware, Reeb also stocks a lever x lever Eclipse trim and a grip handleset with an Eclipse lever on the inside in the finishes listed below.



**ECLIPSE GRIP HANDSET**  
(shown in US10P)

Available in:  
US3PVD, US10P, US15




**ECLIPSE HANDSET**  
(shown in US15)


Available in:  
US3, US10P, US15




### Available Finishes




**US3PVD/US3**  
Bright Brass



**US10P**  
Victorian Bronze



**US32D\***  
Stainless Steel



**US15\*\***  
Satin Nickel

\*Trilennium MPL only  
\*\*Handset only



# Tru-Lock®


HARDWARE

Tru-Lock® is a locking option that offers 2 points of contact approximately 18" apart. It requires the least amount of prep and works in a standard double bore. Tru-Lock operates just like a standard dead-bolt system making it very intuitive to operate. The key and thumb turn operates the flip bolts that lock into slotted strikes in the jamb.


Tru-Lock® is adaptable to work with most off the shelf trim hardware, because it works off the deadbolt mechanism of your door. Reeb offers Tru-Lock for 1-3/4" doors that are 6/8, 7/0, or 8/0 in height.




## Available Finishes



**US3PVD/US3**  
Bright Brass



**US10B**  
Oil Rubbed Bronze



**US32D**  
Stainless Steel

For more information on Tru-Lock  
visit [learn.reeb.com/multi-point-lock-options/](http://learn.reeb.com/multi-point-lock-options/)



Locks are an integral part in providing security to a home and holding the door tight against the weather strip for a good seal from the elements. Locks come in a variety of styles, options, and finishes. Cylindrical locks are the most common lock type available. These locks are installed into a bore that is cut in the face of the door while a latch bolt is installed into a bore on the edge of the door. This type of lock has a quick and easy installation process. Reeb offers multiple types of handlesets for different design and finish options.



### J SERIES JH58/JH59 (shown in US3)

The JH58 and JH59 work together to make a functional locking system. The JH58 is the exterior portion which includes the locking mechanism, while the JH59 is the interior portion.

PAGE 125



### F SERIES F58/F59 (shown in US15)

The F58 and F59 work together to make a functional locking system. The F58 is the exterior portion which includes the locking mechanism, while the F59 is the interior portion which includes latches and installation hardware.

PAGE 126



### F SERIES F92/F94 (shown in US3)

The F92 and F94 work together to make a dummy trim system. The F92 is the exterior portion, while the F94 is the interior portion.

PAGE 127



### B SERIES/ F SERIES BE365/FE285 (shown in US5)

The BE365 and FE285 work together to make a functional locking system. The BE365 is an electronic battery operated deadbolt which includes the locking mechanism, while the FE285 is the handleset portion.

PAGE 128



### F SERIES FE595 (shown in US15)

The FE595 is a stand-alone electronic battery operated locking system with a built in handleset.


PAGE 129



## Lockset Handing

Many lockset levers are handed. Handing is a term used to indicate how a door swings and it is necessary to choose the right lever for your door. When standing on the outside of the door, look at where the hinges are.

- If the hinges are on the left, you have a left handed door. You will need a left handed (LH) lock.
- If the hinges are on the right, you have a right handed door. You will need a right handed (RH) lock.



### JH58

The JH58 is an exterior facing handle set. It has locking capabilities, however, it does not include an interior lever or knob set. Therefore, it is used in conjunction with the JH59. A JH58 includes the outside grip and deadbolt trim.



**PARIS** (shown in US15)  
Available in: US3, US15



**BARCELONA** (shown in US15)  
Available in: US3, US15

### JH59

The JH59 is an interior facing deadbolt and knob/lever. It does not include any locking capabilities for the exterior. Therefore, it is used in conjunction with the JH58. The handing of the lockset is always viewed from the exterior of the door. The JH59 includes the inside knob or lever, inside deadbolt trim, deadbolt, latch, screws, and strikes.



**BYRON** (shown in US3)  
Available in: US3



**CORONA** (shown in US3)  
Available in: US3




**LASALLE** (shown in US15)  
Available in: US3, US15




**TORINO** (shown in US15)  
Available in: US15

## J-Series Available Finishes

Schlage's hardware finishes are designed to complement the fixtures and style in a home.



**US3PVD/US3**  
Bright Brass  
505/605



**US15**  
Satin Nickel  
619



## F58

The F58 is an exterior facing handleset. It has locking capabilities, however, it does not include any interior lever or knob set. Therefore, it is used in conjunction with the F59. An F58 includes the grip outside deadbolt trim.



**CAMELOT** (shown in US15)

Available in: US3PVD, US3, US5, US15, US15A, 716 Aged Bronze



**CENTURY** (shown in US26D)

Available in: US26, US26D



**PLYMOUTH** (shown in US3)

Available in: US3PVD, US3, US5, US10B, US15, US15A, US26, 716 Aged Bronze

## F59

The F59 is an interior facing deadbolt and knob/lever. It does not include any locking capabilities for the exterior, therefore it is used in conjunction with the F58. The handing of the lockset is always viewed from the exterior of the door. The F59 includes the inside knob or lever, inside deadbolt trim, deadbolt, latch, screws, and strikes.



**ACCENT** (shown in US15A)

Available in: US3, US5, US10B, US15, US15A, US26, 716 Aged Bronze



**AVANTI** (shown in US15)

Available in: US15



**ELAN** (shown in US26D)

Available in: US26D



**FLAIR** (shown in U3)

Available in: US3, US5, US15, 716 Aged Bronze



**GEORGIAN** (shown in US15)

Available in: US3, US5, US15, US15A, 716 Aged Bronze



**PLYMOUTH** (shown in Aged Bronze)

Available in: US3, US15, US26, US26D, 716 Aged Bronze



**SIENA** (shown in US15)

Available in: US15



**BELL** (shown in US3)

Available in: US3

## F92

The F92 is a keyless dummy exterior facing handleset that complements the F58 handleset. It is used in conjunction with the F94.



### CAMELOT (shown in US3)

Available in: US3PVD, US3, US5, US10B, US15, US15A



### CENTURY (shown in US26)

Available in: US26, US26D



### PLYMOUTH (shown in US10B)

Available in: US3PVD, US3, US5, US10B, US15, US15A, US26

## F94

The F94 is an interior facing dummy knob/lever with a blank deadbolt plate that complements the F59 knob/lever. It is used in conjunction with the F92. The handing of the lockset is always viewed from the exterior of the door.



### ACCENT (shown in US10B)

Available in: US3, US10B, US15, US15A, US26



### FLAIR (shown in US5)

Available in: US3, US5, US10B, US15



### GEORGIAN (shown in US3)

Available in: US3, US5, US15, US15A



### PLYMOUTH (shown in US15)

Available in: US3, US15




### SIENA (shown in US15)

Available in: US15


## F-Series

### Available Finishes


Schlage's hardware finishes are designed to complement the fixtures and style in a home.




**US3PVD/US3**  
Bright Brass  
505/605




**US5**  
Antique Brass  
609




**US10B**  
Oil Rubbed Bronze  
613



**US15**  
Satin Nickel  
619




**US15A**  
Antique Pewter  
620



**US26**  
Polished Chrome  
625



**US26D**  
Satin Chrome  
626



**716**  
Aged Bronze  
716



# Schlage®

## BE365

The BE365 is an electronic battery operated keypad deadbolt. It cannot stand alone as a locking system since it has no knob or lever to open the door. While it can be used with any knob or lever set, it is sold in conjunction with the FE285 handlesets as an entry door option.



**CAMELOT** (shown in US15)

Available in: US3PVD, US15, 716 Aged Bronze



**PLYMOUTH** (shown in US3PVD)

Available in: US3PVD, US15, 716 Aged Bronze

## FE285

The FE285 is a knob or lever set that has no locking capabilities which means it cannot stand alone. Therefore, it is used in conjunction with the BE365. Combined together, they create a front entry set. It is important to remember that the Accent and Flair levers are handed from the exterior view. The handing must be specified at the time of order. The FE285 is available in four different combinations. The exterior style is available to match the style of the BE365 while each style has an accompanying knob and lever available.



**CAMELOT** (Exterior)

**ACCENT** (Interior)

(shown in Aged Bronze)

Available in: US3PVD, US15, Aged Bronze



**CAMELOT** (Exterior)

**GEORGIAN** (Interior)

(shown in US15)

Available in: US3PVD, US15, Aged Bronze



**PLYMOUTH** (Exterior)

**FLAIR** (Interior)

(shown in US15)

Available in: US3PVD, US15, Aged Bronze



**PLYMOUTH** (Exterior)

**PLYMOUTH** (Interior)

(shown in US3)

Available in: US3PVD



## FE595

The FE595 is a stand alone electronic battery operated keypad entry which includes a knob or lever. This system can be set up so the door is always unlocked and must be manually locked. Another option is for the door to be unlocked by the user code and then once closed it automatically re-locks the exterior, while the interior is always unlocked. The key can be used to unlock the door as a backup. It is important to remember that the Accent and Flair levers are handed from the exterior view. The handing must be specified at the time of order.



**CAMELOT** Escutcheon  
**ACCENT** Lever  
(shown in US15)

Available in: US3PVD, US15, Aged Bronze



**CAMELOT** Escutcheon  
**GEORGIAN** Knob  
(shown in Aged Bronze)

Available in: US3PVD, US15, Aged Bronze



**PLYMOUTH** Escutcheon  
**FLAIR** Lever  
(shown in US15)

Available in: US3PVD, US15, Aged Bronze




**PLYMOUTH** Escutcheon  
**PLYMOUTH** Knob  
(shown in US3PVD)


Available in: US3PVD

## B-Series/F-Series Available Finishes


Schlage's hardware finishes are designed to complement the fixtures and style in a home.



**US3PVD/US3**  
Bright Brass  
505/605



**US15**  
Satin Nickel  
619



**716**  
Aged Bronze  
716



# Custom Doors

Wood doors have very little limitations when it comes to design options. This catalog is a great resource for our in-stock items, however sometimes a different look is desired. Whether it is a modified stock item or a completely custom design, Reeb's Custom Design Team can help to create your ideal entryway. Not only will they help with your order, they ask questions along the way to help ensure your door will last.



Customer Sketch

Designing a custom door starts with the customer. A drawing or sketch is the best way to start the process. After submitting a sketch, our Custom Team will begin to help guide you through the quoting and buying process by asking about the following options:

**Door Species:** Beyond fir and mahogany, there is an entire array of wood species options available; among them are hemlock, cherry, maple, walnut, poplar, birch, red oak or white oak. Whether your tastes are classic or exotic, there is a wood species for you.

**Glass Type:** There are also many glass options available from clear glass allowing in the most abundant natural light to textured glass that is more opaque for a higher privacy level.

**Door Width:** Typical exterior doors range from 2'6" to 3'6" in width but Reeb has access to create doors up to 6'0" wide.


**Door Height:** Typical exterior doors range from 6'6" to 8'0" in height but Reeb has access to create doors up to 12'0" tall.

**Door Thickness:** 1-3/4" and 2-1/4" options are available in most species.

## Creating a Custom Door... from idea to a reality

Once all the design decisions are picked, an initial CAD drawing is created based on the customer's sketch. Not only does this help the customer visualise the final product, but also helps to ensure the end product is what the customer desires.

The drawings are supplied to the customer for their review. Based on their needs, and the appearance of the door, the customer will then choose the layout and approve the purchase. The door is then ordered, and delivered to the customer.



CAD Drawing






Custom Door Installed on a Home

Finally, the door arrives and is shipped to the customer. The customer can then have the door installed and complete their custom design process.




# Custom Doors

Sometimes a desired design is not aesthetically pleasing because the components of the door do not line up. The CAD team will provide consultative quotes and drawings to show the possibilities available to the customer.



CAD Drawing based on Customer's Order



CAD Drawing considering aesthetics

Any wood. Any glass. Any size. Any style. Imagine the possibilities.









# Stile & Rail Dimensions / Index

STYLE	TYPE	PAGE	HEIGHT	STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	BAR	GLASS	STICKING	MANUFACTURER
B06015	DOOR	103	6/8	5-1/2"	4-1/2"	---	9"	---	1-5/8" SDL	LOW-E	OVOLO	RSP
B06018	DOOR	103	8/0	5-1/2"	5-1/2"	---	9"	---	1-5/8" SDL	LOW-E	OVOLO	RSP
B06044	DOOR	101	6/8	5-1/2"	4-1/2"	9"	9"	1-1/8" DHRP	---	LOW-E	OVOLO	RSP
B06130	DOOR	100	6/8	5-1/2"	4-1/2"	7-1/2"	9"	1-1/8" DHRP	---	---	OVOLO	RSP
B06130	DOOR	100	8/0	5-1/2"	5-1/2"	7-1/2"	9"	1-1/8" DHRP	---	---	OVOLO	RSP
B06216A	DOOR	102	6/8	5-1/2"	4-11/16"	7-1/2"	9"	1-1/8" DHRP	1-5/8" SDL	LOW-E	OVOLO	RSP
B06216A	DOOR	102	8/0	5-1/2"	4-11/16"	7-1/2"	9"	1-1/8" DHRP	1-5/8" SDL	LOW-E	OVOLO	RSP
B06218	DOOR	103	6/8	5-1/2"	8"	---	9"	1-1/8" DHRP	1-5/8" SDL	LOW-E	OVOLO	RSP
B06218	DOOR	103	8/0	5-1/2"	9"	---	9"	1-1/8" DHRP	1-5/8" SDL	LOW-E	OVOLO	RSP
B06219	SIDELITE	103	6/8	2-29/32"	4-1/2"	---	9.5"	1-1/8" DHRP	---	LOW-E	OVOLO	RSP
B06219	SIDELITE	103	8/0	2-29/32"	5-1/2"	---	9.5"	1-1/8" DHRP	---	LOW-E	OVOLO	RSP
B06501	DOOR	101	6/8	5-1/2"	4-1/2"	7-1/2"	9"	1-1/8" DHRP	---	LOW-E	OVOLO	RSP
B06501	DOOR	101	8/0	5-1/2"	5-1/2"	7-1/2"	9"	1-1/8" DHRP	---	LOW-E	OVOLO	RSP
B06601	SIDELITE	101	6/8	2-29/32"	4-1/2"	---	9.5"	---	---	LOW-E	OVOLO	RSP
B06601	SIDELITE	101	8/0	2-29/32"	5-1/2"	---	9.5"	---	---	LOW-E	OVOLO	RSP
B06605	SIDELITE	103	6/8	2-29/32"	4-1/2"	---	9.5"	---	1-5/8" SDL	LOW-E	OVOLO	RSP
B06606	SIDELITE	103	8/0	2-29/32"	5-1/2"	---	9.5"	---	1-5/8" SDL	LOW-E	OVOLO	RSP
B06651	TRANSOM	105	1/0 (12")	5-1/2"	2-29/32"	---	2-29/32"	---	---	LOW-E	OVOLO	RSP
B06652	TRANSOM	105	1/0 (12")	2-29/32"	2-29/32"	---	2-29/32"	---	---	LOW-E	OVOLO	RSP
B06662	DOOR	104	6/8	5-1/2"	4-1/2"	---	9"	3/4" FP	1-5/8" SDL	LOW-E	OVOLO	RSP
B06662	DOOR	104	8/0	5-1/2"	5-1/2"	---	9"	3/4" FP	1-5/8" SDL	LOW-E	OVOLO	RSP
B06663	SIDELITE	104	6/8	2-29/32"	4-1/2"	---	9.5"	3/4" FP	1-5/8" SDL	LOW-E	OVOLO	RSP
B06663	SIDELITE	104	8/0	2-29/32"	5-1/2"	---	9.5"	3/4" FP	1-5/8" SDL	LOW-E	OVOLO	RSP
B06801	SIDELITE	101	6/8	2-29/32"	4-1/2"	---	9.5"	1-1/8" DHRP	---	LOW-E	OVOLO	RSP
B06801	SIDELITE	101	8/0	2-29/32"	5-1/2"	---	9.5"	1-1/8" DHRP	---	LOW-E	OVOLO	RSP
F1501	DOOR	63	8/0	4-1/2"	4-7/16"	---	9-3/16"	---	---	SAFETY	OVOLO	SIMPSON
F1510	DOOR	69	6/8	4-1/2"	4-7/16"	---	9-3/16"	---	1-1/4" TDL	SAFETY	OVOLO	SIMPSON
F1510	DOOR	69	7/0	4-1/2"	4-7/16"	---	9-3/16"	---	1-1/4" TDL	SAFETY	OVOLO	SIMPSON
F1512	DOOR	69	8/0	4-1/2"	4-7/16"	---	9-3/16"	---	1-1/4" TDL	SAFETY	OVOLO	SIMPSON
F1515	DOOR	69	6/8	4-1/2"	4-7/16"	---	9-3/16"	---	1-1/4" TDL	SAFETY	OVOLO	SIMPSON
F1515	DOOR	69	7/0	4-1/2"	6-7/16"	---	11-3/16"	---	1-1/4" TDL	SAFETY	OVOLO	SIMPSON
F1662	DOOR	53	6/8	4-1/2"	4-7/16"	---	9-3/16"	3/4" DHRP	1-1/4" TDL	SAFETY	OVOLO	SIMPSON
F2005	DOOR	53	6/8	4-1/2"	6-1/2"	5-3/8"	9-3/16"	3/4" DHRP	1-1/4" TDL	SAFETY	OVOLO	SIMPSON
F2010	DOOR	29	6/8	4-1/2"	4-7/16"	---	9-3/16"	3/4" DHRP	---	---	OVOLO	SIMPSON
F2035	DOOR	53	6/8	4-1/2"	4-7/16"	7-1/2"	9-3/16"	3/4" DHRP	1-1/4" TDL	SAFETY	OVOLO	SIMPSON
F2044	DOOR	28	6/8	4-1/2"	4-7/16"	7-1/2"	9-3/16"	3/4" DHRP	---	---	OVOLO	SIMPSON
F2055	DOOR	29	6/8	4-1/2"	4-7/16"	---	9-3/16"	3/4" DHRP	---	---	OVOLO	SIMPSON
F2055	DOOR	29	7/0	4-1/2"	6-7/16"	---	11-3/16"	3/4" DHRP	---	---	OVOLO	SIMPSON

# Stile & Rail Dimensions / Index

STYLE	TYPE	PAGE	HEIGHT	STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	BAR	GLASS	STICKING	MANUFACTURER
F2060	DOOR	29	6/8	4-1/2"	4-7/16"	---	9-3/16"	3/4" DHRP	---	---	OVOLO	SIMPSON
F2130	DOOR	29	6/8	4-1/2"	4-7/16"	7-1/2"	9-3/16"	3/4" DHRP	---	---	OVOLO	SIMPSON
F2130	DOOR	29	7/0	4-1/2"	6-7/16"	7-1/2"	11-3/16"	3/4" DHRP	---	---	OVOLO	SIMPSON
F2132	DOOR	35	6/8	4-1/2"	4-7/16"	7-1/2"	9-3/16"	3/4" DHRP	---	SAFETY	OVOLO	SIMPSON
F2132	DOOR	35	7/0	4-1/2"	6-7/16"	7-1/2"	11-3/16"	3/4" DHRP	---	SAFETY	OVOLO	SIMPSON
F2134	DOOR	53	6/8	4-1/2"	4-7/16"	7-1/2"	9-3/16"	3/4" DHRP	1-1/4" TDL	SAFETY	OVOLO	SIMPSON
F3010	DOOR	27	6/8	5-1/2"	4-7/16"	---	9-3/16"	1-1/4" DHRP	---	---	OVOLO	SIMPSON
F3044	DOOR	27	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-1/4" DHRP	---	---	OVOLO	SIMPSON
F3130	DOOR	27	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-1/4" DHRP	---	---	OVOLO	SIMPSON
F318	DOOR	53	6/8	4-1/2"	4-7/16"	4-1/2"	9-3/16"	3/4" DHRP	1-1/4" TDL	SAFETY	OVOLO	SIMPSON
F37010LEW	DOOR	65	6/8	5-1/2"	4-7/16"	---	9-3/16"	---	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37010LEW	DOOR	65	7/0	5-1/2"	6-7/16"	---	11-3/16"	---	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37015LEW	DOOR	65	6/8	5-1/2"	4-7/16"	---	9-3/16"	---	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37015LEW	DOOR	65	7/0	5-1/2"	6-7/16"	---	11-3/16"	---	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37120	DOOR	45	6/8	5-1/2"	4-5/16"	---	9-3/16"	1-7/16" DHRP	7/8" SDL	INSULATED	OVOLO	SIMPSON
F37504LE	DOOR	45	8/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37506LE	DOOR	45	8/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37508LEW	DOOR	43	6/8	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37508LEW	DOOR	43	7/0	5-1/2"	6-7/16"	---	11-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37512LE	DOOR	45	8/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37662LE	DOOR	45	8/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37662LEW	DOOR	43	6/8	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37663LEW	SIDELITE	43	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37705LEW	SIDELITE	65	6/8	2-29/32"	4-7/16"	---	9-11/16"	---	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37705LEW	SIDELITE	65	7/0	2-29/32"	6-7/16"	---	11-11/16"	---	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37982LEW	DOOR	43	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F37982LEW	DOOR	43	7/0	5-1/2"	6-7/16"	7-1/2"	11-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F418	DOOR	53	6/8	4-1/2"	4-7/16"	4-1/2"	9-3/16"	3/4" DHRP	1-1/4" TDL	SAFETY	OVOLO	SIMPSON
F4416V	DOOR	25	6/8	---	---	---	---	V-GROOVE	---	---	---	SIMPSON
F4416V	DOOR	25	7/0	---	---	---	---	V-GROOVE	---	---	---	SIMPSON
F6171	SIDELITE	39	6/8	2-29/32"	4-7/16"	---	9-11/16"	---	---	SOLANO	OVOLO	SIMPSON
F6175	SIDELITE	37	6/8	2-29/32"	4-7/16"	---	9-11/16"	3/4" FP	---	INSULATED	OVOLO	SIMPSON
F6175LE	SIDELITE	36	6/8	2-29/32"	4-7/16"	---	9-11/16"	3/4" FP	---	LOW-E	OVOLO	SIMPSON
F6422	DOOR	63	6/8	5-1/2"	4-9/16"	---	9-3/16"	---	---	TERRACE RIDGE	OVOLO	SIMPSON
F6422	DOOR	63	7/0	5-1/2"	6-7/16"	---	11-3/16"	---	---	TERRACE RIDGE	OVOLO	SIMPSON
F6423	SIDELITE	63	6/8	3"	4-7/16"	---	9-11/16"	---	---	TERRACE RIDGE	OVOLO	SIMPSON
F6423	SIDELITE	63	7/0	3"	6-7/16"	---	11-11/16"	---	---	TERRACE RIDGE	OVOLO	SIMPSON



# Stile & Rail Dimensions / Index

STYLE	TYPE	PAGE	HEIGHT	STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	BAR	GLASS	STICKING	MANUFACTURER
F6490	DOOR	34	6/8	6"	5-9/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	SANTA FE	OVOLO	SIMPSON
F6490	DOOR	34	7/0	6"	7-9/16"	7-1/2"	11-3/16"	1-7/16" DHRP	---	SANTA FE	OVOLO	SIMPSON
F6493	SIDELITE	34	6/8	3-1/2"	5-9/16"	---	9-11/16"	1-7/16" DHRP	---	SANTA FE	OVOLO	SIMPSON
F6493	SIDELITE	34	7/0	3-1/2"	7-9/16"	---	11-11/16"	1-7/16" DHRP	---	SANTA FE	OVOLO	SIMPSON
F6801	DOOR	37	6/8	5-1/2"	4-7/16"	---	9-3/16"	3/4" FP	---	INSULATED	OVOLO	SIMPSON
F6801	DOOR	37	8/0	5-1/2"	4-7/16"	---	9-3/16"	3/4" FP	---	INSULATED	OVOLO	SIMPSON
F6801LE	DOOR	36	6/8	5-1/2"	4-7/16"	---	9-3/16"	3/4" FP	---	LOW-E	OVOLO	SIMPSON
F6801LE	DOOR	36	8/0	5-1/2"	4-7/16"	---	9-3/16"	3/4" FP	---	LOW-E	OVOLO	SIMPSON
F6803	DOOR	55	6/8	5-1/2"	4-7/16"	---	9-3/16"	3/4" FP	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F6803LE	DOOR	55	6/8	5-1/2"	4-7/16"	---	9-3/16"	3/4" FP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F6841	DOOR	39	6/8	5-1/2"	4-7/16"	---	9-3/16"	3/4" FP	---	SOLANO	OVOLO	SIMPSON
F6841	DOOR	39	6/8	5-1/2"	4-7/16"	---	9-3/16"	3/4" FP	---	SOLANO	OVOLO	SIMPSON
F6861	DOOR	37	6/8	5-1/2"	4-7/16"	---	9-3/16"	3/4" FP	---	INSULATED	OVOLO	SIMPSON
F6861	DOOR	37	8/0	5-1/2"	4-7/16"	---	9-3/16"	3/4" FP	---	INSULATED	OVOLO	SIMPSON
F6861LE	DOOR	37	6/8	5-1/2"	4-7/16"	---	9-3/16"	3/4" FP	---	LOW-E	OVOLO	SIMPSON
F6861LE	DOOR	37	8/0	5-1/2"	4-7/16"	---	9-3/16"	3/4" FP	---	LOW-E	OVOLO	SIMPSON
F6881	DOOR	39	6/8	5-1/2"	4-7/16"	---	9-3/16"	3/4" FP	---	SOLANO	OVOLO	SIMPSON
F6881	DOOR	39	8/0	5-1/2"	4-7/16"	---	9-3/16"	3/4" FP	---	SOLANO	OVOLO	SIMPSON
F7001	DOOR	62	6/8	4-1/2"	4-7/16"	---	9-3/16"	---	---	INSULATED	OVOLO	SIMPSON
F7001	DOOR	62	7/0	4-1/2"	4-7/16"	---	9-3/16"	---	---	INSULATED	OVOLO	SIMPSON
F7001	DOOR	62	8/0	4-1/2"	4-7/16"	---	9-3/16"	---	---	INSULATED	OVOLO	SIMPSON
F7002LE	DOOR	63	6/8	5-1/2"	4-7/16"	---	9-3/16"	---	---	LOW-E	OVOLO	SIMPSON
F7002LE	DOOR	63	8/0	5-1/2"	4-7/16"	---	9-3/16"	---	---	LOW-E	OVOLO	SIMPSON
F7002LEW	DOOR	61	6/8	5-1/2"	4-7/16"	---	9-3/16"	---	---	LOW-E	OVOLO	SIMPSON
F7002LEW	DOOR	61	8/0	5-1/2"	4-7/16"	---	9-3/16"	---	---	LOW-E	OVOLO	SIMPSON
F7010	DOOR	66	6/8	4-1/2"	4-7/16"	---	9-3/16"	---	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F7010	DOOR	66	7/0	4-1/2"	4-7/16"	---	9-3/16"	---	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F7012LE	DOOR	66	8/0	4-1/2"	4-7/16"	---	9-3/16"	---	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7015	DOOR	66	6/8	5-1/2"	4-7/16"	---	9-3/16"	---	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F7015	DOOR	66	7/0	5-1/2"	4-7/16"	---	9-3/16"	---	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F7018LE	DOOR	67	8/0	4-1/2"	4-7/16"	---	9-3/16"	---	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7031LE	DOOR	33	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F7037LE	DOOR	62	8/0	5-1/2"	4-7/16"	---	9-3/16"	---	---	LOW-E	OVOLO	SIMPSON
F7037W	DOOR	61	6/8	5-1/2"	6-7/16"	---	18-1/2"	---	---	INSULATED	OVOLO	SIMPSON
F7037W	DOOR	61	7/0	5-1/2"	6-7/16"	---	18-1/2"	---	---	INSULATED	OVOLO	SIMPSON
F7044LE	DOOR	32	6/8	4-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F7044LE	DOOR	32	8/0	4-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON

# Stile & Rail Dimensions / Index

STYLE	TYPE	PAGE	HEIGHT	STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	BAR	GLASS	STICKING	MANUFACTURER
F7044LEW	DOOR	31	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F7044LEW	DOOR	31	7/0	5-1/2"	6-7/16"	7-1/2"	11-3/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F7081LEW	DOOR	31	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F7081LEW	DOOR	31	7/0	5-1/2"	6-7/16"	7-1/2"	11-3/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F7109	DOOR	67	7/0	5-1/2"	4-7/16"	---	9-3/16"	---	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F7109	DOOR	67	6/8	5-1/2"	6-7/16"	---	11-3/16"	---	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F7130	DOOR	23	7/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
F7130	DOOR	23	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
F7130	DOOR	23	8/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
F7132	DOOR	33	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON
F7132	DOOR	33	7/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON
F7134	DOOR	47	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F7134	DOOR	47	7/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F7212	DOOR	49	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7212	DOOR	49	8/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7213	SIDELITE	49	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7213	SIDELITE	49	8/0	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7214	DOOR	49	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7214	DOOR	49	8/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7215	SIDELITE	49	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7215	SIDELITE	49	7/0	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7215	SIDELITE	49	8/0	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7216	DOOR	49	6/8	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7216	DOOR	49	8/0	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7217	SIDELITE	49	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7217	SIDELITE	49	7/0	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7217	SIDELITE	49	8/0	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7218	DOOR	49	6/8	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7218	DOOR	49	7/0	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7218	DOOR	49	8/0	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7219	SIDELITE	48	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7219	SIDELITE	48	7/0	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7219	SIDELITE	48	8/0	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7222	DOOR	49	6/8	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7222	DOOR	49	8/0	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7224	DOOR	49	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7224	DOOR	49	7/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7224	DOOR	49	8/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON



# Stile & Rail Dimensions / Index

STYLE	TYPE	PAGE	HEIGHT	STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	BAR	GLASS	STICKING	MANUFACTURER
F7226	DOOR	49	6/8	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7226	DOOR	49	7/0	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7226	DOOR	49	8/0	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7228	DOOR	48	6/8	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7228	DOOR	48	7/0	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7228	DOOR	48	8/0	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7260	SIDELITE	51	6/8	3-3/4"	5-9/16"	---	9-11/16"	1-7/16" DHRP	2-3/4" TDL	INSULATED	OVOLO	SIMPSON
F7260	SIDELITE	51	7/0	3-3/4"	7-9/16"	---	11-11/16"	1-7/16" DHRP	2-3/4" TDL	INSULATED	OVOLO	SIMPSON
F7260LE	SIDELITE	51	8/0	3-3/4"	5-9/16"	---	9-11/16"	1-7/16" DHRP	2-3/4" TDL	LOW-E	OVOLO	SIMPSON
F7304	DOOR	24	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
F7304	DOOR	24	7/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
F7304	DOOR	24	8/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
F7326	DOOR	24	6/8	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
F7403LEE	DOOR	59	6/8	5-1/2"	4-7/16"	---	9-3/16"	---	---	SATIN ETCH	SHAKER	SIMPSON
F7404LEE	DOOR	59	6/8	5-1/2"	4-7/16"	---	9-3/16"	---	---	SATIN ETCH	SHAKER	SIMPSON
F7404LEE	DOOR	59	6/8	5-1/2"	4-7/16"	---	9-3/16"	---	---	SATIN ETCH	SHAKER	SIMPSON
F7405LEE	DOOR	59	6/8	5-1/2"	4-7/16"	---	9-3/16"	---	---	SATIN ETCH	SHAKER	SIMPSON
F7406LEE	DOOR	59	8/0	5-1/2"	4-7/16"	---	9-3/16"	---	---	SATIN ETCH	SHAKER	SIMPSON
F7501LE	DOOR	33	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F7501LE	DOOR	33	8/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F7501LEW	DOOR	31	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F7501LEW	DOOR	31	7/0	5-1/2"	6-7/16"	7-1/2"	11-3/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F7508	DOOR	47	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F7508	DOOR	47	7/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F7512	DOOR	47	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F7512	DOOR	47	7/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F7598	DOOR	50	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	1-3/8" TDL	BEVELED	OVOLO	SIMPSON
F7598	DOOR	50	7/0	5-1/2"	6-7/16"	7-1/2"	11-3/16"	1-7/16" DHRP	1-3/8" TDL	BEVELED	OVOLO	SIMPSON
F7598LE	DOOR	50	8/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	1-3/8" TDL	BEVELED	OVOLO	SIMPSON
F7599	SIDELITE	50	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	1-3/8" TDL	BEVELED	OVOLO	SIMPSON
F7599	SIDELITE	50	7/0	2-29/32"	6-7/16"	---	11-11/16"	1-7/16" DHRP	1-3/8" TDL	BEVELED	OVOLO	SIMPSON
F7599LE	SIDELITE	50	8/0	2-29/32"	4-7/16"	---	9-7/8"	1-7/16" DHRP	1-3/8" TDL	BEVELED	OVOLO	SIMPSON
F7604LE	DOOR	47	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7614LE	DOOR	47	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7662	DOOR	47	6/8	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F7662	DOOR	47	7/0	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F7662LE	DOOR	47	6/8	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7663	SIDELITE	47	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	1-3/8" TDL	INSULATED	OVOLO	SIMPSON

# Stile & Rail Dimensions / Index

STYLE	TYPE	PAGE	HEIGHT	STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	BAR	GLASS	STICKING	MANUFACTURER
F7663	SIDELITE	47	7/0	2-29/32"	6-7/16"	---	11-11/16"	1-7/16" DHRP	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F7663LE	SIDELITE	47	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F77002	DOOR	60	6/8	5-1/2"	5-7/16"	---	9-3/16"	---	---	LOW-E	OVOLO	SIMPSON
F7701	SIDELITE	62	6/8	2-29/32"	4-7/16"	---	9-11/16"	---	---	INSULATED	OVOLO	SIMPSON
F7701	SIDELITE	62	7/0	2-29/32"	4-7/16"	---	9-11/16"	---	---	INSULATED	OVOLO	SIMPSON
F77015	DOOR	64	6/8	5-1/2"	5-7/16"	---	9-3/16"	---	7/8" SDL	LOW-E	OVOLO	SIMPSON
F7701LE	SIDELITE	63	6/8	2-29/32"	4-7/16"	---	9-7/8"	---	---	LOW-E	OVOLO	SIMPSON
F7701LE	SIDELITE	63	6/8	2-29/32"	6-7/16"	---	11-7/8"	---	---	LOW-E	OVOLO	SIMPSON
F7701LE	SIDELITE	63	7/0	2-29/32"	4-7/16"	---	9-7/8"	---	---	LOW-E	OVOLO	SIMPSON
F7701LEE	SIDELITE	59	6/8	2-29/32"	4-7/16"	---	9-11/16"	---	---	SATIN ETCH	SHAKER	SIMPSON
F7701LEE	SIDELITE	59	8/0	2-29/32"	4-7/16"	---	9-11/16"	---	---	SATIN ETCH	SHAKER	SIMPSON
F7701LEW	SIDELITE	61	6/8	2-29/32"	4-7/16"	---	9-11/16"	---	---	LOW-E	OVOLO	SIMPSON
F7701LEW	SIDELITE	61	7/0	2-29/32"	6-7/16"	---	11-11/16"	---	---	LOW-E	OVOLO	SIMPSON
F7702	SIDELITE	32	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON
F7702LE	SIDELITE	32	8/0	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F7703	SIDELITE	46	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F7703	SIDELITE	46	7/0	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F7705	SIDELITE	66	6/8	2-29/32"	4-7/16"	---	9-11/16"	---	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F7705	SIDELITE	66	7/0	2-29/32"	4-7/16"	---	9-11/16"	---	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F7706LE	SIDELITE	66	8/0	2-29/32"	4-7/16"	---	9-11/16"	---	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
F7709	SIDELITE	67	6/8	2-29/32"	4-7/16"	---	9-11/16"	---	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F7709	SIDELITE	67	7/0	2-29/32"	6-7/16"	---	11-11/16"	---	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F7711LE	TRANSOM	72	1/0	1-29/32"	2-29/32"	---	2-29/32"	---	---	LOW-E	OVOLO	SIMPSON
F77130	DOOR	21	6/8	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
F77144	DOOR	21	6/8	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
F7715	TRANSOM	72	1/0 (12")	1-29/32"	2-29/32"	---	2-29/32"	---	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F77212	DOOR	41	6/8	5-1/2"	5-7/16"	---	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F7725	TRANSOM	72	1/0 (12")	2-29/32"	2-29/32"	---	2-29/32"	---	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F77260	SIDELITE	54	6/8	2-29/32"	5-7/16"	---	9-3/16"	3/4" FP	2-3/4" TDL	LOW-E	OVOLO	SIMPSON
F7743	TRANSOM	72	1/0 (12")	4-1/2"	2-29/32"	---	2-29/32"	---	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F774554	TRANSOM	72	1/0 (12")	4-1/2"	2-29/32"	---	2-29/32"	---	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F774560	TRANSOM	72	1/0 (12")	4-1/2"	2-29/32"	---	2-29/32"	---	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F77465	DOOR	21	6/8	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
F7751	TRANSOM	72	1/0 (12")	5-1/2"	2-29/32"	---	2-29/32"	---	---	INSULATED	OVOLO	SIMPSON
F7751LE	TRANSOM	72	1/0 (12")	5-1/2"	2-29/32"	---	2-29/32"	---	---	LOW-E	OVOLO	SIMPSON
F7753	TRANSOM	72	1/0 (12")	5-1/2"	2-29/32"	---	2-29/32"	---	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F7755	TRANSOM	72	1/2 (14")	5-1/2"	2-29/32"	---	2-29/32"	---	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F77598	DOOR	41	6/8	5-1/2"	5-7/16"	---	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON



# Stile & Rail Dimensions / Index

STYLE	TYPE	PAGE	HEIGHT	STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	BAR	GLASS	STICKING	MANUFACTURER
F77599	SIDELITE	41	6/8	2-29/32"	5-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F77660	DOOR	57	6/8	5-1/2"	5-7/16"	---	9-3/16"	3/4" FP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F77662	DOOR	41	6/8	5-1/2"	5-7/16"	---	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F77663	SIDELITE	57	6/8	2-29/32"	5-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F77663RP	SIDELITE	41	6/8	2-29/32"	5-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F77701	SIDELITE	60	6/8	2-29/32"	5-7/16"	---	9-11/16"	---	---	LOW-E	OVOLO	SIMPSON
F77703	SIDELITE	41	6/8	2-29/32"	5-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F77705	SIDELITE	64	6/8	2-29/32"	5-7/16"	---	9-11/16"	---	7/8" SDL	LOW-E	OVOLO	SIMPSON
F77804	SIDELITE	41	6/8	2-29/32"	5-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F77860	DOOR	54	6/8	5-1/2"	5-7/16"	---	9-3/16"	3/4" FP	2-3/4" TDL	LOW-E	OVOLO	SIMPSON
F77944	DOOR	41	6/8	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
F7801LE	SIDELITE	33	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F7801LE	SIDELITE	33	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F7801LEW	SIDELITE	31	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F7801LEW	SIDELITE	31	7/0	2-29/32"	6-7/16"	---	11-11/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
F7804	SIDELITE	47	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F7804	SIDELITE	47	7/0	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F7860	DOOR	51	6/8	5-1/2"	5-9/16"	---	9-3/16"	1-7/16" DHRP	2-3/4" TDL	INSULATED	OVOLO	SIMPSON
F7860	DOOR	51	7/0	5-1/2"	7-9/16"	---	11-3/16"	1-7/16" DHRP	2-3/4" TDL	INSULATED	OVOLO	SIMPSON
F7860LE	DOOR	51	8/0	5-1/2"	5-9/16"	---	9-3/16"	1-7/16" DHRP	2-3/4" TDL	LOW-E	OVOLO	SIMPSON
F7944	DOOR	46	6/8	4-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F7944	DOOR	46	7/0	4-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
F944	DOOR	53	6/8	4-1/2"	4-7/16"	7-1/2"	9-3/16"	3/4" DHRP	1-1/4" TDL	SAFETY	OVOLO	SIMPSON
FD2011	DOOR	71	6/8	4-1/2"	4-7/16"	6-7/8"	9-3/16"	1-7/16" DHRP	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
FD2013	DOOR	71	6/8	4-1/2"	4-7/16"	6-7/8"	9-3/16"	1-7/16" DHRP	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
FD4011	DOOR	71	6/8	4-1/2"	4-7/16"	6-7/8"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
FD4013	DOOR	71	6/8	4-1/2"	4-7/16"	6-7/8"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
MF7230	DOOR	23	6/8	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
MF7230	DOOR	23	8/0	5-1/2"	5-1/2"	---	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
MF7282	DOOR	23	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
MF7282	DOOR	23	8/0	5-1/2"	5-1/2"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
MF7465	DOOR	23	6/8	5-1/2"	8"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
MF7465	DOOR	23	8/0	5-1/2"	8"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
MF7466	DOOR	23	6/8	5-1/2"	8"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
MF7467	DOOR	23	6/8	5-1/2"	8"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
MF7701	SIDELITE	23	6/8	2-29/32"	4-7/16"	---	9-11/16"	---	---	LOW-E	OVOLO	SIMPSON
MF7701	SIDELITE	23	8/0	2-29/32"	5-1/2"	---	9-11/16"	---	---	LOW-E	OVOLO	SIMPSON
MSM7230M	DOOR	75	6/8	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON

# Stile & Rail Dimensions / Index

STYLE	TYPE	PAGE	HEIGHT	STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	BAR	GLASS	STICKING	MANUFACTURER
MSM7282	DOOR	75	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
MSM7282	DOOR	75	8/0	5-1/2"	5-1/2"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
MSM7282M	DOOR	75	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
MSM7282M	DOOR	75	8/0	5-1/2"	5-1/2"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
MSM7465	DOOR	75	6/8	5-1/2"	8"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
MSM7465	DOOR	75	8/0	5-1/2"	8"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
MSM7701	SIDELITE	75	6/8	2-29/32"	4-7/16"	---	9-11/16"	---	---	LOW-E	OVOLO	SIMPSON
MSM7701	SIDELITE	75	8/0	2-29/32"	4-7/16"	---	9-11/16"	---	---	LOW-E	OVOLO	SIMPSON
O7130	DOOR	98	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
O7344	DOOR	98	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
O7703	SIDELITE	99	6/8	2-29/32"	4-7/16"	7-1/2"	9-11/16"	1-7/16" DHRP	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
O7944	DOOR	99	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
P100	DOOR	86	6/8	4-17/32"	4-9/16"	9"	7-1/2"	3/4" SHRP	---	---	OVOLO	WOODGRAIN
P100	DOOR	86	7/0	4-17/32"	4-9/16"	9"	7-1/2"	3/4" SHRP	---	---	OVOLO	WOODGRAIN
P1053	DOOR	86	6/8	4-17/32"	4-9/16"	9"	7-1/2"	3/4" SHRP	---	---	OVOLO	WOODGRAIN
P1501	DOOR	94	6/8	4-17/32"	4-9/16"	---	9"	---	---	SAFETY	OVOLO	WOODGRAIN
P1510	DOOR	95	6/8	4-17/32"	4-9/16"	---	9"	---	1-5/16" TDL	SAFETY	OVOLO	WOODGRAIN
P1510	DOOR	95	7/0	4-17/32"	4-9/16"	---	9"	---	1-5/16" TDL	SAFETY	OVOLO	WOODGRAIN
P1512	DOOR	95	8/0	4-17/32"	4-9/16"	---	9"	---	1-5/16" TDL	SAFETY	OVOLO	WOODGRAIN
P1515	DOOR	95	6/8	4-17/32"	4-9/16"	---	9"	---	1-5/16" TDL	SAFETY	OVOLO	WOODGRAIN
P1515	DOOR	95	7/0	4-17/32"	4-9/16"	---	9"	---	1-5/16" TDL	SAFETY	OVOLO	WOODGRAIN
P1518	DOOR	95	8/0	4-17/32"	4-9/16"	---	9"	---	1-5/16" TDL	SAFETY	OVOLO	WOODGRAIN
P1701	SIDELITE	94	6/8	2-1/4"	4-9/16"	---	9-1/2"	---	---	SINGLE	OVOLO	WOODGRAIN
P1701	SIDELITE	94	7/0	2-1/4"	4-9/16"	---	9-1/2"	---	---	SINGLE	OVOLO	WOODGRAIN
P1705	SIDELITE	93	6/8	2-1/4"	4-9/16"	---	9-1/2"	---	1-5/16" TDL	SINGLE	OVOLO	WOODGRAIN
P1705	SIDELITE	93	7/0	2-1/4"	4-9/16"	---	9-1/2"	---	1-5/16" TDL	SINGLE	OVOLO	WOODGRAIN
P182	DOOR	87	6/8	4-17/32"	4-9/16"	7-1/2"	9"	1-3/16" DHRP	---	SINGLE	OVOLO	WOODGRAIN
P2035	DOOR	93	6/8	4-17/32"	4-9/16"	7-1/2"	9"	1-3/16" DHRP	1-5/16" TDL	SINGLE	OVOLO	WOODGRAIN
P26146	DOOR	93	6/8	5-17/32"	4-9/16"	7-1/2"	9"	1-3/16" DHRP	1-5/16" TDL	SINGLE	OVOLO	WOODGRAIN
P510	DOOR	93	6/8	4-17/32"	4-9/16"	---	9"	1-3/16" DHRP	1-5/16" TDL	SINGLE	OVOLO	WOODGRAIN
P512	DOOR	93	6/8	4-17/32"	4-9/16"	---	9"	1-3/16" DHRP	1-5/16" TDL	SINGLE	OVOLO	WOODGRAIN
P7002LE	DOOR	94	6/8	2-29/32"	4-7/16"	7-1/2"	9-11/16"	---	---	LOW-E	OVOLO	SIMPSON
P7044	DOOR	85	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON
P7044	DOOR	85	7/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON
P7130	DOOR	84	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
P7130	DOOR	84	7/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
P7132	DOOR	85	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON
P7282	DOOR	84	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON



# Stile & Rail Dimensions / Index

STYLE	TYPE	PAGE	HEIGHT	STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	BAR	GLASS	STICKING	MANUFACTURER
P7282	DOOR	84	7/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
P7386LE	DOOR	89	6/8	5-1/2"	8-1/4"	7-1/2"	9-3/16"	1-7/16" SCOOP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
P7386LE	DOOR	89	7/0	5-1/2"	10-1/4"	7-1/2"	11-3/16"	1-7/16" SCOOP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
P7389LE	DOOR	89	6/8	5-1/2"	8-1/4"	7-1/2"	9-3/16"	1-7/16" SCOOP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
P7389LE	DOOR	89	7/0	5-1/2"	10-1/4"	7-1/2"	11-3/16"	1-7/16" SCOOP	1-3/8" TDL	LOW-E	OVOLO	SIMPSON
P7501	DOOR	85	6/8	5-1/2"	4-7/16"	---	9-3/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON
P7501	DOOR	85	7/0	5-1/2"	6-7/16"	---	11-3/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON
P7577	DOOR	91	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
P7701LE	SIDELITE	94	6/8	1-29/32"	4-7/16"	---	9-11/16"	---	---	LOW-E	OVOLO	SIMPSON
P7702	SIDELITE	85	6/8	2-29/32"	4-7/16"	7-1/2"	9-11/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON
P7702	SIDELITE	85	7/0	2-29/32"	4-7/16"	7-1/2"	9-11/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON
P7703	SIDELITE	91	6/8	1-29/32"	4-7/16"	7-1/2"	9-11/16"	1-7/16" DHRP	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
P7703	SIDELITE	91	7/0	2-29/32"	4-7/16"	7-1/2"	9-11/16"	1-7/16" DHRP	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
P7944	DOOR	91	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
P7944	DOOR	91	7/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
P944	DOOR	87	6/8	4-17/32"	4-9/16"	7-1/2"	9"	1-3/16" DHRP	1-5/16" TDL	SINGLE	OVOLO	WOODGRAIN
P982	DOOR	93	6/8	4-17/32"	4-9/16"	7-1/2"	9"	1-3/16" DHRP	1-5/16" TDL	SINGLE	OVOLO	WOODGRAIN
PD2011	DOOR	97	6/8	4-1/2"	4-7/16"	6-7/8"	9-3/16"	1-7/16" DHRP	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
PD2013	DOOR	97	6/8	4-1/2"	4-7/16"	6-7/8"	9-3/16"	1-7/16" DHRP	1-3/8" TDL	INSULATED	OVOLO	SIMPSON
PD4011	DOOR	97	6/8	4-1/2"	4-7/16"	6-7/8"	9-3/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON
PD4013	DOOR	97	6/8	4-1/2"	4-7/16"	6-7/8"	9-3/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON
SM7002	DOOR	81	6/8	5-1/2"	4-7/16"	---	9-3/16"	---	---	INSULATED	OVOLO	SIMPSON
SM7002	DOOR	81	7/0	5-1/2"	6-7/16"	---	11-3/16"	---	---	INSULATED	OVOLO	SIMPSON
SM7015	DOOR	83	6/8	5-1/2"	4-7/16"	---	9-3/16"	---	1-5/8" TDL	INSULATED	OVOLO	SIMPSON
SM7015	DOOR	83	7/0	5-1/2"	6-7/16"	---	11-3/16"	---	1-5/8" TDL	INSULATED	OVOLO	SIMPSON
SM7130	DOOR	77	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
SM7130	DOOR	77	7/0	5-1/2"	6-7/16"	7-1/2"	11-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
SM7282	DOOR	77	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
SM7282	DOOR	77	7/0	5-1/2"	6-7/16"	7-1/2"	11-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
SM7282RM	DOOR	77	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
SM7282RM	DOOR	77	7/0	5-1/2"	6-7/16"	7-1/2"	11-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
SM7344	DOOR	77	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
SM7344	DOOR	77	7/0	5-1/2"	6-7/16"	7-1/2"	11-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
SM7501LE	DOOR	77	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
SM7501LE	DOOR	77	8/0	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
SM77015	DOOR	82	6/8	5-1/2"	5-7/16"	---	9-3/16"	---	7/8" SDL	LOW-E	OVOLO	SIMPSON
SM7702	SIDELITE	77	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON
SM7702	SIDELITE	77	7/0	2-29/32"	6-7/16"	---	11-11/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON
SM7702RM	SIDELITE	77	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON

# Stile & Rail Dimensions / Index

STYLE	TYPE	PAGE	HEIGHT	STILE	TOP RAIL	LOCK RAIL	BOTTOM RAIL	PANEL	BAR	GLASS	STICKING	MANUFACTURER
SM7702RM	SIDELITE	77	7/0	2-29/32"	6-7/16"	---	11-11/16"	1-7/16" DHRP	---	INSULATED	OVOLO	SIMPSON
SM7703	SIDELITE	80	6/8	2-29/32"	4-7/16"	---	9-11/16"	1-7/16" DHRP	1-5/8" TDL	INSULATED	OVOLO	SIMPSON
SM7703	SIDELITE	80	7/0	2-29/32"	6-7/16"	---	11-11/16"	1-7/16" DHRP	1-5/8" TDL	INSULATED	OVOLO	SIMPSON
SM7705	SIDELITE	83	6/8	2-29/32"	4-7/16"	---	9-11/16"	---	1-5/8" TDL	INSULATED	OVOLO	SIMPSON
SM7705	SIDELITE	83	7/0	2-29/32"	6-7/16"	---	11-11/16"	---	1-5/8" TDL	INSULATED	OVOLO	SIMPSON
SM77130	DOOR	75	6/8	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
SM77144	DOOR	75	6/8	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
SM77465	DOOR	75	6/8	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	---	---	OVOLO	SIMPSON
SM77506	DOOR	79	6/8	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
SM7755	TRANSOM	83	1/2 (14")	2-29/32"	2-29/32"	---	2-29/32"	---	---	INSULATED	OVOLO	SIMPSON
SM77662	DOOR	79	6/8	5-1/2"	5-7/16"	---	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
SM77663	SIDELITE	79	6/8	2-29/32"	5-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
SM77701	SIDELITE	75	6/8	2-29/32"	5-7/16"	---	9-11/16"	---	---	LOW-E	OVOLO	SIMPSON
SM77703	SIDELITE	79	6/8	2-29/32"	5-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
SM77705	SIDELITE	82	6/8	2-29/32"	5-7/16"	---	9-11/16"	---	7/8" SDL	LOW-E	OVOLO	SIMPSON
SM77803	SIDELITE	79	6/8	2-29/32"	5-7/16"	---	9-11/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
SM77944	DOOR	79	6/8	5-1/2"	5-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	7/8" SDL	LOW-E	OVOLO	SIMPSON
SM7801LE	SIDELITE	77	6/8	2-29/32"	4-7/16"	---	9-7/8"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
SM7801LE	SIDELITE	77	8/0	2-29/32"	4-7/16"	---	9-7/8"	1-7/16" DHRP	---	LOW-E	OVOLO	SIMPSON
SM7944	DOOR	80	6/8	5-1/2"	4-7/16"	7-1/2"	9-3/16"	1-7/16" DHRP	1-5/8" TDL	INSULATED	OVOLO	SIMPSON
SM7944	DOOR	80	7/0	5-1/2"	6-7/16"	7-1/2"	11-3/16"	1-7/16" DHRP	1-5/8" TDL	INSULATED	OVOLO	SIMPSON



# Unit Dimensions & Rough Openings

## INSWING UNITS

### Height

For a 6'8" unit, the height of the unit is dependent on the sill used.

Adjustable Composite Sill (Standard): Unit Size Height - 82", Rough Opening Height - 82-1/2"

Public Access Sill: Unit Size Height - 81", Rough Opening Height - 81-1/2"

7/4 Inswing Wood Sill: Unit Size Height - 82", Rough Opening Height - 82-1/2"

Note: All doors are 6'8" in height. To find the unit size or rough opening for other heights, please add or subtract the following:

6'6" doors: deduct 2" from the height

7'0" doors: add 4" to the height.

8'0" doors: add 16" to the height.

### Width

The width of the unit is dependent on the configuration. Choose the configuration type of your unit and then the door size to find your unit size and rough opening widths.

Single Unit			Continuous Single with One Sidelite Standard Mull Post			Continuous Single with Two Sidelites Standard Mull Post		
Description	Unit Size Width	Rough Opening Width	Description	Unit Size Width	Rough Opening Width	Description	Unit Size Width	Rough Opening Width
10" sidelite	11-1/2"	12-1/4"	3'0" w/ 10" s/l	48-5/8"	49-3/8"	3'0" w/ 10" s/l	59-5/8"	60-3/8"
12" sidelite	13-1/2"	14-1/4"	3'0" w/ 12" s/l	50-5/8"	51-3/8"	3'0" w/ 12" s/l	63-5/8"	64-3/8"
14" sidelite	15-1/2"	16-1/4"	3'0" w/ 14" s/l	52-5/8"	53-3/8"	3'0" w/ 14" s/l	67-5/8"	68-3/8"
2'0"	25-5/8"	26-3/8"						
2'4"	29-5/8"	30-3/8"						
2'6"	31-5/8"	32-3/8"						
2'8"	33-5/8"	34-3/8"						
2'10"	35-5/8"	36-3/8"						
3'0"	37-5/8"	38-3/8"						
3'6"	43-5/8"	44-3/8"						

Double Door 7/8" Astragal			Patio Door Standard Mull Post			Triple Patio Door Standard Mull Post		
Description	Unit Size Width	Rough Opening Width	Description	Unit Size Width	Rough Opening Width	Description	Unit Size Width	Rough Opening Width
4'8"	58-9/16"	59-5/16"	4'8"	58-13/16"	59-9/16"	7'0"	88"	88-3/4"
5'0"	62-9/16"	63-5/16"	5'0"	62-13/16"	63-9/16"	7'6"	94"	94-3/4"
5'4"	66-9/16"	67-5/16"	5'4"	66-13/16"	67-9/16"	8'0"	100"	100-3/4"
5'8"	70-9/16"	71-5/16"	5'8"	70-13/16"	71-9/16"	8'6"	106"	106-3/4"
6'0"	74-9/16"	75-5/16"	6'0"	74-13/16"	75-9/16"	9'0"	112"	112-3/4"

Continuous Single with One Venting Sidelite Wide Mull Post			Continuous Single with Two Venting Sidelites Wide Mull Post			Continuous Double with Two Venting Sidelites 7/8" Astragal, Wide Mull Post		
Description	Unit Size Width	Rough Opening Width	Description	Unit Size Width	Rough Opening Width	Description	Unit Size Width	Rough Opening Width
2'6" w/1 12" s/l	45-3/8"	46-1/8"	3'0" w/2 12" s/l	65-1/16"	65-13/16"	5'0" w/2 12" s/l	90"	90-3/4"
2'6" w/1 14" s/l	47-3/8"	48-1/8"	3'0" w/2 14" s/l	69-1/16"	69-13/16"	5'0" w/2 14" s/l	94"	94-3/4"
2'8" w/1 12" s/l	47-3/8"	48-1/8"	Other sizes are available special order, contact Reeb for details			5'4" w/2 12" s/l	94"	94-3/4"
2'8" w/1 14" s/l	49-3/8"	50-1/8"				5'4" w/2 14" s/l	98"	98-3/4"
2'10" w/1 12" s/l	49-3/8"	50-1/8"	Note: 8/0 venting sidelites are only available in 14" width.			5'8" w/2 12" s/l	98"	98-3/4"
2'10" w/1 14" s/l	51-3/8"	52-1/8"				5'8" w/2 14" s/l	102"	102-3/4"
3'0" w/1 12" s/l	51-3/8"	52-1/8"				6'0" w/2 12" s/l	102"	102-3/4"
3'0" w/1 14" s/l	53-3/8"	54-1/8"				6'0" w/2 14" s/l	106"	106-3/4"

### Dimension Adders

Rough Opening (the opening in a standard wall): add 3/4" to the Unit Width and 1/2" to the Unit Height

Brickmould Dimension (from edge of brickmould to edge of brickmould): add 2-1/2" to the Unit Width and 1-1/4" to the Unit Height

Masonry Opening (the opening in a masonry wall): add 3" to the Unit Width and 1-1/2" to the Unit Height

Boxed Unit Rough Opening (individual units mulled together): Add each unit dimensions then add 3/4" to the Width and 1/2" to the Height

Transoms (glass component on top of the unit): Add door unit dimension and transom unit dimension, then add Rough Opening Adder

# Unit Dimensions & Rough Openings

## OUTSWING UNITS

### Height

For a 6'8" unit, the height of the unit is dependent on the sill used.

Adjustable Composite Sill (Standard): Unit Size Height - 81-3/16", Rough Opening Height - 81-11/16"

Public Access Sill: Unit Size Height - 81", Rough Opening Height - 81-1/2"

Outswing Bumper Sill: Unit Size Height - 80-5/8", Rough Opening Height - 81-1/8"

7/4 Outswing Wood Sill: Unit Size Height - 82", Rough Opening Height - 82-1/2"

Note: All doors are 6'8" in height. To find the unit size or rough opening for other heights, please add or subtract the following:

6'6" doors: deduct 2" from the height

7'0" doors: add 4" to the height.

8'0" doors: add 16" to the height.

### Width

The width of the unit is dependent on the configuration. Choose the configuration type of your unit and then the door size to find your unit size and rough opening widths.

Single Unit		
Description	Unit Size Width	Rough Opening Width
10" sidelite	11-1/2"	12-1/4"
12" sidelite	13-1/2"	14-1/4"
14" sidelite	15-1/2"	16-1/4"
2'0"	25-5/8"	26-3/8"
2'4"	29-5/8"	30-3/8"
2'6"	31-5/8"	32-3/8"
2'8"	33-5/8"	34-3/8"
2'10"	35-5/8"	36-3/8"
3'0"	37-5/8"	38-3/8"
3'6"	43-5/8"	44-3/8"

Double Door 7/8" Astragal		
Description	Unit Size Width	Rough Opening Width
4'8"	58-9/16"	59-5/16"
5'0"	62-9/16"	63-5/16"
5'4"	66-9/16"	67-5/16"
5'8"	70-9/16"	71-5/16"
6'0"	74-9/16"	75-5/16"

Continuous Single Unit with One Sidelite Standard Mull Post		
Description	Unit Size Width	Rough Opening Width
3'0" w/ 10" s/l	48-5/8"	49-3/8"
3'0" w/ 12" s/l	50-5/8"	51-3/8"
3'0" w/ 14" s/l	52-5/8"	53-3/8"

Continuous Single Unit with Two Sidelites Standard Mull Post		
Description	Unit Size Width	Rough Opening Width
3'0" w/ 10" s/l	59-5/8"	60-3/8"
3'0" w/ 12" s/l	63-5/8"	64-3/8"
3'0" w/ 14" s/l	67-5/8"	68-3/8"

Patio Door Standard Mull Post		
Description	Unit Size Width	Rough Opening Width
4'8"	58-13/16"	59-9/16"
5'0"	62-13/16"	63-9/16"
5'4"	66-13/16"	67-9/16"
5'8"	70-13/16"	71-9/16"
6'0"	74-13/16"	75-9/16"

Triple Patio Door Standard Mull Post		
Description	Unit Size Width	Rough Opening Width
7'0"	88"	88-3/4"
7'6"	94"	94-3/4"
8'0"	100"	100-3/4"
8'6"	106"	106-3/4"
9'0"	112"	112-3/4"

### Dimension Adders

Rough Opening (the opening in a standard wall): add 3/4" to the Unit Width and 1/2" to the Unit Height

Brickmould Dimension (from edge of brickmould to edge of brickmould): add 3" to the Unit Width and 1-1/2" to the Unit Height

Masonry Opening (the opening in a masonry wall): add 3-1/2" to the Unit Width and 1-3/4" to the Unit Height

Boxed Unit Rough Opening (individual units mull together): Add each unit dimensions then add 3/4" to the Width and 1/2" to the Height

Transoms (glass component on top of the unit): Add door unit dimension and transom unit dimension, then add Rough Opening Adder



# Care & Finishing

Your Reeb® Wood door has been handcrafted to last for years to come. And like any piece of fine furniture, it needs proper finishing and periodic maintenance to keep it performing at its best. For a long-lasting, beautiful Reeb Wood door, please follow the instructions as outlined in the appropriate section below. Failure to follow Reeb's care & finishing recommendations will void the door's warranty.

## EXPOSURE

Direct exposure to sun and weather decreases the durability of finishes. When finishes break down moisture will penetrate the wood and swelling, checking, etc. occurs. Wood doors will perform well and last as long as the wood is protected from moisture. An adequate overhang is needed to protect your door from the elements. The length of the overhang is calculated as one half of the distance from the bottom of the door to the base of the overhang. For severe climates whether wet or dry, the overhang should be equal to the distance from the bottom of the door to the base of the overhang.

## HANDLING

1. Protect doors from abuse and mishandling. Take special care with glass.
2. Avoid dragging doors across one another and keep doors clean.
3. Store flat on a level surface in a dry, well ventilated building.
4. Doors should be conditioned to average prevailing relative humidity of the locality before hanging.
5. Doors should not be subjected to extreme or rapid changes in heat or humidity. Avoid sudden changes such as forced heat to dry out a building.
6. If the doors are to be stored on the job site, all surfaces including ends and edges must be sealed with an effective quality oil-base sealer in order to prevent undue moisture absorption. Oil base primers are not sealants.

## PREPARATION FOR FINISHING

1. Before applying the first coat of finish, sand the entire surface lightly with 5/0 sandpaper (180 grit). This is to remove fingerprints and handling marks.
2. Adjust or align components if necessary before finishing. Wood panels "float" and may be knocked into alignment with a wood block and hammer. Be careful not to damage door. Remove excess glazing compound with an awl.
3. After sanding, clean the door thoroughly with a tack cloth to remove all dust or foreign material. However, avoid using caustic or abrasive cleaners.
4. Doors must be properly sealed prior to installation of hardware and exposure to moisture or weather. Properly finish door immediately before prolonged storage.
5. All surfaces of the door must be properly finished. The edges (top, bottom and sides) should be coated with each and every coat of finish that is applied to the exterior surface of the door. Doors must be dry before finishing.
6. On doors that are glazed with clear glass, the finish used should be flowed from the wood slightly onto the glass. This will provide protection against water leakage and help keep the glazing compound ("putty") from drying out.

Note: It is the finisher's responsibility to protect glass prior to and during finishing. If using tape, conduct a test of the tape being used on a small area of the glass before applying to a large surface. After finishing, remove the tape as soon as possible.

7. On doors that have plastic film protection on glass, removal of plastic film protection immediately after applying the finish is required. Failure to remove the plastic film at this time may cause harm to the glass and will create difficulty in removing the film at a later time. Do not use razor blades or sharp objects to remove the film or clean the glass. These items will scratch the glass.

## EXTERIOR FINISHING

### Stain-and-Clear Finish

Apply a good quality stain controller to the surface of the door carefully following the manufacturers instructions.

The second and third coats (two top coats minimum) may be a solvent-borne (oil base,alkyd resin-base, polyurethane resin-base), a water-borne (latex resin-base) clear finish or an exterior "Long" oil such as Daly's SeaFin Teak oil.

Note: Do not sand between coats of clear latex. All stain-and-clear finishes will perform measurably better if protected from the direct effects of sunlight and weathering, and refinishing will not be required as frequently.

### Paint Finish

Either oil-base or latex resin-base exterior grade paints may be used with success on panel doors. Oil-base paints offer more resistance to the passage of water (liquid and vapor) than latex resin-base paints, but the latter have better durability and color retention.

Doors should be sealed with a good quality oil-base primer followed by two top coats of either an oil-base or latex resin-base paint. Of course, both primer and top coat should be made by the same manufacturer and be designed to be used as a combination.

Note: Where possible exposure to direct sun or rain is a factor and to keep your wood doors beautiful, they require periodic resealing or painting dependent on weather or moisture exposure. Dark colored stains or paint is not recommended on doors exposed to sunlight, as some expansion and contraction of door parts may occur.

**CAUTION:** Neither Reeb nor its manufacturers can evaluate all the available paints and stains, nor the customers' specific application requirements. Your paint dealer should know of suitable finish systems that give satisfactory results in your region. It is highly recommended that top quality finishes be selected, and the application instructions on the container be followed explicitly.

### High Exposure Finishing

1. Use an oil-base primer followed by at least three top coats of oil or latex-based paint on the exterior. Latex is more durable and has better color retention.
2. Use a silicone or caulking bead (must be compatible with paint) around the perimeter of each glass pane. This will seal the putty and prevent any moisture from running directly into the door. Seal at all cope joints.
3. Ensure all finish coats are allowed to flow into the glass area at least 1/16".
4. Ensure all coatings that go on the surface of the door are also applied to the top and bottom. Coat all six sides of every door, or your warranty will be voided.
5. Silicone the door bottom sweep onto the bottom of the door and apply a surface mount drip cap to the bottom of each door to allow for moisture runoff onto the sill. This is currently available from Reeb.
6. For outswing units: prior to finishing the top of the inactive door, be sure to fill the mortise pocket around the flush bolt prep with silicone or caulking. Moisture has a history of pooling up in this area on outswing units. Consider a thin layer of metal across the top of the door to keep moisture from direct contact with the wood.
7. Storm or screen doors may be mandatory to completely eliminate moisture problems. Storm doors must be vented to eliminate temperature build-up.

### Paint Finish Specifics


1. Bridge" finish from face of door to moulding, ensuring there is no gap between moulding and surface of the door.
2. "Bridge" finish as noted above on inside of panel area where moulding meets panel and/or glass.
3. Ensure all moulding miters are well-coated, leaving no gaps.



**REEB**  
LEARNING CENTER

A learning center for everything door related.

Visit the Reeb® Learning Center for education on choosing the proper door unit, new products, and what product options are available. Visit the Reeb Learning Center at [learn.reeb.com](http://learn.reeb.com).



### Online Exterior Style & Rail Catalog

For an interactive format of this catalog, please visit [reeb.com/catalogs](http://reeb.com/catalogs)



### Reeb® Warranty Information

View product warranties at [reeb.com/warranties](http://reeb.com/warranties)



**■ Bethlehem, PA**  
1000 Maloney Circle  
Bethlehem, PA 18015  
(800) 862-8622 voice  
(800) 772-7332 fax

**■ Barclay, MD**  
1315 Goldsboro Rd.  
Barclay, MD 21607  
(800) 825-8331 voice  
(800) 331-9387 fax

**■ Mocksville, NC**  
346 Bethel Church Rd.  
Mocksville, NC 27028  
(800) 642-0886 voice  
(800) 618-0620 fax

**■ Providence, RI**  
19 Business Park Dr.  
Smithfield, RI 02917  
(800) 343-5703 voice  
(800) 388-5979 fax

**■ Syracuse, NY**  
7475 Henry Clay Blvd.  
Liverpool, NY 13088  
(800) 422-5224 voice  
(800) 531-7332 fax



PART# REEBEXT19  
VERSION 1.1.0