

**Mop Plate**  
Up to 6" h x 48" w

**Kick Plate**  
6" to 12" h x 48" w

**Stretcher Plate**  
6" to 12" h and up to 48" w

**Armor Plate**  
Up to 48" h x 48" w and available in most finishes

**OPTIONAL Self-Drilling TEK Screws:** Cuts door plate installation time in half.

#### Width of Plates:

Push Side: 2" less than door width.

Pull Side: 1½" less than door width.

#### NFPA 80 STANDARDS — 2-4.5 Protection Plates:

Factory-installed protection plates shall be installed in accordance with the listing of the door. Field-installed protection plates shall be labeled and installed in accordance with their listing.

Exception: Labeling is not required where the top of the protection plate is not more than 16" (406 mm) above the bottom of the door.

## Metal Door Plate – Economy Duty No. K1038

**Material:** .038" aluminum, stainless steel

**Finishes:** US32D

**Fastener:** #6 x 5/8" OH SMS

**Ordering:** Specify height x width x finish code. Add any options

**Weight:** 8" x 34" = 3.2 lbs

- Options:**
- SA – self-adhesive mounting
  - TORX – security Torx screws
  - TEK – self-drilling screws
  - Cutouts for locks, louvers, or windows (see worksheets on pages C14-C15 for details on how to order)

## Metal Door Plate - Standard Duty No. K1050

**Material:** .050" Stainless Steel

**Finishes:** US32D

**Fastener:** #6 x 5/8" OH SMS

**Ordering:** **Size** **High** **Width**

8x34BEV.32D 8" 34"

10x34BEV.32D 10" 34"

34x34BEV.32D 34" 34"

- Options:**
- Beveled Edge and Counter Sink included
  - One day shipping available
  - Door markings are not available on quick ship

## Metal Door Plate – Standard Duty No. K1050, K1050F

**Material:** .050" aluminum, brass, bronze, stainless steel

**Finishes:** US10BE, US32D, US32DMS

**Fastener:** #6 x 5/8" OH SMS

**Ordering:** Specify height x width x finish code. Add any options

**Weight:** 8" x 34" = 4.0 lbs

**ANSI:** J101 - metal armor plate, J102 - metal kick plate, J103 - metal stretcher & mop plate

- Options:**
- SA – self-adhesive mounting
  - TEK – self-drilling screws
  - Beveled 3 or 4 edges, specify B3E or B4E
  - Cutouts for locks, louvers, or windows (see worksheets on pages C14-C15 for details on how to order)
  - Heavy bevel available, specify HVBEV
  - Screw mounting (K1050F) and UL listed for use on 90-minute label wood doors and 3-hour label metal doors
  - CSK – countersunk holes
  - TORX – security Torx screws

## Windstorm Plate – K1050WS

**Material:** .050" Aluminium, Brass, Bronze, Stainless Steel

**Finishes:** Standard Architectural Finishes

**Fastener:** #10x5/8" Pan Head Tek Screws

**Ordering:** Part # when ordering is K1050WS

All plates are UL and Windstorm rated

- Options:**
- Cutouts for locks, louvers or windows
  - Rounded Corners
  - Heavy Bevel
  - Screw Mount only
- Certified to the below standards:
- ICC-500 (2014)
  - FEMA Guideline 320 (2014)
  - FEMA Guideline 361 (2015)
- Part of windstorm assembly cards: ZHLA.45, ZHLA.46, ZHLA.47, ZHLA.51, ZHLA.53, ZHLA.54

800-458-2424 | [www.assaabloydooraccessories.us](http://www.assaabloydooraccessories.us)

Check the web site for the up-to-date catalog

Copyright © 2012-2018, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

**ASSA ABLOY**

The global leader in  
door opening solutions

## Shaped Metal Door Plates – Standard Duty No. K1050-1 thru K1050-8

**Material:** .050" stainless steel

**Finishes:** US32, US32D, US32DMS

**Fastener:** #6 x <sup>5</sup>/<sub>8</sub>" OH SMS


**Ordering:** Specify height x width x finish code. Add any options

**Weight:** 8" x 34" = 4.0 lbs


**ANSI:** J101 – metal armor plate, J102 - metal kick plate, J103 - metal stretcher & mop plate

- Options:**
- TEK – self-drilling screws
  - CSK – countersunk holes
  - Cutouts for locks, louvers, or windows (see worksheets on pages C14-C15 for details on how to order)
  - TORX – security Torx screws
  - Screw mounting (K1050F) and UL listed for use on 90-minute label wood doors and 3-hour label metal doors
  - Any design is possible. Submit your drawings for a custom quote


No. K1050-1




No. K1050-2




No. K1050-3




No. K1050-4




No. K1050-5




No. K1050-6



No. K1050-7



No. K1050-8



**ASSA ABLOY**

The global leader in  
door opening solutions

800-458-2424 | [www.assaabloydooraccessories.us](http://www.assaabloydooraccessories.us)

Check the web site for the up-to-date catalog

Copyright © 2012-2018, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

## Shaped Metal Armor Plates - Standard Duty No. K1050A-1 thru K1050A-8

**Material:** .050" stainless steel

**Finishes:** US32, US32D, US32D**MS**

**Fastener:** #6 x  $\frac{5}{8}$ " OH SMS

**Ordering:** Specify height x width x finish code. Add any options


**Weight:** 36" x 34" = 18 lbs

**ANSI:** J101 – metal armor plate, J102 - metal kick plate, J103 - metal stretcher & mop plate


**Options:**

- TEK – self-drilling screws
- CSK – countersunk holes
- Cutouts for locks, louvers, or windows (see worksheets on pages C14-C15 for details on how to order)
- TORX – security Torx screws
- Screw mounting (K1050F) and UL listed for use on 90-minute label wood doors and 3-hour label metal doors
- Any design is possible. Submit your drawings for a custom quote


No. K1050A-1




No. K1050A-2




No. K1050A-3




No. K1050A-4




No. K1050A-5




No. K1050A-6




No. K1050A-7




No. K1050A-8




**Mop Plate**


Up to 6"h x 48"w

**Kick Plate**

6" to 12"h x 48"w

**Stretcher Plate**

6" to 12"h and up to 48"w

**Armor Plate**Up to 48"h x 48"w  
and available in  
most finishes**Width of Plates:**

Push side: 2" less than door width. Pull side: 1½" less than door width.

## Metal Door Plate – Heavy Duty No. K1062

**Material:** .062" stainless steel**Finishes:** US10BE, US32D, US32DMS**Fastener:** #6 x 5/8" OH SMS**Ordering:** Specify height x width x finish code. Add any options**Weight:** 8" x 34" = 5.0 lbs**ANSI:** J101 – metal armor plate, J102 – metal kick plate, J103 – metal stretcher & mop plate

- Options:**
- TEK – self-drilling screws
  - CSK – countersunk holes
  - Cutouts for locks, louvers, or windows (see worksheets on pages C14-C15 for details on how to order)
  - Beveled 3 or 4 edges, specify B3E or B4E
  - TORX – security Torx screws
  - Heavy bevel available, specify HVBEV

## Metal Door Plate – Extra Heavy Duty No. K1125

**Material:** .125" aluminum, brass, bronze, stainless steel**Finishes:** Available in standard architectural finishes, US32D316 (see page 9)**Fastener:** #6 x 5/8" OH SMS**Ordering:** Specify height x width x finish code. Add any options**Weight:** 8" x 34" = 10.0 lbs**ANSI:** J101 – metal armor plate, J102 – metal kick plate, J103 – metal stretcher & mop plate

- Options:**
- TEK – self-drilling screws
  - Beveled 3 or 4 edges, specify B3E or B4E (not applicable on Aluminum Diamond Plate)
  - Cutouts for locks, louvers, or windows (see worksheets on pages C14-C15 for details on how to order)
  - TORX – security Torx screws

## Metal Door Plate – Extra Heavy Duty Diamond Plate No. K1125 DIA

**Material:** .125" aluminum**Finishes:** Polished aluminum diamond plate (ALM DIA)**Fastener:** #6 x 5/8" OH SMS**Ordering:** Specify height x width x finish code. Add any options**Weight:** 8" x 34" = 10.0 lbs**ANSI:** J101 – metal armor plate, J102 – metal kick plate, J103 – metal stretcher & mop plate

- Options:**
- TEK – self-drilling screws
  - Cutouts for locks, louvers, or windows (see worksheets on pages C14-C15 for details on how to order)
  - TORX – security Torx screws



ALM DIA  
Polished Aluminum  
Diamond Plate

# ASSA ABLOY

The global leader in  
door opening solutions

800-458-2424 | [www.assaabloydooraccessories.us](http://www.assaabloydooraccessories.us)


Check the web site for the up-to-date catalog

Copyright © 2012-2018, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

## Metal Door Plate – Bulk Pack Kick Plates

- Material:** .050" stainless steel
- Finishes:** US32D
- Fastener:** #6 x  $\frac{5}{8}$ " OH SMS
- Ordering:** Specify Eco-friendly Bulk Pack or Shelf Pack, 10 kick plates per pack
- Weight:** 8" x 34" = 4.0 lbs
- ANSI:** J102 – metal kick plate
- Options:**
- Select 8" x 34" or 10" x 34" .
  - Eco-friendly Bulk Packs – Extra packaging has been eliminated, making it faster to unpack and install. Fasteners included.
  - Shelf Packs – Perfect for resale! Heavy duty packing material protects plates. Fasteners are attached to each package


## Plastic Door Plate - Heavy Duty No. K2060

- Material:** .060" Kydex® 160 PVC acrylic alloy plastic\*
- Finishes:** Beige #72005, calcutta black #52000, chocolate brown #72010, pewter gray #52001
- Fastener:** #6 x  $\frac{3}{4}$ " TH SMS
- Ordering:** Specify height x width x color. Add any options
- Weight:** 8" x 34" = 1.0 lbs
- ANSI:** J105 - plastic armor plate, J106 - plastic kick plate, J107 – plastic stretcher & mop plate
- Options:**
- Cutouts for locks, louvers, or windows (see worksheets on pages C14-C15 for details on how to order)
  - SA – self-adhesive mounting (K2060SA)
  - SA-F – self-adhesive mounting (K2060SA-F) and UL approved for use of 90-minute wood doors and 3-hour metal doors 


## Plastic Door Plate – Extra Heavy Duty No. K2125

- Material:** .125" Kydex® 160 PVC acrylic alloy plastic\*
- Finishes:** Beige #72005, calcutta black #52000, chocolate brown #72010, pewter gray #52001
- Fastener:** #6 x  $\frac{3}{4}$ " TH SMS
- Ordering:** Specify height x width x color. Add any options
- Weight:** 8" x 34" = 1.8 lbs
- ANSI:** J105 – plastic armor plate, J106 - plastic kick plate, J107 – plastic stretcher & mop plate
- Options:**
- Cutouts for locks, louvers, or windows (see worksheets on pages C14-C15 for details on how to order)
  - CSK – countersunk holes


\*Kydex 160 meets Class 1A building code ratings up to .060" thick.

**Mop Plate**


Up to 6"h x 48"w

**Kick Plate**

6" to 12" h x 48" w

**Stretcher Plate**

6" to 12" h and up to 48" w

**Armor Plate**

Up to 48" h x 48" w

Width of Plates:

Push side: 2" less than door width. Pull side: 1½" less than door width.

## Laminate Plastic Door Plate No. K3125

**Material:** .125" laminate plastic**Finishes:** Beige, black, brown, pewter gray, white**Fastener:** #6 x ¾" TH SMS**Ordering:** Specify height x width x finish code x color. Add any options**Weight:** 8" x 34" = 1.8 lbs**ANSI:** J105 – plastic armor plate, J106 - plastic kick plate, J107 – plastic stretcher & mop plate

**Options:**

- SA – self-adhesive mounting (K3125SA)
- Cutouts for locks, louvers, or windows (see worksheets on pages C14-C15 for details on how to order)
- CSK – countersunk holes

## Clear Plastic Door Plate No. K4125

**Material:** .125" clear plastic**Finishes:** Clear**Fastener:** #6 x ¾" TH SMS**Features:** Break and scratch resistant**Ordering:** Specify height x width. Add any options**Weight:** 8" x 34" = 1.5 lbs**ANSI:** J105 – plastic armor plate, J106 - plastic kick plate, J107 – plastic stretcher & mop plate

**Options:**

- Cutouts for locks, louvers, or windows (see worksheets on pages C14-C15 for details on how to order)
- CSK – countersunk holes


# ASSA ABLOY

The global leader in  
door opening solutions

800-458-2424 | [www.assaabloydooraccessories.us](http://www.assaabloydooraccessories.us)


Check the web site for the up-to-date catalog

Copyright © 2012-2018, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.




## One-Sided Angle Plate No. KB1150

- Material:** .050" aluminum, brass, bronze, stainless steel
- Finishes:** Available in standard architectural finishes (see page 9)
- Fastener:** #6 x  $\frac{5}{8}$ " FH/OH SMS
- Ordering:** Provide drawing specifying size, and square or bevel edge door
- 87 degrees - Pull side of beveled door
  - 90 degrees - Push/Pull side of square door
  - 93 degrees - Push side of beveled door
- Options:**
- Beveling, TORX – security Torx screws
  - TEK – self-drilling screws
  - Cutouts for hinges, flush bolts, and locks



## Two-Sided Angle Plate No. KB1151

- Material:** .050" aluminum, brass, bronze, stainless steel
- Finishes:** Available in standard architectural finishes (see page 9)
- Fastener:** #6 x  $\frac{5}{8}$ " FH/OH SMS
- Ordering:** Provide drawing specifying size, and square or bevel edge door
- Both 90 degree bends on push or pull side of square door
  - Both 93 degree bends on push side of beveled door
  - One 90 degree bend and One 93 degree bend on push side of beveled/square door
  - Both 87 degree bends on pull side beveled door
  - One 90 degree bend and One 87 degree bend on pull side of beveled/square door
- Options:**
- Beveling, TORX – security Torx screws
  - TEK – self-drilling screws
  - Cutouts for hinges, flush bolts, and locks



## Bottom Angle Plate No. KB1152

- Material:** .050" aluminum, brass, bronze, stainless steel
- Finishes:** Available in standard architectural finishes (see page 9)
- Fastener:** #6 x  $\frac{5}{8}$ " FH/OH SMS
- Ordering:** Provide drawing specifying size, and square or bevel edge door
- Always 90 degree bends
- Options:**
- Beveling, TORX – security Torx screws
  - TEK – self-drilling screws