



**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world


# ROCKWOOD

## West Coast Stocking Program

## Introduction

### The West Coast Stocking Program

In an effort to better serve you, we have expanded our collection of Rockwood Products immediately available through our Ventura, California warehouse. Our West Coast Stocking Program includes a wide range of door accessories including door stops, flush bolts, ladder style pulls, and custom size kick plates, in addition to many other popular products. In this catalog you will find all of the items we stock in California as well as their finishes. If you do not see a product or specific finish that you need in this catalog, be sure to reach out to us! We are happy to ship it to you from our Rockwood, Pennsylvania facility.



### Rockwood Custom Capabilities

If you are looking for a custom design, our Rockwood, PA facility is ready to assist. From custom machining to corporate identity personalization, our customer service team will quote your requirements and offer suggestions for best mounting applications. We take special pride in our custom products and work with you to create that show stopping, one of a kind design that greets everyone who opens your door. Visit the Custom Pull Library at [www.rockwoodmfg.com](http://www.rockwoodmfg.com) to view a sampling of custom pulls we have created or give us a call to discuss our custom capabilities!

### About Rockwood Products

Rockwood Manufacturing Company was founded in 1946 by the Gurzenda Family in rural southwestern Pennsylvania. Since then, our team has focused on the design and manufacture of quality builders' hardware for commercial, institutional and finer residential buildings. In 2008, Rockwood Manufacturing Company joined the ASSA ABLOY family. Now in our third generation of skilled craftsman in Rockwood, PA we continue to develop new products and processes that improve our offering. Strict attention to detail - from the selection of top-grade materials to the application of the finest finishes - results in tough, yet aesthetic products of the highest caliber. We are excited to grow our presence on the West Coast and even more excited to help you grow your business!

## LEED Certification Contribution

ASSA ABLOY can help to achieve prerequisites and accumulate points in several categories and credit areas of LEED. When you select a Rockwood stainless steel door pull for your LEED certified building project, you are using a product that is made from a minimum 75% post industrial waste and is 100% recyclable. Additionally these pulls can usually be refinished to their original appearance any time in the life of the building, eliminating the need for replacement when a renovation is conducted. For further information, please call 1 800 458 2424 or refer to our website [www.rockwoodmfg.com](http://www.rockwoodmfg.com)



ASSA ABLOY is a member of the USGBC and CaGBC

U.S. Green Building Council logo is a trademark owned by the U.S. Green Building Council and is used with permission.

**ROCKWOOD®**  
**ASSA ABLOY**

Experience a safer  
and more open world

800 458 2424 | [www.rockwoodmfg.com](http://www.rockwoodmfg.com)

Check the web site for the most up-to-date product information.

Copyright © 2019–2022, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## Sales & Support

### Sales

Rockwood Products are represented by a number of sales agencies as well as ASSA ABLOY Door Security Solutions representatives. To locate the representative for your area visit the Sales Representative map in the Contact Us area at [www.assaabloydooraccessories.us](http://www.assaabloydooraccessories.us), or call 1 800 458 2424.

### Ordering Information

Orders are accepted with the understanding that they will be billed at the prices in effect at time of shipment. Prices are subject to change without notice. We reserve the right to decline the whole or part of orders in which the price or quantity of goods is not acceptable to us.

### Easy Order Placement

Phone: 1 800 458 2424 Monday through Thursday, 8:00 am ET to 7:00 pm ET; Friday 8:00 am ET to 4:30 pm ET.

Fax: 1 800 922 9212

Email: [orders.rockwood@assaabloy.com](mailto:orders.rockwood@assaabloy.com)

Online: Architectural Door Accessories WebShop:

<https://accessories.assaabloy.com/Rockwood> Products on WebShop that are not available from the Ventura warehouse will ship separately from Pennsylvania.

Rockwood Architectural Products can be ordered through Phone, Fax, or Email.

### Technical Support

Do you have a question? Let us help. Customer Service Representatives are available Monday through Thursday, 8:00 am ET to 7:00 pm ET; Friday, 8:00 am ET to 4:30 pm ET at 1 800 458 2424.

Our website is available 24/7 with current catalogs, sell sheets and the most up-to-date templates. Visit [www.rockwoodmfg.com](http://www.rockwoodmfg.com)



## Terms & Conditions

### Terms and Conditions of Sale

Terms: 1% 15 days, net 30 days

Remit Payment To: PNC Bank/Rockwood,  
P.O. Box 644489, Pittsburgh, PA 15264-4489

### Freight Policy

All prices are F.O.B. Ventura, California or Rockwood, Pennsylvania. Full freight will be allowed on shipments of \$1750.00 net and over within the continental limits of the United States (Alaska and Hawaii \$2500.00 net and over). All shipments are routed the most cost effective route of our choice. We reserve the right to designate the carrier.

### Special Order Material

Special items made to your specifications are not returnable. These items are not subject to cancellation without consideration of expense involved at the cancellation date.

### Samples

Saleable samples will be charged at regular prices.

### Shortages

Claims for shortages must be made within 30 days of invoice date.

### Templates

Upon request we will furnish templates for any of our standard items of manufacture. Commonly used templates are available on our website at [www.rockwoodmfg.com](http://www.rockwoodmfg.com).

### BHMA/ANSI Specifications

We have listed ANSI cross-reference numbers throughout our website. The cross-reference can be relied on for design equivalence reference.

**ROCKWOOD®**  
**ASSA ABLOY**

Experience a safer  
and more open world

# Table of Contents

## ARCHITECTURAL

Door Pulls – MegaTek Series	5
Door Stops	5

## ACCESSORIES

Automatic & Combination Flush Bolts	14
Automatic Door Holders & Stops	10
BFM Series ADA Molded Signs	17
Bottom Fire Bolts	15
Catches	16
Coat Hooks	15
Coordinators	13
Door Guards & Privacy Latch	13
Door Knocker	15
Door Pulls	6
Door Silencers	13
Door Stops	10
Door Viewers	15
Dust Proof Strike	12
Edge Pull	8
Fillers Plates & Shims	16
Floor Mounted Door Stops	9
Heavy Duty Door Stops	10
Heavy Duty Hinge Pin Door Stop	11
Flush Pulls	8
Kick Down Door Stops	9
Kick Plates	17
Latch Protectors	16
Lever Extension Flush Bolts	11
Lite Kit	17
Offset Pulls	7
Pocket Pulls	8
Protector Bar	16
Pull Plates	6
Push Bar	7
Push Plates	6
Push & Pull Bar Set	7
Roller Latches	12
Roller Stop	9
Self Latching Flush Bolts with Bottom Fire Bolt	14
Small Pulls	7
Surface Bolts	12
Wall Stops	9



Experience a safer  
and more open world

800 458 2424 | [www.rockwoodmfg.com](http://www.rockwoodmfg.com)

Check the web site for the most up-to-date product information.

Copyright © 2019–2022, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.



# ARCHITECTURAL

## Door Pulls - MegaTek Series



RM3301

The simplicity of the MegaTek Series is an attribute that adds contemporary beauty to even standard entrance doors. The most popular sizes of post mount style door pulls are packed with mounting hardware for both 1<sup>3</sup>/<sub>4</sub>" wood/metal doors and 1<sup>1</sup>/<sub>2</sub>" glass doors.

No.	Material	Size	Finishes
RM3301BTB1224	Stainless Steel	12" CTC 24" Overall	32D
RM3301BTB2436	Stainless Steel	24" CTC 36" Overall	32D
RM3301BTB3648	Stainless Steel	36" CTC 48" Overall	32D
RM3301BTB4860	Stainless Steel	48" CTC 60" Overall	32D
RM3301BTB6072	Stainless Steel	60" CTC 72" Overall	32D
RM3301BTB7284	Stainless Steel	72" CTC 84" Overall	32D
RM3301BTB8496	Stainless Steel	84" CTC 96" Overall	32D

*Back to Back Mounting included for 1<sup>3</sup>/<sub>4</sub>" wood/metal or 1<sup>1</sup>/<sub>2</sub>" glass doors*

## Door Stops



RM850



RM851



RM860

Rockwood Architectural Door Stops feature a rubber bumper that stays resilient and colorfast. Floor or wall mounted styles are available and make a great addition to any door.

No.	Material	Base Size	Projection	Finishes
RM850	Brass, Stainless Steel	1 <sup>1</sup> / <sub>4</sub> "	1 <sup>1</sup> / <sub>2</sub> "	10B, 26, 26D, 32D
RM851	Stainless Steel	1 <sup>1</sup> / <sub>4</sub> "	2 <sup>1</sup> / <sub>2</sub> "	32D
RM860	Stainless Steel	1 <sup>5</sup> / <sub>8</sub> "	1 <sup>3</sup> / <sub>32</sub> "	32D

## Rockwood Architectural Pulls



Door pulls are the gateway into a building. Made with top-notch materials including various metals, leather, and wood, we offer a complete line of high-quality, durable pulls giving you plethora of options. Whether you're looking for drama or elegance, Rockwood Door Pulls can be highly customized, making your ideas come to life. Visit the Architectural and Custom Pull Library at [www.rockwoodmfg.com](http://www.rockwoodmfg.com) to view our extensive line of decorative door hardware.

**ROCKWOOD®**  
**ASSA ABLOY**

Experience a safer  
and more open world

## ACCESSORIES

### Push Plates



70C- RKW

Rockwood Push Plates are a standard .050" thick and meet ANSI 156.6 standards.

Push plates feature beveled edges and can be ordered with additional options. These include cylinder or thumbturn cutouts, rounded corners, and various mounting types such as Torx, Tek, or Standard Screws or Self Adhesive Mounting.

No.	Material	Size	Finishes
70B	Stainless Steel , Bronze, Aluminum	3 1/2" x 15"	10B, 28, 32D
70C-RKW	Stainless Steel, Brass, Bronze, Aluminum	4" x 16"	3, 10B, 26D, 28, 32D
70E	Stainless Steel	6" x 16"	32D
70F	Stainless Steel	8" x 16"	32D

### Pull Plates



107 x 70C



125 x 70C



122 x 70C



132 x 70C

Featured in Ventura, CA, our most popular Rockwood Pull Plates include .050" thick plate with a Rockwood Door Pull. These pull plates meet ANSI 156.6 standards and provide a distinct and durable element for your door. Additional options include cylinder or thumbturn cutouts, rounded corners, and various mounting types such as Torx, Tek, or Standard Screws or Self Adhesive Mounting.

No.	Material	Size	Finishes
102 x 70B	Stainless Steel	Pull: 5/8" Dia., CTC 5 1/2", Plate: 3 1/2" x 15"	32D
102 x 70C	Stainless Steel	Pull: 5/8" Dia., CTC 5 1/2", Plate: 4" x 16"	32D
105 x 70B	Stainless Steel	Pull: 3/4" Dia., CTC 5 1/2", Plate: 3 1/2" x 15"	32D
105 x 70C	Stainless Steel, Aluminum	Pull: 3/4" Dia., CTC 5 1/2", Plate: 4" x 16"	28, 32D
106 x 70B	Stainless Steel	Pull: 3/4" Dia., CTC 6", Plate: 3 1/2" x 15"	32D
106 x 70C	Stainless Steel, Bronze	Pull: 3/4" Dia., CTC 6", Plate: 4" x 16"	10B, 32D
107 x 70B	Stainless Steel	Pull: 3/4" Dia., CTC 8", Plate: 3 1/2" x 15"	32D
107 x 70C	Stainless Steel, Bronze	Pull: 3/4" Dia., CTC 8", Plate: 4" x 16"	10B, 32D
110 x 70C	Stainless Steel	Pull: 1" Dia., CTC 8", Plate: 4" x 16"	32D
111 x 70C	Stainless Steel	Pull: 1" Dia., CTC 10", Plate: 4" x 16"	32D
122 x 70C	Stainless Steel, Bronze	Pull: 3/8" x 1 1/4", CTC 6", Plate: 4" x 16"	10B, 32D
125 x 70C	Stainless Steel	Pull: 1" half round, CTC 6", Plate: 4" x 16"	32D
126 x 70C	Stainless Steel	Pull: 1" half round, CTC 8", Plate: 4" x 16"	32D
132 x 70B	Brass, Stainless Steel	Cast Pull: 5 1/2" CTC, Plate 3 1/2" x 15"	32D
132 x 70C	Brass, Stainless Steel	Cast Pull: 5 1/2" CTC, Plate 4" x 16"	32D
137 x 70B	Stainless Steel	Cast Pull: 5 1/2" CTC, Plate 3 1/2" x 15"	32D

### Door Pulls

These sturdy pulls will enhance the look of any door. Offered in various grips in our most popular finish, Rockwood Pulls conform to ANSI 156.6 standards.



110-RKW



122



132-RKW



137

No.	CTC	Material	Grip Size	Projection	Finishes
102-RKW	5 1/2"	Stainless Steel	5/8"	2 1/8"	32D
105	5 1/2"	Aluminum, Stainless Steel	3/4"	2 5/8"	28, 32D
106-RKW	6"	Stainless Steel	3/4"	2 5/8"	10B, 32D
107	8"	Stainless Steel	3/4"	2 5/8"	10B, 32D
110-RKW	8"	Stainless Steel	1"	3 1/2"	32D
111	10"	Stainless Steel	1"	3 1/2"	32D
122	6"	Stainless Steel	3/8" x 1 1/4"	2"	10B, 32D
123	8"	Stainless Steel	3/8" x 1 1/4"	2"	32D
125-RKW	6"	Stainless Steel	1" half round	2"	32D
126-RKW	8"	Stainless Steel	1" half round	2"	32D
132-RKW	5 1/2"	Stainless Steel	7/8" base	1 7/8"	32D
137	5 1/2"	Stainless Steel	5/8" x 1 1/4"	2"	32D

**ROCKWOOD®**  
**ASSA ABLOY**

Experience a safer  
and more open world

800 458 2424 | [www.rockwoodmfg.com](http://www.rockwoodmfg.com)

Check the web site for the most up-to-date product information.

Copyright © 2019–2022, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## ACCESSORIES

### Offset Pulls



BF157

Rockwood Offset Pulls come with a 2¼" clearance for enhanced ADA compliance and conform to ANSI 156.6 standards. Choose from a 10" or 12" center to center in your favorite finish.

No.	CTC	Material	Size	Projection	Finishes
BF157	10"	Aluminum, Stainless Steel	1" Dia.	3½"	28, 315, 32D
BF157BTB	10"	Aluminum	1" Dia.	3½"	28, 315
BF158	12"	Aluminum, Stainless Steel	1" Dia.	3½"	32D

### Push Bar



47-PB

The 1" diameter push bar includes concealed mounting and thru bolt mounting. Mount this push bar with a door pull tapped for ¼"-20 to make a push pull set.

No.	CTC	Material	Size	Projection	Finishes
47-PB	28" or 33"	Aluminum	1" Dia.	2¾"	28, 315, *32D

\*32D is only available in 33" CTC

### Push & Pull Bar Set



BF15747

Featuring an offset pull mounted with a push bar, the Rockwood Push and Pull Bar Sets cover both sides of your door.

No.	CTC	Material	Size	Pull Projection	Finishes
BF15747	Pull: 10"	Aluminum, Stainless Steel	1" Dia.	Pull: 3½"	28, 32D, 315
	Push: 33"			Push: 2¾"	

### Small Pulls



845



853

Small pulls provide a clean, contemporary look for cabinet or similar style doors.

No.	Material	Style	Size	Projection	Finishes
845	Aluminum	Utility Pull	1⅞" x 5⅞"	1½"	ALM
853	Brass, Stainless Steel	Wire Pull	⅝" Dia., CTC 4"	1¼"	26D, 32D

## ACCESSORIES

## Flush Pulls



Recessed flush pulls are designed for space-saving sliding or pocket doors. Choose from various shapes and sizes to get the desired look for the application. The 94C, 95A and 95B are concealed mounted by screws in the side wall of the recess cup area.

No.	Style	Material	Size	Grip Opening	Finishes
860	Flush Cup Pull	Stainless Steel	2 1/2" Dia.	2 1/16" Dia. Depth: 7/16"	32D
870	Wrought Flush Pull	Stainless Steel	1 3/8" x 3 3/16"	1 1/8" x 2 9/16" Depth: 15/32"	32D
872	Cast Flush Pull	Cast Brass	1 5/16" x 3 1/8"	1 1/16" x 2 15/16" Depth: 11/32"	26D
94	Flush Cup Pull	Stainless Steel	3 1/2" x 5"	1 3/4" x 3 1/8" Depth: 7/8"	32D
94BTB	Flush Cup Pull - Back to Back Set	Stainless Steel	3 1/2" x 5"	1 3/4" x 3 1/8" Depth: 1 3/4"	32D
94C	Flush Pull	Stainless Steel	3 1/2" x 5"	1 3/4" x 3 1/8" Depth: 7/8"	32D
95A	Flush Pull	Cast Brass	2 3/16" x 3 1/4"	7/8" x 2 7/16" Depth: 3/4"	26D
95B	Flush Pull	Cast Brass	2 11/16" x 4 3/16"	1 7/8" x 3 1/2" Depth: 3/4"	10B, 26D
BF97	Barrier Free Flush Pull	Stainless Steel	5" x 5"	2 1/2" x 3 1/2" Depth: 7/8"	32D


## Edge Pull



Designed for small pocket or sliding doors, the Rockwood 880 Edge Door Pull delivers a seamless and minimalist look.

No.	Description	Material	Size	Finishes
880	Cast Lever Edge Pull	Cast Brass	3/4" x 3 7/8"	26D

## Pocket Pulls



Rockwood Pocket Pulls are a simple solution for standard pocket doors. Choose the 891 with a turn piece lock and emergency release for an application where privacy is desired.

No.	Description	Material	Size	Finishes
890	Pocket Door Pull	Brass	2 1/2"w x 2 3/4"h	26D
891	Pocket Door Privacy Latch	Brass	2 1/2"w x 2 3/4"h	26D

**ROCKWOOD®**  
**ASSA ABLOY**

Experience a safer  
and more open world

800 458 2424 | [www.rockwoodmfg.com](http://www.rockwoodmfg.com)


Check the web site for the most up-to-date product information.

Copyright © 2019–2022, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.



## ACCESSORIES


### Wall Stops



Designed to protect your walls, these durable stops are simple to install.

No.	Bumper	Material	Size	Projection	Finishes
400	Convex	Cast Brass with Rubber Bumper	2 <sup>7</sup> / <sub>16</sub> " Dia.	1"	10B, 26D
403	Concave	Cast Brass with Rubber Bumper	2 <sup>7</sup> / <sub>16</sub> " Dia.	1"	10B, 26D
406	Convex	Wrought Brass / Stainless Steel with Rubber Bumper	2 <sup>1</sup> / <sub>2</sub> " Dia.	1"	10BE, 26, 26D, 32D
409	Concave	Wrought Brass / Stainless Steel with Rubber Bumper	2 <sup>1</sup> / <sub>2</sub> " Dia.	1"	3, 4, 10, 10BE, 26, 26D, 32D
412	Convex	Cast Brass with Rubber Bumper	2 <sup>7</sup> / <sub>16</sub> " Dia.	1"	26D
415	Convex	Cast Brass with Rubber Bumper	4" Dia.	3/ <sub>4</sub> "	26D
430-RKW	Convex	Solid Brass with Rubber Bumper	1" Dia.	7/ <sub>16</sub> "	26D

### Floor Mounted Door Stops



These floor mounted stops are made from solid brass and feature a rubber Bumper. Various options allow for ample choice and a best fit for the opening.

No.	Material	Base Size	Height	Finishes
440	Solid Cast Brass with Rubber Bumper	1/ <sub>4</sub> " h x 1 <sup>7</sup> / <sub>8</sub> " Dia.	1 <sup>1</sup> / <sub>8</sub> "	10B, 26D
441	Solid Cast Brass with Rubber Bumper	1/ <sub>4</sub> " h x 1 <sup>7</sup> / <sub>8</sub> " Dia.	1 <sup>1</sup> / <sub>8</sub> "	10B, 26D
*441CU	Solid Cast Brass with Rubber Bumper	1/ <sub>4</sub> " h x 1 <sup>7</sup> / <sub>8</sub> " Dia.	1 <sup>1</sup> / <sub>8</sub> " or 1 <sup>1</sup> / <sub>2</sub> "	26D
441H	Solid Cast Brass with Rubber Bumper	7/ <sub>32</sub> " h x 1 <sup>7</sup> / <sub>8</sub> " Dia.	1 <sup>11</sup> / <sub>16</sub> "	10B, 26D
442	Solid Cast Brass with Rubber Bumper	1/ <sub>2</sub> " h x 1 <sup>7</sup> / <sub>8</sub> " Dia.	1 <sup>1</sup> / <sub>2</sub> "	10B, 26D
443	Solid Cast Brass with Rubber Bumper	1/ <sub>2</sub> " h x 1 <sup>7</sup> / <sub>8</sub> " Dia.	1 <sup>5</sup> / <sub>16</sub> "	10B, 26D
444	Solid Cast Brass	3/ <sub>8</sub> " h x 1 <sup>3</sup> / <sub>4</sub> " Dia.	3/ <sub>8</sub> "	10B, 26D
445	Solid Cast Brass with Rubber Bumper	2" x 4"	1 <sup>1</sup> / <sub>8</sub> "	26D
445H	Solid Cast Brass with Rubber Bumper	2" x 4"	1 <sup>11</sup> / <sub>16</sub> "	26D
446	Solid Cast Brass with Rubber Bumper	1 <sup>1</sup> / <sub>4</sub> " Dia.	1 <sup>1</sup> / <sub>2</sub> "	10B, 26, 26D, 32D

*\*Dome Stop Combination Unit*

### Roller Stop



Designed to prevent interfering doors from damaging each other.

No.	Material	Base Size	Projection	Finishes
455	Solid Cast Brass with Rubber Bumper	1 <sup>5</sup> / <sub>8</sub> " x 2 <sup>1</sup> / <sub>4</sub> "	2 <sup>3</sup> / <sub>4</sub> "	26D

### Kick Down Door Stops



Rockwood Kick Down Door Stops provide a reliable grip on the floor and are built to withstand demanding daily use.

No.	Material	Base Size	Projection	Finishes
459	Solid Cast Brass with Rubber Bumper	1 <sup>3</sup> / <sub>8</sub> " x 5 <sup>5</sup> / <sub>8</sub> "	1 <sup>7</sup> / <sub>8</sub> "	26D
460	Solid Cast Aluminum with Rubber Bumper	2 <sup>1</sup> / <sub>16</sub> " x 1 <sup>3</sup> / <sub>8</sub> "	4"	ALM
461	Solid Cast Brass with Rubber Bumper	2 <sup>1</sup> / <sub>4</sub> " x 1 <sup>1</sup> / <sub>4</sub> "	3 <sup>5</sup> / <sub>8</sub> "	26D
461L	Solid Cast Brass with Rubber Bumper	2 <sup>1</sup> / <sub>4</sub> " x 1 <sup>1</sup> / <sub>4</sub> "	5"	3, 10B, 26D

**ROCKWOOD®**  
**ASSA ABLOY**

Experience a safer  
and more open world

## ACCESSORIES


### Heavy Duty Door Stops



Specially designed for use in rugged situations and security areas, Rockwood Heavy Duty Door Stops feature a resilient bumper that is fire retardant as indicated.

No.	Material	Size	Height	Finishes
462	Flame Resistant Molded Rubber Bumper	2" Dia.	1½"	2C
463-RKW	Flame Resistant Molded Rubber Bumper	2" Dia.	1¾"	32D
464-RKW	Cast Brass and Black Rubber Bumper	3¼" Dia.	3"	26D
466-RKW	Flame Resistant Molded Rubber Bumper	2" Dia.	1½"	Black
467-RKW	Flame Resistant Molded Rubber Bumper	2" Dia.	3½"	Black

### Door Stops



Our clean design and solid casting make these Rockwood door stops a decorative and functional alternative to other styles of stops.

No.	Material	Base Size	Height	Finishes
470-471	Cast Brass with Rubber Bumper	2½" Dia.	3"	26D
472-473	Cast Brass with Rubber Bumper	2½" Dia.	3¾"	26D
474	Cast Brass with Rubber Bumper	2¼" Dia.	3¾" Proj.	26D
476	Cast Brass with Rubber Bumper	2¼" Dia.	3¾"	26D
481	Cast Brass with Rubber Bumper	2½" x 1¾"	1⅝"	26D
481H	Cast Brass with Rubber Bumper	2½" x 1¾"	2¼"	26D
482	Cast Brass with Rubber Bumper	1½" x 2½"	2⅞"	26D
483	Cast Brass with Rubber Bumper	1⅝" x 2⅝"	2¾"	26D
485	Cast Brass with Rubber Bumper	1⅝" x 2⅝"	3"	26D
518	Cast Brass with Rubber Bumper	1½" Dia.	3¾" Proj.	26D
519	Cast Brass with Rubber Bumper	1¼" Dia.	3¼" Proj.	10B, 26D
525	Spring Steel	1" Dia.	3" Proj.	NP
526	Spring Steel	1" Dia.	4" Proj.	NP

### Automatic Door Holders & Stops



Rockwood Automatic Door Holders and Stops are designed for use in commercial buildings where it is desirable to hold a door open on a frequent basis.

No.	Clearance	Material	Size	Finishes
491	½" or less door-to-floor	Cast Brass	Holder base: 3"w x 3⅜"h Holder projection: 2⅞" Strike base: 4"w x 2"h Strike projection: 1¼"h	26D
494	3¾" wall-to-door	Cast Brass	Holder base: 3"w x 3⅜"h Holder projection: 2⅞" Strike base: 2"w x 3"h Strike projection: 3¼"h	26D

**ROCKWOOD®**  
**ASSA ABLOY**

Experience a safer  
and more open world

800 458 2424 | [www.rockwoodmfg.com](http://www.rockwoodmfg.com)

Check the web site for the most up-to-date product information.

Copyright © 2019–2022, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## ACCESSORIES

### Heavy Duty Hinge Pin Door Stop



528

Installation of the Rockwood Heavy Duty Hinge Pin Door Stop eliminates the need to drill into the wall or baseboard to accommodate a door stop. This hinge pin door stop can be used with  $\frac{1}{4}$ " or  $\frac{5}{16}$ " hinge pins.

No.	Material	Door Opening Adjustment	Finishes
528	Wrought Steel	70° - 100°	ANT, NP

### Lever Extension Flush Bolts



550

Smooth acting with sturdy construction. The Rockwood Lever Extension Flush Bolt line features options for metal and wood doors.

#### FEATURES:

- For Fire Rated Hollow Metal Swinging Doors measuring up to 4'w x 10'h rated up to and including 3 hours
- $\frac{3}{4}$ " bolt throw,  $\frac{3}{4}$ " rod backset
- 12" rod length (center of face to bolt end - retracted)
- $1\frac{1}{2}$ " adjustable bolt head

No.	Material	Size	Finishes
550	Brass	Face Plate: $1\frac{1}{4}$ " x $6\frac{3}{4}$ " Strike: $\frac{15}{16}$ " x $2\frac{1}{4}$ " Guide: 1"x 2"	26D



555

#### FEATURES:

- For Fire Rated Hollow Metal Swinging Doors measuring up to 4'w x 10'h rated up to and including 3 hours
- Fits ANSI A115 door and frame preparation
- $\frac{3}{4}$ " bolt throw,  $\frac{3}{4}$ " rod backset
- 12" rod length (center of face to bolt end - retracted)
- $1\frac{1}{2}$ " adjustable bolt head

No.	Material	Size	Finishes
555	Brass	Face Plate: 1" x $6\frac{3}{4}$ " Strike: $\frac{15}{16}$ " x $2\frac{1}{4}$ " Guide: 1"x 2"	10B, 26D
555ROD24	Brass	24" Rod for 555 only	



557

#### FEATURES:

- For Fire Rated Plastic & Wood Covered Doors measuring up to 4'w x 10'h rated up to and including  $1\frac{1}{2}$ " hours
- $\frac{3}{4}$ " bolt throw,  $\frac{3}{4}$ " backset; door strength maintained by corner reinforcing plate

No.	Material	Size	Finishes
557	Cast Brass	Face Plate: 1" x $6\frac{3}{4}$ " Strike: $\frac{15}{16}$ " x $2\frac{1}{4}$ "	26D

## ACCESSORIES

### Dust Proof Strike



570

Designed to work with Rockwood Manual or Automatic Flush Bolts. Use of these strikes eliminates the problem of floor strikes being clogged with dirt and debris. The removable faceplate enables use with thresholds while its adjustable height provides for use in carpeted areas.

No.	Material	Size	Finishes
570	Brass	Face Plate: 1 <sup>3</sup> / <sub>8</sub> " x 2 <sup>7</sup> / <sub>8</sub> " Barrel Size: 7/ <sub>8</sub> " Dia. x 2" depth	10B, 26, 26D

### Surface Bolts



580-8

Providing additional ways to secure a door, the Rockwood Surface Bolts come in bolt length options of 4" or 8".

#### FEATURES:

- UL listed for use on inactive leaf of a pair of 3 hour labeled fire doors
- Includes a universal top strike and a mortise bottom strike

No.	Material	Size	Finishes
580-8	Steel , Stainless Steel	Bolt Length: 8" Bolt Throw: 1 <sup>1</sup> / <sub>8</sub> "	10B, 26D, 32D



630-4

#### FEATURES:

- Unique fiber gasket provides slide resistance without marring surface of bolt
- Supplied with universal and mortise strike

No.	Material	Size	Finishes
630-4	Solid Brass	Overall Size: 1 <sup>5</sup> / <sub>8</sub> " x 4 <sup>3</sup> / <sub>8</sub> " Bolt Size: 5/ <sub>8</sub> " half round Bolt Length: 4" Bolt Throw: 9/ <sub>16</sub> " Knob: 1" Dia.	26D

### Roller Latches



590



591



592



593



594

These roller latches have a variety of strikes to suit several different conditions. The latches feature heavy duty springs and solid nylon rollers for long life. They are adjustable to compensate for varying door to jamb clearance.

No.	Material	Size	Finishes
590	Cast Brass	Latch Face: 1" x 3 <sup>3</sup> / <sub>8</sub> " Strike: 1 <sup>1</sup> / <sub>16</sub> " x 2 <sup>1</sup> / <sub>4</sub> "	10B, 26D
591	Cast Brass	Latch Face: 1" x 3 <sup>3</sup> / <sub>8</sub> " Strike: 1 <sup>1</sup> / <sub>4</sub> " x 4 <sup>7</sup> / <sub>8</sub> "	26D
592	Cast Brass	Latch Face: 1" x 3 <sup>3</sup> / <sub>8</sub> " Strike: 1 <sup>1</sup> / <sub>8</sub> " x 2 <sup>3</sup> / <sub>4</sub> "	26D
593	Cast Brass	Latch Face: 1 <sup>1</sup> / <sub>2</sub> " x 4 <sup>1</sup> / <sub>2</sub> " Strike: 1 <sup>1</sup> / <sub>8</sub> " x 2 <sup>1</sup> / <sub>4</sub> "	26D
594	Cast Brass	Latch Face: 1 <sup>1</sup> / <sub>8</sub> " x 2 <sup>1</sup> / <sub>4</sub> " Strike: 1 <sup>1</sup> / <sub>8</sub> " x 2 <sup>3</sup> / <sub>4</sub> "	26D

**ROCKWOOD®**  
**ASSA ABLOY**

Experience a safer  
and more open world


800 458 2424 | [www.rockwoodmfg.com](http://www.rockwoodmfg.com)

Check the web site for the most up-to-date product information.

Copyright © 2019–2022, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## ACCESSORIES

### Door Guards & Privacy Latch



Our Door Guards and Privacy Latch are designed to enhance privacy and the feeling of safety and security in hotels, residences, dorm rooms and more.

No.	Material	Size	Finishes
603	Cast Aluminum	Body: $29/32$ " x $2\frac{1}{2}$ " Strike: $31/32$ " x $2\frac{1}{2}$ "	CRM, DCRM
604	Cast Brass	Body: $1\frac{1}{16}$ " x $2\frac{9}{16}$ " Strike: $1\frac{5}{8}$ " x $1\frac{1}{16}$ "	10B, 26, 26D
PDLAA	Zinc Die Cast	$1\frac{1}{2}$ " x $2\frac{3}{16}$ "	26D

The 605 Edge Guard is designed to protect the door or frame from marring when used in conjunction with a 603 or 604 Door Guard.

No.	Material	Size	Finishes
605	Brass, Stainless Steel	$1\frac{1}{8}$ " x 1" x $\frac{1}{2}$ " return	10B, 26D, 32D

### Door Silencers



Rubber door silencers for wood and metal doors.

No.	Size	Pack Size	Finishes
608CA	$\frac{3}{8}$ " Dia. x $\frac{1}{8}$ "	300	Clear Rubber
608- RKW	$\frac{1}{2}$ " Dia. x $\frac{5}{8}$ "	100	Gray Rubber
609	$\frac{3}{8}$ " x $\frac{3}{4}$ "	100	Gray Rubber

### Coordinators



Rockwood Coordinators are designed to meet your various needs. The Rockwood 2600 Series is designed to become an integral part of the door frame, when painted with the frame it becomes virtually invisible. The Rockwood 1700 manages the operation of a pair of doors ensuring that the inactive leaf closes prior to the active leaf.

No.	Material	Size	Finishes
576	Cast Brass	1" x $5\frac{7}{16}$ ", Projection 7"	26D
2601AB	Aluminum	$\frac{7}{8}$ " - $2\frac{1}{4}$ ", Length 5"	Black, 28
2601C	Aluminum	Over $2\frac{1}{4}$ ", Length 5"	Black, 28
2672	Steel	$\frac{5}{8}$ " x $1\frac{5}{8}$ " x 52"	Black, 28
2696	Steel	$\frac{5}{8}$ " x $1\frac{5}{8}$ " x 52"	Black, 28
1700	Steel	$1\frac{1}{2}$ " x $25\frac{9}{16}$ " x $\frac{3}{4}$ "	Black, 28

Variable length available on <sup>2600</sup> Series Coordinators with use of filler bar.


**ROCKWOOD®**  
**ASSA ABLOY**

Experience a safer  
and more open world



## ACCESSORIES

## Automatic and Combination Flush Bolts



Rockwood Automatic Flush Bolts have an override feature to prevent damage if the bolt heads are blocked from penetrating the strikes. The flush bolts also feature a thermal lock which automatically locks an inactive door under high heat conditions.

## DESCRIPTIONS:

- #2840 - for use on the inactive leaf of a pair of A, B, C, D, and E labeled metal doors up to 4'w x 8'h. Automatic top bolt only.
- #2842 - for use on the inactive leaf of a pair of A, B, C, D, and E labeled metal doors up to 4'w x 8'h. Sold in sets.
- #2940 - for use on the inactive leaf of a pair of B, C, D, and E labeled wood covered composite doors up to 4'w x 8'h. Automatic top bolt only.

- #2942 - for use on the inactive leaf of a pair of B, C, D, and E labeled wood covered composite doors up to 4'w x 8'h. Sold in sets.
- #2848 - for use on fire rated metal doors labeled A, B, C, D, & E up to 4'w x 9'h.
- #2948 - for use on fire rated 20-minute wood core and composite doors up to 4'w x 9'h.

No.	Material	Size	Finishes
2840	Brass, Stainless Steel	1" x 6 <sup>3</sup> / <sub>4</sub> "	26D, 32D
2842	Brass, Stainless Steel	1" x 6 <sup>3</sup> / <sub>4</sub> "	26D, 32D
2940	Brass, Stainless Steel	1" x 8 <sup>1</sup> / <sub>2</sub> "	26D, 32D
2942	Brass, Stainless Steel	1" x 8 <sup>1</sup> / <sub>2</sub> "	26D, 32D
2848	Brass, Stainless Steel	1" x 6 <sup>3</sup> / <sub>4</sub> "	32D
2948	Brass, Stainless Steel	1" x 8 <sup>1</sup> / <sub>2</sub> "	32D

The combination flush bolt uses one automatic flush bolt for the bottom of the door and a constant self-latching flush bolt for the top of the door.

## DESCRIPTIONS:

- #2805 - for use on A, B, C, D, and E labeled metal doors up to 4'w x 8'h. Self latching top bolt only.
- #2845 - for use on A, B, C, D, and E labeled metal doors up to 4'w x 8'h. Sold in sets.

- #2905 - for use on B, C, D, and E labeled wood covered composite doors up to 4'w x 8'h. Self latching top bolt only.
- #2945 - for use on B, C, D, and E labeled wood covered composite doors up to 4'w x 8'h. Sold in sets.

No.	Material	Size	Finishes
2805	Brass, Stainless Steel	1" x 6 <sup>3</sup> / <sub>4</sub> "	32D
2845	Brass, Stainless Steel	1" x 6 <sup>3</sup> / <sub>4</sub> "	26D, 32D
2905	Brass, Stainless Steel	1" x 8 <sup>1</sup> / <sub>2</sub> "	32D
2945	Brass, Stainless Steel	1" x 8 <sup>1</sup> / <sub>2</sub> "	26D, 32D

## Self Latching Flush Bolts with Bottom Fire Bolt



These flush bolts have a thermal lock that automatically lock the inactive door under high heat conditions due to fire. The bottom fire bolt eliminates the need for floor prep.

## DESCRIPTIONS:

- #2849 - for use on A, B, C, D and E labeled metal doors up to 4'w x 8'h.
- #2949 - for use on fire rated 20-minute wood core and composite doors up to 4'w x 9'h.

No.	Material	Size	Finishes
2849	Brass, Stainless Steel	1" x 6 <sup>3</sup> / <sub>4</sub> "	32D
2949	Brass, Stainless Steel	1" x 8 <sup>1</sup> / <sub>2</sub> "	32D

**ROCKWOOD®**  
**ASSA ABLOY**

Experience a safer  
and more open world

800 458 2424 | [www.rockwoodmfg.com](http://www.rockwoodmfg.com)

Check the web site for the most up-to-date product information.

Copyright © 2019–2022, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## ACCESSORIES

### Bottom Fire Bolts



When door is subjected to 230°F the plug and cover on the Rockwood Bottom Fire Bolts will melt allowing the bolt to project, locking the leaves together.

No.	Material	Size	Finishes
18BFB	Stainless Steel	Bolt: $1\frac{3}{16}$ " x $1\frac{9}{16}$ " Plug: $1\frac{7}{32}$ " Dia.	32D
19BFB	Stainless Steel	Bolt: $1\frac{3}{16}$ " x $1\frac{9}{16}$ " Plug: $1\frac{13}{64}$ " Dia.	32D

### Door Knocker



614V

Durable and simple to install. The Rockwood 614V Door Knocker has the added advantage of a door knocker and viewer in one.

No.	Material	Size	Finishes
614V	Cast Brass	$2\frac{1}{8}$ " x 3"	26D

*Includes Door Viewer # 622*

### Door Viewers



619



620



622

624



626

627-629

Rockwood Door Viewers provide safety and security. The various offerings allow you to choose the desired range of vision. Products with privacy covers offer additional safety by preventing visual intrusion from outside of the room. If desired, a privacy cover for the #619 and 622 can be ordered separately (622VC).

No.	Material	Opening	Degree of Vision	Finishes
619	Brass	For Doors: $1\frac{1}{16}$ " to $1\frac{1}{16}$ "	160°	CRM, STNN
620	Brass	For Doors: $1\frac{3}{8}$ " to 2"	160°	ANT, CRM, STNN
622	Brass	For Doors: $1\frac{3}{8}$ " to $2\frac{1}{8}$ "	190°	ANT, CRM, DCRM, STNN
622VC	Brass	COVER ONLY for 619 & 622	Viewer Cover	CRM
624	Brass	For Doors: $1\frac{3}{8}$ " to 2" Inside Cover Included	160°	CRM
626	Brass	For Doors: $1\frac{3}{8}$ " to $2\frac{1}{8}$ "	190°	ANT, CRM, DCRM
627	Brass	For Doors: $1\frac{3}{8}$ " to $2\frac{1}{4}$ "	190°	CRM
628	Brass	For Doors: $\frac{9}{16}$ " to $\frac{13}{16}$ "	190°	CRM
629	Brass	For Doors: $\frac{15}{16}$ " to $1\frac{1}{4}$ "	190°	CRM

### Coat Hooks



796

802

806

Rockwood Coat Hooks are a simple and convenient addition for schools, restaurants and other public spaces. Two hooks provide ample space for holding multiple items.

No.	Material	Base Size	Projection	Finishes
796	Cast Brass	$1\frac{1}{8}$ " w x $1\frac{1}{8}$ "h	$1\frac{1}{8}$ "	26D
802	Cast Brass	$1\frac{3}{16}$ " w x $1\frac{1}{2}$ "h	3"	26D
806	Cast Brass	$1\frac{1}{16}$ " w x $1\frac{1}{4}$ "h	$3\frac{1}{8}$ "	26D

**ROCKWOOD®**  
**ASSA ABLOY**

800 458 2424 | [www.rockwoodmfg.com](http://www.rockwoodmfg.com)

Check the web site for the most up-to-date product information.

Copyright © 2019-2022, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

Experience a safer  
and more open world

## ACCESSORIES

### Catches



The heavy duty #900 catch includes a dual double-pole with self-aligning magnets. The #901 is extra heavy duty and includes a dual triple-pole with self-aligning magnets. Both can be used on pair of doors or single door. The #911 adjustable ball catch features a wide strike and dual adjustments for door clearance and holding strength.

No.	Material	Size	Finishes
900	Aluminum	Body: $\frac{9}{16}$ " x $3\frac{1}{8}$ " x 1" Strike: 1 ea. $\frac{5}{8}$ " x $3\frac{1}{8}$ " Strike: 2 ea. $\frac{5}{8}$ " x $1\frac{1}{8}$ "	ALM
901	Aluminum	Body: $\frac{13}{16}$ " x $3\frac{1}{8}$ " x 1" Strike: 1 ea. $\frac{7}{8}$ " x $3\frac{1}{8}$ " Strike: 2 ea. $\frac{7}{8}$ " x $1\frac{1}{8}$ "	ALM
911	Brass	Body: 1" x $2\frac{1}{8}$ " Strike: $1\frac{3}{8}$ " x $2\frac{1}{8}$ "	26D

### Filler Plates & Shims



Rockwood Filler Plates conceal unused holes in door frames and are provided in packs of 25. They meet ANSI A156.6 requirements.

Hinge Shims are made of galvanized steel and used for realigning doors. Shims are provided in packs of 50.

No.	Material	Description	Pack Size	Size	Finishes
DFF4	Steel	Frame Hinge Filler Plate	25	$1\frac{5}{8}$ " x $4\frac{1}{2}$ "	Prime Coat
HS42	Steel	$4\frac{1}{2}$ " Hinge Shim- .028" Thick	50	$1\frac{7}{16}$ " x $4\frac{1}{2}$ "	Galvanized Coat
HS44	Steel	$4\frac{1}{2}$ " Hinge Shim - .065" Thick	50	$1\frac{7}{16}$ " x $4\frac{1}{2}$ "	Galvanized Coat
LF161	Steel	Door Edge Filler Plate	25	$1\frac{1}{8}$ " x $2\frac{1}{4}$ "	Prime Coat
SFASA	Steel	Strike Filler Plate	25	$1\frac{1}{4}$ " x $4\frac{7}{8}$ "	Prime Coat

### Latch Protectors



Rockwood Latch Protectors are non handed and aid in the prevention of prying of the door open.

No.	Material	Size	Finishes
320-RKW	Stainless Steel	3" x 11"	32D
320CL	Stainless Steel	3" x 11"	32D
320CXL	Stainless Steel	3" x 11"	32D
321	Stainless Steel	$1\frac{1}{2}$ " x 10"	32D
322	Stainless Steel	$1\frac{5}{8}$ " x 6"	32D
325	Solid Cast Brass	$1\frac{7}{8}$ " x $9\frac{1}{2}$ "	26D

### Protector Bar



Rockwood Protector Bars are designed to safely deflect traffic away from exit devices, door knobs/levers or other trim. The bar is mounted either directly below, over, or in front of the trim depending on the application.

No.	Material	CTC	Material Size	Finishes
R111LPB	Stainless Steel	12"	$\frac{3}{8}$ " x $1\frac{1}{2}$ "	32D

**ROCKWOOD®**  
**ASSA ABLOY**

Experience a safer  
and more open world

800 458 2424 | [www.rockwoodmfg.com](http://www.rockwoodmfg.com)

Check the web site for the most up-to-date product information.

Copyright © 2019–2022, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## ACCESSORIES

### BFM Series ADA Molded Plastic Signs



BFM624



BFM625



BFM682



BFM684



BFM685



BFM686



BFM687



BFM688



BFM689

These signs have easy to read raised lettering with Grade 2 braille translation. All products feature a blue background with white lettering and self-adhesive mounting.

No.	Material	Size	Color
BFM624	Molded Plastic	12" Dia.	Blue
BFM625	Molded Plastic	6" x 9"	Blue
BFM682	Molded Plastic	6" x 9"	Blue
BFM684	Molded Plastic	6" x 9"	Blue
BFM685	Molded Plastic	6" x 9"	Blue
BFM686	Molded Plastic	6" x 9"	Blue
BFM687	Molded Plastic	6" x 9"	Blue
BFM688	Molded Plastic	6" x 9"	Blue
BFM689	Molded Plastic	6" x 9"	Blue

### Kick Plates



Rockwood kick plates are available in custom sizes up to 48" x 48". The kick plates are made with stainless steel and come with beveled edges for added safety. Various options are offered through our Ventura, CA facility included 1/4" rounded corners and multiple mounting options.

No.	Material Thickness	Height	Width	Finishes
K1050	.050"	Specify up to 48"	Specify up to 48"	32D
K1038	.038"	Specify up to 48"	Specify up to 48"	32D
K1062	.062"	Specify up to 48"	Specify up to 48"	32D

### Lite Kits



Rockwood beveled lite kits provide a wide viewing angle. For use with glazing material with wood or metal doors. The lite kits install without drilling holes through the door for quick installation. The hemmed design is a flush mounted assembly and is ideal for clean environments.

No.	Material	Cutout Dimension	Finishes
LT-B1	20 Gauge Galvanneal Steel	5" x 30"	Beige, Dark Gray, Dark Bronze
LT-B1	20 Gauge Galvanneal Steel	6" x 27"	Beige, Dark Gray, Dark Bronze
LT-B1	20 Gauge Galvanneal Steel	24" x 30"	Beige, Dark Gray, Dark Bronze
LT-B1	20 Gauge Galvanneal Steel	24" x 60"	Beige, Dark Gray, Dark Bronze

# Notes



Experience a safer  
and more open world

800 458 2424 | [www.rockwoodmfg.com](http://www.rockwoodmfg.com)

*Check the web site for the most up-to-date product information.*

Copyright © 2019–2022, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.





The ASSA ABLOY Group is the global leader in access solutions.  
Every day, we help billions of people experience a more open world.

ASSA ABLOY Opening Solutions leads the development within door openings and products for access solutions in homes, businesses and institutions. Our offering includes doors, frames, door and window hardware, mechanical and smart locks, access control and service.

**ROCKWOOD®**

**ASSA ABLOY**

Rockwood Manufacturing Company  
300 Main St.  
Rockwood, PA 15557  
[www.rockwoodmfg.com](http://www.rockwoodmfg.com)  
1 800 458 2424

Copyright © 2021-2022, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

30021 10/22  
2500-5415.A