

Rockwood TYPE 1

Thru Bolt (Wood or Metal Door)

Experience a safer
and more open world

TYPE 1 - Thru Bolt
Wood or Metal Door

Pull

Outside

Flat Head Machine Screw

Inside

Finish Washer

Type	Bolt Size	Drill Size
1	1/4"-20	9/32
1HD	5/16"-18	11/32
1XHD	3/8"-16	13/32

Note: Y base plates are recommended on wood or glass doors to make a stable and durable mounting.

Note: Heavy Duty (HD) mounting features hex drive for positive tightening and large overall size for superior strength. Recommended for high frequency and rough service openings.

Rockwood Manufacturing Company
300 Main St.
Rockwood, PA 15557
www.rockwoodmfg.com
1 800 458 2424

Copyright © 2017-2023, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

Rockwood TYPE 5

Back-to-Back

(Wood or Metal Door)

Experience a safer
and more open world

TYPE 5 - Back-to-Back
Wood or Metal Door

Minimum diameter of pull is $\frac{5}{8}$ "

Cone Head
Machine Screw

Pull

Set
Screw

Inside

Pull

Outside

Type	Bolt Size	Drill Size
5	$\frac{1}{4}$ "-20	$\frac{9}{32}$
5HD	$\frac{5}{16}$ "-18	$\frac{11}{32}$

Note: Y base plates are recommended on wood or glass doors to make a stable and durable mounting.

Note: Heavy Duty (HD) mounting features hex drive for positive tightening and large overall size for superior strength. Recommended for high frequency and rough service openings.

Rockwood Manufacturing Company
300 Main St.
Rockwood, PA 15557
www.rockwoodmfg.com
1 800 458 2424

Copyright © 2017-2023, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

Rockwood TYPE 6

Surface Concealed (Metal Door)

Experience a safer
and more open world

TYPE 6 - Surface Concealed
Metal Door

Minimum diameter of pull is 5/8"

Cone Head
Machine Screw

Pull

Set
Screw

Reinforcement
by others

For doors with
rivnuts specify
Type 6R

Type	Bolt Size	Drill Size
6	1/4"-20	1/4-20 Tap
6HD	5/16"-18	5/16-18 Tap

Note: Y base plates are recommended on wood or glass doors to make a stable and durable mounting.


Note: Heavy Duty (HD) mounting features hex drive for positive tightening and large overall size for superior strength. Recommended for high frequency and rough service openings.

Rockwood TYPE 8

Surface Concealed

(Wood Door)

Experience a safer
and more open world



Note: Y base plates are recommended on wood or glass doors to make a stable and durable mounting.

Note: Heavy Duty (HD) mounting features hex drive for positive tightening and large overall size for superior strength. Recommended for high frequency and rough service openings.


Rockwood TYPE 12

Decorative Thru Bolt

(Wood or Metal Door)

Experience a safer
and more open world

TYPE 12 - Decorative Thru Bolt
Wood or Metal Door



Type	Bolt Size	Drill Size
12	1/4"-20	9/32
12HD	5/16"-18	11/32
12XHD	3/8"-16	13/32


Note: Y base plates are recommended on wood or glass doors to make a stable and durable mounting.

Note: Heavy Duty (HD & XHD) mounting features hex drive for positive tightening and large overall size for superior strength. Recommended for high frequency and rough service openings.

Rockwood TYPE 13

Back-to-Back (Glass Door)

Experience a safer
and more open world



Note: Y base plates are recommended on glass doors to make a stable and durable mounting.

Note: Heavy Duty (HD) mounting features hex drive for positive tightening and large overall size for superior strength. Recommended for high frequency and rough service openings.

Rockwood TYPE 15

Decorative Thru Bolt

(Glass Door)

Experience a safer
and more open world

TYPE 15 - Decorative Thru Bolt
Glass Door

Plastic Washers

Pull

Thru Bolt

Neoprene Bushing
5/8" Dia. Hole

Type	Bolt Size	Drill Size
15	1/4"-20	5/8
15HD	5/16"-18	5/8
15XHD	3/8"-16	5/8

- Note:** Y base plates are recommended on glass doors to make a stable and durable mounting.
- Note:** Heavy Duty (HD & XHD) mounting features hex drive for positive tightening and large overall size for superior strength. Recommended for high frequency and rough service openings.

Rockwood Manufacturing Company
300 Main St.
Rockwood, PA 15557
www.rockwoodmfg.com
1 800 458 2424

Copyright © 2017-2023, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.