




WEATHERSTRIPPING - DOOR BOTTOM SWEEPS

Typically door bottom sweeps are used on the exterior of an outswing door
Fasteners: #6 x 5/8" pan head sheet metal screws furnished with mortise types


- Notes:
- MIL finish weatherstripping is supplied with zinc plated screws
 - Color anodized weatherstripping is supplied with screws plated to match
 - Stainless steel weatherstripping is supplied with stainless steel screws

750S




Finishes: DBA, GLD, CLR, US32D
Inserts: N, S
Category: H, J
Certifications:   

752S




Finishes: MIL, DBA, GLD
Inserts: V
Category: H, J
Certifications:   

753S




Finishes: MIL, DBA, GLD
Inserts: N
Category: H, J
Certifications:   

754S



Finishes: DBA, GLD, CLR
Inserts: N
Category: H, J
Certifications:   

756S




Finishes: MIL, DBA, GLD
Inserts: V
Category: H, J
Certifications:   




WEATHERSTRIPPING - DOOR BOTTOM SWEEPS

759S




Finishes: MIL, DBA, GLD
 Inserts: V
 Category: H, J
 Certifications: 

770S




Finishes: MIL, DBA, GLD
 Inserts: B, V
 Category: H, J
 Certifications: 

801S




Finishes: MIL, DBA, GLD
 Inserts: B
 Category: H, J
 Certifications: 

802S




Finishes: MIL, DBA, GLD
 Inserts: B
 Category: H, J
 Certifications:  

806S



Finishes: MIL, DBA, GLD
 Inserts: B
 Category: H, J
 Certifications: 


872S



Finishes: DBA, GLD, CLR, US32D*
 Inserts: N
 Category: H, J
 Certifications: 

*US32D will be supplied with grey Neoprene as opposed to the standard black

882S



884S

