


SOSS®
UltraLatch®



Introducing
the “doorknob”
of the future



SOSS[®] UltraLatch[®]

*The Most ADA Friendly
Lockset Available*

*Only 1/2" Movement
Required to Open Door*

*Clearance
for Knuckles*

*Ergonomic—
Made to Fit the Hand*

Concealed Mechanism

*Finishes:
Chrome, Brass,
Nickel, Oil-Rubbed
Bronze, Stainless Steel
and Black*

*UltraLatch[®]
Fits Existing
Door Cutouts*

*The easiest and most
comfortable doorknob
ever introduced.*

A revolutionary concept in home and office door hardware!

Elegantly Practical

The SOSS® UltraLatch® is a totally new concept in door entry hardware. Designed to be the most convenient, practical and aesthetically pleasing door latch you have ever used.

Unlike bulky commercial push-pull latches, the UltraLatch® is designed to blend in beautifully in home and office settings.

The UltraLatch® retrofits to most existing door cutouts.

Designed to conform to the shape of the hand, UltraLatch® is ideal for disabled users, convenient for anyone.

A mere half inch of latch movement easily opens any door.

SOSS® UltraLatch® is constructed in the U.S.A. of top quality materials.



"The ergonomic design of UltraLatch® allows the wrist to maintain a neutral position, which is highly advantageous for individuals with any of a wide variety of upper extremity limitations."

-J.C. Moore, Licensed Physical Therapist



Available with or without Privacy Latch and as a Closet Stationary Handle. Matching Keyed Deadbolt is available for further security.

UltraLatch® Finishes

The UltraLatch® is available in the following finishes:

682 Satin Chrome (US26D)	681E Bright Nickel PVD (US14)
681 Bright Chrome (US26)	676 Flat Black (US19)
678E Satin Brass PVD (US4)	704 Oil-Rubbed Bronze (US10B)
677E Bright Brass PVD (US3)	629 Bright Stainless Steel (US32)
682E Satin Nickel PVD (US15)	630 Satin Stainless Steel (US32D)

UltraLatch® Specifications

Door Thickness UltraLatch® is designed for use on doors 1 $\frac{3}{8}$ " (35 mm); 1 $\frac{3}{4}$ " (44.5 mm); or 2" (51 mm) thick.

Set Back UltraLatch® is designed for 2 $\frac{3}{8}$ " (60 mm) or 2 $\frac{3}{4}$ " (70 mm) set back.

Retrofit UltraLatch® has been specifically designed to fit the 2 $\frac{1}{8}$ " diameter hole that is standard in most doors.

Privacy Lock Available with or without privacy lock.

Right/Left Hand The handles fit either right or left-handed doors. All necessary hardware is packed with each UltraLatch®.

Quality Testing UltraLatch® has been cycle tested to meet or exceed ANSI Grade I specifications.

Applications UltraLatch® can be used in any 1 $\frac{3}{8}$ " to 2" thick door with a 2 $\frac{3}{8}$ " to 2 $\frac{3}{4}$ " set back. It easily retrofits older style hardware. When ordering, please specify thickness of door, set back, desired finish and privacy lock. Please call the factory to discuss custom handles.

ADA Compliance UltraLatch® is the only handle that fully addresses the ADA requirements.

Warranty Limited lifetime warranty: SOSS® UltraLatch® is warranted against defects in material or workmanship. Made in U.S.A., patent pending.

UltraLatch® may be covered by one or more U.S. Patents Nos. 7,950,703, D603,244, D600,531, D492,486; D584,594 and D502,641. Other Patents Pending.

For full details see our website, www.soss.com, or contact SOSS® Door Hardware.

Other Great SOSS® Door Hardware Products

SOSS® has been in the door hardware business for more than 100 years!

In addition to the UltraLatch®, SOSS® products include the original Invisible Hinges, Magnetic Door Holders, Invisible Door Closers and Barrel Hinges.

For more information, visit our website at www.soss.com.



SOSS®
Door Hardware

SOSS® Door Hardware

A Division of Universal Industrial Products, Inc.
One Coreway Drive, Pioneer, OH, USA 43554-0628
Phone: (419) 737-2324 (800) 922-6957
FAX: (419) 737-2130
Email: hinges@soss.com
Internet: www.soss.com

SOSS® Asia

SOSS Asia Pte. Ltd.
#6 Third Chin Bee Road
Jurong, Singapore 618682
Phone: 656 261 3276
FAX: 656 261 5047
Email: sossasia@singnet.com.sg

SOSS® and SOSS® Invisible Hinges
are Registered Trademarks of
Universal Industrial Products, Inc.

Distributed By: