





Product Catalog

www.sti-usa.com



It all started with The Original Stopper®

ABOUT STI

It all started with a solution to a challenge

Who We Are

Family owned and operated for over 40 years, we take great pride in STI's products and exemplary service. Our entire team works just as hard to make you a satisfied customer as we do to make the world a safer place, one product at a time.

What We Do

STI manufactures protective polycarbonate covers, enclosures, push buttons, wire cages and wireless alarms to help prevent theft and vandalism to important fire and safety devices. Covers and cages protect: detectors, lights, manual pull stations, and much more. Alarms protect: fire extinguishers, exit doors, etc. Many options and variations of products are available to protect the things that protect you.

Where We Came From

The STI story begins four decades ago with a challenge made by a suburban Detroit school administrator who wanted to stop false fire alarms. Our Founder, Jack Taylor, used his expertise in security systems to invent the original Stopper® pull station protector. Today, STI has hundreds of innovative products that help make homes, businesses and workplaces around the world safe, smart and secure.

Rely on STI!®

Learn more at www.sti-usa.com

TABLE OF CONTENTS

FIRE & SAFETY

Stopper II® 5
Universal Stopper® 5
Horn/Strobe/Damage Stopper® 6
Stopper® Dome 6
Horn/Strobe/Speaker
Damage Stopper® 6

ENCLOSURES, COVERS & CAGES

EnviroArmour® Waterproof Enclosures

Metal Protective Cabinet

with AC/Heat

Heated Polycarbonate Enclosure

Stopper® Heated Enclosures

Universal Stopper® Dome and

Low Profile

Polycarbonate Covers/Enclosures

/Cabinets

16

Metal Protective Cabinets

MED Protective Cabinets

17

Bopper Stoppers®

17

Single-Gang Protective Cover

Smoke Detector Cages

Exit, Clock/Bell, Camera, Light,

Motion Detector Cages

20

Custom Cages

21

BUTTONS & SWITCHES

Stopper® Stations 23
Universal Button 25
Universal Touch Free 25
Universal Pneumatic Button 25
Global ReSet 26

WIRELESS PRODUCTS

Wireless Entry Alert®28Wireless Motion-ActivatedTransmitter28Wireless Doorbell Chime28

ALARMS & ALERTS

Exit Stopper® 30
Fire Extinguisher Theft Stopper® 30
Select-Alert Alarms 31

FIRE & SAFETY

Universal Stopper®

Indoor/outdoor polycarbonate cover helps stop false fire alarms without restricting legitimate operation of pull stations. It is ideal for schools, hospitals, nursing homes, stores, hotels and public buildings of almost every kind.

DESIGN

Protective cover with horn. Prevents false fire alarms, without hindering legitimate operation of a manual pull station in the event of an emergency.



Quick and easy protection in minutes. Can accommodate flush or surface mount applications. Gaskets included.



ELECTRONICS

95/105 dB self-contained alarm draws immediate attention to the area. Available with or without horn, powered by an included battery.

Low profile models with a horn (STI-14000 series) flash and sound

CONSTRUCTION

Tough, clear UV-stabilized polycarbonate material. Housing can take the severest knocks preventing vandalism or accidental damage to the manual pull station.









1. Stopper II®

Protective cover prevents false fire alarms. Does not restrict legitimate access. Self-contained alarm.

STI-1100 Horn, Flush STI-1130 Horn, Surface STI-1200 Flush STI-1230 Surface

2. Universal Stopper®

Indoor/outdoor cover protects pull stations, push buttons and more.

STI-13010FR Flush STI-13020FR Horn, Flush STI-13210FR Surface STI-13220FR Horn, Surface

3. Universal Stopper® Low Profile

Indoor/outdoor protective cover flashes and sounds when lifted. Protects pull stations, push buttons and more.

STI-14320FR Horn, Sealed Back Box STI-14420FR Horn, Encl. Back Box, Sealed Mounting Plate STI-14520FR Horn, Encl. Back Box, Open Mounting Plate

Stopper II & Weather Stopper® 6-Packs available. Call for information.







1. Horn/Strobe Damage Stopper®

Polycarbonate cover, slotted for horn and/or strobe appliances.

STI-1210D Open Back Box, Conduit Knockout

STI-1210A Encl. Back Box, 4" Deep

STI-1210B Encl. Back Box, Double-Gang Outlet Box

STI-1210C Open Back Box. External Mounting Tabs

STI-1210E Open Back Box, Flush

2. Stopper® Dome

Polycarbonate cover slotted for horn/strobe or speaker/strobe units.

STI-1215 Flush Mount

STI-1217 Open Back Box

STI-1219

Enclosed Back Box

3. Horn/Strobe/Speaker Damage Stopper®

Wire guard provides protection for System Sensor SpectrAlert® series notification appliances. Available in flush or surface mount, red or white coated steel wire.

STI-9705 Flush Mount, White

STI-9705-R Flush Mount, Red

STI-9708

Surface Mount, White

STI-9708-R Surface Mount, Red

COVERS & CAGES

EnviroArmour® Enclosures

DESIGN

Enclosures protect against vandalism and accidental damage, weather, dirt, dust and grime.

Door: removable, lockable, screw-down, has a draw-down latch.



ELECTRONICS

A/C, heat, A/C with heat, pressure compensation vents, filter fans, and drain vents available.

CONSTRUCTION

Non-metallic. Tough polycarbonate or fiberglass. UV resistant.



STI's non-metallic EnviroArmour Enclosures are lockable and help protect from weather, vandalism, tampering and theft.

OPTIONS

Many sizes available. Lockable. Mounting plates available.



1. EnviroArmour® with AC/Heat

Waterproof enclosures. 120VAC, 60Hz A/C and heater unit. Rated UL50 Type 3R, 4, 4X, 6P, 12, IP66. Three sizes and two door options.

EP242410-* Polycarbonate EF181610-* Fiberglass EF201610-* Fiberglass

- -O1 Opaque, A/C
- -O2 Opaque, A/C & Heat
- -T1 Tinted, A/C (Polycarbonate models)
- -T2 Tinted, A/C & Heat (Polycarbonate models)
- -W1 Window, A/C (Fiberglass models)
- -W2 Window, A/C & Heat (Fiberglass models)

2. EnviroArmour® with NEMA 3R Filter Fan

Waterproof enclosures. NEMA 3R filter fan with filter vent – 120VAC, 60Hz with thermostat. Rated UL50 Type 3R, 4, 4X, 6P, 12, IP66. Eight sizes and two door options.

polycarbonate	fiberglass
EP161409-*	EF141208-*
EP181611-*	EF161408-*
EP201608-*	EF181610-*
EP242410-*	EF201610-*
*	*
-O3 Opaque	-O3 Opaque
-T3 Window	-W3 Window

3. EnviroArmour® NEMA 3R Filter Fan

NEMA 3R filter fan with filter vent for use with EnviroArmour enclosures. 120VAC, 60Hz with thermostat.

KIT-530FF Filter Fan

Part #s = Dimensions









 $_{\text{C}}\text{(i)}_{\text{US}}$

NEMA 4X

C UL) US NEMA 4X

1. Waterproof Fiberglass EnviroArmour® Enclosures

Non-metallic multipurpose lockable fiberglass enclosures help guard against vandalism, dirt, dust and grime. Has a removable opaque or window door. 10 sizes to choose from.

EF060604	EF141206
EF080604	EF141208
EF080804	EF161408
EF100806	EF181610
EF121006	EF201610

Add -O for opaque, -W for window

Part #s = Dimensions

2. Waterproof Polycarbonate EnviroArmour® Enclosures

Non-metallic multipurpose lockable polycarbonate enclosures help guard against vandalism, dirt, dust and grime. Has a removable opaque or tinted door. 13 sizes to choose from.

EP060605	EP141207
EP080605	EP161409
EP080805	EP181604
EP100806	EP181611
EP100807	EP201608
EP101006	EP242410
EP121007	

Add -O for opaque, or -T for tinted











EnviroArmour® Accessories

For use with fiberglass or polycarbonate enclosures. Heater, AC, heater/AC, par

Heater, AC, heater/AC, panels, thermostats, vents, hygrostats, filter fans, pole mount brackets and more.

1. Temperature Control

A range of heaters and thermostats available.

2. Mounting Panels

Aluminum, fiberglass or polycarbonate panels with brackets for height variance and swing options.

3. Pole Mount Kits

Kits allow EnviroArmour Enclosures to mount to poles.

STI-PMK0608 STI-PMK1012 STI-PMK1416 STI-PMK1824

4. Vents

Small and large vents for fiberglass and polycarbonate enclosures.

KIT-REV60 Small KIT-REV80 Large

COVERS & CAGES

Environmental Enclosures

DESIGN

Protective enclosure with heat. Protects a wide range of devices, components and sensitive units from vandalism and accidental damage as well as weather, dirt, dust and grime.



ELECTRONICS

With or without heat and/ or AC. Heater offers three thermostats. Radiant heat plate prevents LCD from becoming sluggish or freezing. Operates on 12, 16.5. or 24 VAC/VDC.

INSTALLATION

Several mounting options available. With or without lock. Mounting hardware and gaskets included.

Tough, clear UV-stabilized polycarbonate material. Powder coated metal helps protect against corrosion.

With STI's environmental enclosures you can and assure operation of important devices.

CONSTRUCTION











1. Metal Protective Cabinet

Heavy-duty metal enclosure with A/C & heat.

STI-7560AC A/C, Window

STI-7560AH A/C, Heat, Window

STI-7561AC A/C, No Window

STI-7561AH A/C, Heat, No Window

2. Heated Polycarbonate Enclosure

Tough polycarbonate cover with heat.

STI-7520-HTR Key Lock

STI-7521-HTR Thumb Lock

3. Heated Polycarbonate Enclosure

Tough polycarbonate cover with heat.

STI-7510A-HTR Key Lock, Encl. Deep Back Box STI-7510F-HTR

Key Lock, Encl. Back Box

Thumb Lock Models Available

4. Stopper II® Heated Enclosure

Cover protects devices where temperatures or environmental conditions exceed operating range.

STI-1200A-HTR Heated Enclosure, 110 VAC

STI-1200A-HTR240 Heated Enclosure, 240 VAC

5. Stopper® Dome Heated Enclosure

Type 4X environmental enclosure with heater for strobes only.

STI-1229HTR 110 VAC

STI-1229HTR240 240 VAC

SAFETY

Universal Stoppers®

DESIGN

Protective cover with or without horn. Prevents malicious or accidental damage to manual pull stations, electrical switches and the like.



ELECTRONICS

95/105 dB self-contained alarm draws immediate attention to the area. Available with or without horn, powered by an included battery.

INSTALLATION

Quick and easy protection in minutes. Can accommodate flush or surface mount applications. Gaskets included.

CONSTRUCTION

Tough, clear UV-stabilized polycarbonate material. Housing can take the severest knocks preventing vandalism or accidental damage to the manual pull station.



Indoor/outdoor
polycarbonate cover
helps prevent malicious
or accidental damage
to manual pull stations,
electrical switches and
more. It is ideal for public
buildings of almost any kind.











1. Universal Stopper®

Tough indoor/outdoor dome polycarbonate cover protects devices.

STI-13310CG - Green Enclosed Flush Back Box, Custom Label

STI-13320CG - Green Horn, Enclosed Flush Back Box, Custom Label

2. Universal Stopper® Flat Low Profile

Tough indoor/outdoor low profile polycarbonate cover protects devices.

STI-14420NY – Yellow Enclosed Back Box, Sealed Mounting Plate, Horn Housing, No Label

STI-14500NY - Yellow Enclosed Back Box, Open Mounting Plate, No Label

3. Universal Stopper® Dome

Tough indoor/outdoor dome clear polycarbonate cover protects devices.

STI-13000NC Flush Mount

STI-13200NC Surface Mount

STI-13300NC Enclosed Flush Back Box

4. Universal Stopper® Flat Low Profile

Tough indoor/outdoor low profile polycarbonate cover protects devices.

STI-14000NC Flush Mount


STI-14200NC Surface Mount

STI-14300NC Enclosed Flush Back Box Shown are examples of our many different cover options.
Use our online configurator to build your perfect cover.
www.sti-usa.com/c1

Polycarbonate Protectors

DESIGN

Helps protect a wide range of devices from vandalism and accidental damage while still allowing them to be accessible.



ELECTRONICS

Select models available with a choice of alarm.

CONSTRUCTION

Tough, clear UV-stabilized polycarbonate material.

With STI's polycarbonate protectors, you can reduce costly equipment replacement and repairs, and assure operation of important safety and security devices.

INSTALLATION

Several mounting options available. With or without lock. Most models include mounting hardware.











1. Polycarbonate Cover

Polycarbonate cover protects against vandalism and accidental damage. Clear or white polycarbonate.

STI-7730 Enclosed Back Box, Gasket, Lock

STI-7700 Open Back Box

STI-7710 Open Back Box, Lock

2. Polycarbonate Enclosure

Multipurpose lockable enclosure with six back box options. Clear or white polycarbonate.

STI-7510A-F Several Surface and Flush Mount Options: Enclosed Deep Back Box, Open Back Box, Open Conduit Back Box, and more.

3. Type 4X Protective Cabinet

Multipurpose lockable cabinet protects fire alarm controls and more against abuse and the environment.

STI-7520 Key Lock

STI-7521 Thumb Lock

4. Metal Protective Cabinets

For electrical and electronic equipment. Provides protection from hazardous parts.

STI-EM07123.5

STI-EM08073.5 STI-EM111103

STI-EM111103 STI-EM111504

STI-EM121204

STI-EM151804

5. Type 4 Metal Protective Cabinets

For electrical and electronic equipment. Provides protection from hazardous parts.

STI-7560 With Window

STI-7561 No Window







1. MED Protective Cabinet

Clear polycarbonate cabinet for remote MED units requiring physical protection.

STI-7535MED Thumb Lock. Siren/Strobe STI-7531MED

Thumb Lock

2. Bopper Stopper®

Cover with spring loaded hinge protects everything from electrical outlets to push buttons. Fits single-gang appliances.

STI-6518 Polycarbonate Cover

3. Single-Gang Protective Cover

Hinged polycarbonate cover has mounting plate molded into frame.

STI-6519 Polycarbonate Cover cages are designed to

protect smoke detectors,

more from vandalism and

misuse, while leaving the


devices fully accessible and

COVERS & CAGES

Steel Web Stoppers®

DESIGN

These steel cages are designed to protect devices from vandalism and misuse. Designed so there is no interference with the operation of the protected unit.



OPTIONS

Stainless steel versions are available for flush or surface mount applications. Where additional security is required from theft or misuse, tamper resistant bits are available.

INSTALLATION

Quick and easy installation, can retrofit and protect units within minutes.

CONSTRUCTION

Constructed of 9-gauge steel wire with corrosion resistant polyester coating or 9-gauge stainless steel wire.











1. Steel Web Stopper®

Steel wire guard helps protect smoke detectors where abuse is severe. Six sizes available.

STI-9604 Flush

STI-9605 Surface

See website for other sizes.

2. Beam Smoke Damage Stopper®

Protects costly sensor units of beam type smoke detectors from damage leading to misalignment.

STI-9706 Flush Mount

STI-9707 Surface Mount

3. Steel Web Stopper®

Steel wire guard protects photoelectric smoke detectors from abuse and damage.

STI-9712 For Photoelectric Smoke Detector, Surface Mount

STI-9713 Flush Mount, UL Listed

4. Smoke Detector Damage Stopper®

Heavy-duty steel cover for smoke detectors where abuse is severe.

STI-8200-W Flush, Coated Steel

STI-8230-W Surface, Coated Steel

Stainless Steel also available.

5. Smoke Detector Damage Stopper®

Tough polycarbonate cover extremely effective in reducing malfunctions to smoke detectors where abuse is severe. Available in smoke, white and clear.

STI-8100 Flush Mount

STI-8130 Surface Mount











1. Exit Sign Damage Stopper®

Protects a wide range of exit signs from vandalism and damage.

STI-9640 Small

STI-9740 Large STI-9741

Ceiling Mount STI-9742 Wall Mount

2. Clock/Bell Damage Stopper®

Highly recommended for gymnasiums and other areas where abuse is severe.

STI-9631 10.5" Diameter

STI-9632 16.5" Diameter

STI-9633 20" Diameter

3. Wire Guard Damage Stopper®

Designed to protect a wide variety of devices from vandalism and damage.

3

STI-9729 Small

STI-9730 Large

4. Light Damage Stopper®

Protects outdoor lights where vandalism and damage are prevalent.

STI-9703 9-gauge Steel Wire Guard

5. Motion Detector Damage Stopper®

Protects PIRs from vandalism and accidental damage.

STI-9620


9-gauge Steel Wire Guard


STI-9621

9-gauge Steel Wire Guard

STI-9622

9-gauge Steel Wire Guard





Custom Wire Guards

Contact our sales department to assist in developing custom wire cages to your specifications. Previous custom guards include protection for: windows, cameras, speakers, lights, signs and more.

1. Speaker Wire Guards

Cages help protect speakers from theft, damage, and vandalism. Constructed of 9-gauge steel wire, they take tough knocks in stride.

STI-282121 STI-241416

2. Custom Wire Cages

Protect appliances from vandalism and accidental damage. Available in stainless steel or corrosion resistant polyester coated steel wire.

ADA Compliant multipurpose

buttons/switches cover a

indoors and outdoors. A

are available or STI can

number of standard models


create custom units to meet

BUTTONS & SWITCHES

Stopper® Stations

DESIGN

Incorporates a unique, patented design that helps dramatically stop accidental activation.



ELECTRONICS

Multiple button functions available:

Key-to-Reset, Momentary, Turn-to-Reset, Pneumatic, Key-to-Activate, Weather

Three 12-24 volt LED color indicators.

INSTALLATION

5VA flammability rating on backplate and spacer.

CONSTRUCTION

Station housing molded of tough polycarbonate. Stainless steel backplate.




Models shown are examples. Visit our website to see over 3000 buttons.









2

3

1. Stopper® Station

ADA Compliant, multipurpose button/switch covers a wide range of applications.

SS2042PS-FN Key-to-Reset Illuminated, Red. FUEL PUMP SHUT-DOWN Label, Universal Stopper® Cover

2. Weather Resistant Stopper® Station

2" button designed for indoor/ outdoor use. UL/cUL Type NM rated.

SS2307PO-EN Momentary Illuminated. White, EMERGENCY POWER OFF Label

3. Stopper® Station with Cover

Covers provide added protection from accidental activation or intentional damage.

SS2229EV-EN Turn-to-Reset, Yellow, EVACUATION Label. Stopper® Station Shield

4. Stopper® Station

UL/cUL Listed, ADA Compliant button/switch for multipurpose use.

SS2505AB-FN Momentary Illuminated, Orange, ABORT Label

> Available in Spanish & French Wireless available

3 Buttons in 1 Kit

















Stopper® Station 3-Packs

3-in-1 kits offer three complete push buttons with shields in one package. Includes snap-in messages and three activation choices (momentary, turn-toreset, key-to-reset) per button. Offers optional illumination (red, green, white). Three (3) kits available in blue, green, vellow. UL/cUL Listed, ADA Compliant.

1. Blue Stopper® Station 3-Pack

Includes: 3 buttons, 3 protective shields, 3 snap-in messages per button (EMERGENCY, Blank, LOCKDOWN).

CP-SS43-EN

2. Green Stopper® Station 3-Pack

Includes: 3 buttons, 3 protective shields, 3 snap-in messages per button (EMERGENCY EXIT. Blank, EXIT).

2

CP-SS13-EN

3. Yellow Stopper® Station 3-Pack

Includes: 3 buttons, 3 protective shields, 4 snap-in messages per button (EMERGENCY POWER OFF, HVAC SHUT-DOWN, EMERGENCY, Blank).

CP-SS23-FN









1. Universal Button

Momentary push button offers over 300 combinations in one convenient package.

UB-1 Universal Button Kit

UB-2 2" Universal Button

UB-1-LTUL Universal Button with Latching Timer

UB-2-LTUL 2" Universal Button with Latching Timer

2. Universal Touch Free Button

Button with NoTouch® technology allows user to exit protected door without the touch of a button.

UB-1TF Universal Touch Free Button

UB-2TF 2" Universal Touch Free Button

3. Universal Pneumatic Button

Pneumatic adjustable timer opens or closes a circuit and has a timed delay before reset.

UB-1PN Pneumatic Button

UB-2PN 2" Pneumatic Button







1. Global ReSet

Indoor/outdoor, latching resettable push button switch simulates break glass activation with no broken glass. When activated, indicator drops into view. Simple reset with provided key for immediate re-use. Housing available in five colors with choice of standard or custom phrases. Rated for outdoor use. Surface back box available.

Visit website for part numbers

2. Protective Covers

Several protective covers provide further defense against accidental and malicious activations, and vandalism. Available in many colors with standard or custom phrases, and with or without an optional horn and/or visual notification.

Visit website for options

3. Mounting Plate

Versatile mounting plate hole pattern fits U.S. single-gang, double-gang, 4" square electrical boxes, and European electrical box.

PIRE &

CAGES

Wireless Chi<u>mes</u>

DESIGN

All chimes are compatible with each other.



ELECTRONICS

Up to 500' operating range. Receiver plugs into 120 VAC outlet and has a low and high volume adjustment. 433 MHz.

CONSTRUCTION

UL/cUL Listed, FCC and IC Certified.



Wireless chimes greet visitors with a pleasant chime and lets you know when the door opens or a person enters the detection zone. All chimes are compatible with each other.

INSTALLATION

Quick and easy to install—no wiring needed.













1. Wireless Entry Alert®

Alerts when a door is opened. 500' operating range.

STI-3360 Transmitter with Receiver

STI-3551 Additional Transmitter

2. Wireless Motion-Activated Transmitter

Alerts when someone enters detection zone. 500' operting range.

STI-3610 Transmitter with Receiver

3. Wireless Doorbell Chime

Alerts when doorbell button is pressed. 500' operting range.

STI-3350 Transmitter with Receiver

Exit Stopper®

DESIGN

Highly visible "stop sign" design acts as a deterrent. Visual and audible warning. Included label allows warning in two languages.



ELECTRONICS

Set to sound for 30 seconds, 3 minutes or indefinitely. 95/105 dB warning horn.

INSTALLATION

May be mounted on top, right, left or next to almost any door. Unit is completely self-contained.

CONSTRUCTION

Virtually indestructible polycarbonate housing.

STI's highly effective alarm can help lessen the fear of security concerns. It helps stop unauthorized exits and entries into a building, as well as theft. When activated, it flashes and emits a piercing horn.





1. Exit Stopper®

Highly effective multifunction door alarm flashes and alerts to any unauthorized exits or entries through protected door. Includes 21 labels to warn in a second language. Alarm can be set to sound for 30 seconds, 3 minutes, or indefinitely. May be programmed for 15 second entry delay or immediate alarm. 95/105 dB alarm when activated. Easy to install – mount on top, right, left or next to almost any door.

STI-6400 Multifunction Door Alarm

STI-6402 Double Door Alarm

2. Fire Extinguisher Theft Stopper®

Sturdy, tamperproof, self-contained alarm helps deter theft, misuse or vandalism to fire extinguishers and other equipment. It leaves the extinguisher accessible for emergencies and does not interfere with firefighting in any way. Add warning in a second language with provided labels (21 languages). 95/105 dB alarm when activated. Deactivation cable provided for maintenance.

STI-6200 Theft Alarm









1. Round Select-Alert Siren/Strobe

Weather resistant combination of alarm and flashing LEDs. 32 siren choices and 8 flash patterns with strobe speed control. Battery option with low battery signal and an open circuit. 85/105 dB alarm, 9-24 VDC. Can be used with push buttons, protective covers and more. IP66 Projected Rating.

STI-SA5500-* IP66 Projected Rating

*Add 'A' for amber/orange, 'B' for blue, 'C' for clear (SA5500 only), 'G' for green, 'R' for red, 'W' for white

2. Rectangle Select-Alert Siren/Strobe

Combination of alarm and flashing LEDs. 32 siren choices, 8 flash patterns and strobe only or sounder only control. Offers lens tamper resistance, and an alarm trigger on power. 85/105 dB alarm, 12-24VDC. Can be used with push buttons, protective covers and more. IP54 Projected Rating.

STI-5600-* IP54 Proiected Rating

3. Select-Alert Alarm Mini Controller

Alarm and flashing LEDs alert to any unauthorized use of important devices. Offers 32 siren choices, 5 colors. Separate alarm and strobe timing. Can be used for: access control buttons, alarm with cabinet, exit strobe, and more.

STI-SA5000-*

and weather, prevent false fire alarms, prevent theft and unauthorized entries, stop vandalism and damage to property, get easy wireless so solutions, protect devices in extreme climates

Safety Technology
International

Safety Technology
International