


Entry & Interior Door Hardware  
Technical Catalog Edition 1





- Coordinated designs and finishes available in 6 different series for all residential openings.
- Comfortable, ergonomic feel that operates with minimum motion.
- Cylindrical locks for interior and entry doors fit standard 2 1/8" bore preparation.
- Quick and easy installation due to pre-assembled components.
- Non-visible screws for most functions.
- Ten different finishes on solid brass.
- Resista® finishes have a Limited Lifetime Finish Warranty.


NOTE: All Information is for reference only and subject to change without notice.

<b>Resista® Finish</b>	Page 4
<b>Handing</b>	Page 4

<b>München Series</b>	Page 5
<b>New Orleans Series</b>	Page 8
<b>Ródos Series</b>	Page 13
<b>Toronto Series</b>	Page 18
<b>Verona Series</b>	Page 23

<b>Deadbolt</b>	Page 26
<b>Accessories</b>	Page 27
<b>Function &amp; Door Prep</b>	Page 35
<b>Tools</b>	Page 41
<b>Sales Tools</b>	Page 42
<b>Glossary</b>	Page 45

<b>Terms &amp; Conditions</b>	Page 48
-------------------------------	---------



### Resista® - The HOPPE Surface Guarantee

All HOPPE brass handles are manufactured using the finest quality brass alloys. The surface of the handle is protected by a transparent enamel finish which offers strength, intensity and durability, as well as a smooth, blemish-free surface.

HOPPE's Resista® program of finishes is available on selected solid brass handle sets and protects against tarnishing, peeling and cracking for a rich lustre throughout. All Resista® finishes are indicated by an "R" after the handle color code and are covered with our Resista® Finish Limited Lifetime Warranty which is explained on page 80.

It is important to remember to use water and a soft cloth to clean brass. Do not use brass cleaner, detergents or chemical cleansers as they may remove the protective coating.


---

**Resista®**  
**Limited Lifetime Finish Warranty**

---

### Handing


---



Door handing is always determined from the exterior. Inswing or outswing does not determine handing.


#### **Note regarding handed F102 Function Entry Lock Sets:**

Handing of sets is always viewed from the exterior. F102 Function Entry Lock Sets will contain an interior handle that is handed opposite of the set.



**München**  
**Solid Brass**  
**M112PL/3939**


Privacy Set RH Shown



Passage Set LH Shown


Description	Handing	Backset	Resista Brass (F77-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
Passage Set F75 Function											
M112PL/3939	RH	60mm (2.375)	1939642	1939651	1939669	1939677	1939685	1939693	1939706	1939714	2637283
		70mm (2.75)	1939722	1939731	1939749	1939757	1939765	1939773	1939781	1939790	2637291
	LH	60mm (2.375)	1939811	1939829	1939837	1939845	1939853	1939861	1939870	1939888	2637304
		70mm (2.75)	1939941	1939950	1939968	1939976	1939984	1939992	1940002	1940011	2637312
Privacy Set F76 Function											
M112PL/3939S	RH	60mm (2.375)	1941232	1941241	1941259	1941267	1941275	1941283	1941291	1941304	2637671
		70mm (2.75)	1941312	1941321	1941339	1941347	1941355	1941363	1941371	1941380	2637689
	LH	60mm (2.375)	1941072	1941081	1941099	1941101	1941110	1941128	1941136	1941144	2637700
		70mm (2.75)	1941152	1941161	1941179	1941187	1941195	1941208	1941216	1941224	2637718
Dummy Set Function											
M112PL/3939/3940 Pair Fixed Dummy	-	-	1941398	1941401	1941419	1941427	1941435	1941143	1941451	1941460	2639772
M112PL/3939 Exterior Single Fixed	RH	-	1941558	1941566	1941574	1941582	1941591	1941603	1941611	1941620	2639596
	LH	-	1941478	1941486	1941494	1941507	1941515	1941523	1941531	1941540	2639588

All Standard sets, except Dummies, include both radius and square cornered faceplates and strikes.  
All sets except Single Fixed Dummies are for 35mm (1.375) and 45mm (1.75) door thicknesses.



München  
Solid Brass  
M112PL/3960/3959/807

Entry Set LH Shown



Exterior


Interior

Description	Handing	Backset	Resista Brass (F77-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
Entry Lock Set F95 Function											
M112PL/3960/3959/807	RH	60mm (2.375)	1942180	1942198	1942201	1942219	1942227	1942235	1942243	1942251	2637902
		70mm (2.75)	1942260	1942278	1942286	1942294	1942307	1942315	1942323	1942340	2637929
	LH	60mm (2.375)	1942358	1942366	1942374	1942382	1942391	1942403	1942411	1942420	2637937
		70mm (2.75)	1942438	1942446	1942454	1942462	1942471	1942489	1942497	1942500	2637945

All Standard Sets include both radius and square cornered faceplates and strikes.  
All Sets are for 45mm (1.75) door thickness.

Reference page 68 for additional door prep information.

**München**  
**Solid Brass**  
**M5171/3961/3959/807/112PL**



Description	Handing	Backset	Resista Brass (F77-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
Entry Lock Set F102 Function											
M5171/3961/3959/807/112PL	RH	60mm (2.375)	1942833	1942841	1942850	1942868	1942876	1942884	1942892	1942905	2638681
		70mm (2.75)	1942913	1942921	1942930	1942948	1942956	1942964	1942972	1942981	2638690
	LH	60mm (2.375)	1942999	1943001	1943019	1943027	1943035	1943043	1943051	1943060	2638702
		70mm (2.75)	1943078	1943086	1943094	1943107	1943115	1943123	1943131	1943140	2638711
Dummy Set Function											
M5171/3961/3959/807/112PL Pair Fixed Dummy	RH	-	2375981	2375957	2375869	2375922	2376001	2376028	2375885	2375906	2639836
	LH	-	2375990	2375965	2375877	2375949	2376010	2376036	2375893	2375914	2639852


All Standard Sets include a square cornered faceplate and strike, except Dummy Sets.

All Sets are for 45mm (1.75) door thickness.

RH and LH are the standard abbreviations for right handed and left handed. See door handing diagram on page 4.


Reference page 70 for additional door prep information.

Handing of sets is always viewed from the exterior. F102 Function Entry Lock Sets will contain an interior handle that is handed opposite of the set.




New Orleans  
Solid Brass  
M1610/3939

Privacy Set RH Shown



Passage Set LH Shown




Description	Handing	Backset	Resista Brass (F77-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
Passage Set F75 Function											
M1610/3939	RH	60mm (2.375)	1943879	1943887	1943895	1943908	1943916	1943924	1943932	1943941	2637321
		70mm (2.75)	1943959	1943967	1943975	1943983	1943991	1944003	1944011	1944020	2637339
	LH	60mm (2.375)	1943713	1943721	1943730	1943748	1943756	1943764	1943772	1943781	2637347
		70mm (2.75)	1943799	1943801	1943810	1943828	1943836	1943844	1943852	1943861	2637355
Privacy Set F76 Function											
M1610/3939S	RH	60mm (2.375)	1944513	1944521	1944530	1944548	1944556	1944564	1944572	1944581	2637726
		70mm (2.75)	1944599	1944601	1944610	1944628	1944636	1944644	1944652	1944661	2637734
	LH	60mm (2.375)	1944353	1944361	1944370	1944388	1944396	1944409	1944417	1944425	2637742
		70mm (2.75)	1944433	1944441	1944450	1944468	1944476	1944484	1944492	1944505	2637769
Dummy Set Function											
M1610/3939/3940 Pair Fixed Dummy	-	-	1944732	1944741	1944759	1944767	1944775	1944783	1944791	1944804	2639781
M1610/3939 Exterior Single Fixed	RH	-	1944898	1944901	1944919	1944927	1944935	1944943	1944951	1944960	2639641
	LH	-	1944812	1944821	1944839	1944847	1944855	1944863	1944871	1944880	2639633

All Standard Sets, except Dummys, include both radius and square cornered faceplates and strikes.  
All Sets except Single Fixed Dummys are for 35mm (1.375) and 45mm (1.75) door thicknesses.


RH and LH are the standard abbreviations for right handed and left handed. See door handing diagram on page 4.





**New Orleans**  
**Solid Brass**  
**M1610/3950/3949/807**


Entry Set LH Shown



Description	Handing	Backset	Resista Brass (F77-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
Entry Lock Set F95 Function											
M1610/3950/3949/807	RH	60mm (2.375)	1946800	1946818	1946826	1946834	1946842	1946851	1946869	1946877	2638024
		70mm (2.75)	1946885	1946893	1946906	1946914	1946922	1946931	1946949	1946957	2638032
	LH	60mm (2.375)	1946965	1946981	1946990	1947001	1947010	1947028	1947036	1947044	2638041
		70mm (2.75)	1947052	1947061	1947079	1947087	1947095	1947108	1947116	1947124	2638059


All Standard Sets include both radius and square cornered faceplates and strikes.  
All Sets are for 45mm (1.75) door thickness.

RH and LH are the standard abbreviations for right handed and left handed. See door handing diagram on page 4.




New Orleans  
Solid Brass  
M1610/3960/3959/807

Entry Set LH Shown



Exterior




Interior

Description	Handing	Backset	Resista Brass (F77-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
Entry Lock Set F95 Function											
M1610/3960/3959/807	RH	60mm (2.375)	1945495	1945508	1945516	1945524	1945541	1945559	1945567	1945575	2638067
		70mm (2.75)	1945583	1945591	1945604	1945612	1945621	1945647	1945655	1945663	2638075
	LH	60mm (2.375)	1945671	1945680	1945698	1945701	1945719	1945727	1945735	1945743	2638083
		70mm (2.75)	1945751	1945760	1945778	1945786	1945794	1945807	1945815	1945823	2638091

All Standard Sets include both radius and square cornered faceplates and strikes.  
All Sets are for 45mm (1.75) door thickness.

RH and LH are the standard abbreviations for right handed and left handed. See door handing diagram on page 4.

**New Orleans**  
**Solid Brass**  
**M5170/3951/3949/807/1610**




Description	Handing	Backset	Resista Brass (F77-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
Entry Lock Set F102 Function											
M5170/3951/3949/807/1610	RH	60mm (2.375)	1947482	1947491	1947503	1947511	1947520	1947538	1947546	1947554	2638729
		70mm (2.75)	1947562	1947571	1947589	1947597	1947600	1947618	1947626	1947634	2638737
	LH	60mm (2.375)	1947642	1947651	1947669	1947677	1947685	1949693	1947706	1947714	2638796
		70mm (2.75)	1947722	1947731	1947749	1947757	1947765	1947773	1947781	1947790	2638817
Dummy Set Function											
M5170/3951/3949/807/1610 Pair Fixed Dummy	RH	-	2375391	2375375	2375244	2375324	2375412	2375439	2375279	2375308	2639861
	LH	-	2375404	2375383	2375261	2375341	2375421	2375447	2375295	2375316	2639887

All Standard Sets include both radius and square cornered faceplates and strikes.

All Sets are for 45mm (1.75) door thickness.

RH and LH are the standard abbreviations for right handed and left handed. See door handing diagram on page 4.

Handing of sets is always viewed from the exterior. F102 Function Entry Lock Sets will contain an interior handle that is handed opposite of the set.




Description	Handing	Backset	Resista Brass (F77-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
Entry Lock Set F102 Function											
M5171/3961/3959/807/1610	RH	60mm (2.375)	1946156	1946164	1946172	1946181	1946199	1946201	1946210	1946228	2638825
		70mm (2.75)	1946236	1946244	1946252	1946261	1946279	1946287	1946295	1946308	2638833
	LH	60mm (2.375)	1946316	1946324	1946332	1946341	1946359	1946367	1946375	1946383	2638841
		70mm (2.75)	1946391	1946404	1946412	1946421	1946439	1946447	1946455	1946463	2638850
Dummy Set Function											
M5171/3961/3959/807/1610 Pair Fixed Dummy	RH	-	2376167	2376141	2376052	2376116	2376183	2376204	2376079	2376095	2639908
	LH	-	2376175	2376159	2376061	2376132	2376191	2376212	2376087	2376108	2639916

All Standard Sets include both radius and square cornered faceplates and strikes.  
All Sets are for 45mm (1.75) door thickness.


RH and LH are the standard abbreviations for right handed and left handed. See door handing diagram on page 4.

Handing of sets is always viewed from the exterior. F102 Function Entry Lock Sets will contain an interior handle that is handed opposite of the set.



**Ródos**  
**Solid Brass**  
**M1603/3939**

Privacy Set RH Shown




Passage Set LH Shown

Description	Handing	Backset	Resista Brass (F77-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
Passage Set F75 Function											
M1603/3939	RH	60mm (2.375)	1948151	1948160	1948178	1948186	1948194	1948207	1948215	1948223	2637363
		70mm (2.75)	1948231	1948240	1948258	1948266	1948274	1948282	1948291	1948303	2637371
	LH	60mm (2.375)	1948311	1948320	1948338	1948346	1948354	1948362	1948371	1948389	2637380
		70mm (2.75)	1948397	1948400	1948418	1948426	1948434	1948442	1948451	1948469	2637398
Privacy Set F76 Function											
M1603/3939S	RH	60mm (2.375)	1948952	1948961	1948979	1948987	1948995	1949007	1949015	1949023	2637777
		70mm (2.75)	1949031	1949040	1949058	1949066	1949074	1949082	1949091	1949103	2637785
	LH	60mm (2.375)	1948792	1948805	1948813	1948821	1948830	1948848	1948856	1948864	2637806
		70mm (2.75)	1948872	1948881	1948899	1948901	1948910	1948928	1948936	1948944	2637814
Dummy Set Function											
M1603/3939/3940 Pair Fixed Dummy	-	-	1949111	1949120	1949138	1949146	1949154	1949162	1949171	1949189	2639799
M1603/3939 Exterior Single Fixed	RH	-	1949277	1949285	1949293	1949306	1949314	1949322	1949331	1949349	2639684
	LH	-	1949197	1949200	1949218	1949226	1949234	1949242	1949251	1949269	2639676

All Standard Sets, except Dummies, include both radius and square cornered faceplates and strikes.


All Sets except Single Fixed Dummies are for 35mm (1.375) and 45mm (1.75) door thicknesses.

RH and LH are the standard abbreviations for right handed and left handed. See door handing diagram on page 4.




Ródos  
Solid Brass  
M1603/3950/3949/807

Entry Set LH Shown



Exterior




Interior

Description	Handing	Backset	Resista Brass (F77-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
Entry Lock Set F95 Function											
M1603/3950/3949/807	RH	60mm (2.375)	1951158	1951166	1951174	1951182	1951191	1951203	1951211	1951220	2638155
		70mm (2.75)	1951238	1951246	1951254	1951262	1951271	1951289	1951297	1951300	2638171
	LH	60mm (2.375)	1951318	1951326	1951334	1951343	1951351	1951369	1951377	1951385	2638180
		70mm (2.75)	1951393	1951406	1951414	1951422	1951431	1951449	1951457	1951465	2638201


All Standard Sets include both radius and square cornered faceplates and strikes.  
All Sets are for 45mm (1.75) door thickness.

RH and LH are the standard abbreviations for right handed and left handed. See door handing diagram on page 4.



**Ródos**  
**Solid Brass**  
**M1603/3960/3959/807**

Entry Set LH Shown




Description	Handing	Backset	Resista Brass (F77-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
<b>Entry Lock Set F95 Function</b>											
M1603/3960/3959/807	RH	60mm (2.375)	1949832	1949841	1949859	1949867	1949875	1949883	1949891	1949904	2638104
		70mm (2.75)	1949912	1949921	1949939	1949947	1949955	1949963	1949971	1949980	2638112
	LH	60mm (2.375)	1949998	1950008	1950016	1950024	1950032	1950041	1950059	1950067	2638121
		70mm (2.75)	1950083	1950091	1950104	1950112	1950121	1950139	1950147	1950155	2638147

All Standard Sets include both radius and square cornered faceplates and strikes.  
 All Sets are for 45mm (1.75) door thickness.

RH and LH are the standard abbreviations for right handed and left handed. See door handing diagram on page 4.

Ródos  
Solid Brass  
M5170/3951/3949/807/1603




Description	Handing	Backset	Resista Brass (F77-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
Entry Lock Set F102 Function											
M5170/3951/3949/807/1603	RH	60mm (2.375)	1951908	1951916	1951924	1951932	1951941	1951959	1951967	1951975	2638930
		70mm (2.75)	1951983	1951991	1952003	1952011	1952020	1952038	1952046	1952054	2638948
	LH	60mm (2.375)	1952062	1952071	1952089	1952097	1952100	1952118	1952126	1952134	2638956
		70mm (2.75)	1952142	1952151	1952169	1952177	1952185	1952193	1952206	1952214	2638964
Dummy Set Function											
M5170/3951/3949/807/1603 Pair Fixed Dummy	RH	-	2375594	2375578	2375463	2375551	2375623	2375658	2375498	2375535	2639924
	LH	-	2375607	2375586	2375480	2375560	2375631	2375666	2375519	2375543	2639932

All Standard Sets include both radius and square cornered faceplates and strikes.  
All Sets are for 45mm (1.75) door thickness.

RH and LH are the standard abbreviations for right handed and left handed. See door handing diagram on page 4.


Handing of sets is always viewed from the exterior. F102 Function Entry Lock Sets will contain an interior handle that is handed opposite of the set.





Entry Set LH Shown

**Ródos**  
**Solid Brass**  
**M5171/3961/3959/807/1603**



Exterior

Interior

Description	Handing	Backset	Resista Brass (F77-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
Entry Lock Set F102 Function											
M5171/3961/3959/807/1603	RH	60mm (2.375)	1950497	1950500	1950518	1950526	1950534	1950542	1950551	1950569	2638876
		70mm (2.75)	1950577	1950585	1950593	1950606	1950614	1950622	1950631	1950649	2638892
	LH	60mm (2.375)	1950657	1950665	1950673	1950681	1950690	1950702	1950711	1950729	2638905
		70mm (2.75)	1950737	1950745	1950753	1950761	1950770	1950788	1950796	1950809	2638913
Dummy Set Function											
M5171/3961/3959/807/1603 Pair Fixed Dummy	RH	-	2376343	2376319	2376221	2376298	2376360	2376386	2376247	2376263	2639941
	LH	-	2376351	2376327	2376239	2376301	2376378	2376394	2376255	2376280	2639959


All Standard Sets include both radius and square cornered faceplates and strikes.

All Sets are for 45mm (1.75) door thickness.

RH and LH are the standard abbreviations for right handed and left handed. See door handing diagram on page 4.


Handing of sets is always viewed from the exterior. F102 Function Entry Lock Sets will contain an interior handle that is handed opposite of the set.

# HBL - Toronto Series



**Toronto**  
**Solid Brass**  
**M1020/3939**


Privacy Set RH Shown



Description	Handing	Backset	Resista Brass (F77-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
Passage Set F75 Function											
M1020/3939	RH	60mm (2.375)	2311507	2311515	2311523	2311531	2306071	2311540	2311558	2311566	2637401
		70mm (2.75)	2311574	2311582	2311591	2311603	2306097	2311611	2311620	2311638	2637419
	LH	60mm (2.375)	2311646	2311654	2311662	2311671	2306185	2311689	2311700	2311718	2637427
		70mm (2.75)	2311742	2311751	2311769	2311777	2306222	2311785	2311793	2311806	2637435
Privacy Set F76 Function											
M1020/3939S	RH	60mm (2.375)	2312121	2312139	2312147	2312155	2307057	2312163	2312171	2312180	2637822
		70mm (2.75)	2312198	2312201	2312219	2312227	2307065	2312235	2312243	2312251	2637849
	LH	60mm (2.375)	2312260	2312278	2312286	2312294	2307073	2312307	2312315	2312323	2637857
		70mm (2.75)	2312331	2312340	2312358	2312366	2307081	2312374	2312382	2312391	2637865
Dummy Set Function											
M1020/3939/3940 Pair Fixed Dummy	-	-	2312403	2312411	2312420	2312438	2307090	2312446	2312454	2312462	2639801
M1020/3939 Exterior Single Fixed	RH	-	2312471	2312489	2312497	2312500	2307102	2312518	2312526	2312534	2639730
	LH	-	2312542	2312551	2312569	2312577	2307111	2312585	2312593	2312606	2639748


All Standard Sets, except Dummies, include both radius and square cornered faceplates and strikes.  
All Sets except Single Fixed Dummies are for 35mm (1.375) and 45mm (1.75) door thicknesses.

RH and LH are the standard abbreviations for right handed and left handed. See door handing diagram on page 4.



**Toronto**  
**Solid Brass**  
**M1020/3950/3949/807**


Entry Set LH Shown



Description	Handing	Backset	Resista Brass (F77-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
Entry Lock Set F95 Function											
M1020/3950/3949/807	RH	60mm (2.375)	2314791	2314804	2314812	2314821	2308965	2314839	2314847	2314855	2638278
		70mm (2.75)	2314863	2314871	2314880	2314898	2308973	2314901	2314919	2314927	2638286
	LH	60mm (2.375)	2314935	2314943	2314951	2314960	2308981	2314978	2314986	2314994	2638294
		70mm (2.75)	2315006	2315014	2315022	2315031	2308990	2315049	2315057	2315065	2638307


All Standard Sets include both radius and square cornered faceplates and strikes.  
All Sets are for 45mm (1.75) door thickness.

RH and LH are the standard abbreviations for right handed and left handed. See door handing diagram on page 4.



Toronto  
Solid Brass  
M1020/3960/3959/807


Entry Set LH Shown



Description	Handing	Backset	Resista Brass (F77-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
Entry Lock Set F95 Function											
M1020/3960/3959/807	RH	60mm (2.375)	2313617	2313625	2313633	2313641	2307188	2313650	2313668	2313676	2638227
		70mm (2.75)	2313684	2313692	2313705	2313713	2307196	2313721	2313730	2313748	2638235
	LH	60mm (2.375)	2313756	2313764	2313772	2313781	2307209	2313799	2313801	2313810	2638243
		70mm (2.75)	2313828	2313836	2313844	2313852	2307217	2313861	2313879	2313887	2638260


All Standard Sets include both radius and square cornered faceplates and strikes.  
All Sets are for 45mm (1.75) door thickness.

RH and LH are the standard abbreviations for right handed and left handed. See door handing diagram on page 4.



Entry Set LH Shown

**Toronto**  
**Solid Brass**  
**M5170/3951/3949/807/1020**



Description	Handing	Backset	Resista Brass (F77-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
Entry Lock Set F102 Function											
M5170/3951/3949/807/1020	RH	60mm (2.375)	2313035	2313043	2313051	2313060	2309554	2313078	2313086	2313094	2639027
		70mm (2.75)	2313115	2313123	2313131	2313140	2309571	2313158	2313166	2313174	2639043
	LH	60mm (2.375)	2313182	2313191	2313203	2313211	2309597	2313220	2313238	2313246	2639051
		70mm (2.75)	2313254	2313262	2313271	2313289	2309600	2313297	2313300	2313318	2639060
Dummy Set Function											
M5170/3951/3949/807/1020 Pair Fixed Dummy	RH	-	2375797	2375762	2375674	2375746	2375818	2375834	2375691	2375711	2639967
	LH	-	2375800	2375789	2375682	2375754	2375826	2375842	2375703	2375738	2639975


All Standard Sets include both radius and square cornered faceplates and strikes.

All Sets are for 45mm (1.75) door thickness.


RH and LH are the standard abbreviations for right handed and left handed. See door handing diagram on page 4.

Handing of sets is always viewed from the exterior. F102 Function Entry Lock Sets will contain an interior handle that is handed opposite of the set.

**Toronto  
Solid Brass  
M5171/3961/3959/807/1020**



Entry Set LH Shown



## Exterior

Interior


Description	Handing	Backset	Resista Brass (F77-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
Entry Lock Set F102 Function											
M5171/3961/3959/807/1020	RH	60mm (2.375)	2314193	2314206	2314214	2314222	2307891	2314231	2314249	2314257	2638972
		70mm (2.75)	2314265	2314273	2314281	2314290	2308893	2314302	2314311	2314329	2638981
	LH	60mm (2.375)	2314337	2314345	2314361	2314370	2308906	2314388	2314396	2314409	2638999
		70mm (2.75)	2314417	2314425	2314433	2314450	2308914	2314468	2314484	2314492	2639019
Dummy Set Function											
M5171/3961/3959/807/1020 Pair Fixed Dummy	RH	-	2376511	2376491	2376407	2376466	2376538	2376562	2376423	2376440	2639983
	LH	-	2376520	2376503	2376415	2376474	2376546	2376571	2376431	2376458	2639991

All Standard Sets include both radius and square cornered faceplates and strikes.

All Sets are for 45mm (1.75) door thickness.


RH and LH are the standard abbreviations for right handed and left handed. See door handing diagram on page 4.

Handing of sets is always viewed from the exterior. F102 Function Entry Lock Sets will contain an interior handle that is handed opposite of the set.




**Verona  
Solid Brass  
M151/3939**

Privacy Set Shown




Description	Backset	Resista Brass (F77-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
<b>Passage Set F75 Function</b>										
M151/3939	60mm (2.375)	1952417	1952425	1952433	1952441	1952450	1952468	1952476	1952484	2637443
	70mm (2.75)	1952492	1952505	1952513	1952521	1952530	1952548	1952556	1952564	2637451
<b>Privacy Set F76 Function</b>										
M151/3939S	60mm (2.375)	1952732	1952741	1952767	1952775	1952783	1952791	1952804	1952812	2637881
	70mm (2.75)	1952821	1952839	1952847	1952855	1952863	1952871	1952880	1952898	2637890
<b>Dummy Set Function</b>										
M151/3939/3940 Pair Fixed Dummy	-	1952901	1952919	1952927	1952935	1952943	1952951	1952960	1952978	2639810
M151/3939 Exterior Single Fixed	-	1952986	1952994	1953006	1953014	1953022	1953031	1953049	1953057	2639756

All Standard Sets, except Dummies, include both radius and square cornered faceplates and strikes.  
All Sets except Single Fixed Dummies are for 35mm (1.375) and 45mm (1.75) door thicknesses.



Verona  
Solid Brass  
M151/3950/3949/807


Entry Set Shown



Description	Backset	Resista Brass (F77-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
Entry Lock Set F95 Function										
M151/3950/3949/807	60mm (2.375)	1953305	1953313	1953321	1953330	1953348	1953356	1953364	1953372	2638315
	70mm (2.75)	1953381	1953399	1953401	1953410	1953428	1953436	1943444	1953452	2638323


All Standard Sets include both radius and square cornered faceplates and strikes.  
All Sets are for 45mm (1.75) door thickness.





Entry Set Shown


**Verona**  
**Solid Brass**  
**M5170/3951/3949/807/151**








Description	Backset	Resista Brass (F77-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
<b>Entry Lock Set F102 Function</b>										
M5170/3951/3949/807/151	60mm (2.375)	1953621	1953639	1953647	1953655	1953663	1953671	1953680	1953698	2639078
	70mm (2.75)	1953701	1953719	1953727	1953735	1953743	1953751	1953760	1953778	2639086
<b>Dummy Set Function</b>										
M5170/3951/3949/807/151 Pair Fixed Dummy	-	2376634	2376626	2376589	2376618	2376642	2376651	2376597	2376600	2640001

All Standard Sets include both radius and square cornered faceplates and strikes, except Dummy Sets.  
 All Sets are for 45mm (1.75) door thickness.

# HBL – Deadbolt



## Deadbolt E0152




### Standard

Description	Backset	Resista Brass (F77-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
Deadbolt Function E0152										
M452/3940S/807	60mm (2.375)	1940619	1943254	1940627	1940635	1943262	1943271	1940643	1943289	2640010
	70mm (2.75)	1940651	1943297	1940660	1940678	1943300	1943318	1940666	1943326	2640028


### Trim Ring for Deadbolt

Description	Backset	Resista Brass (F77-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
M453	-	1940694	1943334	1940707	1940715	1943342	1943351	1940723	1943369	2640061

### Brass Full Lip Latch Strike



Full Lip Latch Strike




Dustcap For Latch Strike


Full Lip Latch Strike Packs Include both Radius and Square Cornered Strikes, Screws and Dustcap

Door Thickness	Resista Brass (F77-R)	Polished Brass/Brushed Brass (F77-R/F72-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Polished Chrome/Br. Stainless Steel (F49-R/F69-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
35 & 45mm (1.375 & 1.75)	2101180	2101180	2101198	2101243	2101219	2101219	2101227	2101235	2101243	2101251	2642998


### Brass T-Latch Strike



T-Latch Strike



Underplate For T-Latch Strike




Dustcap For Latch Strike

T-Latch Strike Packs Include both Radius and Square Cornered Strikes, Underplate, Screws and Dustcap

Door Thickness	Resista Brass (F77-R)	Polished Brass/Brushed Brass (F77-R/F72-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Polished Chrome/Br. Stainless Steel (F49-R/F69-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
35 & 45mm (1.375 & 1.75)	2101374	2101374	2101382	2101438	2101403	2101403	2101411	2101420	2101438	2101446	2643000


Stainless Steel Full Lip Latch Strike



Full Lip Latch Strike Packs Include Square Cornered Strikes and Screws

Door Thickness	Resista Brass (F77-R)	Polished Brass/ Brushed Brass (F77-R/F72-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Polished Chrome/ Br. Stainless Steel (F49-R/F69-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
35mm (1.375)	2598042	2598042	2598051	2598018	2598034	2598034	2598069	2598077	2598018	2598026	2643018
45mm (1.75)	2598114	2598114	2598122	2598085	2598106	2598106	2598131	2598149	2598085	2598093	2643026
57mm (2.25)	2598181	2598181	2598190	2598157	2598173	2598173	2598202	2598211	2598157	2598165	2643042


Latch Faceplate



Latch Faceplate Pack Includes both Radius and Square Cornered Faceplates and Screws

Resista Brass (F77-R)	Polished Brass/ Brushed Brass (F77-R/F72-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Polished Chrome/ Br. Stainless Steel (F49-R/F69-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
2586383	2586383	2586391	2586404	2586412	2586412	2586421	2586439	2586404	2586447	2643051


**Tubular Latch**



**Tubular Latch**

Description	Backset	Brass Finish	Nickel Finish
Passage F75 Function	60mm (2.375)	2121893	2122298
	70mm (2.75)	2122079	2122319
Privacy F76 Function	60mm (2.375)	2122212	2122343
	70mm (2.75)	2122247	2122394


Deadbolt Faceplate



Deadbolt Faceplate Pack Includes both Radius and Square Cornered Faceplates and Screws

Resista Brass (F77-R)	Polished Brass/Brushed Brass (F77-R/F72-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Polished Chrome/Br. Stainless Steel (F49-R/F69-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
2586498	2586498	2586501	2586519	2586527	2586527	2586535	2586543	2586519	2587482	2643077


Tubular Deadbolt



Tubular Deadbolt

Backset	Brass Finish	Nickel Finish
60mm (2.375)	2122482	2122491
70mm (2.75)	2122503	2122511



## Deadbolt Strike



Standard Deadbolt Strike Pack includes both Radius and Square Cornered Strikes, Underplate, Screws & Dustcap

Resista Brass (F77-R)	Polished Brass/Brushed Brass (F77-R/F72-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Polished Chrome/Br. Stainless Steel (F49-R/F69-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
2100558	2100558	2100566	2100638	2100582	2100582	2100603	2100611	2100638	2100646	2643069

## Door Handle Shafts




### 8mm Door Handle Shaft

Function	Door Thickness	Item Number
F75	35mm, 45mm & 57mm (1.375, 1.75 & 2.25)	2045667
F76	35mm, 45mm & 57mm (1.375, 1.75 & 2.25)	2045667
F95	35mm, 45mm & 57mm (1.375, 1.75 & 2.25)	2045667

Function	Door Thickness	Item Number
F102 Outswing	35mm & 45mm (1.375 & 1.75)	2045747
F102 Inswing	57mm (2.25)	2098849


Anti-panic door shafts for F95 & F102 functions.

Bushings and Set Screws



Bushing


Gold	2004515
F7501 Steel Grey	2004523
F7502 Dark Silver	2004531
Black	2004558



Set Screw


Brass	1929591
Nickel	1987100
Black Nickel	1987097

Cover Caps and Mounting Bolts



Cover Cap for Mounting Bolt for F102 Function

Resista Brass (F77-R)	Polished Brass/ Brushed Brass (F77-R/F72-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Polished Chrome/ Br. Stainless Steel (F49-R/F69-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
1967731	1967731	1967811	1967926	1967838	1967838	1987505	1970893	1967977	1967969	2625821




Handle Mounting Bolt for F102 Function

Description	Door Thickness	Item Number
M12x1.25x70mm	35mm & 45mm (1.375 & 1.75)	7177655
M12x1.25x80mm	57mm (2.25)	7177648




**Cylinder and Shaft Positioning Spring**



**Cylinder**


	Brass	Nickel
Keyed Differently (Single)	2122440	2122458
Keyed Alike (Sets of 25)	2122466	2122474
Extended Cylinder Tail Piece for 2-1/4 Door Thickness / Part # 2122520		



**Shaft Positioning Spring**

F75, F76, F95, F102 Functions	7177417
-------------------------------	---------


**Interconnecting Plate**



**Interconnecting Plate**

F95, F102 Functions	2057895
---------------------	---------

**HBL Body**



**HBL Body**

F75, F76, F95, F102 Functions	2045739
-------------------------------	---------

# HBL – Accessories

## Screws

### Mounting Screw for Deadbolt, Rosette and Entry Door Backplate

Description	Resista Brass (F77-R)	Polished Brass/ Brushed Brass (F77-R/F72-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Polished Chrome/ Br. Stainless Steel (F49-R/F69-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
M5x14	1978895	1978895	1978916	1978941	7094097	7094097	1987581	1988049	1978941	1978932	2643341


### Mounting Screw Pack

Door Thickness	Resista Brass (F77-R)	Polished Brass/ Brushed Brass (F77-R/F72-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Polished Chrome/ Br. Stainless Steel (F49-R/F69-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
<b>Passage F75 / Privacy F76 Function Handle Set</b>											
35mm & 45mm (1.375 & 1.75)	2100435	2100435	2100435	2100435	2100435	2100435	2100435	2100435	2100435	2100435	2100435
57mm (2.25)	2104452	2104452	2104452	2104452	2104452	2104452	2104452	2104452	2104452	2104452	2104452
<b>Entry F95 &amp; F102 Function Handle Set</b>											
45mm (1.75)	2100443	2100443	2100451	2100494	2100460	2100460	2100478	2100486	2100494	2100507	2643114
57mm (2.25)	2104938	2104938	2104946	2104989	2104954	2104954	2104962	2104971	2104989	2105009	2643122
<b>Deadbolt E0152 Function</b>											
35mm & 45mm (1.375 & 1.75)	2050343	2050343	2050360	2050335	2050335	2050335	2050378	2050386	2050335	2050351	2643131
57mm (2.25)	2105033	2105033	2105041	2105050	2105050	2105050	2105068	2105076	2105050	2105084	2643149
<b>Single Exterior Dummy Handle Set</b>											
35mm & 45mm (1.375 & 1.75)	2050239	2050239	2050239	2050239	2050239	2050239	2050239	2050239	2050239	2050239	2050239
<b>Dummy Handle Pair</b>											
35mm & 45mm (1.375 & 1.75)	2050298	8787711	8787711	2050263	2050280	2050280	2050319	2050327	2050263	2050271	2643165



### Mounting Screw Pack for Strikes and Faceplates / 2 per pack

Countersunk Screws #8	Resista Brass (F77-R)	Polished Brass/ Brushed Brass (F77-R/F72-R)	Antique Brass (F73)	Brushed Chrome (F41-R)	Polished Chrome (F49-R)	Polished Chrome/ Br. Stainless Steel (F49-R/F69-R)	Oil-Rubbed Brass (F79)	Matte Black (F9714)	Satin Nickel (F42-R)	Antique Nickel (F44-R)	Rustic Umber (F8709)
19mm Long (0.75)	2100785	2100785	2100793	2100831	2100814	2100814	2100822	2100822	2100831	2100849	2100822
38mm Long (1.50)	2104381	2104381	2104399	2104436	2104410	2104410	2104428	2104428	2104436	2104444	2104428


**Passage Set F75 Function**




**Door Prep**




**Strike Prep**




Privacy Set F76 Function




Door Prep




Strike Prep




## Dummy Passage Set




Entry Lock Set F95 Function




Strike Prep




## Entry Lock Set/Grip Handle F102 Function



## Strike Prep



Thumb Turn & Deadbolt E0152 Function







**Installation Tool Kit for Wood Doors**

Consists of: 3 x High Speed Spur Bits (2 1/2", 1 1/2", 1") 1 x Center Marker (1") 1 x Drill Fixture for 25mm (1") - 73mm (2 1/8") Door Thickness 1 x Quick Release Drill Adaptor (3/8") for Boring Bits 4 x Router Templates including Locators for Faceplate and Strike Plate Preparation	2099850
--	---------



**Drill Jig Adapter**

Includes Hole Saw for Non-Wood Doors	2102297
--------------------------------------	---------

Note: Can be used with Drill Fixture (see Installation Tool Kit)



**Radius Corner Chisel**

6mm (1/4")	2102334
------------	---------



**Replacement High Speed Spur Bit**

25mm (1")	2102300
54mm (2 1/8")	2102318




6 Sided Rotating Display

### 6 Sided Display - Rotating

Description	Qty. Required	Finish	Part Number
Profile Kit including Screws and Mounting Brackets	1	-	2168000
Header and Base Kit including Screws and Series	1	-	2126045
Cherry Display Board with Verona Series	Select Any 6 Display Boards	Satin Nickel (F42-R)	2128569
Cherry Display Board with München Series		Matte Black (F9714)	2128585
Cherry Display Board with New Orleans Series		Matt Black (F9714)	2796735
Mahogany Display Board with Ródos Series		Oil-Rubbed Brass (F79)	2128606
Mahogany Display Board with Ródos Series		Rustic Umber (F8709)	2794334
Mahogany Display Board with New Orleans Series		Antique Nickel (F44-R)	2128631
Maple Display Board with Athinai Series		Polished Chrome / Stainless Steel (F49-R/F69-R)	2128526
Maple Display Board with Athinai Series		Resista Brass/ Br. Brass (F77-R/F72-R)	2128542
Maple Display Board with Toronto Series		Resista Brass (F77-R)	2530380
Maple Display Board with Toronto Series		Antique Brass ((F73)	2794326

### 3 Sided Display - Non Rotating

Description	Qty. Required	Finish	Part Number
Profile Kit including Screws and Mounting Brackets	1	-	2168018
Header and Base Kit including Screws and Labels	1	-	2126459
Cherry Display Board with Verona Series	Select Any 3 Display Boards	Satin Nickel (F42-R)	2128569
Cherry Display Board with München Series		Matte Black (F9714)	2128585
Cherry Display Board with New Orleans Series		Matt Black (F9714)	2796735
Mahogany Display Board with Ródos Series		Oil-Rubbed Brass (F79)	2128606
Mahogany Display Board with Ródos Series		Rustic Umber (F8709)	2794334
Mahogany Display Board with New Orleans Series		Antique Nickel (F44-R)	2128631
Maple Display Board with Athinai Series		Polished Chrome/ Brushed Chrome (F49-R/F69-R)	2128526
Maple Display Board with Athinai Series		Resista Brass/ Br. Brass (F77-R/F72-R)	2128542
Maple Display Board with Toronto Series		Resista Brass (F77-R)	2530380
Maple Display Board with Toronto Series		Antique Brass (F73)	2794326



SIS System

Call your local representative for details



Color Finish Ring

Description	Part Number
9 Finishes F77-R, F73, F41-R, F42-R, F44-R F49-R, F9714, F79, F8709	2239533



Table Top Pocket Door Display

Description	Finish	Part Number
Cherry Display Privacy Version (M492)	Polished Chrome (F49-R)	2128833
Mahogany Display Privacy Version (M492)	Resista Brass (F77-R)	2128841


**Table Top 6-Pack Display**

Description	Finish	Part Number
Cherry Display	Displays include all 6 series handles in F44-R, F42-R, F41-R, F79, F9714 & F49-R/F69-R	2390452
Mahogany Display		2390479
Maple Display		2390461


**Table Top Interior Handle Display**

Description	Finish	Part Number
Cherry Display with New Orleans Handle (M1610/3939S)	Satin Nickel (F42-R)	2128817
Cherry Display with Ródos Handle (M1603/3939S)	Matte Black (F9714)	2128825
Cherry Display with Verona Handle (M151/3939S)	Satin Nickel (F42-R)	2129246
Mahogany Display with Athinai Handle (M156/3939S)	Resista Brass/ Br. Brass (F77-R/F72-R)	2129182
Mahogany Display with New Orleans Handle (M1610/3939S)	Satin Nickel (F42-R)	2129191
Mahogany Display with München Handle (M112PL/3939S)	Antique Nickel (F44-R)	2129211
Mahogany Display with Ródos Handle (M1603/3939S)	Antique Nickel (F44-R)	2129220
Maple Display with Athinai Handle (M156/3939S)	Polished Chrome/ Br. Stainless Steel (F49-R/F69-R)	2128809
Maple Display with München Handle (M112PL/3939S)	Matte Black (F9714)	2129203
Maple Display with Verona Handle (M151/3939S)	Matte Black (F9714)	2129238


**Table Top Entry Handle Display**

Description	Finish	Part Number
Cherry Display with Ródos Handle (M5171/3961/3959/1603)	Oil-Rubbed Brass (F79)	2201674
Cherry Display with Verona Handle (M5171/3951/3949/151)	Matte Black (F9714)	2201826
Mahogany Display with New Orleans Handle (M5171/3961/3959/1610)	Satin Nickel (F42-R)	2201720
Mahogany Display with Athinai Handle (M5170/3951/3949/156)	Resista Brass/ Brushed Brass (F77-R/F72-R)	2201640
Maple Display with München Handle (M5171/3961/3959/112)	Antique Nickel (F44-R)	2201818

## Astragal

Decorative center section of wood or other material that is attached to the inactive panel and serves as a jamb.

## Backset

Distance from the surface of the lock faceplate to the center of the handle hole. This distance establishes where the handle will be mounted to the face of the door.

## Cylindrical Lock

The part of the lock which locks a door through the tumbler and the keyway.

## Deadbolt

The center locking point on the door. The deadbolt is engaged by turning the cylinder knob or engaging it with a key.

## Dummy Set

Handle is usually "fixed" in place. Handles serve only as pull handles and do not operate.

## Entry Lock Set

Handle set which has a lever grip handle on the outside and a deadbolt to lock the door.

## Entry Lock Set / Grip Handle

Handle set which has a grip handle on the outside and a deadbolt to lock the door.

## Exterior Single Fixed

An exterior handle, either left or right which is "fixed" in place. Handle serves only as a pull handle and does not operate.

## Frame

The outer casing of a door which mounts directly into the rough opening of a wall, also known as the jamb.

## Handing

Determining whether you need a left or right handed lever which normally have a curve design to them. Look at your hinges from the outside of your door. If the hinges are on the left, you need a left handed lever. If the hinges are on the right, you need a right handed lever.

## Handle Set

Hardware which includes handles, rosettes or backplates and screws and may also include a cylinder to lock the door.

## Handle Height

The distance from the bottom of the door panel to the center of the handle hole.

## Interior Single Fixed

An interior handle, either left or right which is "fixed" in place. Handle serves only as a pull handle and does not operate.

## LH

The standard abbreviation for left handed.

## Latch

The catch for the door that secures it when it is closed.

## Mortise

Edge pocket for lockcase or additional locking points.

## Pair Fixed Dummy

Two handles which are "fixed" in place. Handles serve only as pull handles and do not operate.

# Glossary

---

## Passage Set

A set of lever handles which have no locking action on either side.

## Pocket Door Hardware

A lock which is mortised into the edge of a door which slides into a wall pocket for a "hidden" door effect.

## Privacy Set

A set of lever handles which have either a push button inside and/or an emergency pin outside.

## Resista® Finish

This surface guarantee protects against tarnishing, peeling and cracking of solid brass handle sets. Resista® handle sets are denoted by an "R" in the finish description.

## RH

The standard abbreviation for right handed.

## Rosette

The decorative round plate which mounts to the face of the door with a hole to accept a handle.

## Series

Handle sets which have the same lever and finish for a coordinated look.

## Single Fixed Dummy

One handle which is "fixed" in place. Handle serves only as pull handle and does not operate.

## Shaft

A one piece metal unit used to mount the handles to the door.

## Stile

The upright or vertical piece of the frame of a door.

## Strike

A metal piece which is mounted to the door frame.

## Throw

The distance the deadbolt latch travels into the strike in the jamb.

## Thumbturn

The small knob on the inside of the handle set which operates the deadbolt.

## Thumbpiece

The part of the grip handle which when depressed opens the handle set.

# HBL - Terms & Conditions

## TERMS AND CONDITIONS GOVERNING SALES

1. Governing Provisions. These Terms and Conditions Governing Sales (the "Agreement") constitute an offer by HOPPE North America, Inc. ("Seller") to provide the goods described herein (the "Products") to the buyer to which this offer is addressed ("Buyer"), subject to the terms and conditions set forth herein. Buyer may not modify, change, renounce or waive any term or condition hereof or any of Seller's rights or remedies hereunder, unless Seller consents thereto in writing. Seller agrees to provide the Products to Buyer only on the terms of this Agreement, notwithstanding any language in Buyer's purchase order, if one exists, or other writing or oral representation previously or hereafter received by Seller purporting to amend, modify or replace the terms of this Agreement with any different or additional terms or reciting that provision or delivery of the Products or any other action or inaction by Seller constitutes agreement or consent by Seller to such amendment, modification or replacement. SELLER'S AGREEMENT TO PROVIDE THE PRODUCTS IS EXPRESSLY CONDITIONED ON BUYER'S ASSENT TO ALL OF THE TERMS AND CONDITIONS SET FORTH HEREIN.
2. Acceptance. Buyer shall be deemed to have made an unqualified acceptance of this Agreement, on the earliest to occur of the following: (a) Seller's receipt of a copy of this Agreement signed by Buyer; (b) Buyer's payment of any amounts due under this Agreement; (c) Buyer's receipt of the Products; or (d) any other event constituting acceptance under applicable law.
3. Cancellation or Modification. Buyer may not cancel or modify its order except upon terms accepted by Seller in a writing signed by Seller's authorized officer. In the event of such cancellation or modification, Buyer shall compensate Seller for all costs and damages resulting therefrom, including, but not limited to, out-of-pocket expenses, lost profit, allocable overhead and all other incidental and consequential damages.
4. Taxes. Buyer shall pay any tax, duty, custom, inspection or testing fee or any other fee or charge imposed on, in connection with or measured by the transaction between Seller and Buyer in addition to the prices quoted or invoiced.
5. Schedules: Delay. All delivery dates hereunder are approximate. Seller shall not be liable to Buyer for delays in delivery due to state of war, riot, civil disorder, fire, strikes, work slow-downs, accidents, actions of government or civil authority, delay in transportation, energy failure, equipment breakdown, delay of suppliers, inability to obtain necessary labor, materials or manufacturing facilities, acts of God or any causes beyond the reasonable control of Seller. In the event of any such delay, Seller shall perform such parts of the work as Seller is capable of performing and, even if Buyer places all or any part of the work elsewhere, Seller shall be entitled to resume such work as soon as practicable. Buyer's exclusive remedy for such delays, and for Seller's inability to deliver for any reason, shall be rescission of the affected order.
6. Payment Terms. Payment terms are C.O.D. unless (a) Seller approves different terms based on a written credit or financing agreement submitted by Buyer or (b) Seller, in its sole discretion, requires payment in advance. Buyer shall pay interest on all past due amounts at the rate equal to the lower of 1.5% per month or the highest rate permitted by applicable law.
7. Rights Upon Default. If Buyer does not pay Seller any amount due Seller from Buyer under this Agreement or any other agreement when such amount is due or if Buyer defaults in the performance of any covenant or condition of this Agreement, Seller may, without liability to Buyer and without prejudice to Seller's other lawful remedies (a) terminate this Agreement, (b) declare immediately due and payable all Buyer's obligations to Seller, (c) change credit terms with respect to any further work or (d) suspend or discontinue any further work until Buyer pays all overdue amounts and Buyer deposits with Seller cash or security satisfactory to Seller covering further work. Seller's foregoing rights shall be in addition to any other rights Seller may have and shall not prejudice any such right. Buyer agrees to reimburse Seller for all costs incurred by Seller in collecting any sums owed by Buyer to Seller.
8. Warranties and Remedy. See Finish Warranty or Lifetime Limited Mechanical Warranty supplied upon request
9. DISCLAIMER OF IMPLIED WARRANTIES. THE WARRANTY PROVIDED IS EXCLUSIVE, AND SELLER MAKES NO OTHER WARRANTY OF ANY KIND, EXPRESSED OR IMPLIED, WITH RESPECT TO A PRODUCT. SELLER HEREBY EXPRESSLY DISCLAIMS ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE. ANY ORAL OR WRITTEN DESCRIPTION OF A PRODUCT IS FOR THE SOLE PURPOSE OF IDENTIFYING A PRODUCT AND SHALL NOT BE CONSTRUED AS AN EXPRESS OR IMPLIED WARRANTY.
10. Delivery. The price quoted for the Products is F.O.B. Seller's premises. Risk of loss for the Products passes to Buyer upon delivery. Title to the Products passes to Buyer upon Buyer's payment in full for the Products. The parties hereby agree that this Agreement shall constitute the security agreement required by the Uniform Commercial Code ("UCC") of the appropriate state. Buyer hereby grants Seller a security interest in the Products, wherever located, and all proceeds thereof, to secure Buyer's payment in full for the Products. Buyer hereby authorizes Seller to execute any UCC financing statement, or any other document necessary or appropriate, to protect Seller's security interest.
11. Governing Law. The internal laws of the State of Wisconsin shall govern the rights and obligations of Seller and Buyer under this Agreement.
12. Miscellaneous. Seller reserves the right to correct clerical or similar errors relating to price or any other term shown in this Agreement. Invalidity or unenforceability of any term or part of this Agreement shall not affect the validity or enforceability of the remainder of this Agreement. Failure of either party to insist, in any one or more instances, upon performance of any term, covenant or condition of this Agreement shall not be construed as a waiver or relinquishment of any right granted hereunder or the future performance of such term, covenant or condition.
13. FINAL WRITTEN EXPRESSION. THIS AGREEMENT CONSTITUTES A FINAL WRITTEN EXPRESSION OF THE TERMS BETWEEN SELLER AND BUYER AND IS A COMPLETE AND EXCLUSIVE STATEMENT OF THOSE TERMS. ANY NEGOTIATIONS OR UNDERSTANDINGS BETWEEN SELLER AND BUYER WHICH ARE NOT CONTAINED IN THIS AGREEMENT HAVE NO FORCE OR EFFECT. ANY AND ALL PURCHASE ORDERS, CORRESPONDENCE OR STATEMENTS THAT CONFLICT WITH, DIFFER FROM OR MODIFY THIS AGREEMENT SHALL HAVE NO FORCE OR EFFECT.
14. ALL INFORMATION IS FOR REFERENCE ONLY AND SUBJECT TO CHANGE WITHOUT NOTICE.



HOPPE North America, Inc.  
205 E. Blackhawk Drive  
Fort Atkinson, WI 53538-1268  
☎ 920-563-2626  
☎ 920-563-4408

HOPPE North America, Inc.  
6345 Netherhart Road  
Unit #1  
Mississauga, ON L5T 1B8  
CANADA  
☎ 905-564-7344  
☎ 905-564-7301

☎ 1-888-485-4885  
✉ [info@us.hoppe.com](mailto:info@us.hoppe.com)  
🌐 [www.us.hoppe.com](http://www.us.hoppe.com)

1/08/2500

Distributor: