

SECTION B

MORTISE, CYLINDRICAL & TUBULAR LOCKSETS AND DEADBOLTS

B-1	Comparison Chart	B-29	HBV Series Heavy Duty Deadbolts
B-2	DX-LSV Key-in-Lever Locks	B-30	DB200 Series Tubular Deadbolts
B-3	DX-LSV Key-in-Lever Locks	B-31	DB400 Series Tubular Deadbolts
B-4	CL-DX-LSV Key-in-Lever Locks	B-32	One-Sided Tubular Deadbolts
B-5	CL-DX-LSV Key-in-Lever Locks	B-33	Lock Parts & Accessories
B-6	ICL Series I.C. Cylindrical Locks	B-34	DX-ML Series Mortise Locksets
B-7	ICL Series I.C. Cylindrical Locks	B-35	DX-ML Series Mortise Locksets
B-8	LSV Series Key-in-Lever Locks	B-36	DX-ML Series Mortise Locksets
B-9	LSV Series Key-in-Lever Locks	B-37	DX-ML Series Mortise Locksets
B-10	DX-LHV Cylindrical Lever Locks	B-38	DX-ML Series Mortise Locksets
B-11	DX-LHV Cylindrical Lever Locks	B-39	DX-ML Series Mortise Locksets
B-12	LXV Series Key-in-Lever Locks	B-40	ML234 Mortise Knob Key Lockset
B-13	LXV Series Key-in-Lever Locks	B-41	ML800 Solid Brass Mortise Lockset
B-14	HV Series Heavy Duty Cylindrical Locks	B-42	Slimline Mortise Locksets
B-15	HV Series Heavy Duty Cylindrical Locks	B-43	Inside Mortise Lockset
B-16	SV Series Cylindrical Locks	B-44	Pitcher Handles
B-17	SV Series Cylindrical Locks	B-45	DX920 & DX914 Mortise Locksets
B-18	EC Series Cylindrical Locks	B-46	DXLV920, DXLV914 & DX922 Mortise Locksets
B-19	EC Series Cylindrical Locks	B-47	SDL Series Sliding Door Lock
B-20	ECL Series Lever Handle Locks	B-48	Wrap-Around Door Reinforcers
B-21	8000 Series Cylindrical Locks	B-49	ANSI Strikes & Hole Fillers
B-22	900 Series Tubular Locks	B-50	Strikes
B-23	500 & 600 Series Lever Locks	B-51	Latch Guard Protectors
B-24	Combination Entry Locks	B-52	IC-Cylinders, IC-Mortise & Rim Cylinder Housings
B-25	Combination Entry Locks	B-53	Mortise Lock Cylinders
B-26	E-PH530 Pitcher Handle Locksets	B-54	Adapter Rings for Mortise Cylinders
B-27	PH Series Handle Locksets	B-55	Locking Devices
B-28	HBV Series Heavy Duty Deadbolts		

TRANS-ATLANTIC CO

440 Fairmount Ave., Phila., PA 19123

PH: 215-629-0400 • 800-523-9956

FX: 215-629-1282 • 800-531-0844

MASTER KEYING INFORMATION

THE FOLLOWING MODELS AVAILABLE WITH STOCK FACTORY MASTER KEY

- At an additional cost of \$2.00 per cylinder
- Factory master keyed locks & deadbolts will always be the same master key
- For special master keying and for any other models other than those shown our regular master keying charge will apply

LOCKSETS:


LSV 53 – US26D, US3
LSV 80 – US26D
SVB 53 – US32D, US3
SVB 80 – US32D
ECB 53 – US32D, US3
ECB 80 – US32D

DEADBOLTS:

TA251 – US32D, US3
TA260 – US32D, US3
(\$4.00)

DOOR HANDING

US STANDARDIZATION PROCEDURE



DOOR HANDS DETERMINED FROM OUTSIDE

TACO COMMERCIAL LOCKS - CROSS REFERENCE GUIDE

LXV KEY-IN-LEVER HEAVY DUTY CYLINDRICAL LOCKS- ANSI GRADE 1

Function	Taco No.	Schlage Olympiad	Corbin 700	Russwin 900	PDQ SX-FRE	Lockwood 970/930
Passage	LXV-10	D10S	710	910	SX126	971
Privacy	LXV-40	D40S	720	920	SX176	972
Entrance/Office	LXV-53	D53PD	751	940	SX182	970
Entrance	LXV-60	D66PD	788	9481/2	SX137	974
Classroom	LXV-70	D70PD	755	945	SX148	976
Store Room	LXV-80	D80PD	757	952	SX115	978
Dummy (Sgl/Dbl)	LXV-DTS/DTD	D170	1/2D700	914	SX211	

Since no two products are alike, this information represents a consensus based upon available product literature /samples. We make no claims that any items are identical to one another, although they are believed to be of comparable function and quality. Nor can we make claims as to the accuracy of the information, due to the changing literature and product lines.

B

SV STANDARD DUTY CYLINDRICAL LOCKS - ANSI GRADE 2

Function	Taco Model No.	Schlage A	Corbin 5600	Russwin 3300	Sargent 6 Line	Yale 5300	Arrow 151	PDQ SV	Ansi No.	Fed. No.
Passage	SV10	A10S	5610	3310	36U15	5301	156	SV126	F75-2	160N
Closet	SV20	A25D	5611	3316	6G15-3	5338	156CB	SV125		
Privacy	SV40	A40S	5620		6U65		157	SV176	F76-2	160L
Entrance	SV53	A53PD	5651	3340	6G05	5307	151	SV116	F81-2	160A
Double Cyl.	SV60	A66D		3340 5/8		5308		SV137		
Classroom	SV70	A70PD	5655	3340 5/8FCI	6G37		151S	SV148	F84-2	160R
Storeroom	SV80	A80PD	5657	3352	6G04	5305	151F	SV115	F86-2	160D
Hotel	SV85	A85PD	5629	3342	6G50	5322	151H	SV161	F93-2	160H
Single Dummy	SV-DTS		1/2DT		6U93		125	SV211		
Dummy	SV-DTD	A170	DT	1/2D3300	6U94	355		SV205		

HV HEAVY DUTY CYLINDRICAL LOCKS - ANSI GRADE 1

Function	Taco Item No.	Schlage D Cyl.	Corbin 1400 Cyl.	Russwin 400 Cyl.	Sargent 8 Line Tub.	Yale 5400 Cyl.	Arrow 1000 Cyl.	Ansi No.	Fed. No.
Passage	HV10	D10S	1410	410	8U15	5401	1006	F75-1	161N
Privacy	HV40	D40S	1420	420	8U65	5402	1007	F76-1	161L
Entrance	HV53	D53PD	1451	440	8G05	5407	1001P	F82-1	161B
Serv. Station	HV55	D55PD	1463	435	8G44	5406	1001PTX	F92-1	161E
Double Cylinder	HV60	D66PD	1488	4881/2	8G26	5419	1001DCG	F191-1	161G
Classroom	HV70	D70PD	1455	4405/8	8G37	5408	1001S	F84-1	161R
Store Room	HV80	D80PD	1457	452	8G04	5405	1001F	F86-1	161D
Asylum	HV82	D82PD	1432	4521/2	8G17	5430	1001DCW	F87-1	161W
Hotel	HV85	D85PD	1429	433EM	8G50	5420	1001H	F93-1	161H
Sgl. Dummy	HV-DTS		1/2 DT	1/2D400	8U92	5455			
Dbl. Dummy	HV-DTD	D170	DT	D400	8U94				

MLV HEAVY DUTY MORTISE LOCKS - ANSI GRADE 1

Function	Taco No.	Schlage L	Sargent 7700/8100	Corbin 9500	Russwin 5000	Arrow 1600/1700	Yale 8700	Ansi No.	Fed. No.
Passage	MLV110	9010	15	9510	5025	N	8701	F01	86N
Privacy	MLV140	9040	65	9520	5069	L		F02	86L
Entrance	MLV150	9050	05	9551	5056	E	8707	F04	86E
Dormitory-Exit	MLV153	9453	45	9549	5067	F	8747	F12	86F
Dormitory	MLV156	9456	25	9565	5061	FD	8722	F13	86FW
Exit-Public	MLV160	9060	16	9554	5042	G	8717	F09	86G
Deadlock	MLV160	9460		9513	5003	P	8715	F17	86P
Deadlock	MLV162	9462		9512	5002	T	8714	F16	86T
Deadlock	MLV164	9464		9511	5001	S	8714	F18	86S
Store Room	MLV166	9466	26	9522	5022	C	8760	F14	86C
Classroom	MLV170	9070	37	9555	5045	J	8708	F05	86J
Store Room	MLV180	9080	04	9557	5059	EW	8705	F07	86EW
Hotel	MLV185	9485	50	9529	5034	HF	8720	F15	86H

EC LIGHT COMMERCIAL-RESIDENTIAL GRADE CYLINDRICAL LOCKSETS - ANSI GRADE 3

FUNCTION	TACO NO.	SCHLAGE F	SARGENT 2 LINE	CORBIN 5800	RUSSWIN 7100	ARROW 151	YALE 5280/5290	ANSI NO.
PASSAGE	EC-B10	F10N	2U15	5710	7210	156	5283	F75-3
PRIVACY	EC-B40	F40N	2U65	5740	7220	157	5284	F76-3
ENTRANCE	EC-B53	F51N	2G05	5851	7140	151	5280	F81-2

DX-LSV Series

CYLINDRICAL CONSTRUCTION • ANSI GRADE 2
KEY-IN-LEVER LOCK

Engineered with Features that Guarantee
No Possibility of LEVER-SAG or OPERATIONAL PROBLEMS


Superior Architectural Design

Designed To Comply With (ADA) Americans With Disabilities Act




- BARRIER FREE
- MEETS HANDICAP CODE.


AVAILABLE WITH
OR WITHOUT
THRU-BOLTING,
SPECIFY "R"
FOR REMOVABLE
THRU-BOLTS,
DX-LSV-R



Saturn Design




Eclipse Design




Specify "RD" (Round Lever) when ordering

Venus Design



ALL FUNCTIONS AND FINISHES AVAILABLE FOR ALL THREE OF THESE LEVER DESIGNS

HIGH SECURITY CYLINDERS




SEGAL 06	KWIKSET 12	WEISER FALCON 13	DEXTER 32	LORI 02 SAME AS EAGLE 11920B & HARLOC 700	YALE 8 03
SCHLAGE "C" 04	LOCKWOOD 1004 06	ILCO 1054K 09	ARROW 10	RUSSWIN 961/852 11	CORBIN 60 29
RUSSWIN D-1 30	YALE 8 (4pin) 4175 cyl. only	SEGAL 9 27	SCHLAGE C thru K 28	SARGENT LA thru LC (6 pin only) 36	SCHLAGE E 34

This Is An Outstanding
Fully Cylindrical Ansi Grade 2
Lockset. When Mounted On
Door Has Appearance Of An
ANSI Grade 1 Lockset.
Available With 20 Popular
Commercial Keyways.

DX-LSV Series

CYLINDRICAL CONSTRUCTION • ANSI GRADE 2 KEY-IN-LEVER LOCK

B

Also Available with
2 Level Roses

PRODUCT SPECIFICATIONS

FOR DOORS: 1½" to 1¾" thick
BACKSET: 2¾", 2⅝", UL 2¾" A Label Listed
CASE: Corrosion treated heavy gauge cold rolled steel mechanism
THRU BOLTING: All locks available with or without thru bolt feature
FRONT: Wrought Brass or Bronze 2¼" x 1½"
STRIKE: Wrought Brass or Bronze 4⅞" x 1¼" standard
LATCHBOLT: Solid Brass 1/2" throw, reversible for RH or LH applications, adjustable front for flat or beveled doors 1⅝" - 2"
SPINDLES: Heat treated
EXPOSED TRIM: Lever zinc base material, plated to match finish. Roses are wrought Brass or Bronze
KEYING: 2 keys per lock
FINISHES: US3, US10, US10B, US26 **NEW**, US26D, US4 **NEW**
UL LISTING: UL Listed for "A" Label (3 hours) single swing doors (4'x8')
CERTIFICATION: Conforms with ANSI A156.2, Series 4000, Grade-2
Complies with provision of Title 19, California State Fire Marshall

Grade 2 single step rose leverset available with or without thru-bolting. Specify "R" for removable thru-bolts.

APPLICATIONS: For offices, schools, hospitals, apartments, hotel-motel & other public buildings.

MODEL NO. FUNCTION	ILLUSTRATION	PACKED	DESCRIPTION	NET PRICE EACH IN CASE LOTS OF 10		
				US 26D	US3 US4 NEW US10	US10B US26 NEW
DX-LSV10 Passage		10	Both levers always free.			
DX-LSV40 Privacy		10	Push button locking. Can be opened from outside with narrow blade tool.			
DX-LSV53 Entrance/ Office		10	Push button locking. Pushing button on inside locks outside lever until unlocked by key or using inside lever.			
DX-LSV60 Dbl. Cylinder		10	Key in either lever locks or unlocks both levers.			
DX-LSV70 Classroom		10	Outside lever locked or unlocked by key from outside. Inside lever always free.			
DX-LSV80 Storeroom		10	Outside lever rigid. Entry by key only. Inside lever always free.			
DX-LSV20 Communicating		10	Latch bolt operated by lever from outside.			
DX-LSV-DT Dummy Trim		10	Single pull lever. No mechanical operation.			

Available with removable thru bolt for additional cost of \$. Specify "R" when ordering.

Compare Our Price With Other Brands Of ANSI Grade 2 Heavy Duty Lever Locks

STANDARD PACKAGE INCLUDES

- Regular 2¾" BACKSET (2⅝" Optional)
- Full Lip Tee STRIKE

EXTRAS

- Add for 2¾" UL LATCH BOLT -
- Add for ANSI STRIKE -
- 5" Backset Extension Link -

SCHLAGE 6 PIN KEYWAY CYLINDER IS STANDARD

FOR ANY OF OUR OTHER STOCK CYLINDERS IN OTHER POPULAR KEYWAYS:

Add \$ (WHEN ORDERED ALONE) Add \$ (WHEN ORDERED WITH LOCKSET)

Any locks supplied with Lori Cylinders will be shipped with cylinder not installed.
Add \$ for locks with Lori cylinder installed.

**All Locks Available MK (master keyed),
GMK (grand master keyed), CMK (construction master keyed)**

QUANTITY DISCOUNTS

50 LOCKS - LESS 5% • 100 LOCKS - LESS 10%

ADD 10% FOR LESS THAN CASE LOTS

CL-DX-LSV SERIES

CYLINDRICAL CONSTRUCTION • ANSI GRADE 2 KEY-IN-LEVER LOCK

Engineered with **CLUTCH FEATURE** that prevents damage to outside locked lever



Superior Architectural Design

Designed To Comply With (ADA) Americans With Disabilities Act



- BARRIER FREE
- MEETS HANDICAP CODE.

Push in and turn button function

UL LISTED 3 HOUR RATED
1/2" Throw deadlatch completely reversible for flat and beveled doors



Individual spring on each side to prevent lever sag, maintain reliability, reduce maintenance

Without or with Thru-Bolting to prevent lock rotation


AVAILABLE WITH OR WITHOUT THRU-BOLTING, SPECIFY "R" FOR REMOVABLE THRU-BOLTS, CL-DX-LSV-R

Cylindrical Body


Outside lever has a clutch feature to prevent over torquing in locked position

Solid brass 6 pin tumbler cylinder

Saturn Design




Eclipse Design



Specify "RD" (Round Lever) when ordering

Venus Design



ALL FUNCTIONS AND FINISHES AVAILABLE FOR ALL THREE OF THESE LEVER DESIGNS

HIGH SECURITY CYLINDERS


MEDECO 	SEGAL 06	KWIKSET 12	WEISER FALCON 13	DEXTER 32	LORI 02 SAME AS EAGLE 11920B & HARLOC 700	YALE 8 03
KABA GEMINI LEVEL 1 	SCHLAGE "C" 04	LOCKWOOD 1004 06	ILCO 1054K 09	ARROW 10	RUSSWIN 981/852 11	CORBIN 60 29
	RUSSWIN D-1 30	YALE 8 (4pin) 4175 cyl. only	SEGAL 9 27	SCHLAGE C thru K 28	SARGENT LA thru LC (6 pin only) 36	SCHLAGE E 34

This Is An Outstanding Fully Cylindrical Ansi Grade 2 Lockset. When Mounted On Door Has Appearance Of An ANSI Grade 1 Lockset. Available With 20 Popular Commercial Keyways.

CL-DX-LSV SERIES

CYLINDRICAL CONSTRUCTION • ANSI GRADE 2
KEY-IN-LEVER LOCK*

B



PRODUCT SPECIFICATIONS

FOR DOORS: 1 3/8" to 1 3/4" thick
 BACKSET: 2 3/4", 2 3/8", UL 2 3/4" A Label Listed
 CASE: Corrosion treated heavy gauge cold rolled steel mechanism
 THRU BOLTING: All locks available with or without thru bolt feature
 FRONT: Wrought Brass or Bronze 2 1/4" x 1 1/8"
 STRIKE: Wrought Brass or Bronze 4 7/8" x 1 1/4" standard
 LATCHBOLT: Solid Brass 1/2" throw, reversible for RH or LH applications, adjustable front for flat or beveled doors 1 3/8" - 2"
 SPINDLES: Heat treated
 EXPOSED TRIM: Lever zinc base material, plated to match finish. Roses are wrought Brass or Bronze
 KEYING: 2 keys per lock
 FINISHES: US3, US10, US10B, US26, US26D, US4
 UL LISTING: UL Listed for "A" Label (3 hours) single swing doors (4'x8')
 CERTIFICATION: Conforms with ANSI A156.2, Series 4000, Grade-2
 Complies with provision of Title 19, California State Fire Marshall

Grade 2 single step rose leverset available with or without thru-bolting. Specify "R" for removable thru-bolts.

APPLICATIONS: For offices, schools, hospitals, apartments, hotel-motel & other public buildings.

MODEL NO. FUNCTION	ILLUSTRATION	PACKED	DESCRIPTION	NET PRICE EACH IN CASE LOTS OF 10		
				US 26D	US3 US4 US10	US10B US26
CL-DX-LSV10 Passage		10	Both levers always free.			
CL-DX-LSV40 Privacy		10	Push button locking. Can be opened from outside with narrow blade tool.			
CL-DX-LSV53 Entrance/ Office		10	Push button locking. Pushing button on inside locks outside lever until unlocked by key or using inside lever.			
CL-DX-LSV70 Classroom		10	Outside lever locked or unlocked by key from outside. Inside lever always free.			
CL-DX-LSV80 Storeroom		10	Outside lever rigid. Entry by key only. Inside lever always free.			
CL-DX-LSV20 Communicating		10	Latch bolt operated by lever from outside.			
CL-DX-LSV-DT Dummy Trim		10	Single pull lever. No mechanical operation.			

Available with removable thru bolt for additional cost of \$. Specify "R" when ordering.

Compare Our Price With Other Brands Of ANSI Grade 2 Heavy Duty Lever Locks

STANDARD PACKAGE INCLUDES

- Regular 2 3/4" BACKSET (2 3/8" Optional)
- Full Lip Tee STRIKE

EXTRAS

- Add for 2 3/4" UL LATCH BOLT -
- Add for ANSI STRIKE -
- 5" Backset Extension Link -

SCHLAGE 6 PIN KEYWAY CYLINDER IS STANDARD

FOR ANY OF OUR OTHER STOCK CYLINDERS IN OTHER POPULAR KEYWAYS:

Add Add
(WHEN ORDERED ALONE) (WHEN ORDERED WITH LOCKSET)

Any locks supplied with Lori Cylinders will be shipped with cylinder not installed. Add \$ for locks with Lori cylinder installed.

**All Locks Available MK (master keyed),
GMK (grand master keyed), CMK (construction master keyed)**

QUANTITY DISCOUNTS

50 LOCKS - LESS 5% • 100 LOCKS - LESS 10%

ADD 10% FOR LESS THAN CASE LOTS

ICL SERIES FOR BEST INTERCHANGEABLE CORE CYLINDER ANSI GRADE 2 • CYLINDRICAL LOCK

Engineered with Features that Guarantee
No Possibility of LEVER-SAG or OPERATIONAL PROBLEMS


Superior Architectural Design

Designed To Comply With (ADA) Americans With Disabilities Act




- BARRIER FREE
- MEETS HANDICAP CODE.

UL LISTED 3 HOUR RATED
1/2" Throw deadlatch
completely reversible for
flat and beveled doors




AVAILABLE WITH OR WITHOUT
THRU-BOLTING, SPECIFY "R" FOR
REMOVABLE THRU-BOLTS, ICL-R


Saturn Design



Eclipse Design



Venus Design



ALL FUNCTIONS AND FINISHES AVAILABLE FOR ALL THREE OF THESE LEVER DESIGNS


**THIS IS AN OUTSTANDING FULLY CYLINDRICAL ANSI GRADE 2
LOCKSET WITH AN IC "INTERCHANGEABLE CORE" CYLINDER
IN EXACT SAME SIZE AND CONSTRUCTION AS BEST, ARROW,
FALCON, KABA, AND NEW MEDECO, and at GREAT PRICES!**

ICL SERIES FOR BEST INTERCHANGEABLE CORE CYLINDER ANSI GRADE 2 • CYLINDRICAL LOCK

B

Available with unique feature which allows installation either with or without thru-bolting

**Specify Catalog
ICL-R
Series**



APPLICATIONS: For offices, schools, hospitals, apartments, hotel-motel & other public buildings.

PRODUCT SPECIFICATIONS

FOR DOORS: 1 3/8" to 1 3/4" thick
BACKSET: 2 3/4", 2 3/8", UL 2 3/4" A Label Listed
CASE: Corrosion treated heavy gauge cold rolled steel mechanism
THRU BOLTING: All locks supplied with thru-bolt feature which prevents rotating of lock when levers are operated
FRONT: Wrought Brass or Bronze 2 1/4" x 1 1/8"
STRIKE: Wrought Brass or Bronze 4 7/8" x 1 1/4" standard
LATCHBOLT: Solid Brass 1/2" throw, reversible for RH or LH applications, adjustable front for flat or beveled doors 1 3/8" - 2"
SPINDLES: Heat treated
EXPOSED TRIM: Lever zinc base material, plated to match finish
 Roses are wrought Brass or Bronze
KEYING: Retrofits all 6-7 pin IC core Best type cylinders including Arrow IC cylinders with same configuration as Best
KEYS: 2 Keys per lock
FINISHES: US3, US10, US10B, US26, US26D, US4
UL LISTING: UL Listed for "A" Label (3 hours) single swing doors (4'x8')
CERTIFICATION: Conforms with ANSI A156.2, Series 4000, Grade-2 Complies with provision of Title 19, California State Fire Marshall

MODEL NO. FUNCTION	ILLUSTRATION	PACKED	DESCRIPTION	NET PRICE EACH IN CASE LOTS OF 10		
				US 26D	US3 US4 US10	US10B US26
ICL 10 Passage		10	Both levers always free.			
ICL 40 Privacy		10	Push button locking. Can be opened from outside with narrow blade tool.			
ICL 53 Entrance/ Office		10	Push button locking. Pushing button on inside locks outside lever until unlocked by key or using inside lever.			
ICL 60 Double Cylinder		10	Key in either lever locks or unlocks both levers.			
ICL 70 Classroom		10	Outside lever locked or unlocked by key from outside. Inside lever always free.			
ICL 80 Storeroom		10	Outside lever rigid. Entry by key only. Inside lever always free.			
ICL-DT Dummy Trim		10	Single pull lever. No mechanical operation.			

Available with removable thru bolt for additional cost of \$. Specify "R" when ordering.

I.C. Cylinders Not Included in Lock Pricing Above

Compare Our Price With Other Brands Of ANSI Grade 2 Heavy Duty I.C. Lever Locks

STANDARD PACKAGE INCLUDES

- Regular 2 3/4" BACKSET (2 3/8" Optional)
- Full Lip Tee STRIKE

EXTRAS

- Add for 2 3/4" UL LATCH BOLT -
- Add for ANSI STRIKE -
- 5" Backset Extension Link -

This lock series is supplied without any I.C. cylinders. This series will accept all 6-7 pin tumbler I.C. Best cylinders, and any other brand of high security cylinder with same configuration as Best such as Arrow, Falcon, Assa, Medeco.

Prices for I.C. Cylinders

Uncombined	6 Pin -
	7 Pin -
Combined 1 Operating and 1 Control Key	6 Pin -
	7 Pin -

See our
catalog page
on I.C.
cylinders and
accessories
for more
information

**All Locks Available MK (master keyed),
GMK (grand master keyed), CMK (construction master keyed)**

QUANTITY DISCOUNTS

50 LOCKS - LESS 5% • 100 LOCKS - LESS 10%

ADD 10% FOR LESS THAN CASE LOTS

LSV Series

CYLINDRICAL CONSTRUCTION • ANSI GRADE 2
KEY-IN-LEVER LOCK

**Engineered with Features that Guarantee
No Possibility of LEVER-SAG or OPERATIONAL PROBLEMS**


Superior Architectural Design

Designed To Comply With (ADA) Americans With Disabilities Act




- BARRIER FREE
- MEETS HANDICAP CODE.

AVAILABLE WITH OR WITHOUT
THRU-BOLTING, SPECIFY "R"
FOR REMOVABLE THRU-BOLTS,
LSV-R




Conforms with ANSI A156.2
Series 4000, Grade-2

Saturn Design




Eclipse Design



Specify "RD" (Round Lever) when ordering

Venus Design




ALL FUNCTIONS AND FINISHES AVAILABLE FOR ALL THREE OF THESE LEVER DESIGNS

HIGH SECURITY CYLINDERS

 MEDECO KABA GEMINI LEVEL 1 	 SEGAL 06	 KWIKSET 12	 WEISER FALCON 13	 DEXTER 32	 LORI 02 SAME AS EAGLE 11920B & HARLOC 700	 YALE 8 03
	 SCHLAGE "C" 04	 LOCKWOOD 1004 06	 ILCO 1054K 09	 ARROW 10	 RUSSWIN 981/852 11	 CORBIN 60 29
	 RUSSWIN D-1 30	 YALE 8 (4pin) 4175 cyl. only	 SEGAL 9 27	 SCHLAGE C thru K 28	 SARGENT LA thru LC (6 pin only) 36	 SCHLAGE E 34

**This Is An Outstanding
Fully Cylindrical Ansi Grade 2
Lockset. When Mounted On
Door Has Appearance Of An
ANSI Grade 1 Lockset.
Available With 20 Popular
Commercial Keyways.**

LSV Series**CYLINDRICAL CONSTRUCTION • ANSI GRADE 2
KEY-IN-LEVER LOCK****B****ANSI GRADE 2****APPLICATIONS:** For offices, schools, hospitals, apartments, hotel-motel & other public buildings.**PRODUCT SPECIFICATIONS**

FOR DOORS: 1 $\frac{3}{8}$ " to 1 $\frac{3}{4}$ " thick
BACKSET: 2 $\frac{3}{4}$ ", 2 $\frac{5}{8}$ ", UL 2 $\frac{3}{4}$ " A Label Listed
CASE: Corrosion treated heavy gauge cold rolled steel mechanism
THRU BOLTING: All locks available with or without thru bolt feature which prevents rotating of lock when torque applied to levers
FRONT: Wrought Brass or Bronze 2 $\frac{1}{4}$ " x 1 $\frac{1}{8}$ "
STRIKE: Wrought Brass or Bronze 4 $\frac{7}{8}$ " x 1 $\frac{1}{4}$ " standard
LATCHBOLT: Solid Brass 1 $\frac{1}{2}$ " throw, reversible for RH or LH applications, adjustable front for flat or beveled doors 1 $\frac{3}{8}$ " - 2"
SPINDLES: Heat treated
EXPOSED TRIM: Lever zinc base material, plated to match finish. Roses are wrought Brass or Bronze
KEYING: Available in 22 USA keyways, 6-pin cylinder
KEYS: 2 keys per lock
FINISHES: US3, US10, US10B, US26, US26D, US4
UL LISTING: UL Listed for "A" Label (3 hours) single swing doors (4'x8')
CERTIFICATION: Conforms with ANSI A156.2, Series 4000, Grade-2
Complies with provision of Title 19, California State Fire Marshall

MODEL NO. FUNCTION	ILLUSTRATION	PACKED	DESCRIPTION	TACO NET PRICE EACH		
				US 26D	US3 US4 US10	US10B US26
LSV10 Passage		10	Both levers always free.			
LSV40 Privacy		10	Push button locking. Can be opened from outside with narrow blade tool.			
LSV53 Entrance/ Office		10	Push button locking. Pushing button on inside locks outside lever until unlocked by key or using inside lever.			
LSV60 Dbl. Cylinder		10	Key in either lever locks or unlocks both levers.			
LSV70 Classroom		10	Outside lever locked or unlocked by key from outside. Inside lever always free.			
LSV80 Storeroom		10	Outside lever rigid. Entry by key only. Inside lever always free.			
LSV20 Communicating		10	Latch bolt operated by lever from outside.			
LSV-DT Dummy Trim		10	Single pull lever. No mechanical operation.			

Available with removable thru bolt for additional cost of \$. Specify "R" when ordering.

Compare Our Price With Other Brands Of ANSI Grade 2 Heavy Duty Lever Locks**STANDARD PACKAGE INCLUDES**

- Regular 2 $\frac{3}{4}$ " BACKSET (2 $\frac{5}{8}$ " Optional)
- Full Lip Tee STRIKE
- 6 Pin Schlage C Keyway Cylinder

EXTRAS

- Add for 2 $\frac{3}{4}$ " UL LATCH BOLT -
- Add for ANSI STRIKE -
- 5" Backset Extension Link -

SCHLAGE 6 PIN KEYWAY CYLINDER IS STANDARD

FOR ANY OF OUR OTHER STOCK CYLINDERS IN OTHER POPULAR KEYWAYS:

Add
(WHEN ORDERED ALONE)**Add**
(WHEN ORDERED WITH LOCKSET)Any locks supplied with Lori Cylinders will be shipped with cylinder not installed.
Add \$ for locks with Lori cylinder installed.**All Locks Available MK (master keyed),
GMK (grand master keyed), CMK (construction master keyed)****QUANTITY DISCOUNTS**


50 LOCKS - LESS 5% • 100 LOCKS - LESS 10%

DX-LHV DX-CL-LHV Series **CYLINDRICAL LEVER LOCK**

ANSI GRADE 1 • EXTRA HEAVY DUTY • UL LISTED

EXTRA HEAVY DUTY CONSTRUCTION

Ideal for high-use commercial buildings, office buildings, retail stores and schools



Saturn Design	Eclipse Design	Venus Design
ALL FUNCTIONS AND FINISHES AVAILABLE FOR ALL THREE OF THESE LEVER DESIGNS		


HIGH SECURITY CYLINDERS		MEDECO	SEGAL 06	KWIKSET 12	WEISER FALCON 13	DEXTER 32	LORE 02 SAME AS EMBLE 110008 & HAWLOC 700	YALE 8 03
KABA GEMINI LEVEL1			SCHLAGE "C" 04	LOCKWOOD 1004 06	ILCO 1054K 09	ARROW 10	RUSSWIN 861052 11	CORBIN 60 29
			RUSSWIN D-1 30	YALE 8 (4 pin) 4175 cyl. only	SEGAL 9 27	SCHLAGE C thru K 28	SARGENT LA 1100 LC (6 pin only) 36	SCHLAGE E 34

This Ansi Grade 1 Extra Heavy-Duty Lever Lockset is made of stainless steel parts with reinforcing rings for improved strength against torque. Available With 20 Popular Commercial Keyways.

DX-LHV DX-CL-LHV Series ANSI GRADE 1 • EXTRA HEAVY DUTY • UL LISTED CYLINDRICAL LEVER LOCK

With or Without Clutch Feature

B



PRODUCT SPECIFICATIONS

FOR DOORS: 1¾" to 2" thick
 HAND: Non-Handed, Reversible
 CASE: Stainless Steel, steel bar and cold rolled steel, zinc dicromated for corrosion resistance
 BACKSET: 2¾" UL 3 hour fire rated standard, 2¾" available
 STRIKE: 1¼" x 4⅞" ANSI strike has a 1¼" lip to center
 LATCHBOLT: Stainless Steel, ½" throw for all functions
 CYLINDERS: Solid Brass 6 pin tumbler, SC-1 keyway (Schlage)
 Also available with most other popular commercial keyways and for use with BEST type I.C. core 6-7 pin tumbler cylinders
 FINISHES: US3, US4, US10, US10B, US26, US26D
 LEVER TRIMS: 3 Styles - Saturn, Eclipse and Venus Designs
 UL LISTING: UL, UL Canada Listed, 3-hour fire rated
 CERTIFICATION: Exceeds ANSI Grade 1 requirements
 Conforms to A117.1 Accessibility Code of the A.D.A.
 Meets California State Code

This lock series supplied with ANSI Strike and UL 3 hour fire rated latch bolts

AVAILABLE WITH OR WITHOUT CLUTCH FEATURE:

**DX-LHV – without clutch
DX-CL-LHV – with clutch**

MODEL NO. FUNCTION		ILLUSTRATION	PACKED	DESCRIPTION	NET PRICE EA. IN CASE LOTS OF 10		
					US26D	US3, US4, US10	US10B, US26
	DX-LHV10 Passage		10	Both levers always free.			
①	DX-LHV40 Privacy		10	Push button locking. Can be opened from outside with narrow blade tool.			
① *	DX-LHV53 Entrance/ Office		10	Push button locking. Pushing button on inside locks outside lever until unlocked by key or using inside lever.			
① *	DX-LHV70 Classroom		10	Outside lever locked or unlocked by key from outside. Inside lever always free.			
① *	DX-LHV80 Storeroom		10	Outside lever rigid. Entry by key only. Inside lever always free.			
	DX-LHV-DT Dummy Trim		10	Single pull lever. No mechanical operation.			
* Available with Clutch Feature ① Available with I.C. Cylinder (Not included in above prices)							

Add for any model with Clutch Feature - \$
All Locks for use with I.C. Cylinder - Add \$ to standard model prices listed above

STANDARD PACKAGE INCLUDES

- 2¾" UL 3 hour fire rated BACKSET (2¾" Optional)
- Schlage C - 6 pin cylinder
- ANSI Strike - 1¼" x 4⅞"

**ADD \$ EACH
FOR OTHER THAN
SCHLAGE 6 PIN
KEYWAY CYLINDER
EXCEPT I.C. CYLINDERS**

Prices for I.C. Cylinders

Uncombined	6 Pin –	See page 52 for I.C. Cylinders & Accessories.
	7 Pin –	
Combined 1 Operating and 1 Control Key	6 Pin –	
	7 Pin –	

All Locks Available MK (master keyed), GMK (grand master keyed), CMK (construction master keyed)

Quantity Discounts

50 LOCKS - LESS 5% • 100 LOCKS - LESS 10%

ADD 10% FOR LESS THAN CASE LOTS

LXV SERIES

Heavy Duty • Ansi Grade 1 • Variable Keyways
KEY-IN-LEVER CYLINDRICAL LOCKS


Engineered with a Unique Patented Constructional Feature that eliminates possibility of Lever-Sag



Superior Architectural Design

Designed to comply with the handicapped code

Conforms with Ansi A156.2
Series 4000, Grade-1




CROSS REFERENCE

SCHLAGE D SERIES


RHOADES


This lockset has no equal in a fully cylindrical Ansi Grade 1 Lockset. Reason: External patented auxiliary springs on both spindles guarantees "positively no lever sag". Without additional external auxiliary springs, a cylindrical lockset will sag. (see Architectural Data in P-section of catalog for further technical information)

HIGH SECURITY CYLINDERS



 SEGAL 06	 KWIKSET 12	 WEISER FALCON 13	 DEXTER 32	 LORI 02 SAME AS EAGLE 11920B & HARLOC 700	 YALE 8 03
 SCHLAGE "C" 04	 LOCKWOOD 1004 06	 ILCO 1054K 09	 ARROW 10	 RUSSWIN 981/852 11	 CORBIN 60 29
 RUSSWIN D-1 30	 YALE 8 (4pin) 4175 cyl. only	 SEGAL 9 27	 SCHLAGE C thru K 28	 SARGENT LA thru LC (6 pin only) 35	 SCHLAGE E 34



LXV**SERIES****Heavy Duty • Ansi Grade 1 • Variable Keyways
KEY-IN-LEVER CYLINDRICAL LOCKS****B**

Applications: For offices, schools, hospitals, apartments, hotel-motel & other public buildings.

PRODUCT SPECIFICATIONS

FOR DOORS: 1 $\frac{3}{8}$ " to 2" thick
BACKSET: 2 $\frac{3}{4}$ " UL Listed, A label
CASE: Corrosion treated heavy gauge, cold-rolled, steel mechanisms
FRONT: Wrought Brass or Bronze, 2 $\frac{1}{4}$ " x 1 $\frac{1}{8}$ "
STRIKE: Wrought Brass or Bronze 4 $\frac{7}{8}$ " x 1 $\frac{1}{4}$ " Standard
LATCHBOLT: Solid Brass $\frac{1}{2}$ " throw, reversible for RH or LH applications, adjustable front for flat or beveled doors 1 $\frac{3}{8}$ " - 2".
ROSES: 2 $\frac{3}{4}$ " diameter (N-LXV - 3 $\frac{5}{8}$ " diameter)
SPINDLES: Heat treated.
EXPOSED TRIM: Lever zinc based material, plated to match finish symbol. Roses are Wrought Brass or Bronze
KEYING: Available in 22 USA keyways; 6 pin cylinder
KEYS: 2 keys per lock.
FINISHES: US3, US10B, US26D
UL LISTING: UL Listed for "A" label (3 hour) single swing doors (4' x 8")
CERTIFICATION: Conforms with Ansi A156.2, Series 4000, Grade 1. Complies with provision of Title 19, Calif. State Fire Marshall.

MODEL NO. FUNCTION	ILLUSTRATION	PACKED	DESCRIPTION	NET PRICE EA		
				US 26D	US3	US10B
LXV-10 Passage		10	Both levers always free.			
LXV-40 Privacy		10	Push button locking. Can be opened from outside with narrow blade tool.			
LXV-53 Entrance/ Office		10	Push button locking. Pushing button on inside locks outside lever until unlocked by key or by using inside lever.			
LXV-60 Double Cylinder		10	Key in either lever locks or unlocks both levers			
LXV-70 Classroom		10	Outside lever locked or unlocked by key from outside. Inside lever always free.			
LXV-80 Storeroom		10	Outside lever rigid. Entry by key only. Inside lever always free.			
LXV-85 Hotel/Motel		10	Dead locking latch bolt operated by lever from inside at all times. Outside lever always fixed. Latch bolt operated by key from outside except when push button inside is operated thus shutting out all keys except emergency key. Inside push button provides lockout features by keeping indicator thrown. Turning inside lever or closing door releases indicator and shut out feature.			

COMPARE OUR PRICES WITH OTHER BRANDS OF ANSI GRADE 1 HEAVY DUTY LOCKS**STANDARD PACKAGE INCLUDES:**

- Heavy Duty UL Listed 2 $\frac{3}{4}$ " Backset
- 6 Pin Schlage C Keyway Cylinder
- Master Keying...add \$4.95
- Heavy Duty U.L. Approved 2 $\frac{3}{4}$ " Backsets
 - Spring Latch Model\$ ea.
 - Dead Latch Model\$ ea.
- 2 Keys
- ANSI Strike 4 $\frac{7}{8}$ " X 1 $\frac{1}{4}$ "

SCHLAGE 6 PIN KEYWAY CYLINDER IS STANDARD

FOR ANY OF OUR OTHER STOCK CYLINDERS IN OTHER POPULAR KEYWAYS:

Add	Add
(WHEN ORDERED ALONE)	(WHEN ORDERED WITH LOCKSET)

Any locks supplied with LORI Cylinders will be shipped with cylinder NOT installed.
Add \$ for locks supplied with LORI cylinder installed.

**All Locks Available MK (master keyed),
GMK (grand master keyed), CMK (construction master keyed)**

Quantity Discounts


50 LOCKS — 5% Discount 100 LOCKS — 10% Discount

HV SERIES

ANSI GRADE 1 • BALL KNOB • VARIABLE KEYWAY HEAVY DUTY CYLINDRICAL LOCKS

UL Listed A Label • Complies with Ansi A156.2 Series 4000 Grade 1

Ball knob design
Example: Specify
as HV-B53



AVAILABLE WITH ANY
OF THE 22 KEYWAYS
SHOWN BELOW




Applications: For offices, schools, hospitals,
apartments, hotel-motel & other public buildings.

PRODUCT SPECIFICATIONS

- FOR DOORS:** 1 $\frac{3}{8}$ " to 2" thick
BACKSET: 2 $\frac{3}{4}$ " UL Listed, A label
CASE: Corrosion treated heavy gauge, cold-rolled, steel mechanisms
FRONT: Stainless Steel, Brass or Bronze, 2 $\frac{1}{4}$ " x 1 $\frac{1}{8}$ "
STRIKE: Stainless Steel, Brass or Bronze, 4 $\frac{7}{8}$ " x 1 $\frac{1}{4}$ " Standard
LATCHBOLT: Solid Brass $\frac{1}{2}$ " throw, reversible for RH or LH applications, adjustable front for flat or beveled doors 1 $\frac{3}{8}$ " - 2".
SPINDLES: Heat treated.
EXPOSED TRIM: Knobs & Roses are stainless steel, brass or bronze
KEYING: Available in 22 USA keyways; 6 pin cylinder
KEYS: 2 keys per lock. These locks will accept standard Lori, Ilco-Unican & AWI cylinder systems.
FINISHES: US32D, US3, US10B
UL LISTING: UL Listed for "A" label (3 hour) single swing doors (4' x 8")
CERTIFICATION: Conforms with Ansi A156.2, Series 4000, Grade 1.

**FOR HIGH
FREQUENCY TRAFFIC**
The ultimate in durability,
combined with the finest
construction and design.

Dimensions for Ansi Grade 1 Ball Knob



Full 2 $\frac{3}{16}$ "
Diameter

**CROSS
REFERENCE**

**SCHLAGE D
SERIES**

HIGH SECURITY CYLINDERS

MEDECO



KABA GEMINI LEVEL I



SEGAL
06



KWIKSET
12



WEISER
FALCON
13



DEXTER
32



LORI 02
SAME AS
EAGLE 11829B
& HARLOC 700



YALE 8
03



SCHLAGE "C"
04



LOCKWOOD
1004
08



ILCO 1054K
09



ARROW
10



RUSSWIN
981/852
11



CORBIN 60
29



RUSSWIN D-1
30



YALE 8 (4 pin)
4175 Cyl. Only



SEGAL 9
27




SCHLAGE
C thru K
28




SARGENT
LA thru LC
(6 pin only)
36



SCHLAGE
E
34



HEAVY DUTY UL APPROVED 2 $\frac{3}{4}$ " BACKSET
WITH $\frac{1}{2}$ " LATCH BOLT PROJECTION

HV SERIES**HEAVY DUTY
CYLINDRICAL LOCKS****B**

Ball Knob Design
Example: Specify as HV-B53



Available
with I.C.
Cylinder
Not Included

	MODEL NO. FUNCTION	COMP SCHLAGE FUNCTION	ILLUSTRATION	CYL.	DESCRIPTION	NET PRICE		
						US32D	US3	US10B
	HV10 Passage	10			Latch bolt operated by knob from either side.			
	HV40 Privacy	40			Latch bolt operated by knob from either side, except when outside knob is locked by button on inside. When outside knob is locked, latch is operated by emergency key in outside knob.			
	HV53 Entrance General	53		6	Latch bolt operated by knob from either side, except when outside knob is locked by button on inside. When outside knob is locked, latch is operated by emergency key in outside knob.			
	HV60 Double Cylinder	60		6	Latch bolt operated by knob from either side. Key in either knob locks or unlocks both knobs simultaneously.			
	HV70 Classroom	70		6	Latch operated by knob from either side, except when outside knob is locked by key from outside. Inside knob is always free.			
	HV80 Storeroom	80		6	Latch bolt operated by knob from inside and by key outside. Outside knob always rigid.			
	HV85 Hotel-Motel Master Keyed	85		6	Latch bolt operated by knob from inside and by key from outside. Outside knob always rigid. Pushing button in inside knob shuts out all keys except emergency key and projects visual occupancy indicator in cyl. face.			

COMPARE OUR PRICES WITH OTHER BRANDS OF ANSI GRADE 1 HEAVY DUTY LOCKS

STANDARD PACKAGE INCLUDES:

- Heavy Duty UL Listed 2 3/4" Backset
- 6 Pin Schlage C Keyway Cylinder 4 7/8" x 1 1/4"
- Master Keyingadd \$4.95 per cylinder
- 2 Keys
- ANSI Strike

SCHLAGE 6 PIN KEYWAY CYLINDER IS STANDARD

FOR ANY OF OUR OTHER STOCK CYLINDERS IN OTHER POPULAR KEYWAYS:

Add (WHEN ORDERED ALONE) **Add** (WHEN ORDERED WITH LOCKSET)

**All Locks Available MK (master keyed),
GMK (grand master keyed),
CMK (construction master keyed)**

Any locks supplied with LORI Cylinders will be shipped with cylinder NOT installed. Add \$ for locks supplied with LORI cylinder installed.


Quantity Discounts

50 LOCKS — 5% Discount 100 LOCKS — 10% Discount

SV SERIES

DELUXE ANSI GRADE 2 CYLINDRICAL LOCKS

With 22 Variable Keyway 6 Pin USA Made Cylinders



DESIGNS:	Ball knob, 2¾" diameter Round Rose 3" diameter
FINISHES:	US3, US10, US10B, US32, US26, US5
KEYWAYS:	Schlage C- 6 pin, Arrow, Weiser (std.), 22 USA made 6 pin plus Medeco and Kaba High Security. Available with any of the 22 keyways shown below.
BACKSETS:	2¾" (std.), 2⅝", UL 2¾" adjustable 2⅝" & 2¾"
DOOR PREP:	2½" face bore, 1⅝" end bore
DOOR THICKNESS:	1⅝" & 1¾"
LATCH:	Deadlocking on all key functions. Solid brass (std.), with ½" throw. Spring type on all non-functions
KEYS:	3 per lock
LATCH FRONTS:	Stainless steel or brass 2¼" x 1⅝" (2¾"), 2¼" x 1 (2⅝")
STRIKES:	Tee strike (std), 1⅝" x 2¼" (optional) Ansi 4⅞" x 1¼"
MATERIAL:	All trim wrought stainless steel or brass, chassis and latch cases are steel, zinc chromate plated and chrome dipped to resist corrosion.
UL LISTING:	UL 2¾" backset available for A Label (3 hour) single swinging doors to 4' x 8"
CERTIFICATION:	Ansi A156.2 Series 4000, Grade 2

**All Locks Available MK (master keyed),
GMK (grand master keyed),
CMK (construction master keyed)**

For Commercial Buildings and Residential Use

- Complies with Ansi A.156.2, Series 4000, Grade 2
- UL Listed for A label fire doors
- Supplied with Schlage 6 pin keyway cylinder (keyed 6 pin). These locks accept standard Lori, Ilico-Unican and AWI cylinders.
- Available with 22 USA made keyways plus both Medeco and Kaba High Security cylinders.

**"Now you can use this lock series to
match up and inter-key with almost
all popular brands of both commercial
and residential locks and deadbolts"**

- Available with adjustable latch bolts (both 2⅝" & 2¾") at a very small extra cost!!

This makes this lock series very versatile and eliminates double inventory stocking of locks with both 2⅝" and 2¾" backsets.


- 10 Popular commercial lock functions.
- Deadlatch standard on all key functions.
- Matches design of other lock series.
- 2 Knob designs.
- 5 Finishes.

CROSS REFERENCE

Brands listed with equivalent cross reference series.

SCHLAGE	SARGENT	CORBIN	RUSSWIN	PDQ	YALE	FALCON
A	6 Line	5600	3300	SV	5300	E

HIGH SECURITY CYLINDERS




SEGAL 06	KWIKSET 12	WEISER FALCON 13	DEXTER 32	LORI 02 SAME AS EAGLE 11920B & HARLOC 700	YALE 8 03
SCHLAGE "C" 04	LOCKWOOD 1004 06	ILCO 1054K 09	ARROW 10	RUSSWIN 981852 11	CORBIN 80 29
RUSSWIN D-1 30	YALE 8 (4pin) 4175 cyl. only	SEGAL 9 27	SCHLAGE C thru K 28	SARGENT LA thru LC (6 pin only) 36	SCHLAGE E 34

Keyed Alike Keylock & Deadbolt

See our item No's.
CP-B111 & CP-B222

Deadbolts




We can supply both items keyed alike with either a regular or drive-in type deadbolt

SV SERIES

DELUXE ANSI GRADE 2 CYLINDRICAL LOCKS


B

Plymouth Design




Example:
Specify as
SV-P53

Ball knob Design



Available
with I.C.
Cylinder
Not Included

Example:
Specify as
SV-B53



SVB40
PB/CMP

Privacy

Split finish
Available

	MODEL NO. FUNCTION	PACKED	ILLUSTRATION	DESCRIPTION	NET PRICE		
					US32D	US3, US4*, US10	US26, US5
	SV10 Passage	20		Latch bolt operated by knob from either side.			
	SV40 Privacy	20		Latch bolt operated by knob from either side, except when outside knob is locked by button on inside. When outside knob is locked, latch is operated by emergency key in outside knob.			
					AVAILABLE IN US3/US26 \$		
	SV53 Entrance General	20		Latch bolt operated by knob from either side, except when outside knob is locked by button on inside. When outside knob is locked, latch bolt may be retracted by key from outside or by rotating knob inside. Deadlocking latch.			
	SV60 Double Cylinder	20		Latch bolt operated by knob from either side. Key in either knob locks or unlocks both knobs simultaneously.			
	SV70 Classroom	20		Latch operated by knob from either side, except when outside knob is locked by key from outside. Inside knob is always free.			
	SV80 Storeroom	20		Latch bolt operated by knob from inside and by key outside. Outside knob always rigid.			
	SV85 Hotel-Motel Master Keyed	20		Latch bolt operated by knob from inside and by key from outside. Outside knob always rigid. Pushing button in inside knob shuts out all keys except emergency key and projects visual occupancy indicator in cyl. face.			
	SV20 Communicating	20		Twin Communicating for adjoining hotel or motel rooms.			
	SV-DT Dummy Trim	20		Single pull knob, one side available, Pull knob both sides. No mechanical operation.			

EXTRAS

Add for 2 3/4" UL Deadlatch Bolt
Add for Adjustable. Backset (2 3/8"-2 3/4")
Factory Master Keying Per Cylinder
5" Backset Extension Link

Add for ANSI Strike

US32D
US3
US10B

WHEN ORDERING SPECIFY

*Available upon request

Knob Design- P= Plymouth B= Ball (Plymouth is only available in US3 & US32D)

Finishes- US3, US10, US10B, US32D, US5

Latch Bolts- 2 3/8", 2 3/4", UL 2 3/4", ABS 2 3/8"-2 3/4"

SCHLAGE 6 PIN KEYWAY CYLINDER IS STANDARD

FOR ANY OF OUR OTHER STOCK CYLINDERS IN OTHER POPULAR KEYWAYS:

Add

(WHEN ORDERED ALONE)

Add

(WHEN ORDERED WITH LOCKSET)

Any locks supplied with LORI Cylinders will be shipped with cylinder NOT installed. Add \$1.00 for locks supplied with LORI cylinder installed.

STANDARD PACKAGE INCLUDES:

- Regular 2 3/4" Backset
- Full Lip Tee Strike
- 6 Pin Schlage C Keyway Cylinder
- 3 Keys

NOTE: Call for pricing on special keying

When ordering any keylock model without key cylinder deduct \$


I.C. CYLINDERS	6 PIN	7 PIN
Uncombined		
Combined 1 Operating and 1 Control Key		

Quantity Discounts

60 Locks - 5% • 120 Locks - 10%

EC SERIES

STANDARD DUTY • 5 PIN CYLINDER CYLINDRICAL LOCKS



PRODUCT SPECIFICATIONS

DESIGNS	Ball knob, 2 1/8" diameter Round Rose 3" diameter
FINISHES	US32D, US3, US5
KEYWAYS	Kwikset (KW5) Schlage (SC5) Weiser (WR5), Arrow (AR5)
BACKSETS	Adjustable 2 3/8" or 2 3/4"
DOOR PREP	2 1/8" cross bore, 1" end bore
DOOR THICKNESS	1 3/8" & 1 3/4"
LATCH	Deadlocking on all key functions. Solid brass (std.), with 1/2" throw. Spring type on all non-functions.
KEYS	2 per lock
LATCH FRONTS	Stainless steel or brass 2 3/4" x 1 1/8" (2 3/4") 2 3/4" x 1" (2 3/8")
STRIKES	Tee strike (std), 1 1/8" x 2 3/4" (optional) Ansi 4 7/8" x 1/8"
MATERIAL	All trim wrought stainless steel or brass, chassis and latch cases are steel, zinc chromate plated and chronek dipped to resist corrosion.
UL LISTING	UL 2 3/4" backset available for A Label (3 hour) single swinging doors to 4' x 8"
CERTIFICATION	Ansi A156.2 Series 4000, Grade 3

For Light Commercial and Residential Use

- Complies with Ansi A.156.2, Series 4000 Grade 3
- UL Listed for A label fire doors
- Supplied with Schlage C5 pin keyway cylinder- (Other keyways also available- see below)

Available with adjustable backset which makes this lock series very versatile and eliminates double inventory stocking of locks with both 2 3/8" and 2 3/4" backsets.

- 10 Popular commercial lock functions.
- Deadlatch standard on all key functions.
- Matches design of other lock series.
- 5 Finishes.


CROSS REFERENCE

PLEASE NOTE THAT THE WEISER KEYWAY WILL ACCEPT THE FOLLOWING KEYS, TOO:
Corbin K1-80-5 E-Z Set 1177N Falcon E through R
Kwikset 1-1063 National D-4295, 751 Weiser 1555
Dexter 67 Sargent U & S Weslock 12344


Keyed Alike Keylock & Deadbolt

See our item No's. CP-B111& CP-B222

Deadbolts




Keylock



Deadbolt



Drive-in Type




Regular Type

We can supply both items keyed alike with either a regular or drive-in type deadbolt

**ALL EC SERIES LOCKSETS WILL
BE SUPPLIED, AT NO EXTRA CHARGE,
WITH ADJUSTABLE BACKSETS**

EC SERIES

STANDARD DUTY • 5 PIN CYLINDER CYLINDRICAL LOCKS

B

Ball Knob Design
Example: Specify as ECB53



**AVAILABLE WITH
FOLLOWING KEYWAYS:**
Schlage (SC5)
Kwikset (KW5)
Arrow (AR5)
Weiser

MODEL NO. FUNCTION	ILLUSTRATION	PACKED	DESCRIPTION	US32D	US3 US4* US10	US5
EC10 Passage		20	Latch bolt operated by knob from either side.			
EC40 Privacy		20	Latch bolt operated by knob from either side, except when outside knob is locked by button on inside. When outside knob is locked, latch is operated by emergency key in outside knob.			
EC53 Entrance General		20	Latch bolt operated by knob from either side except when outside knob locked by button on inside knob. When outside knob is locked, latch bolt may be retracted by key from outside or by rotating knob inside. Deadlocking latch.			
EC60 Double Cylinder		20	Latch bolt operated by knob from either side. Key in either knob locks or unlocks both knobs simultaneously.			
EC70 Classroom		20	Latch operated by knob from either side, except when outside knob is locked by key from outside. Inside knob is always free.			
EC80 Storeroom		20	Latch bolt operated by knob from inside and by key outside. Outside knob always rigid.			
EC-DT Dummy Trim		20	Single pull knob, one side available, Pull knob both sides. No mechanical operation.			

WHEN ORDERING ANY KEYLOCK MODEL WITHOUT A KEY CYLINDER DEDUCT \$

EXTRAS

Add for 2¾" UL Deadlatch Bolt
Add for ANSI Strike US32D
US3
US10B
5" Backset Extension Link
Factory Master Keying (per cylinder)

STANDARD PACKAGE INCLUDES:

- Regular 2¾" Backset
- Full Lip Tee Strike
- 5 Pin Schlage C Keyway Cylinder
- 2 Keys

NOTE: Call for pricing on special keying

WHEN ORDERING SPECIFY

Knob Design- B= Ball knob
Finishes- US3, US5, US32D
Latch Bolts- 2⅜", 2¾", UL 2¾", ABS 2⅜"-2¾"

PARTS & ACCESSORIES

- Adjustable Deadlatch (2⅜"-2¾")
- Adjustable Springlatch (2⅜"-2¾")
- ½" Throw drive-in deadlatch (2⅜"-2¾")
- ½" Throw drive-in springlatch (2⅜"-2¾")

**All Locks Available MK (master keyed),
GMK (grand master keyed),
CMK (construction master keyed)**

*Available upon request

Quantity Discounts


60 Locks - 5% 120 Locks - 10%

ECL SERIES

STANDARD DUTY • CYLINDRICAL TYPE LEVER HANDLE LOCKS



**BARRIER FREE
MEETS HANDICAP
CODE.**



2 compensating screw rosettes
like supplied with ANSI-Grade 3
cylindrical locksets

Meets (ADA) Americans With Disabilities Act


**No Finer Interior Function Standard Duty Cylindrical Locks Available.
Contains Construction Features Only Available With ANSI GRADE-3 Cylindrical Locksets**

PRODUCT SPECIFICATIONS

- DESIGN:** 3 $\frac{3}{4}$ " handicap code type lever handles
- ROSETTES:** 2 $\frac{3}{4}$ " diameter compensating screw type same as supplied on ANSI Grade-3 cylinder locks (on both sides of locks)
- FINISHES:** US26D, US3, US4, US5, US10B US10, **NEW** US4/US26 **NEW**
(Also available in split finishes for bathroom use)
- BACKSETS:** Adjustable: 2 $\frac{3}{8}$ " - 2 $\frac{3}{4}$ "
- DOOR PREP:** 2 $\frac{1}{8}$ " cross bore,
1" end bore
- DOOR THICKNESS:** 1 $\frac{3}{8}$ " - 1 $\frac{3}{4}$ "
- LATCH BOLT:** $\frac{1}{2}$ " projection
- LATCH FACE PLATE:** 1" x 2 $\frac{1}{4}$ "
- STRIKE:** Tee Strike (std) 1 $\frac{1}{8}$ " x 2 $\frac{3}{4}$ "
optional ANSI 4 $\frac{7}{8}$ " x 1 $\frac{1}{4}$ "
- MATERIAL:** All trim wrought stainless or brass, chassis and latch.
Cases are steel zinc chrome plated and chrome dipped to resist corrosion.

NOTE: This lockset can also be supplied in privacy function with a small hole feature in outside lever when specifically required.

ECL-10 PASSAGE FUNCTION



Operating either lever retracts latch


Packing: 20

Net Price:

(All Finishes – Same Price)

Add for ANSI strike - \$1.00 each

ECL-40 PRIVACY FUNCTION



Operating either lever retracts bolt except when turn button locks outside lever.

Inside lever always retracts bolt and unlocks outside lever.

Emergency key or similar instrument unlocks outside lever.


Packing: 20

Net Price:

(All Finishes – Same Price)

Add for ANSI strike - \$1.00 each

ECL-DT DUMMY TRIM



Packing: 20

Net Price:

(All Finishes – Same Price)

Quantity Discounts

50 LOCKS — 5% • 100 LOCKS — 10%
Can be Assorted

ALPHA TACO A-LOCK 8000 SERIES

B

Similar to famous Schlage A wafer cylindrical lock series


AVAILABLE WITH:

- 2³/₈" or 2³/₄" backsets.
- For doors from 1³/₈" to 1³/₄" thick with compensating outer knob rosette.
- Wafer 8 tumbler key cylinder, interchangeable with key blank for Schlage A53WD lock.
- Reversible for right or left hand doors.
- Meets USA Fed Spec Type #160.
- Keyed KA4 or KD.
- Packed: 40 per master carton.

**NOTE: WHEN ORDERING, SPECIFY:
T8005 (TULIP KNOBS)**

FULLY CYLINDRICAL LOCKSET

FULLY CYLINDRICAL - NOT TUBULAR




**SERIES NO. 8000 A-LOCK
SIMILAR SCHLAGE A53WD**

**THIS LOCK IS THE MOST
SERVICEABLE TYPE
LOCK FOR USE
IN HIGHLY POLLUTED
AREAS AND/OR
IN SALT AIR CLIMATES
SINCE THE WAFER KEY
CYLINDER WILL NOT
CLOG, DETERIORATE OR
BECOME INOPERATIVE
VERY EASILY.**

Function	Model No.	Stainless Steel US-32D	Polished Brass US-3	Antique Brass US-5
Entrance Keyset	T8005 Old #2640			
Passage	T8015 Old #2641			
Privacy	T8065 Old #2642			
• Add 10% in less than case lots • Add \$ for 2³/₄" backset with 1⁵/₈" x 2¹/₄" face plate • Cylinder only complete with 2 keys \$ ea. • With 2³/₈" Drive-in backset add \$ per lock.		SPLIT FINISH 1/2 US32D - 1/2 US3 PRIVACY MODEL SAME PRICE #8065 X US3		


DIMENSIONS:



2³/₈" AND 2³/₄" LATCH BOLTS

AVAILABLE WITH OR WITHOUT DEAD LATCH FEATURE

Can be used on other leading U.S.A. brands of cylindrical locksets including Schlage, Arrow, etc.



\$ each
Specify sizes
types and finish
Packed: 250/case

Quantity Discounts

- 100 Locksets - less 2¹/₂%
 - 500 Locksets - less 7¹/₂%
 - 200 Locksets - less 5%
 - 1000 Locksets - less 10%
- Quantity discounts apply in solid case lots only

900 ECONOMY SERIES TUBULAR LOCKS

TULIP KNOB DESIGN

With adjustable latch bolt on entry function



CROSS REFERENCE:
KWIKSET TYLO SERIES

PLYMOUTH KNOB DESIGN



CROSS REFERENCE:
KWIKSET COPA SERIES

BALL KNOB DESIGN



CROSS REFERENCE:
KWIKSET POLO SERIES


For Residential or Light Commercial Use

- Ideal for single or multi-family homes
- Combines good security and rugged construction
- 5 Pin tumbler cylinder with Kwikset KW5 keyway
- Latchbolt has a 1/2" projection
- Deadlatch standard on all key functions
- Available boxed or clamshell packed
- Provides long lasting performance and good quality at very reasonable prices.

SPECIFICATIONS

For Doors . . . 1 3/8" to 1 3/4" thick (std.)
Backset . . . adjustable (2 3/8" & 2 3/4")
Case Steel, zinc, dichromate plated and Chronex-Dipped
Front Stainless Steel or Brass 2 1/4" x 1 for 2 3/8", 2 1/4" x 1 1/8" for 2 3/4". Either available with SQ. or 1/4" RD. corners.
Strike Full lip type (std.) with SQ. or 1/4" RD. corners. Tee strikes also available.
Latchbolt . . . 1/2" projection.
Handing . . . Completely reversible (RH or LH)
Keys 5-pin solid brass keys
Keyway . . . Kwikset KW5
Finishes . . . US3, US5, US26

Replacement Cylinder for 900 Series




- Fits Kwikset, Tylo, & other Kwikset locks
- Individually poly-bagged
- USA KW1 keyway

TA940 PB/CMP



Now Available in
Split Finish!



Privacy Function Only

MODEL NO.	STYLE	FUNCTION	ILLUS.	PKD.	DESCRIPTION	US3	US5	US26
TA910	TULIP	PASSAGE		30	Both knobs activate door opening			
CD910	TULIP			24				
TA-P910	PLYMOUTH			30				
TA-B910	BALL KNOB			30				
TA940	TULIP	PRIVACY		30	Turning button on inside knob locks outside knob. Can be opened from outside with small screwdriver. Turning inside button releases outside knob.			
CD940	TULIP			24				
TA-P940	PLYMOUTH			30				
TA-B940	BALL KNOB			30				
TA953	TULIP	ENTRANCE KEYLOCK		30	Both knobs activate door opening from outside by key. Outside knob locked or unlocked by turn button. Deadlocking latchbolt.			
CD953	TULIP			24				
TA-P953	PLYMOUTH			30				
TA-B953	BALL KNOB			30				


Quantity Discounts

Full cartons - 5% • 50 Locks - 7 1/2% • 100 Locks - 10%
(Can be assorted)

CLAM-SHELL DISPLAY PACKED TUBULAR LEVER HANDLE LOCKS

B

600 SERIES RITZ DESIGN



Taiwan Made



LEFT HAND



RIGHT HAND

For Residential or Light Commercial Use

- Ideal for single or multi-family homes
- Combines good security and rugged construction
- 5 Pin tumbler cylinder with Kwikset KW5 keyway
- Latchbolt has a 1/2" projection
- Deadlatch standard on all key functions

SPECIFICATIONS

For Doors . . . 1 1/8" to 1 3/4" thick (std.)
Backset . . . adjustable (2 3/8" & 2-3/4")
Case Steel, zinc, dichromate plated and Chromek-Dipped
Front Stainless Steel or Brass 2 1/4" x 1 for 2 3/8", 2 1/4" x 1 1/8" for 2 3/4". Either available with SQ. or 1/4" RD corners.
Strike Full lip type (std.) with SQ. or 1/4" RD corners. Tee strikes also available.
Latchbolt . . . 1/2" projection. Drive-in type optional.
Handing . . . Completely reversible (RH or LH)
Keys 5-pin solid brass keys
Keyway . . . Kwikset KW5
Cylinder . . . Can be MK, GMK, CMK
Finishes . . . US3, US5

Provides long lasting performance and good quality at very reasonable prices.


Finishes

• US3 • US5

Cross Reference

RITZ - Kwikset Lido
MANHATTAN - Kwikset Delta


CD-KL553 ENTRANCE KEYLOCK



Taiwan Made

500 SERIES MANHATTAN DESIGN


CD-LL540 PRIVACY LOCK



Taiwan Made

MANHATTAN DESIGN

CD-LL510 PASSAGE LOCK



Taiwan Made

MANHATTAN DESIGN

MODEL NO.	FUNCTION	PKD.	DESCRIPTION	US3	US5
CD-LL510	PASSAGE	10	Both levers always free.		
CD-LL540	PRIVACY	10	Push button locking. Can be opened from outside with narrow blade tool.		
CD-KL553	ENTRANCE KEYLOCK	10	Push button locking. Pushing button on inside locks inside knob unlocked by key or using inside lever.		
CD-LL610	PASSAGE	10	Both levers always free.		
CD-LL640	PRIVACY	10	Push button locking. Can be opened from outside with narrow blade tool.		
CD-KL653	ENTRANCE KEYLOCK	10	Push button locking. Pushing button on inside locks outside knob until unlocked by key or using inside lever.		

Quantity Discounts


50 lots - less 5% 100 lots - less 10%
 (Can be assorted)

COMBINATION ENTRY LOCKSETS

WITH ADJUSTABLE DEAD LATCH & DEADBOLT (2³/₈"—2³/₄")

CP-C CYLINDRICAL SERIES

CP-B111 Single cylinder
CP-B222 Double cylinder



Modern design double blister see-thru
packing or regular boxed

PACKING: Boxed 20 pc. / Carded 10 pc.

**Combines Model EC-B53 Lockset with
DB251/260 Single or Double Cylinder Deadbolt**

- 1 key operates both lock & deadbolt. Both keyed alike.
- Schlage C keyway (SC5) or Kwikset Keyway
- 2³/₄" Backset
- Both locks are rekeyable & have removable brass cylinders.
- Reversible (non-handed).
- Finishes: US32D= (Satin stainless), US3 (Polished brass), US5 (Antique brass).
- All deadbolts supplied with heavy mortise type solid brass cylinders.


Now available with Schlage keyway 510 (SC5)

- Packed: 12 per master carton

Model Specification	US32D	US3	US5
CP-B111 Keylock x single cyl. deadbolt			
CP-B222 Keylock x double cyl. deadbolt			

CP-T TUBULAR SERIES

CP-B333 Single cylinder
CP-B444 Double cylinder



Modern design double blister see-thru
packing or regular boxed

PACKING: Boxed 20 pc. / Carded 10 pc.

**Combines Model TB-B53 Lockset with
DB251/260 Single or Double Cylinder Deadbolt**

- 1 key operates both lock & deadbolt. Both keyed alike.
- Kwikset KW5
- Both locks are rekeyable & have removable brass cylinders.
- Backsets: CP-B333 & CP-B444 adjustable 2³/₈" or 2³/₄".
- Reversible (non-handed).
- All deadbolts supplied with heavy mortise type solid brass cylinder.
- Finishes: US32D (Satin stainless), US3 (Polished brass), US5 (Antique brass), US26 (Polished chrome)
- Packed: 12 per master carton

CP-B444PB
2³/₈" backset polished brass also available in KA-4

Model Specification	US32D	US3	US5	US32
CP-B333 Keylock x single cyl. deadbolt				
CP-B444 Keylock x double cyl. deadbolt				

Quantity Discounts



48 units - less 5%
96 units - less 10%

**ALL COMBINATION LOCKSETS WILL BE
SUPPLIED, AT NO EXTRA CHARGE,
WITH ADJUSTABLE BACKSETS**

COMBINATION ENTRY LOCKSETS

WITH ADJUSTABLE 2³/₈" - 2³/₄" BACKSETS

B



MODEL	FINISH	KWIKSET KEYWAY	KNOB STYLE	DEADBOLT	PACKAGING	NET COST
CPC-T555PB	US3	KD	TULIP	SINGLE	CLAMSHELL	
CPC-T555PB	US3	KA-6	TULIP	SINGLE	CLAMSHELL	
CPC-T666PB	US3	KD	TULIP	DOUBLE	CLAMSHELL	
CPC-T666PB	US3	KA-6	TULIP	DOUBLE	CLAMSHELL	
CPC-B555PB	US3	KD	BALL	SINGLE	CLAMSHELL	
CPC-B555PB	US3	KA-6	BALL	SINGLE	CLAMSHELL	
CPC-B666PB	US3	KA-6	BALL	DOUBLE	CLAMSHELL	
CPC-T555SS	US32D	KD	TULIP	SINGLE	CLAMSHELL	
CPC-T555SS	US32D	KA-6	TULIP	SINGLE	CLAMSHELL	
CPB-B555PB	US3	KD	BALL	SINGLE	BOXED	
CPC-B555AB	US5	KA-6	BALL	SINGLE	CLAMSHELL	
CPB-B555AB	US5	KA-6	BALL	SINGLE	BOXED	

PACKED: 12 Per Master Carton / Inner Carton 6

FEATURES

- Key operates both lock & deadbolt. Both are Keyed alike.
- Kwikset 5 Pin Keyway KW5
- Both lock & deadbolt are rekeyable.
- Backset - 2 ³/₈" - 2³/₄" Adjustable
- Reversible - Non handed
- Finishes - US3 • US32D • US5


NOTE - AVAILABLE INDIVIDUALLY BOXED BY SPECIAL ORDER

Quantity Discounts

48 Locksets - 5% • 96 Lots - Locksets - 10%
CAN BE ASSORTED BUT IN FULL CARTON QUANTITIES ONLY



MODEL E-PH530 SERIES PITCHER HANDLE LOCKSET



- Traditional Colonial Design
- Adjustable backset for $2\frac{3}{8}$ " or $2\frac{3}{4}$ "
- High Security Deadlock with 1" throw and rekeyable cylinder
- 2 Piece construction with single cylinder deadbolt and interior ball knob
- Popular Kwikset Keyway
- Keyed different
- Individual clamshell hang-up display pack

MODEL NO.	FINISH	NET PRICE
E-PH530PB	POLISHED BRASS	
E-PH530AB	ANTIQUE BRASS	

Quantity Discounts

24 Locks — Less 5%
48 Locks — Less 7½%
96 Locks — Less 10%

PH SERIES ENTRANCE HANDLE LOCKSET

B

Combines Deadbolt with Pitcher Handle Lockset

Impressive beauty combined with added security

Entrance Handle Locksets provide a combination of security with lasting beauty. All exposed parts are made of highest quality solid brass. Surfaces are heat-finished for many years of beautiful and dependable service. All handle locksets have a full 1" throw brass deadbolt with a rotating core-bar of hardened steel. The tapered collar resists wrenches. A high precision 5 pin cylinder resists picking. Smooth operating thumb latch on outside and knob on inside always release the lower spring latch. Deadbolt operates from inside with a thumb-turn and from the outside with a key. Dummy trim available.

Specifications

Knob-hole: ...Standard 2 1/8" Diam.
Backset ...Adjustable 2 3/8" to 2 3/4"

Door

Thickness ...1 3/8" to 1 3/4"

Throw1" for deadbolt,
1/2" for springlatch

KeyingStandard, 5 - pin
Kwikset KW5 keyway

Finishes

PB = Polished Brass



AB = Antique Brass

Packed


6 Per Master Carton

Visual Pack

All metal surfaces are covered by clear plastic shell to protect against handling. Self-selling package stands 22" high, on 5-1/2" square base. End panels have full information for easy shelf inventory control. Contains all parts, installation instructions and templates. Attractive, attention-getting design of package helps sell the beauty and quality of its contents.





Model PH510
Capri Design



Model PH530
Plymouth Design
(similar Schlage No. F160-PLY)

MODEL PH510

MODEL PH530




ATTRACTIVELY
INDIVIDUALLY
DISPLAY BOX
PACKED



PACKED: 10 Per Master Carton

ESCUTCHEON TRIM PLATE



Used to combine any single or double cylinder deadbolt with either a tubular or cylindrical lockset.

Model No. P2-SS
US32D Satin
Stainless Steel

Packed: Individually,
25/master ctn.

NET PRICE EACH MODEL

POLISHED
BRASS

ANTIQUE
BRASS

Quantity Discounts

25 Units — less 5% 50 Units — 10%


5 OR 6 PIN CYLINDER HBV SERIES HEAVY DUTY DEADBOLTS

With 22 Variable Keyway 5 or 6 Pin USA Made Cylinders

CONSTRUCTION FEATURES

A heavy-duty, commercial quality deadbolt series with various unique new features including:

- 22 keyway 5 or 6 pin USA made cylinders includes 2 high security cylinders (Medeco and Kaba).
- Big $2\frac{5}{8}$ " diameter cylinder guard rings will cover and fit into $2\frac{1}{8}$ " diameter cut out.
- Massive, free spinning cylinder guard rings will withstand cylinder tampering.



PRODUCT SPECIFICATIONS

FOR DOORS $1\frac{3}{8}$ " - $1\frac{3}{4}$ "

BACKSETS $.2\frac{3}{4}$ " (std.), $2\frac{3}{8}$ " and drive-in type also available

TRIM Wrought stainless steel or brass

FINISHES US3, US32D, US5 **NEW**

LATCH FACE $.2\frac{3}{4}$ " ($1\frac{1}{8}$ "x $2\frac{1}{4}$ "), $2\frac{3}{8}$ " (1 " x $2\frac{1}{4}$ ")

BORE DIAMETERS $.1$ " for latch, $1\frac{3}{4}$ " for latch

KEYING KA (std.) or any others

CYLINDER $.5$ or 6 pin Schlage C (std.)

CYLINDER GUARD RING ... $.2\frac{5}{8}$ " diameter

HIGH SECURITY CYLINDERS							
MEDECO KABA GEMINI LEVEL1							

**All Locks Available MK (master keyed),
GMK (grand master keyed),
CMK (construction master keyed)**

5 OR 6 PIN CYLINDER

HBV SERIES HEAVY DUTY DEADBOLTS

B

MODEL NO.	PINS PER CYL.	FUNCTION	DESCRIPTION	PACKED	NET PRICE EACH		
					US32D	US3	US5
HBV-551	5	SINGLE CYLINDER	Lock or unlock by key from outside, by thumb turn from inside	MASTER CARTON 20 EA.			
HBV-651	6						
HBV-560	5	DOUBLE CYLINDER	Lock or unlock by key from both sides	MASTER CARTON 20 EA.			
HBV-660	6						

Quantity Discounts


60 Deadbolts — 5%
120 Deadbolts — 10%

**All Locks Available MK (master keyed),
GMK (grand master keyed),
CMK (construction master keyed)**

CYLINDERS

6 PIN COMMERCIAL GRADE MORTISE & RIM TYPES


MC125 MORTISE



- Solid Brass
- Schlage C 6 pin
- 1 1/4" length
- US3, US32D, US10B

100 PER MASTER CARTON

RC061 RIM



- Solid Brass
- Schlage C 6 pin
- US3, US32D, US10B

100 PER MASTER CARTON

DB200 IC-DB200


SINGLE AND DOUBLE CYLINDER TUBULAR DEAD BOLTS WITH SOLID BRASS MORTISE TYPE CYLINDERS



NOW AVAILABLE WITH I.C. CYLINDER – SEE PAGE B-52 FOR I.C. PRICES

SINGLE CYLINDER DB251

Optional
I.C. Cylinder
Available



AVAILABLE IN
5 COMMERCIAL FINISHES

- Backset 2 $\frac{3}{8}$ " or 2 $\frac{3}{4}$ "
- Key locks or unlocks deadbolt from exterior, turnpiece from interior
- Boxed 6 per unit carton, 24 per case
- SC5, AR5, WR5 only available boxed; KW5 available clam shell packed or boxed (Please specify keyway desired)

WITH 5 PIN TUMBLER CYLINDER

WITH I.C. CYLINDER

DB251SS

IC-DB251SS

DB251PB

IC-DB251PB

DB251AB

IC-DB251AB

DB251SB


IC-DB251SB

DB251ORB

IC-DB251ORB

20 PC. PER MASTER CARTON

DEADBOLT DIAGRAM SINGLE CYLINDER



PATENTED adjustable backset available (2 $\frac{3}{8}$ " x 2 $\frac{3}{4}$ ")

**"THE BEST QUALITY IMPORTED
TUBULAR DEADBOLTS AVAILABLE"**

AVAILABLE KEYED ALIKE (KA), KEYED DIFFERENTLY (KD)


**All Locks Available MK (master keyed),
GMK (grand master keyed),
CMK (construction master keyed)**

Adjustable Backset Available – Add \$1.00 to prices shown.
* Factory Master Keying – Add \$2.00 per cylinder.

PLEASE NOTE THAT THE WEISER KEYWAY WILL ALSO ACCEPT THESE KEYS:
CORBIN K-1-80-5 • E-Z SET 1177N • FALCON E THROUGH R • KWIKSET 1-1063
NATIONAL D-4295, 751 • WEISER 1555 • DEXTER 67 • SARGENT U & S • WESLOCK 12344

DOUBLE CYLINDER DB260

Optional
I.C. Cylinder
Available



AVAILABLE IN
5 COMMERCIAL FINISHES

- Backset 2 $\frac{3}{8}$ " or 2 $\frac{3}{4}$ ".
- Key locks or unlocks deadbolt from exterior, turnpiece from interior.
- Boxed 6 per unit carton, 24 per case.
- SC5, AR5, WR5 only available boxed. KW5 available clam shell packed or boxed. Please specify keyway desired.

WITH 5 PIN TUMBLER CYLINDER

WITH I.C. CYLINDER

DB260SS \$15.36 ea.

IC-DB260SS

DB260PB \$15.91 ea.

IC-DB260PB

DB260AB \$16.39 ea.

IC-DB260AB

DB260SB \$16.39 ea.


IC-DB260SB

DB260ORB \$17.36 ea.

IC-DB260ORB

20 PC. PER MASTER CARTON

DEADBOLT DIAGRAM DOUBLE CYLINDER



PATENTED adjustable backset available (2 $\frac{3}{8}$ " x 2 $\frac{3}{4}$ ")


Finishes: SS = Satin Stainless; PB = Polished Brass; AB = Antique Brass; SB = Satin Brass; ORB = Oil Rubbed Bronze

Quantity Discounts

100 deadlocks — less 2 $\frac{1}{2}$ % • 480 deadlocks — less 5%
(Can be assorted in both models)

DB400SERIES

TUBULAR DEAD BOLTS

B**AN EXCELLENT QUALITY DEADBOLT OFFERED AT THE LOWEST MARKET PRICES**

Now manufactured by one of Hong Kong's leading lock manufacturers

An excellent quality **TUBULAR DEADBOLT Series** with concealed disappearing mounting screws on double cylinder model adds security

SPECIFICATIONS


BACKSET: 2 $\frac{3}{8}$ " - 2 $\frac{3}{4}$ " adjustable.
DEADBOLT: 1" throw deadbolt with hardened steel pin
FACE PLATE: 1" x 2 $\frac{1}{4}$ "
STRIKE: 1 $\frac{1}{8}$ " x 2 $\frac{1}{4}$ "
HANDING: Reversible
CYLINDER: 5 pin tumbler
KW5 = Kwikset keyway
SC = Schlage C Keyway
FINISHES: US3 - US5 - US26
US26D
PACKING: Clam shell display or individually boxed.
6 per inner carton.
48 per master carton.

ALIGNING CYLINDER BARS:

- A. Be certain bolt is extended.
- B. Use cylinder with screw holes on inside of door whenever possible.
- C. Position cylinder bar in line with cam slot. Flat sides must meet (face each other), when cylinders are inserted into door.

INSTALL CYLINDERS:

- A. Insert key in "screw side cylinder," then turn key until screw holes are exposed.
- B. Insert both cylinders, making certain cam bars fit slot in hub. When engaged, fasten with two screws.
- C. Return key to vertical position and remove key.



MODEL NO.	FUNCTION	ILLUSTRATION	DESCRIPTION	US26D	US3	US5	US26
TA-DB451 CD-DB451	Single Cylinder		Deadbolt by outside key or inside thumbturn				---
24 PC / MASTER CARTON							
TA-DB460 CD-DB460	Double Cylinder		Deadbolt by key either side				---
24 PC / MASTER CARTON							

Quantity Discounts

5% Discount - 48 Lots • 10% Discount - 96 Lots

ONE-SIDED TUBULAR DEADBOLTS


"The Best Quality Available In This New Product"

This new unique deadbolt offers you concealed security since it is not exposed on outside door surface. Therefore, any intruder will not be aware of its presence. This offers the user extra security and helps prevent unlawful entry. In many areas of the U.S.A. this product is being specified by police to help minimize break-ins and loss of life and property.

DX280 - Deluxe Model




**For ANSI
Prepped Doors**



AVAILABLE

- Individually Boxed TA-DX280
- with Cover Plate TA-DX280-CP

TA280 - Standard Model



AVAILABLE

- Individually Boxed TA-280
- Display Carded CD-280

FEATURES

- Supplied with 2³/₈" or 2³/₄" backset
- Non-handed - reversible for both right and left hand application
- Fits wood or metal doors from 1¹/₈" to 1³/₄"
- Heavy duty construction in Solid Brass, Stainless Steel or Antique Brass trim
- Full 1" throw deadbolt with hardened bolt
- Non-accessible tamper proof from outside of door
- Deadbolt not exposed

**E-Z TO
INSTALL
ON ALL
TYPES OF
RESIDENTIAL
& LIGHT
COMMERCIAL
DOORS**

Available in 5 finishes

- US32D Satin Stainless Steel
- US3 Polished Brass
- US4 Satin Brass
- US5 Antique Brass
- US10B Oil Rubbed Bronze

FINISH	NET PRICE EACH	
	STANDARD	WITH COVER PLATE
US32D		
US3		
US4		
US5		
US10B		
PACKED: 50 PC. PER MASTER CARTON		

Quantity Discounts


50 Lots - less 5% 100 Lots - less 10%
Can be assorted - full cartons only

LOCK & DEADBOLT PARTS & ACCESSORIES

B

INCLUDING OUR NEW UNIQUE 4 WAY ADJUSTABLE LATCHES & BOLTS USEABLE WITH EITHER REGULAR MORTISE OR DRIVE-IN APPLICATION FOR BOTH 2³/₈" & 2³/₄" BACKSETS.


2³/₈" OR 2³/₄" DEAD LATCH OR SPRINGLATCH



For ANSI Grade 1
Cylindrical Locks

US3 or US32D


2³/₈" OR 2³/₄" DRIVE-IN DEAD LATCH



For ANSI Grade 1
Cylindrical Locks

US3 or US32D


ADJUSTABLE 2³/₈" OR 2³/₄" DEAD LATCH OR SPRINGLATCH



For Cylindrical Locks

US3 or US32D


2³/₈" OR 2³/₄" UL LISTED DEAD LATCH OR SPRINGLATCH



For ANSI Grade 2
Cylindrical Locks

US3 or US32D


2³/₈" OR 2³/₄" UL LISTED HEAVY DUTY DEAD LATCH OR SPRINGLATCH



For ANSI Grade 1
Cylindrical Locks

US3 or US32D
Deadlatch Springlatch


2³/₈" OR 2³/₄" DRIVE-IN DEAD LATCH OR SPRINGLATCH



For Tubular Locks
with Square Spindle

US3 or US32D


2³/₈" OR 2³/₄" DEAD LATCH OR SPRINGLATCH



For Tubular Locks
with Round Spindle

US3 or US32D

ADJUSTABLE 2³/₈" OR 2³/₄" DEAD LATCH OR SPRINGLATCH




For Tubular Locks
with Square Spindle

US3 or US32D

PACKED: 20 Per Inner Carton

Please Note: Our latches and deadbolts are interchangeable and useable on many leading brands of locks and deadbolts including Schlage, Arrow, Dexter, Corbin, Russwin, Yale, Falcon, etc. Consider us on such requirements and enjoy...**SUBSTANTIAL SAVINGS!**

DX-ML Series HEAVY DUTY - ANSI GRADE 1 - UL 3 HOUR FIRE RATED 2 3/4" BS MORTISE LOCKSET



SPECIFICATIONS


FOR DOORS:	1 3/4" thick
CASE:	Wrought steel, zinc chromate finish one case for all functions
BACKSET:	2 3/4"
FRONT:	Brass, armored front 1 1/4" x 8", adjustable from flat to 1/8" in 2", meets Ansi A115.1
DEADBOLT:	1" throw is standard, steel chrome plated with hardened steel rollers
LATCH BOLT:	3 point anti-friction type
STOP WORKS:	Brass, rocker type, chrome plated
HANDING:	Handed; easily reversible at job site
HUBS:	Hardened, steel plated; color coded
SPRINGS:	High carbon steel
STRIKE:	Brass, curved lip. Meets Ansi A115.1
KEYS:	Two
KEYING:	Can be master keyed to any level: MK, GMK, CGMK, CMK
CYLINDER:	Brass 6 pin USA made standard keyway is Schlage C. Can be supplied in 22 popular USA commercial keyways
FINISHES:	US3, US4, US10, US10B, US26, US26D, US32, US32D
UL LISTED:	UL Listed "A" Label (3 hours) for use on fire doors, single or pair
ANSI:	Lock conforms to Federal Specifications Type 86, and to all dimensional specifications and operational performances of Ansi A156.13-1980, Series 1000

ALL LOCKS SUPPLIED WITH PANIC RELEASE


All Locks Available MK (master keyed), GMK (grand master keyed), CMK (construction master keyed)

FORGED SOLID BRASS **SECTIONAL & ESCUTCHEON LEVER TRIM**


B




SS




Levers: Solid Forged Brass
Roses: Wrought Brass




JS




Levers: Solid Forged Brass
Roses: Wrought Brass




TS




Levers: Solid Forged Brass
Roses: Wrought Brass



GS




Levers: Solid Forged Brass
Roses: Wrought Brass



SE



Levers & Escutcheons:
Solid Forged Brass



JE



Levers & Escutcheons:
Solid Forged Brass



TE



Levers & Escutcheons:
Solid Forged Brass



GE



Levers & Escutcheons:
Solid Forged Brass

FORGED SOLID BRASS **SECTIONAL & ESCUTCHEON KNOB TRIM**





KNOBS

Knobs are wrought brass or forged brass and are machined to a fine finish with precision fit to the escutcheon. Both exterior and interior knobs are preassembled

ESCUTCHEON

The escutcheon is forged brass. It is provided with posts both for securing the trim to the door and passing through the lock body for alignment and support against stress caused by use of levers or knobs.














FINISHES

SYMBOL	BHMA	DESCRIPTION
US3	605	Polished Brass
US4	606	Satin Brass
US10B	613	Oil Rubbed Bronze
US26	625	Polished Chrome
US26D	626	Satin Chrome
US10	612	Satin Bronze
US32D	630	Satin Stainless Steel

This mortise lock series has been designed to meet the requirements of all types of installations. Built to withstand excessive wear while providing all the security needed from a heavy duty commercial lockset. This mortise lock series is supplied in a wide variety of functions to meet your security needs and are reversible for right or left hand doors swinging in or out.

FUNCTIONS

B

ITEM #	FUNCTION	OUTSIDE	INSIDE	ANSI NO.	DESCRIPTION
	DX-ML10 Passage			F01	Latchbolt operated by lever from either side at all times Fed. No. 86N
	DX-ML40 Privacy			F02 F19 F22	Latchbolt operated by lever from either side except when turnpiece projects deadbolt and locks outside lever. Unlocked by turning inside lever or by using emergency key which retracts the deadbolt Fed. No. 86L
	DX-ML50 Office			F04	Latchbolt operated by lever from either side except when outside lever is made inoperative by push button rocker. When outside lever is locked, latchbolt may be retracted by key from outside or by rotating inside lever Fed. No. 86E
	DX-ML53 Entrance			F20	Latchbolt operated by lever from either side, except when outside lever is made inoperative by push button rocker. Deadbolt projected by key from outside and by thumb turn from inside. Deadbolt retracted by key from outside. Both bolts retracted by inside lever (simultaneous retraction) Fed. No. 86F
	DX-ML56 Corridor/Exit			F13	Latchbolt operated by lever from either side. Deadbolt projected by key from outside and by thumb turn from inside. Rotating inside lever retracts both bolts (simultaneous retraction). Extended deadbolt automatically deadlocks latchbolt. Fed. No. 86FW
	DX-ML60 Apt. Entrance/ Vestibule			F09	Latchbolt operated by lever from either side, except when outside lever is locked by inside key. Outside key or inside lever will retract latch when locked Fed. No. 86G
	DX-ML66 Store/Utility			F14	Latchbolt operated by lever from either side. Deadbolt by key from either side. Fed. No. 86C
	DX-ML70 Classroom			F05	Latchbolt operated by lever from either side except when outside lever is locked from outside by key. When outside lever is locked, latchbolt may be retracted by inside lever, or outside lever, when cylinder is unlocked by key Fed. No. 86J
	DX-ML73 Dormitory/Bedroom			F21	Latchbolt retracted by knob or lever from either side. Deadbolt extended or retracted by key outside or thumb turn inside. Fed. No. 86
	DX-ML80 Storeroom			F07	Latchbolt operated by key from outside or by rotating inside lever. Outside lever is always inoperative Fed. No. 86EW
	DX-ML82 Institution				Latchbolt retracted by key either side. Lever on both sides is always inoperative. Auxiliary latch deadlock latchbolt when door is closed.
	DX-ML85 Hotel			F15	Latchbolt operated by key from outside or by rotating inside lever. Outside lever is always inoperative. Deadbolt operated by thumb turn from inside which shuts out all keys except emergency key. Inside lever will retract both bolts (simultaneous retraction) Fed. No. 86H
	DX-ML170 Dummy				Lever on one side fixed by return spring bracket

PLEASE NOTE WE CAN ALSO SUPPLY ANY OTHER FUNCTION NOT LISTED

NET PRICE EACH

SECTIONAL TRIM

ITEM/FUNCTION	JS, SS, GS, TS, KS		
	US26D	US32D,32	US3, 4, 10, 10B, 26
SINGLE CYLINDER WITHOUT DEADBOLT			
DX-ML50 Office			
DX-ML70 Classroom			
DX-ML80 Storeroom			
SINGLE CYLINDER WITH DEADBOLT			
DX-ML53 Entrance			
DX-ML56 Corridor/Exit			
DX-ML73 Dormitory/Bedroom			
DOUBLE CYLINDER WITHOUT DEADBOLT			
DX-ML60 Apt. Entrance/Vestibule			
DX-ML82 Institution			
DOUBLE CYLINDER WITH DEADBOLT			
DX-ML66 Store/Utility			
DX-ML85 Hotel			
INSIDE NON-KEY FUNCTIONS			
DX-ML40 Privacy			
DX-ML10 Passage			
DX-ML170 Single Fixed Dummy			

ESCUTCHEON TRIM

ITEM/FUNCTION	JE, SE, GE, TE, KE		
	US26D	US32D,32	US3, 4, 10, 10B, 26
SINGLE CYLINDER WITHOUT DEADBOLT			
DX-ML50 Office/Entrance			
DX-ML70 Classroom			
DX-ML80 Storeroom			
SINGLE CYLINDER WITH DEADBOLT			
DX-ML53 Entrance			
DX-ML56 Corridor			
DX-ML73 Closet/Storeroom			
DX-ML73 Dormitory/Bedroom			
DOUBLE CYLINDER WITHOUT DEADBOLT			
DX-ML60 Apartment Entrance			
DX-ML82 Institution			
DOUBLE CYLINDER WITH DEADBOLT			
DX-ML66 Storeroom			
DX-ML85 Hotel			
INSIDE NON-KEY FUNCTIONS			
DX-ML40 Privacy			
DX-ML10 Passage			
DX-ML170 Single Fixed Dummy			

Quantity Discounts

24 LOCKS – 5% • 48 LOCKS – 10% • 96 LOCKS – 15%

ADDITIONAL MORTISE LOCK INFORMATION

PACKING

6 locks per case

PACKAGING INCLUDES:

- UL 3 point anti-friction latch
- Standard "C", 6 pin cylinder
- Non-handed strike

OTHER KEYWAYS

Add for other cylinder brands
\$4.00 net; other Schlage keyways
C-K Composite, etc., Sargent
LA-C, Russwin D1, Corbin 60,
Falcon-Weiser, Arrow, Yale 8, etc.


IC CORE CYLINDERS

- **IC Mortise Cylinder**
Housing
- **IC Core Cylinders**
Combined
- Uncombined

HOW TO ORDER: DX-ML53 - SS - 626 - RH - SC6 - KD

1. ENTRANCE FUNCTION
2. S TRIM SECTIONAL
3. SATIN CHROME
4. RIGHT HANDED
5. SCHLAGE C KEYWAY
6. KEYED DIFFERENT

HAND




COMPARISON CHART

FUNCTION	ANSI NO	TACO MODEL NO	ARROW B Series	CORBIN/ RUSSWIN ML2200	SARGENT 7700/8100	SCHLAGE L Series	PDQ Series 1000	YALE
Passage	F01	DX-ML10	B01	ML2210	13	L9010	126	8701
Office	F04	DX-ML50	B22	ML2251	5	L9050	116	8707
Entrance	F12	DX-ML53	B11	ML2267	45	L9453	156	8747
Classroom	F05	DX-ML70	B17	ML2255	37	L9070	148	8708
Corridor/Exit	F20	DX-ML56	B19	ML2265	25	L9456	136	8722
Storeroom	F07	DX-ML80	B12	ML2257	4	L9080	115	8705
Hotel	F15	DX-ML85	B15	ML2229	50	L9485	161	8720
Store/Utility	F14	DX-ML66	B31	ML2222	26	L9466	137	8760
Privacy	F22	DX-ML40	B02	ML2220	65	L9040	176	
Dormitory/Bedroom	F20	DX-ML73	B13	ML2224	24	L9473		8760
Apt. Entrance/ Vestibule	F09	DX-ML60	B32	ML2242	16	L9060	127	8717

MODEL NO.
ML-234

2³/₄" COMMERCIAL GRADE • STEEL CASED MORTISE KNOB KEY LOCKSET

"YOUR BEST BUY IN MORTISE LOCKS — COMPARE OUR PRICES!"



NO	PART NAME
1	OUTSIDE KNOB AND
2	SPINDLE ASSEMBLY
3	OUTSIDE ESCUTCHEON
4	INSIDE ESCUTCHEON
5	MOUNTING SCREWS
6	INSIDE KNOB
7	TURN PIECE
8	ADJ. CYLINDER SPRING
9	CYLINDER SPRINGS
10	MORTISE CYLINDER
11	KEYS
12	WRENCH


SIMILAR TO
ARROW NO.'s
A-SERIES (with knobs)
B-SERIES (with levers)

FINISH

US26D:

Satin Brushed Chrome

**A good quality complete mortise lock set • with ball knobs
• in the most popular entrance key function**



KNOB HUBS


5/16" Square

TURN BUTTON

3/16" Diamond

SPACING

C. to C. knob hub
to cylinder 3⁵/₈"
C. to C. knob hub
to turn button
hub 2⁷/₁₆"



SPECIFICATIONS

FOR DOORS:	1 ³ / ₄ " (standard)
BACKSET:	2 ³ / ₄ "
CASE:	Zinc dichromated steel
FRONT:	1 ¹ / ₄ " x 8" solid brass standard A115.1. Adjustable from flat to 1/8" bevel both ways
STRIKE:	Solid brass, curled lip, non-handed — ANSI 4 ⁷ / ₈ " x 1 ¹ / ₄ "
DEADBOLT:	1" throw, chrome plated, solid brass
LATCHBOLT:	3/4" throw, solid brass, anti-friction, chrome plated
HAND:	RH or LH but reversible
TRIM:	Solid brass 2 ¹ / ₄ " diameter ball knobs and 2, 2 ¹ / ₄ " x 7 ¹ / ₄ " rounded-over 3/16" edged solid brass escutcheon plates"
KEYS:	2 per lock
CYLINDER:	1 ¹ / ₄ " solid brass with Schlage C keyway. Also used with Lori 5 or 6 pin 1 ¹ / ₄ " mortise cylinders with 22 variable keyways.
FINISH:	Brushed satin chrome US26D

**NET
PRICE**

**COMPLETE
SET**

CERTIFICATIONS:

Lock conforms to Federal Spec. type 86
in all dimensional specifications of
Ansi A156.13 - 1980 Series 1000

Quantity Discounts

12 Locks — 5%
48 Locks — 7¹/₂%
96 Locks — 10%

PACKED

12 Per Case
6 Preset RH
6 Preset LH

HEAVY DUTY SOLID BRASS MORTISE LOCKSET


FOR PATIO AND OTHER ARCHITECTURAL WOOD COMMERCIAL DOORS

B

AVAILABLE IN HIGHLY POLISHED BRASS OR CHROME FINISH WITH SOLID BRASS DECORATIVE LEVERS & ESCUTCHEONS

MODEL NO. ML800

10 PC. PER MASTER CARTON



Same exact lockset
supplied for many years
by Atrium Door Company

STANDARD FEATURES

- **LEVERS**
 - Reversible
 - 4 1/2" solid brass levers
- **FACE PLATES**
 - 1 3/16" wide by 8 1/4" high
- **ESCUTCHEONS**
 - Solid brass escutcheons
- **BACKSET**
 - 1 3/4" narrow stile backset
- **FOR DOORS**
 - Fits doors 1 3/8" to 1 7/8"
- **KEYWAY**
 - Schlage SC-1 keyway.
 - Rekeyable
- **FUNCTION**
 - Key operated from outside for entry and inside thumb turn for locking and unlocking.
 - Double locking
- **PACKAGING**
 - Individually box-packaged complete with template and installation instructions

**NET
PRICE**


ML800 HPB -
ML800 HPC -

Quantity Discounts

48 Sets Less 5% 96 Sets Less 10%

NARROW STILE • LEVER HANDLE • ESCUTCHEON SLIMLINE MORTISE LOCKSETS

with Single or Double Cylinder



This lock series is also available in a variety of finishes, decorative levers and escutcheons. For door manufacturers, contact us with your inquiries.

LOCK FEATURES

- Solid Brass escutcheons
- Solid Brass or Zinc Cast levers
- Solid Brass lock face
- Solid Brass strike (in 2 sizes)
- Reversible latch bolt
- Stamped steel body with all internal parts plated to resist corrosion
- Nylon Hi-hat bearings guarantee smooth lever functions
- Double stage locking dead bolt discourages picking
- Extruded Solid Brass single or double pin tumbler cylinder
- Highly Polished Brass finish
- Fits in 1" x 2" steel tube

SPECIFICATIONS

- Backset - 7/8"
- Face plate 3/4" x 7 1/2"
- Lock body 1 1/2" x 5 3/4" x 1/2"
- Strikes: 3/4" x 8 5/8" and 3/4" x 6 3/8"
- Escutcheons: 1" x 7"
- Lever projection: 1 1/2"

This style lockset is the most ideal style and construction for use with Ornamental Iron Security & Storm Doors. Also ideal for use with other types of residential & commercial doors where a narrow style lockset is required.

Model No.	Cylinder	Levers	Strike	NET PRICE EACH			
				Case-25	50 Lot	100 Lot	Less Case
NML777PB	DOUBLE	ZINC	8 5/8"				
NML444PB	SINGLE	ZINC	8 5/8"				
NML888PB	DOUBLE	BRASS	6 3/8"				
NML555PB	SINGLE	BRASS	6 3/8"				
NML999PB	DOUBLE	BRASS	8 5/8"				
NML666PB	SINGLE	BRASS	8 5/8"				


PRICES FOR LARGE QUANTITIES FOR DOOR MANUFACTURERS AVAILABLE UPON REQUEST

INSIDE MORTISE LOCKSET

B

MODEL CDML 722

20 PC. PER MASTER CARTON



INNER CARTONS PACKED 5 EA.

High quality, affordably priced standard mortise lockset designed for replacement or new installation.


FEATURES:

- Single tumbler construction with rust resistant case.
- Broad bevel plates. Threaded spindle with snug knob feature.
- Inside and outside skeleton key operates locking mechanism.
- Available in polished brass finish

NET PRICE

MODEL CDML 732

20 PC. PER MASTER CARTON



INNER CARTONS PACKED 5 EA.

High quality, affordably priced standard privacy function mortise lockset, ideal for bedroom or bathroom replacement or new installation.

FEATURES:

- Thumbturn knob controls deadbolt from inside.
- Available in polished brass finish.

NET PRICE

Quantity Discounts


72 Locks Less 5% • 144 Locks Less 10%

ENTRY LOCK PITCHER HANDLES

For use with both Tubular & Cylindrical Locks

MODERN- CONTEMPORARY GEORGIAN STYLE

MODEL NO. 855




AVAILABLE PACKED:

- Individually polybagged with screws
- Individually Display Carded

12-3/4" IN LENGTH

TRADITIONAL COLONIAL STYLE

MODEL NO. H24



AVAILABLE PACKED:

- Individually polybagged with screws
- Individually Display Carded

12" IN LENGTH

- When combined with keylock gives appearance of an expensive pitcher handle lockset
- Fits all makes & models of Tubular & Cylindrical locksets
- Enhances beauty of all decors
- Simple to install
- Good for both new & retrofit door installations

Model #	Finish	Packed	Price	Model #	Finish	Packed	Price
TA855PB	Pol. Brass	Poly/ws		H24PB	Pol. Brass	Poly/ws	
TA855AB	Ant. Brass	Poly/ws		H24AB	Ant. Brass	Poly/ws	
TA855SC	Sat. Chrome	Poly/ws					
100 PC. PER MASTER CARTON				100 PC. PER MASTER CARTON			
CD855PB	Pol. Brass	Carded		CD-H24PB	Pol. Brass	Carded	
CD855AB	Ant. Brass	Carded					
50 PC. (CARDED)				50 PC. (CARDED)			


Quantity Discounts

50 Piece Lots - less 5% 100 Piece Lots - less 10%

MORTISE LOCKSETS WITH KNOB ESCUTCHEON

B

Model DX920



MODEL NO.	FUNCTION	FINISH	PKD. PER CASE	NET PRICE EA. IN CASE LOTS
DX920-PB-RK	Entrance	Pol. Brass	12	

ALSO AVAILABLE IN CMP FINISH BY REQUEST - ADD \$2.00

IF OEM USER, APPLY FOR LARGE QUANTITY PRICING

All above models available with wide face plate 1¼" x 8"; please specify L-DX920RK or other models too. Add \$ per lock with Wide Face Plate

NOTE: Prices reduced on knob style mortise locksets


LOCK INCLUDES:

- Mortise lock body with reversible latchbolt.
- Full 1" throw heavy-duty dead bolt.
- 5 Pin tumbler, solid brass mortise cylinder with Schlage C keyway.
- Exterior beveled plate, 2¾" x 10".
- Interior beveled plate, 2¼" x 7" with turnpiece.
- Solid brass regular knobs—2¼" diameter with threaded spindle.
- Standard ASA strike.
- Complete with screw package and mounting instructions.
- Face plate—Interchangeable commercial type.
- Please note: All trim is commercial grade – First stamped, then highly polished (no unfinished rough edges)

SPECIFICATIONS

- Backset — 2½"
- Bolt throw — 1"
- Latch throw — ½"
- Case — High pressure cast
- Face plate — 1⅛" x 7⅝" solid brass (Optional 1¼"x 8" Wide Face)

Model DX914



MODEL NO.	FUNCTION	FINISH	PKD. PER CASE	NET PRICE EA. IN CASE LOTS
DX914-PB	Entrance	Pol. Brass	12	

ALSO AVAILABLE IN CMP FINISH BY REQUEST - ADD \$

IF OEM USER, APPLY FOR LARGE QUANTITY PRICING

All above models available with wide face plate 1¼" x 8"; please specify L-DX920RK or other models too. Add \$ per lock with Wide Face Plate

NOTE: Prices reduced on knob style mortise locksets

LOCK INCLUDES:

- Mortise lock body with reversible latchbolt.
- Full 1" throw heavy-duty dead bolt.
- 5 Pin tumbler, solid brass mortise cylinder with Schlage C keyway.
- Exterior beveled plate, 2¾" x 10".
- Interior beveled plate, 2¼" x 7" with turnpiece.
- Solid brass regular knobs—2¼" diameter with floating spindle.
- Standard ASA strike.
- Complete with screw package and mounting instructions.
- Face plate—Interchangeable commercial type.
- Please note: All trim is commercial grade – First stamped, then highly polished (no unfinished rough edges)

SPECIFICATIONS

- Backset — 2½"
- Bolt throw — 1"
- Latch throw — ½"
- Case — High pressure cast
- Face plate — 1⅛" x 7⅝" solid brass (Optional 1¼" x 8" Wide Face)
- Supplied with thru-bolted escutcheons


Quantity Discounts

72 Locks - less 5% • 144 Locks - less 7½% • 288 Locks - less 10%
Less than case lots — add 10%

FULL QUANTITY BUYERS OF 500+ INQUIRE ABOUT ADDITIONAL DISCOUNTS


MORTISE LOCKSETS WITH LEVERS

Model DXLV920



CROSS REFERENCE
MARKS MODEL
#9200

Model DXLV914



CROSS REFERENCE
MARKS MODEL
#9140

LOCK INCLUDES:

- Mortise lock body with reversible latchbolt.
- Full 1" throw heavy-duty dead bolt.
- 5 Pin tumbler, solid brass mortise cylinder with Schlage C keyway.
- Exterior beveled plate, 2 $\frac{3}{4}$ " x 10".
- Interior beveled plate, 2 $\frac{1}{4}$ " x 7" with turnpiece.
- Solid brass regular levers—2 $\frac{1}{4}$ " diameter with threaded spindle (DXLV920 model) or floating spindle (DXLV914 model).
- Standard ASA strike.
- Complete with screw package and mounting instructions.
- Face plate—Interchangeable commercial type.
- Please note: All trim is commercial grade – First stamped, then highly polished (no unfinished rough edges)

SPECIFICATIONS

- Backset — 2 $\frac{1}{2}$ "
- Bolt throw — 1"
- Latch throw — $\frac{1}{2}$ "
- Case — High pressure cast
- Face plate — 1 $\frac{1}{16}$ " x 7 $\frac{5}{8}$ " solid brass (Optional 1 $\frac{1}{4}$ " x 8" Wide Face)
- DXLV914 supplied with thru-bolted escutcheons

MODEL NO.	FUNCTION	FINISH	PKD. PER CASE	NET PRICE EA. IN CASE LOTS
DXLV920-PB	Entrance	Pol. Brass	12	
DXLV914-PB	Entrance	Pol. Brass	12	


IF OEM USER, APPLY FOR LARGE QUANTITY PRICING

All above models available with wide face plate 1 $\frac{1}{4}$ " x 8"; please specify L-DX920RK or other models too. Add \$3.00 per lock with Wide Face Plate

DOUBLE CYLINDER ORNAMENTAL IRON DOOR MORTISE LOCKSET

Model DX922

Classic
Plymouth knob
design



LOCK INCLUDES:

- Mortise lock body with reversible latchbolt.
- Full 1" throw heavy-duty dead bolt.
- 2-5 Pin tumblers, solid brass mortise cylinder with Schlage C keyway.
- 2 Regular knobs and split-spindle.
- 2 Round roses and plastic support discs.
- Standard ASA strike.
- Complete with screw package and mounting instructions.
- Face plate—1 $\frac{1}{16}$ " x 7 $\frac{1}{8}$ ".

Cross Reference Marks Model #9220

MODEL NO.	FUNCTION	FINISH	KNOB TYPE	PKD. PER CASE	NET PRICE EACH IN CASE LOTS
DX922PB-RK	Entrance	Pol. Brass	Reg.	12	

ALSO AVAILABLE IN CMP FINISH BY REQUEST - ADD \$

SPECIFICATIONS

NOTE: IRON BOX NOT INCLUDED IN REGULAR LOCKSET

- Backset — 2 $\frac{1}{2}$ "
- Bolt throw — 1"
- Latch throw — $\frac{1}{2}$ "
- Case — High pressure cast
- Face plate — 1 $\frac{1}{16}$ " x 7 $\frac{1}{8}$ " solid brass


Quantity Discounts

72 Locks - less 5% • 144 Locks - less 7 $\frac{1}{2}$ % • 288 Locks - less 10%
Less than case lots — add 10%

FULL QUANTITY BUYERS OF 500+ INQUIRE ABOUT ADDITIONAL DISCOUNTS


IN PASSAGE & PRIVACY FUNCTIONS

Two sliding door locks are available to meet every sliding door need. All are manufactured to the same high standards of appearance and performance as all of the finest sliding door locks on the market. Adjustable for doors 1³/₈ " to 1³/₄ " thick.



No. SDL10 Passage Lock

A high quality unit for passage type sliding doors not requiring a lock.



No. SDL40 Privacy Lock

For bathroom or bedroom doors where privacy is desired. Locking turn inside, emergency release outside.

Escutcheon Dimensions: L: 2⁷/₁₆" W: 1⁵/₁₆"

Strike: 2¹/₄" x 1"

Finishes: US3 - Polished Brass
US5 - Antique Brass
US26D - Satin Chrome

Packed: 1 Per Box

Escutcheon: Solid Brass

Also available in US26 - Polished Chrome by Special Order

NET PRICE EACH	Passage - US3		Privacy - US3	
	Passage - US5		Privacy - US5	
	Passage - US26D		Privacy - US26D	


Quantity Discounts

5% Discount — 50 Lots • 10% Discount — 100 Lots


WRAP-AROUND DOOR REINFORCERS

THE MOST EFFICIENT WAY TO REINFORCE, REPAIR, OR SALVAGE AND PROTECT A NEW OR USED DOOR WITH A LOCKSET OR DEADBOLT INSTALLATION

- **Heavy Gauge**
- **One Piece Construction**
- **Install in minutes with no special tools**
- **Solid Brass or Sainless Steel**




SIZE
4" x 9"
LK Series




SIZE
4" x 4 1/2"
DB Series


Individually Display Boxed Packed



Cross Reference:
MAG 51, 61, 71, 81



Cross Reference:
MAG 154, 264, 374, 484



Recessed
Latch Bolt
Cut-Out

DOOR REINFORCERS FOR NEW CONSTRUCTION OR RETROFIT.

Save Doors Instead of Replacing Them.

- Repair and reinforce wood and metal doors
- Designed for easy installation
- Install in minutes with no special tools
- Standard installation 2 1/8" hole diameter
- Available for 1 3/8" or 1 3/4" thick doors and for 2 3/8" or 2 3/4" backset locks and deadbolts

FOR USE WITH DEADBOLT

FOR USE WITH DOOR LOCK

MODEL NO.	SIZE	BACKSET	DOOR THICK	FINISH	PRICE EACH	MODEL NO.	SIZE	BACKSET	DOOR THICK	FINISH	PRICE EACH
DR-DB100PB	4 1/2"	2 3/4"	1 3/8"	Polished Brass		DR-LK104PB	9"	2 3/8"	1 3/4"	Polished Brass	
DR-DB100SS	4 1/2"	2 3/4"	1 3/8"	Stainless Steel		DR-LK104SS	9"	2 3/8"	1 3/4"	Stainless Steel	
DR-DB101PB	4 1/2"	2 3/8"	1 3/4"	Polished Brass		DR-LK105PB	9"	2 3/4"	1 3/4"	Polished Brass	
DR-DB101SS	4 1/2"	2 3/8"	1 3/4"	Stainless Steel		DR-LK105SS	9"	2 3/4"	1 3/4"	Stainless Steel	
DR-DB102PB	4 1/2"	2 3/4"	1 3/4"	Polished Brass		DR-LK106PB	9"	2 3/8"	1 3/8"	Polished Brass	
DR-DB102SS	4 1/2"	2 3/4"	1 3/4"	Stainless Steel		DR-LK106SS	9"	2 3/8"	1 3/8"	Stainless Steel	
DR-DB103PB	4 1/2"	2 3/8"	1 3/8"	Polished Brass		DR-LK107PB	9"	2 3/4"	1 3/8"	Polished Brass	
DR-DB103SS	4 1/2"	2 3/8"	1 3/8"	Stainless Steel		DR-LK107SS	9"	2 3/4"	1 3/8"	Stainless Steel	
60 PER MASTER CARTON						30 PER MASTER CARTON					

Quantity Discounts


50 Unit Lots - 5% discount • 100 Unit Lots - 10% discount

ANSI STRIKES


B

**SOLID NON-FERROUS METALS • WROUGHT STEEL PLATED
CONFORM TO STEEL DOOR STANDARDS BEST COMMERCIAL QUALITY**

1 1/4" x 4 7/8" (FITS ANSI CUTOUT)			
ITEM NO.	FINISH	METAL	NET EACH
TA001PWS	US32D	STAINLESS STEEL	
TA002PWS	US3	BRASS	
TA003PWS	US10B	OIL RUBBED BRONZE	
TA004PWS	US10	BRONZE	
★ TA024PWS	US4	SOLID/SATIN BRASS	
★ TA026PWS	US26	SOLID/POLISHED CHROME	
SOLID ALUMINUM IN ANODIZED FINISHES			
ITEM NO.	FINISH	METAL	NET EACH
TA005PWS	US28	ALUMINUM	
TA006PWS	US32D	ALUMINUM	
TA007PWS	US4	ALUMINUM	
TA008PWS	US10	ALUMINUM	
TA009PWS	PS	STEEL	
TA011PWS	US4	STEEL	



TA010 PWS-USP NL-010PC-PWS-USP STEEL ANSI STRIKES



TA018 PWS STEEL ANSI DEAD BOLT STRIKE



TA012 PWS STEEL ANSI STRIKE




ALL ANSI STRIKES PACKED 25 PER BOX / 250 PER CASE

STRIKES

**SOLID NON-FERROUS METALS • WROUGHT STEEL PLATED
CONFORM TO STEEL DOOR STANDARDS BEST COMMERCIAL QUALITY**


1 1/8" x 2 3/4" STANDARD STRIKES



ITEM NO.	FINISH	METAL	NET EACH
TA013 FULL	US32D	STAINLESS STEEL	
TA013-SL SHORT	US32D	STAINLESS STEEL	
TA014 FULL	US3	BRASS	
TA014-SL SHORT	US3	BRASS	
TA015 FULL	US10	BRONZE	
TA023 FULL	US4	SOLID/SATIN BRASS	

PACKED 25 PER BOX / 250 PER CASE

RESIDENTIAL DOOR STRIKES



MODEL: TA-020

FINISHES: Steel Brass Plated
Zinc Plated
Antique Brass


PACKED: 50/box
500/case

TACO NET

**FULL LIP
STRIKE**

ADJUSTABLE 2 PIECE STRIKE

2 3/4" x 1 1/4"



MODEL: TA021-PWS

A unique adjustable door lock strike that enables you to eliminate any door rattle.

- 1/4" Positive lateral adjustment
- A serrated slip-proof feature prevents strike from moving out of alignment after mounting


FINISHES: F = Brass Plated
GV = Zinc Plated
ABZ = Antique Bronze

PACKED: 25/box
250/case

TACO NET

(any finish)

RESIDENTIAL T-SHAPE LOCK STRIKE



MODEL: TA-016

1 1/8" x 2 3/4"

- Fits most brands of Tubular Deadbolts
- Comes with adjustment feature


FINISHES: Steel Brass Plated
Zinc Plated

PACKED: 1000/case

**TACO NET: BP -
SS -**

1 1/8"

RESIDENTIAL TUBULAR DEAD BOLT STRIKE



MODEL: TA-019

- Fits most brands of tubular deadbolts


FINISHES: ABZ = Antique Bronze
BP = Brass Plated
GV = Zinc Plated

PACKED: 50/box
1000/case

TACO NET

1 1/8"

THIMBLE STRIKE



MODEL: TS-030N

NICKEL


Drive in Mortise Type Excellent for All Types of Tubular Dead Bolts

PACKED: 50/box
1000/case

NET PRICE

Polybagged with screws

LOCK FACE FILLER PLATE



MODEL: LF-1PC-PWS

PRIME COAT FINISH


PACKED: 50/box
300/case

NET PRICE

Polybagged with screws

Commercial and Residential LATCH GUARD PROTECTORS

B



LG107PC-PWS



LG105PC-PWS



LG103PC-PWS

SPECIFICATIONS

LG107PC - PWS LATCH GUARD, STANDARD – 2½" x 10" for rose or escutcheon 2¾" or less. For mortise locks, type 86 and cylindrical locks type 161. **Cross Reference** Ives #180

PACKING – Individually polybagged (one per polybag with screws and lock washers). 2 per box, 50 per carton.

LG105PC - PWS LOCK GUARD, NARROW – 1½" x 10" for rose or escutcheon 3½" or less. For mortise locks, type 86 and cylindrical locks type 161. **Cross Reference** Ives #182

PACKING – Individually polybagged (one per polybag with screws and lock washers). 2 per box, 50 per carton.

LG103PC - PWS NARROW-SHORT LENGTH – 1½" x 6" for all cylindrical locks type 161, including INTEGRALOCK®, MONOLOCK® and UNIT® Locksets. **Cross Reference** Ives #184

PACKING – Individually polybagged (one per polybag with screws and lock washers). 2 per box, 50 per carton.

NET PRICE EACH

LG107PC - PWS
LG105PC - PWS
LG103PC - PWS

FINISHES: Commercial Grade Prime Coated

LG109



Cross Reference
Ives #180



Stops Forced Entry

- Fits all hollow metal or wood doors.
- Reversible for right or left hand doors.
- Protects both cylindrical & mortise lock sets. Guards either latch or deadbolt from tampering or jimmying.
- Also prevents jimmying door with electric strike.
- Mounts to door with 4 heavy-duty tamper-proof sex bolts.
- Complete installation directions on back of display package.

Packed: Complete with 4 ea. 5/16" x 2" carriage bolts with nuts and washers.

Finishes: CMD - Satin Chrome
F - Bright Brass


NET PRICE EACH

Polybagged
Carded

LG111



Cross Reference
Ives #180



Prevents Wrenching out of cylinder and covers space between door & frame on tubular aluminum doors.

- Fits narrow line aluminum doors
- Reversible for right or left hand doors.
- Mounts to door with 2 heavy-duty tamper-proof sex bolts.
- Complete installation directions on back of carded display package.

Packed: Complete with fasteners and 2 extra-heavy duty sex bolts.

Finishes: ALU - Aluminum
DURO - Duronodic

NET PRICE EACH

ALUM
DURO
(POLYBAGGED)


Quantity Discounts

50 Lots - 5% • 100 Lots - 10%

**PACKED: 50 PC.
PER CARTON**

IC-INTERCHANGEABLE CORE CYLINDERS


UNCOMBINED IC CORES



- Other keyways also available upon request. Apply for information and prices.

ITEM NO.	DESCRIPTION	KEYWAY	FINISH	PRICE EA.
IC-6PCYL-U	6 Pin	A	US4 US26D	
IC-7PCYL-U	7 Pin	A	US4 US26D	

COMBINED IC CORES



- Supplied with one operating and one control key per cylinder.
- Other keyways also available upon request. Apply for information and prices.
- Key blanks available at \$ ea.
- Cut, regular and master keys - \$ ea.


Please note that we can supply I.C. Cores in 6 and 7 pin and also KD-MK (Master Keyed)

KD-MK are available at the same price as KD-Not Master Keyed. All such MK IC Cores will be supplied with a stock MK. This condition does not apply if a special MK Series is required. MK-KD cylinders supplied with one operating key and one pass key. Master Keys supplied at \$ ea.


ITEM NO.	DESCRIPTION	KEYWAY	FINISH	PRICE EA.
IC-6PCYL-C	6 Pin	A	US4 US26D	
IC-7PCYL-C	7 Pin	A	US4 US26D	

IC-MORTISE & RIM CYLINDER HOUSINGS

I.C. MORTISE CYLINDER



I.C. RIM CYLINDER




ITEM NO.	DESCRIPTION	FINISH	PRICE EA.
IC-MC6	6 Pin	US4 US26D	
IC-MC7	7 Pin	US4 US26D	
IC-RC6	6 Pin	US4 US26D	
IC-RC7	7 Pin	US4 US26D	

I.C. Mortise cylinder available with operating cams for our own brand mortise lock series and other mortise lock brands. Special mortise lock brand wanted.

SOLID BAR BRASS & ZINC DIECAST MORTISE LOCK CYLINDERS

- Key
- Thumbturn
- Dummy

B



**The Only Brand of Imported-Solid Brass & Zinc Diecast Mortise Cylinders Supplied With
A Finely Finished USA Type Cap Facing And Best Quality And Precision Construction**

TA530 3/4"	TA550 1"	TA560 1 1/8" TA580 1 1/4"	TA570 1"	TA595 1"	TA555 1"	TA537 3/4" TA577 1"	TA525 3/4"
4 Pin Tumbler Solid Brass Mortise Key Cylinder	5 Pin Tumbler Solid Brass Mortise Key Cylinder	6 Pin Tumbler Solid Brass Mortise Key Cylinder Keyed 5 - Pin	Solid Brass Mortise Thumbturn Cylinder	Solid Brass Mortise Dummy Cylinder	Economy 5 Pin Tumbler Mortise Key Cylinder	Economy Mortise Thumbturn Cylinder	Economy Diecast Dummy Cylinder
FINISHES US3 US28	FINISHES US3, US26D Duronodic US28, Black	FINISHES US3, US26D Bronze	FINISHES US3, US26D Duronodic Black	FINISHES US3, US26D Duronodic Black	FINISHES US3, US28 Duronodic US26D	FINISHES US28 Duronodic	FINISHES US28 Duronodic
KEYWAYS Y	KEYWAYS Y-S-K-A-G-N-W-C-D	KEYWAYS Y-S-K-A-G-N-W-C-D			KEYWAYS G-N-Y-S-A-K		
KEYED KA2 KA50	KEYED KD, KA2 KA50	KEYED KD, KA50			KEYED KA2 KA50		
CAM A	CAM A or C	CAM C	CAM A		CAM A or C	CAM A	
PACKED 2 per box 150 per case	PACKED 1 or 2 per box 150 per case	PACKED 1 per box 150 per case	PACKED 1 per box 150 per case	PACKED 1 per box 150 per case	PACKED 2 per box 150 per case	PACKED 1 per box 150 per case	PACKED 1 per box 150 per case
Net Each ALL FINISHES	Net Each add .28 for Chrome or Aluminum add .33 for Duro	Net Each add .22 for Chrome	Net Each add .17 for Chrome or Aluminum add .22 for Duro	Net Each add .11 for Chrome, Duro or Black	Net Each ALL FINISHES	Net Each BOTH SIZES ALL FINISHES	Net Each ALL FINISHES


FINISH CODE		KEYWAY CODE	CAM CODE	CAM SPECIFICATIONS
US3 US26 US26D US28 DURO BK E	Polished Brass Polished Chrome Satin Chrome Anodized Alum. Duronodic Black	Y Yale 8 K Kwikset S Schlage C A Arrow G Segal N Sargent LA-C W Weiser C Corbin 60 R Russwin D1	A Adams Rite	CYLINDER CAMS ALL CAMS \$.21
			B These C Cams D Retrofit Many Popular Brand Cylinders	

Quantity Discounts

50 Cylinders - Less 5% 250 Cylinders - Less 10%
500 Cylinders - Less 10%-5%

WIDE ASSORTMENT OF ADAPTER RINGS FOR MORTISE CYLINDERS

HARDENED STEEL — FREE SPINNING — TAPERED CYLINDER RING GUARD



SPINS FREE BOTH WAYS



Model No.
HST-MCR

FINISHES:
Chrome = CM
Brass = F
Duronodic = DURO
Aluminum = ALU

Packed:
500 per
master carton

- Cone Shaped
 - Free Spinning
- The safest mortise cylinder ring

This recessed cone shaped ring cannot be gripped by a wrench or crushed because it is made of hardened steel and is free spinning.




Brass **Aluminum** **Cm-Duro**

**Quantity
Discounts**


100 Lots - 5%
500 Lots - 10%

SPRING-TYPE-RECESSED ADJUSTABLE CYLINDER RINGS

Size **1/2"**



Spring Inside
Adapter Ring
compensates and
prevents rattle.



SB-SRPB 1/2" Solid Brass -
Pol. Brass
SB-SRCM 1/2" Solid Brass -
Chrome

Model #MCSR

(steel-plated)

Model #SBSR

(solid brass)

This spring-type cylinder ring is adjustable. Cylinder face is recessed when installed and the ring is free-spinning, so the cylinder cannot be removed with a wrench.

Available in:

Wrought steel plated
Solid brass

Finishes:

Chrome
Brass
Duronodic


Packed:

1000 per
master carton

MC-SRPB 1/2" Steel - Brassed
MC-SRCM 1/2" Steel - Chrome
MC-SRDR 1/2" Steel - Duronodic
MC-SRBK 1/2" Steel - Black

(Specify finish when ordering)

EXTRUDED SOLID BRASS CYLINDER RING



Model #SBRCR


Free Spinning

Recessed

1/2" type

Finishes:

Polished Brass; Chrome




Model #SBR38

Free spinning

Recessed 3/8" type

Polished Brass



Model #SBNRCR

3/8" Non-recessed Solid
Brass Extruded

Packed:


500 per master carton

Finishes:

Polished Brass; Chrome

(specify finish when ordering)

STAMPED BRASS CYLINDER RINGS




Model #FSB

Flanged type

1/4" thick

Chrome/Duronodic/Black
Polished Brass/Aluminum



Model #NFSB

Non-Flanged type

1/4" thick

Chrome/Duronodic/Black
Polished Brass/Aluminum

(specify finish when ordering)

All stamped brass cylinder rings
Packed: 500 per master carton


MORTISE CYLINDER SHIM RINGS

#MCR-SS



- Stainless steel
- Spring type

#MCR-PL



- Polyethylene plastic
- Will not crack or break

Used mainly to eliminate loose solid mortise cylinder rings and acts as a shim

Net price

LOCKING DEVICES

ALL ITEMS AVAILABLE KEYED ALIKE OR KEYED DIFFERENT

B


#TA 950 LETTER BOX LOCKS



Description: 1 1/4" X 1 3/4"
Finish: Brass Plated Steel
Pack: 20/box— 300/case
Weight: 2 lbs.

Quantity Discounts	25 Dozen - 5%
	50 Dozen - 10%

#TA 955 LETTER BOX LOCKS



Description: 1 5/8" X 1 1/2"
Finish: Brass Plated Steel
Pack: 20/box — 300/case
Weight: 2 1/2 lbs.

Quantity Discounts	25 Dozen - 5%
	50 Dozen - 10%


PIN TUMBLER CYLINDER MAILBOX LOCKS

CAM TYPE **#TA 952**
Supplied with 3 popular type operating cams making this lock usable with many different brands of mail boxes.
Finishes:
F - Brass
CMP - Chromed
Packed: 12 per box
250 per master case
3 Cam Model:
Supplied Keyed Different
Ilco - CL106
ESP - HL1
Star #5AU1 key blanks work with TA952 Mailbox Locks

DELUXE MODEL - 5 CAMS
#TA952-DM
Includes 3 cams from above unit plus 2 additional cams shown for deluxe model,
5 Cam Model

Quantity Discounts	60 Units - 5%
	120 Units - 10%

DRAWER AND WARDROBE LOCKS




Description: Can be used on left or right side of door. Can also be mounted horizontal or vertical.
Finish: Antique Bronze
Packed: 12/Box - 360/Case

ITEM NO.	SIZE	FINISH	WT. PER DOZEN	NET EACH
TA-635ABZ	1" x 2"	Ant. Bz.	1 1/4 lbs.	
TA-637ABZ	1 1/4" x 2 1/2"	Ant. Bz.	2 lbs.	
TA-639ABZ	1 3/8" x 3"	Ant. Bz.		

Quantity Discounts	120 Locks — 5%
	300 Locks — 10%

CAM LOCKS CABINET - DESK - FURNITURE

TA717 - 1 1/8" long
TA718 - 1 3/8" long




With 2 cams (straight and offset)
Keyed: KA = Keyed Alike
KD = Keyed Different
Packed: 1 Per Polybag
12 Per Unit Carton
300 Pcs/Master Ctn.
Finishes: Polished Brass = PB
Polished Chrome = CMP

TA717 -
TA718 -

Quantity Discounts	96 Locks - 5%
	300 Locks - 10%

CAM LOCKS CABINET - DESK - FURNITURE - MAILBOX

"Specify TACO Number when ordering"




#716 **#715**
Available KD (Keyed Different) or KA (Keyed Alike)
Description: All purpose cylinder lock for cabinets-desks-furniture-mailboxes, etc.
Finish: Polished Chrome or Polished Brass
Packed: 1 polybag/unit, 12 units/carton 300 pcs. per master carton
Weight: 3 lbs. per carton

Quantity Discounts	6 Dozen - 5%
	12 Dozen - 10%



**Quality Hardware
Builders Catalog
2005**



*Request a copy of our
deluxe complete 500
page catalog now...*

*Call our customer service
Dept **800-523-9956**
or Fax **800-531-0844***

*We hope to
receive your orders
& inquiries soon!*

**ALSO AVAILABLE
ON CD & THE WEB!**

*Call for a Free copy
of our complete
catalog on CD-Rom*

OR

*you can view it
on our web site:*

www.transatlanticco.com

Seeing is believing...
ORDER SAMPLES NOW!

**We want you to
see samples of many
of the products
we distribute.**

**YOU CAN'T TELL
THE QUALITY OF A PRODUCT
WITHOUT INSPECTING IT.**

**We are convinced that once you have
examined them... You will decide to keep them...
and purchase them in the future.**

**All samples will be shipped prepaid
and you may return what you don't want
at any time. Your return handling charges
will also be refunded.**

CONDITIONS OF SALE – FOR SAMPLES

1. TERMS: 90 DAYS.
2. IN 90 DAYS, YOU MAY KEEP AND PAY FOR THESE SAMPLES OR YOU MAY RETURN WHAT YOU DO NOT WANT.
3. IF YOU START TO PURCHASE THE SAMPLE ITEM, WE WILL ISSUE YOU A 5% BONUS CREDIT ON YOUR FIRST ORDER, WHICH YOU CAN USE TO PARTLY OR FULLY OFFSET THE TOTAL VALUE OF THE SAMPLES. RESULT – ORIGINAL SAMPLES WOULD BE YOURS AT NO CHARGE.

*So why not order samples now...
Based on this no risk, no obligation offer?*

**TRANS ATLANTIC CO.
Sales Department**