



2.1MP IP Bullet Camera with IR


- 1/3" 2 Megapixel progressive scan CMOS
- H.264 & MJPEG dual-stream encoding
- Maximum 25/30fps at 1080P (1920× 1080)
- DWDR, Day/Night (ICR), AWB, AGC, BLC
- Multiple network monitoring: Web viewer, STORM VMS
- 3.6mm fixed lens
- Maximum length of IR LEDs: 30m
- IP66, PoE
- Outdoor / Indoor
- Supports corridor mode



Dimensions (mm)



Popular Mounting Solutions



INSBO2IRF

Product Specifications



Image Sensor		1/3" 2 megapixel progressive scan CMOS
Effective Pixels		2048(H) x 1536(V)
Scanning System		Progressive
Electronic Shutter Speed		Auto / Manual 1/3 (4)-1/10000
Minimum Illumination		Color : 0.1Lux/F1.6;0 Lux/F1.6 with IR on
S/N Ratio		More than 50dB
Video Output		N/A
Camera Features		
Maximum Length of IR LEDs		30m
Day/Night		Auto (ICR)/Color / B/W
Backlight Compensation		BLC / HLC / DWDR
White Balance		Auto / Manual
Gain Control		Auto / Manual
Noise Reduction		2D
Privacy Masking		Up to 4 areas
Lens		
Focal Length		3.6mm
Maximum Aperture		F1.6
Focus Control		Manual
Viewing Angle		H: 89.9°
Lens Type		Fixed lens
Mount Type		Board -in Type
Video		
Compression		H.264 H / H.264B / H.264 / MJPEG
Resolution		1080P (1920×1080) / 720P (1280×720) / D1 (704×576 / 704×480) / CIF (352×288 / 352×240)
Frame Rate	Main Stream	1080P (1- 25/30fps)
	Sub Stream	D1/CIF (1- 25/30fps)
Bit Rate		H.264 H: 16K - 8192 Kbps
Audio		
Compression		N/A
Interface		N/A
Network		
Ethernet		RJ-45 (10/100Base-T)
Wi-Fi		N/A
Protocol		IPv4/IPv6, HTTP, HTTPS, TCP/IP, UDP, UPnP, ICMP, IGMP, RTSP, RTP, SMTP, NTP, DHCP, DNS, PPPOE, DDNS, FTP, IP Filter, QoS
Compatibility		ONVIF, CGI
Maximum User Access		20 users
Smart Phone		iPhone, iPad, Android, Windows, Phone

INSBO2IRF

Product Specifications



Auxiliary Interface	
Memory Slot	N/A
RS485	N/A
Alarm	N/A
PIR Sensor Range	N/A
General	
Power Supply	DC12V, PoE (802.3af)
Power Consumption	Maximum 4W
Working Environment	-30°C to +60°C and less than 95% RH
Ingress Protection	IP66
Vandal Resistance	N/A
Dimensions	70mm × 66mm × 155mm
Weight	0.42 Kg