## ICR-300H3

### 700TVL Indoor/Outdoor Vandal Full Size IR Dome Camera



The ICR-300H3 was designed off the ICR-200's orbital chassis, but the ICR-300H3 takes performance to a new level with a larger size and more advanced features. With its new super high-resolution 1/3" Sony Super HAD 700TVL image sensor comes stronger IR LED's: up to 100' of long-range nighttime viewing. The camera boasts a varifocal lens that can be set between 2.8-12mm for the perfect amount of flexibility. Beyond that, the camera chassis itself is fully weatherproof, making it suitable for installations in both indoor and outdoor environments. If you like the ICR-200, you will love the ICR-300H3.

#### **Features**

- 1/3" SONY Super HAD CCD
- 2.8mm-12mm Varifocal Lens
- 700TVL
- IR distance up to 100'
- IP 55
- 12V DC (350mA)
- External Zoom & Focus Adjustments



# ICR-300H3

### **Specifications**

| Model                    | ICR-300H3                  |
|--------------------------|----------------------------|
| Camera                   |                            |
| Image Sensor             | 1/3" SONY Super HAD CCD    |
| Horizontal Resolution    | 700TVL                     |
| Effective Pixels         | 768(H)×494(V)              |
| Min. Illumination        | 0Lux (IR On)               |
| S/N Ratio                | > 50dB                     |
| Lens                     | 2.8-12mm Varifocal         |
| Iris Control             | Auto                       |
| Electronic Shutter Speed | 1/60sec ~ 1/100,000sec     |
| Gamma Correction         | r=0.45                     |
| White Balance            | Auto                       |
| IR Distance              | 100'                       |
| Video Output             | 1.0V p-p 75Ω               |
| General                  |                            |
| Power Supply             | 12V DC                     |
| Power Consumption        | 350 mA                     |
| Operating Temperature    | -14°F ~ 122°F/-25°C ~ 50°C |
| Operating Humidity       | 10% ~ 90%                  |
| Dimension                | Φ4.72"×3.14"/Φ120mm×80mm   |
| Weight                   | 2.2lbs/1kg                 |



## ICR-300H3

### Accessories



**PWR-12VDC** 

