



ARCHITECTURAL & DESIGNER PRODUCTS



CONTENTS

- 03 ABOUT TRIMCO
- 04 IDENTITY HARDWARE
- 05 HEALTHY HARDWARE
- 06 LOCKDOWN HARDWARE
- 07 HANDS-FREE SOLUTIONS
- 08 CUSTOM HARDWARE
- 09 ANTI-VANDAL PULLS
- 10 ARCHITECTURAL PULLS
- 27 PULLS + GRIPS
- 34 PUSH BARS + PUSH/PULL SETS
- 42 FLUSH PULLS
- 44 SLIDING DOOR SOLUTIONS
- 50 MOUNTING METHODS
- 51 FINISHES

THIS CATALOG INCLUDES QR CODES FOR EASY REFERENCE ON MOBILE DEVICES.

HOW TO SCAN QR CODES:

- 1.** Open your smartphone camera.
- 2.** Point your camera at the QR Code until the viewfinder recognizes the code and a link appears on your screen.
- 3.** Click the link that appears on your screen and you will be directed to the webpage.



Try scanning the QR Code shown here for an electronic version of this catalog!

ABOUT TRIMCO


We make a difference by innovating, designing, and manufacturing products that make our world healthier, safer, more accessible, and more fashionable.

From its humble beginnings in Los Angeles in 1949, Trimco continues to operate as a family-owned and operated, independent business. Trimco has a team of dedicated professionals focused on providing a remarkable customer experience.

Trimco continues to be a trusted leader in developing products for the most demanding environments. Our expansive portfolio has many unique, patented solutions designed to address real life problems. Most of our products are manufactured in North America to the highest quality standards while maintaining competitive prices. With multiple, convenient distribution points across the U.S., you can get your Trimco products quickly.

Our foundry in Tijuana, Mexico gives us the flexibility to pour stock and custom products with short lead times, as well as local quality control. With our master craftsmen and domestic manufacturing, Trimco is uniquely positioned to expertly manage and deliver custom product solutions in an easy, painless process.

Our internationally recognized line of products are trusted by a significant number of specification writers and experienced independent sales agencies that represent us globally.



New single-site facility located in Oceanside, California



BRINGING YOUR BRAND IDENTITY TO YOUR CUSTOMERS' FINGERTIPS



Oakland University 'Golden Grizzlies'



Subway



Dunkin'



PNC Bank



Creighton University 'Billy Bluejay'



Dimensionalized Protection Plate



FedEx



Customized Ladder Pulls

WHAT IS IDENTITY HARDWARE?

Trimco Identity Hardware transforms your doorways into a powerful reflection of your brand's identity. Customers, employees, fans, and vendors will be greeted by your brand with quality that they can feel as they enter the building.

HOW IT WORKS

1. Contact us at: IdentityHardware@TrimcoHardware.com to receive a product Concept Request Form.
2. Trimco industrial designers create design concepts for you.
3. Select your favorite concept(s).
4. Trimco will provide you with a quote via an authorized Identity Hardware partner.



MINIMIZING INFECTIOUS BACTERIA



TRIMCOHARDWARE.COM


Trimco can help minimize the infectious bacteria* in your facility through our Healthy Hardware® portfolio of products made with CuVerro® bactericidal copper alloy surfaces. Registered with the U.S. Environmental Protection Agency, CuVerro® surfaces have been proven to kill 99.9% of the most virulent bacteria* like e-Coli, MRSA, and Staph when properly cleaned. CuVerro® is not a coating, but a solid copper-based alloy with inherent bactericidal properties that will last for the lifetime of the product.



Healthy Hardware™ Antimicrobial Surfaces vs. Silver Coatings Under Real World Test Conditions

	HEALTHY HARDWARE®	SILVER-CONTAINING COATINGS
KILLS 99.9% OF BACTERIA IN 2 HOURS OR LESS	✓	✗
LEGALLY PERMITTED TO MAKE PUBLIC HEALTH CLAIMS	✓	✗
DURABLE, LIFETIME EFFICACY (NEVER WEARS AWAY)	✓	✗
EFFECTIVE IN TYPICAL INDOOR ENVIRONMENTS	✓	✗
100% RECYCLABLE	✓	✗
CONTINUALLY KILLS BACTERIA 24/7	✓	✗

How Does Copper Kill Bacteria?



1. Copper ions on the surface are recognized as an essential nutrient and enter the cell.



2. A lethal dose of copper ions interferes with normal cell functions and membrane integrity.



3. Copper ions impede cell respiration/metabolism, sometimes causing DNA damage.

*Laboratory testing shows that, when cleaned regularly, CuVerro surfaces kill greater than 99.9% of the following bacteria within 2 hours of exposure: Methicillin-Resistant Staphylococcus aureus (MRSA), Staphylococcus aureus, Enterobacter aerogenes, Pseudomonas aeruginosa, E. coli O157:H7, and Vancomycin-Resistant Enterococcus faecalis (VRE). The use of CuVerro® bactericidal copper products is a supplement to and not a substitute for standard infection control practices; users must continue to follow all current infection control practices, including those practices related to cleaning and disinfection of environmental surfaces. This surface has been shown to reduce microbial contamination, but it does not necessarily prevent cross contamination. CuVerro® is a registered trademark of GBC Metals, LLC and is used with permission (TR-0002-1509). See www.CuVerro.com for more details.



LDH100 SERIES



PROVIDING SAFETY SOLUTIONS TO MAKE OUR COMMUNITIES SAFER

The LDH100 Series is a patented, cost-effective solution for one-touch mechanical lockdown of exit devices. In the event of an emergency, the LDH100 does not require a key or hex-wrench to lockdown the doors from the inside; simply push the button on the end cap and the exit device locks. The mechanism has durable die-cast construction and is easily installed without special tools or removal of the exit device from the door.

FEATURES AND BENEFITS

- Simple, one-touch mechanical lockdown for exit devices
- Cost-effective, aftermarket or new construction solution
- Does not require a key or hex-wrench to lock down doors
- Durable die-cast construction
- ADA compliant
- Easy installation requires no special tools or removal of the panic device from the door
- Works with hex or cylinder dogging devices

APPLICATIONS

- K-12 Schools
- Colleges & Universities
- Healthcare
- Government Facilities
- Public Buildings
- Hospitality



COST EFFECTIVE,
ONE-TOUCH LOCKDOWN
FOR EXIT DEVICES



LDH100-VD.626

DESCRIPTION	AVAILABLE FOR	FINISHES
LDH100 - LOCKDOWN PANIC BUTTON	VD – VON DUPRIN 98/99 & 33/35 DM – DORMA 9000 SERIES PHI – PRECISION APEX 2000 SERIES ALSO ASK ABOUT: MK – MARKS M9900 SERIES PHI – DS PREPPED FOR DOOR MONITORING SWITCH	605 POLISHED BRASS 606 SATIN BRASS 625 POLISHED CHROME 626 SATIN CHROME 690 DURANODIC BRONZE

Part of Trimco's Mission is to innovate, design, and manufacture products that make our world safer and healthier. Trimco Hands-Free Solutions are designed to help minimize the need to grip door pulls with your hands.

HANDS-FREE SOLUTIONS



UHF210 Series
Ultimate Hands Free Slide Lock




AP330 Series
Adjustable Hands-Free Pulls



New Hands-Free Signage



UFP
Ultimate Foot Pulls



Take your brilliant design ideas to the next level, with Trimco Custom Hardware. Trimco designs and manufactures our custom products with the finest high performance architectural hardware materials, in order to help make a lasting impression of your organization.

CUSTOM HARDWARE



HOW IT WORKS

1. Contact us at: Custom@TrimcoHardware.com to receive a product Concept Request Form.
2. Trimco industrial designers create design concepts for you.
3. Select your favorite concept(s).
4. Trimco will provide you with a quote via an authorized partner.



1090 SERIES ANTI-VANDAL PULLS



BENEFITS OF BLACK PVC COOL TOUCH FINISH

- Cool to the Touch Technology provides a soft, cool entry touch by reducing thermal energy transfer from hardware to hand when in direct sunlight.
- Fade Resistant to ensure a fresh look.
- Dry Rot Resistant to ensure a long-lasting hardware grip.

1090 Series Anti-Vandal Pulls are engineered for the most demanding applications. Made from 1/8" type 316 stainless steel, bronze, or brass these pulls do not have exposed handles or fasteners that can be tampered, greatly reducing the potential for trim damage and are available to mate different lock sets and exit devices for both in swing and out swing doors.

FEATURES AND BENEFITS

- Can be mated to exit devices, mortise locks, or cylindrical locks.
- Available with Astragal (1096) or without (1097).
- Offered with or without cylinder prep.
- Vandal Resistant Design reduces the potential for illegal chaining of doors.
- Compliant with Americans with Disabilities Act (ADA).
- Meets California State Prison strength tests.
- Lifetime mechanical & limited finish warranty (see Trimco warranty statement for details)

ANTI-VANDAL PULLS MATING WITH:

BEST
CORBIN RUSSWIN
MARKS
PRECISION
SARGENT
VON DUPRIN



BEAUTY WITH
LONG-LASTING
DURABILITY




AP SERIES ARCHITECTURAL PULLS



Trimco Architectural Pulls add style and sophistication to any opening. A multitude of options enable customization and flexibility to enhance surrounding building aesthetics. Options include square, radius, or angled ends, offset or straight posts, engraving, and center-to-center dimensions from 12" to beyond 10'. The AP Series are manufactured from stainless steel, bronze, brass, or aluminum, and offered in most architectural finishes.



AP100 SERIES ARCHITECTURAL STRAIGHT PULLS



AP121
Straight Bent Pulls

AP132
Straight Mitered Pull

Trimco AP100 Series Straight Pulls offer a wide variety of products to fit most applications. Material options include 3/4", 1", and 1-1/4" diameter, and are offered from 8" to 48", center-to-center. The AP100 Pull Series is ADA compliant.

FEATURES AND BENEFITS

- Wide array of material sizes and dimensions to meet any design specification
- Manufactured from stainless steel, bronze, brass, and aluminum for durability and long life
- Large range of center-to-center dimensions: 8" to 48"
- Material options include 3/4", 1", and 1-1/4" diameter
- ADA compliant

NOTES

- Leather wrapped options available
- Leather wrap coverage stops 0.5" +/- 0.25" from the pull bend radius
- Additional finish options—contact customer service

*For J & M mounting options, specify Riv-Nut for metal doors or bushings for wood doors, if required

**Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit

AP121G-48-2B-B.629

AP121 BASE PART NUMBER	G MOUNTING TYPE	* (OPTIONAL) CONCEALED MOUNTING	-48 SIZE (CTC)	-2 DOOR THICKNESS	* (OPTIONAL) HOLE DIA. FOR GLASS	-B OPTIONS	.629 FINISHES
3/4" DIAMETER	E THRU-BOLT & FINISH WASHER	R RIV NUT	12 12"	0 CUSTOM	A 3/8"	LEATHER	313 SATIN ANODIZED DARK BRONZE
AP111 STRAIGHT BENT PULL	G BACK TO BACK THREADED	(ALUMINUM DOORS)	18 18"	1** 3/8"	B 1/2"	B BLACK	316S MARINE DUTY SATIN
AP112 STRAIGHT MITERED PULL	SHOULDER BOLT & SET SCREWS	B BUSHING	24 24"	2** 1/2"	C 5/8"	D DARK BROWN	STAINLESS STEEL
	J* CONCEALED THREADED	(WOOD DOORS)	36 36"	3 1-3/8"	D 3/4"	T LIGHT BROWN	316P MARINE DUTY POLISHED
	SHOULDER BOLT & SET SCREWS		48 48"	4 1-3/4"	E 7/8"		STAINLESS STEEL
1" DIAMETER	L BACK-TO-BACK CONCEALED	* FOR J AND M		5 2"	F 1"	ENGRAVING - SINGLE PULL	335 SATIN ANODIZED BLACK
AP121 STRAIGHT BENT PULL	SPANNER TURNING WASHER & STUD	MOUNTING METHODS,		6 2-1/4"		U PUSH	605 POLISHED BRASS
AP122 STRAIGHT MITERED PULL	M* CONCEALED-SPANNER TURNING WASHER	SPECIFY RIV NUT OR		7 2-1/2"		V PULL	606 SATIN BRASS
	N THRU-BOLT W/ FLOW-THRU BUTTON	BUSHING		8 3"		W OTHER - CUSTOMIZE	609 ANTIQUE BRASS
1-1/4" DIAMETER						ENGRAVING - BTB PULLS	612 SATIN BRONZE
AP131 STRAIGHT BENT PULL						X PUSH/INTERIOR &	613 OIL RUBBED BRONZE
AP132 STRAIGHT MITERED PULL						PULL/EXTERIOR	613E OIL RUBBED BRONZE
						Y PULL/INTERIOR &	(EQUIVALENT)
						PUSH/EXTERIOR	622 MATTE BLACK
1-1/2" DIAMETER						Z OTHER - CUSTOMIZE	628 SATIN ANODIZED ALUMINUM
AP142 STRAIGHT MITERED PULL							629 POLISHED STAINLESS STEEL
							630 SATIN STAINLESS STEEL
							710 HEALTHY HARDWARE, SATIN

Trimco AP200 Series Architectural Offset Bent Pulls are a great complement to any building design. Trimco Offset Pulls are ADA compliant.

AP200 SERIES ARCHITECTURAL OFFSET PULLS



FEATURES AND BENEFITS

- Wide array of material sizes and dimensions to meet any design specification
- Manufactured from stainless steel, bronze, brass, and aluminum for durability and long life
- Large range of center-to-center dimensions: 8" to 48"
- Material options include 3/4", 1", and 1-1/4" diameter
- ADA compliant

NOTES

- Leather wrapped options available
- Leather wrap coverage stops 0.5" +/- 0.25" from the pull bend radius
- Additional finish options—contact customer service
- Specify for custom CTC length

*For J & M mounting options, specify Riv-Nut for metal doors or bushings for wood doors, if required

**Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit



AP221 Pull

AP231JR-18-3-B.613

AP231	J	R *(OPTIONAL)	-18	-3	 *(OPTIONAL)	-B	.613
BASE PART NUMBER	MOUNTING TYPE	CONCEALED MOUNTING	SIZE (CTC)	DOOR THICKNESS	HOLE DIA. FOR GLASS	OPTIONS	FINISHES
AP211	3/4" DIAMETER ROUND, OFFSET BENT PULL	E THRU-BOLT & FINISH WASHER G BACK TO BACK THREADED SHOULDER BOLT & SET SCREWS	R RIV NUT (ALUMINUM DOORS)	12 12" 18 18" 24 24"	0 CUSTOM 1** 3/8" 2** 1/2"	A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1"	313 SATIN ANODIZED DARK BRONZE 316S MARINE DUTY SATIN STAINLESS STEEL
AP221	1" DIAMETER ROUND, OFFSET BENT PULL	J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS L BACK-TO-BACK CONCEALED SPANNER TURNING WASHER & STUD	B BUSHING (WOOD DOORS)	36 36" 48 48"	3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3"	* FOR J AND M MOUNTING METHODS, SPECIFY RIV NUT OR BUSHING	316P MARINE DUTY POLISHED STAINLESS STEEL 335 SATIN ANODIZED BLACK 605 POLISHED BRASS 606 SATIN BRASS 609 ANTIQUE BRASS 612 SATIN BRONZE
AP231	1-1/4" DIAMETER ROUND, OFFSET BENT PULL	M* CONCEALED-SPANNER TURNING WASHER N THRU-BOLT W/ FLOW-THRU BUTTON		OR SPECIFY CTC		* FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS	613 OIL RUBBED BRONZE 613E OIL RUBBED BRONZE (EQUIVALENT) 622 MATTE BLACK 628 SATIN ANODIZED ALUMINUM 629 POLISHED STAINLESS STEEL 630 SATIN STAINLESS STEEL 710 HEALTHY HARDWARE, SATIN

LEATHER	ENGRAVING - SINGLE PULL	ENGRAVING - BTB PULLS	HANDING
B LEATHER - BLACK	U PUSH	X PUSH/INTERIOR & PULL/EXTERIOR	*REQUIRED FOR ENGRAVING ONLY
D LEATHER - DARK BROWN	V PULL	Y PULL/INTERIOR & PUSH/EXTERIOR	LH LEFT HAND
T LEATHER - LIGHT BROWN	W OTHER - CUSTOMIZE	Z OTHER - CUSTOMIZE	RH RIGHT HAND



AP300 SERIES ADJUSTABLE & CONFIGURABLE PULLS



AP311 Pull



AP323 Pull

Trimco AP300 Series Pulls are uniquely designed to make the world healthier, while being durable, flexible, and highly customizable. The AP320 Series is an alternative, more cost-effective aluminum option.

FEATURES AND BENEFITS

- AP310 Series is available with Healthy Hardware® Copper Nickel alloy touch surfaces
- Healthy Hardware (710) has appearance similar to stainless steel
- Adjustable and configurable standoffs are versatile for use across many different center-to-center configurations
- AP310 Series has configurable and customizable end caps available in multiple sizes and finishes
- 1-1/2" clearance conforms to ADA requirements for accessibility
- AP320 Series is a cost-effective all aluminum version of the AP300 pull
- AP320 Series does not have end cap finish options
- AP320 Series has square and radius end options

NOTES

- Mid post is recommended for OA's at or greater than 72"
- Standard CTC is OA less 6"
- Can be ordered with standoffs installed (S) or loose (L)

*For J mounting option, specify Riv-Nut for metal doors or bushings for wood doors if required

**Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit

AP316J-50L-4-PJB.630

AP316	J	<input type="checkbox"/> * (OPTIONAL)	-50	L	-4	<input type="checkbox"/> * (OPTIONAL)	-P * (OPTIONAL)	J	B	.630
BASE PART NUMBER	MOUNTING TYPE	CONCEALED MOUNTING	SIZE (OA)	SIZE (CTC)	DOOR THICKNESS	HOLE DIA. FOR GLASS	MID-POST	ENDCAP OPTIONS		FINISHES
1-1/4" DIAMETER AP311 STRAIGHT STANDOFFS, 0.5" END CAPS AP312 STRAIGHT STANDOFFS, 1" END CAPS AP313 STRAIGHT STANDOFFS, 2" END CAPS AP314 OFFSET STANDOFFS, 0.5" END CAPS AP315 OFFSET STANDOFFS, 1" END CAPS AP316 OFFSET STANDOFFS, 2" END CAPS 1-1/4" DIAMETER (ALL ALUMINUM) AP323 OFFSET STANDOFFS, SQUARE ENDS AP324 OFFSET STANDOFFS, RADIUS ENDS	E THRU-BOLT & FINISH WASHER G BACK-TO-BACK THREADED SHOULDER BOLT & SET SCREWS J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS	R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS) * FOR J MOUNTING METHOD, SPECIFY RIV NUT OR BUSHING	OVERALL 18 18" 30 30" 42 42" OR SPECIFY OA/CTC	CTC S STANDARD L LOOSE	0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3"	A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS	P MID-POST RECOMMENDED FOR PULLS > 72" OA	FINISH B 605 C 606 D 609 E 611 F 612 G 613 H 628 I 629 J 630 K 335 L 622 * ENCAP OPTIONS ARE NOT AVAILABLE IN AP320 SERIES ALL-ALUMINUM PULLS	INSERT B BLACK N NONE	AP310 FINISH OPTIONS 630 SATIN STAINLESS STEEL 710 HEALTHY HARDWARE SATIN AP320 ALUMINUM FINISH OPTIONS 313 DARK BRONZE ANODIZE 335 BLACK ANODIZE 628 CLEAR ANODIZE

Trimco AP330 Series Hands-Free Adjustable Pulls are uniquely designed to make the world healthier, while being durable, flexible, and highly customizable.



AP330 SERIES ADJUSTABLE & CONFIGURABLE HANDS-FREE PULLS

FEATURES AND BENEFITS

- Available with EPA registered Healthy Hardware® Copper Nickel alloy touch surfaces
- Bend in pull can be pivoted during installation to achieve different clearance for hands-free operation
- Adjustable standoffs are versatile for worry-free retrofit of existing door pulls and enables access to locking cylinders
- Radius or Square end options
- Healthy Hardware® (710) has appearance similar to stainless steel and is easily cleaned
- Aluminum finish options are also available
- 1-1/2" clearance conforms to ADA requirements for accessibility


NOTES

- 710 Healthy Hardware Finish includes stainless steel standoffs
- Standard size adjustable up to 12" CTC
- Maximum overall length is 48"
- Standoffs shipped loose
- * For J mounting option, specify Riv-Nut for metal doors or Bushings for wood doors to be included.
- ** For Glass Door Mounting options (3/8" & 1/2" door thicknesses), specify parameter of hole in glass.



AP333 Pull

*Aerial view shows adjustable projection





HOW TO ORDER EXAMPLE:

AP331G-19-2B.710

AP331 BASE PART NUMBER	G MOUNTING TYPE	<input type="checkbox"/> * (OPTIONAL) CONCEALED MOUNTING	-19 SIZE (OA)	-2 DOOR THICKNESS	<input type="checkbox"/> B * (OPTIONAL) HOLE DIA. FOR GLASS	.710 FINISHES
1-1/4" DIAMETER	E THRU-BOLT & FINISH WASHER	R RIV NUT (ALUMINUM DOORS)	OVERALL 19 19"	0 CUSTOM	A 3/8"	630 SATIN STAINLESS STEEL
AP331 STRAIGHT STANDOFFS	G BACK-TO-BACK THREADED SHOULDER BOLT & SET SCREWS	B BUSHING (WOOD DOORS)	OR SPECIFY OA	1** 3/8"	B 1/2"	710 HEALTHY HARDWARE - SATIN
AP333 OFFSET STANDOFFS	J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS	* FOR J MOUNTING METHOD, SPECIFY RIV NUT OR BUSHING		2** 1/2"	C 5/8"	313 DARK BRONZE ANODIZE
				3 1-3/8"	D 3/4"	335 BLACK ANODIZE
				4 1-3/4"	E 7/8"	628 CLEAR ANODIZE
				5 2"	F 1"	
				6 2-1/4"	* FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS	
				7 2-1/2"		
				8 3"		



AP400 SERIES ARCHITECTURAL LADDER PULLS



Trimco AP400 Series Ladder Pulls (formerly 1160 straight standoffs and 1170 offset standoffs series) add style and sophistication to any opening. A multitude of options for the AP400 Series enables customization and flexibility to enhance surrounding building aesthetics.

FEATURES AND BENEFITS

- Manufactured from stainless steel, bronze, brass, and aluminum for long lasting durability
- Flexibility in design from straight or offset pulls to angled, square, radius, or groove ends
- Wide range of lengths available from 12" to over 10'
- Available in most architectural finishes
- Multiple mounting options for metal, wood, and glass doors
- ADA compliant

NOTES

- Standard CTC (based on OA): Shorter than 24" is OA less 4" and greater than or equal to 24" OA less 6"
- Midpost is recommended for CTC's of 84" or greater
- Hanging required for angled end option with offset standoffs
- Specifying custom pull sizes (CTC)
 - Example 1 • 35" OA, 29" CTC, specify as 3529
 - Example 2 • 11" OA, 7" CTC, specify as 1107
- Engraving options are also available

*For J & M mounting options, specify Riv-Nut for metal doors or bushings for wood doors if required

**Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit
710 finish is only available for the AP420 model (1-1/4" diameter)



AP400 Series Offset Ladder Pull

AP436E-8478-8-P-RH.629

AP436	E	 * (OPTIONAL)	-84 78 -8	 * (OPTIONAL)	-P* (OPTIONAL)	.629	
BASE PART NUMBER	MOUNTING TYPE	CONCEALED MOUNTING	SIZE (OA) SIZE (CTC)	DOOR THICKNESS	HOLE DIA. FOR GLASS	MID-POST	FINISHES
1" DIAMETER	E THRU-BOLT & FINISH WASHER	R RIV NUT	OVERALL	0 CUSTOM	A 3/8"	P MID-POST	313 SATIN ANODIZED
AP411 STRAIGHT STANDOFFS, SQUARE ENDS	G BACK TO BACK THREADED	(ALUMINUM DOORS)	12 12"	08 08"	1** 3/8"	RECOMMENDED FOR PULLS > 72" OA	DARK BRONZE
AP412 STRAIGHT STANDOFFS, RADIUS ENDS	SHOULDER BOLT & SET SCREWS	B BUSHING	18 18"	14 14"	2** 1/2"		316S MARINE DUTY SATIN
AP413 OFFSET STANDOFFS, SQUARE ENDS	J* CONCEALED THREADED	(WOOD DOORS)	24 24"	18 18"	3 1-3/8"		STAINLESS STEEL
AP414 OFFSET STANDOFFS, RADIUS ENDS	SHOULDER BOLT & SET SCREWS		36 36"	30 30"	4 1-3/4"		316P MARINE DUTY POLISHED
AP415 STRAIGHT STANDOFFS, ANGLED ENDS	L BACK-TO-BACK CONCEALED-		48 48"	42 42"	5 2"		STAINLESS STEEL
AP416 OFFSET STANDOFFS, ANGLED ENDS	SPANNER TURNING WASHER	* FOR J AND M	60 60"	54 54"	6 2-1/4"		335 SATIN ANODIZED BLACK
AP417 STRAIGHT STANDOFFS, GROOVE ENDS	& STUD	MOUNTING METHODS,	72 72"	66 66"	7 2-1/2"		605 POLISHED BRASS
AP418 OFFSET STANDOFFS, GROOVE ENDS	M* CONCEALED-SPANNER TURNING	SPECIFY RIV NUT OR	84 84"	78 78"	8 3"		606 SATIN BRASS
1-1/4" DIAMETER	WASHER	BUSHING	96 96"	90 90"		609 ANTIQUE BRASS	
AP421 STRAIGHT STANDOFFS, SQUARE ENDS	N THRU-BOLT W/ FLOW-THRU					612 SATIN BRONZE	
AP422 STRAIGHT STANDOFFS, RADIUS ENDS	BUTTON					613 OIL RUBBED BRONZE	
AP423 OFFSET STANDOFFS, SQUARE ENDS						613E OIL RUBBED BRONZE	
AP424 OFFSET STANDOFFS, RADIUS ENDS						(EQUIVALENT)	
AP425 STRAIGHT STANDOFFS, ANGLED ENDS						622 MATTE BLACK	
AP426 OFFSET STANDOFFS, ANGLED ENDS						628 SATIN ANODIZED ALUMINUM	
AP427 STRAIGHT STANDOFFS, GROOVE ENDS						629 POLISHED STAINLESS STEEL	
AP428 OFFSET STANDOFFS, GROOVE ENDS						630 SATIN STAINLESS STEEL	
1-1/2" DIAMETER						710 HEALTHY HARDWARE, SATIN	
AP431 STRAIGHT STANDOFFS, SQUARE ENDS							
AP432 STRAIGHT STANDOFFS, RADIUS ENDS							
AP433 OFFSET STANDOFFS, SQUARE ENDS							
AP434 OFFSET STANDOFFS, RADIUS ENDS							
AP435 STRAIGHT STANDOFFS, ANGLED ENDS							
AP436 OFFSET STANDOFFS, ANGLED ENDS							
AP437 STRAIGHT STANDOFFS, GROOVE ENDS							
AP438 OFFSET STANDOFFS, GROOVE ENDS							

OR SPECIFY OA/CTC

* FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS

-RH
HANDING
(ONLY REQUIRED FOR OFFSET W/ ANGLED ENDS AND ENGRAVED OPTIONS)
LH LEFT HAND
RH RIGHT HAND



AP500 SERIES ANODIZED GRIP LADDER PULLS

Trimco AP500 Series Anodized Grip Ladder Pulls add style and sophistication to any opening. A multitude of options for the AP500 Series enables customization and flexibility to enhance surrounding building aesthetics.

FEATURES AND BENEFITS

- Ends and posts are manufactured from stainless steel, aluminum, bronze, or brass for long lasting durability
- Flexibility in design from straight or offset pulls to square, radius, or angled ends
- Wide range of lengths available from 12" to over 60"
- Durable and aesthetically appealing black anodized finish grip
- Multiple mounting options for metal, wood, and glass doors


NOTES

- Black anodized finish is standard on grip; specified finish options refer to ends and standoffs
- Standard CTC (based on OA): Shorter than 24" is OA less 4" and greater than 24" OA less 6"
- Handing required for angled end option with offset standoffs
- Inquire with Customer Service about groove end options
- Specifying Custom Pull Sizes (CTC) –
 - Example 1 • 35" OA, 29" CTC, specify as 3529
 - Example 2 • 11" OA, 7" CTC, specify as 1107

*For J & M mounting options, specify Riv-Nut for metal doors or bushings for wood doors if required

**For additional detail on Mounting options and kits, please see "Standard Mounting Options"

**Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit



AP516L-6090-4-LH.630

AP516
BASE PART NUMBER

L
MOUNTING TYPE

* (OPTIONAL)
CONCEALED MOUNTING

-60 90
SIZE (OA) SIZE (CTC)

-4
DOOR THICKNESS

* (OPTIONAL)
HOLE DIA. FOR GLASS

.630
FINISHES

1" DIAMETER	E THRU-BOLT & FINISH WASHER G BACK TO BACK THREADED SHOULDER BOLT & SET SCREWS	R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS)	OVERALL 12 12" 08 08" 14 14" 10 10" 16 16" 12 12" 18 18" 14 14" 24 24" 18 18" 36 36" 30 30" 48 48" 42 42" 60 60" 54 54"	CTC	0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3"	A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1"	316S MARINE DUTY SATIN STAINLESS STEEL 316P MARINE DUTY POLISHED STAINLESS STEEL 605 POLISHED BRASS 606 SATIN BRASS 609 ANTIQUE BRASS 612 SATIN BRONZE 613E OIL RUBBED BRONZE (EQUIVALENT) 622 MATTE BLACK 628 SATIN ANODIZED ALUMINUM 629 POLISHED STAINLESS STEEL 630 SATIN STAINLESS STEEL
AP511 STRAIGHT STANDOFFS, SQUARE ENDS	J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS	* FOR J AND M MOUNTING METHODS, SPECIFY RIV NUT OR BUSHING	OR SPECIFY OA/CTC			* FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS	
AP512 STRAIGHT STANDOFFS, RADIUS ENDS	L BACK-TO-BACK CONCEALED- SPANNER TURNING WASHER & STUD						
AP513 OFFSET STANDOFFS, SQUARE ENDS	M* CONCEALED-SPANNER TURNING WASHER						
AP514 OFFSET STANDOFFS, RADIUS ENDS	N THRU-BOLT W/ FLOW-THRU BUTTON						
AP515 STRAIGHT STANDOFFS, ANGLED ENDS							
AP516 OFFSET STANDOFFS, ANGLED ENDS							
1-1/4" DIAMETER							
AP521 STRAIGHT STANDOFFS, SQUARE ENDS							
AP522 STRAIGHT STANDOFFS, RADIUS ENDS							
AP523 OFFSET STANDOFFS, SQUARE ENDS							
AP524 OFFSET STANDOFFS, RADIUS ENDS							
AP525 STRAIGHT STANDOFFS, ANGLED ENDS							
AP526 OFFSET STANDOFFS, ANGLED ENDS							
1-1/2" DIAMETER							
AP531 STRAIGHT STANDOFFS, SQUARE ENDS							
AP532 STRAIGHT STANDOFFS, RADIUS ENDS							
AP533 OFFSET STANDOFFS, SQUARE ENDS							
AP534 OFFSET STANDOFFS, RADIUS ENDS							
AP535 STRAIGHT STANDOFFS, ANGLED ENDS							
AP536 OFFSET STANDOFFS, ANGLED ENDS							

-LH
HANDING

(OFFSET W/ ANGLED
ENDS ONLY)

LH LEFT HAND
RH RIGHT HAND

*FINISHES SPECIFY
THE END POSTS
AND STANDOFFS

The hand-crafted AP600 Series Leather Wrapped Ladder Pulls add style and sophistication to any interior doorway opening. A multitude of options for the AP600 Series enables customization and flexibility to enhance surrounding building aesthetics.

FEATURES AND BENEFITS

- Hand-crafted, durable leather wrap suitable for interior applications
- Manufactured from stainless steel, bronze, brass or aluminum for long lasting durability
- Flexibility in design from straight or offset pulls to square, radius or angled ends
- Multiple mounting options for metal, wood, and glass doors


NOTES

- Standard CTC (based on OA): Shorter than 24" is OA less 4" and greater than 24" OA less 6"
- Inquire with Customer Service for groove end options
- Specifying Custom Pull Sizes (CTC) –
 - Example 1 • 35" OA, 29" CTC, specify as 3529
 - Example 2 • 11" OA, 7" CTC, specify as 1107
- The maximum length for leather option is 96" OA
- Handing required for angled end option with offset standoffs
- Leather wrap coverage ends 0.5" +/- 0.25" from the edge of both standoffs

*For J & M mounting option, specify Riv-Nut for metal doors or bushings for wood doors if required

**Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit

AP600 SERIES LEATHER WRAPPED LADDER PULLS



AP621 Pull

AP622MB-9690-4-B-P.630

AP622 BASE PART NUMBER	M MOUNTING TYPE	B* (OPTIONAL) CONCEALED MOUNTING	-96 SIZE (OA)	90 SIZE (CTC)	-4 DOOR THICKNESS	-B LEATHER OPTIONS	.630 FINISHES
1" DIAMETER	E THRU-BOLT & FINISH WASHER	R RIV NUT (ALUMINUM DOORS)	OVERALL	CTC	0 CUSTOM	B BLACK	313 SATIN ANODIZED
AP611 STRAIGHT STANDOFFS, SQUARE ENDS	G BACK TO BACK THREADED	B BUSHING (WOOD DOORS)	12 12"	08 08"	1** 3/8"	D DARK BROWN	DARK BRONZE
AP612 STRAIGHT STANDOFFS, RADIUS ENDS	SHOULDER BOLT & SET SCREWS		14 14"	10 10"	2** 1/2"	T LIGHT BROWN	316S MARINE DUTY SATIN STAINLESS STEEL
AP613 OFFSET STANDOFFS, SQUARE ENDS	J* CONCEALED THREADED		16 16"	12 12"	3 1-3/8"		316P MARINE DUTY POLISHED STAINLESS STEEL
AP614 OFFSET STANDOFFS, RADIUS ENDS	SHOULDER BOLT & SET SCREWS		18 18"	14 14"	4 1-3/4"		335 SATIN ANODIZED BLACK
AP615 STRAIGHT STANDOFFS, ANGLED ENDS	L BACK-TO-BACK CONCEALED- SPANNER TURNING WASHER & STUD	* FOR J AND M MOUNTING METHODS, SPECIFY RIV NUT OR BUSHING	24 24"	18 18"	5 2"	-P OPTIONAL MID-POST	605 POLISHED BRASS
AP616 OFFSET STANDOFFS, ANGLED ENDS	M* CONCEALED-SPANNER TURNING WASHER		36 36"	30 30"	6 2-1/4"	P MID-POST	606 SATIN BRASS
1-1/4" DIAMETER	N THRU-BOLT W/ FLOW-THRU BUTTON		48 48"	42 42"	7 2-1/2"	RECOMMENDED FOR PULLS > 72" OA	609 ANTIQUE BRASS
AP621 STRAIGHT STANDOFFS, SQUARE ENDS			60 60"	54 54"	8 3"		612 SATIN BRONZE
AP622 STRAIGHT STANDOFFS, RADIUS ENDS			72 72"	66 66"			613 OIL RUBBED BRONZE
AP623 OFFSET STANDOFFS, SQUARE ENDS			84 84"	78 78"			613E OIL RUBBED BRONZE (EQUIVALENT)
AP624 OFFSET STANDOFFS, RADIUS ENDS			96 96"	90 90"			622 MATTE BLACK
AP625 STRAIGHT STANDOFFS, ANGLED ENDS							628 SATIN ANODIZED ALUMINUM
AP626 OFFSET STANDOFFS, ANGLED ENDS							629 POLISHED STAINLESS STEEL
1-1/2" DIAMETER							630 SATIN STAINLESS STEEL
AP631 STRAIGHT STANDOFFS, SQUARE ENDS							710 HEALTHY HARDWARE, SATIN
AP632 STRAIGHT STANDOFFS, RADIUS ENDS							
AP633 OFFSET STANDOFFS, SQUARE ENDS							
AP634 OFFSET STANDOFFS, RADIUS ENDS							
AP635 STRAIGHT STANDOFFS, ANGLED ENDS							
AP636 OFFSET STANDOFFS, ANGLED ENDS							
			OR SPECIFY OA/CTC				
					<input type="checkbox"/> * (OPTIONAL) HOLE DIA. FOR GLASS		
					A 3/8"		
					B 1/2"		
					C 5/8"		
					D 3/4"		
					E 7/8"		
					F 1"		
					* FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS		
						<input type="checkbox"/> HANDING (OFFSET W/ ANGLED ENDS ONLY)	
						LH LEFT HAND	
						RH RIGHT HAND	



UNIQUELY
SHAPED
AND MASTER
CRAFTED
PULLS

AP700 SERIES SQUARE & RECTANGULAR LADDER PULLS

Trimco AP700 Series Square & Rectangular Ladder Pulls are precision crafted for beauty and ultimate durability. Offered with a multitude of material sizes, these pulls can be the architectural highlight of your design.

FEATURES AND BENEFITS

- Manufactured from stainless steel, bronze, brass, or aluminum for long lasting durability
- Flexibility in design from material sizes and orientation to standoff locations (end or bridge)
- Wide range of lengths available from 12" to over 9'
- Additional options for door thickness, leather wrapping, and engraving
- Available in most architectural finishes
- Multiple mounting methods for metal, wood, and glass doors

NOTES

- Stainless steel substrates and powder coated finishes (629, 630, 622 & other powder coated options) will have a seamless transition from the standoff to the grip. Other substrates and finishes will have an architectural beveled seam at the joining point of the standoff to the grip.
- Standard CTC (based on OA) for bridge mount: Shorter than 24" is OA less 4" and greater than 24" OA less 6"
- Specifying custom pull sizes (CTC) for bridge mount
 - Example 1 • 35" OA, 29" CTC, specify as 3529
 - Example 2 • 11" OA, 7" CTC, specify as 1107
- The maximum length for leather option is 96" OA
- Leather wrap coverage ends 0.5" +/- 0.25" from the edge of both stand-offs

* For J & M mounting option, specify Riv-Nut for metal doors or bushings for wood doors if required

** Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit

***Size may be restricted due to weight, specify the max weight allowed



AP754
Rectangular Pull End Posts



AP753
Rectangular Pull Bridge Posts



AP712
Square Pull End Posts



AP731E-6054-4-V.630

AP731	E	-60	54	-4	-V	.630																																																													
BASE PART NUMBER	MOUNTING TYPE	SIZE (OA)	SIZE (CTC)	DOOR THICKNESS	LEATHER OPTIONS	FINISHES																																																													
<p>FACE X DEPTH 3/4" X 3/4" SQUARE</p> <p>AP711 3/4" SQUARE PULL, BRIDGE POSTS</p> <p>AP712 3/4" SQUARE PULL, END POSTS</p> <p>1" X 1" SQUARE</p> <p>AP721 1" SQUARE PULL, BRIDGE POSTS</p> <p>AP722 1" SQUARE PULL, END POSTS</p> <p>1-1/4" X 1-1/4" SQUARE</p> <p>AP731 1-1/4" SQUARE PULL, BRIDGE POSTS</p> <p>AP732 1-1/4" SQUARE PULL, END POSTS</p> <p>1-1/4" X 1-1/4" RECTANGULAR</p> <p>AP751 1/2" X 1-1/4" RECTANGULAR PULL, BRIDGE POSTS</p> <p>AP752 1/2" X 1-1/4" RECTANGULAR PULL, END POSTS</p> <p>AP753 1-1/4" X 1/2" RECTANGULAR PULL, BRIDGE POSTS</p> <p>AP754 1-1/4" X 1/2" RECTANGULAR PULL, END POSTS</p> <p>1" X 1-1/2" RECTANGULAR</p> <p>AP761 1" X 1-1/2" RECTANGULAR PULL, BRIDGE POSTS</p> <p>AP762 1" X 1-1/2" RECTANGULAR PULL, END POSTS</p> <p>AP763 1-1/2" X 1" RECTANGULAR PULL, BRIDGE POSTS</p> <p>AP764 1-1/2" X 1" RECTANGULAR PULL, END POSTS</p> <p>1" X 2" RECTANGULAR</p> <p>AP771 1" X 2" RECTANGULAR PULL, BRIDGE POSTS</p> <p>AP772 1" X 2" RECTANGULAR PULL, END POSTS</p> <p>AP773 2" X 1" RECTANGULAR PULL, BRIDGE POSTS</p> <p>AP774 2" X 1" RECTANGULAR PULL, END POSTS</p>	<p>E THRU-BOLT & FINISH WASHER</p> <p>G BACK TO BACK THREADED SHOULDER BOLT & SET SCREWS</p> <p>J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS</p> <p> * (OPTIONAL) CONCEALED MOUNTING</p> <p>R RIV NUT (ALUMINUM DOORS)</p> <p>B BUSHING (WOOD DOORS)</p> <p>* FOR J MOUNTING METHOD, SPECIFY RIV NUT OR BUSHING</p>	<p>BRIDGE POSTS ONLY</p> <table border="1"> <tr><td>12</td><td>12"</td><td>08</td><td>08"</td></tr> <tr><td>14</td><td>14"</td><td>10</td><td>10"</td></tr> <tr><td>16</td><td>16"</td><td>12</td><td>12"</td></tr> <tr><td>18</td><td>18"</td><td>14</td><td>14"</td></tr> <tr><td>24</td><td>24"</td><td>18</td><td>18"</td></tr> <tr><td>36</td><td>36"</td><td>30</td><td>30"</td></tr> <tr><td>48</td><td>48"</td><td>42</td><td>42"</td></tr> <tr><td>60</td><td>60"</td><td>54</td><td>54"</td></tr> </table> <p>OR SPECIFY OA/CTC</p>	12	12"	08	08"	14	14"	10	10"	16	16"	12	12"	18	18"	14	14"	24	24"	18	18"	36	36"	30	30"	48	48"	42	42"	60	60"	54	54"	<p>REQUIRED FOR ALL PULLS</p> <table border="1"> <tr><td>0</td><td>CUSTOM</td></tr> <tr><td>1**</td><td>3/8"</td></tr> <tr><td>2**</td><td>1/2"</td></tr> <tr><td>3</td><td>1-3/8"</td></tr> <tr><td>4</td><td>1-3/4"</td></tr> <tr><td>5</td><td>2"</td></tr> <tr><td>6</td><td>2-1/4"</td></tr> <tr><td>7</td><td>2-1/2"</td></tr> <tr><td>8</td><td>3"</td></tr> </table> <p> * (OPTIONAL) HOLE DIA. FOR GLASS</p> <table border="1"> <tr><td>A</td><td>3/8"</td></tr> <tr><td>B</td><td>1/2"</td></tr> <tr><td>C</td><td>5/8"</td></tr> <tr><td>D</td><td>3/4"</td></tr> <tr><td>E</td><td>7/8"</td></tr> <tr><td>F</td><td>1"</td></tr> </table> <p>* FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS</p>	0	CUSTOM	1**	3/8"	2**	1/2"	3	1-3/8"	4	1-3/4"	5	2"	6	2-1/4"	7	2-1/2"	8	3"	A	3/8"	B	1/2"	C	5/8"	D	3/4"	E	7/8"	F	1"	<p>B BLACK</p> <p>D DARK BROWN</p> <p>T LIGHT BROWN</p> <p>ENGRAVING</p> <p>SINGLE PULL</p> <p>U PUSH</p> <p>V PULL</p> <p>W OTHER - CUSTOMIZE</p> <p>BTB PULLS</p> <p>X PUSH/INTERIOR & PULL/EXTERIOR</p> <p>Y PULL/INTERIOR & PUSH/EXTERIOR</p> <p>Z OTHER - CUSTOMIZE</p>	<p>313 SATIN ANODIZED DARK BRONZE</p> <p>316S MARINE DUTY SATIN STAINLESS STEEL</p> <p>316P MARINE DUTY POLISHED STAINLESS STEEL</p> <p>335 SATIN ANODIZED BLACK</p> <p>605 POLISHED BRASS</p> <p>606 SATIN BRASS</p> <p>609 ANTIQUE BRASS</p> <p>612 SATIN BRONZE</p> <p>613 OIL RUBBED BRONZE</p> <p>613E OIL RUBBED BRONZE (EQUIVALENT)</p> <p>622 MATTE BLACK</p> <p>628 SATIN ANODIZED ALUMINUM</p> <p>629 POLISHED STAINLESS STEEL</p> <p>630 SATIN STAINLESS STEEL</p>
12	12"	08	08"																																																																
14	14"	10	10"																																																																
16	16"	12	12"																																																																
18	18"	14	14"																																																																
24	24"	18	18"																																																																
36	36"	30	30"																																																																
48	48"	42	42"																																																																
60	60"	54	54"																																																																
0	CUSTOM																																																																		
1**	3/8"																																																																		
2**	1/2"																																																																		
3	1-3/8"																																																																		
4	1-3/4"																																																																		
5	2"																																																																		
6	2-1/4"																																																																		
7	2-1/2"																																																																		
8	3"																																																																		
A	3/8"																																																																		
B	1/2"																																																																		
C	5/8"																																																																		
D	3/4"																																																																		
E	7/8"																																																																		
F	1"																																																																		

Note: AP712 and AP754 Architectural Groove Between Grip and Standoffs May Be Visible



APC10 SERIES LADDER STYLE CLOSET & CABINET PULLS

Trimco's APC10 Series Ladder style closet and cabinet pulls are precision crafted for beauty and ultimate durability. Offered with a multitude of material sizes, these pulls can be the architectural highlight of your design.

APC11 Pull



APC12 Pull



FEATURES AND BENEFITS


- Manufactured from stainless steel, bronze, brass, or aluminum for long lasting durability
- Flexibility in design
- Wide range of lengths available
- Available in most architectural finishes
- Multiple mounting options for metal, wood, and glass doors

APC11JR-1098-2.622

APC11	J	R	-10	08	-2		.622
BASE PART NUMBER	MOUNTING TYPE	*(OPTIONAL) CONCEALED MOUNTING	SIZE (OA)	SIZE (CTC)	DOOR THICKNESS	*(OPTIONAL) HOLE DIA. FOR GLASS	FINISHES
1/2" DIAMETER	E THRU-BOLT & FINISH WASHER	R RIV NUT	OVERALL	CTC	0 CUSTOM	A 3/8"	313 SATIN ANODIZED DARK BRONZE
APC11 1/2" DIAMETER, ROUND LADDER PULL	G BACK TO BACK THREADED SHOULDER BOLT & SET SCREWS	(ALUMINUM DOORS)	08 8"	06 06"	1** 3/8"	B 1/2"	316S MARINE DUTY SATIN STAINLESS STEEL
5/8" DIAMETER	J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS	B BUSHING	10 10"	08 08"	2** 1/2"	C 5/8"	316P MARINE DUTY POLISHED STAINLESS STEEL
APC12 5/8" DIAMETER, ROUND LADDER PULL		(WOOD DOORS)	12 12"	10 10"	3 1-3/8"	D 3/4"	335 SATIN ANODIZED BLACK
		* FOR J MOUNTING METHOD, SPECIFY RIV NUT OR BUSHING	14 14"	12 12"	4 1-3/4"	E 7/8"	605 POLISHED BRASS
			OR SPECIFY OA/CTC		5 2"	F 1"	606 SATIN BRASS
					6 2-1/4"		609 ANTIQUE BRASS
					7 2-1/2"		612 SATIN BRONZE
					8 3"		613 OIL RUBBED BRONZE
						* FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS	613E OIL RUBBED BRONZE (EQUIVALENT)
							622 MATTE BLACK
							628 SATIN ANODIZED ALUMINUM
							629 POLISHED STAINLESS STEEL
							630 SATIN STAINLESS STEEL
							710 HEALTHY HARDWARE, SATIN


Trimco's APC20 Series are a sleek and simple modern designed pull for closet and/or cabinet door applications. They are available in 1/2", 3/4", and 1" widths standard and multiple architectural finishes to complement any design intent. The APC20 Series is available with custom lengths and finishes.

APC20 SERIES CLOSET & CABINET PULLS



FEATURES AND BENEFITS

- Modern, architecturally inspired design
- Manufactured from durable aluminum
- Multiple architectural finishes available
- Thru-bolted, concealed, or back-to-back mounting options
- Standard widths: 1/2", 3/4", and 1"
- Standard 9" CTC



APC21 Pull

APC21E-4.712

APC21 BASE PART NUMBER	E MOUNTING TYPE	<input type="checkbox"/> * (OPTIONAL) CONCEALED MOUNTING	-4 DOOR THICKNESS	<input type="checkbox"/> * (OPTIONAL) HOLE DIA. FOR GLASS	.712 FINISHES
<p>1/2" WIDTH</p> <p>APC21 STRAIGHT SQUARE PULL, 1/2" WIDTH, 9" CTC</p> <p>3/4" WIDTH</p> <p>APC22 STRAIGHT RECTANGULAR PULL, 3/4" WIDTH, 9" CTC</p> <p>1" WIDTH</p> <p>APC23 STRAIGHT RECTANGULAR PULL, 1" WIDTH, 9" CTC</p>	<p>E THRU-BOLT & FINISH WASHER</p> <p>G BACK TO BACK THREADED SHOULDER BOLT & SET SCREWS</p> <p>J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS</p>	<p>R RIV NUT (ALUMINUM DOORS)</p> <p>B BUSHING (WOOD DOORS)</p> <p>* FOR J MOUNTING METHOD, SPECIFY RIV NUT OR BUSHING</p>	<p>0 CUSTOM</p> <p>1** 3/8"</p> <p>2** 1/2"</p> <p>3 1-3/8"</p> <p>4 1-3/4"</p> <p>5 2"</p> <p>6 2-1/4"</p> <p>7 2-1/2"</p> <p>8 3"</p>	<p>A 3/8"</p> <p>B 1/2"</p> <p>C 5/8"</p> <p>D 3/4"</p> <p>E 7/8"</p> <p>F 1"</p> <p>* FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS</p>	<p>313 DARK BRONZE ANODIZED</p> <p>335 BLACK ANODIZED</p> <p>628 SATIN ANODIZED ALUMINUM</p> <p>712 POLISHED ANODIZED ALUMINUM</p>



APC30 SERIES MODERN EDGE PULLS

Trimco's APC30 Series are a sleek and modernly designed pull for closet and/or cabinet door applications. They are available in multiple standard lengths and architectural finishes to complement any design intent. The APC30 Series is available with custom widths and finishes.



APC30-6 Pulls

FEATURES AND BENEFITS

- Modern, architecturally inspired design
- Manufactured from durable aluminum
- Multiple architectural finishes available
- Can be used on closet doors or as cabinet pulls
- Multiple standard and custom size lengths

APC30-6.628

APC30

-6

.628

BASE PART NUMBER

PULL LENGTH

FINISHES

APC30 MODERN EDGE PULL, 2- 1/2" WIDTH

3	3" LENGTH
4	4" LENGTH
6	6" LENGTH
8	8" LENGTH
10	10" LENGTH
12	12" LENGTH
18	18" LENGTH
24	24" LENGTH

313	DARK BRONZE ANODIZED
335	BLACK ANODIZED
628	SATIN ANODIZED ALUMINUM
712	POLISHED ANODIZED ALUMINUM

Trimco’s 1035 and 1835 Ultimate Restroom Pulls are manufactured in North America by master craftsmen from stainless steel, bronze, or brass. The ULTIMATE Restroom Pull utilizes the ADA compliant 1135 hospital grip and is combined with a .05” or 1/8” Push Plate. The pull has a special design that allows the user to pull the door open using their arm without having to “grip” the pull. The Ultimate Restroom Pulls are made with Healthy Hardware® – Bactericidal Copper and are also available in standard finishes.

1035 & 1835 SERIES

THE ULTIMATE RESTROOM PULL



FEATURES AND BENEFITS

- Manufactured in the North America from stainless steel, bronze or brass for maximum durability
- Utilizes 1135 hospital grip
- .05” Pull Plate or Push/Pull Plate Set
- 1/8” Pull Plate or Push/Pull Plate Set
- Custom sizes available
- Standard finished available

NOTES

- 1035 Series combines the 1001 Series .05” Thick Push Plate with the 1135 Hospital Pull
- 1835 Series combines the 1807 Series 1/8” Thick Push Plate with the 1135 Hospital Pull



1035 Ultimate Restroom Pull

1035-2.710

1035-2 BASE PART NUMBER	.710 FINISHES
.05” THICK PLATE	630 SATIN STAINLESS STEEL
1035-1 PULL PLATE - GRIP WITH 3” X 12” PLATE	630TG TRIMGUARD ANTIMICROBIAL COATING
1035-2 PULL PLATE - GRIP WITH 3.5” X 15” PLATE	710 HEALTHY HARDWARE, SATIN
1035-3 PULL PLATE - GRIP WITH 4” X 16” PLATE	
1/8” THICK HEAVY-DUTY PLATE	
1835-2 PUSH/PULL SET - GRIPS WITH 3.5” X 15” HD PLATES	
1835-3 PUSH/PULL SET - GRIPS WITH 4” X 16” HD PLATES	



STYLISH DESIGN
WITH QUALITY
CRAFTSMANSHIP



PULLS + GRIPS



Trimco Standard Grips & Pulls offer a wide variety of products to fit most applications. Material options include 1/2" diameter, up to 1-1/4" diameter round, 3/4" round and half-round are offered from 6" to 18" center-to-center. ADA compliance and other options, including fOCAL design and back-to-back mounting are available. These pulls are manufactured from stainless steel, bronze, brass, and aluminum to meet any design specification.



1001/1807 SERIES HEAVY-DUTY PUSH PLATES



1001 Push Plate



1807 Extra Heavy-Duty
Push Plate



Trimco's 1001 & 1807 Series Push Plates are manufactured in the United States from .050" or .125" thick stainless steel, brass, bronze, or aluminum. All push plates are pencil or heavy beveled on all four edges and are supplied with oval head screws standard. Custom sizes and plastic push plates are also available. Options include engraving for "PUSH" or "PULL", as well as different cylinder and custom cutouts for most applications.

FEATURES AND BENEFITS

- Manufactured in the United States
- Heavy duty .050" or .125" stainless steel, brass, bronze or aluminum material
- 1/8" plastic option
- Standard sizes 3"x12", 3-1/2"x15", 4"x16", 4"x25", 6"x16" and 8"x16"
- Custom sizes also available
- Pencil beveled on all four sides

NOTES

- For plastic plate options, inquire with customer service

1001-3CFC.630

1001-3

BASE PART NUMBER

1001 SERIES - .050" THICK PLATE	
1001-1	PUSH PLATE, 3" X 12"
1001-2	PUSH PLATE, 3-1/2" X 15"
1001-3	PUSH PLATE, 4" X 16"
1001-9	PUSH PLATE, 6" X 16"
1001-11	PUSH PLATE, 8" X 16"
1807/1809 SERIES - .125" THICK PLATE	
1807-4	EXTRA HEAVY DUTY PUSH PLATE, 4' X 16'
1807-25	EXTRA HEAVY DUTY PUSH PLATE, 4' X 25'
1809-4	EXTRA HEAVY DUTY PUSH PLATE, 4' X 16' (BEVELED ON ALL FOUR EDGES)

CFC

OPTIONS * (OPTIONAL)

HB	HEAVY BEVELED, ALL FOUR SIDES
ADH	TAPE ADHESIVE FOR MOUNTING
RC	ROUND CORNERS
FR	FULL ROUND
CFC	CUT FOR CYLINDER
CYLT	CUT FOR T-TURN
TORX	TORX SCREWS

.630

FINISHES

316S	MARINE GRADE SATIN STAINLESS STEEL
316P	MARINE GRADE POLISHED STAINLESS STEEL
605	POLISHED BRASS
606	SATIN BRASS
609	ANTIQUE BRASS
612	SATIN BRONZE
613	OIL RUBBED BRONZE
613E	OIL RUBBED BRONZE (EQUIVALENT)
622	MATTE BLACK
628	SATIN ANODIZED ALUMINUM
629	POLISHED STAINLESS STEEL
630	SATIN STAINLESS STEEL
710	HEALTHY HARDWARE, SATIN

The 1890 Series Heavy Duty Combo Push/Pull Plate Sets have a clean look with no screw mountings on the surface of the plates, (inside or outside), offering a rugged but functional look with few places for dirt or bacteria to hide. Trimco's 1890 Series can accommodate a variety of plate sizes, pull sizes and center-to-center dimensions to fit most any application.

1890 SERIES EXTRA HEAVY-DUTY PUSH/PULL PLATE SETS



FEATURES AND BENEFITS

- Manufactured in the United States in heavy duty 1/8" stainless steel, brass or bronze
- Standard plate sizes are 3-1/2" x 15", 4" x 16", and 8" x 16"
- Custom plate sizes available
- Pull diameters are either 3/4" or 1" diameter
- Available in ADA compliant 6", 8", or 10" center-to-center pulls
- Round bevel on top and bottom of plates



1894-5
Extra Heavy-Duty
Push/Pull Plate Set

1894-3BTORX.630

1894-3B

BASE PART NUMBER

- 3/4" DIAMETER STRAIGHT PULL**
- 1894-3 3-1/2" X 15" PLATE, 6" CTC PULL
 - 1894-3B 3-1/2" X 15" PLATE, 8" CTC PULL
 - 1894-4 4" X 16" PLATE, 6" CTC PULL
 - 1894-4B 4" X 16" PLATE, 8" CTC PULL

- 1" DIAMETER STRAIGHT PULL**
- 1895-3 3-1/2" X 15" PLATE, 8" CTC PULL
 - 1895-3B 3-1/2" X 15" PLATE, 10" CTC PULL
 - 1895-4 4" X 16" PLATE, 8" CTC PULL
 - 1895-4B 4" X 16" PLATE, 10" CTC PULL

- 1" DIAMETER STRAIGHT PULL W/ BENT PUSH PLATE**
- 1896-4B 4" X 16" PLATE, 10" CTC PULL

TORX

OPTIONS * (OPTIONAL)

- CFC CUT FOR CYLINDER
- CYLT CUT FOR T-TURN
- TORX TORX SCREWS

.630

FINISHES

- 316S MARINE GRADE SATIN STAINLESS STEEL
- 316P MARINE GRADE POLISHED STAINLESS STEEL
- 605 POLISHED BRASS
- 606 SATIN BRASS
- 609 ANTIQUE BRASS
- 612 SATIN BRONZE
- 613 OIL RUBBED BRONZE
- 613E OIL RUBBED BRONZE (EQUIVALENT)
- 622 MATTE BLACK
- 628 SATIN ANODIZED ALUMINUM
- 629 POLISHED STAINLESS STEEL
- 630 SATIN STAINLESS STEEL
- 710 HEALTHY HARDWARE, SATIN



1191 SERIES STANDARD OFFSET PULLS

Trimco 1191 Series Offset Pulls are a great complement to any building design. Trimco Offset Pulls are ADA compliant and available in most architectural finishes.



1191 Pull

FEATURES AND BENEFITS

- Wide array of material sizes and dimensions to meet any design specification
- Manufactured from stainless steel, bronze, brass, and aluminum for durability and long life
- Large range of center-to-center dimensions: 8" to 18"
- Material options include 3/4", 1", and 1-1/4" round
- ADA compliant
- Back-to-back mounting options available

NOTES

- For additional finish options contact customer service

*For J & M mounting options, specify Riv-Nut for metal doors or bushings for wood doors if required

**Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit

1191G-4J-4.630

1191 BASE PART NUMBER	G MOUNTING TYPE	 * (OPTIONAL) CONCEALED MOUNTING	-4J DIAMETER & SIZE (CTC)	-4 DOOR THICKNESS	 * (OPTIONAL) HOLE DIA. FOR GLASS	.630 FINISHES
1191 3/4", 1" OR 1-1/4" DIA, ROUND, OFFSET BENT PULL	E THRU-BOLT & FINISH WASHER G BACK-TO-BACK THREADED SHOULDER BOLT & SET SCREWS J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS L BACK-TO-BACK CONCEALED-SPANNER TURNING WASHER & STUD M* CONCEALED-SPANNER TURNING WASHER N THRU-BOLT W/ FLOW-THRU BUTTON	R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS) * FOR J AND M MOUNTING METHODS, SPECIFY RIV NUT OR BUSHING	1 3/4" DIAMETER, 8" 2 3/4" DIAMETER, 10" 3 1" DIAMETER, 10" 4 1" DIAMETER, 12" 5 1" DIAMETER, 18" 4J 1-1/4" DIAMETER, 12" 5J 1-1/4" DIAMETER, 18"	0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3"	A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS	316S MARINE GRADE SATIN STAINLESS STEEL 316P MARINE GRADE POLISHED STAINLESS STEEL 605 POLISHED BRASS 606 SATIN BRASS 609 ANTIQUE BRASS 612 SATIN BRONZE 613 OIL RUBBED BRONZE 613E OIL RUBBED BRONZE (EQUIVALENT) 622 MATTE BLACK 628 SATIN ANODIZED ALUMINUM 629 POLISHED STAINLESS STEEL 630 SATIN STAINLESS STEEL 710 HEALTHY HARDWARE, SATIN



Standard Offset Pull



1194 SERIES STANDARD STRAIGHT PULLS



1194 Pull

Trimco 1194 Series Straight Pulls offer a variety of products to fit most applications.

FEATURES AND BENEFITS

- Manufactured from stainless steel, bronze, brass, and aluminum for durability and long life
- Large range of center-to-center dimensions: 6" to 12"
- Material size: 3/4" diameter round
- ADA compliant
- Back-to-back mounting option available

NOTES

- For additional finish options contact customer service

*For J & M mounting options, specify Riv-Nut for metal doors or bushings for wood doors if required

**Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit

1194JR-4-4.629

1194

J

R

-4

-4

.629

BASE PART NUMBER

MOUNTING TYPE

CONCEALED MOUNTING

SIZE (CTC)

DOOR THICKNESS

HOLE DIA. FOR GLASS

FINISHES

1194 3/4" DIAMETER, ROUND, STRAIGHT BENT PULL

E THRU-BOLT & FINISH WASHER
G BACK-TO-BACK THREADED SHOULDER BOLT & SET SCREWS
J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS
L BACK-TO-BACK CONCEALED-SPANNER TURNING WASHER & STUD
M* CONCEALED-SPANNER TURNING WASHER
N THRU-BOLT W/ FLOW-THRU BUTTON

R RIV NUT (ALUMINUM DOORS)
B BUSHING (WOOD DOORS)

* FOR J AND M MOUNTING METHODS, SPECIFY RIV NUT OR BUSHING

1	6"	0	CUSTOM
2	8"	1**	3/8"
3	10"	2**	1/2"
4	12"	3	1-3/8"
		4	1-3/4"
		5	2"
		6	2-1/4"
		7	2-1/2"
		8	3"

A	3/8"
B	1/2"
C	5/8"
D	3/4"
E	7/8"
F	1"

* FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS

316S	MARINE GRADE SATIN STAINLESS STEEL
316P	MARINE GRADE POLISHED STAINLESS STEEL
605	POLISHED BRASS
606	SATIN BRASS
609	ANTIQUE BRASS
612	SATIN BRONZE
613	OIL RUBBED BRONZE
613E	OIL RUBBED BRONZE (EQUIVALENT)
622	MATTE BLACK
628	SATIN ANODIZED ALUMINUM
629	POLISHED STAINLESS STEEL
630	SATIN STAINLESS STEEL
710	HEALTHY HARDWARE, SATIN

Trimco 1195 Series Straight Pulls offer a variety of sizes to fit most applications.

1195 SERIES STANDARD STRAIGHT PULLS



FEATURES AND BENEFITS

- Wide array of material sizes and dimensions to meet any design specification
- Manufactured from stainless steel, bronze, brass, and aluminum for durability and long life
- Large range of center-to-center dimensions: 8" to 18"
- Material options include 1" diameter and 1-1/4" diameter round
- ADA compliant
- Back-to-back mounting option available

NOTES

- For additional finish options contact customer service

*For J & M mounting options, specify Riv-Nut for metal doors or bushings for wood doors if required

**Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit



1195 Pull

1195E-6J-2B.629

1195 BASE PART NUMBER	E MOUNTING TYPE	<input type="checkbox"/> * (OPTIONAL) CONCEALED MOUNTING	-6J DIAMETER & SIZE (CTC)	-2 DOOR THICKNESS	<input type="checkbox"/> B * (OPTIONAL) HOLE DIA. FOR GLASS	.629 FINISHES
1195 1" OR 1-1/4" DIA, ROUND, STRAIGHT BENT PULL	E THRU-BOLT & FINISH WASHER G BACK-TO-BACK THREADED SHOULDER BOLT & SET SCREWS J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS L BACK-TO-BACK CONCEALED-SPANNER TURNING WASHER & STUD M* CONCEALED-SPANNER TURNING WASHER N THRU-BOLT W/ FLOW-THRU BUTTON	R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS) * FOR J AND M MOUNTING METHODS, SPECIFY RIV NUT OR BUSHING	1 1" DIAMETER, 8" 2 1" DIAMETER, 10" 3 1" DIAMETER, 12" 6 1" DIAMETER, 18" 3J 1-1/4" DIAMETER, 12" 6J 1-1/4" DIAMETER, 18"	0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3"	A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS	316S MARINE GRADE SATIN STAINLESS STEEL 316P MARINE GRADE POLISHED STAINLESS STEEL 605 POLISHED BRASS 606 SATIN BRASS 609 ANTIQUE BRASS 612 SATIN BRONZE 613 OIL RUBBED BRONZE 613E OIL RUBBED BRONZE (EQUIVALENT) 622 MATTE BLACK 628 SATIN ANODIZED ALUMINUM 629 POLISHED STAINLESS STEEL 630 SATIN STAINLESS STEEL 710 HEALTHY HARDWARE, SATIN

QUALITY HARDWARE
TO LAST A LIFETIME





PUSH BARS + PUSH/PULL SETS



Trimco 1700 Series Push/Pull Bars & Sets are manufactured in North America from solid stainless steel, bronze, and brass. These heavy-duty bars are available with a multitude of mounting options for most applications, including steel, wood, and glass doors. Available in most architectural finishes, the Trimco 1700 Series Bars are also offered with a FOCAL designer series option.



1630 SERIES PUSH BARS + PROTECTORS



1630 Push Bar



1633-1 Protection Bar ***

Trimco 1630 Series Push Bars & Protectors are a family of highly durable door hardware trim with a multitude of applications. The 1630 Series includes a heavy-duty push bar and a rugged protection device for panic hardware and locks, which protects against rolling carts and other vehicles.

FEATURES AND BENEFITS

- Manufactured in the United States from rugged 3/8" x 2-1/2" or 1-1/2" stainless steel, aluminum, bronze, or brass
- Multiple applications from heavy-duty push bar to protection device for panic hardware and locksets
- Offered in most architectural finishes

NOTES

- Specifying Push Bar Size (CTC) –
 - Example 1 • 32" CTC, specify as 3200
 - Example 2 • 33-1/2" CTC, specify as 3350
- J1637 - Order for "J" hook; used with 1637 Push Bar

***1633-1, available in one length only, 14"

1633-3400-4.630

1633

BASE PART NUMBER

-3400

SIZE (CTC)

-4

DOOR THICKNESS

.630

FINISHES

BASE PART NUMBER	SIZE (CTC)	DOOR THICKNESS	FINISHES
PUSH BARS			
1630	3/8" x 2-1/2" PUSH BAR	0 CUSTOM	605 POLISHED BRASS
1630B	3/8" x 2-1/2" PUSH BAR, BTB PAIR	1** 3/8"	606 SATIN BRASS
1633	3/8" x 2-1/2" PUSH BAR	2** 1/2"	609 ANTIQUE BRASS
1633-1	3/8" x 1-1/2" LEVEL HANDLE PROTECTOR (14" ONLY)	3 1-3/8"	612 SATIN BRONZE
1637	3/8" x 1-1/4" PUSH BAR	4 1-3/4"	613 OIL RUBBED BRONZE
		5 2"	613E OIL RUBBED BRONZE (EQUIVALENT)
		6 2-1/4"	622 MATTE BLACK
		7 2-1/2"	628 SATIN ANODIZED ALUMINUM
		8 3"	629 POLISHED STAINLESS STEEL
			630 SATIN STAINLESS STEEL
PUSH BAR			
1689	3/8" X 2-1/2" PUSH BAR		

The Trimco 1640 Series Push Bars offer classic style and master craftsmanship in 2, 3, and 4-bar options. The 1640 Series brackets are cast from solid bronze or brass and are mated with 5/8" tube to complete the package. Center-to-center dimensions must be specified when ordering. The 1640 Series Push Bars will add a classic feel to your project.

1640 SERIES MULTI-RAIL PUSH BARS



FEATURES AND BENEFITS

- Classic styling offered in 2, 3, and 4-bar options
- Manufactured in the United States
- Brackets are cast from durable bronze or brass while bars are 5/8" diameter tube
- Offered in most architectural finishes

NOTES

- Surface mounting standard.
- For additional finish options contact customer service
- Specifying Push Bar Size (CTC) –
 - Example 1 • 32" CTC, specify as 3200
 - Example 2 • 33-1/2" CTC, specify as 3350



1643 (3-Bar)

1642-3200.626

1642	-3200	.626
BASE PART NUMBER	SIZE (CTC)	FINISHES
1642 5/8" DIAMETER, 2-BAR SET	SPECIFY: INCHES IN DECIMAL FORMAT I.E. 3200 I.E. 3350	605 POLISHED BRASS
1643 5/8" DIAMETER, 3-BAR SET		606 SATIN BRASS
1644 5/8" DIAMETER, 4-BAR SET		609 ANTIQUE BRASS
		612 SATIN BRONZE
		613 OIL RUBBED BRONZE
		613E OIL RUBBED BRONZE (EQUIVALENT)
		622 MATTE BLACK
		625 BRIGHT CHROME
		626 SATIN CHROME
		628 SATIN ANODIZED ALUMINUM



1660 SERIES CLASSIC PUSH BARS



1662 Push Bar

Trimco 1660 Series Push Bars deliver outstanding durability in a classic tube style push bar. They are available in many configurations to accommodate different applications. Single-bar, 2-bar with grip, and 4-bar with grip styles are offered in most architectural finishes. The 1660 Series has durable base materials including bronze and brass.

FEATURES AND BENEFITS

- Classic style heavy-duty push bar
- Manufactured in the United States from rugged 1" bronze or brass tube
- Multiple styles including single-bar (1661), 2-bar with grip (1662), and 4-bar with grip (1663)
- Easy installation and back-to-back options available
- Offered in most architectural finishes

NOTES

- For additional finish options contact customer service
- Specifying Push Bar Size (CTC) –
 - Example 1 • 32" CTC, specify as 3200
 - Example 2 • 33-1/2" CTC, specify as 3350

1661S-3350-3.625

1661

S

-3350

-3

.625

BASE PART NUMBER

MOUNTING TYPE

SIZE (CTC)

DOOR THICKNESS

FINISHES

1661 1" DIAMETER, SINGLE BAR
 1662 1" DIAMETER, 2-BAR + GRIP
 1663 1" DIAMETER, 2-BAR + GRIP (BTB SET)

E THRU-BOLT & FINISH WASHER
 G BACK-TO-BACK THREADED SHOULDER BOLT & SET SCREWS (1663 ONLY)
 S SURFACE MOUNT

SPECIFY: INCHES IN DECIMAL FORMAT

 I.E. 3200
 I.E. 3350

0 CUSTOM
 1** 3/8"
 2** 1/2"
 3 1-3/8"
 4 1-3/4"
 5 2"
 6 2-1/4"
 7 2-1/2"
 8 3"

605 POLISHED BRASS
 606 SATIN BRASS
 609 ANTIQUE BRASS
 612 SATIN BRONZE
 613 OIL RUBBED BRONZE
 613E OIL RUBBED BRONZE (EQUIVALENT)
 625 BRIGHT CHROME
 626 SATIN CHROME

Trimco 1700 Series Push/Pull Bar Sets are manufactured from solid stainless steel, bronze, brass, and aluminum. These heavy-duty bars are available with a multitude of mounting options for most applications including steel, wood, and glass doors. The 1700 Series is available in most architectural finishes.

1700 SERIES PUSH/PULL BAR SETS



FEATURES AND BENEFITS

- Options include 3/4", 1", and 1-1/4" diameter material with 10", 12" or 18" pulls
- Multiple mounting options for metal, wood, and glass doors
- Custom sizes and finishes also available


NOTES

- For additional finish options contact customer service
- Specifying Push Bar Size (CTC) –
 - Example 1 • 32" CTC, specify as 3200
 - Example 2 • 33-1/2" CTC, specify as 3350
- Engraving and leather wrapped options are also available

*For J & M mounting options, specify Riv-Nut for metal doors or bushings for wood doors if required

**Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit

Handing required for offset models 1737, 1738, 1747 & 1747-1.



1737 Push/Pull Bar Set

1737EG-3350-4-LH.630

1737 BASE PART NUMBER	E MOUNTING TYPE	<input type="checkbox"/> *(OPTIONAL) CONCEALED MOUNTING	-3350 SIZE (CTC)	-4 DOOR THICKNESS	<input type="checkbox"/> *(OPTIONAL) HOLE DIA. FOR GLASS	.630 FINISHES
<p>STRAIGHT PULLS</p> <p>1729 3/4" DIA., 10" CTC</p> <p>1731 1" DIA., 10" CTC</p> <p>1732 1" DIA., 12" CTC</p> <p>1746 1-1/4" DIA., 18" CTC</p> <p>1746-1 1-1/4" DIA., 12" CTC</p> <p>OFFSET PULLS</p> <p>1737 1" DIA., 10" CTC</p> <p>1738 1" DIA., 12" CTC</p> <p>1747 1-1/4" DIA., 18" CTC</p> <p>1747-1 1-1/4" DIA., 12" CTC</p>	<p>(OPEN-END POINT)</p> <p>E THRU-BOLT & FINISH WASHER</p> <p>J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS</p> <p>M* CONCEALED-SPANNER TURNING WASHER</p> <p>N THRU-BOLT W/ FLOW-THRU BUTTON</p>	<p>R RIV NUT (ALUMINUM DOORS)</p> <p>B BUSHING (WOOD DOORS)</p> <p>* ALL OPTIONS WITH J AND M MOUNTING METHODS, SPECIFY RIV NUT OR BUSHING</p>	<p>SPECIFY: INCHES IN DECIMAL FORMAT</p> <p>I.E. 3200</p> <p>I.E. 3350</p>	<p>0 CUSTOM</p> <p>1** 3/8"</p> <p>2** 1/2"</p> <p>3 1-3/8"</p> <p>4 1-3/4"</p> <p>5 2"</p> <p>6 2-1/4"</p> <p>7 2-1/2"</p> <p>8 3"</p>	<p>A 3/8"</p> <p>B 1/2"</p> <p>C 5/8"</p> <p>D 3/4"</p> <p>E 7/8"</p> <p>F 1"</p> <p>* FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS</p>	<p>313 SATIN ANODIZED DARK BRONZE</p> <p>316S MARINE GRADE SATIN STAINLESS STEEL</p> <p>316P MARINE GRADE POLISHED STAINLESS STEEL</p> <p>335 SATIN ANODIZED BLACK</p> <p>605 POLISHED BRASS</p> <p>606 SATIN BRASS</p> <p>609 ANTIQUE BRASS</p> <p>612 SATIN BRONZE</p> <p>613 OIL RUBBED BRONZE</p> <p>613E OIL RUBBED BRONZE (EQUIVALENT)</p> <p>622 MATTE BLACK</p> <p>628 SATIN ANODIZED ALUMINUM</p> <p>629 POLISHED STAINLESS STEEL</p> <p>630 SATIN STAINLESS STEEL</p> <p>710 HEALTHY HARDWARE, SATIN</p>
	<p>G MOUNTING OPTION</p> <p>(BACK-TO-BACK POINT)</p> <p>G BACK-TO-BACK - THREADED SHOULDER BOLT + SET SCREWS</p> <p>L BACK-TO-BACK CONCEALED - SPANNER TURNING WASHER + STUD</p>				<p>-LH HANDING (REQUIRED FOR ALL OFFSET PULLS)</p> <p>LH LEFT HAND</p> <p>RH RIGHT HAND</p>	



1700 SERIES PUSH BARS



1741 Push Bar

Trimco 1700 Series Push/Pull Bars & Sets are manufactured from solid stainless steel, bronze, brass, and aluminum. These heavy-duty bars are available with a multitude of mounting options for most applications including steel, wood, and glass doors. The 1700 Series is available in most architectural finishes.

FEATURES AND BENEFITS

- Options include 3/4", 1", and 1-1/4" diameter material with 10", 12", or 18" pulls
- Multiple mounting options for metal, wood, and glass doors
- Custom sizes and finishes also available
- ADA compliant
- Back-to-back mounting available

NOTES

- For additional finish options contact customer service
- Specifying Push Bar Size (CTC) –
 - Example 1 • 32" CTC, specify as 3200
 - Example 2 • 33-1/2" CTC, specify as 3350
- For additional detail on Mounting options and kits, see "Standard Mounting Options"
- Engraving and leather wrapped options are also available

*For J & M mounting options, specify Riv-Nut for metal doors or bushings for wood doors if required

**Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit

1740EG-3350-4.630

1740 BASE PART NUMBER	EG MOUNTING TYPE	 * (OPTIONAL) CONCEALED MOUNTING	-3350 SIZE (CTC)	-4 DOOR THICKNESS	 * (OPTIONAL) HOLE DIA. FOR GLASS	.630 FINISHES
1740 3/4" DIAMETER	EG THRU-BOLT X BACK-TO-BACK	R RIV NUT (ALUMINUM DOORS)	SPECIFY: INCHES IN DECIMAL FORMAT	0 CUSTOM	A 3/8"	313 SATIN ANODIZED DARK BRONZE
1741 1" DIAMETER	EJ THRU-BOLT X CONCEALED MOUNTING	B BUSHING (WOOD DOORS)	I.E. 3200	1** 3/8"	B 1/2"	316S MARINE GRADE SATIN STAINLESS STEEL
1745 1-1/4" DIAMETER	E THRU-BOLT & FINISH WASHER	* ALL OFFSET OPTIONS WITH J AND M MOUNTING METHODS, SPECIFY MOUNTING ACCESSORY	I.E. 3350	2** 1/2"	C 5/8"	316P MARINE GRADE POLISHED STAINLESS STEEL
	G BACK TO BACK THREADED SHOULDER BOLT & SET SCREWS			3 1-3/8"	D 3/4"	335 SATIN ANODIZED BLACK
	J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS			4 1-3/4"	E 7/8"	605 POLISHED BRASS
	L BACK-TO-BACK CONCEALED SPANNER TURNING WASHER & STUD			5 2"	F 1"	606 SATIN BRASS
	M* CONCEALED-SPANNER TURNING WASHER			6 2-1/4"	* FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS	609 ANTIQUE BRASS
	N THRU-BOLT W/ FLOW-THRU BUTTON			7 2-1/2"		612 SATIN BRONZE
				8 3"		613 OIL RUBBED BRONZE
						613E OIL RUBBED BRONZE (EQUIVALENT)
						622 MATTE BLACK
						628 SATIN ANODIZED ALUMINUM
						629 POLISHED STAINLESS STEEL
						630 SATIN STAINLESS STEEL
						710 HEALTHY HARDWARE, SATIN



1700 Series Push Bar



ELEGANTLY
DESIGNED FLUSH
CUP PULLS

1110 SERIES

MODERN FLUSH CUP PULLS



The 1110 Series offers a sleek and modern design and will add elegance to your pocket or barn doors.

FEATURES AND BENEFITS

- Elegant and modern non-handed designs
- Heavy-duty stainless steel, bronze, or brass construction
- Concealed screws
- Standard sizes include 8", 10", and 18" lengths
- Custom sizes and shapes available

NOTES

- For additional finish options contact customer service
- BTB mounting available for 1-3/4" or thicker doors

1110-18.630

1110-18	.630	PART NUMBER	FINISH
1110-8	8" X 2-1/2"	605	POLISHED BRASS
1110-10	10" X 2-1/2"	606	SATIN BRASS
1110-18	18" X 2-1/2"	609	ANTIQUÉ BRASS
		612	SATIN BRONZE
		613	OIL RUBBED BRONZE
		613E	OIL RUBBED BRONZE (EQUIVALENT)
		622	MATTE BLACK
		629	POLISHED STAINLESS STEEL
		630	SATIN STAINLESS STEEL

1111 SERIES

STANDARD & ADA FLUSH PULLS



1111A 1111B 1111C-PVC

The 1111 Series are perfect for use on public buildings such as schools, park facilities, retail malls, or strip commercial buildings.

FEATURES AND BENEFITS

- Manufactured from stainless steel, brass or bronze
- Functions easily, yet resists vandalism as the smooth surface defies attachment by hooks, ropes, chains, or other destructive devices
- Complies with Building Code Accessibility Standards for the handicapped (1111C)
- Optional PVC coating resists heat and keeps pull cool in sunny environments
- Available in back-to-back sets

NOTES

- 1111LB & 1111C – 1/8" (x2) shims are supplied for 1-3/4" thick door when ordered as BTB mounting configurations

1111C.630

1111C	.630	PART NUMBER	FINISH
1111A	5" X 5" CONCEALED FASTENERS	605	POLISHED BRASS
1111B	5" X 5" SURFACE MOUNTED	606	SATIN BRASS
1111C	6" X 6" ADA	612	SATIN BRONZE
1111C-BTB	6" X 6" ADA, BACK-TO-BACK	613	OIL RUBBED BRONZE
1111C-PVC	6" X 6" ADA, PVC COATING	613E	OIL RUBBED BRONZE (EQUIVALENT)
1111LB	5" X 5" THRU-BOLT, BACK-TO-BACK	622	MATTE BLACK
1111L	5" X 5" THRU-BOLT	629	POLISHED STAINLESS STEEL
		630	SATIN STAINLESS STEEL

UNIQUELY DESIGNED
PRODUCT SOLUTIONS
FOR SLIDING DOORS





SLIDING DOOR SOLUTIONS



Trimco has a wide array of architectural and industrial solutions for sliding doors. From the 1069 Series ADA pocket door hardware to the 1074 Series ADA barn and sliding door hardware, Trimco has unique products that suit most applications.



1074 SERIES ADA SLIDING DOOR LOCKS

The Trimco 1074 Series Barn & Pocket Door Latchsets deliver a unique solution for sliding door applications where design is important. These latchsets are offered with either tubular or mortise locks for medium to high use situations. The 1074 Series is ADA compliant for use in public facilities.



1074-1



1074-2



Wall Strike (Optional)

FEATURES AND BENEFITS

- Unique barn and sliding door locking solution
- Can be used with Trimco Wall Strike for locking of surface-applied barn doors
- ADA compliant
- Multiple functions for different applications
- Ten different lever styles to choose from
- Only requires 10 degrees of rotation to unlatch
- 1074-1 Privacy function with a push button on the inside and emergency access on the outside
- 1074-2 Privacy function with a thumb turn on the inside and cylinder on the outside
- 1074-3 Passage function with tubular latch

NOTES

- Backset: 2-3/8" for tubular locks (1074-1 & 1074-3); 2-3/4" for mortise locks (1074-2)
- Door Thickness: 1-3/8" & 1-3/4" for tubular locks (1074-1 & 1074-3); 1-3/4" for mortise locks (1074-2)
1074-2 includes mortise type cylinder and cam
- All units include their own strike

1074-1-LH-ST001.630

1074-1

BASE PART NUMBER

-LH

HANDING

-ST001

LEVER STYLE

.630

FINISHES

ADA BARN/SLIDING DOOR HARDWARE	
1074-1	TUBULAR PRIVACY
1074-2	MORTISE SECTIONAL PRIVACY
1074-2X5004	MORTISE SECTIONAL PRIVACY W/ OCCUPANCY INDICATOR
1074-2C	MORTISE SECTIONAL CONSTANT LATCHING
1074-2E	MORTISE ESCUTCHEON PRIVACY
1074-2EX5004	MORTISE ESCUTCHEON PRIVACY W/ OCCUPANCY INDICATOR
1074-3	TUBULAR PASSAGE

LH	LEFT HAND
RH	RIGHT HAND

ST000	*STOCKHOLM
ST001	*MUNICH
ST002	*FRANFURT
ST003	KOLN
ST028	VIENNA
ST037	MATISSE
SC001	BELLINI
SC037	GLEN ELLEN
SC051	*MERRYVALE
SC069	MAHLER

613E	OIL RUBBED BRONZE (EQUIVALENT)
622	MATTE BLACK
629	POLISHED STAINLESS STEEL
630	SATIN STAINLESS STEEL

OTHER FINISH OPTIONS AVAILABLE.
CONTACT CUSTOMER SERVICE.

* STOCK LEVER STYLE

Trimco's patented Wall Strike's are uniquely designed as a solution for latching surface-applied Sliding/Barn doors with Trimco 1074 Series ADA locks. The strike mounts to the wall either directly (requires blocking in wall) or via a mounting bracket that mounts to the jamb.

WS SERIES BARN DOOR WALL STRIKE



FEATURES AND BENEFITS

- Designed for use with Trimco 1074 Series ADA Barn/Sliding Latchsets
- Vertical adjustability ensures proper latching as the building or door opening settles
- Concealed fasteners for sleek, modern appearance
- Available in most architectural finishes, or primer to match wall paint color
- Enables latching of surface sliding/barn doors
- Two mounting methods: direct to wall (requires blocking in the wall) or via mounting bracket



WS



WSJ



WS-1074-2.630E


WS BASE PART NUMBER		-1074-2 MATING LOCK	.630E FINISHES
WS	DIRECT MOUNT	1074-1 TUBULAR (1074-1 OR 1074-3)	600W WHITE PRIMER COAT
WSJ	JAMB MOUNT	1074-2 MORTISE	613E OIL RUBBED BRONZE (EQUIVALENT)
			622 MATTE BLACK
			625 POLISHED CHROME
			630E STAINLESS STEEL (EQUIVALENT)



INNOVATIVE AND
MASTERFULLY CRAFTED
POCKET DOOR SOLUTIONS

The Trimco 1069 Series pocket door pulls are uniquely designed to meet American with Disabilities Act (ADA) requirements for pocket door applications. With a contemporary design and stylish black nylon handles, the 1069 Series is built for the most demanding applications without compromising the aesthetics.

1069 SERIES ADA POCKET DOOR PULLS



FEATURES AND BENEFITS

- Complete pocket door ADA solution
- Stylish black nylon handles standard
- Easy installation and operation; operates with heel, edge of hand, or with the arm
- 5-1/2" standard frame width; other frame width options available
- Can be used on a 1-3/8" door, as well as a 1-3/4" door
- Multiple functions for different applications
- Exterior emergency access on Full Privacy

NOTES

- Offset 1069 configurations are available, contact customer service


*Handing specification is for FP models only



1069FP-A-RH-4.630


1069FP BASE PART NUMBER	-A FRAME SIZE	-RH HANDING	-4 DOOR THICKNESS	.630 FINISHES
1069 ADA POCKET DOOR PULLS PASSAGE (PUSH/PULL)	A 4-3/4" TO 5-1/2" (STD)	LH LEFT HAND RH RIGHT HAND	0 CUSTOM 3 1-3/8" 4 1-3/4"	605 POLISHED BRASS 606 SATIN BRASS 609 ANTIQUE BRASS 612 SATIN BRONZE 613 OIL RUBBED BRONZE 613E OIL RUBBED BRONZE (EQUIVALENT) 622 MATTE BLACK 628 SATIN ANODIZED ALUMINUM 629 POLISHED STAINLESS STEEL 630 SATIN STAINLESS STEEL
1069L LATCHING	B 5-3/4" TO 7" C 7-1/4" TO 8-1/2"	<i>HANDING ONLY REQUIRED FOR 1069FP</i>		
1069FP FULL PRIVACY (W/ EMERGENCY KEY)	D 8-3/4" TO 10" E 10-1/4" TO 11-1/2" F 11-3/4" TO 13"			

MOUNTING METHODS



E-MOUNT
THRU-BOLT & FINISH WASHER

3/4" DIA. OR LESS: 1/4-20 THREAD
1" DIA. OR MORE: 5/16-18 THREAD
RIGHT HAND THREAD (RHT) STANDARD
LEFT HAND THREAD AVAILABLE
3/18-16 THREAD AVAILABLE




G-MOUNT
BACK-TO-BACK

THREADED SHOULDER BOLT & SET SCREWS (X2)
3/4" DIA. OR LESS: 1/4-20 THREAD
1" DIA. OR MORE: 5/16-18 THREAD
SPECIAL SHOULDER BOLTS AVAILABLE



J-MOUNT
CONCEALED MOUNTING

THREADED SHOULDER BOLT & SCREW SET (X2)
3/4" DIA. OR LESS: 1/4-20 THREAD
1" DIA. OR MORE: 5/16-18 THREAD
SPECIFY METAL OR WOOD DOORS
SPECIAL SHOULDER BOLTS AVAILABLE




L-MOUNT
BACK-TO-BACK CONCEALED MOUNTING

SPANNER TURNING WASHER & STUD FOR
ROUND BASES
SPECIFY METAL, WOOD, OR GLASS DOORS




M-MOUNT
CONCEALED MOUNTING

SPANNER TURNING WASHER & SINGLE MOUNT
FOR ROUND BASES
SPECIFY METAL OR WOOD DOORS



N-MOUNT
THRU-BOLT WITH FLOW-THRU BUTTON

SINGLE MOUNT FOR ROUND BASES
RIGHT HAND THREAD (RHT) STANDARD
LEFT HAND THREAD (LHT) AVAILABLE
SPECIFY METAL, WOOD, OR GLASS DOORS



GLASS KIT
W-MOUNT

INCLUDES CLEAR SPACER, 2 FELT WASHERS & 2 BACK PLATES
SPECIFY GLASS THICKNESS & HOLE DIAMETER
REQUIRES MOUNTING KIT (I.E. N-MOUNT)



RIV-NUT
RIV-NUT

FOR J OR M MOUNTING ON ALUMINUM DOORS
R3: 1/4-20 THREAD
R4: 5/16-18 THREAD
R5: 3/8-16 THREAD



BUSHING
WOOD THREAD TO MACHINE THREAD

FOR J OR M MOUNTING ON WOOD DOORS
B3: 1/4-20 THREAD
B4: 5/16-18 THREAD
B5: 3/8-16 THREAD

FINISHES

					
U.S. GOVT. US3 BHMA DESCRIPTION 605 POLISHED BRASS, CLEAR COATED	U.S. GOVT. US3NL BHMA DESCRIPTION 499 POLISHED BRASS, NO LACQUER	U.S. GOVT. US4 BHMA DESCRIPTION 606 SATIN BRASS, CLEAR COATED	U.S. GOVT. US5 BHMA DESCRIPTION 609 SATIN BRASS, BLACKENED, SATIN RELIEVED, CLEAR COATED	U.S. GOVT. US7 BHMA DESCRIPTION 610 SATIN BRASS, BLACKENED, BRIGHT RELIEVED, CLEAR COATED	U.S. GOVT. US9 BHMA DESCRIPTION 611 POLISHED BRONZE, CLEAR COATED
					
U.S. GOVT. US10 BHMA DESCRIPTION 612 SATIN BRONZE, CLEAR COATED	U.S. GOVT. US10B BHMA DESCRIPTION 613 DARK OXIDATED SATIN BRONZE, OIL RUBBED	U.S. GOVT. US10BE BHMA DESCRIPTION 613E DARK OXIDATED SATIN BRONZE, OIL RUBBED (EQUIVALENT)	U.S. GOVT. US11 BHMA DESCRIPTION 616 SATIN BRONZE, BLACKENED, SATIN RELIEVED, CLEAR COATED	U.S. GOVT. US15 BHMA DESCRIPTION 619 SATIN NICKEL PLATED, CLEAR COATED	U.S. GOVT. US15A BHMA DESCRIPTION 620 SATIN NICKEL PLATED, BLACKENED, SATIN RELIEVED, CLEAR COATED
					
U.S. GOVT. US19 BHMA DESCRIPTION 622 SATIN BLACK COATED	U.S. GOVT. US26 BHMA DESCRIPTION 625 BRIGHT CHROME PLATED	U.S. GOVT. US26D BHMA DESCRIPTION 626 SATIN CHROME PLATED	U.S. GOVT. US28 BHMA DESCRIPTION 628 SATIN ALUMINUM, CLEAR ANODIZED	U.S. GOVT. US32 BHMA DESCRIPTION 629 POLISHED STAINLESS STEEL	U.S. GOVT. US32D BHMA DESCRIPTION 630 SATIN STAINLESS STEEL
					
BHMA DESCRIPTION 630TG SATIN STAINLESS STEEL WITH TRIMGUARD	BHMA DESCRIPTION 313 SATIN ALUMINUM, DARK BRONZE ANODIZED	BHMA DESCRIPTION 316P MARINE GRADE, POLISHED STAINLESS STEEL	BHMA DESCRIPTION 316S MARINE GRADE, SATIN STAINLESS STEEL	BHMA DESCRIPTION 335 SATIN ALUMINUM, BLACK ANODIZED	BHMA DESCRIPTION 710CU STERALLOY HEALTHY HARDWARE, SILVER (STANDARD)

- Some finishes are not available on all products. For more information, inquire with Trimco Customer Service.
- Finish 613 (US10B) is a living finish and will vary when applied to different alloys or forms of base and metal in the products of different manufacture. Limited shelf life.
- Many other finishes can be furnished on special order.



HEADQUARTERS

1351 Rocky Point Drive
Oceanside, CA 92056

CUSTOMER SERVICE + ORDERS

csr@trimcohardware.com

323.262.4191 Phone
800.637.8746 Fax
323.264.7214 Local Fax

QUOTATIONS

quotes@trimcohardware.com

877.786.8387 Toll Free Fax
323.264.7214 Local Fax

LITERATURE + CATALOGS

marketing@trimcohardware.com

SALES

Visit our website to find your local Trimco sales representative.



FOLLOW TRIMCO ON SOCIAL MEDIA FOR THE LATEST UPDATES!



[linkedin.com/company/trimco](https://www.linkedin.com/company/trimco)



[Trimco Hardware](https://www.youtube.com/TrimcoHardware)



[@TrimcoHardware](https://www.facebook.com/TrimcoHardware)



[@TrimcoHardware](https://twitter.com/TrimcoHardware)



Instagram

[@TrimcoHardware](https://www.instagram.com/TrimcoHardware)