## Catalog Section A fOCAL



**Fine Builders Hardware** 

3528 Emery Street, P.O. Box 23277 Los Angeles, California 90023, U.S.A. Telephone (323) 262-4191 Fax (323) 264-7214 or (800) 637-TRIM (8746) Or For Quotes Only – Toll Free (877) 786-8387 Online Ordering available at www.trimcobbw.com

© 2003, Triangle Brass Manufacturing Company, All rights reserved.



### fOCAL

#### **Ron McCoy**

Princeton educated and award winning architect Ron McCoy of Los Angeles, working closely with Trimco engineers, has met the challenging demand for creative and affordable hardware.



With the fOCAL Series, McCoy blends fundamental forms, functions, and materials into inspired shapes and accents that will add distinction to any project.

Modern yet timeless, the McCoy conceptions refine each piece of hardware to the most elegant solution. Subtle visual appeal combines with strength and grace evident in a touch of the hand, making the fOCAL fixtures unique and exquisite.

## **f**ocal

Quality of form. Quality of proportion. Quality of detail.

Trimco has designed all of these qualities into fOCAL, a full line of affordable architectural door hardware. Since good hardware is essential and cost control important, the fOCAL Series is manufactured to be the very best value in the industry.

In a variety of fashionings and in all standard finishes. fOCAL solves the problem of having to choose between generic and extravagantly priced hardware.

You now have an outstanding new range of choices, all made in the U.S.A.



### **f**OCAL Products



TRIMCO#	7059
D	2-1/2"
fOCAL Flue	sh Pull
Black interio	or standard
Standard pr	ep 2-1/8" dia.
Fits BTB in	a 1-3/8" door.

	$\mathcal{D}$	
c		1


TRIMCO#	7285	
D	1-3/4"	
Н	2-1/4"	
fOCAL Stop with Bail & Hook		




TRIMCO#	<i>‡</i> 7060	7061
Н	4-1/4"	3-1/8"
W	2-3/4"	2-1/16"
fOCAL FI Black inte	d.	

$\bigcirc$	

TRIMCO#	7280	7281
D	1-1/4"	1-3/4"
Н	1-9/16"	2-1/4"
fOCAL Flo	or Stop	
MS & Anch	nor Standard	ł



	TRIMCO#	7150
]	D	1"
	CTC	10"
	Р	2-1/2"
	OA	11-3/4"
	fOCAL Car	ne Pull
	Matte Black	Poly Grip Standard
	BTB availa	ble ADA



<u>TRIMCO#</u>	7160
D	1"
CTC	10"
Р	2-1/2"
L	11-3/4"
OFF	2-3/4"
fOCAL Off	set Cane Pull
Matte Black	K Poly Grip Standard
Specify her	

Specify hand BTB available **ADA** 







### **f**OCAL Products


7181

3/4"



TRIMCO#	7010	
D	5/8"	
L	3-3/8"	
PL	1-1/4" dia.	
fOCAL Robe Hook & Stop		
Hanger bolt standard		

7208



<u>CTC</u>	6"	8"
P	2-1/4"	2-1/4"
fOCAL Inte	erior Wing	g Pull
3 x 12" plai	n backpla	te standard
thru-bolt me		
.S - 1" dia.	Black styl	e plate (no BP)
thru-bolt me	ounting st	andard
ada	_	

TRIMCO# 7180

3/4"

D


TRIMCO#	7140	7141
D	3/4"	3/4"
CTC	6"	8"
Р	2-1/4"	2-1/4"
(00 AL L L		

**fOCAL Interior D-Pull** 3 x 12" backplate standard thru-bolt mounting standard .S – 1" dia. Black style plates (no BP) thru-bolt mounting standard

TRIMCO#	7276	W7276
D	2-3/16"	2-3/16"
Н	1"	1"
fOCAL Wall Bumper		
Toggler standard		
Concave (V) shown		
Convex (X) available		



TRIMCO#	7170
D	1"
CTC	10"
Р	2-1/2"
fOCAL Ent	ry Wing Pull
	plates standard
ADA	



TRIMCO#	7191
D	1"
CTC	10"
Р	2-1/2"
fOCAL Offset Door Pull	
<b>D</b> 1 1 1 1	

Black style plate standard **ADA** 

TRIMCO#	7001	7009
Н	16"	16"
W	4"	6"
fOCAL Push Plate		

No screw holes standard Adhesive mounting standard

TRIMCO#	
D	
L	
	Ĩ

L 3-1/2" PL 1-1/2" dia. **fOCAL Pencil Stop** Hanger bolt standard

# Catalog Section B Classic · MasterCraft · Modern Masterpiece



**Fine Builders Hardware** 

3528 Emery Street, P.O. Box 23277 Los Angeles, California 90023, U.S.A. Telephone (323) 262-4191 Fax (323) 264-7214 or (800) 637-TRIM (8746) Or For Quotes Only – Toll Free (877) 786-8387 Online Ordering available at www.trimcobbw.com

© 2003, Triangle Brass Manufacturing Company, All rights reserved.



### CLASSIC PUSHES, PULLS AND GRIPS



#### TRIMCO# 15

OA

<u>5/8 x 3-1/2 x 20-1/2"</u>

Br, Bz, Pl Classic Push Plate – Cast Solid Brass or Bronze gives rich, old-world feeling. Rough textured interior on decorative plate.

p	
Q	
	)

TI	RIMCO#	16
-	-	

OA	5/8 x 3-1/2 x 20-1/2"
G	1117-1
Р	2-1/4"
CL	1-1/2"
CTC	5"
	Br, Bz, Pl

Classic Pull Plate – Cast Alternate grip style available. ADA Rough textured interior on decorative plate.



#### **TRIMCO# 17** OA 7/16 x 3-5/8 x 20-1/2'

Br, Bz, Pl Classic Push Plate – Cast

Solid Brass or Bronze. Classic Church Gothic. Rough textured interior on decorative plate.



TRIMCO#	18
OA	7/16 x 3-5/8 x 20-1/2"
G	1183-1
Р	2-1/2"
CL	1-1/2"
CTC	5"
	Br. Bz. Pl

Classic Pull Plate – Cast

Alternate grip styles available. **ADA** Rough textured interior on decorative plate.



TRIMCO#	50
OA	3/8 x 3-3/4 x 15"
	Br, Bz, Pl
Classic Pus	sh Plate – Cast
Timeless Elegant Style.	
	d interior on decorative plate.
-	



TRIMCO#	35	
OA	17-3/8"	
В	2-3/4"	
Р	4-1/2"	
CL	2-1/4"	
CTC	12-1/2"	
		Br. Bz. Pl

Classic Door Pull – Cast Very sturdy. ADA Dimpled finish on decorative plate. Rough textured interior on decorative plate.

Standard Mountings - See page 3.



TRIMCO#	51
OA	3/8 x 3-3/4 x 15"
<u>G</u> P	1117-1
Р	2-1/4"
CL	1-1/2"
CTC	5"
	Br, Bz, Pl

Classic Pull Plate – Cast Alternate grip styles available. ADA Rough textured interior on decorative plate.


Ñ	
R	
6	

TRIMCO#	57	
OA	9-3/4"	
В	1-3/4"	
Р	2-5/8"	
CL	1-1/2"	
CTC	8"	
		Br, Bz, Pl

#### Classic Grip – Cast With 1-3/4" dia. Roses. Timeless Elegance. Can be mounted On a variety of plates. ADA



### **CLASSIC PRODUCTS**



TRIMCO#	58	59
OA	9"	10-15/16"
<u>В</u> Р	15/16"	15/16"
Р	2-1/2"	2-1/2"
CL	1-1/2"	1-1/2"
CTC	8"	10"
		Br. Bz

**Classic Grip – Cast** Available w/roses, specify. Can be mounted to a variety of plates. ADA



TRIMCO#	111	
חר	2 5/0"	

OD	3-5/8"	
ID	2-3/16"	
		Br Bz DI

**Classic Escutcheon** 

Br, Bz, Pl

Br, Bz

Stamped ring.



Standard Mountings - See page 3.

TRIMCO#	1071-2
OA	3-1/2 x 15"
Р	2-1/2"
G	#58
CL	1-1/2"
CTC	8"
Classic Pull Plate	

sic Pull Plate .050 Solid Brass Plate ADA



### **CLASSIC PRODUCTS**



TRIMCO#	1900
OA	3-3/8 x 14-3/4"
G	1136-1
<u>G</u> P	2-1/4"
CL	1-1/2"
CTC	6-1/4"
	Br, Bz, Pl

Classic Pull Plate – 3/16" - thick Solid brass or bronze. ADA

9	<u>TRIMCO#</u> OA	<b>1901</b> 3-3/8 x
	Classic Pu Solid brass High achiev	or bronz

14-3/4" Br, Bz, Pl

e – 3/16" thick ze, gives solid, ng.

Standard Mountings - See page 3.



### Modern Masterpieces



TRIMCO#	1301
OA	10-1/2"
CTC	9"
Door Pull -	Cast



TRIMCO#	1370
D	9"
Р	4-1/2"
W	2"
CTC	8"
Door Pull -	- Cast
Boorran	ouot



TRIMCO#	1310	1310-1
CTC	12"	8"
OFF	7"	4-3/4"
Р	2-1/2"	2-1/2"
D	15"	9-3/4"
Door Pull -	Cast	



TRIMCO#	1350L / 1358R
Н	12"
W	2-1/2"
Р	5-1/4"
CTC	9"
Door Pull – Cast	



TRIMCO#	1320
OA	9"
OFF	5-1/2"
Р	1-1/2"
CTC	7"
Door Pull -	- Cast



TRIMCO#	1390
Н	8-1/4"
OFF	5"
Р	2-1/2"
CTC	6"
Door Pull – Cast	

### Modern Masterpieces



TRIMCO#	1330
Н	13-1/2"
Р	2-11/16"
OFF	7-5/8"
CTC	11"
Door Pull -	Cast


TRIMCO#	1340	1340-10
L	23-1/4"	12-1/4"
Р	2-1/2"	2-1/2"
OFF	5-1/4"	5-1/4"
CTC	21	10"
Door Pull -	- Cast	



TRIMCO#	1360
D	6"
OFF	3"
Р	2"
CTC	4-3/4"
Door Pull -	Cast



TRIMCO#	1342
L	18"
W	1-1/2"
Р	2-3/8"
CTC	17-1/4"
Door Pull – Cast	



TRIMCO#	1380
OA	5"
Р	2"
CTC	4 x 2-3/4"
Door Pull -	Cast

TRIMCO#	1410	1410-1
L	23-3/4"	18"
W	2"	2"
P	2-1/2"	2-1/2"
СТС	22-3/4"	17"
Door Pull -	- Cast	



The designs shown here are reproduced from masters and handcrafted from artists to complete the total effect of the door both visually and functionally.

No compromise in quality, design or durability is made during the casting process. Careful machining, polishing, assembly and finishing results in a product which we present with pride.



MasterCraft entry door hardware – A series of strong, elegant pulls that offer a unique opportunity to show entry doors as tasteful works of art. These hand-finished pulls provide a stunning first impression for any building. Cast in our own foundry in all standard architectural finishes.



**TRIMCO# SOLAR\*** OA 4-1/2" x 9-1/4"



 TRIMCO#
 DAPHNE

 OA
 2-1/2" x 8"



TRIMCO#	ZEUS*
OA	7" X 7"



TRIMCO#HERO\*OA8-1/2" diameter



 TRIMCO#
 MEDEA\*

 OA
 6" x 7-3/4"



**TRIMCO# LUNA\*** OA 6-1/4" x 7-3/4"



**TRIMCO# CRONUS** OA 5-3/4" x 5-3/4"



**TRIMCO# VESTA** OA 3-1/4" x 10-1/4"



## a ster Craft

TRIMCO# JUNO

OA 1-3/4" x 16"



 TRIMCO#
 APOLLO\*

 OA
 7" x 7"



**TRIMCO# HELANE** OA 7" X 7"



TRIMCO# ATLAS OA 8-1/2" diameter



**TRIMCO# VENUS** OA 2-1/4" x 15"



 TRIMCO#
 ADON

 OA
 3" x 7"



**TRIMCO#** ISIS OA 2-1/4" x 13-3/4"



 TRIMCO#
 MIDAS

 OA
 4" x 10-1/4"





**TRIMCO# ARES** OA 5" x 9-1/4"

All MasterCraft pulls are **ADA** compliant.

\* indicates push/pull configuration available with special mounting hardware



**TRIMCO# HERMES** OA 4-1/4" x 8-1/2"



TRIMCO#SATURNOA4-1/2" x 8-1/2



**TRIMCO# HELIO** OA 4-1/2" x 10-1/2"




### **Bolts and Latches**




TRIMCO#	ML2	ML4	
OA	1-3/8" x 2-1/4"	1-3/8" x 2-1/4"	
TH	5/8"	5/8"	
	Thumb-turn	Unlock with Key	Al

**Mitey Lock -** Sliding Glass Door Lock Available in 628 finish only; minimum lots. ML2 shown



TRIMCO#	243T
OA	3/8" x 15"
Μ	Brass/Bronze
TH	1-1/2"

Br, Bz, Pl **Cane Bolt Top – Cast** Decorative Bolts for pairs of doors. Top door bolt with surface and mortise strikes included.




TRIMCO#	244B
OA	3/8" x 30"
Μ	Brass/Bronze
TH	1-1/2"
	Br, Bz, Pl

**Cane Bolt Bottom – Cast** Decorative Bolts for pairs of doors. Bottom door bolt with cup strike included.

e
---


2	TRIMCO#	801	802	803	804
개	OA	5/16" x 1-11/16"	3/8" x 1-15/16"	7/16" x 2-5/16"	1/2" x 2-3/4"
	Μ	Brass	Brass	Brass	Brass
1	STR	9/32" x 1"	5/16" x 1-1/8"	3/8" x 1-7/16"	13-32" x 1-9/16"
2	BHMA	B03291	B03291	B03291	B03291

**3-Way Cabinet Catch** Machine Finish



TRIMCO#	1554
OA	1-1/8" X 2-1/4"
DP	2-1/4"
BHMA	E09101
	Br, Bz, Pl

Roller Latch - 161 prep Fits residential latch bolt prep. Adjustable Nylon Roller 3 Types of Strikes available "B" Strike Shown




TRIMCO#	1555	1555L		
OA	1" x 2-1/8"	1" x 2-1/8"		
DP	1-3/16"	1" x 3/16"		
STR	1-1/16" x 2-1/8"	1-3/8" x 2-1/8"		
	Br, Bz, Pl			
Cleast Ball Catab				

**Closet Ball Catch** Light Duty ball latch Adjustable roller force 1555 is shown



### LATCHES AND STRIKES



#### TRIMCO# 1559

 OA
 1/8" x 1" x 3-3/8"

 DP
 1-13/16"


 BHMA
 E09091

Br, Bz, PL Heavy Duty Roller Latch Indicate strike choice – A, B or C Adjustable Nylon Roller




TRIMCO# 1559A

OA 3/16" x 1-3/4" x 2-1/4" Br, Bz, Pl Strike only for Heavy duty Roller Latch 1559 (1559WA) Cast 2-1/4" Full Lip.



TRIMCO#	1559B			
OA	3/32" x 2" x 2-3/4"			
	Br, Bz, Pl			
Strike only for Heavy duty Roller Latch 1559 (1559WB)				




 TRIMCO#
 1559C

 OA
 3/32" x 2" x 4-7/8"


 Br, Bz, Pl
 Br, Bz, Pl

 Strike only for Heavy duty
 Roller Latch 1559 (1559WC)



TRIMCO#	1559BL			
OA	1/8" x 1-1/2" x 4-1/2"			
DP	2-1/2"			
BHMA	E09111			
Br, Bz, Pl				
Roller Latch with Angle Stop And Modified "A" Strike				

1559 Roller Latch with angle stop face plate. Adjustable Nylon Roller. For stopless frames.



 TRIMCO#
 3651


 OA
 3/32" x 2" x 2-3/4"

 BHMA
 115.3

 Br, Bz, Pl

 Strike - 2-3/4"


 Adjustable tang.



TRIMCO#	3652			
OA	3/32" x 2" x 4-7/8"			
BHMA	115.2			
	Br, Bz, Pl			
<b>Strike - ASA</b> Adjustable tang.				



DEPENDABLE PUSH/PULL LATCHES



#### TRIMCO# 1562


 BS
 5" (1505)

 STR
 2-3/4" (3651)

 Br, Bz, Pl, SS


 Push/Pull Latch

 Levers Down
 ADA/ ♥ UL Listed



TRIMCO #	1562E
BS	5" (1505)
STR	2-3/4" (3651)
	Br, Bz, Pl


Exit Only Latch Lever Down ADA Exit / Entrance Only -Used when only one side of opening is designed for entrance or exit. Ideal for secured areas. Must Specify Handing



Note: PDQ mortise chassis supplied as standard. Alternate chassis are available at an additional cost & lead-time.



1580



TRIMCO#1562QBS2-3/4"STR4-7/8"Br, Bz, PI, SSPush/Pull Mortise LockLevers DownADA/() UL ListedCustomer to supply cylinder.

1562Q55 Classroom Function (Standard) Deadbolt by thumbturn lever inside or by emergency release tool

outside. **1562Q30** Privacy/bathroom Auxiliary latch deadlocks latchbolt **1562Q65** Dormitory/entrance Deadbolt by key outside or by thumbturn lever inside.

1580

5" (1505)

ADA / 📵

Specify 1581 for Push Down,

Must Specify Handing


2-3/4" (3651)

Br, Bz, Pl



TRIMCO#	1563			
BS	5" (150	)5)		
STR	2-3/4"	(3651)		
		Br, Bz, Pl		
Push/Pull Latch				

Levers Up ADA 🕲 Must Specify Handing




TRIMCO#	1591
BS	5" (1505)
STR	2-3/4" (3651)
	Br, Bz, Pl
Devera D	unde av Duill I atak

**Reverse Push or Pull Latch** Requires monitoring personnel maintain pressure on lever paddle to prevent subject from exiting room. Made to order, may not be returnable. ADA Must Specify Handing

\* Either 2-3/4", 3-3/4" or 5" Backset and 2-3/4" strike (3651) are supplied standard with Push/Pull latches. 7" Backset and/or ASA 4-7/8" (3652) Strike must be specified by buyer at extra cost.

Patent #4003593 & 4986583



Latchbolts for 1500 serie Push/Pull latch onlv

TRIMCO#

Push/Pull Latch, Push Up, Pull Down

BS

STR

Pull Up

NOTE: Add suffix "P" to part number to have levers engraved "Push" and "Pull". **1592LLE** (Lead Lined Escutcheon Plate) and **1592LLT** (Lead Lined Latch Tube) may be specified by buyer at extra cost. Specify **1592RK** Replacement Kit to replace latches on doors originally prepped for Roller Latch with Push/Pull Latch




### **Quiet Coordinators**



TRIMCO#	3092
OA	1-5/8" X 5/8" X
BHMA	4.1.1 Type 25

18

600 Black **Retracting Door Coordinator** For use on pairs of doors with or without astragal. Not for use on unequal pairs of doors or with exposed vertical rods. See Coordinator brochure for more information. For openings 72" to 96"



#### **TRIMCO# 3093** OA 2-5/1

OA 2-5/16" x 6-9/16" BHMA 4.1.1 Type 25 Br, Bz, Pl

**Coordinator - Cast** Drop Arm Type. Two nylon rollers and set screw adjustment standard.

TRIMCO#	3094A2	3094B1	3094B2	3094B3
W (of opening)	43" - 53"	53" - 63"	63" - 75"	75" - 87"
BHMA	4.1.1 Type 21	4.1.1 Type 21	4.1.1 Type 21	4.1.1 Type 21
				600 Black


### Stop Mounted Coordinator w/Filler Bar - 10 Patent #5033234



TRIMCO#	3094B4	3094C4	3094D	
W (of opening)	87" - 95"	95" - 107"	Special Application	
BHMA	4.1.1 Type 21	4.1.1 Type 21	4.1.1 Type 21	
				600 Black


### Stop Mounted Coordinator w/Filler Bar - 19 Patent #5033234

**3094** Easily configured for unequal pairs of doors. When ordering coordinators, specify opening width, leaf sizes, and finish of companion hardware. Panic Strike preps available. See Coordinator brochure for more information.



TRIMCO #	3095
OA	3-1/4" x 5"
SW	7/8" - 2-1/4"
М	Steel
	600 Black

**Mounting Bracket** For mounting stop-applied hardware. In conjunction with 3094.



 TRIMCO#
 3096

 OA
 3" x35"

 SW
 over 2-1/4"

 M
 Steel

600 Black


**Mounting Bracket** For mounting stop-applied hardware. In conjunction with 3094.

OA = overall size, W = width, SW = stop width

PHONE: 323-262-4191



### **Coordinator Accessories**




TRIMCO#	3090
OA	1-1/2" x 2-7/8"
	Br, Bz, Pl
Carry Ope	n Bar Assembly
For 3090 S	eries Coordinators
Maximum a	adjustment 1/2"

•	TRIMCO#	3094-1	3094-2	3094-3	3094-4	<u>3094-5</u>
0	OA	12"	24"	36"	48"	6"
						600 Black



### **Coordinator Accessories**




TRIMCO#	3090
OA	1-1/2" x 2-7/8"
	Br, Bz, Pl
Carry Ope	n Bar Assembly
For 3090 S	eries Coordinators
Maximum a	adjustment 1/2"

•	TRIMCO#	3094-1	3094-2	3094-3	3094-4	<u>3094-5</u>
0	OA	12"	24"	36"	48"	6"
						600 Black



### QUIET, LOW CLOSER FORCE AUTO FLUSHBOLTS, DUBL-BOLT



BHMA 4.4 Type 25 Br, Bz, Pl, SS Automatic Flushbolt Metal Door - To be used in pairs on the inactive leaf of metal doors.

Rated 3 Hours Patent #5076620


**TRIMCO# 3810** 



TRIMCO# 3820 BHMA 4.4 Type 25 Br. Bz. Pl. SS

Semi-Automatic Flushbolt Metal Doors - For use at top of the inactive leaf of metal doors. Used with the 3810.

Rated 3 Hours Patent #5004277




#### TRIMCO# 3815

BHMA 4.4 Type 25

Br, Bz, Pl, SS Automatic Flushbolt Wood Doors - To be used in pairs on the inactive leaf of wood doors.

Rated 1-1/2 Hours Patent #5076620



e 25

Br, Bz, Pl, SS Semi-Automatic Flushbolt Wood Doors - For use at top of the inactive leaf of wood doors. Use with the 3815

Rated 1-1/2 Hours Patent #5004277

#### 3815L and 3825L Are the NEW longer top bracket models and are now shipping.

NOTE: Designed for use in pairs (top & bottom) with TRIMCO Door Coordinators. All Automatic and Semi-Automatic Flushbolts are supplied with Trimkits. Specify Finish. See Automatic Flushbolt brochure for more information. All of the above can be used with the 3850 Firebolt.

TRIMCO#	3830A	3830M	3830W
Finish Kit	Finish Kit	Finish Kit	Finish Kit
	Automatic	Semi-Automatic	Semi-Automatic
	Flushbolt	Flushbolt	Flushbolt
		Metal Door	Wood Door
			Br. Bz. Pl. SS

For use with Automatic and Semi-Automatic Flushbolts.

Allows easy finish change of basic mechanism.

Each kit includes: Cover Faceplate, Guide, Strikes, Shims and all necessary matching fasteners. Finish Kit available in Stainless Steel.

#### TRIMCO# 3900

Br. Bz. Pl. SS

**Dubl-Bolt** Two Point Flushbolt for Inactive Door of a pair of Hollow Metal Doors.


ADA / Patent Pending. Single motion 2-point flushbolt Mounted mid-door in standard Mortise prep. Handicap operable. See Dubl-Bolt Brochure for more information. Specify Door Height and Type of Strike required.

Engineered Products that work!





### FLUSHBOLTS AND DUST PROOF STRIKES



#### TRIMCO# 3910


OA	3/32" x 1-5/1	6" x 2-1/2"
DP	1-1/2"	
BHMA	L04021	
		Br, Bz, Pl, SS

**Dust Proof Strike** To omit faceplate add suffix "N". Available in stainless steel.



TRIMCO#	3911		
OA	3/32" x 1-5/16" x 2-1/2"		
DP	1-1/2"		
BHMA	L04021		
	Br, Bz, Pl, SS		
Adjustable Dust Proof Strike			


Adjustable Dust Proof Strike For carpet or threshold. Available in stainless steel.



TRIMCO#	3913	W3913	
OA	1" x 6-3/4" x 2-1/2"	1" x 6-3/4" x 2-1/2"	
TH	3/4"	3/4"	
Μ	Extruded	Wrought	
			Br, Bz, Pl
Flush Extension	Bolt - Wood Door	Patent #4315647	

#### vood Door

Includes metal dust cover. Mounts at top corner of wood door.



TRIMCO#	3915		
OA	1-1/4" X 6-3/4"		
TH	11/16"		
ROD	6" – 30"		
BHMA	L04081		
	Br, Bz, Pl		
Flush Extension Bolt - Metal			
Door.			

TRIMCO#	3916		
OA	1" X 15-1/2"		
TH	5/8"		
BHMA	L04081		
		Br, Bz, Pl	
Flush Extension Bolt			

One piece Flushbolt for non-labeled, tall wood doors. Other lengths available.



TRIMCO# OA ΤH ROD Μ BHMA

(IL)

3917 1" x 6-3/4" 11/16" 12" Extruded L04081/L04251 (4)

W3917 1" x 6-3/4" 11/16" 12" Wrought L04081/L04251 (U)

3917ET 1" x 6-3/4" 1-3/16" 12" Extruded L04081


Br. Bz. Pl

Patent #4315647

Flush Extension Bolt - Metal Door - 1-1/2" Bolthead (3917-1B) standard; 3" Bolthead (3917-3B) also available. Longer Rod Lengths available on request.







TRIMCO#	3920-4	3920-8	
OA	4-1/4"	8"	
TH	1/2" - 1"	1" - 2"	
			Br, Bz, Pl
Dutch Door	Bolt – Cast		
Cast Strike for application without		Universal Strike supplied.	

TRIMCO#	3922	3923	
OA	2" x 8"	2" x 12"	
TH	1-1/8"	1-1/8"	
Р	1-5/16"	1-5/16"	
Μ	Steel 3/4" x 1/4"	Steel 3/4" x 1/4"	
BHMA	L04161	L04161	
			Br, Bz, Pl, SS

ol

Heavy Duty Surface Bolt - Available in stainless steel. Furnished with Surface and Mortise Strikes. Custom Lengths Available.

#### TRIMCO# 3922L

Locking Heavy Duty Surface Bolt See 3922L Brochure

shelf and Flat Mortise Strike

Other lengths available

supplied.

	TRIMCO#	3800-21
	OA	1/2" x 1" x 2"
	Μ	Steel
2011		

Please specify angle or

mortise strike.

Double Guide, Flushbolt Extended guide for hollow metal doors with "U" channel top or bottom.




TRIMCO#	3850		
Р	1"		
DOOR	2-1/4" x 1-1/8" x 1" dia.		
ST	2-3/4" X 1-1/8"		
TEMP	450º F to activate bolt		
FORCE	8.5lbs		
Edge Mounted Fire Bolt			
All Standard Finishes Available. 🔟			





### **GUIDES AND BOLTS**



TRIMCO#	3928K	3928L	
OA	1-9/16" X 6-13/16"	1-9/16" X 6-13/16"	
	up to 90" rod	up to 90" rod	
ROD	5/8", half round	5/8", half round	
			Br, Bz, Pl

#### Cremone Bolt - Cast


Decorative Bolt for pairs of doors. Mortise and surface strikes included. "K" supplied with oval knob. "L" supplied with lever operator. Specify height and hand of door.



TRIMCO#	3999	
OA	3/4" x 6"	
TH	1"	
D	1/2" Bolt	
BHMA	L04201	
		Br, Bz. Pl

Flushbolt - 6" Corner Mount for unlisted wood doors. Add "SE" for Square Edges.

### TRIMCO means innovation!



TRIMCO# 3921

Heavy Duty Surface Bolt

Available in 8", 12", 18", 24". Please specify length and universal, angle or mortise strike. Custom lengths available.



TRIMCO#	4873	4874	4876	4882
L	3"	4"	6"	12"
W	5/8"	5/8"	5/8"	5/8"
TH	5/8"	7/8"	1"	2-1/4"
BHMA	L04151	L04151	L04151	L04151
	Surface	Surface	Surface	Surface
	Bolt 3	Bolt 4	Bolt 6	Bolt 12
	d Mortise strikes s	supplied.		
▲	1			

Custom lengths available.

# Catalog Section D Push Plates · Pull Plates · Pulls · Grips




**Fine Builders Hardware** 

3528 Emery Street, P.O. Box 23277 Los Angeles, California 90023, U.S.A. Telephone (323) 262-4191 Fax (323) 264-7214 or (800) 637-TRIM (8746) Or For Quotes Only – Toll Free (877) 786-8387 Online Ordering available at www.trimcobbw.com

© 2003, Triangle Brass Manufacturing Company, All rights reserved.



### DRAWER PULLS AND ACCESSORIES



TRIMCO#	BP1	BP2	BP3	BP4	
D	1"	1-1/4"	1-1/2"	2"	
Т	1/8"	1/8"	1/8"	1/8"	
Back Plates for	or Pulls				Br, Bz, Pl, SS

1/8" thick



	TRIMCO#	283	284	
	OA	1/2" x 3-1/2"	1/2" x 4"	
$\square$	CTC	3"	3-1/2"	
	CL	3/4"	3/4"	
				Br, Bz, Pl

**Drawer Pull** 

TRIMCO#	553	
OA	5/8" x 3-1/4"	
CTC	3"	
CL	3/4"	
BHMA	B02012	
		Br, Bz, Pl

**Drawer Pull** 

$\square$	Λ

TRIMCO#	562-3	562-4		
OA	3-13/16"	4-5/16"		
CTC	3-1/2"	4"		
CL	7/8"	7/8"		
D	5/16"	5/16"		
BHMA	B02012	B02012		
		Br, Bz, Pl, SS		
Drawer Pull				

TRIMCO#	7300-1	7300-1-1/4
D	1"	1-1/4"
Р	15/16"	1-1/8"
		Br, Bz, Pl
Cabinet Kr	nobs	

$\left( \right)$	$\overline{}$
(	)
	$\square$
	$\supset$

 TRIMCO#
 7301-1
 7301-1-1/4

 D
 1"
 1-1/4"

 P
 1-1/4"
 1-1/2"

 Br, Bz, PI
 Br, Bz, PI



TRIMCO#	275-2
CTC	2-1/2"
OA	3-1/2"
	Br, Bz, Pl

Drawer Pull



### PUSH AND PULL PLATES


TRIMCO#	1001-1	1001-2	1001-3
OA	3" x 12"	3-1/2" x 15"	4" X 16"
BHMA	J301	J301	J301
Push Plate	.050		Br, Bz, Pl, SS
TRIMCO#	1001-9	1001-11	1001-3P
OA	6" x 16"	8" x 16"	4" X 16"
			Black Plastic 1/8"
BHMA	J301	J301	J301
		Br, Bz, Pl, Ss	

Push Plate .050

Plastic Plates - .125 other standard colors and clear available.

	TRIMCO#	1010-1	1010-2	1010-3
0	OA	3" x 12"	3-1/2" x 15"	4" X 16"
2	Р	1-7/8"	1-7/8"	1-7/8"
2	G	1117-1	1117-1	1117-1
	CL	1-1/2"	1-1/2"	1-1/2"
	CTC	5"	5"	5"
S	BHMA	J405	J405	J405
				Br, Bz, Pl, SS

Pull Plate - .050 - ADA



TRIMCO#	1012-2	1012-3	
OA	3-1/2" x 15"	4" X 16"	
Р	2"	2"	
G	1109-1	1109-1	
CL	1-1/2"	1-1/2"	
CTC	5-1/2"	5-1/2"	
BHMA	J405	J405	

Br, Bz, Pl, SS

Pull Plate - .050 - ADA

#### NOTE: All Metal Plates on this page are .050" thick. Custom sizes available.



1013-3B



TRIMCO#

1013-2

OA	3-1/2" x 15	3-1/2" x 15"	4" x 16"	4" x 16"
Р	2"	2"	2"	2"
G	1193-1	1193-2	1193-1	1193-2
CL	1-1/2"	1-1/2"	1-1/2"	1-1/2"
CTC	5-1/2"	8"	5-1/2"	8"
BHMA	J405	J405	J405	J405
				Br, Bz, Al, SS

1013-3

1013-2B




TRIMCO#	1014-2	1014-2B	1014-3	1014-3B
OA	3-1/2" x 15	3-1/2" x 15"	4" x 16"	4" x 16"
Р	2"	2"	2"	2"
G	1199-1	1199-2	1199-1	1199-2
CL	1-1/2"	1-1/2"	1-1/2"	1-1/2"
CTC	6"	8"	6"	8"
BHMA	J405	J405	J405	J405
				Br, Bz, Al, SS

Pull Plate - ADA

Pull Plate - ADA

TRIMCO#	1015-2	1015-2B	1015-3	1015-3B
OA	3-1/2" x 15	3-1/2" x 15"	4" x 16"	4" x 16"
Р	2"	2"	2"	2"
G	1139-1	1139-2	1139-1	1139-2
CL	1-1/2"	1-1/2"	1-1/2"	1-1/2"
CTC	6"	8"	6"	8"
BHMA	J405	J405	J405	J405
				Br, Bz, Al, SS

Pull Plate - ADA




TRIMCO#	1017-2	1017-2B	1017-3	1017-3B
OA	3-1/2" x 15	3-1/2" x 15"	4" x 16"	4" x 16"
Р	2"	2"	2"	2"
G	1194-1	1194-2	1194-1	1194-2
CL	1-1/2"	1-1/2"	1-1/2"	1-1/2"
CTC	6"	8"	6"	8"
BHMA	J705	J705	J705	J705
				Br, Bz, Al, SS

Pull Plate - ADA

NOTE: All Plates on this page are .050" thick. "B" Suffix indicates next larger size grip Custom sizes available.



### PUSH / PULL PLATES



TRIMCO#	1018-3	1018-3B	
OA	4" X 16"	4" x 16"	
Р	3-1/8"	3-1/8"	
G	1195-1	1195-2	
CL	2"	2"	
CTC	8"	10"	
BHMA	J405	J405	
		Br, Bz, A	I, SS


#### Pull Plate - .050 - ADA



RIMCO#	1056-4

TRIMCO#	1056-4
OA	1/16" x 8" x 16"
Р	1-7/8"
G	1139-2
CL	1-1/2"
CTC	8"
BHMA	J405
	Br, Bz, SS

Pull Plate - .050" thick. ADA Specific **1041-4** for plate only.



#### TRIMCO# 1000

	1030			
OA	1/8" x 7" x 12"			
CL	1-1/2"			
		5	<b>D</b> 7	~~


Br, BZ, SS

Anti Vandal Trim Fills the need to fortify exposed doors at schools, parks, public buildings and rear doors of commercial and industrial buildings. Patent #354,670 Specify 1091 Anti-Vandal Pull -No Astragal Specify 1092 Anti-Vandal Pull -Narrow Stile Door



#### TRIMCO# 1098RG Safety and Security Lock Set -

For details see 1098RG brochure.



TRIMCO#	1096TL	

OA (Ext)	11" x 7"	
P (Ext)	1-7/8"	
OA (Int)	2-5/8" x 4-7/8"	
P (Int)	2-1/2"	
. ,		Br, Bz, SS

Push Paddle x Mortise Lock x Anti-Vandal Handle – ADA

#### 1096TL TUF-LOK System -

Anti-Vandal Trim System includes: 1562M Push latch with modified paddle, the Anti-Vandal Trim Pull Handle, and Mortise Lock. Customer supplies the cylinder.

Also Available:

1097TL - No Astragal

**Options Available:** 

- XX = Lugs mated to Mortise Lock if other than Corbin-Russwin.
- FC = Flush Cylinder. Specify 1-1/4" or 1-1/2" diameter
- **CYL** = if customer wants TRIMCO to supply the Cylinder, one will be supplied as customer Specifies.

#### ADA

#### 1096HA - Anti-Vandal Trim Handle Only

Same Anti-Vandal Trim used in TUF-LOK System, but Trim Handle only. Specify Handing.

Also Available:


#### 1097HA - No Astragal

- **Options Available:**
- **SP** = Lugs mated to Dead Bolt, Panics, Rim and Exit devices.
- **FC** = Flush Cylinder. Specify 1-1/4" or 1-1/2" dia.
- NC = No Cylinder Cutout Required

BTB = Special Back-to-Back Mounting


- Specify Handing
- ADA





TRIMCO#	1060	1061
OA	2-3/4" x 4-1/4"	2-1/16" x 3-1/8"
DP	13/16"	5/8"
BHMA	J403	J403
		Br, Bz, Pl


**Flush Pull** - Fine finish casting with black interior. Specify for same finish inside cup and outside.



TRIMCO#	1062
OA	5/16" x 1" x

<u>5/16" x 1" x 4-1/4"</u> Br, Bz, Pl


**Concealed Door Pull** Non-handed. Side Mount. Mortises into edge and face of pocket door



TRIMCO#	1063	
OA	3/4" x 3-7/8"	
		Br. Bz. Pl

Concealed Door Pull Edge Mount.

Pocket Door Pull \*




#### TRIMCO# 1064

OA 2-1/2" x 2-3/4" BHMA D08021

Br, Bz, Pl

Br, Bz, Pl

**Pocket Door Pull** Passage Function. 1-3/8" and 1-3/4" Thick Doors. For use on doors not requiring privacy.



### TRIMCO# 1065PA OA 2-1/2" x 2


OA	2-1/2" x 2-3/4"	
BHMA	D08031	
		Br, Bz, Pl

Sliding Door Lock \* For use on patio and exterior doors. Thumb turn on interior only.

\* Can be made to fit 1-3/4" Thick Door, must specify when ordering.

> **1064FCP** 2-1/2" x 2-3/4"

D02202



TRIMCO#	1065CD			
OA	2-1/2" X 2-3/4"			
BHMA	D08031			
		-	-	

Br, Bz, Pl

Sliding Door Lock \* For use on connecting doors. Thumb turn on both sides.

TRIMCO#	1059	
OD	2-1/2"	
ID	1-3/4"	
DP	7/8"	
		Br.

Flush Cup Pull Use #7059 for Focal styling. Br, Bz, Pl


o ioi rocai styling.

Flush Cup Pull Can be used for pairs of doors.

TRIMCO#

<u>oa</u> Bhma

D-5



TRIMCO#	1065	
OA	2-1/2" x 2-3/4"	
BHMA	D08031	
		Br, Bz, Pl

Privacy Function. 1-3/8" Thick

Doors. For use on bathroom and

interior, safety release on exterior.

bedroom doors. Thumb turn on





TRIMCO#	1066S	1066S-516	1066S-38
D	3-9/16"	3-9/16"	3-9/16"
S	9/32"	5/16"	3/8"
			Br, Bz, Pl

Flush Pull - Cast Spindle Type. Surface Mount.



TRIMCO#	1067	1067-516	1067-38
OA	3" x 3"	3" x 3"	3" x 3"
D	2-1/2"	2-1/2"	2-1/2"
S	9/32"	5/16"	3/8"
			Br, Bz, Pl

Spindle Type




TRIMCO#	1068	1068-516	1068-38
D	4-1/4"	4-1/4"	4-1/4"
S	9/32"	5/16"	3/8"

Br, Bz, Pl

Flush Pull - Cast Spindle Type. Surface Mount.

NOTE: Spindle set on diamond standard, can be set on square. Specify. No interference with standard mortise lock case on 1-3/4" doors. For special prep specify lockset. Extra Charge.



TRIMCO# 1069L

<u>,O#\_1069L</u> Br, Bz, SS

Sliding Door Pull Latching Pocket Door Pull, Standard model for walls 6" thick. Larger available. Specify. Custom sizes available – specify. ADA

TRIMCO# 1069

Br, Bz, SS

Sliding Door Pull Non-Latching. Passage Only. Black nylon handles. Custom sizes available – specify ADA See 1069 brochure for more information

0


0



### fOCAL



TRIMCO#	1102S	1102T
OA	7-1/2"	7-1/2"
Р	2-3/16"	2-3/16"
CL	1-1/2"	1-1/2"
CTC	5-1/2"	5-1/2"
BHMA	J401	J401
Pull – Cast	Surface	Thru-bolt
ADA	Mount	Mount
		Br, Bz, Pl. Al



TRIMCO#	1111A	
OA	5" x 5"	
DP	1-1/8"	
BHMA	J403	

Br, Bz, SS

Br, Bz, Pl

Flush Pull - Anti-Vandal Mounting Lugs on back of Cup. Specify 1111B for mounting on face. For high-traffic, exposed, roughservice areas. Specially engineered as exit trim on school doors with interior, panic hardware. Easy exterior access during the day; vandal resistant at night. ADA Patent pending

1-1/4" x 3"

13/32"


TRIMCO# 1113

Flush Pull - Cast

For Sliding doors only.

OA

DP



TRIMCO#	1109-1	
OA	6-3/16"	
Р	1-7/8"	
CL	1-1/2"	
СТС	5-1/2"	
BHMA	J401	
	.+	Br, Bz, Al, Pl

Pull - Cast ADA

$\nearrow$		
	$\square$	
	$\sim$	F

TRIMCO#	1111C			
OA	6" x 6"			
DP	1-1/2"			
BHMA	J403			
		1	1	

Br, Bz, SS

Flush Pull – Anti-Vandal Meets California Access Requirements. ADA See 1111C brochure for more information.

C	1
// °/	M
	))))
Ŋ	

TRIMCO#	242
	0 1/0"

D	2-1/2"	
DP	3/8"	

Br, Bz, Pl

Standard Flush Pull For sliding doors. Stamped.

<u>(</u>
S F

TRIMCO#	248	
OA	1-1/2" x 4"	
DP	7/16"	
		Br, Bz, Pl

**Standard Flush Pull** For sliding doors. Stamped.



TRIMCO#	1115	
OA	3-1/2" x 4-3/4"	
DP	13/16"	
BHMA	J403	
Eluch Dull		Br, Bz, SS

**Flush Pull** Specify **1115B** for pair of 1115 prepped for BTB mounting.



TRIMCO#	1117-1	
OA	6-1/8"	
Р	1-7/8"	
CTC	5"	
CL	1-1/2"	
BHMA	J401	
		Br, Bz, Pl
Pull - Cas ADA	st	



### fOCAL




TRIMCO#	1120	
OA	7-1/2"	
Р	2-1/2"	
CTC	6"	
CL	1-7/8"	
BHMA	J401	
		Br, Bz, Pl

**Classic Pitcher Grip - Cast** ADA



TRIMCO#	1134	
OA	9-1/16"	
Р	3-1/2"	
CTC	5"	
CL	2"	
BHMA	J401	
		Br, Bz, Pl


Hospital Grip - Cast Specify **1134B** for pair of 1134 prepped for BTB mounting. ADA



TRIMCO#	1135	
OA	9"	
M	3/8" x 3/4"	
<u>P</u>	3-3/16"	
CTC	6"	
CL	2"	
BHMA	J401	
		Br, Bz, SS
Hospital Grip		


ADA

Grip ADA



**TRIMCO# 1136** 7-3/8" OA Ρ 2-1/16" CTC 6-1/4" CL 1-1/2" Br, Bz, Pl

Grip - Cast Specify 1136G for pair of 1136 prepped for BTB mounting. ADA




TRIMCO#	1139-1	1139-2	
OA	6-3/8"	8-3/8"	
М	1" x 3/8"	1" x 3/8"	
Р	1-7/8"	1-7/8"	
CTC	6"	8"	
CL	1-1/2"	1-1/2"	
BHMA	J401	J401	
			Br Bz AL SS

Br, Bz, Al, SS



TRIMCO#	1147	
OA	10-1/2"	
Μ	1-1/2" x 1-1/2"	
Р	2-7/8"	
СТС	10"	
CL	1-5/8"	
BHMA	J402	
		SS

Grip Specify 1147B for pairs, mounted Back to Back with Mounting Plates. Other lengths available. ADA



NOTE: All Grips may be mounted to a variety of standard and custom plates.



### GRIPS

I RIMCO#	1150	1151	
OA	6-1/2"	8-1/2"	
Μ	1/2" Round	1/2" Round	
Р	2"	2"	
CTC	6"	8"	
CL	1-1/2"	1-1/2"	
BHMA	J401	J401	
			Br, Bz, Pl, SS

4464

Grip

Custom BTB mounting available. ADA

4450

TRIMCO#	1191-1	1191-2	1191-3	1191-4	
OA	8-3/4"	10-3/4"	11"	13"	
Μ	3/4" Round	3/4" Round	1" Round	1" Round	
Р	2-3/4"	2-3/4"	3-1/4"	3-1/4"	
CTC	8"	10"	10"	12"	
CL	2"	2"	2-1/4"	2-1/4"	
BHMA	J402	J402	J402	J402	
					Br, Bz, Pl, SS


#### Grip

fOCAL option is available. ADA

TRIMCO# 1191-4J 1191-5 1191-5J 13-1/4" 19-1/4" OA 18" 1-1/4" Round 1-1/4" Round 1" Round Μ Ρ 3-1/4" 3-1/4" 3-1/4" CTC 12" 18" 18" 2-1/4" 2-1/4" CL 2-1/4" BHMA J402 J402 J402 Br, Bz, Pl, SS

**Grip Offset** 

fOCAL option is available. **ADA** 



TRIMCO#	1193-1	1193-2
OA	6"	8"
Μ	1/2" X 3/4" Round	1/2" x 3/4" Round
Р	2"	2"
CTC	5-1/2"	8"
CL	1-1/2"	1-1/2"
BHMA	J401	J401

Br, Bz, Pl, SS

#### Grip Offset

fOCAL option is available. ADA

Standard Mountings - See Page 3.



### GRIPS

TRIMCO#	1194-1	1194-2	1194-3	1194-4	
OA	6-3/4"	8-3/4"	10-3/4"	12-3/4"	
Μ	3/4" Round	3/4" Round	3/4" Round	3/4" Round	
Р	2-3/4"	2-3/4"	2-3/4"	2-3/4"	
CTC	6"	8"	10"	12"	
CL	2"	2"	2"	2"	
BHMA	J401	J401	J401	J401	
					Br, Bz, Pl, SS

1195-3

1<u>" Round</u>

13"

3"

2"

12"

J401

1195-6

1" Round

19"

3"

18"

J401

2"

1195-3J

13-1/4"

3-1/2"

12"

2-1/4'

J401

1-1/4" Rd

#### Grip

OA

Μ

Ρ

CL

CTC

BHMA

Grip

TRIMCO#

Custom BTB mounting available. ADA

1195-1

1" Round

9"

3"

8"

2"

J401

1195-2

1" Round

11"


3"

10"

J401

2"

fOCAL option is available. ADA



TRIMCO#	1199-1	1199-2	
OA	6-1/2"	8-1/2"	
Μ	1" Half Round	1" Half Round	
Р	2"	2"	
СТС	6"	8"	
CL	1-1/2"	1-1/2"	
BHMA	J401	J401	

Br, Bz, Pl, SS

1195-6J

1-1/4" Rd

19-1/4"

3-1/2"

2-1/4"

J401 Br, Bz, Pl, SS

18"

Grip Offset ADA



**BP** Shown

TRIMCO#	1748	1748-1	
OA	6-3/4" x 12-3/4"	7" x 13"	
Μ	3/4" Round	1" Round	
Р	3-3/8"	3-1/2"	
CTC	12"	12"	
CL	2-5/8"	2-1/2"	
BHMA	J402	J402	

Br, Bz, Pl, SS


#### Grip Offset

fOCAL option is available. Priced individually. Style plates required, specify. **ADA NOTE:** These pulls are covered by warranty if ordered with BP4 Back Plates ad "L" or "M" mounting.

Standard Mountings - See Page 3.



HEAVY GAUGE PUSH / PULL PLATES



TRIMCO#	1802-4
OA	1/8" x 4" x 16"
Р	2"
P G	1139-1
PP	1807-4
CL	1-3/4"
СТС	6"
BHMA	J407
	Br, Bz, Pl


**Pull Plate** Beveled top and bottom ADA

00	
R	
P o	
4	
00	

0

TRIMCO#	1804-4
OA	1/8" x 4" x 16"
Р	2-1/4"
G	1117-1
PP	1807-4
CL	1-1/2"
CTC	5"
BHMA	J407
	Br, Bz, SS
Pull Plate	


Beveled top and bottom ADA



TRIMCO#	1807-4	
OA	1/8" x 4" x 16"	
BHMA	J304	
	Br, Bz, SS	
Push Plate		
Beveled top and bottom		

TRIMCO# 1809-4 0

	1009-4	
OA	1/8" x 4" x 16"	
BHMA	J304	
	Br, Bz, SS	
Push Plate		
Beveled for	ur sides	



TRIMCO#	1820	1820-11	
OA	1/8" x 3-1/2" x 16-1/2"	1/8" x 8" x 16-1/2"	
Р	1-1/2"	1-1/8"	
CL	1-1/8"	1-1/8"	
BHMA	J303	J303	
			Br, Bz, SS

**Push / Pull Plate** 

TRIMCO# 1822 1822-2 OA 1/8" x 2" x 3-3/4" 1/8" x 3" x 4-1/2" Ρ 7/8" 7/8" CL 3/4" 3/4" Br, Bz, SS Cylinder Pull Cylinder Pull Specify 1821-1 for for Dead Bolt only. 1822-1 1822-2 1821 with no 2-1/8" opening. Cylinder cut-out.

NOTE: All 1800 Series plates are 1/8" thick.



### PUSH AND PULL PLATES

Surface on through-bolt mounting


TRIMCO#	9560	9561	9563
OA	3-1/2" x 11-3/8"	3-1/2" x 11-3/8"	3-1/2" x 11-3/8"
М	628 Pull	628 Pull	Dk. Bronze Pull
	x 628 Insert	x Black Insert	x 628 Insert
Р	2-7/8"	2-7/8"	2-7/8"
CTC	10"	10"	10"
BR	А	Α	A
			AI

Aluminum Pull x Insert **ADA** 

TRIMCO#	9564	9565	
OA	3-1/2" x 11-3/8"	3-1/2" x 11-3/8"	
Μ	Dk. Bronze Pull	Dk. Bronze Pull	
	x Black Insert	x Dk. Bronze Insert	
Р	2-7/8"	2-7/8"	
CTC	10"	10"	
BR	A	А	
			Al

Dk. Bronze Pull x Black Insert ADA

NOTE: Extruded Aluminum in 628, Dark Bronze or Black Anodized finishes with inserts in 628, Dark Bronze or Black. Standard combinations shown above.



TRIMCO# 9550

	5000
OA	3/16" x 6" x 9" Lgth
M	Ext. Aluminum
Р	1-1/2"
CTC	7"
CL	1-1/4"
	AI

Push / Pull

Square corners. Smooth, Clean surface is ideal for engraving (extra cost). **ADA** when mounted on narrow stile aluminum doors.

PUSH

TRIMCO#	9551
OA	3/16" x 6" x 9" Lgth
M P	Ext. Aluminum
Р	1-1/2"
CTC	7"
CL	1-1/4"
	Al

Round corners. Smooth, Clean surface is ideal for engraving (extra cost). **ADA** when mounted on narrow stile aluminum doors.

NOTE: Push/Pull Bars and Sets are custom made and not returnable. Specify Center to Center where appropriate. **Standard Mountings -** See Page 3.

## Catalog Section E Bars · Bar Sets




#### Fine Builders Hardware

3528 Emery Street, P.O. Box 23277 Los Angeles, California 90023, U.S.A. Telephone (323) 262-4191 Fax (323) 264-7214 or (800) 637-TRIM (8746) Or For Quotes Only – Toll Free (877) 786-8387 Online Ordering available at www.trimcobbw.com

© 2003, Triangle Brass Manufacturing Company, All rights reserved.



### RUGGED, STYLISH PUSH AND PULL BARS





NOTE: Push/Pull Bars and Sets are custom made and not returnable. Specify Center to Center where appropriate. Standard Mountings - See Page 3.

P	TRIMCO#	1637	
	P	2-1/2"	
11	CTC	Specify	
	М	3/8" x 1-1/4"	
	BHMA	J501	
		Less pad	
			ALSS, PL

Push Bar Single Bar ADA




# 1642

TRIMCO#	1642	1643	1644
BR	5/8" x 5-1/2"	5/8" x 8"	5/8" x 11"
D	5/8"	5/8"	5/8"
Р	1"	1"	1"
CTC	Specify	Specify	Specify
М	5/8" OD Tube	5/8" OD Tube	5/8" OD Tube
BHMA	J501	J501	J501
24	2 Bar Set	3 Bar Set	4 Bar Set
8			Br, Bz, Pl

Push Bar Set


Push Bar Set

ADA



1661	1662	1663
1"	1"	1"
2-1/2"	2-1/2"	2-1/2"
	3-1/2"	3-1/2"
Specify	Specify	Specify
1" OD Tube	1" OD Tube	1" OD Tube
J501	J502	J504
Single Bar	2 Bar and Grip	4 Bar and Grip
		(2 sides)
	1" 2-1/2" Specify 1" OD Tube J501	1"         1"           2-1/2"         2-1/2"           3-1/2"         Specify           1" OD Tube         1" OD Tube           J501         J502

Br, Bz, Pl




TRIMCO#	1671	1672	1673
GP		2-1/2"	2-1/2"
CTC	Specify	Grip – 8"	Grip – 8"
-		Bar - Specify	Bar – Specify
Μ	3/8" x 1-1/4"	3/8" x 1-1/4"	3/8" x 1-1/4"
BHMA	J501	J502	J504
	Single Bar	2 Bar and Grip	4 Bar and Grip
		and a standard a second standard a standard standa	(2 sides)
			Br, Bz, Al, SS

Push Bar Set ADA

NOTE: Push/Pull Bars and Sets are custom made and not returnable. Specify Center to Center where appropriate. Standard Mountings - See Page 3.



## PUSH / PULL BARS AND SETS



Push Bar Set ADA



TRIMCO#	1698	
Р	3-1/8"	
CTC	Specify	
Μ	3/8" x 2-1/2"	
BHMA	J501	
2		Br, Bz, Pl, SS

Push Bar Single Bar ADA



TRIMCO#	1729	1731	1732	1746	1746-1
D	3/4"	1"	1"	1-1/4"	1-1/4"
Ρ	3"	3-1/4"	3-1/4"	3-1/2"	3-1/2"
СТС	Pull – 10"	Pull – 10"	Pull – 12"	Pull – 18"	Pull – 12"
	Push - Specify				
М	3/4" Round	1" Round	1" Round	1-1/4" Round	1-1/4" Round
BHMA	J504	J504	J504	J504 J50	)4

Br, Bz, Al, SS

#### Push / Pull Bar Set fOCAL option is available


ADA

NOTE: Push/Pull Bars and Sets are custom made and not returnable. Specify Center to Center where appropriate.


Standard Mountings – See page 3.



## PUSH / PULL BARS AND SETS



TRIMCO#	1737	1738	1747	1747-1
D	1"	1"	1-1/4"	1-1/4"
Р	3-1/4"	3-1/4"	3-1/2"	3-1/2"
CTC	Pull – 10"	Pull – 12"	Pull – 18"	Pull – 12"
	Push – Specify	Push – Specify	Push – Specify	Push – Specify
М	1" Round	1" Round	1-1/4" Round	1-1/4" Round
BHMA	J504	J504	J504	J504
				Br, Bz, Pl, Al, SS



TRIMCO#	1740	1741	1745
D	3/4"	1"	1-1/4"
Р	3"	3-1/4"	3-1/2"
CTC	Specify	Specify	Specify
М	3/4" Round	1" Round	1-1/4" Round
BHMA	J501	J501	J501

Br, Bz, Pl, Al, SS

Push Bar fOCAL option is available ADA

Push / Pull Set

ADA

fOCAL option is available

NOTE: Push/Pull Bars and Sets are custom made and not returnable. Specify Center to Center where appropriate. Standard Mountings - See Page 3.





TRIMCO#	1201	1201-5	1201CK
В	2-1/4"	3"	2-1/4"
Н	3"	5"	3"
BHMA	L02131	L02131	L02131
			Br, Bz, Pl, SS

#### Floor Stop - Cast

1201CK is a heavy duty, high-abuse school design with reduces tampering and loss of rubber bumper. For surface mounting with wood screws, use 1200.



TRIMCO#	1205	
Р	3-1/8"	
СТС	Specify	
Μ	3/8" x 2-1/2"	
BHMA	J501	
		Br, Bz, Pl

#### **Base Stop**

For surface mounting with wood screws, use 1204.

	<b>Ju</b>
OF	


TRIMCO#	1208	
В	1-3/16"	
Р	3-1/4"	
BHMA	L02031	
		Br, Bz, Pl
Base Stop	- Cast	

WS.



<u>TRIMCO#</u>	W1211	
R	1/8"	
В	1-3/4" x 2"	
Н	1"	
Μ	Wrought	
BHMA	L02141	
		Br, Bz, SS

Universal Dome Stop Patent #4,209,876



TRIMCO#	1207
В	2-1/4"
Р	3-3/4"
EYE	7/8" x 2-1/4"
HOOK	2-3/4"
BHMA	L01351

**Base Stop and Holder - Cast** For surface mounting with wood screws, use 1206.

<u>TRIMCO#</u>	1209	
В	1-1/4"	
Н	2"	
		PI

#### Heavy Duty Stop

Ideal for high abuse installations like prisons, schools, heavy doors. Installs with quick-set cement. Requires 1-1/2" diameter cored hole.

Available for wall mount #1209W, hold open feature #1209HO, and #1209HA with extra strong stainless steel shaft and larger rubber.





## STOPS AND RISERS



TRIMCO#	1211	W1211
R	.22"	.22"
В	1-1/2"	1-3/4" x 2"
Н	1.43"	1-1/4"
М	CAST	Wrought
BHMA	L02141/L0	2161
		Br, Bz, Pl

Universal Dome Stop See 1211 Brochure.

O
---

TRIMCO#	1215CKU

Н	1-1/2"	
L	3/16"	
CTC	2-1/5"	
		Br, Bz, Pl

**Universal Stop** Supplied with Torx Screws upon request at extra charge. See 1215CKU Brochure.

TRIMCO#	1211CH	1211CL	
R	3/4"	1/2"	
			AI
Carpet Riser			

Specify Stop Finish

#### TRIMCO# W1211CL W1211CH

OA	1" x 2-1/16"	1" x 2-1/16"
R	5/8"	3/4"
	Riser for the	W1211
		AI

**Carpet Riser** 

Specify Stop Finish



TRIMCO#	1214	1214H	1214CK
В	1-3/4" x 2-1/2"	1-3/4" x 2-1/2"	1-3/4" x 2-1/2"
H	1-3/4"	2-1/4"	2-1/4"
			Supplied with
			Torx Screws
BHMA	L02121		
			Br, Bz, Pl

**Door Stop - Cast -** Heavy Duty. (3 fasteners) 1214CK is a heavy duty, high-abuse, school design which reduces tampering and loss of rubber bumper when mounted to the 1268CK. (requires 3" diameter cored hole in concrete)



## STOPS




TRIMCO#	1217P	1217S	
OA	1-1/2" x 2"	1-1/2" x 2"	
	Pair of Doors	Single Doors	
		-	Br, Bz, Pl, SS
Angle Stop			
For use on			
Stopless Fra	mes		

1217P



TRIMCO#	1220-5	1221-4	1221-4FF
В	1-3/8" x 2"	1-3/8" x 2"	1-3/8" x 2"
Н	5-25/32"	4-27/32"	4-27/32"
F	Full Finish	Spray Finish	Full Finish
BHMA	L01391	L01381	L01381
			Br. Bz. Pl

Door Holder - Cast



TRIMCO#	1224	1224-5	
В	2-1/4"	2-7/8"	
Н	3-5/8"	5-3/4"	
FASTENERS	Combo Pack	Combo Pack	
EYE	7/8" x 1-1/2"	7/8" x 2-1/4"	
HOOK	2-3/4"	2-3/4"	
BHMA	L01371	L01371	
			Br, Bz, Pl

#### Floor Stop / Holder - Cast

Combo Pack. For surface mounting using wood screws, use 1223.



## ADAPTERS, STOPS AND SILENCERS

TRIMCO #	1229A
OA	1/2" x 1/2"
BHMA	L03011

Silencers for Metal Frames Sold in multiples of 100



TRIMCO# 1229B

OA 5/8" x 3/4" BHMA L03021 Silencers for Wood Frames Sold in multiples of 100 TRIMCO# 1229EL

H 1/4" D 1-1/8" Elevator Bumper - Grey Sold in multiples of 125



TRIMCO#	1231	1233	
В	1-5/8" x 2-1/2"	1-3/8" x 2-3/4"	
H	2"	2-7/8"	
BHMA	L02181	L02181	
			Br, Bz, Pl

Floor Stop - Cast Combo Pack




TRIMCO#	1234
В	1-1/2" x 2-3/4"
Н	3"
STR	1" X 2"
BHMA	L01361
	Br, Bz, Pl

Floor Stop, Holder - Cast Combo Pack



TRIMCO#	1235	
В	1-3/8"	
Р	2-15/16"	
BHMA	L02041	
		Br, Bz, Pl
Base Stop - Cast		
WS		





6	TRIMCO#	1244	1244-6	
9	В	2"	2"	
Ì	Р	4-1/4"	6"	
	BHMA	L02191`	L02201	
				Bz Pl

Roller Stop - Cast



TRIMCO#	1245	
В	1-11/16" x 2-1	/4"
Р	3"	
BHMA	L02211	
		Br, Bz, Pl
Roller Stop - Cast		



TRIMCO#	1254
OA	2-3/4" x 2-1/2"
STR	1" x 2"
STR-P	2-1/8"
BHMA	L01291
	Br, Bz, Pl

Holder / Wall Strike - Cast Combo Pack



TRIMCO#	1255	
L	7-1/16"	
W	2-7/16"	
TH	1-3/4"	
BHMA	L01411	
		Br, Bz, Pl

Plunger Door Holder - Cast Extra rugged cast brass or bronze



TRIMCO#	1257M	
В	3-1/4" x 1-3/4"	
Н	2-3/4"	
STR	1-5/8" x 2"	
BHMA	L01241	
	Br, Bz, Pl	
Heavy Duty Floor Stop - Cast		

MS & ES



TRIMCO#	1257R	
OA	6" x 8-3/8"	
Н	5"	
BHMA	L01241	
		AI

Riser for the 1257 Series Stop Cast Sprayed to match




TRIMCO#	1258M
В	3-1/4" x 1-3/4"
Н	2-3/4"
STR-D	1-1/4"
	Br, Bz, Pl
I I a a sure Dest	

Heavy Duty Floor Stop - Cast MS & ES



## SPECIAL STRIKES AND HOLDERS



TRIMCO# 1260WP

BODY 3-1/16" x 3-1/2"

#### Br, Bz, PI Holder with Pipe Adapter Strike Cast Drilled for 3/4" IPS (pipe not supplied)



TRIMCO#	1260W	1261	1263	1265	1267
OA	3-1/16" x 3-1/2"				
C		1/2"	9/16" — 1-1/16"	1-1/8" x 1-9/16"	1-5/8" x 2-1/16"
P-Holder	2"	2"	2"	2"	2"
P-Strike	2-1/2"	1-1/4"	1-3/4"	2-1/4"	2-3/4"
BHMA	L01301	L01301	L01301	L01301	L01301
	Wall Strike	Floor Strike	Floor Strike	Floor Strike	Floor Strike
					Br, Bz, Pl


Door Holder and Strike - Cast



TRIMCO# 1260P

OA	1-1/2" x 1-3/4"	
BHMA	L01331	
		Bz. Pl

**Pipe Adapter Strike - Cast** For installation where door swings over a step 3/4" IPS. (pipe not supplied)



TRIMCO#	1268	1268CK	
D	4"	2-3/4"	
Н	3-5/8"	3-5/8"	
			AI
	Installed in wet cement	Drilled and tapped for the 1214CK	

Plate Adapter - Cast Sprayed to match stop.

Drilled and tapped for the 1214CK Requires 3" diameter cored hole in concrete. Not installed in wet cement.









TRIMCO#	1271SA	1271TB	1271CP
ID	1-1/4"	1-1/4"	1-1/4"
OD	1-7/8"	1-7/8"	1-7/8"
Р	11/16"	11/16"	11/16"
FASTENER	Self Adhesive	Toggle Bolt / WS	Combo Pack
COLOR	Grey	Grey	Grey
Rimless Rubb	er Wall Bumper	•	

Rimless Rubber Wall Bumper



TRIMCO#	1270CV	1270WV	1270CX	1270WX
ID	1-3/8"	1-3/8"	1-3/8"	1-3/8"
OD	2-3/16"	2-3/16"	2-3/16"	2-3/16"
Р	1"	1"	1"	1"
Μ	Cast	Wrought	Cast	Wrought
BHMA	L02251	L02251	L02101	L02101
	Br, Bz, Pl	Br, Bz, Pl, SS	Br, Bz, Pl	Br, Bz, Pl, SS
Wall Dummer	Combo Dook			


Wall Bumper - Combo Pack Anti-Vandal Rubber Convex (X) available. Concave (V) shown Come with our combo pack



RIMCO#	1275RP
_	

TRIMCO#	1275RP	
ID	9/16"	
OD	1"	
Р	9/16"	
BHMA	L02101	
		Br, Bz, Pl


**Small Wall Bumper** WS x RP



TRIMCO#	1277/79
D	4"
Р	3/4"
BHMA	L02111/L02101

Br, Bz, Pl Large Wall Bumper - Cast Available with concealed or exposed fasteners. Convex (X) only. Please specify fasteners as below\*

\*New Wall Bumper Abbreviations: C = Cast W = Wrought X = ConvexV = Concave TB = Toggle Bolt



TRIMCO#	1278CX	
OD	1-1/2"	
Р	1"	
BHMA	L02101	
		Br Bz PLA

Br, Bz, Pl, Al

Wall Bumper WS x RP. Minimal Trim. Anti-Vandal Rubber. Concave (V) shown Convex (X) available Please specify fasteners as below\*

MS = Machine Screw CP = Combo Pack WS = Wood Screw RP = Rawl Plug

24 HOUR FAX: 800-637-8746





TRIMCO#	L1280
OA	3/4" x 2-1/4" x 2"
STR	5/8" x 2-13/16"
	Br, Bz, Pl

Door Holder - Cast



TRIMCO#	1282	1282CI
OA	3/4" x 2-1/4" x 2"	3/4" x 2-1/4" x 2"
STR	2-1/2" x 1-5/8"	2-1/2" x 1-5/8"
	Br, Bz, Pl	Cast Iron
		Sprayed to Match

Door Holder - Cast Specify fastenings



#### TRIMCO# 1283-4S

OA	2-1/4" x 2-3/4" x 1-1/2"
STR	3" Wall
BHMA	L01301

Br, Bz, PI **"Adjustre" Holder Body and Wall Strike - Cast** The self-adjusting "Adjustre" compensates for door sag both horizontally and vertically. Patent #3129024



TRIMCO#	1283-2S
OA	2-1/4" x 2-3/4" x 1-1/2"
STR	3" Floor
BHMA	L01301
	Br, Bz, Pl

"Adjustre" Holder Body and Floor Strike - Cast The self-adjusting "Adjustre" compensates for door sag both horizontally and vertically. Patent #3129024




TRIMCO#	1283-6S	
OA	2-1/4" x 2-3/4" x 1-1/2"	
STR	3-1/8" x 2-7/8"	
		Br, Bz, Pl

#### "Adjustre" Holder Body and Pivoting Wall Strike - Cast

Use pivoting strike to take care of any difficult opening angle hold open position. Wall mount only.



TRIMCO#1214CK x 1268CKOA5-7/8" x 2-1/2"Heavy-Duty StopPinned, screwed and recessedrubber resists vandalism. Torx.Requires 3" diameter cored holeand Quick-crete.



#### TRIMCO# 1270CVPV

Wall Bumper Vandal Proof. Rubber can not be removed; Anti-Rotation Pin. 1270CVSV (School Version) Stop available. See Brochure. Patent applied for.



## HOLDERS / STOPS



TRIMCO#	1290
В	4-1/2"
STR	15/8" x 2-1/8"
Н	4-7/8"
BHMA	L01251
	Br, Bz, Pl

Floor Stop & Holder - Cast Heavy Duty



TRIMCO#	1296	
В	2"	
Р	4-1/4"	
BHMA	L02031	
		Br, Bz, Pl
<b>Base Ston</b>	- Cast	

**Base Stop - Cast** Single Hanger Bolt. Add suffix "S" to specify 3-hole surface mount



TRIMCO#	1298
В	2-1/4" x 2-5/8"
Ρ	4-3/16"
	Br, Bz, Pl
Door Stop -	Cast
Extra rugged,	
three point fa	

Anti-Vandal



## **RESTROOM SIGNS**



TRIMCO#	507
OA	6" x 9"
SYM	Men/Braille

Restroom Sign ADA



TRIMCO#	508
OA	6" x 9"
SYM	Women/Braille

Restroom Sign ADA



509
8" x 9"
Unisex/Braille

Restroom Sign ADA



TRIMCO#	527
OA	6" x 9"
SYM	Men/Handicap/
	Braille

Restroom Sign ADA



TRIMCO#	528
OA	6" x 9"
SYM	Women/
	Handicap/
	Braille

Restroom Sign ADA



TRIMCO#	529
OA	8" x 9"
SYM	Unisex/
	Handicap/
	Braille

Restroom Sign ADA



TRIMCO# 5004

Mortise Lock Indicator Red signifies Locked Green signifies Unlocked Emergency Access Available. Can be customized for most locksets.



## HANDICAP RESTROOM SIGNS



8" Square OA SYM Handicap Handicap Sign

1/8" Engraved Sign

TRIMCO# 751



#### TRIMCO# 752

OA 12" Circle SYM Unisex

**Restroom Sign** 1/4" Material Title 24 Signage



TRIMCO#	753
OA	10-3/8" x 12"
SYM	Men
Restroom Sign	

1/4" Material Title 24 Signage



TRIMCO#	754
OA	12" Circle
SYM	Women

**Restroom Sign** 1/4" Material Title 24 Signage

NOTE: All signs are raised white letters and figures, with Braille, on blue plastic grade 2 and supplied with 2-sided mounting tape.


Other symbols and combinations available. Please inquire.

$\frown$	TRIMCO#	755	756	
(PUSH)	D	2-5/8"	2-5/8"	
	E	Push	Pull	
				Br, Bz, SS
$\smile$	Indicator Plate			
	TRIMCO#	757	758	
(PUSH)	OA	1-1/2" x 3-3/8"	1-1/2" x 3-3/8"	
	E	Push	Pull	
PULL				Br, Bz, SS
	Indicator Plate			

1/8" material. Adhesive mount.



## fOCAL



## MAIL PLATES, COAT HOOKS, OTHER



TRIMCO#	3070-1
В	1-5/8" x 1-3/8"
Р	3"
Н	2-1/2"
BHMA	L03111

Br, Bz, PI Coat & Hat Hook - Cast Burnished




TRIMCO#	3071
OA	7/8" x 5-1/2" x 1-7/8
Р	1-3/4"
Μ	3/16"
BHMA	L03111
	Br, Bz, Pl, SS

Coat & Hat Hook Attractive and Rugged




	TRIMCO#	625CV	625CVE	625V	625VE
O	OA	3-7/8" x 2"	3-7/8" x 2"	3-1/4" x 2"	3-1/4" x 2
	Knocker	Card Holder	Card Holder	Viewer	Viewer
	Includes:	w/Viewer	w/Eng/Viewer		
	BHMA	L03151	L03151	L03151	L03151

Br, Pl



TRIMCO#	620	621	
OA	3" x 2-1/8"	6-1/8" x 3-1/8"	
BHMA	L03161	L03151	

Door Knocker




TRIMCO# 975 975L 975U 976 976U <u>OA</u> 160° 160° 180° 180° 160° **BHMA** L03172 L03172 L03222 L03171 L03221 🖲 Br, Pl (4) Extra Log

**Door Viewer** 



## HANDRAIL BRACKETS



TRIMCO#	3404
В	3"
WC	2-3/4"
Р	3-1/4"
F	Full Finish
BHMA	L03091
	Br, Bz, Al
Handrail Bracket - Cast	



TRIMCO#	3405
OA	3" Base
Р	3-1/2"
WC	2-1/2"
F	Full Finish
BHMA	L03091
	Br, Bz, Al
I I a secolar a 11 D	

Handrail Bracket - Cast Fits 1-3/4" diameter rail




TRIMCO#	3401FF
В	3"
WC	2-3/4"
Р	3"
BHMA	L03081

Br, Bz Handrail Bracket - Cast Fits 1-3/4" diameter wood rail



TRIMCO#	3406
В	3-3/4"
WC	3"
Р	3-7/8"
BHMA	L03081
	Br, Bz, Al
Handrail B	racket - Cast
Fits 1-3/4" (	diameter
wood rail	



TRIMCO#	3408
В	1-1/2" x 2-3/4"
WC	2-5/8"
Р	3-7/16"
BHMA	L03061
	Br, Bz, Al

Handrail Bracket - Cast



TRIMCO#	3409	
В	3-3/4"	
WC	3-1/4"	
Р	3-7/8"	
	Br, Bz, Al	
Handrail Bracket - Cast		

NOTE: All of the above meet ADA with narrow handrail. May require additional spacer

Mith wide headrail

B = base, F = finish, OA = overall size, P = projection, WC = wall to centerline

## ASTRAGALS AND GUARDS




#### TRIMCO# 4048

33-3/4"
L02222

**Chain Crash Stop** Extra heavy-duty solid welded steel twist chain designed for heavy commercial doors. Heavy cast brass plates with heavy compression springs at each end. This product is not adjustable.


TRIMCO#	5000-T
OA	9-1/2" x 1-7/8"
CTC	8-1/2"
	Bz, Pl

Lock Astragal - Cast Mortise or cylindrical lock. Custom spacer available for longer lipped strikes.




TRIMCO#	4015
OA (plate)	3-3/8" x 1-7/16"
(chain)	7-1/2"
(holder)	3/4" x 2"
BHMA	L03041
	Br, Pl

**Door Guard, Chain** All Brass except chain.



Cylindrical lock only.

SS




TRIMCO#	4016	4016ED	4016-S
OA	2-1/2" x 5-1/8"	1" x 1/2"	1-7/8" x 1-1/8" x specify ht.
BHMA	L03041		
Door Guard – S	Br, Bz, Pl wing Arm	<b>Br, Bz, Pl</b> Adhesive Mount	Black Nylon
Hinged bar allow	s guard to be	Edge Protector	Spacer for 4016
positioned 180° a	away from door	for 4016	

when not in use




TRIMCO# 5022 Unit Lock Adapter Retro-fit installation so that a cylindrical lock can replace a unit-lock.

## PLATES AND GUARDS




TRIMCO#	PG8000
OA	10" x 11-1/2"
Р	3-3/16"
	Br, Bz, SS
Latch Gua .050	rd




TRIMCO#	PG8002	PG8002-1 (2 pieces)
OA	10" x Specify	10" x Specify
<u>P</u>	3-3/16"	3-3/16"
L	Specify	Specify
		Br, Bz, SS

SPECIAL PLATES




## PLATES AND GUARDS



TRIMCO#	KA038	KA050-1	KA050-2	KA050-3
OA	17-48" H	17-24" H	25-42" H	43-48" H
Μ	.038	.050	.050	.050
BHMA		J101	J101	J101
				Br, Bz, Al, SS
Armor Plate	SS only	605 finish = 24" height	t maximum	

TRIMCO#	KM038	KM050	
OA	Under 6" high	Under 6" high	
Μ	.038	.050	
BHMA		J103	




Br, Bz, Al, SS Stretcher Plate - .050 Other heights are available.

**Kick Plate** 

Other colors and clear are available.


NOTE: All Kick plates are made from solid 260 Brass, 220 Bronze, 304 Stainless Steel or 5005H34 Aluminum. All edges are relieved. Heavy bevel at extra charge. All .038 Protection plates are Stainless Steel ONLY. Specify countersinking if required.

## **fOCAL**




TRIMCO#	KE31-1
OA	90° x up to 42"
OD	1-11/16"
RET	7/8"
BHMA	J204
	Br, Bz, SS

Edge Guard – for non-beveled stile on single acting door.



TRIMCO#	KE33-1
OA	90° x up to 42"
OD	1-3/4"
RET	7/8"
BHMA	J210
	Br, Bz, SS
Edge Guard	<ul> <li>for non-beveled</li> </ul>

stile for double acting door.




TRIMCO#	KE35-1
OA	90° x up to 42"
ID	1-11/16"
RET	1-1/4"
BHMA	J201
	Br, Bz, SS
Edge Guard – for non-beveled	

stile on single acting door.


TRIMCO#

TDIMCO#



OA	90° x up to 42"
ID	1-3/4"
RET	1-1/4"
BHMA	J207
	Br, Bz, SS
Edge Guard – for non-beveled stile on double acting door.	

KE37-1



Fingerguard – Nursery and
Pre-school item protects little
fingers from getting pinched
between door and jamb. Up
To 48", specify height when
ordering. Over 48" call for
quote. Maximum length is 60"

K30



TRIMCO#	KE32-1
OA	93° x up to 42"
OD	1-11/16"
RET	7/8"
BHMA	J205
	Br, Bz, SS

Edge Guard – for stile beveled 1/8" on single acting door.

	TRIMCO#
	OA
	OD
1 3/4"0.D.	RET
2 1/2"R	BHMA
	<b>Edge Gua</b> Radius stile
- 7/8" -	

TRIMCO#

OA

OA	DA x up to 42"
OD	1-3/4"
RET	7/8"
BHMA	J212
	Br, Bz, SS

KE34-1


uard - Double Acting. For Radius stile on double acting door.

> KE36-1 93° x up to 42

1/8" Bevel	_
1 11/16" I.D.	
- 1 1/4" -	

ID	1-11/16"
RET	1-1/4"
BHMA	J202
	Br, Bz, SS
Edge Guard – fir stile beveled	
1/8" to 2" on single acting door	

E 1/8" to 2" on single acting door.



TRIMCO#	KE38-1	
OA	DA x up to 42"	
ID	1-3/4"	
RET	1-1/4"	
BHMA	J209	
	Br, Bz, SS	
Edge Guard – for radius stile on		
double acting door		

double acting door.



TRIMCO#	KH050

To cover glass on narrow stile aluminum doors.

NOTE: For angle edge guards, we suggest 1/16" less than door thickness. For edge guards, specify: Handing, Mortise, Non-Mortise, Bevel, Non-Bevel, No Cutouts. Need Drawing on all Cutouts and Special Screw locations. Holes are drilled approximately 3/8" from edge and spaced six inches apart. Do not pre-drill doors. Include drawings for all special screw patterns, cutouts. Over 42" by quote. Tolerance on all dimensions +/- 1/16".