



US Residential Range



Lever Handles

Also available with Ceramic Coating in a variety of colors (see page 07)



101 Cologne (32, 32D)



103 Oslo (32, 32D)



104 Brussels (32, 32D)



105 Frankfurt (32, 32D, 10B)



106 Copenhagen
(32, 32D, 10B)



107 Stockholm (32, 32D)



108 Vienna (SP)



210 Air-stream (32, 32D, 10B)



211 Breeze (32, 32D, 10B)



213 Cabernet (32, 32D)
Wood insert color reference: walnut



214 Champagne (32, 32D, 10B)



217 Horizon (32, 32D)



221 Aurora
(32, 32D, SP, 10B)



223 Phoenix (32D, SP)



225 Waterfall (32, 32D)



226 Summer (32, 32D)



227 Stratus (32, 32D)



243 Sunrise (32, 32D, 10B)




251 Sequoia (32, 32D, SP)



311 Crest (32, 32D, 10B)



344 Ecco (32, 32D)



345 Tokyo (32, 32D)



351 Toronto (32, 32D)



379 Arctic (32, 32D)



380 Polaris (32, 32D)

Lever Designs with "Return To Door" (RTD)*

* Compliant with California and other state Fire Codes



102 Munich (32, 32D)



109 Stuttgart (32, 32D)



244 Twilight (32, 32D)




346 Osaka (32, 32D)

All lever designs above are available with any of the Rosettes or Plates listed on the next page. 379 Arctic knob is available for GT/GS small rosette and BP/MU plates. 380 Polaris knob is available for RA/SE rosette and SF/LA plates and Entrance Handlesets.

ROSETTES


RA Series

2-1/2" Round Rose




SE Series

2-3/8" Square Rose




GT Series

2-1/16" Round Rose



GS Series


2" Square Rose




Note: GS and GT Series roses require non-standard door prep.

PLATES


SF Series




LA Series




SH Series



SF Series



LA Series



Function:

Passage, Privacy, Passage w/ Privacy Bolt
Single Dummy and Dummy Pair

Function:

Entry with Tubular Latch and Deadbolt combination
Entry with Mortise Lock (Residential and Commercial Grade)


Finish:

32: Bright Polished Stainless Steel (630)
32D: Satin Stainless Steel (629)
10B: Oil Rubbed Bronze on Stainless Steel
Ceramic Coating available




UNIVERSAL MULTIPOINT TRIMS (PATENT PENDING)

MU Series with American Cylinder



BP Series with Euro Profile Cylinder



Lever to Cylinder Center Distance (CTC) 3-5/8" (92mm)

Function:

1. Entry function: American Cylinder or Euro Cylinder
2. Patio: American Cylinder or Euro Cylinder, Passage, Dummy Pair, Half Passage

Finish:

- 32: Bright Stainless Steel (630)
- 32D: Satin Stainless Steel (629)
- 10B: Oil Rubbed Bronze on Stainless Steel (613)
- Ceramic Coating available

PRIVACY BOLTS



GT Privacy Set
Passage w/ Privacy Bolt
Also available in GS



SF Privacy Set
Passage w/ Privacy Bolt
Also available in LA

DEADBOLTS

BEVELED EDGE



RD Deadbolt
2-3/8" Round Rose



SD Deadbolt
2-3/8" Square Rose

LOW PROFILE



CD Deadbolt
2-1/2" Round Rose




LD Deadbolt
2-3/8" Square Rose

EURO SMALL PROFILE



GD Deadbolt
2-1/16" Round Rose



HD Deadbolt
2-1/16" Square Rose

Function:

Single Cylinder, Double Cylinder and Communicating

Finish:

32: Bright Polish Stainless Steel (630)
32D: Satin Stainless Steel (629)
10B: Oil Rubbed Bronze on Stainless Steel (613)
Ceramic Coating available

Note: HD and GD Series require non-standard door prep.

MORTISE HANDLE SET



NY Mortise Set



MH Mortise Set



ME Mortise Set



BW Mortise Set

Function:

Entry with MT Series Mortise Lock (Residential Grade)
Dummy Set (for Pair Doors)

Finish:

32: Bright Polish Stainless Steel (630)
32D: Satin Stainless Steel (629)

10B: Oil Rubbed Bronze on Stainless Steel (613)
Ceramic Coating available

TUBULAR HANDLE SET



NY Tubular Set



MH Tubular Set

Function:

Entry with TL5 Residential Latch and Deadbolt
Dummy Set (for Pair Doors)

SH SERIES ESCUTCHEON



The new SH series escutcheon bridges the gap between the smaller roses and the larger escutcheon plates, adding a sleek, classic touch.

Size:

4-17/32" (115mm) x 2-3/8" (60mm)

Finishes:

US32/629 Polished Stainless Steel
US32D/630 Satin Stainless Steel
US4/606 Satin Brass
Ceramic Coating available


MORTISE LOCKS



Function:

Passage (F01)
Privacy (F22)
Office / Inner Entry (F04)
Classroom (F05)
Storeroom (F07)
Entry without Toggle
Entry with Toggle (F20)
Dummy Pair (MDP)

TUBULAR LOCKS



TL4 Latch - Commercial Grade




28 Degree Latch Retraction
Backset: 2-3/8" (60mm),
2-3/4" (70mm)
Function: Passage, Privacy
Option: UL 3 Hour fire rated latches

RIM EXIT DEVICES

Heavy Duty ANSI Grade 1 Commercial Exit Device

ED93/ED70 Series



Finishes

Stocking: US32 (ED93): US32 and AL (ED70)

Lever Options

INOX™ RIM Exit Devices are available with all lever designs (see inside cover).

Examples of INOX trim for Exit Devices



RA243 Sunrise



RA244 Twilight

Twilight is a return-to-door lever design that meets various state building codes for door openings.

Example of INOX trim for Exit Devices

02: Dummy - Entrance by trim when actuating bar is locked down

03: Night Latch - Entrance by trim when latch bolt is retracted by key in rim cylinder

14: Passage - Entrance by trim when latch bolt is released by lever. Always active, no cylinder

X SERIES GRADE 1 TRIM

For Mortise Locks



INOX® Grade 1 Trim has been created to provide new heavy-duty options for fire protection and security.













Features:

- Solid Stainless Steel Lever
- Hardened knurled brass nut for mechanical integrity and strength
- Cast Stainless Steel sub-rose
- Threaded Rose covers for easy installation
- Heavy duty wire torsion spring

Available Levers in X Series:

- 102 Munich (Solid version - 202)
- 105 Frankfurt (Solid version - 205)
- 221 Aurora
- 243 Sunrise
- 244 Twilight
- 345 Tokyo
- 346 Osaka

FINISH OPTIONS

BRASS MATERIAL										STAINLESS STEEL MATERIAL	
Brass Tones				Dark Tones		Silver Tones					
											
US3* (605)	US4 (606)	US7 (608)	38 (Aged Brass)	US10B (613)	US19 (622)	US14* (618)	US15 (619)	US26 (625)	US26D (626)	US32 (629)	US32D (630)

Not all finishes are available in stock for all products, special orders may apply.

Finish Key:

US3 (605) Bright Brass - Lifetime PVD
 US4 (606) Satin Brass
 US7 (608) French Antique
 US10B (613) Oil Rubbed Bronze
 US19 (622) Flat Black
 US14 (618) Polished Nickel (Brass) - Lifetime PVD
 US15 (619) Satin Nickel (Brass)
 US26 (625) Polished Chrome (Brass)
 US26D (626) Satin Chrome (Brass)
 US32 (629) Bright Stainless Steel - Lifetime
 US32D (630) Satin Stainless Steel - Lifetime
 38 - Aged Brass

Ceramic Coating:

Ceramic coating not only provides a rainbow of new color options, but offers effective abrasive-resistance qualities for areas with adverse weather conditions. Flat Black (19), Graphite Black (19G), White (WH) and Grey (GY) are in stock; call for lead time, special production applies. Inquire about other options.



Flat Black



White



Grey



Graphite Black

Finish



Satin Stainless Steel
US32D/630



Bright Polished Stainless Steel
US32/629



Two-tone Stainless Steel
SP*



Oil Rubbed Bronze on Stainless Steel
10B/613

SP* is a two-tone stainless steel finish: polished (32) finish on the neck of the lever and rose cover, satin (32D) finish on the grip of the lever.

PD8000/PD5000 POCKET/SLIDING DOOR MORTISE LOCKS

WITH FLUSH PULLS FOR POCKET DOOR



PD8000 with FH27 Linear Flush Pull*



PD5000 with FH29 Arc Flush Pull



PD8000 with FH31 Regal Flush Pull



PD8000 with FH32 Crown Flush Pull



PD5000 with FH22 Luna Flush Pull



PD8000 with FH23 Urban Flush Pull

Function:

PD8010/PD5010 = Passage with Lockcase and Built-in Edge Pull

PD8115 = Passage with Lockcase and Built-in Edge Pull and Dust Proof Strike for Inactive Pair Door

PD8440 = Privacy with Deadbolt and Emergency Release and Built-in Edge Pull

PD8450 = Entry with Deadbolt and Single Cylinder and Built-in Edge Pull

PD8460 = Patio with Deadbolt and Built-in Edge Pull

DP = Dummy/Passage Without Lockcase

* Slim Trim available for 1-3/8" doors (FH27 Linear series only, Passage or Privacy function)

PD8000 POCKET/SLIDING DOOR MORTISE LOCKS


WITH SURFACE PULLS FOR SLIDING OR BARN DOOR



PD8000 with PHIX41714 ADA Pull



PD5000 with PHIX30108 ADA Pull



PD8000 with PHIX31108 ADA Pull



PD5000 with PHIX45714 ADA Pull

Function:

PD8215/PD5215 = Passage with Lockcase and Built-in Dust Proof Strike for Inactive Pair Door, NO Edge Pull (ADA*)

PD8340/PD5340 = Privacy with Deadbolt and Emergency Release, NO Edge Pull (ADA*)

PD8350/PD5350 = Entry with Deadbolt and Single Cylinder, NO Edge Pull (ADA*)

PD8360/PD5360 = Patio with Deadbolt, NO Edge Pull (ADA*)

DP = Dummy/Passage Without Lockcase

* ADA: Americans with Disability Act.

Functions or Lockcases can be used with ADA surface pulls meeting ADA Requirements.






Finish:

US32 (629) Bright Stainless Steel

US32D (630) Polished Stainless Steel

Ceramic Coating available

HINGES

	3-1/2" x 3-1/2"	Ga. 0.097"	2 Ball Bearing
	4" x 4"	Ga. 0.097"	2 Ball Bearing
	4" x 4"	Ga. 0.130"	2 Ball Bearing
	4-1/2" x 4"	Ga. 0.134"	2 Ball Bearing
	4-1/2" x 4-1/2"	Ga. 0.134"	2 Ball Bearing
	4-1/2" x 4-1/2"	Ga. 0.180" (4.6mm)	4 Ball Bearing
	5" x 4-1/2"	Ga. 0.180" (4.6mm)	4 Ball Bearing
	5" x 5"	Ga. 0.180" (4.6mm)	4 Ball Bearing
	3-1/2" x 3-1/2"	Ga. 0.107"	Spring Hinge
	4" x 4"	Ga. 0.130"	Spring Hinge
	4-1/2" x 4-1/2"	Ga. 0.134"	Spring Hinge

PULL HANDLES

Function: Bolt-Thru (BT) and Back-to-Back (BTB).



D-Shape U-Shape T-Shape C-Shape V-Shape

	Tube Diameter	CTC
D-Shape	1"	10", 12"
	1-1/4"	12", 18"
U-Shape	3/4"	6", 8", 10", 12"
	1"	10", 12"
	1-1/4"	12", 18"
T-Shape	7/8"	5-1/2"
	1"	10", 12", 18"
	1-1/4"	10", 12", 18", 48", 60"
C-Shape	1-1/4"	12"
V-Shape	1-1/4"	12"

ACCESSORIES





Why Stainless Steel?

Corrosion Resistant: Stainless Steel is one of the world's most corrosion resistant metals. As such, it makes an ideal metal for use on exterior doors, which are subject to extreme weather conditions. While Stainless Steel is corrosion resistant it still must be maintained and cleaned on a regular basis.

Environmentally Friendly: Unison Hardware has a stellar track record with our stainless steel manufacturing. Our factories use state of the art manufacturing processes which dramatically reduce carbon emissions, conserve energy, and use recycled raw materials.

Beauty: INOX™ line of stainless steel products brings out the attractiveness of this metal by highlighting the beauty of the nickel content. Our hand polishing reveals the elegant color and smooth texture of this rich metal and ensures a long lasting finish compared to most plating finishes.

INOX™ Stainless Steel Finishes

- Satin Stainless Steel (US32D/630)
- Bright Polished Stainless Steel (US32/629)
- Satin Stainless Steel and Bright Polished- SP (Satin on lever grip; Polished on Rose and Neck)
- Oil Rubbed Bronze (US10B/613)
- Ceramic Coatings (see page 07)

Ceramic Coating

Our INOX™ line now offers beautiful Ceramic Coating finishes in an array of colors.

Ceramic coating not only provides new color options, but offers effective abrasive-resistance qualities for areas with adverse weather conditions. See page 07 for more information.



Satin
Stainless Steel
(US32D/630)



Bright Polished
Stainless Steel
(US32/629)



Oil Rubbed Bronze
on Stainless Steel
(US10B/613)



Flat Black on
Stainless Steel
(US19/622)



Laser Art


Personalize your hardware with INOX Unique Laser Techonlogy.

inox[®]
U S A







An artist lives within each of us, dare to reflect your individuality with INOX Laser Art™ Technology. Exceptional engineering plus your imagination create a **unique signature** for your interior décor.

Custom materials and designs available.



Please visit our website
<http://www.inoxproducts.com>
for more technical and new product information.



Unison Hardware Inc., also offers an extensive line of the commercial products including locksets, exit devices, door closers, and additional door accessories.



UNISON HARDWARE, INC.
 6 Wayne Court, Sacramento, CA 95829, USA
 Tel: +1.916.388.1888 Fax: +1.916.388.8322
 Email: info@unisonhardware.com