

A Veteran Owned Small Business

Buy It Once, Install It Once!











Catalog








Veteran Owned Small Business for Three Generations

Founder - Curtis C. Bailey As a kid growing up in beautiful Northern California, Curt Bailey was always outside. With three older brothers and a little sister in tow, there was never a dull moment and many crazy adventures in Chico Creek, Butte Meadows or even their own backyard. Although Curt's parents, Tom and Sharon Bailey, ran their own cattle ranch, Curt spent much of his time tinkering with whatever electronics and gadgets he could get his hands on. In 1973, at 22 years old, Curt enlisted in the United States Army and served in the Korean War as a journalist photographer under the Second Infantry. Soon after arriving back home in the States, Curt got a job working for his local parks maintenance and from there his love of parks, nature and all things outdoors grew into a passion that quickly ignited action. After seeing first-hand what uncontrolled litter, graffiti and vandalism can do to the environment and the quality of parks, Curt threw himself into inventing and patenting new and improved products such as Etch Resistant No Glass Mirrors, Soap Dispensers and even Electric Hand Dryers. These vandal proof products now not only serve in parks, but rest stops, bars, and even US Navy Aircraft carriers. Curt was also an avid participant of the community in other ways including being a member of the Forest Ranch Lions Club and maintaining Chico's Veterans Memorial. His biggest passion outside of outdoors was his family's history and after months of research on the Bailey's lineage and connection to the Hoghton Towers located in Preston, England, Curt was able to travel overseas and walk the very grounds of the castle he had read so much about. Shortly thereafter, following a courageous battle with cancer, Curt passed away on August 2nd, 2015. However, he dedicated even his last months to make certain that Vandal Stop Products would stay the outstanding company that he had created it to be.



Partner - Thorson W. Bailey, better known as TW, was born on June 8th, 1924 into a very loving home. Growing up with two older siblings in southern Arkansas in the midst of the Great Depression, Tom learned how to work hard from a very young age. At 15 he once spent a whole day plowing with his favorite mule, Red so that he could ride her twenty miles round-trip that night to see Ronald Reagan in the 1940 film Knute Rockne All- American! In 1943, a year after graduating high school, Tom joined the Army Air Corps. He was then stationed all over the states including New York, Alabama and finally California. It was there in Chico, while stationed at the Chico Air Base as an airplane mechanic that Tom met his future wife Sharon Grace. After whirlwind courtship, they were married in June of 1945. Soon after, Tom graduated from Chico State University with a degree in accounting. As a father to five, four sons and a daughter, Tom worked many different jobs including realty, accounting and running a cattle ranch. Later in his life, Tom dedicated much of his time to the Chico Breakfast Lions Club, serving as president for two years in a row. Taking an interest in his son Curt's Vandal Stop Products, Tom also became co-owner of Atlas-American and faithfully supported Curt all the way through. After passing away in spring of 2015, Tom's legacy is not only carried on by Vandal Stop Products but his 5 children, 8 grandchildren and 15 great grandchildren as well.



President - Robert T. Adamis As the nephew of the founder of Vandal Stop Products, Curtis Bailey and the Grandson of Thorson W. Bailey, Robert took an interest in all things mechanical and computers at an early age. During his early years of college taking engineering courses, Robert designed Vandal Stops first website at the request of Curt Bailey. In 2005 after completing his degree in Aerospace Engineering, Robert was commissioned as a 2d Lt in the USAF where he served active duty first as an Operations Analyst testing the F-16, F-15E, A-10 and F-22 fighter aircraft. He later became an ROTC instructor teaching new cadets in Air Force History and Decorum. He then transferred to Defense Contract Management Agency (DCMA) and worked on the Advanced Extreme High Frequency (AEHF) satellite program and then the US Navy's Fleet Ballistic Missile (FBM) Trident II D5 Program as a Program Integrator. After 11 years of Active Duty Service, Robert transferred into the Air Force Reserves and continues to serve when called. With the passing of Curt and Tom, Robert has now picked up the banner of Vandal Stop Products to carry it forward.





Phone (530) 894 7867

What Makes Our Products Different?

There are many "Anti Vandal" products on the market but none come close to matching all of the features of Atlas American heavy duty restroom fixtures. From Warranty, Design, Material, Mounting, Paper Flexibility and being Made in the USA; feature for feature there is no better product. "Simple, Rugged and Reliable!"

Best Warranty

We are so confident in our products when properly installed and secured that we offer an industry leading **Ten Year Extended Warranty.**

Anti-Vandal by Design


Security comes by a good design. One feature of Vandal Stop Products is the protected lock design to prevent vandals and thieves from easily compromising the lock and removing your costly paper products.





Thicker Material

The distinguishing feature of our products is the 12 gauge stainless steel material used. It is 350% thicker than the industry standard and over 200% the thickness of other "vandal resistant" products on the market. 12 gauge is difficult to manufacture in but it is unmatched in strength.



Phone (530) 894 7867

American Made

American Made Veteran Owned

(530)-894-7867 sales@vandalstop.com

Vandal Stop Products is a small family owned business that includes 3 generations of Military Veterans. Because of our heritage, we are proud that all of our products are Made in the USA with American sourced Stainless Steel.



Better Mounting

Our products are specified to be mounted with industry leading %" diameter mounting hardware. The difference in strength is apparent from the image below. Once properly mounted into concrete walls or drywall with %" backing, our products will stand up to use, abuse and vandals.

Standard Industry Mounting Hardware: #8 Metal Screws



Paper Flexity

We believe in offering you the flexibility to choose your paper products that work for you. Save money month after month by freeing your facilities from locked-in paper supply contracts, while also providing the best double deterrent against vandal theft and vandal damage.





www.vandalstop.com

Vandal Stop Products by Atlas American LLC 1930 Village Center Circle #3-5871 Las Vegas, NV 89134

Warranty Information

Vandal Stop Products is proud of the rugged durability and reliability of our products and we back it with the strongest warranty in the industry. Products that contain "VSP" or "AA" nomenclature in the product name are covered by this warranty unless otherwise stated.

Definitions

- **12 Gauge Products**: come with 10 year vandalism warranty against non power tool assisted vandalism. Unit must be installed using specified mounting hardware and locked while in service. Your product is guaranteed to remain functional after a vandal attack or it will be repaired or replaced at our discretion.
- **14 Gauge Products:** come with a Limited 5 Year Functional Warranty against manufacturing defects and heavy abuse and non tool assisted vandalism when properly installed using specified mounting hardware and locked while in service. Your product is guaranteed to remain functional after a vandal attack or it will be repaired or replaced at our discretion.
- **16 Gauge Products**: come with with a Limited 2 Year Functional Warranty against manufacturing defects and heavy use for high traffic facilities that do not see frequent abuse or vandalism by customers when properly installed using specified mounting hardware and locked while in service. Your product is guaranteed to remain functional in heavy use or it will be repaired or replaced at our discretion.
- **304L Stainless Steel Products:** are suitable for applications where frequent exposure to fresh water will occur. The product is guaranteed not to fail because of corrosion related deterioration due to freshwater or it will be repaired or replaced at our discretion.
- **316L Stainless Steel Products**: are suitable for applications where frequent exposure to salt water or air will occur typically encountered in marine or beachside applications. The product is guaranteed not to fail because of corrosion related deterioration due to saltwater or it will be repaired or replaced at our discretion.
- **Etch Resistant Mirrors:** Our line of etch resistant mirrors employ a sacrificial layer of plexiglass that takes the brunt of vandalism attacks and offers a cost effective method of restoring the mirror to use without replacing the entire mirror. We do not warranty the sacrificial layer of plexiglass. Minor repair of the plexiglass may be performed by the customer using a hand-torch to melt out any scratches. Replacement plexiglass may be purchased from us or sourced from your local vendor.

Product Functionality: Our warranty covers the functionality of the product in that it is guaranteed to continue working as intended even after enduring heavy use or attempted vandalism. We do not cover the cosmetic appearance of the product.

Mounting Requirements: To be warranted against intentional vandalism attacks the product must be properly mounted using %" diameter x 2.5" long mounting hardware (customer procured or sold optionally) with at least 4 mounting points anchored securely to the wall. Sheetrock installations require \(^{y}\)" plywood backing or must have a minimum of two \(^{y}\)" diameter x 2.5" long mounting hardware screwed into a stud and the other two mounting points attached using heavy duty drywall anchors.

Security Requirements: Products must be securely locked with a key lock or padlock in order to be warranted against vandalism.

Labor Cost: When a product is being serviced under warranty we will cover the repair or replacement and return shipping cost of the product. We do not cover labor costs associated with removal and reinstallation.

Theft Warranty Requirements: Products that have been removed from the facilities are not covered under warranty unless they are installed using our Vandal Stop Theft Proof security mounting hardware kits.

Mechanical Components: Some of our products come with mechanical components sourced from suppliers and are not covered by our warranty. This may include the plastic automated dispensing mechanism inside our soap dispensers or the clutch bearings inside our controlled dispensing mechanisms. If you should encounter a problem with these components we will be glad to assist with repair or replacement at the customer's expense.

Product Name Warranty Key:

- 304L-12g: 10 Year Vandalism & Corrosion in Fresh Water Environments Warranty
- 316L-12g: 10 Year Vandalism & Corrosion in Saltwater Environments Warranty
- 304L-14g: 5 Year Standard Warranty against Abuse & Corrosion in Fresh Water Environments
- 316L-14g: 5 Year Standard Warranty against Abuse & Corrosion in Saltwater Environments
- 304L-16g: 2 Year Standard Warranty against Defects for Parts & Material
- 316L-16g: 2 Year Standard Warranty against Defects for Parts & Material

Phone

(530) 894 7867



www.vandalstop.com

Vandal Stop Products by Atlas American LLC 1930 Village Center Circle #3-5871 Las Vegas, NV 89134

Locks & Mounting Hardware

Locks:

Because a large majority of our customers have their own padlock and key systems in place we do not provide padlocks with our products. If you require a padlock, you may purchase from our website or any hardware vendor of your choosing. Products that require cylinder locks (soap dispensers for example) are provided with keys.

Mounting Hardware:

Our customers face a variety of installation scenarios be that wood, concrete, cinder block, sheetrock or metal partitions. Because of the variety of installation scenarios possible, it is not cost effective to provide the proper mounting hardware for each possible situation. You may purchase your appropriate mounting hardware from us as an add-on product or source it from your own hardware supply store.

Customers: For full warranty protection against vandalism, ensure your installer uses the specified %" diameter mounting hardware. Failure to do so may limit your warranty coverage against vandalism.

Theft Concerns: If theft of the unit is a concern then it is highly recommended that you use appropriate anti-theft devices such as Loc-Tite® thread compound or security head type screws. Back to back through bolting on metal partitions is also highly recommended.

Warranty Against Theft: If you would like to extend your product warranty to cover your installation and protect against possible theft then you may purchase our Vandal Stop Theft Proof security mounting hardware kits along with your product. These kits come with special security screws that contain a special registered head pattern that can only be turned with our special registered bit head.

Installers: It is imperative that you install our products with %" diameter mounting hardware that is applicable for your situation. Failure to do so could void the warranty of the products against vandalism.

Warning! Standard sheetrock screws are NOT sufficient mounting hardware for the product to be completely secure and warranted against vandalism attacks.



Phone

(530) 894 7867














AA-HRTD-LCx2E

Two Standard Roll Toilet Paper Dispenser







Phone (530) 894 7867

Features:

- Vandal Resistant
- Industrial Grade Heavy Duty
- Made in USA
- Drip Deflective
- Surface Mounted
- Accommodates Multiple Standard Roll Paper Styles
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 9%" x 5¾" x 5½" (WxHxD)

Material Options:

- 12 gauge 304L Stainless Steel
- 16 gauge 304L Stainless Steel
- 12 gauge 316L Stainless Steel

Model Names:

- AA-HRTD-LCx2E-304L-12g
- AA-HRTD-LCx2E-304L-16g
- AA-HRTD-LCx2E-316L-12g

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Mounting Hole Placements

Capacity:

- 2 Standard Core Roll Up to 5 Diameter"
- 2 High Density Coreless Roll up to 5" Diameter

Installation: Secure fixture to wall with appropriate 3/8" Stainless Steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back-to-back providing optimal installation strength.

Guide Specification: Dispenser shall be constructed with American made, 12 or 16 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for tissue paper against drip and spray. Protective shroud adds security for padlock. Dispenser shall have 3/8" mounting holes. Dispenser shall accept multiple paper styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.



www.vandalstop.com

Vandal Stop Products by Atlas American LLC 1930 Village Center Circle #3-5871 Las Vegas, NV 89134







AA-HRTD-LCx3E

Three Standard Roll Toilet Paper Dispenser









Phone

(530) 894 7867

Features:

- Vandal Resistant
- Industrial Grade Heavy Duty
- Made in USA
- **Drip Deflective**
- Surface Mounted
- Accommodates Multiple Paper Styles
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 14%" x 5¾" x 5½" (WxHxD)

Material Options:

- 12 gauge 304L Stainless Steel
- 16 gauge 304L Stainless Steel
- 12 gauge 316L Stainless Steel

Model Names:

- AA-HRTD-LCx3E-304L-12g
- AA-HRTD-LCx3E-304L-16g
- AA-HRTD-LCx3E-316L-12g

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Mounting Hole Placements

Capacity:

- 3 Standard Core Roll Up to 5 Diameter"
- 3 High Density Coreless Roll up to 5" Diameter

Installation: Secure fixture to wall with appropriate 3/8" Stainless Steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back-to-back providing optimal installation strength.

Guide Specification: Dispenser shall be constructed with American made, 12 or 16 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for tissue paper against drip and spray. Protective shroud adds security for padlock. Dispenser shall have 3/8" mounting holes. Dispenser shall accept multiple paper styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.



www.vandalstop.com

Vandal Stop Products by Atlas American LLC 1930 Village Center Circle #3-5871 Las Vegas, NV 89134







AA-HRTD-LCx4E

Four Standard Roll Toilet Paper Dispenser









Phone

(530) 894 7867

Features:

- Vandal Resistant
- Industrial Grade Heavy Duty
- Made in USA
- Drip Deflective
- Surface Mounted
- Accommodates Multiple Paper Styles
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 19\%" x 5 \34" x 5 \58" (WxHxD)

Material Options:

- 12 gauge 304L Stainless Steel
- 16 gauge 304L Stainless Steel
- 12 gauge 316L Stainless Steel

Model Names:

- AA-HRTD-LCx3E-304L-12g
- AA-HRTD-LCx3E-304L-16g
- AA-HRTD-LCx3E-316L-12g

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Mounting Hole Placements

Capacity:

- 4 Standard Core Roll Up to 5 Diameter"
- 4 High Density Coreless Roll up to 5" Diameter

Installation: Secure fixture to wall with appropriate 3/8" Stainless Steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back-to-back providing optimal installation strength.

Guide Specification: Dispenser shall be constructed with American made, 12 or 16 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for tissue paper against drip and spray. Protective shroud adds security for padlock. Dispenser shall have 3/8" mounting holes. Dispenser shall accept multiple paper styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is

Warranty: See Website Product Page for Details.












AA-HRTDx2: Two Standard Roll Toilet Paper Dispenser









Phone (530) 894 7867

Features:

- Vandal Resistant
- Industrial Grade Heavy Duty
- Made in USA
- Shroud Protected Padlock
- Surface Mounted
- Accommodates Multiple Paper Styles
- Corrosion Resistant
- Designed to withstand Vandalism

Dimensions: 11 ¾" x 6 ¼" x 6 ¼" (WxHxD)

Material Options:

- 12 gauge 304L Stainless Steel
- 16 gauge 304L Stainless Steel
- 12 gauge 316L Stainless Steel

Model Names:

- AA-HRTDx2-304L-12g
- AA-HRTDx2-304L-16g
- AA-HRTDx2-316L-12g

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Mounting Hole Placements

Capacity:

- 2 Standard Core 5-1/4"
- 2 High Density 5" Coreless

Installation: Secure fixture to wall with appropriate 3/8" Stainless Steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back-to-back providing optimal installation strength.

Guide Specification: Dispenser shall be constructed with American made, 12 or 16 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for tissue paper against drip and spray. Protective shroud adds security for padlock. Dispenser shall have 3/8" mounting holes. Dispenser shall accept multiple paper styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is

Warranty: See Website Product Page for Details.









AA-HRTDx2E

Two Standard Roll Toilet Paper Dispenser



Features:

- Vandal Resistant
- Industrial Grade Heavy Duty
- Made in USA
- Drip Deflective
- Shroud Protected Padlock
- Surface Mounted
- Accommodates Multiple Paper Styles
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 12" x 5 ¾" x 5 %" (WxHxD)



Material Options:

- 12 gauge 304L Stainless Steel
- 16 gauge 304L Stainless Steel
- 12 gauge 316L Stainless Steel

Model Names:

- AA-HRTDx2E-304L-12g
- AA-HRTDx2E-304L-16g
- AA-HRTDx2E-316L-12q

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Mounting Hole Placements




- 2 Standard Core Roll Up to 5 Diameter"
- 2 High Density Coreless Roll up to 5" Diameter

Installation: Secure fixture to wall with appropriate 3/8" Stainless Steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back-to-back providing optimal installation strength.

Guide Specification: Dispenser shall be constructed with American made, 12 or 16 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for tissue paper against drip and spray. Protective shroud adds security for padlock. Dispenser shall have 3/8" mounting holes. Dispenser shall accept multiple paper styles.

Warranty: See Website Product Page for Details.



Phone

(530) 894 7867











AA-HRTDx3E

Three Standard Roll Toilet Paper Dispenser









Phone (530) 894 7867

Features:

- Made in USA
- Drip Deflective
- Shroud Protected Padlock
- Surface Mounted
- Accommodates Multiple Paper Styles
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 16 %" x 5 ¾" x 5 %" (WxHxD)

Material Options:

- 12 gauge 304L Stainless Steel
- 16 gauge 304L Stainless Steel
- 12 gauge 316L Stainless Steel

Model Names:

- AA-HRTDx3E-304L-12g
- AA-HRTDx3E-304L-16q
- AA-HRTDx3E-316L-12g

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Mounting Hole Placements

Capacity:

- 3 Standard Core Roll Up to 5 Diameter"
- 3 High Density Coreless Roll up to 5" Diameter

Installation: Secure fixture to wall with appropriate 3/8" Stainless Steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back-to-back providing optimal installation strength.


Guide Specification: Dispenser shall be constructed with American made, 12 or 16 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for tissue paper against drip and spray. Protective shroud adds security for padlock. Dispenser shall have 3/8" mounting holes. Dispenser shall accept multiple paper styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.





AA-HRTDx4E

Four Standard Roll Toilet Paper Dispenser









Phone

(530) 894 7867

Features:

- Made in USA
- Drip Deflective
- Shroud Protected Padlock
- Surface Mounted
- Accommodates Multiple Paper Styles
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 21 3/8" x 5 3/4" x 5 5/8" (WxHxD)

Material Options:

- 12 gauge 304L Stainless Steel
- 16 gauge 304L Stainless Steel
- 12 gauge 316L Stainless Steel

Model Names:

- AA-HRTDx4E-304L-12g
- AA-HRTDx4E-304L-16g
- AA-HRTDx4E-316L-12g

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Mounting Hole Placements

Capacity:

- 4 Standard Core Roll Up to 5 Diameter"
- 4 High Density Coreless Roll up to 5" Diameter

Installation: Secure fixture to wall with appropriate 3/8" Stainless Steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back-to-back providing optimal installation strength.

Guide Specification: Dispenser shall be constructed with American made, 12 or 16 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for tissue paper against drip and spray. Protective shroud adds security for padlock. Dispenser shall have 3/8" mounting holes. Dispenser shall accept multiple paper styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.













AA-JRDx1

Single Jumbo Roll Toilet Paper Dispenser









Features:

- Made in USA
- Drip Deflective
- Shroud Protected Padlock
- Surface Mounted
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 15 ½" x 13 ½" x 4 ½" (WxHxD)

Material Options:

- 12 gauge 304L Stainless Steel
- 16 gauge 304L Stainless Steel
- 12 gauge 316L Stainless Steel

Model Name:

- AA-JRDx1-304L-12g
- AA-JRDx1-304L-16q
- AA-JRDx1-316L-12g

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Mounting Hole Placements

Capacity:

- 1 Giant Jumbo 12" Diameter Corred and Coreless Roll
- 1 Mini Jumbo 9" Diameter Corred and Coreless Roll

Installation: Secure fixture to wall with appropriate 3/8" Stainless Steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back-to-back providing optimal installation strength.

Guide Specification: Dispenser shall be constructed with American made, 12 or 16 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for tissue paper against drip and spray. Protective shroud adds security for padlock. Dispenser shall have 3/8" mounting holes. Dispenser shall accept multiple paper styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.



Vandal Stop Products by Atlas American LLC 1930 Village Center Circle #3-5871 Las Vegas, NV 89134 E-Mail sales@vandalstop.com



Phone (530) 894 7867

AA-MTL

Tab Locked Safety Mirror



- Vandal Resistant
- Made in USA
- Concealed Torx Security Screw Lockable
- NO GLASS! Reflective Surface is Mirror Polished Stainless Steel
- Protective Sacrificial Plexiglass for cost effective repair
- Surface Mounted
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions:

- 18"x24", 18"x30", 18"x36", 18"x60", 24"x36"
- Depth: 1½"

Model Names / Material Options:

- AA-MTL-18x24-304L-14g
- AA-MTL-18x30-304L-14g
- AA-MTL-18x36-304L-14g
- AA-MTL-18x24-304L-12g
 AA-MTL-18x24-316L-12a
- AA-MTL-18x24-304L-14g
- AA-MTL-18x30-304L-12g
- AA-MTL-18x30-316L-12q
- AA-MTL-18x30-304L-14g
- AA-MTL-18x60-304L-12g
- AA-MTL-18x60-316L-12g
- AA-MTL-18x60-304L-14g
- AA-MTL-18x36-304L-14g
- See Website for Additional Options

Finish: Stainless Steel Satin # 4 Finish


Mounting: 3/8" Surface Mounting Hole Placements

Installation:

Secure fixture to wall with appropriate 3/8" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices.

Guide Specification: Mirror shall be constructed with American made, 12 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Mirror shall not be cross-metal contaminated during manufacturing construction. Mirror housing and sacrificial plexiglass surface shall provide protective cover for polished stainless steel reflective surface. Dispenser shall have 3/8" mounting holes. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.



Phone

(530) 894 7867



AA-MVL: Safety Mirror

VANDAL

Features:

- Vandal Resistant
- Made in USA
- Torx Security Screw Tamper Resistant
- NO GLASS! Reflective Surface is Mirror Polished Stainless Steel
- Protective Sacrificial Plexiglass
- Surface Mounted
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions:

- Standard Size: 18"x24"
- Custom Sizes Available Upon Request
- Depth: 1½"

Model Names / Material Options:

- AA-MVL-18x24-304L-14g: 14 gauge 304L SS
- AA-MVL-18x30-304L-14g: 14 gauge 304L SS
- AA-MVL-18x36-304L-14g: 14 gauge 304L SS
- See Website for Additional Options

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Surface Mounting Hole Placements


Installation:

Secure fixture to wall with appropriate 3/8" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices.


Guide Specification: Mirror shall be constructed with American made, 12 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Mirror shall not be cross-metal contaminated during manufacturing construction. Mirror housing and sacrificial plexiglass surface shall provide protective cover for polished stainless steel reflective surface. Dispenser shall have 3/8" mounting holes. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.





Phone (530) 894 7867





AA-SD-AF

Auto Soap Dispenser / Hand Sanitizer



Features:

- Automatic Foaming Soap Dispenser or Hand Sanitizer
- Made in USA
- Hidden Secure Cylinder Lock
- Protects Expensive Supplies from Theft
- Surface Mounted
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 6 3/4" x 10" x 4 1/2" (WxHxD)

Material Options:

- 12 gauge 304L Stainless Steel
- 12 gauge 316L Stainless Steel

Model Names:

- AA-SD-AF-304L-12g
- AA-SD-AF-316L-12g

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Mounting Hole Placements


Capacity:


- Pre-packaged 1200ml GoJo TXF Foaming Soap
- Pre-packaged 1200ml GoJo TXF Hand Sanitizer

Installation: Secure fixture to wall with appropriate 3/8" Stainless Steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices.

Guide Specification: Dispenser shall be constructed with American made, 12 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for automatic dispenser mechanism. Dispenser shall be locked by cylinder keylock. Dispenser shall have 3/8" mounting holes. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.






Phone (530) 894 7867






VANDAL (









Features:

- Automatic Hand Sanitizer Dispenser
- Made in USA
- Hidden Secure Cylinder Lock
- Protects Expensive Soap Supplies from Theft
- Surface Mounted
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 6 3/4" x 10" x 4 1/2" (WxHxD)

Material Options:

- 12-gauge 304L Stainless Steel
- 12-gauge 316L Stainless Steel

Finish:

• Stainless Steel Satin # 4 Finish

Mounting:

• 6 (3/8") Mounting Hole Placements

Capacity:

Pre-packaged 1200ml Hand Sanitizer

Installation: Secure fixture to wall with appropriate 3/8" Stainless Steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices.

Guide Specification: Dispenser shall be constructed with American made, 12 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for automatic foaming dispenser mechanism. Dispenser shall be locked by cylinder keylock. Dispenser shall have 3/8" mounting holes. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.





AA-SDS-AF

Auto Soap Dispenser / Hand Sanitizer



Features:

- Automatic Foaming Soap Dispenser or Hand Sanitizer
- Sloped Lid Style Prevents use as a Shelf
- Vandal Resistant
- Made in USA
- Hidden Secure Cylinder Lock
- Protects Expensive Soap Supplies from Theft
- Surface Mounted
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Specifications:

Width: 6-3/4"Height: 11 3/8"Depth: 4-1/2"

Material Options:

12-gauge 304L Stainless Steel12-gauge 316L Stainless Steel

Model Names:

- AA-SDS-AF-304L-12q
- AA-SDS-AF-316L-12g

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Mounting Hole Placements


Capacity:

- Pre-packaged 1200ml GoJo™ TXF Foaming Soap
- Pre-packaged 1200ml GoJo™ TXF Hand Sanitizer

Installation: Secure fixture to wall with appropriate 3/8" Stainless Steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices.


Guide Specification: Dispenser shall be constructed with American made, 12 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for automatic foaming dispenser mechanism. Dispenser shall be locked by cylinder keylock. Dispenser shall have 3/8" mounting holes. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.



Phone

(530) 894 7867











AA-SD-PF-CDCR

Boxed Liquid Soap Dispenser

Features:

- Vandal Resistant
- Meets CDCR Requirements
- Made in USA
- Uses Prepackaged Liquid Box
- Surface Mounted
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 4 %" x 12 ¼" x 3 ¾" (WxHxD)

Material Options:

12-gauge 304L Stainless Steel

Model Names:

VSP-SD-PF-304L-12g

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Surface Mounting Hole Placements

Capacity: Pre-Packaged 800 ml / 27 oz liquid box soap

Installation: Secure fixture to wall with appropriate $\frac{3}{6}$ " stainless steel anchoring hardware for optimal installation strength (not provided). Recommend $\frac{3}{4}$ " or greater back bracing for walls.

Guide Specification: Dispenser shall be constructed with American made, 12 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for automatic foaming dispenser mechanism. Dispenser shall be locked by cylinder keylock. Dispenser shall have 3/8" mounting holes. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.


Warranty: See Website Product Page for Details.



Phone

(530) 894 7867







www.vandalstop.com

Vandal Stop Products by Atlas American LLC 1930 Village Center Circle #3-5871 Las Vegas, NV 89134

AA-SDS-PF-CDCR

Manual Liquid Foaming Soap Dispenser





Phone (530) 894 7867



Features:

- Vandal Resistant
- Meets California Depart of Corrections (CDCR) Requirements
- Made in USA
- Prepackaged GoJo FMX or ADX Liquid Foaming Soap or Purell FMX or ADX Hand Sanitizer
- Surface Mounted w/ Exterior Mounting Holes
- Litigure Resistant
- Corrosion Resistant
- 5 Year Functional Warranty
- Optional Powder Coating Available

Dimensions: 8" x 11" x 4" (WxHxD)

Material Options:

- 12-gauge 304L Stainless Steel
- 14-gauge 304L Stainless Steel

Model Names:

- AA-SDS-PF-CDCR-304L-12g
- AA-SDS-PF-CDCR-304L-14g

Finish: Stainless Steel Satin # 4 Finish


Mounting: 3/8" Surface Mounting Hole Placements


Capacity: Pre-Packaged 1200 ml GoJo FMX or ADX Foaming Soap Products or Purell FMX or ADX Foaming Hand Sanitizer Products

Installation: Secure fixture to wall with appropriate %" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls.

Guide Specification: Dispenser shall be constructed with American made, 12 gauge 304L or 14 gauge 304L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for foaming dispenser mechanism. Dispenser shall be locked by cylinder key-lock. Dispenser shall have 3/8" mounting holes. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.







www.vandalstop.com

Vandal Stop Products by Atlas American LLC 1930 Village Center Circle #3-5871 Las Vegas, NV 89134

AA-SDS-PF-CDCR

Manual Liquid Foaming Soap Dispenser



Features:

- Vandal Resistant
- Meets CDCR Requirements
- Made in USA
- Prepackaged GoJo FMX or ADX Liquid Foaming Soap or Purell FMX or ADX Hand Sanitizer
- Surface Mounted w/ Exterior Mounting Holes
- Litigure Resistant
- Corrosion Resistant
- 5 Year Functional Warranty
- Optional Powder Coating Available

Dimensions: 8 1/4" x 12 1/2" x 4" (WxHxD)

Material Options:

- 12-gauge 304L Stainless Steel
- 14-gauge 304L Stainless Steel

Model Names:

- AA-SDS-PF-CDCR-304L-12g
- AA-SDS-PF-CDCR-304L-14g

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Surface Mounting Hole Placements

Capacity: Pre-Packaged 1200 ml GoJo FMX or ADX Foaming Soap Products or Purell FMX or ADX Foaming Hand Sanitizer Products


Installation: Secure fixture to wall with appropriate %" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls.


Guide Specification: Dispenser shall be constructed with American made, 12 gauge 304L or 14 gauge 304L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for foaming dispenser mechanism. Dispenser shall be locked by cylinder key-lock. Dispenser shall have 3/8" mounting holes. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.












www.vandalstop.com

Vandal Stop Products by Atlas American LLC 1930 Village Center Circle #3-5871 Las Vegas, NV 89134





AA-TP1-CDCR:


Single Roll Toilet Paper Holder













Phone (530) 894 7867 Vandal Stop Products by Atlas American LLC 1930 Village Center Circle #3-5871 Las Vegas, NV 89134

Features:

- Meets CDCR Requirements
- Made in USA
- Anti-Litigure Design with Sloped Surfaces
- Surface Mounted
- Corrosion Resistant
- Industry Leading Warranty against Vandalism
- Full Seam Welding

Dimensions: 6" x 6" x 4" (WxHxD)

Material Options:

12-gauge 304L Stainless Steel

Model Names:

AA-TP1-CDCR-304L-12g

Finish: Stainless Steel Satin # 4 Finish


Mounting: 3/8" Surface Mounting Hole Placements

Capacity: 1 Standard 5" Toilet Paper Roll

Installation: Secure fixture to wall with appropriate 3%" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls.

Guide Specification: Dispenser shall be constructed with American made, 12 gauge 304L or 12 gauge 316L Stainless Steel joined /w full seam TIG welding and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser shall have 3/8" mounting holes.

Warranty: See Website Product Page for Details.












VANDAL

Single Jumbo Roll Toilet Paper Dispenser









Phone

(530) 894 7867

Features:

- Vandal Resistant
- Spray and Drip Deflective
- Protective Shroud for Padlock
- Surface Mounted
- Accommodates Multiple Paper Styles
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 17" x 15 ½" x 5 ¾" (WxHxD)

Material Options:

- 12-gauge 304L Stainless Steel
- 14-gauge 304L Stainless Steel
- 12-gauge 316L Stainless Steel

Model Names:

- VSP-JRDx1-304L-12g
- VSP-JRDx1-304L-14g
- VSP-JRDx1-316L-12g

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Mounting Hole Placements

Capacity:

- 1 Giant 12" Jumbo Roll
- 1 Mini 9" Jumbo Roll

Installation: Secure fixture to wall with appropriate %" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back-to-back providing optimal installation strength.

Guide Specification: Dispenser shall be constructed with American made, 12 or 14 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for tissue paper against drip and spray. Protective shroud adds security for padlock. Dispenser shall have 3/8" mounting holes. Dispenser shall accept multiple paper styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.









VSP-JRDx5

Five Standard Roll Toilet Paper Dispenser









Phone

(530) 894 7867

Features:

- Vandal Resistant
- Spray and Drip Deflective
- Protective Shroud for Padlock
- Surface Mounted
- Accommodates Multiple Paper Styles
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 17" x 15 ½" x 5 ¾" (WxHxD)

Material Options:

- 12-gauge 304L Stainless Steel
- 14-gauge 304L Stainless Steel
- 12-gauge 316L Stainless Steel

Model Names:

- VSP-JRDx5-304L-12g
- VSP-JRDx5-304L-14g
- VSP-JRDx5-316L-12g

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Mounting Hole Placements

Capacity:

- 5 Standard Core 5" Rolls
- 5 High Density 5" Coreless Rolls

Installation: Secure fixture to wall with appropriate %" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back-to-back providing optimal installation strength.

Guide Specification: Dispenser shall be constructed with American made, 12 or 14 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for tissue paper against drip and spray. Protective shroud adds security for padlock. Dispenser shall have 3/8" mounting holes. Dispenser shall accept multiple paper styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.









VSP-MJRDx2

Two Mini Jumbo Roll Toilet Paper Dispenser

Features:

- Vandal Resistant
- Spray and Drip Deflective
- Protective Shroud for Padlock
- Surface Mounted
- Accommodates Multiple Paper Styles
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 22 1/8" x 9 3/8" x 5 1/4" (WxHxD)

Material Options:

- 12-gauge 304L Stainless Steel
- 14-gauge 304L Stainless Steel
- 12-gauge 316L Stainless Steel

Model Names:

- VSP-MJRDx2-304L-12q
- VSP-MJRDx2-304L-14g
- VSP-MJRDx2-316L-12g

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Surface Mounting Hole Placements

Capacity:


- 2 5" Standard Rolls
- 2 5" High Density Rolls
- 2 Standard Mini-Jumbo Rolls


Installation: Secure fixture to wall with appropriate 3/8" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back-to-back providing optimal installation strength.

Guide Specification: Dispenser shall be constructed with American made, 12 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for tissue paper against drip and spray. Protective shroud adds security for padlock. Dispenser shall have 3/8" mounting holes. Dispenser shall accept multiple paper styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.







Phone (530) 894 7867








AA-MJRD-KLx2

Two Mini Jumbo Roll Toilet Paper Dispenser with Key Lock



13 1/2"

1/2

13"

Phone

(530) 894 7867

Features:

- Made in USA
- Drip Deflective
- Bottom Mounted Protected Keyed Cylinder Lock
- Surface Mounted
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 20 %" x 11 ½" x 4 %" (WxHxD)

Material Options:

- 12 gauge 304L Stainless Steel
- 16 gauge 304L Stainless Steel
- 12 gauge 316L Stainless Steel

Model Name:

- AA-MJRD-KLx2-304L-12g
- AA-MJRD-KLx2-304L-16q
- AA-MJRD-KLx2-316L-12g

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Mounting Hole Placements

Capacity:

2 Mini 9" Jumbo Rolls

Installation: Secure fixture to wall with appropriate 3/8" Stainless Steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back-to-back providing optimal installation strength.

Guide Specification: Dispenser shall be constructed with American made, 12 or 16 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for tissue paper against drip and spray. Dispenser shall have 3/8" mounting holes. Dispenser shall accept multiple paper styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.



www.vandalstop.com

4718

3/8








AA-MJRD-KLx2

Two Mini Jumbo Roll Toilet Paper Dispenser with Key Lock





Features:

- Vandal Resistant
- Spray and Drip Deflective
- Bottom Mounted & Accessed Protected Key Cylinder Lock
- Surface Mounted
- Accommodates Multiple Paper Styles
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 20 %" x 11" x 4 %" (WxHxD)

Material Options:

- 12-gauge 304L Stainless Steel
- 12-gauge 316L Stainless Steel

Model Names:

- AA-MJRD-KLx2-304L-12g
- AA-MJRD-KLx2-316L-12g

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Surface Mounting Hole Placements

Capacity:

2 Standard 9" Mini-Jumbo Rolls

Installation: Secure fixture to wall with appropriate %" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back-to-back providing optimal installation strength.

Guide Specification: Dispenser shall be constructed with American made, 12 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for tissue paper against drip and spray. Protective shroud adds security for padlock. Dispenser shall have 3/8" mounting holes. Dispenser shall accept multiple paper styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.






AA-MJRD-UPLx2

Mini Jumbo 2 Roll Toilet Paper Holder with Universal Door & Padlock









Features:

- Vandal Resistant
- Spray and Drip Deflective
- Secured with Easy Access Padlock
- Surface Mounted
- Fits Two 9" Mini Jumbo Rolls
- Corrosion Resistant
- Flexible Design allows mounting on Left or Right side of Stall
- Industry Leading Warranty against Vandalism

Dimensions: (WxHxD)

21 ¼" x 11" x 4 %"

Material Options:

- 12-gauge 304L Stainless Steel
- 12-gauge 316L Stainless Steel

Model Names:

- AA-MJRD-UPLx2-304L-12g
- AA-MJRD-UPLx2-316L-12g

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Surface Mounting Hole Placements

Capacity: Fits Two 9" Mini Jumbo Rolls

Installation: Secure fixture to wall with appropriate 3/8" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back to back providing optimal installation strength.


Guide Specification: Dispenser shall be constructed with American made, 12 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for tissue paper against drip and spray. Protective shroud adds security for padlock. Dispenser shall have 3/8" mounting holes. Dispenser shall accept multiple paper styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.



Phone

(530) 894 7867





www.vandalstop.com

Vandal Stop Products by Atlas American LLC 1930 Village Center Circle #3-5871 Las Vegas, NV 89134







AA-MJRD-PLx2

Mini Jumbo 2 Roll Toilet Paper Holder with Universal Door & Padlock







Phone

(530) 894 7867

Features:

- Vandal Resistant
- Spray and Drip Deflective
- Secured with Protected Padlock
- Surface Mounted
- Fits Two 9" Mini Jumbo Rolls
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: (WxHxD)

• 21 %" x 11" x 4 1/4"

Material Options:

- 12-gauge 304L Stainless Steel
- 12-gauge 316L Stainless Steel

Model Names:

- AA-MJRD-PLx2-304L-12g
- AA-MJRD-PLx2-316L-12g

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Surface Mounting Hole Placements

Capacity: Fits Two 9" Mini Jumbo Rolls


Installation: Secure fixture to wall with appropriate 3/8" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back to back providing optimal installation strength.

Guide Specification: Dispenser shall be constructed with American made, 12 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for tissue paper against drip and spray. Protective shroud adds security for padlock. Dispenser shall have 3/8" mounting holes. Dispenser shall accept multiple paper styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.









www.vandalstop.com

Vandal Stop Products by Atlas American LLC 1930 Village Center Circle #3-5871 Las Vegas, NV 89134







VSP-OFUx2

Two Standard Roll Toilet Paper Dispenser









Features:

- Vandal Resistant
- Spray and Drip Deflective
- Protective Shroud for Padlock
- Surface Mounted
- Accommodates Multiple Paper Styles
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 15 %" x 6 %" x 5 ¼" (WxHxD)

Material Options:

- 12-gauge 304L Stainless Steel
- 14-gauge 304L Stainless Steel
- 12-gauge 316L Stainless Steel

Model Names:

- VSP-OFUx2-304L-12q
- VSP-OFUx2-304L-14g
- VSP-OFUx2-316L-12q

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Surface Mounting Hole Placements

Capacity:

- 2 5" Standard Rolls
- 2 5" High Density Rolls

Installation: Secure fixture to wall with appropriate %" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back-to-back providing optimal installation strength.

Guide Specification: Dispenser shall be constructed with American made, 12 or 14 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for tissue paper against drip and spray. Protective shroud adds security for padlock. Dispenser shall have 3/8" mounting holes. Dispenser shall accept multiple paper styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.









VSP-OFUx3

Three Standard Roll Toilet Paper Dispenser









Phone

(530) 894 7867

Features:

- Vandal Resistant
- Spray and Drip Deflective
- Protective Shroud for Padlock
- Surface Mounted
- Accommodates Multiple Paper Styles
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 22 1/8" x 6 1/4" x 5 1/8" (WxHxD)

Material Options:

- 14-gauge 304L Stainless Steel
- 12-gauge 304L Stainless Steel
- 12-gauge 316L Stainless Steel

Model Names:

- VSP-OFUx3-304L-12g
- VSP-OFUx3-304L-14q
- VSP-OFUx3-316L-12q

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Surface Mounting Hole Placements

Capacity:

- 3 5-1/4" Standard Rolls
- 3 5" High Density Rolls

Installation: Secure fixture to wall with appropriate 3/8" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back-to-back providing optimal installation strength.

Guide Specification: Dispenser shall be constructed with American made, 12 or 14 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for tissue paper against drip and spray. Protective shroud adds security for padlock. Dispenser shall have 3/8" mounting holes. Dispenser shall accept multiple paper styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.



American Made Veteran Owned

(530)-894-7867 sales@vandalstop.com









VSP-PTD-N

Narrow Fold Paper Towel Dispenser









Phone (530) 894 7867

Features:

- Vandal Resistant
- Spray and Drip Deflective
- Protective Shroud for Padlock
- Surface Mounted
- Accommodates Multiple Paper Styles
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 11 %" x 13 %" x 4 %" (WxHxD)

Material Options:

- 14-gauge 304L Stainless Steel
- 12-gauge 304L Stainless Steel
- 12-gauge 316L Stainless Steel

Model Names:

- VSP-PTD-N-304L-12g
- VSP-PTD-N-304L-14g
- VSP-PTD-N-316L-12g

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Surface Mounting Hole Placements

Capacity:

- 2 Packages of Narrow Style C-fold,
- 2 Packages of Tri-fold
- 2 Packages of Multifold Paper Towel Bundles.

Installation: Secure fixture to wall with appropriate %" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices.

Guide Specification: Dispenser shall be constructed with American made, 12 or 14 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for paper towels against drip and spray. Protective shroud adds security for padlock. Dispenser shall have 3/8" mounting holes. Dispenser shall accept multiple paper styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.



AA-PTD-N-CDCR

Narrow Fold Paper Towel Dispenser - California Department of Corrections (CDCR) Approved







Features:

- Vandal Resistant
- Spray and Drip Deflective
- Accepts Standard Padlock
- Surface Mounted
- Accommodates Multiple Paper Styles
- Corrosion Resistant
- California Department of Corrections (CDCR) Approved
- Industry Leading Warranty against Vandalism

Dimensions: 12 ¼" x 6 1/8" x 4" (WxHxD)

Material Options:

- 12-gauge 304L Stainless Steel
- 12-gauge 316L Stainless Steel

Model Names:

- AA-PTD-N-CDCR-304L-12g
- AA-PTD-N-CDCR-316L-12g

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Surface Mounting Hole Placements

Capacity:

- 1 Package of Narrow Style C-fold,
- 1 Package of Tri-fold
- 1 Package of Multifold Paper Towel Bundles.

Installation: Secure fixture to wall with appropriate %" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices.


Guide Specification: Dispenser shall be constructed with American made, 12 or 14 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for paper towels against drip and spray. Protective shroud adds security for padlock. Dispenser shall have 3/8" mounting holes. Dispenser shall accept multiple paper styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.


Warranty: See Website Product Page for Details.



Phone

(530) 894 7867







www.vandalstop.com

Vandal Stop Products by Atlas American LLC 1930 Village Center Circle #3-5871 Las Vegas, NV 89134

AA-PTD-NT-CDCR

Narrow Fold Paper Towel Dispenser - California Department of Corrections (CDCR) Approved











- Vandal Resistant Heavy Duty Construction
- Spray and Drip Deflective
- Accepts Standard Padlock
- Surface Mounted
- Accommodates Multiple Paper Styles
- Corrosion Resistant
- California Department of Corrections (CDCR) Approved

Dimensions: 12 ¼" x 13 ½" x 4" (WxHxD)

Material Options:

- 12-gauge 304L Stainless Steel
- 14-gauge 304L Stainless Steel

Model Names:

- AA-PTD-NT-CDCR-304L-12g
- AA-PTD-NT-CDCR-304L-14g

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Surface Mounting Hole Placements


Capacity:

- 3 Package of Narrow Style C-fold,
- 3 Package of Tri-fold
- 3 Package of Multifold Paper Towel Bundles.

Installation: Secure fixture to wall with appropriate %" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices.


Guide Specification: Dispenser shall be constructed with American made, 12 or 14 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for paper towels against drip and spray. Dispenser shall have 3/8" mounting holes. Dispenser shall accept multiple paper styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.





Vandal Stop Products by Atlas American LLC 1930 Village Center Circle #3-5871 Las Vegas, NV 89134







Phone (530) 894 7867









VSP-PTD-W: Wide Fold Paper Towel Dispenser









Phone (530) 894 7867

Features:

- Vandal Resistant
- Spray and Drip Deflective
- Protective Shroud for Padlock
- Surface Mounted
- Accommodates Multiple Paper Styles
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 12 ¼" x 10 ¾" x 6 ¼" (WxHxD)

Material Options:

- 14-gauge 304L Stainless Steel
- 12-gauge 304L Stainless Steel
- 12-gauge 316L Stainless Steel

Model Names:

- VSP-PTD-W-304L-12g
- VSP-PTD-W-304L-14g
- VSP-PTD-W-316L-12g

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Surface Mounting Hole Placements

Capacity:

- 2 Packages of Wide C-Fold
- 2 Packages of Multifold Paper

Installation: Secure fixture to wall with appropriate %" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices.


Guide Specification: Dispenser shall be constructed with American made, 12 or 14 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for paper towels against drip and spray. Protective shroud adds security for padlock. Dispenser shall have 3/8" mounting holes. Dispenser shall accept multiple paper styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.


Warranty: See Website Product Page for Details.



VSP-RDx2: Two Standard Roll Vertical Toilet Paper Dispenser







Phone

- Vandal Resistant
- Drip Deflective
- Surface Mounted
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 5 %" x 13 %" x 6 %" (WxHxD)

Material Options:

- 12-gauge 304L Stainless Steel
- 14-gauge 304L Stainless Steel
- 12-gauge 316L Stainless Steel

Model Names:

- VSP-RDx2-304L-12g
- VSP-RDx2-304L-14q
- VSP-RDx2-316L-12g

Finish: #Stainless Steel Satin # 4 Finish

Mounting: 3/8" Surface Mounting Hole Placements

Capacity: Two Standard Core 5" Toilet Tissue Rolls

Installation: Secure fixture to wall with appropriate 3/8" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back to back providing optimal installation strength.

Guide Specification: Dispenser shall be constructed with American made, 12 or 14 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for tissue paper against drip and spray. Protective shroud adds security for padlock. Dispenser shall have 3/8" mounting holes. Dispenser shall accept multiple paper styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.


Warranty: See Website Product Page for Details.





VSP-RDx4 : Four Standard Roll Vertical Toilet Paper Dispenser







Phone (530) 894 7867

Features:

- Vandal Resistant
- Made in USA
- Drip Deflective
- Surface Mounted
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 5 %" x 21 %" x 6 %" (WxHxD)

Material Options:

- 12-gauge 304L Stainless Steel
- 14-gauge 304L Stainless Steel
- 12-gauge 316L Stainless Steel

Model Names:

- VSP-RDx4-304L-12g
- VSP-RDx4-304L-14g
- VSP-RDx4-316L-12g

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Surface Mounting Hole Placements

Capacity: Four Standard Core 5" Toilet Tissue Rolls

Installation: Secure fixture to wall with appropriate 3/6" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back to back providing optimal installation strength.

Guide Specification: Dispenser shall be constructed with American made, 12 or 14 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for tissue paper against drip and spray. Protective shroud adds security for padlock. Dispenser shall have 3/8" mounting holes. Dispenser shall accept multiple paper styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.


















Phone

- Vandal Resistant
- Made in USA
- Uses Prepackaged Liquid Box
- Surface Mounted
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 4 %" x 12 ¼" x 3 ¾" (WxHxD)

Material Options:

- 12-gauge 304L Stainless Steel
- 14-gauge 304L Stainless Steel
- 12-gauge 316L Stainless Steel

Model Names:

- VSP-SD-PF-304L-12g
- VSP-SD-PF-304L-14g
- VSP-SD-PF-316L-12g

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Surface Mounting Hole Placements

Capacity: Pre-Packaged 800 ml / 27 oz liquid box soap

Installation: Secure fixture to wall with appropriate 3/8" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls.

Guide Specification: Dispenser shall be constructed with American made, 12 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for automatic foaming dispenser mechanism. Dispenser shall be locked by cylinder keylock. Dispenser shall have 3/8" mounting holes. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.











VSP-TR-16: Waste Receptacle - Specsheet









Phone (530) 894 7867

- Vandal Resistant
- Made in USA
- Base Mount Anchored
- Top Lid Opening (Lockable)
- Padlock Security Shroud (Optional)
- Attractive and Sturdy Hexagonal Form Factor
- Easily Brush, Spray or Hose Cleaning
- Internal Bag Hanging Tabs Non-Floodable
- Tapered Design To Ease Bag Removal
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Specifications:

Width: 17-1/8" Height: 29" Depth: 14-7/8" Weight: 29lbs

Material Options:

12-gauge 304L Stainless Steel 12-gauge 316L Stainless Steel

Finish:

#4 Brushed Satin Finish

Mounting:

Six 1/2" Surface Mounting Hole Placements

15.5 US Gallons

Options:

Padlock Shroud

Installation: Secure fixture to floor with appropriate 1/2" stainless steel anchoring hardware (not provided) for optimal installation strength.

Guide Specification: Receptacle shall be constructed with American made, 12 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Receptacle shall not be cross-metal contaminated during manufacturing construction. Protective shroud adds security for padlock. Receptacle shall have 1/2" mounting holes. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.



VSP-SWR: Sanitary Waste Receptacle - Specsheet



Features:

- Vandal Resistant
- Made in USA
- CAM Locked Lid
- Easily Brush, Spray or Hose Cleaning
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Specifications:

Width: 9 ¾"
Height: 8 5/16"
Depth: 3 ¼"

Material Options:

- 12-gauge 304L Stainless Steel12-gauge 316L Stainless Steel
- **Model Names**
 - VSP-SWR-304L-12gVSP-SWR-316L-12g

Finish:

• #4 Brushed Satin Finish

Mounting:

• 3/8" Surface Mounting Hole Placements

Installation: Secure fixture to floor with appropriate 3% stainless steel anchoring hardware (not provided) for optimal installation strength.

Guide Specification: Receptacle shall be constructed with American made, 12 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Receptacle shall not be cross-metal contaminated during manufacturing construction. Receptacle shall have 3/8" mounting holes. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.


Warranty: See Website Product Page for Details.









AA-WR-12: Waste Receptacle







Phone (530) 894 7867

Features:

- Vandal Resistant
- Made in USA
- Base Mount or Wall Mount Anchored
- Optional Top Lid Opening (Lockable)
- Attractive Wall Hugging Rectangular Form
- Easily Brush, Spray or Hose Cleaning
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Specifications:

Width: 14 ½"
Height: 24 ½"
Depth: 8 ½"

Material Options:

12-gauge 304L Stainless Steel12-gauge 316L Stainless Steel

Finish

• #4 Brushed Satin Finish

Mounting:

- Six 3/8" Wall Surface Mounting Hole Placements
- Four %" Flour Mounting Hole Placements

Capacity:

12 US Gallons

Installation: Secure fixture to floor with appropriate 3%" stainless steel anchoring hardware (not provided) for optimal installation strength.

Guide Specification: Dispenser shall be constructed with American made, 12 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for tissue paper against drip and spray. Protective shroud adds security for padlock. Dispenser shall have 3/8" mounting holes. Dispenser shall accept multiple paper styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.










VSP-TSCD: Toilet Seat Tissue Cover Dispenser



12 3/4" 15 7/8"



Phone (530) 894 7867

Features:

- Vandal Resistant
- Spray and Drip Deflective
- Protective Shroud for Padlock
- Surface Mounted
- Accommodates Multiple Paper Styles
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 15 %" x 12 ¾" x 2 ¾" (WxHxD)

Material Options:

- 12-gauge 304L Stainless Steel
- 14-gauge 304L Stainless Steel
- 12-gauge 316L Stainless Steel

Model Names:

- VSP-TSCD-304L-12g
- VSP-TSCD-304L-14g
- VSP-TSCD-316L-12g

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Surface Mounting Hole Placements

Capacity: Accepts 6 half-size or 3 full-size seat cover paper product

Installation: Secure fixture to wall with appropriate 3/8" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back to back providing optimal installation strength.

Guide Specification: Dispenser shall be constructed with American made, 12 or 14 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for tissue paper against drip and spray. Protective shroud adds security for padlock. Dispenser shall have 3/8" mounting holes. Dispenser shall accept multiple paper styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.







AA-EB-ST1

Outdoor Sprinkler Timer Security Box









Features:

- Vandal Resistant
- Spray and Drip Deflective
- Protective Shroud for Padlock
- Surface Mounted
- Protects Outdoor Sprinkler Timer from Tampering
- Corrosion Resistant
- Industry Leading Warranty against Vandalism
- Accommodates 1/2" and 3/4" conduit

Dimensions: 15 %" x 9 ½" x 6 ¼" (WxHxD)

Material Options:

12-gauge 304L Stainless Steel 12-gauge 316L Stainless Steel

Model Names:

- AA-EB-ST1-304L-12g
- AA-EB-ST1-316L-12g

Finish: Stainless Steel Satin # 4 Finish


Mounting: 3/8" Surface Mounting Hole Placements

Capacity: Fits Standard Outdoor Sprinkler Timer


Installation: Secure fixture to wall with appropriate 3/8" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back to back providing optimal installation strength.

Guide Specification: Security Box shall be constructed with American made, 12 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Security Box shall not be cross-metal contaminated during manufacturing construction. Security Box shall provide protective cover against drip and spray. Protective shroud adds security for padlock. Security Box shall have 3/8" mounting holes. Security Box shall accommodate standard sprinkler timer styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.



Phone (530) 894 7867





www.vandalstop.com

Vandal Stop Products by Atlas American LLC 1930 Village Center Circle #3-5871 Las Vegas, NV 89134

AA-EB-2R


Outdoor Electrical Outlet Security Box













- Vandal Resistant
- Spray and Drip Deflective
- Protective Shroud for Padlock
- Surface Mounted
- Fits Standard Size Outdoor Electrical Box
- Corrosion Resistant
- Industry Leading Warranty against Vandalism
- Accommodates 1/2" and 3/4" conduit

Dimensions: 6 %" x 6 ½" x 3 ¾" (WxHxD)

Material Options:

- 12-gauge 304L Stainless Steel
- 12-gauge 316L Stainless Steel

Model Names:

- AA-EB-2R-304L-12g
- AA-EB-2R-316L-12g

Finish: Stainless Steel Satin # 4 Finish


Mounting: 3/8" Surface Mounting Hole Placements

Capacity: Standard Size Outdoor Sprinkler Timer Controller

Installation: Secure fixture to wall with appropriate 3/8" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back to back providing optimal installation strength.

Guide Specification: Security Box shall be constructed with American made, 12 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Security Box shall not be cross-metal contaminated during manufacturing construction. Security Box shall provide protective cover against drip and spray. Protective shroud adds security for padlock. Security Box shall have 3/8" mounting holes. Security Box shall accommodate standard sprinkler timer styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.





www.vandalstop.com

Phone Vandal Stop Products by Atlas American LLC (530) 894 7867 1930 Village Center Circle #3-5871 Las Vegas, NV 89134



AA-EB-3R

Outdoor Electrical Outlet Security Box









Phone

(530) 894 7867

Features:

- Vandal Resistant
- Spray and Drip Deflective
- Protective Shroud for Padlock
- Surface Mounted
- Fits most single-gang duplex receptacle boxes (not included)
- Corrosion Resistant
- Industry Leading Warranty against Vandalism
- Accommodates 1/2" and 3/4" conduit

Dimensions: 7 %" x 7 ½" x 4 ¾" (WxHxD)

Material Options:

- 12-gauge 304L Stainless Steel12-gauge 316L Stainless Steel
- Model Names:
 - AA-EB-3R-304L-12g
 - AA-EB-3R-316L-12g

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Surface Mounting Hole Placements


Capacity: Fits most single-gang duplex receptacle boxes (not


included)

Installation: Secure fixture to wall with appropriate 3/8" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back to back providing optimal installation strength.

Guide Specification: Security Box shall be constructed with American made, 12 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Security Box shall not be cross-metal contaminated during manufacturing construction. Security Box shall provide protective cover against drip and spray. Protective shroud adds security for padlock. Security Box shall have 3/8" mounting holes. Security Box shall accommodate standard single-gang duplex receptacle box styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.







www.vandalstop.com

Vandal Stop Products by Atlas American LLC 1930 Village Center Circle #3-5871 Las Vegas, NV 89134




AA-EB-4R

Outdoor Electrical Outlet Security Box









Phone

(530) 894 7867



- Vandal Resistant
 - Spray and Drip Deflective
- Protective Shroud for Padlock
- Surface Mounted
- Fits most two-gang duplex receptacle boxes (not included)
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 9 5/8" x 7 1/2" x 4 3/4" (WxHxD)

Material Options:

12-gauge 304L Stainless Steel12-gauge 316L Stainless Steel

Model Names:

- AA-EB-4R-304L-12g
- AA-EB-4R-316L-12g

Finish: Stainless Steel Satin # 4 Finish


Mounting: 3/8" Surface Mounting Hole Placements


Capacity: Fits most two-gang duplex receptacle boxes (not included)

Installation: Secure fixture to wall with appropriate 3/8" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back to back providing optimal installation strength.

Guide Specification: Security Box shall be constructed with American made, 12 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Security Box shall not be cross-metal contaminated during manufacturing construction. Security Box shall provide protective cover against drip and spray. Protective shroud adds security for padlock. Security Box shall have 3/8" mounting holes. Security Box shall accommodate standard two-gang duplex receptacle box styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.







www.vandalstop.com

Vandal Stop Products by Atlas American LLC 1930 Village Center Circle #3-5871 Las Vegas, NV 89134

AA-EB-5R

Outdoor Electrical Outlet Security Box









Phone

(530) 894 7867



- Vandal Resistant
- Spray and Drip Deflective
- Protective Shroud for Padlock
- Surface Mounted
- Fits Standard Size Outdoor Electrical Box
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 5" x 7 %" x 4 " (WxHxD)

Material Options:

12-gauge 304L Stainless Steel12-gauge 316L Stainless Steel

Model Names:

- AA-EB-5R-304L-12gAA-EB-5R-316L-12g
- Finish: Stainless Steel Satin # 4 Finish


Mounting: 3/8" Surface Mounting Hole Placements


Capacity: Standard Size Outdoor Electrical Box

Installation: Secure fixture to wall with appropriate 3/8" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back to back providing optimal installation strength.

Guide Specification: Security Box shall be constructed with American made, 12 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Security Box shall not be cross-metal contaminated during manufacturing construction. Security Box shall provide protective cover against drip and spray. Security box shall be locked by cylinder key lock. Dispenser shall have 3/8" mounting holes. Security Box shall accommodate standard outdoor electrical box styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.







www.vandalstop.com

Vandal Stop Products by Atlas American LLC 1930 Village Center Circle #3-5871 Las Vegas, NV 89134

AA-EB-6R

Outdoor Electrical Outlet Security Box











- Vandal Resistant
- Spray and Drip Deflective
- Protective Shroud for Padlock
- Surface Mounted
- Fits Standard Size Outdoor Electrical Box
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 6" x 8 5%" x 4 " (WxHxD)

Material Options:

12-gauge 304L Stainless Steel12-gauge 316L Stainless Steel

Model Names:

- AA-EB-6R-304L-12g
- AA-EB-6R-316L-12g

Finish: Stainless Steel Satin # 4 Finish


Mounting: 3/8" Surface Mounting Hole Placements

Capacity: Standard Size Outdoor Sprinkler Timer Controller

Installation: Secure fixture to wall with appropriate 3/8" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back to back providing optimal installation strength.


Guide Specification: Security Box shall be constructed with American made, 12 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Security Box shall not be cross-metal contaminated during manufacturing construction. Security Box shall provide protective cover against drip and spray. Protective shroud adds security for padlock. Dispenser shall have 3/8" mounting holes. Security Box shall accommodate standard sprinkler timer styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.





Vandal Stop Products by Atlas American LLC 1930 Village Center Circle #3-5871 Las Vegas, NV 89134







Phone (530) 894 7867

AA-EB-7R

Outdoor Electrical Outlet Security Box









Phone

(530) 894 7867

Features:

- Vandal Resistant
- Spray and Drip Deflective
- Protective Shroud for Padlock
- Surface Mounted
- Fits Standard Size Outdoor Electrical Box
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 5 3/4" x 9" x 4 " (WxHxD)

Material Options:

12-gauge 304L Stainless Steel12-gauge 316L Stainless Steel

Model Names:

- AA-EB-7R-304L-12g
- AA-EB-7R-316L-12g

Finish: Stainless Steel Satin # 4 Finish


Mounting: 3/8" Surface Mounting Hole Placements


Capacity: Standard Size Outdoor Sprinkler Timer Controller

Installation: Secure fixture to wall with appropriate 3/8" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back to back providing optimal installation strength.

Guide Specification: Security Box shall be constructed with American made, 12 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Security Box shall not be cross-metal contaminated during manufacturing construction. Security Box shall provide protective cover against drip and spray. Protective shroud adds security for padlock. Dispenser shall have 3/8" mounting holes. Security Box shall accommodate standard sprinkler timer styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.







www.vandalstop.com

Vandal Stop Products by Atlas American LLC 1930 Village Center Circle #3-5871 Las Vegas, NV 89134

E-Mail sales@vandalstop.com





AA-K100

Map & Brochure Kiosk with Plexi Lid







Phone

(530) 894 7867



- Vandal Resistant
- Spray and Drip Deflective
- Surface Mounted
- Fits standard Tri-Fold Brochures
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 8 3/4" x 10" x 4 1/2" (WxHxD)

Material Options:

12-gauge 304L Stainless Steel

Model Names:

AA-K100-304L-12g


Finish: Stainless Steel Satin # 4 Finish


Mounting: 3/8" Surface Mounting Hole Placements

Installation: Secure fixture to wall with appropriate 3/8" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back to back providing optimal installation strength.

Guide Specification: Kiosk shall be constructed with American made, 12 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Shall not be cross-metal contaminated during manufacturing construction. Shall provide protective cover against drip and spray. Dispenser shall have 3/8" mounting holes. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.







www.vandalstop.com

Vandal Stop Products by Atlas American LLC 1930 Village Center Circle #3-5871 Las Vegas, NV 89134









VSP-TSCD: Toilet Seat Tissue Cover Dispenser







Phone (530) 894 7867

Features:

- Vandal Resistant
- Spray and Drip Deflective
- Protective Shroud for Padlock
- Surface Mounted
- Accommodates Multiple Paper Styles
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 15 %" x 12 ¾" x 2 ¾" (WxHxD)

Material Options:

- 12-gauge 304L Stainless Steel
- 14-gauge 304L Stainless Steel
- 12-gauge 316L Stainless Steel

Model Names:

- VSP-TSCD-304L-12g
- VSP-TSCD-304L-14g
- VSP-TSCD-316L-12g

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Surface Mounting Hole Placements

Capacity: Accepts 6 half-size or 3 full-size seat cover paper product

Installation: Secure fixture to wall with appropriate 3/8" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back to back providing optimal installation strength.

Guide Specification: Dispenser shall be constructed with American made, 12 or 14 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser housing shall provide protective cover for tissue paper against drip and spray. Protective shroud adds security for padlock. Dispenser shall have 3/8" mounting holes. Dispenser shall accept multiple paper styles. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.







AA-SC100 - Sharps Container







Phone (530) 894 7867

Features:

- Vandal Resistant Sharps Container
- Heavy Duty Stainless Steel
- Spray and Drip Deflective
- Extra Secure Crossbar Lock Style
- Surface Mounted
- Safely Protects Plastic Sharps Containers from Tampering
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 12 3/4" x 12 5/16" x 6" (WxHxD)

Material Options:

- 12-gauge 304L Stainless Steel
- 12-gauge 316L Stainless Steel

Model Names:

- AA-SC100-304L-12g
- AA-SC100-316L-12g

Finish: Stainless Steel Satin # 4 Finish

Mounting: 3/8" Surface Mounting Hole Placements


Capacity: Accommodates Covidien COV-8507SA SharpSafety

Container

Installation: Secure fixture to wall with appropriate 3/8" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back to back providing optimal installation strength.

Guide Specification: Secure Sharps Container shall be constructed with American made, 12 or 14 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Secure Sharps Container shall not be cross-metal contaminated during manufacturing construction. Secure Sharps Container housing shall provide protective cover for provide protective cover to prevent access to used sharps. Protective shroud adds security for crossbar locks. Secure housing shall have 3/8" mounting holes. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.





www.vandalstop.com

Vandal Stop Products by Atlas American LLC 1930 Village Center Circle #3-5871 Las Vegas, NV 89134



AA-SC300 - Sharps Container







Phone (530) 894 7867

Features:

- Vandal Resistant Sharps Container
- Heavy Duty Stainless Steel
- Spray and Drip Deflective
- Extra Secure Crossbar Lock Style
- Surface Mounted
- Safely Protects Plastic Sharps Containers from Tampering
- Corrosion Resistant
- Industry Leading Warranty against Vandalism

Dimensions: 5 ½" x 10 %" x 5 ½" (WxHxD)

Material Options:

- 12-gauge 304L Stainless Steel
- 12-gauge 316L Stainless Steel

Model Names:

- AA-SC300-304L-12g
- AA-SC300-316L-12g

Finish: Stainless Steel Satin # 4 Finish


Mounting: 3/8" Surface Mounting Hole Placements


Capacity: Accommodates 1.5 Quart Collection Container by Sharps Compliance Inc

Installation: Secure fixture to wall with appropriate 3/8" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back to back providing optimal installation strength.

Guide Specification: Secure Sharps Container shall be constructed with American made, 12 or 14 gauge 304L or 12 gauge 316L Stainless Steel joined /w TIG welds and edges de-burred. Secure Sharps Container shall not be cross-metal contaminated during manufacturing construction. Secure Sharps Container housing shall provide protective cover to prevent access to used sharps. Protective shroud adds security for crossbar lock. Secure Sharps Container shall have 3/8" mounting holes. 316L SS shall be used for US Navy maritime use or if exposure to salt water is prevalent.

Warranty: See Website Product Page for Details.







www.vandalstop.com

Vandal Stop Products by Atlas American LLC 1930 Village Center Circle #3-5871 Las Vegas, NV 89134

AI-TPD0250NB-SS

Non Shrouded Bar Style 2 Roll Toilet Paper Dispenser



- Vandal Resistant
- Bar Style
- Surface Mounted
- Accommodates Multiple Paper Styles
- Corrosion Resistant

Dimensions: 13" x 3" x 4 ½" (WxHxD)

Material Options:

Stainless Steel

Model Names:

- AI-TPD0250NB-SS Free Rolling
 AI-TPD0250SR-SS Slow Rolling
- AI-TPD0250WB-SS No Rolling
- ______

Finish: Stainless Steel Satin # 4 Finish

Mounting: 7/16" Surface Mounting Hole Placements

Capacity: Accepts 2 Standard Size Toilet Paper Rolls up to ~5.5"

Installation: Secure fixture to wall with appropriate 7/16" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back to back providing optimal installation strength.

Guide Specification: Dispenser shall be constructed with American made Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser shall have %" padlock hole for securing unit.

Warranty: See Website Product Page for Details.







AI-TPD0350NB-SS

Non Shrouded Bar Style 3 Roll Toilet Paper Dispenser

Features:

- Vandal Resistant
 - Bar Style
- Surface Mounted
- Accommodates Multiple Paper Styles
- Corrosion Resistant

Dimensions: 17 ½"" x 3" x 4 ½" (WxHxD)

Material Options:

Stainless Steel

Model Names:

- AI-TPD0350NB-SS Free Rolling
- AI-TPD0350SR-SS Slow Rolling
- AI-TPD0350WB-SS No Rolling

Finish: Stainless Steel Satin # 4 Finish

Mounting: 7/16" Surface Mounting Hole Placements

Capacity: Accepts 3 Standard Size Toilet Paper Rolls up to ~5.5"

Installation: Secure fixture to wall with appropriate 7/16" stainless steel anchoring hardware for optimal installation strength (not provided). Recommend 3/4" or greater back bracing for walls. Partitions may require T-nuts or other suitable anchoring devices. When possible it is recommended that units be through bolted back to back providing optimal installation strength.

Guide Specification: Dispenser shall be constructed with American made Stainless Steel joined /w TIG welds and edges de-burred. Dispenser shall not be cross-metal contaminated during manufacturing construction. Dispenser shall have %" padlock hole for securing unit.

Warranty: See Website Product Page for Details.





Phone (530) 894 7867





A Veteran Owned Small Business

Washroom Accessories for Public Restrooms that Endure High Use, Abuse, Corrosion and Vandalism

Buy It Once, Install It Once!

