









# BRASSES

by

BALL and BALL WHITFORD, PENNA.

MAKERS OF FINE QUALITY CABINET HARDWARE

### CABINET HARDWARE

# Catalog Number CH 57

### BALL and BALL, WHITFORD, PA. Telephone FOxcroft 3-7330

Located 25 M. west of Philadelphia on U. S. Route #30, 3 M. from "Downingtown" Interchange on Pennsylvania High Speed Turnpike, 1 Mile west of the Crossing of U. S. #30 and Penna. #100.







# See inside back cover for other products



"Ball and Ball" cabinet hardware is produced in our own shops by persons skilled in this particular work. Our large collection of examples of original brasses is used as a working guide and the originals are made a point of study so that we can achieve the same result with our reproductions.

"Quality" and "Ball and Ball" are words that are thought of and used together wherever antiques are known. Imitations of our brasses are being made and photographs from our own catalogs have been used but only Ball and Ball can make—

"THE BRASSES FOR THOSE WHO KNOW THE ORIGINALS"



### INFORMATION

About Sizes, Colors, How to order, Parcel Post Shipments, Terms will be found in the Price List







TRADE NAMES REGISTERED

"BALL AND BALL BRASSES"

"BALL BRASSES"

Copyright 1961 by William Ball and W. Whitman Ball










"THE BRASSES FOR THOSE WHO KNOW THE ORIGINALS"















"THE BRASSES FOR THOSE WHO KNOW THE ORIGINALS"




















"THE BRASSES FOR THOSE WHO KNOW THE ORIGINALS"










"THE BRASSES FOR THOSE WHO KNOW THE ORIGINALS"






"THE BRASSES FOR THOSE WHO KNOW THE ORIGINALS"
















"THE BRASSES FOR THOSE WHO KNOW THE ORIGINALS"







# Price List B<sub>5</sub> for Catalog CH 57

EXTON, PS

- ANTIQUE. This resembles the color of fine originals and is accomplished through a special process that oxidizes the surface of the brass, no lacquer is used or required. This color will improve with age.
- POLISHED BRIGHT. This is known as our "GOLDEN GLOW" finish. This is a high lustre, perfectly smooth surface resembling hand polished old brass. This finish will tarnish if not repolished from time to time as in normal household cleaning.
- THERE IS NO DIFFERENCE IN COST for either the ANTIQUE or "GOLDEN GLOW" finish. When a preference is not stated with each order, we will use our own judgment.
- HANDLING CHARGE: Charge of 10% to 20% may be charged on stock material returned for credit. Items made to order not usually returnable.
- INFORMATION REQUIRED WHEN ORDERING SERIES LETTER and CATALOG NUMBER, QUANTITY of each, COLOR desired, also in furnishing some items whether RIGHT or LEFT hand.

#### TERMS

- BILLED Orders will be sent on open account, net thirty days.

  When requesting credit give names of three supply houses.
- C. O. D. Shipments will be made if you are not on our credit list and if you do not pay in advance.

  Post Office rates are high on C. O. D. packages and the detail makes it necessary for us to charge \$ .25 extra for each shipment.
- ADVANCE PAID This is the best way to pay if you have not established credit with us. See POSTAGE below.
- POSTAGE Is charged on all orders. If your orders are ADVANCE PAID an extra amount for postage should be included with your remittance.
- INSURANCE Rates are \$ .10 for \$10.00, \$ .15 for \$25.00, \$ .20 for \$50.00, \$ .30 for \$100.00 values. When your orders are ADVANCE PAID, shipments will be insured only if you include an amount sufficient to cover both POSTAGE and INSURANCE. Refunds will be made in stamps for any over payment on postage or insurance.

.11 FOURTH CLASS (PARCEL POST) ZONE RATES

	Zones									
Weight, over 8 ounces		1 and 2	3	4	5	6	7	8		
and not exceeding:	Local	Up to 150 miles	150 to 300 miles	300 to 600 miles	600 to 1,000 miles	1,000 to 1,400 miles	1,400 to 1,800 miles	Over 1,800 miles		
1 pound	. 21	\$0. 23	\$0. 23	\$0. 24	\$0. 26	\$0. 28	\$0. 30	80. 32		
2 pounds		. 27	. 29	31	86	. 40	46	51		
3 pounds		. 31	. 34	. 38	45	. 52	61	69		
4 pounds		. 35	. 39	. 45	54	. 64	76	87		
5 pounds		. 39	. 44	. 52	. 63	. 76	. 91	1. 05		
6 pounds	. 26	. 43	49	59	73	88	1. 06	1. 23		
	27	. 47	54	66	82	1. 00	1. 22	1. 41		
	. 29	. 51	. 60	73	. 91	1. 12	1. 37	1. 59		
	. 30	. 55	. 65	80	1, 00	1. 24	1. 52	1. 77		
	. 32	. 59	70	87	1, 10	1. 36	1. 67	1. 95		
11 pounds	33	63	75	93	1. 19	1. 48	1. 82	2. 13		
12 pounds	34	67	80	1. 00	1. 28	1. 60	1. 98	2. 31		
13 pounds	. 36	71	85	1. 07	1. 37	1. 72	2. 13	2. 49		
14 pounds	. 37	75	. 90	1. 14	1. 47	1. 84	2. 28	2. 67		
15 pounds	. 39	. 79	. 96	1. 21	1. 56	1. 96	2. 43	2. 85		

When you remit with order—
Be generous with POSTAGE and INSURANCE
Any overpayment will be returned.
Send all mail to:

BALL AND BALL WHITFORD, PA.

	PULLS SERIES "A"		PULLS	SERIES "C" Continued
Cat. No. I		Cat. No		Overall Size Price Each
A-65	Drop 1% long, Rosette 13	C-2	21/4	3½ x 2
A-66	" $1\frac{1}{8}$ " $1\frac{1}{16}$		2½	2.10
A-67	" 1½ " " 1½* 1.00		2¾ 3	4½ x 2½
A-68	1% 2% 2.00	C-3	25%	3¾ x 3 *
A-69 A-70	" 1¾ " " 1¾* 1.90 " 1¾ " " 1½* 1.30	C-4	21/4	3¼ x 2¼1.60
A-71	" 1% " " 1%* 1.50		2 1/8	" 1.60
A-72	" 1¾ " " 1½* 1.65		2½	3½ x 2½
A-73	" 1½ " " 15/8 * 2.00		2¾ 3	4.10
A-85	2 ¾ 3 ¼ x 2 ½	C-5	23/4	3\\[ \times 2\\[ \frac{3}{4} \]   \qq
	Esc. 2.00 3 4 16 x 2 34 2.85	bean at y	23/4	* *
	Esc. 2.05		31/4	4% x 3¼* 3.50
	2½ 3½ x 2 * 2.70	C-6	23/4	3¾ x 2¾* 3.00
	Esc. " *	C-7	2¾ 3	3¼ x 2¼
A-87	2 3 x 1¾*		31/4	2.60
	Esc. * *	C-8	21/4 or 23/8	3% x 1% 2.00
	Esc. * 1.20		2½ or 2%	3½ x 2
A-89	2½ 4½ x 2½* 1.75		2¾ or 3	3% x 2¼ 2.40
4 00	Esc. " * 1.35	C-9	2%	4½ x 2½*
A-90	2 3% x 2%*		23/4	3% x 2¾* 3.50
	"THINCAST" backplates.	C-10	3	4% x 2¾* 4.10
Escutcheon	s for teardrops did not always match, some	C-11	21/4	3 % x 2 % 1.50
exception	as are found, especially for types A-68 and		2½ 2¾	4½ x 3
A-69. W	e illustrate on page 13 a match for each tear-		3	1.90
drop exc	ept No. A-70 and A-71, you will find a listing in the price list. At bottom of series "L."	A COLUMN	31/4	2.20
Escutche	ons for pulls A-85 to A-90 that we list above	C-12	27/8	4½ x 3¼* 4.00
	outline and size as pulls.	C-13 C-14	3 3%	4 x 2 % 2.00 4 ¼ x 2 5 * 4.00
Teardrops	"Nos." A-68, A-69 and A-73 and plate pulls	C-15	31/2	45% x 23/4* 4.20
A-85 to .	A-90 inclusive except A-88 and A-89 have hand	C-16	2½	3% x 2¾* 4.50
	designs, these are the very finest copies of orig-		25/8	4.50
inals.	A-89 designs are cast in the plates but will be		2¾ 3	4 x 3¼* 5.00
furnished	hand chiseled to order.		31/4	" *
	ped a method in our own foundry in 1933 of	C-17	21/2	3¾ x 2¾* 3.50
making	cast plates as they were made by the original	C-18	3 3/4	4¾ x 3 * 4.00
makers.	we named the result "THINCAST." No other	C-19	2½	3½ x 2% 1.70
brasses	being made today can approach these "THIN- late pulls in quality or workmanship.		2¾ 3	4 x 2 <sup>3</sup> / <sub>4</sub>
CASI pi			31/4	" 1.90
	PULLS SERIES "B"	C-20	2 3/8	3½ x 2¾ 1.90
Cat. No. E	Boring Overall Size Price Each	C-21	2 % 3	3¾ x 2¾ 2.10
B-15	2½ 3 x 2½ 2.40	0-21	31/4	4¼ x 3⅓
	Esc. " 2.10	C-22	21/4	3½ x 2% 1.50
	3 4 x 3		21/2	" 1.50
	25% 3½ x 25%* 3.60		23/4	3% x 2% 1.60
	Esc. " 3.00	C-23	25/8	35% x 25% *
	2% 4 x 31/8* 4.00	C-24	2 3/4	3% x 3 * 3.00
	Esc. " 3.50 3¼ 4½ x 3¼* 4.75	C-25	2½	3¾ x 2% 1.70
	3¼ 4½ x 3¼*		23/4	1.7V
	2¾ 3% x 2%* 3.75		31/4	4¼ x 2¾
	Esc. " 3.25	C-26	2	3 x 1 <sup>3</sup> / <sub>4</sub> 1.50
	3¼ 4½ x 3¼*	C 05	23/4	4 x 2½
	Esc. " 3.75	C-27 C-28	2½ 2	4 x 2%* 3.00 2% x 1%* 2,50
	Esc. " 3.10	0-40	3	2% x 1%*
B-21	3½ 4½ x 3%* 5.25	C-29	21/4	3½ x 2½
	ESC. 4.10		23/8	1.00
	2% 3½ x 2½* 4.00 Esc. 3.50		- 2½ 2¾	1.00
	2½ 3% x 2½* 3.50		3	3¾ x 2½
- Ingglisher into	Esc. " 3.00	C-30	3	3¾ x 2¼*
	3¼ 4¼ x 3½*	C-31	23/4	37/8 x 2 1.50
	Esc. " 3.75 'THINCAST" plates.	C-32 C-33	2 1/2 2 1/2	3¾ x 2¾*
		0-00	3	3% x 2 *
nished w	ries pulls with "THINCAST" plates are fur- rith cast posts and cast nuts. All "B" series	C-33	21/4	3% x 1% 1.50
escutched	ons are same size as pull plates. Escutcheon	0.04	2½	1.50
pulls (Pu	alls with keyholes) are furnished at same price	C-34 C-35	23/4	3½ x 25% 1.70 4½ x 3¼* 4.20
as pulls.		C-36	23/8	4 % x 3 ¼ *
	PULLS SERIES "C"	C-37	21/2	4 x 2¾ 1.70
Cat. No. B			23/4	1.70
	2¼ 3½ x 2% 1.80		3 1/4	4.27
ware sta	2½ " 2.00		31/2	" 2.10
	2¾ 4 x 3⅓ 2.10	C-38	23/4	3½ x 1¾ 1.70
	3	C-39	25/8	3½ x 2
	3¼ 4½ x 3½	C-40 C-41	$\frac{3\%}{2\frac{1}{2}}$	4¾ x 3 * 4.50 4 x 2¾* 3.60
			- 14	

#### PULLS SERIES "C" Continued

#### PULLS SERIES "D" Continued

Cat. No.	Boring	Overall Si	ze Price Each
C-42	27/8	4¾ x 3	1.75
C-43	31/4	4% x 2%	
C-44	3	4 x 2%	
C-45	3	4 x 2½ 4% x 2¾	* 3.65 * 4.50
C-46	2½	4 x 3½	* 4.80
C-47	4	5½ x 3½	
C-48	3¼	4¼ x 2½	
C-49	25/8	4 x 3	* 3.20
C-50	23/4	4 x 2½	* 2.70
C-51	3	4¾ x 2¼	* 2.70
C-52	2½	4 x 3	
C-53	3¾	4½ x 3¾	
C-54 C-55	2 1/8 2 5/8 3	4 1/8 x 2 1/4 3 5/8 x 2 5/4 4 1/8 x 2	* 2.70 * 3.00
C-56	3	4 % x 2 4 % x 3 % 5 % x 3 %	* 2.60
C-57	3 <sup>1</sup> / <sub>2</sub>		4.80
C-58 C-59 C-60	3¼ 2 3¾	4% x 3% 3 2 ½ 4	* 2.40
* Denotes			S

All "C" Series pulls with "THINCAST" plates are furnished with cast posts and cast nuts. All "C" Series escutcheons are same size as pull plates. Eschutcheon pulls (Pulls with keyholes) are furnished at same price as

#### **ESCUTCHEONS SERIES "C"**

Price of "Escutcheon" is based on price of "Pull." When ordering state design No. and size of pull you wish to

1.50	then	the	pull	of	each	Esc.	is	1.30
1.60	66	66	- 66	66	66	66	66	1.40
1.70	66	66	44	66	66	66	66	1.50
1.75	66	66	66	66	66	66	66	1.55
1.80	66	66	66	66	66	66	66	1.60
1.90	66		66	66	66	66	66	1.70
2.00	66	66	66	66	66	66	66	1.80
2.10	66	66	66	66	66	66	66	1.90
2.20	66	66	66	66	66	66	66	2.00
2.30	66	66	66	66	66	66	66	2.10
2.40	66	66	66	66	66	66	66	2.20
2.50	66	66	46	66	66	66	66	2.30
2.60	66	66	66	66	66	66	66	2.40
2.70	66	66	66	66	66	66	66	2.50
3.00	66	66	66	66	66	66	66	2.80
3.15	66	66	- 66	66	66	66	66	2.95
3.20	66	66	66	66	66	66	66	3.00
3.50	66	66	66	66	66	66	66	3.30
3.60	66	66	66	66	66	66	66	
3.65	66	66	66	66	66	66	66	3.45
	66	66	66	66	66	66	66	3.55
3.75	66	66	46	66	66	66	66	9.65
3.85	66	66	46	46	66	66	66	3.65 3.70
4.00	66	66	66	66	44	66	66	3.80
4.10	66	66	66	66	66	66	66	0.00
4.20	66	44	44	66	66	66	66	4.05
4.35	"	66	"	66	66	66	46	
4.40					"	44	66	4.10
4.50	66	66	46	66	"	44	66	4.20
4.80	46	66	66	66	The sales in			4.50
5.00	66	66	66	66	66	46	66	4.70
5.20	66	66	66	66	66	66	66	4.90

#### PULLS SERIES "D"

Cat. No.	Boring		rice Each
D-1	2116	3 3 x 1 1	1.60
BE SELOQ	3	$3\frac{5}{8} \times 2\frac{3}{16}$	2.10
	$3\frac{3}{16}$	3 16 x 2 16	2.20
D-2	23/4	3½ x 2½	2.00
D-3	23/8	2 <sup>7</sup> / <sub>8</sub> x 1 <sup>7</sup> / <sub>8</sub>	1.65
	25/8	316 x 216	
D-4	23/4	3 is x 1 1/8	1.60
D-5	2	2 5/8 x 21/16	1.45
	21/2	3½ x 2½	2.00
D-6	21/8	2 ½ x 2	2.20
	2 3/8	3½ x 2¼	2.50
D-7	3	35/8 x 21/4	2.00
D-8	0	35% x 21/4	
D-9	3	35% x 21/4	1.95

Cat. No.	Borin	g Over		e manife and	
D-10	27/16	3 2	2 3%		2.20
D-11	211/40	33/40 3	21/8	******************************	1.80
D-12	2		x 2		
D-13	21/2	316 2	1 1 1/8		
D-14	21/8	21/2 >			1 00
DII	25/8	31/4 >			0.00
D-15	21/2	3 3			4 0 0
D-16	25/8	35/16 2			
D-10	3	35%			
D-17	25%				
	278			***************************************	1.90
	23/8	3 2		***************************************	1.00
D-19	21/2	27/8 2		• • • • • • • • • • • • • • • • • • • •	
D-20	13/4	21/4 2		***************************************	
	23/8	3 ×	216	***************************************	
	211/16		x 21/8	***************************************	
D-22	2 3/8	3 3/4 2			
D-23	3	31/2	115	*************************	1.90
D-24	21/4	37/8 2	13/4	***************************************	2.20
D-25	23/8		x 23/8	***********************	1.95
D-26		31/8 2		***************************************	2.00
D-27	21/2	3 2			
T 00	23/4	31/4 2		***************************************	
D-29	27/16	3 2		}	
D-30	21/4	23/4 2			
D-31	21/4			***************************************	
D-91	21/2		21/2		
D-32	25/8		1		
		31/8 2		·····	
	21/2	3 2			
				***************************************	
D-35	21/4	23/4 2			
	3		23/8		
D-37	216	23/4 3	17/8		
	$2^{1/2}$		23/8		
D-39	21/4		k 1%	***************************************	
D-40	2	216		************************	
D-41			21/4		2.10
D-42	21/2	31/8 2	21/2	***************************************	2.10
D-43	21/2		21/4	***************************************	2.20
D-44	21/4	2 3/4 2	1 1/8		2.00
D-45	2 3/8	3 2			2.50
D-46	2	3 2 25% 3			
D-47	21/2	33/16			
D-48	21/2	31/8 2	21/2		
				ed in hardened	steel dies,

All "D" Series pulls are stamped in hardened steel dies, exact copies of originals. All posts have turned heads and round nuts. All bails are cast and fine hand workmanship is at once apparent throughout. These, like all other brasses by Ball and Ball, are in stock in our famous GOLDEN GLOW polished finish or ANTIQUE color. Escutcheons for "D" Series pulls were never made to match, the most used ones are L-65 and L-64. Use L-66 on cut corner D-39 or D-44 pulls, other escutcheons of bone or ivory like L-68 were used especially on inlaid furniture.

Escutcheons for use with "D" Pulls are listed under "L" Series.

Series.

#### PULLS SERIES "E"

Cat. No.	Boring	Rosette S	ize	Price Each
E-25	21/2	116		1.45
	25/8	66		
	23/4	66		1.55
	27/8	"		1.60
	3	66		1.65
	31/8	66		1.70
	31/4	"		
	3 %	1 3		1.75
		$1\frac{3}{16}$		1.80
	3½	"		1.90
	3%			2.00
	33/4	1 16		2.30
	4	- 46		2.50
Larger s	sizes to or	rder		
E-26	3	11/8	冰	1.80
	31/4	66	*	1.90
	31/2	66	水	2.00
E-27 S	ame sizes	and prices	as	
E-28	3	11/16		
	31/4	- 66		
	31/2	46		2.00
E-29	2 3/4	7/8	aje	1.70
1 10	3	"	aje	1.80
	31/4	66	*	1.90
E-30	3	11/16		1.85
13-00	3 %	13/16		
	37/8	15/16 15/16		2.00
	0 /8	1716		2.50

#### PULLS SERIES "E" Continued

Price Each

Dogotto Sign

Cat. N	o. Boring	Rose	tte	e Size	Price	e Each
E-31	21/2	1 18	X	1	***************************************	1.55
	25/8		66			1.60
	23/4		66			1.65
	27/8		66			1.70
	3		66			1.75
			66		***************************************	1.80
	31/8		66		••••••	
	31/4				***************************************	1.85
	3 %		66			1.90
	31/2	11/2	X	11/8		2.00
	35/8		66			2.10
	3 3/4		66			2.40
	4		66		196	2.60
E-32	Same sizes a	and n	nia	es as		E-31
						2.10
E-33	2 3/4	1 3/8	X	1 *	***************************************	
	3		66	ALC: UNITED IN	***************************************	2.20
	31/4			*	***************************************	2.30
	31/2		66	aje	***************************************	2.40
E-34	31/4	11/2	X	11/8*		2.40
	31/2		66	*		2.50
	3 3/4		66	ajc		2.60
E-35	Same sizes a	nd pr	ine	00 00 8		E-34
E-36	3			1		1.95
E-20	03/	15/16	X	11/	••••••	2.20
E 0.7	3 3/8	1 1/2	X	11/8	***************************************	
E-37	3 5/8	1 3/8		*	***************************************	3.00
E-38	31/4	11/8				2.50
E-39	3	11/4	X	13/4*	***************************************	3.50
	31/4		66	*		3.50
	31/2		66	*		3.50
E-40	4	11/2		*		2.75
E-41	27/8	11/4		nje		3.50
E-42	3 3/4	11/2		aje	***************************************	4.00
E-43	4	11/4		2 *	***************************************	
			X	*	***************************************	4.00
E-44	2 3/4	11/8		*	***************************************	1.80
E-45	3 1/2	13/16		A REAL	***************************************	4.00
E-46	21/2	31/2	X	21/4	***************************************	2.00
E-47	3	7	X	1 3/4	***************************************	2.00
E-48	21/2	41/4	x	11/2	***************************************	1.30
E-49	21/2	5 3/4	x	1 3/4		.80
	3	71/2	X	21/4		1.00
E-50	2 3/8	31/4	X	11/4		1.30
E-51	23/4	5	X	23/8		1.50
17-01	37/8	9	66	4 78	***************************************	
* D		4.4			***************************************	2.60
	otes cast rose					
Nur is r	nber E-49 is ight-hand).	furnis	she	ed in	are for French fur right and left (illus	tration
E-52	3	% F	Ros	settes	*	1.80
E-53	4	11/8		66	*	2.40
E-54	2 5/8	11/4		66	***************************************	1.50
E-55	3 %	1		66	*	2.70

TO TIPITO	HEATIN ) .				
E-52	3	7/8	Rosettes	*	1.80
E-53	4	11/8	66	*	2.40
E-54	2 1/8	11/4	46	***************************************	1.50
E-55	3%	1	46	*	2.70
E-56	3 3/4	15/16	66	***************************************	2.70
E-57	3	11/4	66	*	2.00

E Series pulls date from 1740 to 1850. Generally speaking, Series pulls date from 1740 to 1850. Generally speaking, the plain ones as E-25, E-29, E-31, etc. are Chippendale types, the rope edge ones like E-27 and E-32 are Hepplewhite and Sheraton but there are many exceptions. E-39 type was used on some very fine furniture of 1745-1765 period. E-40 and E-56 are Queen Anne types, E-44 and E-53 are Directore and the E-46 to E-51 types were used on French furniture over a long period of time.

Escutcheons for rosette pulls were usually made to match the design and shape of rosettes though some were alike only in details of design, example—pull E-43 was used with esc. L-88.

We list preferred combinations below but keep in mind the many exceptions. You learn in this business never to say never because there are always exceptions.

Pulls.	Use Esc	. No.	Pulls.	Use Esc	. No.
E-25	66	L-69, 70 or 71		66	L-91
E-26	66	L-72	E-43	66	L-88
E-27	66	L-73, 75 or 76	E-44	66	L-82
E-28	66	L-77	E-45	66	L-81
E-29	44	L-74	E-46	66	L-83 or 87
E-30	66	L-69, 70 or 71	E-47	66	L-87
E-31	66	L-69 or 71	E-48	66	L-92
E-32	66	L-75 or 76	E-49	66	L-83 or 87
E-33	66	L-78	E-50	66	L-85
E-34	66	L-79	E-51	66	L-83 or 87
E-35	66	L-86	E-52	"	L-74 or 96
E-36	"	L-69, 70 or 71	E-53	66	L-80
E-37	66	L-85	E-54	66	L-77
E-38	66	L-85	E-55	66	L-82 or 84
E-39	66	L-89	E-56	66	L-69, 70 or 71
E-40	66	L-77	E-57	66	L-85
E-41	66	L-90 or 92			

#### KNOBS SERIES "F"

Cat. No.	Size	Price Each
F-20	3/4	1.00
		1.20
		1.50
		1.60
		1.70
		1.80
F-21		1.70
1 21	4.07	1.90
F-22	~ /*	2.60
F-23		1.60
1 -20		2.00
F-24		1.20
J. Village and		1.60
		1.80
F-25	4	1.35
F-26	4 4 /	1.55
F-27	4.07	1.65
F-28	4.07	1.65
F-29	45/	1.70
		2.00
	The second secon	2.30
F-30	#1/	1.50
Francisco St.	2/10	

Knobs F-20 to F-30 inclusive are furnished complete with rosette and post and nut fittings as in the side view. Used on bureaus, chests of drawers, sideboards, cupboards, etc. from 1790 to 1840.

Escutcheons used for knobs F-20 to F-30 are L-64, L-65 and L-67. At times L-66 will also be found. L-68 is an inlay escutcheon of bone or ivory, sometimes used on inlaid furniture.

Cat. No.	Siz	ze		Pric	e Each
F-31	1	Round	Knob		.95
	11/4	66	66		1.05
F-32	11/2	66	46		2.50
	13/4	66	66	***************************************	3.00
	2	66	66		3.20
F-33	11/4 x 1	Oval	Knob		2.50
	1½ x 1	3/16 "	66		2.50
	1%6 x 1		66		2.50
F-34	1% x 1		66	***************************************	3.50
	2 x 1		46	•••••	3.70

#### INFORMATION ABOUT KNOBS

Knobs F-31 and F-33 are solid, these are the types used from 1740 to 1860, for pine furniture, built-in drawers,

F-32 and F-34 are the types generally used on latches and box locks, however, they have many more uses.

One very common use today is for mounting on full size louvre or solid coat closet doors, etc. without any latches. This is where the screw slotted blind nut makes an ideal fitting. These knobs are also used on other builtin cupboard doors, etc. equipped with spring or magnetic catches, the large sizes are also used with a very large rosette for a decorative effect on slab doors.

#### SPECIFICATIONS, F-31 and F-33

F-31—is always furnished with a rosette regardless of the type of fitting.

Standard fitting is wood screw as shown in side view but bolt-and-nut or machine-screw fittings will be furnished at no extra charge if requested on each order, the thread size on this knob is 10-24.

F-33-is always furnished with a rosette but can be furnished with only one fitting, that is the post and nut as shown in the side view.

#### SPECIFICATIONS, F-32 and F-34

These are furnished in GOLDEN GLOW polished unless otherwise ordered.

F-32—is never furnished complete with a rosette. Rosettes -32—is never furnished complete with a rosette. Rosettes are sold separately at 35c each. Special rosettes to match will be made to order, subject to quotation. There are three sizes of this knob, the 1½" size is furnished with a square hole to fit a 7-32" square spindle, 3½" spindles are furnished at 25c each, other fittings that can be furnished are machine-screws, bolt-and-nut or bolt with blind nut with screw slot. Pairs of these knobs can be mounted on latches of the early square-plate or wishbone types without any drilling or tapping of the spindles because the base of each knob has an 8-32 hardened steel set screw driver slot. hardened steel set screw driver slot.

#### Continued from preceding page

These same knobs in the 1¾" and 2" sizes are same as above with these exceptions. The square spindle size is 9-32". This is standard on almost all modern as well as antique locks of the box types.

These are furnished with a side screw in the base of knob, spindles must be drilled and tapped 10-24 for mounting.

Spindles-Blank spindles 9-32" square by 5" length

Spindles—One end blank, one end tapped 10-24 40c. Spindles—Fitted to your locks, or for a particular combined thickness of lock and door 75c and up.

The other fittings, that is the machine-screw, bolt-and-nut or bolt with blind nut can also be fitted on these knobs.

F-34—is never furnished complete with a rosette. Rosettes are sold separately at 35c each. Special rosettes will be made to order, subject to quotation.

There are two sizes of this oval knob. The size 1% "x 1%e" is standard with the 7-32 square spindle hole. The 2"x 1%" size is standard with 9-32" square hole. The various other fittings can be furnished as described above.

On the very earliest and best large latches and box locks the knobs were riveted at one end and on the other end the shank was brought to a tapered threaded end and the knob was held on with a small round slotted nut, this type of fitting can be done to special order.

#### SEDIES "O" SMALL DROPS AND KNORS

SER	LES	G	SWA		JKUP	3	AND	TATA	ODS
Cat. No.		Siz	e					Price	e Each
G-15	5/8	width	of dr	op					1.30
	11/8	46	66 6	6					1.30
G-16	3/4	diam.							1.05
	3/4	66							1.10
G-17	3/8	66	46	66	66				.40
	7	46	66	66	66				.40
	1/2	66	66	66	66				.50
	5/8	66	66	66	66				.50
	3/4	66	66	- 66	66				.60
G-18	3/8	diam.	with	wood	screw				.50
	7	66	66	66	66				.50
	1/2	66	66	66	66				.60
	5/8	66	66	66	66				.65
	3/4	66	66	66	46				.75
G-19	3/8	diam.	with	wood	screw				.40
	1/2	66	66	66	46				.50
	5/8	66	66	46	66				.50
	3/4	66	66	44	64				.60
G-20	3/8	66	46	66	66				.45
AT AT AT A	1/2	66	66	66	66				.55
	5/8	44	66	44	66				.55
	3/4	66	46	46	66		A.		.65
G-21	11	width	of di	qo:					1.10
Ob.	3/4	66	66 6						1.20
	1	66	66 6	6					1.40
G-22	5/8	Oval	ring						.90
~	5/8	round							.90
	11/8	66	"						1.10
	-/0								191
					e were now				

#### SERIES "H" HINGES

Cat. No.	Size	Price Pair
First siz	ze is length along pin.	0.77
H-15	1½ x 2 Cast Desk	3.75
	1 <sup>3</sup> / <sub>4</sub> x 2 <sup>1</sup> / <sub>2</sub> " "	4.00
H-16	Butler Tray	2.10
H-17	Grandfather Clock Door	6.00
H-18	" " "	5.50
These c	lock hinges are 1\%" along pin,	all other sizes

are made to fit. State thickness of door, and offset if

the door	mas	a mp.		
H-19	3	Tall.	Brass	 2.70
	31/2	66	66	 3.00
	4	66	66	 2 20

These hinges can be offset as much as 3/8" at no extra charge. H L Brass Hinges in above can be furnished, state quantity and size for quotation.

Dutte	decerrore	9 00220	2220 20	7 0100000		
H-20	4	x 2	Brass		 5.00	
H-21	2	x 11/8	66		 3.00	
H-22	13/4	x 13/4	66		 4.00	
H-23	5	x 2	66		 2.50	
H-24	2	Long	When	Closed	 2.40	
	21/2	"	66	66	 2.60	
	3	66	66	66	 2.75	

#### SERIES "H" HINGES Continued

1% x 1% Knife Box ...... 5.00

Size

Cat. No.

H-25

All above hinges are solid cast brass of the very finest workmanship. These are in stock with screws to match in GOLDEN GLOW polished or ANTIQUE finish, please state preference.  H-35-N 1 x ¾	H-26			DOX .		15.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	All above workman in GOLI	hing nship DEN	ges are c. Thes GLOW	solid cast	brass of the vock with screws	ery finest to match
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	H-35-N	1% 21/4	x 29/32 x 13/16			40
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	H-35-M	7/8 1 1/4 1 1/2 1 3/4	x 13/16 x 7/8 x 1 x 1	••••••		30 35 40 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	H-35-B	1 1¼ 1¾ 2 3	x 1 <sup>1</sup> / <sub>32</sub> x 1 <sup>1</sup> / <sub>16</sub> x 1 <sup>1</sup> / <sub>4</sub> x 1 <sup>3</sup> / <sub>8</sub> x 2 <sup>1</sup> / <sub>9</sub>			30 45 60 75
	00.2	1 1/8 1 1/2 1 3/4 2	x 15% x 2 x 27/16 x 31/16			45 90 1.25 1.50

Hinges H-35-N to and including H-35-D are stock rolled hinges that have been refinished by us and carried in stock with screws to match in GOLDEN GLOW polished or ANTIQUE finishes at prices listed, state preference. Gross lots in our finish or standard commercial finishes will be quoted.

#### IRON TABLE HINGES

Cat. No.	Size	Price Pai	r
H-36-A H-36-B H-36-C	1½6 x 2¾ Iron 1¾6 x 2% " 1½6 x 3½ "		
			-

Hinges H-36-A, B and C are iron table leaf, commercial unfinished iron without screws. Other finishes or screws at extra charges.

#### MISC. WROUGHT IRON HINGES

Cat. No.		S	ize				Price	Pair
H-37	9	Long	Leaf	X	3/4	Offset "		
	12	66	66	66	66	66	13.	
	14	66	66	66	66	66	15.0	00
H-38	13	4 x 3	1/2				4.1	50
Hinges I				nk	et	chests.	These are fine qua	ality

H-38 and H-41 are also of this high quality, all are furnished at prices listed with screw-slotted forged-head wood screws. Semi-handmade nails will be furnished at no extra charge.

Cat. No.	Siza	Iter	n	Quality	Pr	ice Pair
				er M. Tuerry K. T.	1	
H-39	3"	"H" I	Hinge	A		.75
		66	66	В		1.50
		66	66	C	***************************************	5.00
	4"	66	66	A		1.20
		66	66	В		2.40
		66	66	Č	***************************************	6.00
	7"	66	66	B	***************************************	4.00
	1		46		***************************************	
	0.11		66	C	***************************************	9.00
	9"			В		6.00
		46	66	C		11.00
H-40	3"	"H-L" I	Hinge	A		.80
		66	66	В		1.60
		66	66	C		7.00
	4"	66	66	A		1.40
	abled !	66	66	B	***************************************	2.80
		66	66	č	***************************************	8.00
	7"	66	66		***************************************	
	.7"	66	46	В	***************************************	4.50
				C	***************************************	11.00
	9"	66	66	В	***************************************	7.00
		66	46	C	***************************************	13.00

#### INFORMATION

"A" Sold in 1 dozen pair lots only, these are standard hardware quality, not recommended for fine wood work or furniture, but very good for kitchen cabinets, etc.

Always furnished with pyramid head screws with screw driver slot.

"B" Regular quality hinges reworked and refinished in flat

### INFORMATION on "H" Hinges, Continued

black paint. Much used for general restorations of furniture and built-in cabinets, house doors, etc. Pyramid screws furnished. Cut or hand forged nails to special order at additional charge.

"C" The very finest, these are hand forged at the anvil and are equal to originals. In addition to sizes listed we can furnish to order any other size. All sizes are furnished with hammered-head cut nails or pyramid screws at prices listed. Hand forged nails to order at extra charges. Off-set hinges in all above qualities and sizes will be quoted, please state off-set needed and quantity and size of hinge.

H-41 3¾ Iron Rat Tail ...... 4.50

#### SERIES "I" BED BOLT CAPS

Cat. No	. Size	Price Each
I-20	31/8 x 2 Embossed	1.40
I-21	2½ x 1½ Cast	
I-22	1¾ Diam. "	
I-23	1% " "	
I-24		
I-25		sed
I-26		2.00
I-27	21/8 " *	2.00
*These	have cast rim with e	embossed face spun on, finest

quality bed bolt covers made.

#### SERIES "J" CATCHES ETC.

Cat. No.	Size Price Each
J-35	1¼ Diam. Tilt Table Catches 2.25
	134 " " " " 3.30
J-36	27/8 x 21/4 " " " " 3.75
Then I again	3 % x 2 % " " " 5.00
J-37	" " x 5½ C to C16.00
J-38	4 Radius, as Illuspr. 7.00
	4½ " " 7.50
J-39	2½ x 1 <sup>5</sup> / <sub>16</sub> Butler Desk Catch
J-40	2½ C to C of Tangs 2.50
J-41	3 Flush Type 1.50
J-42	3 With Knob 1.70
	4 " " … 1.90
J-43	Inside Cupboard Catch
All itams	from J-44 to J-50 have nost and nut with finger

also rosettes as illus. in side view. For matching knobs see series "F."

J-44	1% Across Bow	2.25
DOMESTIC AND ADDRESS OF THE PARTY OF THE PAR	1 1 % " "	2.60
	134 " "	2.70
	2 " " "	000
J-45	15% " "	0 00
J-46	2 " "	0 00
J-47	15% " "	~ =-
J-48	11/2 " " …	
J-49	1 Diam. Round	
	11/4 "	
J-50	1½ x 1 Oval Knob	
	1 1 X 1 4 " "	2.70
J-51	1 x 2 d Cupboard Catch	3.10
	1½ x 2½ " "	
J-52	1½ x 2½ " "	4.00
J-53	2½ x 2½ " "	
J-54	4 x 23/4 "H" Catch	4.50
J-55	3 x 2½ " "	3.75
	4 x 2½ " "	
J-56	3 x 23/8 " " Iron	
	J-52 sizes do not include keepers, J-52 ke ize as body.	eeper is

J-53 to J-55 inclusive are made and in stock in RIGHT and LEFT. The illustrations are all LEFT HAND. To tell the hand of any door, stand with your back against it so that it can not open, if the hinges are on the LEFT it is a LEFT HAND door.

J-56 is a commercial grade iron catch, furnished with screws as on H-39. Other hand-forged fine quality catches to order.

All items on page 12 are solid brass except J-56.

#### SERIES "K" CASTERS

		~~~~~		OILO I III	
Cat. No.		Size		Pric	e Each
K-20	7/8	Square	Socket		
	11/8	66	66		
	11/4	66	66	to home what they have the	1 90

#### SERIES "K" CASTERS, Continued

S	ERIES "	K" CAS	TERS, Continued	
Cat. No.	Size		Pric	e Each
K-21	¾ Roun	d Socket	•••••	1.50
	7/8 "	66		1.50
	1 "	66	•••••	1.60
	11/8 "	"		1.70 1.80
K-22	11/4 "	66		1.60
Sizes abov	ze are insid	le. wall ti	hickness is about 16"	on all.
K-23	1½ Whee			1.10
	across top			2120
B " "	" botto			
	from top t		outside	
D "app.	wall thickr	ness		
All sizes	are at larg	e end, sh	oe size only.	ed disk
Cat. No.	A B	C D		e Each
K-24	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1% 1/8		2.20
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1½ ½ ½ 1/8 1% 1%		3.30 4.40
Open*	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7/8 3/3 3/2		1.25
Open	116 116	15 3 16 32		1.25
	11/8 1 1 16	1 3 1/8		1.75
	$1\frac{7}{16}$ $1\frac{5}{8}$	1 16 1/8		1.95
	1% 1%	13/4 1/8		
		om shoes	same design as K-24,	usually
	th domes.	1 0		1.10
K-25		d Cup—In		1.10
	11/8 "	66	66	1.15
K-26	Sq. Cup S	Same Size	es and Prices	Temo
K-27				1.70
	11/4 "	"		
TT 00	176 "			1.90
K-28 K-29	½ or ¾ ½ Tall		••••••	1.00 1.25
K-29 K-30	1/2 "			.50
K-31	3/4 66			.60
50		(T " TO	SCUTCHEONS	
Cot No	Size	, III JUL		e Each
Cat. No.		0 .		The same of the same of
L-60 L-61	2 x 2 1% x 1%	Cast an	d Chased	2.20 1.20
L-62	14 114	66	***************************************	.60
L-63		and Chas	ed	2.20
L-64	134 x 11/8		ed	.40
L-65	1½ x 1	66	***************************************	.40
L-66	1½ x 15			.50
L-67	% Outsi	de Lengtl	1	.40
	3/4 "	"	•••••	.40
	7/8 "	66	•••••	.40
	1 "	"	•••••	.40
T 00	11/8 "		6 0 1 1:	.40
L-68 L-69		Embosse	for Quotation	.40
L-09	1 f6 x 1 1½ x 1½		:u	.40
L-70	116 Diam	. "		.40
	136 "	66	•••••	.40
OLL	1 16 "	"		.40
L-71	1 1/8 x 1 1/2	Cost	***************************************	.50
L-72 L-73	15/ <sub>16</sub>	Cast Embosse	ed	.70 .40
0	13/16	"		.40
L-74	11/8	Cast	***************************************	.50
L-75	$1\frac{5}{16} \times 1$	Embosse		.40
T 770	1½ x 1½	"	***************************************	.40
L-76 L-77	1% x 1½ 1½	66	***************************************	.50 .50
L-78	1% x 11/4	Cast	***************************************	.70
L-79	**	66	***************************************	.70
L-80	13/4	66	***************************************	1.00
L-81	1½ x 1¾	"	••••••	.70
L-82 L-83	15/16 13/4 x 11/4	******	***************************************	.50 .70
L-84	1% x 1%	*****	***************************************	.70
L-85	1 %	66	•••••••••••••••••••••••••••••••••••	.70
L-86	11/2 x 11/16		***************************************	.70
L-87	1% x 1%	11	***************************************	1.00
L-88	21/8 x 1 1/8		•••••••	1.00
L-89 L-90	21/4 x 11/2 2 x 11/2	"		1.00 1.00
L-91	2¼ x 1½		***************************************	1.50
L-92	2 x 1%	66	•••••••	1.00
L-93	21/8		r Esc	1.35
L-94	1 5%	" "	"	1.10
L-95	1½	THE PARTY NAMED IN	***************************************	1.35

#### SERIES "L" ESCUTCHEONS, Continued

Cat. No.	5	Siz	e						Price	Each
L-96			11/8 De							.50
L-97		66		"	66					1.50
L-98	2	X	1%	66	66					1.50
L-99	4 3/8		Cu	day	oard					2.20
	5 5%			- 66	-					2.40
L-100	21/2			66				-7		1.35
	31/4			66						1.35
	4			66						1.50
	5			66						1.60
Note-L-9	9 an	d	L-100	ar	e st	ocked	in	right	and	left.
Illus. ar								barige		
L-101	21/2		Cu	oda	pard					1.35
	31/4									1.35
L-102	3 5/8			66		100	100			1.80
		x	1½ Ca	st.	SELETS.		780			1.00
L-104			7/8	6						1.00
	- /2	2000	10					***********		

#### SERIES "M" FINIALS

Cat. No.	Siz	e	Price Each
M-25	5½ Tal	. 24 Ball	4.50
M-26	Same w	ith Eagle	5.25
M-27	5½ x 4	1/2	5.00
M-28			4.00
M-29			4.50
M-30		, 3 Wide	3.00
M-31	21/8 "	66 66	2.50
M-32	43/8 "		4.50
M-33	21/8 Tall	1% Wide	1.50
M-34	2 "	11/2 "	1.50
M-35	3 "	43/4 "	7.50
M-36	1 "	5/8 "	
M-37	13/8 "	7/16 "	1.50
M-38	41/2 "	2 Urn	5.00
M-39	11/2 "	3½ Wide	3 00
M-40	21/4 "	31/4 "	3.50
M-41	51/4 "	5 3/4 "	10.00
M-42	21/8 "	5/8 "	1.50
M-43	21/4 "	1 "	3.00
M-44	23/4 "	11/8 "	3.00
M-45	3 % "	1% "	5.00
Crondfoth	or aloak	M oper	of M of more he used in

Grandfather clocks, use M-25. M-26 may be used in center. Use M-26, M-27 or M-38 types where one only is used for center of broken arch.

Grandmother clocks use M-28 and M-29, etc.

Eli Terry clocks, use M-45.

Banjo clocks, use M-30, M-38 or M-40.
The other finials are for many uses, barometer, shaving stand, small shelf clocks, post lanterns, etc.
All are furnished in polished "Golden Glow" finish unless otherwise ordered.

#### SERIES "N" CLOCK ITEMS

We make and have in stock all kinds of fittings for clocks, including paintings on glass for clocks and mirrors, also dials are repainted or restored. Please give full details when asking about these fittings or paintings.

#### RING PULLS SERIES "O"

Cat. No.	Boring	Overall Size	Price Each
O-30		23/4	2.40
0-31	2 Plate	, 1% Ring	2.00
0-32	134 "	.molecter	1.50
0-33	11/8 "	11/8 "	1.20
0-34	2 "	21/2	2.20
O-35	11/4 "	1½ "	1.00
0-36			1.80
	2 "	66	2.20
	4 /2	66	2.40
O-37	2¾ Plate	2 16 Boring	2.25
O-38	2 3/8 "	2 "	2.70
O-39		1½ Ring	1.50
	1½ "	1% "	2.00
	2 "	21/4 "	2.50
0-40	1% Overa	all Diam	1.80
	2 "	66	2.20
	21/2 "	66	2.40
0-41	1½ Plate	134 Ring	1.00
0-42	1 3/8 "	1% "	1.20
0-43	2½ x 1¾	Overall	2.20
	$2\frac{7}{16} \times 3$	66	2.40
0-44	2 x 1½	66	2.10
	216 x 2	66	2.30

#### SERIES "S"

Cat. No.	Boring	Overall Size	Price Each
We make	many oth	ner designs and sizes to	order.
S-21	2	2¾ x 2	2.00
S-22	11/2	21/8 x 11/2	1.60
	2	2½ x 1%	
S-23	11/2	2½ x 1½	
S-24	1½	1% x 1	2.00
S-25	11/4	2 x 1½	1.50
S-26	11/4	1% x 1%	1.50
S-27	11/2		2.50
S-28	1 3/8		1.50
20	15%	2¼ x 1½	
S-29	11/4		2.00
S-30	11/2	2 x 13/16	
S-31	Esc.		
S-32	Esc.		
S-33	Knob	11/16 x 1	
S-34		5/16 Diam	
S-35	Eagle	e % Tall % wide	pr60

NOTES

Sizes given below are in conformity with the illustrations in the catalog, selvedge (abbreviated sel.) is an important measurement. It is the distance from the center of the key pin to the outer edge of the lock.

All locks are complete with screws for mounting, some brass ones are complete with screws for mounting, some brass ones are furnished in GOLDEN GLOW polished or ANTIQUE color, some iron ones in rusted ANTIQUE color at prices given. Others are furnished in a regular hardware finish and made antique or polished to order only at an additional charge.

Style	Material	Width	Height	Sel.	Each
A	Brass	23/4	21/4	11/8	3.00
В	Iron	11/2	11/8	1/2	1.00
C, D or E	Brass "	1 3/8 2 1/4	2½ 2¾	½ 1½	1.50 1.50
F	Iron "	2 <sup>3</sup> / <sub>16</sub> 2 <sup>1</sup> / <sub>4</sub> 2 <sup>3</sup> / <sub>8</sub>	$1\frac{7}{16}$ $1\frac{11}{16}$ $2$	5/8 13/ <sub>16</sub>	.80 .85 .95
	" Brass	2 <sup>78</sup> 2 <sup>3</sup> / <sub>4</sub> 2 <sup>1</sup> / <sub>2</sub>	2¼ 1¾	1 1/8	1.10 1.25
	Drass	234	21/4	11/8	1.25
G	Iron	8/4	1 3/4 1 3/4	3/8 1/2	.50 .50
	66	1 1 1¼	2 2	½ %	.55
	"	11/4	21/2	5/8 13/16	.65 .75
Н	Brass	23/4	1%	3/4	.75
I	"	7/8	1%6	3/8	2.00
J	Iron "	2 2½ 2%	1¼ 1%6 2	3 <u>4</u> 13 <u>/16</u> 13 <u>/16</u>	.75 1.00 1.40

#### INFORMATION ABOUT LOCKS

When ordering, state style A, B, C, etc., material (whether brass or iron) and sizes as well as quantities of each.

Please refer to the following listings especially in regard

STYLE A—is a bevelled edge lock for slope lid desks, full polished GOLDEN GLOW or ANTIQUE finish, furnished with brass key.

STYLE B-is a small "cupboard" lock usually used for interior desk doors and small cabinets, can be furnished for left hand door only as illustrated. Polished Iron

or rusted ANTIQUE color, state preference.

STYLES C, D and E—are cupboard locks used for many kinds of furniture, these are furnished for either RIGHT or LEFT hand doors. Illustration C is for a left hand door, to tell the hand of ANY door, stand with your back against it so that it can not open; if the HINGES are on the left it is a LEFT HAND door. Furnished in GOLDEN GLOW polished or ANTIQUE color. State

STYLE F—These are used for drawers in any kind of furniture, finishes are regular hardware quality but these can be furnished in GOLDEN GLOW polished or ANTIQUE when brass or rusted ANTIQUE when iron at extra charge, charge runs from 10c to 25c per lock depending upon size and quantity per order.

STYLE G-Wardrobe lock, this is universal and can be mounted on either RIGHT or LEFT hand door and requires no inletting, an inexpensive and easy to mount lock. Furnished in natural hardware iron finish only.

STYLE H-This is a full mortised lock with a brass plate 2%" long x %" wide. With few exceptions mortised locks should not be used on antique furniture. Use on builtin drawers, utility cabinets, etc. It can be used on RIGHT or LEFT HAND DOORS as well as DRAWERS. Natural hardware iron finish only.

STYLE I—This is an exact copy of Eli Terry's clock door lock, furnished in GOLDEN GLOW polished or AN-TIQUE finish with brass key.

STYLE J-Chest lock for blanket chests and case furniture of the lift lid type. Furnished in regular hardware finish or ANTIQUE at 50c per lock extra. The very early style blanket chest lock can also be furnished to order. These are usually known as crab locks, send a rubbing of the old marks and the selvedge measurement for quotation.

Cat. N	o.	Price
U-34	Chest lift 4" boring	
Back	Plate size 5½ x 3pair	9.00
U-34-A		
00.8	Plate size 6½ x 4pair	12.00
U-35	3" boringpair	3.00
The state of	4¼ "pair	4.00
U-36	Mirror screwspair	2.00
U-37	Mirror screwspair	
U-38	Mirror screws pair	
U-39	Pole screen fitting, plate may be	
	turned either way, for 1" or 11/4 pole pair	7.00
U-41	Ivory knobs, state needs for quotation	
U-43	Glass knob bolts, % or ½ brass head	
	x any length you need-per doz. 3.00-each	.40
U-54	Mirror rosette 1% casteach	1.00
U-55	" " 1½ "each " " 1 "each	.40
U-56	" " 1 "each	.30
U-60	Red holte 6 v % with nut	.50
	" " " " 3 doz.	8.00
	Bed bolt wrencheseach	.50
U-102	Pole screen fitting, plate size 8" x	
	11/12" spring type for 1" or 11/4"	
	diam. poleseach	7.00
U-104	Hanger, brass 1% x 1½each	.75
	Sario veta Capalla de la companya della companya della companya de la companya della companya de	98 N

#### Illustrated on Inside Back Catalog Cover

The lighting fixtures are representative of types especially desirable for restoration of early American homes. We suggest that you write for separate listing.

The bell is a very usable size and type. Many are sold as gifts. The bracket is in black paint finish, the bell is solid brass, the price is \$16.50.

solid brass, the price is \$16.50.

The letter openers are priced at \$1.50 in a gift box. The small eagle and the pull immediately above the letter openers are pins. The miniature pull is an exceedingly popular item and when gift packed sells for \$3.50 plus tax. The eagle sells for \$1.50 plus tax.

The door knocker on the left is catalog W-212. This sells for \$14.00. The other one is catalog W-218 and sells for \$12.00; we have a special catalog of 18 other knockers ranging in price from \$6.00 to \$22.50.

The painting is representative of a variety that can be fur-

The painting is representative of a variety that can be furnished from stock or painted to order on glass for the restoration of shelf clocks of all types. Full particulars should be given when writing about clock paintings.

Refer to any magazines or books on the subject; we quite likely have them in our extensive reference library. The long spread eagle immediately below the painting is used for ornamental purposes. This is our catalog number U-220 and sells for \$8.50.

The small eagle is one of our many hooks. Please ask for

special listing showing other designs and sizes.

The fireplace tool hook or jamb-hook is one of our most

The fireplace tool hook or jamb-hook is one of our most popular patterns. This is catalog number R-17 and sells for \$5.00; this design is usually used in pairs. The large lion head with ring is used for ornamental purposes or towel ring. One stock large size one sells for \$8.50. Others are available in many sizes and types. The andirons are copies of the ones made by Paul Revere and sold at the Reifsnyder sale. These are copied most carefully; each one is marked with our name and date when finished. These sell for \$200.00 per pair. The plate latch and the door lock are representative of the

The plate latch and the door lock are representative of the complete line that we make for early American houses. Please ask for separate catalog.

We are specialists in this field and in addition to our stock reproductions special copies can be made and examples of originals can be funished from our large stock.

Clock hands can be furnished for any type of clock and in any material. Please give full particulars when writing about these.

The horse head book-ends are not, as this goes to press, in stock; they are, however, representative of many items that you will find in our showrooms.

The door stops, either with the eagle design or the dolphin design are also popular ornaments; both are in solid polished brass and priced the same at \$15.50 each.

Our stocks of many items are usually much greater than our printed listings or catalogs. It is always best to give specific questions when writing about these reproductions.

# BALL and BALL, WHITFORD, PA.



SHOWROOMS are open during regular business hours. Please visit us whenever possible to see the many items that are never cataloged and cannot be purchased anywhere else.

