

LOCKSMITH TOOLS AND SUPPLIES USED THE WORLD OVER




CATALOG 700

**LOCKSMITH
TOOLS, SUPPLIES
AND EQUIPMENT**

MURRAY SEPTON

58 Warren St.
New York, N.Y. 10007
(212) BE 3-7981

ALPHABETICAL INDEX



A

Brackets, 157
Buckles, 170
Camming Stock, 159
Cylinders, 157
Drill Bits, 157
Screw Plates, 157
Springer, 157

CATALOG 700

COPYRIGHTED 1970

by

H.P.C. Inc., CHICAGO, ILLINOIS 60645

PRINTED IN U.S.A. —

THIS CATALOG IS DESIGNED FOR YOU!

Easy to use in format,
it is a ready guide to help the busy locksmith
select the right item quickly for the job on hand.
Within the pages of this catalog you'll see
America's largest, most complete line
of Locksmith supplies and equipment.

The research and development activities of H.P.C. Inc.
will continue to develop new tools and equipment
for the Locksmith industry.

To take advantage of this progress,
H.P.C. Inc. reserves the right to change design
and material specifications without notice.

We are always mindful of the standards
which have made the H.P.C. name
a symbol of Progress through Precision!

We proudly offer this catalog
with sincere appreciation for the loyalty
and friendship shown throughout the years by our
friends in the industry.

Our energies and thoughts are all directed
towards serving these friends
and supplying better tools and equipment.

H.P.C. Inc.

ALPHABETICAL INDEX



A

- Applicators, Truarc.....57
- Armor Plates.....70
- Assortment,
 - Flat Spring Stock.....59
 - Luggage Key.....77, 78
 - Pin.....63-67
 - Spring.....60
 - Truarc Ring.....58
- Automobile,
 - Code Book.....27
 - Opening Tools.....21-23

B

- Bars, Filing Cabinet.....109-110
- Bearings, Thrust.....114
- Blocks, Key Machine.....114
- Boards,
 - Key Control.....7, 8
 - Luggage Key.....77, 78
- Books,
 - Code.....27-38
 - Safe.....105-108
- Box,
 - Carry-Out Keying.....61
 - Key Keeper.....76
- Broken Key Extractors.....14
- Bulbs, Safe Peep Lite.....93
- Bulk Graphite.....54

C

- Cabinets, Key.....1-6
- Car Opening Tools.....21-23
- Carry-Out Keying Kit.....61
- Chains, Key.....91
- Change Keys.....101-104
- Code Books.....27-38
- Codes,
 - Automobile.....27
 - General.....37-38
 - Honda & Suzuki.....35
 - Locker Lock.....29
 - Master Padlock.....28, 33, 34
 - National.....30
 - Yale Cabinet.....32
 - Yale & Dudley Padlock.....36
- Control, Key Systems.....1-8
- Cutters, Key Machine.....111-113

- Cylinder,
 - Drill Jig.....18
 - Scar Plates.....69
 - Springs.....68

D

- "D",
 - Single "D" Punch.....55
 - Double "D" Punch.....55
- Decoder, Tubular Lock.....17
- Depth Keys.....39-46
- Dial, Emergency Safe.....94
- Diamonds, Lock Picking.....13
- Die, Cylinder Re-threading.....54
- Door Guards.....71-74
- Drills,
 - Cylinder Jig.....18
 - Safe.....92
 - Tubular Lock.....18

E

- Electric Opener Extensions...75
- Emergency Safe Dial.....94
- Extractors, Broken Key.....14

F

- Feeler, Lock Picking.....13
- Figures, Stamp Set.....47
- Filing Cabinet,
 - Locking Bars.....109-110
 - Lock Screws.....96
- Flat Spring Stock.....59
- Followers.....49

G

- General Code Books.....37-38
- Give-Away Key Rings.....87
- Graphite, Bulk.....54
- Graphite Gun.....53
- Guards,
 - Cylinder.....70
 - Lock.....71-74
 - Tubular Lock.....75
- Gun,
 - Pick.....19
 - Rake.....20



ALPHABETICAL INDEX

H

Handles, Safe.....100
Holders, Plug.....51
Hole Saw, Tubular Lock.....18
Hollow Mill Drills.....55
Honda Motorcycle Codes.....35
Hooks, Key Cabinet Tag.....7
Hotel Rings.....88

J

Jig, Cylinder Drill.....18
Jiggle Keys.....24-26
Junkunc Keying Tool.....67

K

Key,
 Cabinets.....1-6
 Cabinet Tags.....7
 Chains.....91
 Extractors.....14
 Machines.....115-117
 Machine Cutters.....111-113
 Machine Parts.....118-119
 Micrometer.....48
 Rings.....87,88
 Stamps.....47,48
Key Keeper Box.....76
Keying Kits.....61,63-67
Keys,
 Depth.....39-46
 Luggage.....79-86
 Pick.....14
 Safe Change.....101-104
 Try-Out.....24-26

L

Large Key Rings.....88
Letters, Stamp Set.....47
Lites, Safe Peep.....93
Lock,
 Cylinder Drill Jig.....18
 Die & Tap Set.....54
 Guards.....71-74
 Pick Sets.....9-12
 Picks.....9-14
 Picking Guns.....19-20
 Springs.....60,68

II

Locker Lock Codes.....29
Locks, Safe.....97-99
Lubricating Graphite Gun.....53
Luggage Key Assortment.....77-78
Luggage Keys.....79-86

M

Machines, Key.....115-117
Master (Try-Out) Keys.....24-26
Master Padlock Codes....28,33,34
Metal Punch.....55
Micrometer, Key.....48

N

National Codes.....30
Nose Puller, Safety Deposit..96
Numbers, Stamp Set.....47

O

Openers, Car.....21-23

P

Padlock Code Book.....37
Panels, Key Control.....7,8
Paper Tags.....89,90
Pick Guard.....75
Picks,
 Gun Type.....19-20
 Tubular Lock.....17
 Sets.....9-14
 Warded Padlock.....14

Pin,

 Assortments.....63-67
 Tweezers.....68
Plates,
 Cylinder Guard.....70
 Lock Guard.....71-74
 Scar.....69
Pliers, Truarc.....57
Plug Followers.....49
Plug Holders51
Pullers, Safety Deposit...95,96

ALPHABETICAL INDEX



R

- Racks, Key Control..... 7, 8
- Rakes, Lock Picking..... 13
- Rings,
 - Give-Away..... 87
 - Safe Dial..... 99
 - Truarc..... 58

S

- Safe,
 - Books..... 105-108
 - Change Keys..... 101-104
 - Deposit Box Pullers.... 95, 96
 - Dials..... 99
 - Dial, Emergency..... 94
 - Drills..... 92
 - Handles..... 100
 - Locks..... 97-99
 - Peep Lites..... 93
 - Tap & Die Set..... 94
- Scar Plates..... 69
- Screws, Filing Cabinet Lock.... 96
- Security Locking Bars..... 109, 110
- Sets,
 - Car Opening..... 21-23
 - Key Stamp..... 47-48
 - Lock Picking..... 9-12
 - Lock Tap & Die..... 54
 - Metal Punch..... 55
- Slotters, Key Machine..... 113
- Snap Hooks, Key Cabinet Tag..... 7
- Space and Depth Keys..... 39-46
- Spring,
 - Assortment..... 60
 - Cylinder..... 68
 - Flat Stock..... 59
 - Winder..... 56
- Suitcase,
 - Key Assortment..... 77-78
 - Keys..... 79-86

T

- Tap, Lock Rethreading..... 54
- Tension Wrenches..... 15, 16
- Thrust Bearings..... 114
- Tools,
 - Car Opening..... 21-24
 - Followers..... 49
 - Junkunc Keying..... 67
 - Key Stamping..... 47, 48
 - Lock Picking..... 9-20
 - Plug Holding..... 51
 - Tension..... 15, 16
 - Truarc Ring..... 57
- Truarc,
 - Pliers..... 57
 - Rings..... 58
- Try-Out Keys..... 24-26
- Tubular Lock,
 - Drilling Tool..... 18
 - Lock Picks..... 17
- Tweezers, Pin..... 68

V

- Vestibule Door Guards.... 71-74
- Volkswagen Car Opener..... 23

W

- Winder, Spring..... 56
- Wrenches, Tension..... 15, 16

Y


- Yale Cabinet Codes..... 32
- Yale Padlock Codes..... 36



KEKAB

SECURITY

KEY




No. KEKAB 30

Cabinet Size: 12"x8"x2-1/2"--Shipping Weight: 4 lbs.

The colorful eye-catching display in which the Kekab 30 is contained will insure repeated impulse sales to the security conscious. Ideally suited for key storage in apartment buildings, motels, schools, and factories where a smaller capacity unit is required.

The KEKAB 30 is a compact, sturdily constructed unit finished in a highly scratch-resistant, baked on neutral tan vinyl enamel. It is furnished with a numbered key chart and thirty vulcanized fibre tags consecutively numbered from one to thirty.

CONTROL SYSTEMS



OUR MOST POPULAR SIZE KEKABS!

Full vision and easy accessibility of keys are only a few of the features that have made these cabinets the most preferred by those that demand control over their keying systems.


Heavy guage metal, electro-welded stress points and a full length piano-type hinge will give years of convenient control over your keys too!

No. KEKAB 60 (60 keys) 17 x 13 x 3 inches 10 lbs.

No. KEKAB 110 (110 keys) 17 x 13 x 3 inches 10 lbs.



KEKAB SECURITY KEY




The modern lines and neutral grey hammertone finish of this cabinet makes it an ideal unit for both shop or office.

The KEKAB 154 is the ideal unit for those desiring maximum key storage area in a cabinet only slightly larger than those of less than half the capacity.

A key chart and 154 white vulcanized tags numbered consecutively from 1 to 154 with snap hooks, is provided.

No. KEKAB 154 (154 keys) 20 x 14-1/2 x 3-1/2 inches 13 lbs.

CONTROL SYSTEMS



OUR MOST POPULAR INTERMEDIATE SIZE KEKABS!

The hinged full-vision key panel of these cabinets is held fast until ready for use by a magnetic catch.


Finished in neutral tan vinyl enamel and secured with a five disc tumbler cam lock.

A key chart and either 240 or 330 white vulcanized tags with snap hooks are provided.

No. KEKAB 240 (240 keys)	20 x 16-1/2 x 5 inches	22 lbs.
No. KEKAB 330 (330 keys)	20 x 16-1/2 x 5 inches	23 lbs.




KEKAB SECURITY KEY



The KEKAB 500 is engineered to withstand the day in and day out usage of those requiring a high capacity unit. Its full length piano type door and panel hinges, electro-welded stress points, locking handle, heavy guage metal throughout and neutral silver-grey finish will insure years of durable and attractive control of your keying system!

A key chart and 500 white vulcanized tags with snap hooks are provided.

No. KEKAB 500 (500 keys) 25 x 17-1/2 x 5-1/2 inches 35 lbs.



The KEKAB 730 meets the requirements
of the larger key control systems.

It will enable you to keep over 700 keys under control,
and at one central location.

Featuring two full-vision key panels and a wide door,

The KEKAB 730 controls your keying system
and affords you the simplicity of finger-tip control
at all times.

The neutral silver-grey finish and pleasing lines
assures you that the KEKAB 730 will blend in nicely in
either the shop or office.

A key chart and 730 white vulcanized tags with snap hooks
are provided.


No. KEKAB 730 (730 keys)

25 x 17-1/2 x 7 inches

47 lbs.



KEKAB KEY CONTROL RACKS




The open file and identification tags provides ready convenience in full view at all times!

The racks are heavy gauge steel and are finished in a neutral-tone baked on enamel.

Here is a key file system that is quite suitable for any club, institution, church or home, where only a rack providing one central location is required.

		Size
No. KB-10P	10 Plain Tags & Snap Hooks	7-1/2 x 2-1/2 inches
No. KB-20P	20 Plain Tags & Snap Hooks	12-3/4 x 5 inches
No. KB-20N	20 Numbered Tags & Snap Hooks (1-20)	12-3/4 x 5 inches

KEKAB ACCESSORIES




No. NT-1

NUMBERED TAGS
with Snap Hooks




No. SN-1

SNAP HOOKS
100 per box



No. PLT-1


PLAIN TAGS
with Snap Hooks



No. OT-1

OUT TAGS
100 per box

KEKAB KEY CONTROL RACKS



These larger sizes of KEY CONTROL RACKS
were designed to offer economical control
over systems of up to 160 keys.


They offer the convenience of a central location
for keys, in full view at all times.

The KEY RACK SYSTEM of filing keys
is quite suitable for clubs, institutions
and churchs, where only an informal form
of key security is all that is required.

KB-40N	40	Numbered Tags & Snap Hooks (1-40)	9-1/2 x 12-5/8 inches
KB-80N	80	Numbered Tags & Snap Hooks (1-80)	19 x 12-5/8 inches
KB-120N	120	Numbered Tags & Snap Hooks (1-120)	28-1/2 x 12-5/8 inches
KB-160N	160	Numbered Tags & Snap Hooks (1-160)	38 x 12-5/8 inches



PARAMOUNT PICK SET



No. NDPK-100




100 Pieces

MEASURES 9" X 6" WHEN CLOSED

The PARAMOUNT PICK SET is made available for the discriminating locksmith that desires an assortment of lock picking tools of such size that the purchase of replacements will be unnecessary for a long time!

Full, half and three quarter rakes and diamond tip picks; single, double, half single and half double ball picks; light, medium and heavy weight tension wrenches; hook and saw type key extractors; a set of warded padlock pick keys, plus many more of the tools of your trade will be at your fingertips, when you carry the PARAMOUNT PICK SET!

PROFESSIONAL PICK SET



No. NDPK-60

Shipping Weight: 13 ounces

THE PROFESSIONAL'S CHOICE

The PROFESSIONAL PICK SET is a wise choice for either the amateur or the master locksmith.

It is a general assortment of the most popular picks, tension wrenches, key extractors and feelers, manufactured by the world's largest producer of locksmith picking tools.

For years H.P.C. Inc. picks have been the Standard of the industry.

Each pick is made of hand finished clock spring steel tempered to just the right degree of hardness.

Whether you challenge only wafer tumbler locks or your forte is six and seven pin tumbler locks, the PROFESSIONAL PICK SET will have the best tool for the job!

Full, half and three quarter rakes and diamond tip picks;


single, double, half single and half double ball picks; light, medium and heavy weight tension wrenches of various lengths and styles;

Hook and saw type key extractors, plus many more of the tools of your trade will be always at your fingertips when you carry the finest picks available!



SUPERIOR PICK SET

- * Hip Pocket Size
- * Top Grain Leather Case
- * Hand Finished Components
- * Tools are of Spring Steel
- * 32 Picks, Tension Tools & Extractors



Shipping Weight: 7-1/2 ounces

No. NDPK-32


DELUXE PICK SET

- * Shirt Pocket Size
- * Top Grain Leather Case
- * Tools are of Spring Steel
- * 16 Picks, Tension Tools & Extractors

Shipping Weight: 5 ounces

No. NDPK


12.00




NOVICE PICK SET



11 Picks, Tension Wrenches & a Broken Key Extractor, all made of Clock Spring Steel & Tempered to Just the Right Hardness. Secured in an Attractive Top-Grain Cowhide Case




No. PIP-13



Shipping Weight:
3 ounces

TYRO PICK SET

9 Picks, Tension Wrenches & a Key Extractor Packed in a Top-Grain Cowhide Leather Case. Our Least Expensive Pick Set!




No. PIP-15

Shipping Weight:
2-1/2 ounces




PICKING TOOLS


RAKES




DIAMONDS



HOOKS




BALL PICKS



FEELER



PICKING TOOLS



A word or two about lock picking tools.....

On these pages are listed the worlds finest lock picking tools! Made of blue, oil tempered spring steel and individually hand finished, they are without peer.

Whether your preference be for light or heavy weight rakes, diamonds or hooks with or without handles, for double end picks or for saw or hook type extractors, you'll be sure to find the tool to fit your requirements.

The very popular LPX-10 diamond; LPX-11 rake and the LPX-12 hook are now available in .025" thickness for those desiring the added rigidity of a "heavier weight" pick.


Over 30 years experience in the field of lock pick manufacturing stands behind the statement "H.P.C Picks the Best", and also just might be the reason that more locksmiths, the world over, buy and prefer H.P.C. lock picking tools.

Made entirely of materials manufactured in the U.S.A. by American labor.



TENSION WRENCHES

MEDIUM TENSION




TR-25 TR-14

TR-24

TR-23 TR-13

LIGHT TENSION




TR-9

TR-12

TR-8

TR-7

TR-11



IMPORTANT!


How you use the tension wrench will determine the degree of success you will realize in your lock picking endeavors!

Different keyway shapes will require different sizes and types of wrenches.

Generally speaking, a "heavier hand" will have better results with lighter weight wrenches and vice versa.

Only through practice will you determine the exact right wrenches for you!

TENSION WRENCHES




LETTER BOX TYPE

TEN-5

TEN-4

TEN-3

TEN-2




"FLIP-IT"

T0-2

Picked the wrong way?
Don't re-pick! "FLIP-IT"

DOUBLE-SIDED TYPE TEN-9

TEN-7




STW-3

RIGID TENSION


No. VV-6



TR-4




TR-3



TR-5



TUBULAR LOCK PICKS



No. TLP-R Right Hand Pick

No. TLP-L Left Hand Pick

No. TLP-C Regular Center Pick


White Handle Regular-Center

FOR OPENING AND DECODING TUBULAR TYPE LOCKS!

One tool is for the regular center spaced pins,
one is for the right-of-center locks,
and another is for the left-of-center locks.

If you can pick conventional pin and disc tumbler locks
you have the background that will enable you,
with some practice, to open these
3 types of tubular locks.
Each tool comes with instructions for use.

TUBULAR LOCK DRILLS



No need to turn down Ace lock-outs anymore! These hole saws destroy the pins at the shear line and assure you of success.


Available in sizes for standard and oversize keyways. Fits any 1/4" electric drill.

No. AG-1 Standard Size Tool with Extra Saw
No. G-1 Replacement Saw for AG-1


No. AG-2 Oversize Tool with Extra Saw
No. G-2 Replacement Saw for AG-2

Saw Life: Approx. 3 Openings

Fits Tubular Keyway
DESTROYS PINS!



CYLINDER DRILL JIG



**BOTHERED BY TOUGH
LOCK-OUTS?**


All of us have come across a mortise or rim cylinder that just can't be picked!

A real tough combination, broken cylinder spring or corroded pins have foiled the best lock picker.

These are the jobs that the CDJ-1 drill jig has been designed for.

It assures you of perfect drill bit alignment! A bullseye on the shear line every time.

The high speed drill bit easily penetrates the cylinder body and pins and entry is quickly realized.



No. CDJ-1


Cylinder Drill Jig & Drill Bit

15.50



RAKE GUN

No. RG-1



- * SIMPLE AND EASY TO USE
- * COMES WITH A LEATHER HOLSTER
- * OPENS MOST PIN TUMBLER LOCKS
- * DOES NOT HARM LOCK IN ANY WAY
- * FAST RAKING ACTION OPENS QUICKLY

The Raking Tool opens by passing the pick blade back and forth over the pins much faster than can be done with hand picking rakes.

It is easy to use and amazingly sure in results.

Several hours of practice should enable you to handle most lock-outs and lock picking jobs faster and easier than ever before.

Extra Rake Pick Blade

No. R-1

PICK GUN



Pulling the trigger moves the pick up and down with a rapid motion and bounces all the pins at once.


Turning the knurled knob allows you to adjust the spring tension to increase or decrease the bouncing action.

Several hours of practice should enable you to handle most lock-outs and lock picking jobs faster and easier than ever before.




No. P-2

Extra Straight Pick Blade



No. P-3

Extra Curved Pick Blade



- * SIMPLE AND EASY TO USE
- * COMES WITH A LEATHER HOLSTER
- * OPENS MOST PIN TUMBLER LOCKS
- * DOES NOT HARM LOCK IN ANY WAY
- * ALIGNS ALL THE PINS AT ONE TIME



CAR OPENERS





the SLIM JIM

"SLIM JIM is the only Opener
for the New Ventless Window Cars

Tool Does Not Enter
Interior of Car!


Made of Clock Spring Steel
and Hand Finished

Includes
Complete Instructions



The "SLIM JIM" is
without question the
most popular car opening
tool we have ever manufactured!
There must be a reason why only six
months after its introduction over 5,000
sales to locksmiths had been realized. It
is a tool that opens by "feel" rather than by
sight. With some practice and familiarization of
the interior workings of automobile doors you will be
servicing lock-outs more easily and rapidly--Oftentimes
as fast as using the key!

GENERAL CAR OPENERS




FOR G.M., CHRYSLER AND FORD AUTOMOBILES WITH CURVED WINDSHIELDS
AND SIDE VENT WINDOWS!

For convenient handling, this tool is made in three sections.
Complete with simple directions

No. CO-6

6 PIECE SET



OUR MOST POPULAR CAR OPENING TOOL SET FOR MANY YEARS
OPEN MOST HARDTOPS, CONVERTIBLES AND MODELS WITH SIDE VENTS!


All pieces in this set are of spring steel
and are bright nickel plated.

Opens most G.M., Ford and Chrysler automobiles
with side vent windows.

Use no force-no drilling-no window breaking-
will not scratch paint or injure car in any way.




CAR OPENERS



No. CO-7

This tool opens most General Motors hardtops that have the inside locking button located near the end of the door panel.
Not for "long-reach" styles as used on late models.


VOLKSWAGEN OPENER



No. CO-15

Fits all late model Volkswagen cars.
Will not scratch the paint
or injure the car in any way.
Made of hardened steel and nickel plated.

GENERAL MOTORS TRY-OUT KEYS




The locks on General Motors vehicles are of a 6 wafer side-bar type, (except for the glove box) which have proven to be highly pick resistant. These sets are designed to take advantage of the normal lock-case to core tolerance. In order to reduce the time and effort involved in the endeavor of opening an automobile by this method it is critical that the set be cut to exacting standards. Each year H.P.C. Inc. manufactures and distributes more of these sets to the locksmith industry than all of our competition combined. There must be a reason! Our sets will open approximately 82% of the General Motors locks. Individual success may vary from this figure because of lock-case to core tolerance, degree of lock wear, corrosion, or the users ability or persistance in the manipulation of these keys. You may have read about sets that guarantee 100% openings or about the "Fabulous California Rocker Keys", but this type of advertising should be taken with a grain of salt!

	Years	Ignition	Doors	Trunk	Glove Box	Keys per Set
No. GMMK-1	1935-66	X	X	X	X	64
No. GM-A	1967	X	X			150
No. GM-B	1967			X	X	150
No. GM-C	1968	X	X			150
No. GM-D	1968			X	X	150
No. GM-E	1969	X	X			150
No. GM-H	1969			X	X	150
No. GM-J	1970	X	X			150
No. GM-K	1970			X	X	150



FORD TRY-OUT KEYS



These Ford Try-Out keys are made by a precision, production type code machine.

Every key is accurately cut to the correct Try-Out key depths, which have been determined by extensive field testing.

In 1965 Ford adopted locks using double sided keyways. The ignition keyway being the exact opposite of the trunk keyway.

Our Try-Out keys are cut only on one side so that precise Try-Out key depths can be achieved.

In addition, sets cut in this manner can be manipulated with better success and more rapidly.

	Year	Ignition	Doors	Trunk	Glove Box	Keys per Set
No. FMMK-2	1952-64	X	X	X	X	108
No. FP-165	1965-70	X		X		108
No. FS-265	1965-70			X	X	108

CHRYSLER TRY-OUT KEYS



These Chrysler Try-Out keys are made by a precision, production type code machine.



Every key is accurately cut to the correct Try-Out key depths, which have been determined by extensive field testing.

The CHMK-5 set is for the wafer type trunk lock as used on Plymouth, Dodge and the various Chrysler compact cars manufactured from 1959-67

	Year	Ignition	Doors	Trunk	Glove Box	Keys per Set
No. CPMK-3	1956-67	X	X			108
No. CHMK-5	1959-67			X		64
No. CHRY-A	1968	X	X			108
No. CHRY-B	1968			X	X	108
No. CHRY-C	1969-70	X	X			160
No. CHRY-D	1969-70			X	X	160



AUTOMOBILE CODE BOOK



No. HAC


OVER 225 PAGES OF UP-TO-DATE DOMESTIC AUTOMOBILE CODES!

The Automobile code book is a 19 ring bound washable vinyl covered volume that lies flat when open. It features full size 8-1/2 X 11 EZE-EYE tinted pages, large page numbers, a clear and concise index for rapid code location and depth and space charts showing micrometer readings for all popular domestic automobile keyways. It contains up-to-date codes for General Motors, Ford, Chrysler, American Motors, Studebaker, Kaiser, Diamond, Harley Davidson, plus more!

Code supplements will be made available at the beginning of the new model year. Their availability will be announced through the various locksmith trade magazines.

Inasmuch as the supplements will be both 19 ring spiral punched as well as have 3 ring standard punching, they can be bound into a General Code book binder or into a standard 3 ring binder, at your convenience, thereby eliminating the "planned obsolescence" that was inherent in all previous code books!


MASTER PIN-TUMBLER CODES



PUBLISHED BY H.P.C. INC.

No. HMP C

OVER 150 PAGES OF CODES FOR MASTER PIN TUMBLER PADLOCKS!



The Master Pin Tumbler Padlock code book is a 19 ring bound washable vinyl covered volume that lies flat when open. It features full size 8-1/2 X 11 EZE-EYE tinted pages, large page numbers, a clear and concise index for rapid code location plus depth and space charts showing micrometer readings for these popular pin tumbler keyways.

Code supplements will be printed as they come available and will be announced through the various locksmith trade magazines.

Inasmuch as the supplements will be both 19 ring spiral punched as well as have 3 ring standard punching, they can be bound into a General Code book binder or into a standard 3 ring binder, at your convenience, thereby eliminating the "planned obsolescence" that was inherent in all previous code books!



YALE LOCKER LOCK CODES

YALE LOCKER LOCK CODES

PUBLISHED BY H.P.C. INC.

No. HDSLC

7700 CODE LISTINGS FOR YALE FLAT STEEL LOCKER LOCKS!


The Yale Locker Lock code book contains codes for the very popular flat steel type locker locks, as used in large quantities in bowling alleys and on storage locker cabinets.

It contains very clear instructions for the cuttings of a locker key by code, using depth keys. The clear, concise, step by step directions takes you from the point of locating the code to the de-burring of the finished key.


It should be noted that the problems of cutting keys by code for locks using flat steel keyways, are greatly multiplied when the locks are worn. This is because not only would a change of depths over factory dimensions be required, but the critical spacing of levers changes with wear.

Code supplements will be printed as they come available and will be announced through the various locksmith trade magazines. Inasmuch as the supplements will be both 19 ring spiral punched as well as have 3 ring standard punching, they are easily bound into a General Code book binder or into a standard 3 ring binder, at your convenience!

NATIONAL LOCK CODES



No. HNLC



LATEST WAFER AND PIN TUMBLER CODES FOR NATIONAL of ROCKFORD!

The National Lock code book contains extensive code listings for the popular National of Rockford wafer and pin tumbler drawer, file cabinet and cylindrical knob locks.

The codes are contained in a 19 ring bound washable vinyl covered volume that lies flat when open. It features full size 8-1/2 X 11 EZE-EYE tinted pages, large page numbers, a clear and concise index for rapid code location and depth and space charts for these popular wafer and pin tumbler keyways.


We have included drawings of the current key blanks and a key blank comparative chart to help clarify the confusing numbering system used in the past by this manufacturer.

Code supplements will be printed as they come available and will be announced through the various locksmith trade magazines. Inasmuch as the supplements will be both 19 ring spiral punched as well as have 3 ring standard punching, they are easily bound into a General Code book binder or into a standard 3 ring binder, at your convenience!



LOCKSMITH SHOP CODES

B&S
COUCH
EAGLE
CHICAGO
ILLINOIS
LOCKWOOD
CORBIN
BOMMER
AUTH
ILCO
KEIL



No. HLSC


CONTAINS MANY POPULAR MISCELLANEOUS CODE LISTINGS!

The Locksmith Shop code book contains many of the miscellaneous codes for cabinet locks, drawer locks, letterbox locks and padlocks, so often encountered during the daily shop routine of fitting keys.

It contains such hard-to-get codes as Chicago "FR" and "AMG" series which are used on bowling alley equipment--"BH" series as seen on some of the new pin tumbler type letterbox locks, and many more!

It is bound in a washable vinyl cover that is designed to stand up to the daily requirements of a busy shop. H.P.C. code books lie flat when open -- a feature heretofore unheard of and probably one of the most annoying!

YALE CABINET LOCK CODES



COLE

ALL STEEL

ART METAL

BROWN MORSE

CASWELL RUNYON

ANDERSON-HICKEY

GLOBE WERNECKE

SHAW WALKER

AURORA

No. HYC

EXTENSIVE CODE LISTINGS FOR YALE WAFER & PIN TUMBLER LOCKS!


The Yale Cabinet Lock code book contains extensive code listings for wafer and pin tumbler drawer locks, padlocks, locking handles and many more of the locking devices manufactured by Yale.

The codes are contained in a 19 ring bound washable, heavy duty cover. This volume lies flat when open and all codes are printed on full size 8-1/2 X 11 EZE-EYE tinted paper. Large page numbers and a clear, concise index make rapid code location possible.

Inasmuch as future code supplements for all H.P.C. code books will be both 19 ring spiral punched as well as having 3 ring standard punching, they will be easily bound together by you in the future.



MASTER COMBINATIONS A&B



MASTER COMBINATION PADLOCK CODES A & B

PUBLISHED BY H.P.C. INC.

No. HMCC

MORE THAN 200 PAGES OF "A" & "B" SERIES COMBINATIONS!


The Master Combination A & B code book is our most popular volume covering dial type padlocks. Containing over 60,000 combinations in only one volume, it is a useful aid for the locksmith or security officer.

It features full size 8-1/2 X 11 EZE-EYE tinted pages, large page numbers, a clear and concise index for rapid combination location and an instruction sheet.

Combination supplements will be printed as they come available and will be announced through the various locksmith trade magazines.

Inasmuch as the supplements will be both 19 ring spiral punched as well as have 3 ring standard punching, they can be put into the Padlock Code book binder or into a standard 3 ring binder, at your convenience.

MASTER COMBINATIONS M,V&X



No. HMCCX

COVERS COMBINATIONS FOR THE CURRENT "M", "V" & "X" SERIES

The Master Combination M,V & X code book covers many of the key controlled Master combination padlocks as well as the standard dial type of current manufacture. Containing over 30,000 combinations, it is a useful aid in opening these padlocks without using the alternate drilling method or cutting the shackle.


It features full size 8-1/2 X 11 EZE-EYE tinted pages, large page numbers, a clear and concise index for rapid combination location and an instruction sheet.

Combination supplements will be printed as they come available and will be announced through the various locksmith trade magazines.

Inasmuch as the supplements will be both 19 ring spiral punched as well as have 3 ring standard punching, they can be put into the large Padlock Code book binder or into a standard 3 ring binder, thus eliminating misplaced pages.



MOTORCYCLE CODES HONDA&SUZUKI



No. HSMC

The Honda & Suzuki code book was published after it was realized that both of these vehicles had stormed the shores of the continental U.S.A. in great numbers, beginning in about 1965.




This book explains the method used to code most of the ignition and fork locks. The keys (especially for Honda) seem to become broken or misplaced by their owners, after only a short time. This, partly because of bad ignition switch location. It is placed in a location whereby it is difficult to mount or dismount the motorcycle without coming in contact with the head of the switch key.

You should be able to fit keys to these popular motorcycles in only a matter of minutes to approximately 70% of these locks, without resorting to disassembly or the impressioning method. Depth key sets for the popular series are available.

Supplements will be made available as new models and code series are introduced.

DID YOU KNOW THAT THERE ARE MORE JAPANESE MOTORCYCLES REGISTERED
IN THE U.S.A THAN ALL OTHER FOREIGN VEHICLES COMBINED?

YALE & DUDLEY COMBINATIONS




No. HYD

12,000 YALE "K" & "N" COMBINATIONS---DUDLEY "ABS" & "ES"


The Yale & Dudley Combination code book is bound in a 19 ring, heavy duty vinyl cover to insure you of maximum durability. It is clearly indexed for rapid combination location.

Supplements will be printed as they become available and will be both 19 ring spiral punched as well as have standard 3 ring punching so that they can be easily compiled into your present cover or into the larger Padlock Code book binder.

YALE PADLOCK CODES



No. HYPC




OVER 28,000 CODES!

The Yale Padlock code book covers the un-prefixed pin tumbler code series numbered from 1 to 28,086. It is used primarily on large and small brass padlocks using the standard as well as sectional keyways.

It is bound in a 19 ring spiral bound vinyl cover and lies flat when open. It is printed on EZE-EYE tinted paper and all codes are clearly and uniformly presented.



GENERAL CODE BOOK



Vol. 1

No. HGCB

This massive volume was printed and published with the locksmith in mind. For years you've wanted a General Code book that presented the codes clearly and accurately with a concise index.

Here are some of the features that make this volume the leader in the field of code reference manuals: lies flat when open-whether you're open to page 7 or 777; Eze-Eye tinted paper; large page numbers; nineteen locking rings secure the pages; plastic locating tabs for rapid code location; heavy duty washable vinyl coated cover; large 8-1/2 X 11 inch pages (not skimpy postage stamp size) and depth and space charts and drawings for all popular keyways.


Includes codes for Auth, Bommer, B&S, Chicago, Corbin, all popular Automobile codes, Eagle, Illinois, National, Honda & Suzuki Motorcycles, Yale- plus many more!

New code supplements will be printed as soon as they come available and will be announced in the various locksmith trade magazines and will be distributed through your locksmith jobber. The supplements will be punched to fit directly into your General Code book and will include new indexes so your book will always be current.

**See p. 38 for Vol. 2 covering codes for Master, Yale & Dudley padlocks.

MORE THAN 200,000 CODES!

PADLOCK CODE BOOK



ol. Vol. 2

No. HPCB

The Padlock Code book is the ideal mate to the General Code book shown on the opposing page. It is bound in a matching heavy duty embossed vinyl coated cover and includes all of the convenience features of the General Code book.

It contains over 700 pages of codes covering the popular Master pin tumbler padlocks; combinations for Master A,B,M,V and X series; Yale large pin tumbler padlock code 1-28,086 and combinations for Yale and Dudley dial type padlocks.

New code supplements will be printed as soon as they come available and will be announced in the various locksmith trade magazines and will be distributed through your locksmith jobber. The supplements will be punched to fit directly into your Padlock Code book and will include new indexes so your book will always be current.

MORE THAN 175,000 CODES!



DEPTH KEY SETS

CUT ON ORIGINAL KEY BLANKS!

WHAT IS A DEPTH KEY SET?

A set of keys used to cut other keys by code on a manually operated key duplicating machine, is commonly referred to as a "Depth Key Set".


To cut a key by code, requires the use of a code book and either a depth key set or a code cutting machine.

The manner in which the key operates the lock depends on several variables that will affect the smoothness of operation or lack thereof. These variables are: depth and space accuracy as compared to factory dimensions; degree of wear to which the lock has been exposed or adjustment of the operators key machine.

To insure the smoothest possible operation of the finished key, the depths on H.P.C. Inc. Depth Key Sets are cut within plus or minus .002" of factory depths. This is, by the way, closer to the factory depths than most manufacturers cut their own keys.

The spacing from shoulder face to B.D.C. of the first cut, as well as all adjacent cuts is checked by an illuminated machinists measuring scope, that magnifies the image of the test key 10X and assures that the spacing is correct. You might wonder if these critically close tolerance requirements are necessary! To this we reply, "Buy a few Gyp Depth Key sets, so commonly advertised, and you'll soon find out that your best bet is to begin with the best".


The elimination of the other variables mentioned (i.e. lock wear and key machine adjustment) must be left to the locksmith, inasmuch as only after the key is cut by code on an accurately adjusted key machine will he find out if excessive lock wear will necessitate a "higher" cut key.



No. 700DKS
Yale Small Pins




No. 701DKS
Corbin Large Pins (Old)



No. 702DKS
Corbin Large Pins (New)

DEPTH KEY SETS





No. 704DKS

Master Padlock, Small

General Motors Autos All Years


No. 703DKS
Master Padlock, Standard Large

No. 705DKS
Eagle Small Pins (Long Space)



No. 706DKS
Eagle Large Pins

No. 707DKS
Eagle Wafer (Disc Tumbler)



709DKS
Sargent Large Pins, Sectional

No. 708DKS
Sargent Large Pins, Standard

No. 710DKS
Russwin Large Pins, Standard




DEPTH KEY SETS



No. 711DKS
Rambler Automobiles Pre-1970




No. 712DKS
Yale Wafer (Disc Tumbler)



No. 713DKS
Yale Large Pins




No. 714DKS
Yale Locker Locks IED, IEH etc.



No. 715DKS
Yale Locker Locks 9M & N9M






No. 717DKS
Ford Auto, 1952-64



No. 716DKS
Ilco Small Pins

No. 718DKS
Ford Auto Dble.-Sided Ign.



DEPTH KEY SETS



No. 719DKS
General Motors Autos All Years



No. 718A-DKS
Ford Auto Dble.-Sided Trunk

No. 720DKS
Lockwood Large Pins



No. 721DKS
Lockwood Large Pins, Sectional

No. 722DKS
Lockwood Small Pins (Peanut Cyl.)




No. 724DKS
Ilco Large Pins 1054F

No. 723DKS
Ilco Large Pins 1054K


No. 725DKS
Schlage Large Pins




DEPTH KEY SETS



No. 726DKS
Best Pin Tumbler




No. 727DKS
Briggs & Stratton




No. 728DKS
Welch Pin Tumbler



No. 729DKS
English Auto 62DP



No. 730DKS
Kwikset Pin Tumbler (New)




No. 732DKS
Weiser Pin Tumbler

No. 731DKS
Weslock Pin Tumbler

No. 733DKS
Arrow Pin Tumbler (New)


DEPTH KEY SETS



No. 735DKS
Chicago Wafer 6 Space



No. 734DKS
Chicago Wafer (Disc Tumbler)

No. 736DKS
Chicago Pin Tumbler



No. 737DKS
Illinois Wafer (Single-Sided)

No. 738DKS
Segal Pin Tumbler




No. 740DKS
National (Rockford) Wafer

No. 739DKS
Taylor Large Pins

No. 741DKS
National (Rockford) Small Pins



DEPTH KEY SETS



No. 743DKS
Corbin Wafer (Disc Tumbler)



No. 742DKS
Corbin Small Pins

No. 744DKS
Chrysler Auto F/ DP, DS Series



No. 745DKS
Chrysler Auto 1956-67 Pins

No. 746DKS
Chrysler Auto Side-Bar Type



No. 748DKS
Dexter Large Pins (Pre-69)

No. 747DKS
Dexter Pins (Close Spacing)

No. 749DKS
Chrysler Auto F/EP, ES 1969


DEPTH KEY SETS




No. 750DKS
Juncunc Pin Tumbler




No. 751DKS
Russwin Large Pin "D" Sectional




No. 752DKS
Master Padlock 5 Space




No. 753DKS
National (Rockford) Large Pins



No. 754DKS
Early Ford




No. 755DKS
Studebaker Auto 1964+ (Ign.)



No. 756DKS
Studebaker Auto 1964+ (Trunk)



LETTER AND FIGURE STAMP SETS



- * Tempered Head Prevents Mushrooming
- * Index on Thumb Side Prevents Stamping Upside-Down
- * Extra Tough Shank To Prevent Bending
- * Hand Ground Taper Makes Locating Easier
- * Specially Hardened Character End, to Prevent Chipping
- * Sharp Chisel Edge Character Face, assures Clear Impressions

Made for the locksmith that appreciates the quality of a HAND CUT stamp set!

If you want a set that will last and give a good impression time and again, year after year, buy the best to begin with!


FIGURE SETS

	Size
No. HCF-3/32	3/32"
No. HCF-1/8	1/8"

LETTER SETS

	Size
No. HCL-3/32	3/32"
No. HCL-1/8	1/8"

SPECIAL LOCKSMITH STAMPS



No. LDND

Do Not
Duplicate

No. LMS

Master

NO. LDNC


Do Not
Copy

The only way you have to permanently mark a Master or Restricted key so that other locksmiths & key duplicators will think twice before cutting! It costs industry thousands of dollars each year to "rekey" master-keyed systems whose security has been compromised because of the apparent non-chalant attitude of many key duplicators. What value can be placed on the loss of confidence by industry on the security men that think of the 50¢ key first?
STAMP RESTRICTED KEYS AND RECOGNIZE THEM!


KEY MICROMETER

The Best Key Micrometer
Available to the Locksmith

BAR NONE!!




No. KM-60




- * Machinists Quality
- * Forged Steel Frame
- * Satin Chrome Finish
- * Special Ground Anvil
- * Clear-Cut Precise Graduations
- * Tool Steel Anvil, Slide and Screw




PLUG FOLLOWERS




No. SUT-0 .395" DIAMETER



No. SUT-1 .495" DIAMETER



No. SUT-3 .500" DIAMETER



No. SUT-10 .550" DIAMETER

SEE PAGE 50 FOR APPLICATION
OF THESE PLUG FOLLOWERS


These four plug followers will give you
the assortment you'll need to fit
99% of the rim or mortise cylinders and cylinder units
that are currently in use!
They are made of centerless ground bar stock.

No. SUT-47 Set of 4 of the above plug followers.

ADJUSTABLE PLUG FOLLOWER


"THE UNIVERSAL FOLLOW THRU"

A plug follower that adjusts its own diameter
from .495" to .600"
to give a perfect fit on many different cylinders!
Spring Loaded-Patented.



No. SUT-22

PLUG FOLLOWERS




APPLICATION

MANUFACTURER	SUT-0	SUT-1	SUT-3	SUT-10
Acrolock		X		
Almont (Peanut Cyl.)	X			
Arrow		X		
Corbin		X		
Corbin Oversize				X
Corbin (Small Pins)	X			
Dexter		X		
Eagle		X		
Eagle (Small Pins)	X			
Ilco		X		
Ilco (4019 Rim Cyl's)			X	
Ilco (Peanut Cyl.)	X			
Keil		X		
Keil (#30 Rim Cyl's)			X	
Kwikset		X		
Lockwood		X		
Lockwood (956 Rim Cyl's)			X	
National of Rockford (EXCEPT KNK)		X		
National of Ozone Park		X		
Nesco		X		
Russwin (.500" Dia.)		X		
Russwin Oversize				X
Sargent		X		
Schlage		X		
Segal		X		
Taco		X		
Taylor		X		
Weiser (All but Beverly)		X		
Welch		X		
Weslock (EXCEPT KNK)		X		
Yale		X		
Yale (Small Pins)	X			




PLUG HOLDERS


No. CPH-15
.405" HOLE




No. CPH-10
.510" HOLE



No. CPH-8
.500" HOLE




No. CPH-20
.550" HOLE




These four plug holders will give you the assortment you'll need to fit almost every pin tumbler lock core. They are made of hardened bar stock, so as not to become scratched by the file, and have a black oxide finish.

SEE PAGE 52 FOR APPLICATION
OF THESE PLUG HOLDERS

MULTIPLE CAVITIES!



No. CPH-9
(Bench Type)



No. CPH-5 (Vise Type)


FITS THE FIVE MOST POPULAR SIZES!

Holder bodies are hardened and have a black oxide finish.

ADJUSTABLE PLUG HOLDER

"THE UNIVERSAL ADJUSTABLE PLUG VISE"

A plug holder that adjusts its own hole size from .350" to .600" to give a perfect fit on many different cores!



No. SUT-600

PLUG VISE BODY AND SLIDE IS HARDENED
AND HAS A BLACK OXIDE FINISH

PLUG HOLDERS





APPLICATION


MANUFACTURER	CPH-8	CPH-10	CPH-15	CPH-20
Acrolock		X		
Almont (Peanut Cyl.)			X	
Arrow		X		
Corbin		X		
Corbin Oversize				X
Corbin (Small Pins)			X	
Dexter	X			
Eagle		X		
Eagle (Small Pins)			X	
Ilco		X		
Ilco (Peanut Cyl.)			X	
Keil		X		
Kwikset		X		
Lockwood		X		
National of Rockford (EXCEPT KNK)		X		
National of Ozone Park		X		
Nesco		X		
Russwin (.500" Dia.)		X		
Russwin Oversize				X
Sargent		X		
Schlage		X		
Segal	X			
Taco	X			
Taylor	X			
Weiser			X	
Welch	X			
Yale			X	
Yale (Small Pins)				X



LUBRICATING GRAPHITE GUN



**REFILLABLE
LEAK-PROOF
CLOG-PROOF**




THE IDEAL LUBRICANT FOR THE LOCKSMITH!

Each gentle squeeze releases
a fine spray of graphite.

Used prior to picking or impressioning,
it will loosen tight wafers and pins
and reduce job time!

The ideal lubricant for "exterior" surfaces
of key machines--such as carriage shafts
and wing nut studs!

Does not attract
airborne dust or brass chips.



No. HGG Six Graphite Guns packed in a Display Carton



METAL PUNCH & DIE SET


(DOUBLE "D")




No. HDPS-4

We manufacture this set especially for the locksmith, to aid him in the installation of vending machine and cam type locks on metal cabinets, sheet metal lockers, filing cabinets and cash boxes, made of single wall sheet metal construction.

METAL PUNCH & DIE SET (SINGLE "D")



No. SDP-700




Same type of set as above, but punches a single "D" hole as needed for many auto alarm cylinders and cam locks, using a single "flat" on the threaded outside case.

HOLLOW MILL DRILLS SET

For drilling luggage lock rivet heads off when servicing suitcase locks.

Can be used for shearing base plate rivets off, on Master Padlocks, when servicing.

Used in either a hand or electric drill.




No. HMD-5

SPRING WINDING OUTFIT



5 Arbor Sizes




If unusual or hard-to-get springs are not immediately available - make your own!

Tension adjustments can produce a tight or loosely wound spiral. Make a uniform, or a graduated spring, starting with a tight spiral & gradually changing the tension to a looser winding.

4 Rolls of Wire




THIS MACHINE WILL SOLVE MANY OF YOUR PROBLEMS
AND SAVE YOU TIME AND MONEY




Some of the springs illustrated here may require a second operation




TRUARC RING PLIERS & APPLICATORS




RING SPREADER
No. TRU-122



RING COMPRESSOR
No. TRU-121



RING SPREADER-OFFSET
TRU-123




"CONVERTIBLE"
TRU-55


APPLICATORS




No. TRA-121



No. TRA-175





No. TRA-150



"OFFSET"
TRA-125

TRUARC RING ASSORTMENT



No. TRU-275

This assortment contains 27 different styles of truarc rings and retainers.

You will find them very helpful for servicing Arrow, Best, Corbin, Dexter, Ilco, Lockwood, National, Schlage and many more.

All are made of carbon spring steel and offer long-lasting tension or compression for retaining purposes.

CONTAINS 275 RINGS -- ALL REFILLABLE!




FLAT SPRING WIRE ASSORTMENT

STOCK NO.	WIDTH	THICKNESS	FLAT SPRING WIRE
No. SSW-1	1/16"	.015	
No. SSW-2	1/16"	.035	
No. SSW-3	7/64"	.025	
No. SSW-4	1/8"	.020	
No. SSW-5	1/8"	.035	
No. SSW-6	1/8"	.042	
No. SSW-7	3/16"	.020	
No. SSW-8	3/16"	.025	
No. SSW-9	3/16"	.045	
No. SSW-10	7/32"	.035	
No. SSW-11	1/4"	.020	
No. SSW-12	1/4"	.035	
No. SSW-13	9/32"	.015	
No. SSW-14	9/32"	.020	
No. SSW-15	9/32"	.035	
No. SSW-16	5/16"	.020	
No. SSW-18	7/16"	.025	

A one pound assortment of the most popular sizes
of flat spring wire.

Make your own hard-to-get flat springs
for mortise and rim locks.




No. FSW-100

SPRING ASSORTMENT


100 BRASS, BRONZE AND STEEL COMPRESSION SPRINGS!



No. HSA-100



- * 12 different sizes
- * Varying lengths, diameters & tension
- * Handy plastic carrying case
- * Order refills as needed



SS-2

SS-3

SS-16

SS-12

SS-11

SS-10

SS-9

SS-8

SS-7

SS-6



SS-5

SS-4



CARRY-OUT KEYING KIT


A SHOP IN A BOX!



No. COKO-5

Box Measures 15" X 7" X 3-1/4"

PINS ARE STANDARD LARGE YALE LENGTHS




This handy kit contains just about everything you'll need to handle most outside keying jobs.

Follow-thru tools, plug holders, pins, cams, tailpieces, cam screws, cylinder springs and tweezers are all contained in the COKO-5 kit.

An excellent machinists vise swings up on a hinged plate, ready for instant use. The bottom of the box has four cushioned bumpers that won't scratch or mar any surface.

The inside of the lid is lined with foam tape to keep all interior parts where they belong.

CARRY-OUT KIT (BOX ONLY)



Box Measures 15" X 7" X 3-1/4"

The KO-3 CARRY-OUT KIT BOX is a perfect carrying case for small parts that so easily can be misplaced in your tool box.

Fill the 30 clear plastic vials with special pin sizes, automobile wafers and springs or a thousand and one of the small items that you always leave at the shop when you need them most.

The machinists vise puts a firm grip on plug holders or any small lock part that requires filing or cutting.


The bottom of the box has four cushioned bumpers, so you'll never need to worry about marring or scratching any surface.

You'll find that parts contained in the KO-3 seldom stay behind when you make it a habit to carry your own specially designed "Shop in a Box".



PIN ASSORTMENT

FOR YALE



ASSORTMENT CONTAINS:

* 10 gross Bottom Pins

No. YPA-115

* 3 gross Top Pins

* 4 gross Master Pins

* 1 gross Cylinder Springs

* Packed in a Metal Box

For current Yale cylinders
of .115" diameter.

Each pin, shape, size and
finish is guaranteed!

Springs are of phosphor bronze
with tucked in ends.


REFILLS

Bottom Pins: #0 CLP-0 (.184"); #1 CLP-1 (.203"); #2 CLP-2 (.221");
#3 CLP-3 (.240"); #4 CLP-4 (.259"); #5 CLP-5 (.276");
#6 CLP-6 (.296"); #7 CLP-7 (.315"); #8 CLP-8 (.334");
#9 CLP-9 (.353")

Top Pins: #1 CUP-1 (.190"); #2 CUP-2 (.230"); #3 CUP-3 (.260")

Master Pins: #0 CMP-0 (.020"); #1 CMP-1 (.038"); #2 CMP-2 (.076");
#3 CMP-3 (.110")

PIN ASSORTMENT FOR SCHLAGE



ASSORTMENT CONTAINS:

- * 1000 Bottom Pins
- * 800 Master Pins
- * 300 Top Pins
- * 144 Cylinder Springs
- * Packed in a Metal Box

No. SPA-115

For current Schlage cylinders
of .115" diameter.
Each pin, shape, size and
finish is guaranteed!
Springs are of phosphor bronze
with tucked in ends.

REFILLS


Bottom Pins: #0 SLP-0 (.165"); #1 SLP-1 (.180"); #2 SLP-2 (.195");
#3 SLP-3 (.210"); #4 SLP-4 (.225"); #5 SLP-5 (.240");
#6 SLP-6 (.255"); #7 SLP-7 (.270"); #8 SLP-8 (.285");
#9 SLP-9 (.300")

Top Pins: #1 SPT-1 (.235"); #2 SPT-2 (.200"); #3 SPT-3 (.165")

Master Pins: #2 SPM-2 (.030"); #3 SPM-3 (.045"); #4 SPM-4 (.060");
#5 SPM-5 (.075"); #6 SPM-6 (.090"); #7 SPM-7 (.105");
#8 SPM-8 (.120"); #9 SPM-9 (.135")



PIN ASSORTMENT FOR KWIKSET (.115")



ASSORTMENT CONTAINS:

- * 1200 Pins
- * 144 Cylinder Springs
- * 1 Follower
- * 1 Plug Holder
- * 1 Cylinder Removal Tool
- * Packed in a Metal Box

For current Kwikset cylinders
of .115" diameter.
Each pin, shape, size and
finish is guaranteed!
Springs are of phosphor bronze
with tucked in ends.

REFILLS

Bottom Pins: #1 KBP-1 (.172"); #2 KBP-2 (.195"); #3 KBP-3 (.218");
#4 KBP-4 (.241"); #5 KBP-5 (.264"); #6 KBP-6 (.287")

Top Pins: #1 KTP-1 (.180")


Master Pins: #1 KMP-1 (.023"); #2 KMP-2 (.046"); #3 KMP-3 (.069");
#4 KMP-4 (.092"); #5 KMP-5 (.115")

PIN ASSORTMENT FOR YALE (.095")



ASSORTMENT CONTAINS:

- * 7 Gross Bottom Pins
- * 3 Gross Top Pins
- * 3 Gross Master Pins
- * 1 Gross Cylinder Springs
- * Packed in a Metal Box
- * Refills Available



For current Yale cylinders
of .095" diameter.

Each pin, shape, size and
finish is guaranteed!

Springs are of phosphor bronze
with tucked in ends.

No. YPA-.095

—PIN ASSORTMENT FOR YALE (.101")—

ASSORTMENT CONTAINS:


- * 7 Gross Bottom Pins
- * 4 Gross Top Pins
- * 3 Gross Master Pins
- * 1 Gross Cylinder Springs
- * Packed in a Metal Box
- * Refills Available

No. YPA-.101

For current Yale cylinders
of .101" diameter.


Each pin, shape, size and
finish is guaranteed!

Springs are of phosphor bronze
with tucked in ends.





KEYING TOOL FOR JUNKUNC



No. DGM-1

GRIND BLANK TUMBLER PLUGS TO ANY DOUBLE-SIDED COMBINATION!

Key your own double-sided plugs for
Junkunc padlocks in only a minute.

You can buy a supply of "blank tumbler plugs"
(JUNKUNC #BTC) and avoid waiting
for special factory orders.

Simply, insert the cut key
into the plug and hold it firmly in a vise
by the head of the key.

Insert the DGM-1 into the chuck of any 1/4" electric drill
and feed it 1/32" over the plug.

Start the drill and the tool easily trims the tumblers,
giving you a perfectly keyed plug.

PIN ASSORTMENT FOR ACE



ATP-1	ATP-2	ATP-3	ATP-4
ATP-5	ATP-6	ATP-7	APS-1
APS-2	APS-3	APS-3	ACS

ASSORTMENT CONTAINS:


- * 700 Top Pins
- * 300 Bottom Pins
- * 100 Pin Springs
- * Packed in a Metal Box

No. APS-077

For current Ace tubular
keyway cylinders and
vending machine locks.
Each pin, shape, size and
finish is guaranteed!
Springs are of phosphor bronze
with tucked in ends.




PIN TUMBLER TWEEZERS



No. PTT-4

4 3.00



The groove in the tip provides a firm non-twisting grip on cylinder pins. The ideal tweezers for loading bottom, top and master pins.

The tip is also milled back so that the outside diameter of a standard .115" diameter pin extends past the tip, enabling you to "butt" the pin against the end of the plug follower when loading the upper chambers, which gives added control when holding top or master pins of varying lengths.



No. LCS

.115" Diameter
Standard Cylinder Spring .095" Diameter
For Small Diameter Pins



No. SCS



No. GMLS

FOR GENERAL MOTORS


These phosphor-bronze springs have "tucked-in" ends so they load easily. They offer maximum corrosion resistance and will give years of control over pins, without collapsing or losing tension.

LCS & SCS packed 144 per bag
GMLS packed 100 per bag



CYLINDER SCAR PLATES

ROUND




[SHOWN ACTUAL SIZE]

- No. SPR-3 ROUND-U.S. 3 Finish, Polished Brass
- No. SPR-10 ROUND-U.S. 10 Finish, Dull Bronze
- No. SPR-26D ROUND-U.S. 26D Finish, Dull Chrome

Use these plates to cover oversize cylinder holes, or when the area around the cylinder hole is chipped, cracked or scarred!

oval



When a replacement lock of different backset must be used, they serve to cover up the elongated cylinder hole that must be made to accept the new backset.


The oval plate is ideal for narrow stile aluminum doors, to dress up the door or when using different backset locks for replacement.

- No. SPO-3 OVAL-U.S. 3 Finish, Polished Brass
- No. SPO-10 OVAL-U.S. 10 Finish, Dull Bronze
- No. SPO-26D OVAL-U.S. 26D Finish, Dull Chrome

CYLINDER GUARD PLATES



FOR MORTISE LOCKS



No. MW-1,2

No. MW-3



"A" "B" "C"
4-1/2" 5-3/4" 7-1/2"

MW-1 For Mortise Locks, 5-3/4" Long [3/64" WELL]
MW-2 For Mortise Locks, 5-3/4" Long [7/32" WELL]
MW-3 For Mortise Locks, 7-1/2" Long [7/32" WELL]

MAKES CYLINDER LOCKS
PULLER RESISTANT!

Puts a sheet of hard
armor over the cylinder.
Easy to Install.
Two different Well depths
are available.
7/32" depth is
the most popular!

FOR RIM LOCKS




No. RW-1,2

No. RW-3


"A" "B" "C"
4-1/2" 5-3/4" 7-1/2"

RW-1 For Rim Locks, 5-3/4" Long [3/64" WELL]
RW-2 For Rim Locks, 5-3/4" Long [7/32" WELL]
RW-3 For Rim Locks, 7-1/2" Long [7/32" WELL]





KING-SIZE DOOR GUARD FOR DOORS OPENING OUT



No. VDG-10

This is our most popular and strongest door guard.

It is designed for doors that swing out.



Made of two pieces of welded steel
and 14 inches long,

the VDG-10 door guard offers maximum resistance
to prying and forcing.


It is fastened onto the door
with 2 carriage bolts through the door
and 4 wood screws into the edge of the door.

The KING SIZE DOOR GUARD will stop
solicitors, vandals and burglars at the vestibule door!


OFFSET DOOR GUARDS FOR DOORS OPENING OUT



No. OVDG-12



No. OVDG-13



No. OVDG-14

These OFFSET VESTIBULE DOOR GUARDS are available in three different offsets and can be installed on doors that are not flush with the frame.


They are easily installed, by drilling only 2 holes, and seldom require any additional fitting.

The 14" overall length extends 3" past the top and bottom of the average lock face, thereby eliminating the entry of a prying tool from any angle!

They are made of heavy guage steel, finished in a neutral brown, baked on enamel and are packed with nuts, bolts and washers, to assure you of short installation time.



VESTIBULE LOCK GUARD PLATES FOR DOORS OPENING OUT




	"A" FLANGE	"B" FLANGE
No. VDG-1	5/8"	3/8"
No. VDG-2	5/8"	5/16"
No. VDG-3	3/8"	3/8"
No. VDG-4	3/8"	5/16"

Due to the varying thickness of doors, tightness of doors in frames, and different lock face widths, we have made available these four sizes of VESTIBULE LOCK GUARD PLATES, having "A" and "B" flange dimensions as shown.


They are designed to be used on doors that swing out and are flush with the frame.

Each is finished in a neutral brown, baked on enamel and is packed with sufficient screws for easy installation.

GUARD PLATES FOR LATCH LOCKS ON DOORS OPENING IN



No. IDG-7



No. IDG-8

These Guards tie the door stop and the door frame together. They have an edge that extends into the wood frame $1/16$ " below the surface. This prevents opening with a knife or celluloid strip!

- * Made of Cadmium Plated Steel
- * Countersunk Holes
- * Packed with Screws

Many motels, hotels and homes use unguarded latch locks that are easy prey for even the inexperienced burglar!



ON DOORS OPENING OUT

Screwed directly onto the edge of the door, the ODG-6 guard keeps all types of prying tools away from the latch.

- * Made of Cadmium Plated Steel
- * Countersunk Holes
- * Packed with Screws


No. ODG-6

All doors using spring latch type locks, should have the added protection of a door guard!





TUBULAR LOCK PICK GUARD



No. LG-5



STOPS PICKING AND DRILLING OF ACE AND GEM LOCKS!

Absolutely eliminates the entry of a drill or pick into these popular, high security keyways, even our own pick and drill!

The LG-5 PICK GUARD can be installed easily and will not slow down normal collection time on vending machine routes.

The LG-5 is a hardened steel, chrome plated, revolving guard that stops picking, drilling and pulling.

ELECTRIC OPENER "FACE EXTENSIONS"



No. ECFE-2

These FACE EXTENSIONS will allow you to span the split door frame and worn screw holes and re-fasten the electric opener into solid wood!

They are made of cadmium plated steel and make a strong holding extension when fastened to the opener face.

KEY KEEPER BOX



KEY KEEPER BOXES are used by realtors, contractors, sub-dividers and mortgage bankers.


The KEY KEEPER BOX is fastened to the top edge of the front or rear door of any building. All screws are hidden when the door is closed.

The door of the box is held to the box on a piano-type hinge and is locked by a 7 pin tumbler, high security, tubular type lock.


ELIMINATES LOST KEYS!

Since the KEY KEEPER BOX secures the key or keys for the door on which it is mounted, it virtually eliminates lost keys and lock-outs!

We can supply these boxes in large quantities, keyed alike for use where one key convenience for a group of locks is desired, or keyed individually.



No. KEP-12




MOUNTED ABOVE THE DOOR

- * Durable Finish
- * Easily Installed
- * Avoids Misplaced Keys
- * Hidden Mounting Screws
- * 7 Pin Tumbler High Security Lock



TUBULXO LUGGAGE KEY



No. LKBA-400

400 Assorted Luggage Keys

ASSORTMENTS




AMERICAN TOURISTER

LONG

SAMSONITE

LUGGAGE KEYS

COPYRIGHTED BY H. F. C. INC., CHICAGO ILLINOIS



CHENEY

KROMER

PRESTO

SOSSY

CREST

HINCKLEY

SCHWIDT

N. R. W.

NEUMAN

200 Assorted Luggage Keys

LKBA-200

KURT'S

AMELIA ERHART

EXCELSIOR

TAPERLITE

FORECAST

SKYWAY

These two Luggage Key Assortments should enable you to meet most of your customers requests for luggage keys.

A wide assortment of the most popular flat, formed, milled brass and steel luggage keys will be at your fingertips if you make these assortments a permanent fixture in your shop!

A heavy gauge metal mounting board & hooks are included with each assortment.

The luggage keys included on the LKBA-200 & LKBA-400 are different from each other.

The assortments are updated periodically and thus the contents will vary.

MILWAUKEE

OSHKOSH



LUGGAGE KEYS

CHENEY

C0

C1

C2




C4

C10

C11

C16

C30



CHENEY

C31

C32

C33

C34





C37

CT-1

CT-3

CT-4

CT-5



EAGLE

KE-6

L-83

850









2173

2712

04105

8446

8446-K



LUGGAGE KEYS



EAGLE

8446-2K

8510

8518


8630

AT-31

E1

E2

E3



EXCELSIOR

E4

E5

E6


E7

E8

E9

E-33

E-44



EXCELSIOR

E-151

E7847

EX-36


EX-40

EX-48

8M2

8M3

9M1





LUGGAGE KEYS

9M2

9M3

900


2620

3310

3057

5951

5952



EXCELSIOR

5953

5985


5986

5987

5988

5989

EX-71



EXCELSIOR

EX-154

EX-301

EX-4686


H242

M16

UG230

UG250

UG-260



LUGGAGE KEYS



EXCELSIOR

UG330

UG350

UG360


126

127

152

6K1

6K11



EXCELSIOR

-KROMER-

6M1

6M2

6M3

610


7M1

7M2

7M3

8M1

TZ-1



KROMER

KURTS

TZ-2

TZ-3

TZ-7

TZ-8


KG-1

KG-2

KG-3

KG-4

KG-5





LUGGAGE KEYS

— KURTS —

KG-7

KG-9

L-8

L-9


LONG

L-10

L-12

L-26

L-71



LONG

L-75

L-270

L-340


LS-10

LS-80

LS-85

N20

N87



LONG

T35

T36


T37

T44

T46

907

22054




LUGGAGE KEYS




— MILWAUKEE —

KY-1




KY-11




— NEUMAN —

1572




1573




N.R.W.

1570



— PRESTO —

P-70



P-202



PRESTO

P-440

P-527

P-538








P-645

P-660

P-815

PK-11

PK-22



PRESTO

PK-25

PK-26

PK-30




PK-31

PK-33

PK-38

PK-40

PK-46



HCK-15

HCK-12



LUGGAGE KEYS

PRESTO

PK-50

PK-55

PK-57

PK-59

PK-60

PK-73

PK-75

PK-81

PKL-20



PRESTO

PKY-0

PKY-1

PKY-2


PKY-3

PKY-5

PKY-12

93

154



PRESTO

480

526


599

1052

1231

1742

1824



LUGGAGE KEYS



PRESTO

2076

2086

2102


2119

2121

2148

2471

9961



SAMSONITE

S-69

S-86

S-88


S-94

S-96







S-170

149

KY-20



HANDCUFF KEYS



HCK-5

HCK-7


HCK-10

HCK-12



GIVE-AWAY KEY RINGS

Actual Size GAK-6



	QUANTITY	DIAMETER	GUAGE	SHIPPING WEIGHT
No. GAK-6	1,000	1"	.0475	2 lbs.
No. GAK-4	1,000	3/4"	.0475	1 lb. 8 oz.
No. GAK-44	1,000	3/4"	.0317	1 lb.
No. GAK-3	1,000	5/8"	.0475	1 lb. 4 oz.
No. GAK-33	1,000	5/8"	.0317	11-1/2 oz.


Manufactured from hardened spring steel wire
and bright zinc plated to resist tarnishing!

These rings are so inexpensive
that you give them away with duplicate keys!
Probably the least expensive good will you can pass on.

LARGE KEY RINGS



SNAP TYPE RING TYPE



Eleven inch ring slips over the head
easily for carrying around the neck.

Eleven inch ring will hold
approximately 260 cylinder keys

Manufactured of Hardened Steel
and Bright Nickel Plated!

6 INCH DIAMETER

No. LKR-6

8 INCH DIAMETER

No. LKR-8

11 INCH DIAMETER

No. LKR-11




METAL RIM TAGS

GIVE-AWAY KEY RINGS

Actual Size

SHIPPING SIZE

- * PERSONAL PROPERTY TAGS
- * IDENTIFICATION OF SIZES OR PRICES
- * WILL-CALL TAGS FOR REPAIRED ITEMS



For use on heavy or much handled merchandise,
where strength and non-mutilating qualities are required.

These Metal Rim Tags are manufactured from
heavy stock with a smooth writing surface.

Each tag is strung with a heavy string,
looped and knotted.


PACKED 100 PER BOX

Notice: TAGS SHOWN ARE 1-1/2 X ACTUAL SIZE!

LIGHTWEIGHT FIBER TAGS



SNAP TYPE



No. EYS-10

RECTANGULAR TAGS


2-3/4" X 1-3/8"

RING TYPE



No. EYR-9


100 per box




No. EYS-8

ROUND TAGS

1-3/4" Diameter




No. EYR-7



No. EYS-6

ROUND TAGS


1-1/4" Diameter



No. EYR-5



STAINLESS STEEL KEY CHAINS



STRONGEST KEY CHAIN MADE.
Test strength - up to 200 lbs.

No. CR-6 24 on a card

Highly resistant to Rust, Tarnish and Corrosion.


STAINLESS STEEL CHAIN
with Split-Ring connector
The Chain is a full 6 inches long.

01-243

1-13/16"

001

— BULK STAINLESS STEEL CHAIN —



Made available for locksmiths desiring
to make special length key chains.

No. BCR-100


100 feet per roll

3/8 inch split key ring.

Nickel plated

No. HR-38

TUNGSTEN TIP SAFE DRILLS



These genuine Carbon Tungsten tipped drills are designed for use on hardened die steel.


Their main purpose is to make possible the drilling of steel that has been hardened to Rockwell C-40 or harder, without the usual annealing process or reverting to the slow and costly grinding method.

We do not guarantee these drills against chipping or breakage caused by the unintentional misuse to which they might be subjected.

No. SHPD-12 1/4" Tungsten Tip

No. SHPD-14 3/8" Tungsten Tip

CARBIDE TIP SAFE DRILLS




The Carbide tipped drill bit is a good general purpose bit designed to drill hardened steel.

No. SHPD-6 3/8" Carbide Tip

No. SHPD-8 1/2" Carbide Tip



SAFE PEEP LITES



CAN BE USED THROUGH A 3/16" HOLE!

The frame arm and the bulb diameter is 1/8".
This size permits you to light up the lock and bolt works
in any safe door, through the tiniest hole.
The bulb was specially designed for these tools
and has a life 2 or 3 times greater
than most of the surgical instrument type bulbs
commonly used.

No. SPL-7 Overall Length, 7-1/4"

No. SPL-12 Overall Length, 12"

REPLACEMENT BULBS



No. EU-48

4-48 Base
For SPL-7, 12



No. EU-56

2-56 Base




No. EU-64


10-64 Base
For Old SPL-11

BULBS ARE 2.5 VOLTS
TO BE USED WITH 2 SIZE "D" BATTERIES

EMERGENCY SAFE DIAL



NUMBERS & MARKINGS
ON DIAL ARE WHITE
ON ENAMELED BLACK




No. MED-66

After a wedge or pin has been driven in at the edge of the broken spindle end to keep it from turning, a small hole is drilled into the center of the spindle stub. Then, remove the anchoring wedge or pin. Hammer the pointed spindle end of the Emergency Dial into the drilled hole until it is firmly attached to the broken spindle. The Emergency Dial is then ready to work the combination for opening the safe and making repairs.

SAFE TAP AND DIE SETS

FOR TAPPING WORN DRIVERS AND THREADING STRIPPED SPINDLES




No. STDS-2 for 5/16-40 Thread


No. STDS-4 for 3/8-30 Thread



SAFETY DEPOSIT BOX LOCK AND DOOR PULLER SET



INCLUDES NOSE PULLER TOOLS



This Puller Set is made of heavy wrought and bar steel,
expertly machined and finished.
It is a heavy duty set of tools built to last a lifetime.


This set will enable you
to service 98% of all safety deposit boxes.

This good looking set comes packed
in a handy steel carrying case.

The Puller Set is adjustable
to fit most safety deposit boxes and locks.

The Puller legs have padded feet,
to prevent the marring
of the finish on the box fronts.
Complete easy to understand directions,
with illustrations, comes with each set.

SAFETY DEPOSIT BOX "NOSE PULLER"




No. HLP-4B

A complete set of lock nose and core pulling tools. Simply, drill and tap a hole in the center of the nose, screw in the threaded stud of the pulling tool and tighten the wing nut until the nose is pulled.

Comes with a key seat turning tool. All parts are nickel or cadmium plated.

Illustrated instructions included.

CONNECTING SCREW FOR FILING CABINET LOCKS




Connecting-extension screws for use on Rem-Rand filing cabinet locks that are drilled and tapped on the end. Available in two lengths.

No. RRS-1 1-1/4" Long
No. RRS-2 2-7/8" Long



SAFE LOCKS

CAN REPLACE YALE OC-3
CAN REPLACE MOSLER M-20




No. M-20

- * Brass Tube 5/8" Diameter X 4-5/16" Long
- * Three 1-7/8" Tumblers
- * 3" Black & White Dial
- * 5-1/2" Long Spindle- 5/16X40 Thread
- * Tumblers are .090" Thick
- * Driver is .127" Thick

Weight 1 lb. 2 oz.

—HJM REPLACEMENT VAULT LOCK—



with an Escapement Spring Bolt

Complete with Dial,
Spindle and Ring
Ready to Install!

No. HR6730SB with Standard S&G Adjusta-Lock

No. HT6730MPSB with S&G Manipulation Proof Lock

No. SB Escapement Bolt Only


SAFE LOCKS



YALE OCN REPLACEMENT COMBINATION LOCK

HAND CHANGE

WITH TUBE




No. HOCN

Weight 1 lb. 8 oz.

- * Brass Tube $51/64''$ Diameter X $6-1/8''$ Long
- * Three $2-1/2''$ Tumblers
- * 3" Black & White Dial
- * $7-1/2''$ Long Spindle- $5/16\times 40$ Thread
- * Tumblers are .050" Thick
- * Driver is .0625" Thick

WITHOUT A TUBE


Designed for fireproof safes and cabinet doors, the bolt work of which may be dogged against the tumblers which are hand change, pin type.





SAFE LOCKS

REPLACEMENT FOR YALE OB AND OBB LOCKS



No. HBB


- * Brass Tube 51/64" Diameter X 5-3/4" Long
- Weight 3 lbs. 4 oz.
- * Three 1-7/8" Tumblers
- * 3" Black & White Dial
- * 7-1/2" Long Spindle-5/16X40 Thread
- * Tumblers are .090" Thick
- * Driver is .127" Thick

This lock can be set into the doors,
after the doors are filled.

The levers, dials, rings and tumblers can then
be assembled into the lock.

The boltwork dogs against the end of the lever
and puts no pressure on the tumblers.

— DIAL, RING AND SPINDLE SETS —




3" Dial, Spindle & Ring Set

- No. HSD-5 5-1/2" Spindle set at "50"
- No. HSD-7 7-1/2" Spindle set at "50"
- No. HPS-5 5-1/2" Spindle set at "0"
- No. HPS-7 7-1/2" Spindle set at "0"

RING ONLY


- No. RIN-7 3" Ring for use with a tube
- No. RIN-8 3" Ring for use without a tube

SAFE HANDLES




Dimensions [A] [B]

No. SHL-74 17/32" 3-5/16"




Dimensions [A] [B]

No. STT-3 11/16" 6"
No. STT-5 5/8" 6"




Dimensions [B]

No. HSSH-66 2-5/16"




Dimensions [A] [B] [C]

No. SHL-7 5/8" 4-1/8" 5/8"
No. SHL-9 5/8" 2-3/8" 5/8"



Dimensions [A] [B] [D]

No. SSH-5 9/16" 5-3/4" 9/32"




Dimensions [A] [B]

No. HSH-2 9/16" 6"
No. HSH-3 11/16" 6"
No. HSH-4 3/4" 6"
No. HSH-6 1/2" 6"




SAFE CHANGE KEYS


SARGENT & GREENLEAF




SLC-1
6850




SLC-2
6570




SLC-5
6800
6805




SLC-8
6580
6700




SLC-7
6810
6815




SLC-3
6800
6805
Early



SLC-39
6500
6501
6510 to 6517




SLC-21
6550
Long



SLC-22
6570
Long

SLC-31



6721
6723
6726
T8410MP
T8415MP
ET8410MP
ET8415MP



SLC-4
6720
6722
6725
6730
6732
6733
6735


SAFE CHANGE KEYS

MOSLER




B 607

SLC-9




104

SLC-10



B 107

SLC-11




KCB-1

KCB-101

KCB-201

KCB-401


SLC-32



KC-11

KSD-12

SLC-33




K-1203

K-1204

SPEC.


SLC-35



MRK-120

CDK-120

SLC-36




S.T.D. SER.

SLC-40




SAFE CHANGE KEYS


DIEBOLD



SLC-13
3 Tumbler
Right Hand
Series
172 & 182




SLC-15
3 Tumbler
Left Hand
Series
172 & 182




SLC-12
4 Tumbler
Right Hand
Series 161




SLC-14
4 Tumbler
Right Hand
K&M Lock




SLC-16
4 Tumbler
Left Hand
Series 161



SLC-17
Series 177
and 900



SLC-18
Series 180




SLC-19
Double End
Key
Series 180
177 & 900
Two Keys in One


SAFE CHANGE KEYS



YALE




HALL & YORK





SAFE AND VAULT MANUAL



SAFE & VAULT

MANUAL

No. SVM

3rd Edition (221 pages)

CONTAINS:



- * Hand Changing
- * Key Changing
- * Drilling Locations
- * Drilling Procedure
- * Lock Servicing
- * Lock Descriptions
- * Internal Drawings
- * Time Lock Operation

The SAFE AND VAULT MANUAL is generally recognized as the "Safe Man's Bible".

Whether your new to safe work or an old timer interested in broadening your knowledge of safe locks, you'll find this book contains valuable information covering a wide variety of safe lock topics.

It contains over 250 illustrations, 1000 factory try-out combinations, and a newly added section on original factory methods of safe and vault combination changing!

THE ART OF MANIPULATION



No. TOAM-2

YOU CAN NOW OPEN COMBINATION LOCKS WITHOUT DRILLING,
BURNING OR FORCING!

A practical work method clearly explained
and easy to understand.

The combination lock opening system of Hear,
Feel and See is called "Manipulation".

It was discovered and developed in the past
two decades by a small group of safe experts.


After much deliberation two of these experts decided
to pass on their information to other safe
men and published this invaluable book,
titled "THE ART OF MANIPULATION".

Due to the highly confidential information
in this book, the sale shall be restricted to established
Safe Men and Locksmiths.

SAFE MANIPULATION IS AN ABSOLUTE FACT, NOT A MYTH
BUY THIS VALUABLE BOOK AND LEARN THE FACTS



STORY OF SAFETY DEPOSIT BOX LOCKS




No. SDL-15

THIS BOOK TELLS YOU HOW TO OPEN SAFETY DEPOSIT BOX LOCKS!

Valuable information for servicing:
Bates, Diebold, Eagle, Herring Hall Marvin,
Miller, Mosler, Remington, Sherman, S&G, Victor,
Western, Yale, Mosler, Yale and York

- * Open by Picking
- * Use of Door Pullers
- * Open by the Hinge Method
- * Open by the Drilling Method
- * Plugging Holes & Refinishing
- * Classifies each Type of Safety Deposit Box Lock

SAFE COMBINATION CHANGING



No. SCC

ORIGINAL FACTORY METHODS OF CHANGING COMBINATIONS!

A collection of original direction sheets on how to operate and change combinations, written by the safe lock manufacturers. Over 230 pages & hundreds of illustrations and diagrams.

Covers combination changing information on most of the safe locks manufactured during the last 75 years.


This book helps the Locksmith BE SURE that he will get the best results in the shortest possible time, by using the proper procedures.

Includes combination changing information for Diebold, Eagle, HHM, S&G, Yale and York safe locks.




SECURITY LOCKING BAR

ALUMINUM





ONLY 1-1/2 LBS.

BLUEPRINT CABINETS



PARTS CABINETS



FILE CABINETS

ALUMINUM SECURE LOCKING BARS are ideally suited for use on file cabinets that are constantly used and must always be locked.

Weighing in at only 1-1/2 pounds, most women find this bar much easier to handle than the steel bar.

Finished in an attractive brushed aluminum finish, they add beauty while offering security to the contents of file, blueprint or tool cabinets.

When used in conjunction with the approved S&G padlock, it meets U.S. Gov't. Specification MIL-P-17257A.

	<u>DRAWERS</u>	<u>LENGTH</u>
No. SLB-22	2	27"
No. SLB-23	3	39-1/2"
No. SLB-24	4	51-1/2"
No. SLB-25	5	59-7/8"




* Special Sizes can be supplied at additional cost.

SECURITY LOCKING BAR

STEEL



HEAVY DUTY



1/2" X 1-1/2"
CHANNEL STEEL

SECURE LOCKING BARS are quickly installed on steel or wood file, blueprint or tool cabinets.

They are made of heavy channel steel and are packed with all necessary hasps, staples and screws for easy and profitable on-the-job installations!


When used in conjunction with the approved S&G padlock, it meets U.S. Gov't. Specification MIL-P-17257A.

	<u>DRAWERS</u>	<u>LENGTH</u>
No. SLB-42	2	27"
No. SLB-43	3	39-1/2"
No. SLB-44	4	51-1/2"
No. SLB-45	5	59-7/8"

* Special Sizes up to 60" can be supplied at additional cost.




MILLING CUTTERS



No.	DIAMETER	THICKNESS	HOLE DIAMETER	MACHINE USE	COMPARATIVE
CW-10	2-1/4"	.280"	7/16"	HPC 6210, Taylor Twinplex & Segal 815-1815	18MC
CW-19MC	2-7/8"	.281"	1/2"	2183DM Duplimatic, Keil Automatic & Keil #10	19MC 10


SIDE MILLING (.045")



CUTS FLAT STEEL
AND CYLINDER KEYS!

No.	DIAMETER	THICKNESS	HOLE DIAMETER	MACHINE USE	COMPARATIVE
CW-45SMS	2-3/8"	.045"	1/2"	2584SMS Convertible & Replacement F/23RF Cutter	SMS-45


MILLING CUTTER TO REPLACE "23RF"



WITH THE "SHARPY",
YOU CAN REPLACE YOUR ROTARY
FILE CUTTER WITH A LONGER-LASTING
"MILLING CUTTER"


No.	DIAMETER	THICKNESS	HOLE DIAMETER	MACHINE USE	COMPARATIVE
CW-23MC	2-1/4"	.093"	1/2"	Replacement on Machines Using 23RF File Cutter	26 23RF

FILE CUTTERS



No.	DIAMETER	THICKNESS	HOLE DIAMETER	MACHINE USE	COMPARATIVE
CW-5RF	2-3/8"	.187"	3/8"	2177ID Duplex and 175IA American prior to June 1963	5RF
CW-6RF	2-3/8"	.187"	3/8"	2179IM Minute prior to 6/63	6RF
CW-23RF	2-1/4"	.250"	1/2"	2184CD Monitor, 4-1/2 Keil, 9110 HPC & 2584CV Ilco.	23RF 26


DOUBLE ANGLE FILE CUTTER



No.	DIAMETER	THICKNESS	HOLE DIAMETER	MACHINE USE	COMPARATIVE
CW-10F	2-1/4"	.280"	7/16"	HPC 6210, Taylor Twinplex & Segal 815-1815	----



FLAT SLOTTERS



ALL H.P.C. INC. FLAT STEEL SLOTTERS ARE MADE OF HIGH SPEED STEEL AND OFFER SUPERIOR CUTTING QUALITIES OVER COMMON CARBON STEEL SLOTTERS.


No.	DIAMETER	THICKNESS	HOLE DIAMETER	MACHINE USE	COMPARATIVE
CW-3FSHS	2-1/2"	.055"	3/8"	2177ID Duplex, 2179IM Minute & 175IA American	3FSHS
CW-7FSHS	2-1/2"	.040"	3/8"	2177ID, 2179IM & 175IA	7FSHS
CW-10FSHS	2-1/2"	.030"	3/8"	2177ID, 2179IM & 175IA	10FSHS
CW-11	2-1/16"	.035"	1/2"	2196K Ilco & 6-1/2 Keil	11
CW-12	2-1/16"	.045"	1/2"	2196K Ilco & 6-1/2 Keil	12
CW-13	2-1/16"	.072"	1/2"	2196K Ilco & 6-1/2 Keil	13
CW-15FSHS	2-1/2"	.045"	3/8"	2177ID, 2179IM & 175IA	15FSHS
CW-16	2-1/4"	.045"	1/2"	2184CD Monitor, 4-1/2 Keil, HPC 9110, 2584CV Convert.	27
CW-39	2-1/4"	.030"	1/2"	2184CD, 4-1/2, 9110 & 2584CV	27-1
CW-33	2-1/4"	.045"	7/16"	HPC 6210, Taylor Twinplex & Segal 815-1815	13FSHS
CW-33A	2-1/4"	.035"	7/16"	6210, KD-10 & 815-1815	--
CW-33B	2-1/4"	.030"	7/16"	6210, KD-10 & 815-1815	--
CW-33C	2-1/4"	.055"	7/16"	6210, KD-10 & 815-1815	--
CW-65	2-1/2"	.065"	3/8"	2178U Universal Code	DSL

THRUST BEARINGS & KEY BLOCKS




No. BBW-2

Set of 2 ball bearing units and 4 hardened steel washers will help to prolong the life of key machine wing nut studs.



No. FB-1




No. FNB-2

Set of 2 blocks for holding Ford double-sided keys, when duplicating.


Set of 2 Narrow Key Rests, raises the key off the bottom of the key rest, for cutting narrow keys or keys with very deep cuts.

— GUIDES FOR SIMPLEX KEY MACHINE —



No. 6200-7,7A,B,C
(SEE CHART)

FOR USE WITH CW-33 SERIES SLOTTERS




No. 6200-10

FOR USE WITH CW-10
& CW-10F CUTTERS

- No. 6200-7 .045" Thick USES CUTTER CW-33
- No. 6200-7A .035" Thick USES CUTTER CW-33A
- No. 6200-7B .055" Thick USES CUTTER CW-33C
- No. 6200-7C .030" Thick USES CUTTER CW-33B



SIMPLEX KEY MACHINE



The SIMPLEX key cutting machine will accurately duplicate cylinder keys, flat steel keys and the lever cuts of bit keys without the necessity of changing cutters.

The machine uses a new Tungsten Steel double angle milling cutter and a High Speed Steel slotter of .045" thickness.

The polished and ground cutter shaft is carried on four needle bearings, giving the smoothness and long lasting accuracy that locksmiths appreciate.


The carriage shaft is carried on two self lubricating oilite bronze bearings, adding to the superiority of the SIMPLEX over other dual cutter machines.

No. 6210 Includes 1/4 HP, 1725 RPM, 110 volt, 60 cycle, single phase, AC motor and is mounted on a metal base and ready to operate.

No. 6200 Same as above but without motor or metal mounting base.

** See p. 114 for optional cutters and guides

AUTOMATIC KEY MACHINE



The 7310 AUTOMATIC KEY MACHINE offers many features, that are appreciated by the discriminating locksmith.

In order to maintain constant accuracy, we have incorporated a straight-feed type carriage, that allows blanks of varying widths to meet the same point on the cutter, while making the bottom of the cuts parallel to the bottom edge of the blank.

The carriage travels on three hardened steel rods encased in 6 ball bearing sleeves, and incorporates both shoulder guages and tip guages. (For use with double-sided Ford and Best type keys)


A two speed motor allows you to cut large cylinder keys at production speeds, while offering the optional slower speed for smaller keys and keys having very deep cuts.

NEW! AUTOMATIC SHOULDER GUAGE RELEASE FEATURE
(Guages are returned to down position automatically)

No. 7310 Includes 1/4 HP, 1725RPM, 110 volt, 60 cycle, split phase, 2 speed, AC motor and is mounted on a metal base and ready to operate.



SPEEDEX KEY MACHINE



The SPEEDEX key cutting machine will accurately duplicate cylinder and disc tumbler keys.

The duplication of flat steel keys is possible by replacing the rotary file cutter with the optional CW-16 (.045") flat slotter and W-16 slotter washer.

This machine is noted for its basic simplicity of design and its rugged dependability.


It features a centerless ground cutter shaft that is carried on two hand honed, self lubricating oilite bronze bushings; high tensile strength gray iron base; large thumb screws and a wire brush.

No. 9110 Includes 1/4 HP, 1725 RPM, 110 volt, 60 cycle, single phase, AC motor and is mounted on a metal base and ready to operate.

No. 9100 Same as above but without motor or metal mounting base.

** See p. 111-13 for optional cutters

SIMPLEX KEY MACHINE PARTS



1. Base
2. Carriage Shaft
- * 3. Oilite Bearings
4. Key Gauge Shaft
5. Lock Nuts
6. Adjusting Screws
7. Flat Copying Dog
see page #114
8. Copying Dog Set
Screws
9. Key Gauge
10. Angular Copying Dog
11. Cutter Shaft Set
- *** 11B Shaft Needle bearing
- * 11C Large & Small Shaft
Sleeve Set
12. Lock Nut for Cutter
Shaft
- * 13. Washers for Flat
Cutters
14. Slotting Cutter
see page #113
15. Chip or Cutter Guard
16. Mill or Cylinder Cutter
see pages #111 & 112

17. Oil Cup
18. Pulley Spacer
19. Set Screw for Fly
Wheel Spacer
20. Fly Wheel Pulley
23. Slide Pin
- ** 24-25 Upper & Lower Vise
Slide Set.
26. Complete Vise Carriage
Assembly
- 26B Vise Flaps
27. Wing Nuts
- 27A Wing Nut Washers
- 27B Vise Springs
- 27C Stud for Wing Nut
- ** 28LH & RH Jaw & Screw Set
29. Carriage Set Screws
30. Vise Hinge Pins
31. Springs for Slide Pins
32. Cotter Pin for Slide Pin

* Denotes
Sold in Sets
of Two ONLY.


** Denotes
Sold in Sets
of Four ONLY

*** Denotes
Sold in Sets
ONLY (4 pcs.)



SPEEDEX KEY MACHINE PARTS

PARTS



1. Base	14. Wing Nut	27. Guide Adjusting Screw
2. Key Gauge	* 15. Stud for Wing Nut	28. Guide Binding Screw
3. Roll Pin for Key Gauge	16. Chip Guard	
4. Cutter Shaft	17. Screw for Chip guard	
5. Cutter (CW-23RF)	18. Oil Cup	
6. Thrust Washer	19. Pulley	
7. Nut for Cutter Shaft	20. Thrust Washer for Pulley	
8. Carriage	* 21. Bronze Bushings	
9. Carriage Shaft	* 22. Key Rest	
10. Vise Flaps	23. Copying Dog (Key Gauge)	
11. Set Screw for Carriage Shaft	24. Wire Brush	
* 12. Roll Pins for Vise Flaps	25. Nut for Wire Brush	
* 13. Spring for Vise Flaps	26. Guide Binding Washer	

* Denotes:
SOLD ONLY
IN PAIRS.

NUMERICAL INDEX




NO.	PAGE	NO.	PAGE	NO.	PAGE	NO.	PAGE
AG-1	18	CW-3FSHS	113	FB-1	114	HLPX-11	13
AG-2	18	CW-5RF	112	FEE-1	13	HLPX-12	13
APS-077	67	CW-6RF	112	FMMK-2	25	HLSC	31
BBW-2	114	CW-7FSHS	113	FNB-2	114	HMCC	33
BCR-100	91	CW-10	111	FP-165	25	HMCCX	34
BPX-1	13	CW-10F	112	FS-265	25	HMD-5	55
BPX-2	13	CW-10FSHS1	113	FSW-100	59	HMPC	28
BPX-3	13	CW-11	113	G-1	18	HNLC	30
BPX-4	13	CW-12	113	G-2	18	HOCH	98
BPX-5	13	CW-13	113	GAK-3	87	HOCH-2	98
BPX-6	13	CW-15FSHS1	113	GAK-4	87	HOCH-3	98
BPX-11	13	CW-16	113	GAK-6	87	HPCB	38
BPX-21	13	CW-19MC	111	GAK-33	87	HPS-5	99
BPX-31	13	CW-23MC	111	GAK-44	87	HPS-7	99
BPX-41	13	CW-23RF	112	GG-16	54	HPX-1	14
BPX-51	13	CW-33	113	GM-A	24	HPX-2	14
BPX-61	13	CW-33A	113	GM-B	24	HPX-3	14
CDJ-1	18	CW-33B	113	GM-C	24	HPX-4	14
CHMK-5	26	CW-33C	113	GM-D	24	HPX-30	14
CHRY-A	26	CW-39	113	GM-E	24	HPX-31	14
CHRY-B	26	CW-45SMS	111	GM-H	24	HR6730SB	97
CHRY-C	26	CW-65	113	GM-J	24	HR-38	91
CHRY-D	26	DGM-1	67	GM-K	24	HSA-100	60
CLD-6	54	ECFE-2	75	GMMK-1	24	HSD-5	99
CLT-4	54	ERD-0	89	GMLS	68	HSD-7	99
CLTD-5	54	ERD-1	89	IDG-7	74	HSH-2	100
CO-4	22	ERD-2	89	IDG-8	74	HSH-3	100
CO-6	22	ERD-3	89	HAC	27	HSH-4	100
CO-7	23	ERD-4	89	HBB	99	HSH-6	100
CO-10	21	EU-48	93	HCF-3/32	47	HSMC	35
CO-15	23	EU-56	93	HCF-1/8	47	HT6730MPSB	97
COKO-5	61	EU-64	93	HCL-3/32	47	HYC	32
CPH-5	51	EYR-5	90	HCL-1/8	47	HYD	36
CPH-8	51	EYR-7	90	HDPS-4	55	HYPC	36
CPH-9	51	EYR-9	90	HDSLC	29	KB-10P	7
CPH-10	51	EYS-6	90	HGCB	37	KB-20P	7
CPH-15	51	EYS-8	90	HGG	53	KB-20N	7
CPH-20	51	EYS-10	90	HLP-4B	96	KB-40N	8
CPMK-3	26	EZ-1	14	HLP-7B	95	KB-80N	8
CR-6	91	EZ-2	14	HLPX-10	13	KB-120N	8



NUMERICAL INDEX

No.	PAGE	No.	PAGE	No.	PAGE	No.	PAGE
KB-160N	8	OVDG-12	72	SHL-7	100	SLC-26	104
KEKAB-30	1	OVDG-13	72	SHL-9	100	SLC-27	104
KEKAB-60	2	OVDG-14	72	SHL-74	100	SLC-28	104
KEKAB-110	2	P-2	20	SHPD-6	92	SLC-29	104
KEKAB-154	3	P-3	20	SHPD-8	92	SLC-30	104
KEKAB-240	4	P-8	13	SHPD-12	92	SLC-31	101
KEKAB-330	4	P-9	13	SHPD-14	92	SLC-32	102
KEKAB-500	5	P-10	13	SLB-22	109	SLC-33	102
KEKAB-730	6	P-11	13	SLB-23	109	SLC-35	102
KEP-12	76	P-12	13	SLB-24	109	SLC-36	102
KM-60	48	P-13	13	SLB-25	109	SLC-37	104
KO-3	62	P-25	14	SLB-42	109	SLC-39	101
KWK-115	65	P-31	13	SLB-43	110	SLC-40	102
LCS	68	P-35	14	SLB-44	110	SN-1	7
LDNC	48	PG-2	20	SLB-45	110	SPA-115	64
LDND	48	PIP-13	12	SLC-1	101	SPL-7	93
LG-5	75	PIP-15	12	SLC-2	101	SPL-12	93
LKBA-200	78	PKS	14	SLC-3	101	SPO-3	69
LKBA-400	77	PLT-1	7	SLC-4	101	SPO-10	69
LKR-6	88	PTT-4	68	SLC-5	101	SPO-26D	69
LKR-8	88	PX-1	14	SLC-6	104	SPR-3	69
LKR-11	88	PX-2	14	SLC-7	101	SPR-10	69
LMS	48	PX-3	14	SLC-8	101	SPR-26D	69
LPX-10	13	PX-4	14	SLC-9	102	SSH-5	100
LPX-11	13	PX-30	14	SLC-10	102	STD-2	94
LPX-12	13	PX-31	14	SLC-11	102	STD-4	94
LPX-15	13	R-1	19	SLC-12	103	SSW-1	59
LPX-16	13	RG-1	19	SLC-13	103	SSW-2	59
M-20	97	RIN-7	99	SLC-14	103	SSW-3	59
MED-66	94	RIN-8	99	SLC-15	103	SSW-4	59
MW-1	70	RRS-1	96	SLC-16	103	SSW-5	59
MW-2	70	RRS-2	96	SLC-17	103	SSW-6	59
MW-3	70	RW-1	70	SLC-18	103	SSW-7	59
NDPK	11	RW-2	70	SLC-19	103	SSW-8	59
NDPK-32	11	RW-3	70	SLC-20	104	SSW-9	59
NDPK-60	10	SB	97	SLC-21	101	SSW-10	59
NDPK-100	9	SCC	108	SLC-22	101	SSW-11	59
NT-1	7	SCS	68	SLC-23	101	SSW-12	59
ODG-6	74	SDL-15	107	SLC-24	104	SSW-13	59
OT-1	7	SDP-700	55	SLC-25	104	SSW-14	59

NUMERICAL INDEX




No.	PAGE	No.	PAGE	No.	PAGE	No.	PAGE
SSW-15	59	TRA-125	57	719DKS	42	9100	117
SSW-16	59	TRA-150	57	720DKS	42	9110	117
SSW-18	59	TRA-175	57	721DKS	42		
STT-3	100	TRU-55	57	723DKS	42		
STT-5	100	TRU-121	57	724DKS	42		
STW-3	16	TRU-122	57	725DKS	42		
SUT-0	49	TRU-123	57	726DKS	43		
SUT-1	49	TRU-275	58	727DKS	43		
SUT-3	49	VDG-1	73	728DKS	43		
SUT-10	49	VDG-2	73	729DKS	43		
SUT-22	49	VDG-3	73	730DKS	43		
SUT-47	49	VDG-4	73	731DKS	43		
SUT-600	51	VDG-10	71	732DKS	43		
SVM	105	VV-6	16	733DKS	43		
SW-5209	56	YPA-.095	66	734DKS	44		
TEN-2	16	YPA-.101	66	735DKS	44		
TEN-3	16	YPA-.115	63	736DKS	44		
TEN-4	16			737DKS	44		
TEN-5	16			738DKS	44		
TEN-7	16			739DKS	44		
TEN-9	16	700DKS	39	740DKS	44		
TLP-C	17	701DKS	39	741DKS	44		
TLP-L	17	702DKS	39	742DKS	45		
TLP-R	17	703DKS	40	743DKS	45		
TP	16	704DKS	40	744DKS	45		
TOAM-2	106	705DKS	40	745DKS	45		
TR-3	16	706DKS	40	746DKS	45		
TR-4	16	707DKS	40	747DKS	45		
TR-5	16	708DKS	40	748DKS	45		
TR-7	15	709DKS	40	749DKS	45		
TR-8	15	710DKS	40	750DKS	46		
TR-9	15	711DKS	41	751DKS	46		
TR-11	15	712DKS	41	752DKS	46		
TR-12	15	713DKS	41	753DKS	46		
TR-13	15	714DKS	41	754DKS	46		
TR-14	15	715DKS	41	755DKS	46		
TR-23	15	716DKS	41	756DKS	46		
TR-24	15	717DKS	41	6200	115		
TR-25	15	718DKS	41	6210	115		
TRA-121	57	718A-DKS	42	7310	116		

WATCH FOR THE LATEST H.P.C. Inc. PRODUCTS
ADVERTISED IN THE FOLLOWING PUBLICATIONS!



the **Ledger**

and Security Register




HARDWARE AGE

AMERICAN EXPORTER



EL EXPORTADOR AMERICANO



Manufacturers of:

- SAFE LOCKS
- KEY MACHINES
- LOCK PICKING TOOLS
- KEY CONTROL SYSTEMS
- HARDWARE SPECIALTIES