

CATALOG 705



MANUFACTURER & PUBLISHER  
IN SERVICE TO THE  
LOCKSMITH INDUSTRY



# OUR 24th YEAR CATALOG 705

## 1980 ISSUE


# HPE

Keying Tool for Juniors  
Kits  
Depth Key Sets  
Baggage Keys  
Date Change Keys  
Silent Pic Assortment

**The tools and equipment in this catalog are the foundation  
of today's busy locksmith shops — worldwide.**

**The high level of support by all of our locksmith friends has enabled us to grow to a leadership position in our field. The mutual respect shared by all of us in the industry took many years to achieve and for the prosperity we have enjoyed**

**we are very grateful.**



# ALPHABETICAL INDEX

Accessories,	
Key Cabinet	23
Key Machine	11, 12, 17, 61
Ace Pin Assortment	41
Armor Plates,	
For Rim Locks	39
For Tubular Deadbolts	39
Assortments	
Luggage Key	56
Pin Tumbler	41, 42
Truarc Ring	44
Automatic Key Machine	13
Automobile,	
Lock Cap Pliers	51
Opening Tools	9, 10
Service Tools	51
Bars, Filing Cabinet Security	60
Bearings, Thrust	61
Belt Dressing	12
Binder, Supplementary Code Book	26
Blanks, Key	18
Blocks, Key Machine	61
Boards,	
Key Rack	23
Luggage Key	56
Books,	
The Art of Manipulation	34
Automobile Codes	27
Depth & Space Charts	36
General Code Book	25
Honda & Suzuki Motorcycle Codes	29
Junkunc Combinations	28
Locksmith Shop Codes	28
Lock Picking	8
Master Comb. Padlock Codes A & B	29
Master Comb. Pad. Codes M, V, X No. 9	29
National Lock Codes	27
Master Pin Tumbler Padlock Codes	27
Padlock Code Book	26
Safe & Vault Manual	33
Safe Combination Changing	34
Story of Safety Deposit Box Locks	33
Yale Cabinet Lock Codes	28
Yale & Dudley Combinations	29
Yale Locker Lock Codes	27
Yale Padlock Codes, 1 to 28, 086	28
Box,	
Carry-Out Keying Kit	43
Fire	22
Key Keepers	24
Broken Key Extractors	5, 6
Brush, Deburring	17
Cabinets, Key	19-22
Car Opening Tools	9, 10
Carry-Out Keying Kit	43
Change Keys, Safe	54, 55
Clip Removal Tool,	
Auto Door Trim	51
Auto Regulator Crank	51
Code Books,	
Automobile	27
General Code Book	25
Honda & Suzuki Motorcycle Codes	29
Junkunc Combinations	28
Locksmith Shop Codes	28
Master Comb. Padlock Codes A & B	29
Master Comb. Pad. Codes M, V, X, No. 9	29
On Microfilm	35
National Lock Codes	27
Padlock Code Book	26
Yale Cabinet Lock Codes	28
Yale Padlock Codes 1 to 28, 086	28
Yale & Dudley Combinations	29
Yale Locker Lock Codes	27
Code Book Supplementary Binder	26
Code Book Supplements	30
Combination Safe Locks	62, 63
Cutters	
Conversion to Double Angle	17
Key Machine	17
Cylinder,	
Drill Jig	8
Scar Plates	37
Springs	45
Cylinder Guard Plates,	
Narrow Stile	38
For Rim Locks	39
For Tubular Locks	39
"D" Punch & Die Set,	
Single "D" & Double "D"	60


Deburring Brush	17
Decoder Gauges GM Tumbler	60
Decoder, Key	36
Depressor, Retaining Pin	40
Depth Key Machine, Speedex	15
Depth Key Sets	31, 32
Dial, Emergency Safe	52
Diamond, Lockpicking Tools	5
Die, Cylinder Re-threading	48
Die Stamp Set	49
Die Stamps, Special for Locksmith	49
Door Guards,	
Cylinder for Rim Locks	39
Cylinder for Tubular Locks	39
King Size	37
Latch Lock	38
Narrow Stile	37
Offset	37, 38
Vestibule Lock	53
Door Puller, Safety Deposit Box	4
Double-Sided Disc Tumb. Lock Picks	4
Drills,	
Cylinder Jig	8
Hollow Mill	60
Safe	52
Screw-Drills	50
Stops	50
Tubular Lock	8
Emergency Key Box	22
Emergency Safe Dial	52
Executive Pen, Pick Set	4
Extractors, Broken Key	5, 6
Feelers, Lock Picking	6
Figures, Stamp Die Set	49
Filing Cabinet Locking Bars	60
Followers, Plug	47
General Code Book	25
Give-Away Key Rings	59
GM Lock Cap Removal Pliers	51
GM Lock Retainer Staking Fixture	46
GM Tumbler Decoder Gauges	60
Goggles, Safety	50
Graphite, Bulk	45
Graphite Gun	45
Guards, Door	
Cylinder for Rim Locks	39
Cylinder for Tubular Locks	39
King Size	37
Latch Lock	38
Narrow Stile	38
Offset	37
Vestibule Lock	37, 38
Gun, Graphite	45
Holders, Plug	46
Hole Saw,	
Lock Installation	50
Tubular Lock	8
Hollow Mill Drill Set	60
Honda & Suzuki Motorcycle Codes	29
Hook, Kekab Snap Hooks	23
Hotel Key Ring, Oversize	59
Impression File Case	44
Impressioning Tool	43
Inventory Tags, Key Blanks	60
Jig, Cylinder Drill	8
Junkunc Keying Tool	43
Junkunc Padlock Combinations	28
Key Blank Inventory Tags	60
Key Blanks	18
Key Box, Emergency	22
Key,	
Cabinet Accessories	23
Cabinets	19-22
Cabinets, Expandable	20
Control Racks	23
Deburring Brush	17
Decoder	36
Extractors	5, 6
Machines	11, 13, 14, 15
Machine Accessories	11, 12, 17, 61
Machine Cutters	17
Machine Parts	61
Micrometers	36
Rings	16, 59
Sets, Depth Key	31, 32
Stamping Dies	49
Key Keeper Boxes	24
Keying Kits	41-43

# ALPHABETICAL INDEX

Keying Tool for Junkunc	43
Keys,	
Depth Key Sets	31, 32
Luggage Keys	56-58
Safe Change Keys	54, 55
Kwikset Pin Assortment	41
Large Key Rings	59
Latch Lock Guards Plates	38
Letters, Die Stamp Sets	49
Lock,	
Cylinder Drill Jig	8
Guards	37-39
Picks	1-7
Pick Sets	1-5
Safety Deposit Pullers	53
Tap & Die Set	48
Lock & Cylinder Guard Plates,	
King Size	37
Latch Lock	38
Narrow Stile	38
Offset	37
For Rim Locks	39
For Tubular Locks	39
Vestibule	37, 38
Locks, Safe Combination	62, 63
Machines, Key	
Automatic Duplicator	13
Code	11
Manual Duplicators	14, 15
Schlage Water Punch	16
Medeco Code Machine	11
Metal Punch & Die Set	
Single "D" & Double "D"	48
Microfilm	
Code Library	35
Viewer	35
Micrometers, Key	36
Mortise Cylinder Lock Tap & Die Set	48
Nose Puller, Safety Deposit Box	53
Numbered Tags	23
Numbers, Die Stamp Set	49
Offset Lock Guard Plates	37
Openers, Car Door	9, 10
Out Tags, Key Control	23
Oversize Wing Nuts for Key Machine	17
Padlock Buster	40
Padlock Code Book	26
Panels, Key Control	23
Paper Tags	23, 59
Parts, Key Machine	61
Picking Tools	1-7
Picks,	
Sets	1-5
Tubular Lock	7
Warded Padlock	5
Pin,	
Assortments	41-43
Springs	45
Tweezers	45
Plates, Guard	
Cylinder for Rim Locks	39
Cylinder for Tubular Locks	39
King-Size Guard	37
Latch Lock	38
Narrow Stile	38
Offset	37
Vestibule Lock	37, 38
Plates, Cylinder Scar	37
Pliers,	
Auto Lock Cap Removal	51
Truarc	44
Plug Followers	47
Plug Holders	46
Pullers, Safety Deposit Box Lock	53
Punches, Metal Single & Double "D"	48
Racks, Key Control	23
Rakes, Lock Picking	5
Retainer Staking Fixture, GM Lock	46
Retaining Pin Depressor	40
Rim Lock Guard Plates	39
Rings,	
Key Rings	16, 59
Truarc Ring Assortment	44
Router-Drill	50
Safe,	
Change Keys	54, 55
Deposit Box Lock Pullers	53
Dial, Emergency	52
Drills	52

Safe Books,	
The Art of Manipulation	34
Safe Combination Changing	34
Story of Safety Deposit Box Locks	33
Safe & Vault Manual	33
Safe Combination Locks	62, 63
Safety Deposit Box Puller Sets	53
Scar Plates, Cylinder	37
Schlage Pin Assortment	42
Screw Drills	50
Security Locking Bars, Filing Cabinet	60
Service Fixture for Tubular Locks	40
Sets,	
Car Opening	9, 10
Depth Key	31, 32
Key Stamps	49
Lock Picking	1-5
Lock Tap & Die	48
Luggage Key	5, 6
Safety Deposit Box Lock Puller	53
Slotters, Key Machine	17
Snap Hooks, Kekab Tags	23
Space & Depth Keys	31, 32
Speedex Depth Key Model	15
Speedex Key Cutting Machines	15
Speedex Key Machine Parts	61
Springs, Cylinder Tumbler	45
Stamps, Special Locksmith	49
Steering Column Plate Compressor	51
Supplementary Code Book Binder	26
Supplements, Code Book	30
Tags,	
Key Blank, Inventory	60
Key Control Cabinet	23
Lightweight Fiber	59
Metal Rim	59
Tap, Lock Retreading	48
Technical Aids, Audio-Visual	35
Tension Wrenches	6
Thrust Bearings, Key Machines	61
Tools,	
Auto Cap Pliers	51
Broken Key Extractors	5, 6
Car Opening	9, 10
Carry-Out Keying Kit	43
Cylinder Drill Jig	8
Depth Key Sets	31, 32
Die Stamp Sets	49
Emergency Safe Dial	52
GM Tumbler Decoder Gauges	60
Hollow Mill Drill Set	60
Impressioning Tool	43
Key Decoder	36
Key Micrometer	36
Keying Tool for Junkunc	43
Mort. Cyl. Lock, Tap Die Set	48
Picks	1-7
Pin Tumbler Tweezers	45
Plug Followers	47
Plug Holders	46
Retainer Staking Fixture	46
Retaining Pin Depressor	40
Safe Change Keys	54, 55
Safe Drills	52
Tension Wrenches	6
Truarc Ring Pliers	44
Tubular Lock Drills	8
Tubular Lock Picks	7
Tweezers	45
Truarc,	
Ring Assortment	44
Ring Pliers	44
Tubular Lock,	
Drilling Tools	8
Lock Picks	7
Service Fixture	40
Tubular Lock Guard Plates	39
Tweezers, Pin Tumbler	45
Utility Tags	59
Vestibule Door Guards	37, 38
Weiser Pin Assortment	42
Wing Nuts, Oversize	17
Wrenches, Tension	6
Yale & Dudley Combinations	29
Yale Cabinet Lock Codes	28
Yale Padlock Codes	28
Yale Pin Assortments	41, 42

## DELUXE PICK SET



Shirt Pocket Size

Top Grain Leather Case

Spring Steel Tools


16 Picks, Tension Tools, & Extractors

Shipping Weight: 5 ounces

No. NDPK

FOR YEARS, H.P.C. picks have been the standard choice of the industry. Each pick is made of hard finished clock spring steel, tempered to the correct degree of hardness. Whether the subject is wafer tumbler locks or six and seven pin tumbler locks, H.P.C. picks provide the best quality tools for the particular job at hand.

## SUPERIOR PICK SET



No. NDPK-32

Hip Pocket Size

Top Grain Leather Case


Spring Steel Tools

Hand Finished Components

32 Picks, Tension Tools & Extractors

Shipping Weight: 1 lb.

## PROFESSIONAL PICK SET



**No. NDK-60** Shipping Weight: 1 lb. 10.00

The Professional Pick Set is a wise choice for either the newcomer or master locksmith. It is a general assortment of the most popular picks, tension wrenches, key extractors and feelers, manufactured by the world's largest producer of locksmith picking tools.


Contains full, half and three-quarter rakes and diamond tip picks, single, double, half double ball picks; light, medium and heavy weight tension wrenches of various lengths and styles, hook and saw type key extractors, and many more tools vital to the trade.

## PARAMOUNT PICK SET

The Paramount Pick Set is available for the discriminating locksmith who desires an extensive assortment of lock picking tools, so that replacements will be unnecessary for some time.


Set has a wide choice of full, half and three-quarter rakes and diamond tip picks; single, double, half single and double ball picks; light, medium and heavy weight tension wrenches; hook and saw type key extractors and a set of warded padlock pick keys. Tools for the technician, all carried in a handy leather zippered case, measuring 9" x 6" when closed.

**No. NDK-100** Shipping Weight: 2 lbs.




**HPC**

# COMPUTER PICKS



These pick configurations were designed on a computer to conform to the greatest possible amount of 5 & 6 pin and disc tumbler curve configurations. The set consists of 9 picking tools (18 configurations) and 2 special tension tools. All new construction, pick; 301 extra hard (chrome nickel) stainless steel C45/50 rockwell tensile 200,000 psi min. Handle, baked enamel on aluminum fused to pick at high temperature. All tools come in a top grain leather case. Set comes complete with directions.

## IDENTIFICATION BADGE PICK SET



Here is a handy way to carry a lock picking set AND a means of identification at the same time. On the front side of this unit is a heavy rhodium plated metal, black enameled badge with an inscribed registered number. On the back, there is a pocket containing an identification card with the same registered number and space for a photograph or thumbprint of the bearer.

Inside this top grain leather case is a complete pick set consisting of 4 vinyl handled picks, 4 stainless steel handled picks, 2 tension tools and a set of 4 double-sided picks for disc tumbler locks.

No. PIP-23



LOOKS LIKE A PEN, but it is easily converted to become an effective PICK SET!

## PEN PICK SETS



No. EP-007 Executive Model

Take this "pen" apart and reassemble it into an effective pick set. Complete with 3 types of picks, a holder and a tension wrench. Can be quickly put to use as a lock pick.



No. VIPS-1 — has a DOUBLE-END COLLET!

Unscrew the lower half-section. Inside are stored two sets of the most popular types of picks. The black are .025" thick and the silver ones, .020" thick.

Unscrew the double-end collet from the upper section. Use the black picks in the black end of the collet and only the silver picks go into the silver tip.



Turn the black top-piece to release the clip. The clip serves as the tension wrench!

### DOUBLE-SIDED DISC TUMBLER LOCK PICKS


To be used on the most popular double-sided, disc tumbler, showcase, cam and padlocks.

Replacements available. Specify No. DSP-A,B,C or D; when ordering.

No. DSP-1 Set of 4 Picks



### JACKNIFE PICK SET




No. JKP-5 — A compact complete Pick Set to use on pin and disc tumbler locks. Has 2 rakes, 1 diamond, 1 hook and 1 tension wrench. A big performer that folds into a small, self-contained unit.


Have one — in your pocket, on the workbench and in your travel kit.

An OPTIONAL LEATHER CASE is available. No. JPO-1, 4" L. x  $\frac{3}{8}$ " W.


### NOVICE PICK SET



No. PIP-13 — Contains 11 Picks, Tension Wrenches and a broken key extractor. Made of clock spring steel, tempered to the right hardness. Contained in a cowhide leather case.



### TYRO PICK SET




No. PIP-15 — Has 9 Picks, Tension Wrenches and a broken key extractor, all contained in a top-grain, cowhide leather case.




# PICKING TOOLS


## RAKES




## BALL PICKS




## LARGE DIAMONDS




## LARGE HOOKS



## DIAMONDS




## HOOKS



## FEELER

FEE-1 .020




**ABOUT THESE LOCK PICKING TOOLS:** Pictured here, are the world's finest lock picking tools. They are produced from blue, oil tempered spring steel, and are individually finished. Whether your preference is for light or heavy weight rakes, diamond or hooks – with or without handles or for double end picks, for saw or hook type extractors; the required tool can be found here.

Over 38 years of experience in lock pick manufacturing is behind the statement of "H.P.C. Picks – the Best". A majority of locksmiths, the world over, prefer and rely on H.P.C. lock picking tools. They are made of American materials, in America.




# TENSION WRENCHES


## LIGHT TENSION




## MEDIUM TENSION



## RIGID TENSION




## 2 NEW TENSION TOOLS FOR TULIP SHAPED KNOBS




NEW SHAPE FOR EASIER PICKING OF TULIP DESIGNED KEY-IN-THE-KNOB


## LETTER BOX TYPE



## DOUBLE-SIDED TYPE




## TENSION WRENCH



STW-3


## CHANGEABLE, VISE-HEAD KEY EXTRACTOR SET




No. EZ-6, the broken key extracting device, includes four changeable extractor blades. By removing the plastic cap at the back end, the hollow handle can be found to contain:

- One saw type extractor blade
- Two round extractors, .040" diameter
- One round extractor, .050" diameter

Firmly secure one for use, into the split, 4-jawed vise head



Enlarged View of Extractor Blades, Stored in Hollow Handle




## REPLACEMENT BLADES - Economy Packs of 10

- No. EZ-7A  
10 Saw type extractor blades only
- No. EZ-7B  
10 Round type extractors, .040" diam.
- No. EZ-7C  
10 Round type extractors, .050" diam.
- No. EZ-7D  
10 assorted - 4 of 7A, 4 of 7B, 2 of 7C




# TUBULAR LOCK PICKS



AVAILABLE FOR ALL THREE PIN ARRANGEMENTS — Standard Diameter.

This tool provides a reliable method for opening tubular type locks. Practice is required for proficiency. Specify the correct pick necessary for a particular pin arrangement. Stainless steel tubular body.




No. TLP-R  
Right of Center pin setting

No. TLP-L

Left of Center pin settings

No. TLP-C

Regular Center spaced pins




EACH TOOL IS CONTAINED IN A GENUINE LEATHER CASE.

No. TLP-C, Model B - is the same as No. TLP-C, but features an advanced method of feeler tension adjustment. Internal neoprene "O" rings, together with the knurled collar, provides the necessary holding tension on the feelers. Turning downward increases the holding strength on the seven feelers.



Through practice, the proper tension for an individual's proficiency can be determined.

## LOCK PICK FOR THE "OPEN-FACE" TYPE OF TUBULAR LOCK



No. TLP-OFT


This is a hand crafted tool that has a stainless steel tube, holding and guiding seven pick-feelers. The tube is permanently bonded to a comfortable handle. Thoroughly inspected and tested with instructions for proper use included.



No. TLP-UL


For 11 pin within a pin UL locks. Custom-all hand made, solid stainless steel body, solid aluminum handle, pinslides made of stainless steel and brass.

# PICTORIAL BOOKS for LOCKSMITHS



No. BB-1

Gives preliminary preparations before picking, proper tools and how to use them on various types of locks.




No. BB-2

- TOPICS COVERED -

The origin of tubular locks, previous picking difficulties, overcome by the H.P.C. — Gruber picking tool. Proper use of picking tool for tubular type locks, the new "open-face" type tubular lock, and the picking tool for it.

## AUDIO-VISUAL TECHNICAL EDUCATION AIDS



Complete unit consist of the copyrighted Tape & our illustrated Workbook with all pertinent informative steps seen in the simple illustrations. Just play the tape & refer to the book while listening, for a clearer understanding of the directions being given.


**No. AA-1 PICKING & RAKING OF PIN & DISC TUMBLER LOCKS**  
**CONTENTS:** Preliminary preparations before picking. Picking procedures. Proper tools & how to use them on various types of tumbler locks.

**No. AA-2 PICKING OF THE 7 PIN TUBULAR LOCK**  
**CONTENTS:** Origin, pinsetting & previous picking difficulties, now overcome by the H.P.C.-Gruber picking tool. Proper use of picking tool for tubular type locks. The tool for the NEW "OPEN—FACE" type tubular locks is also covered.

Lock-outs of tubular key locks can be serviced. These holesaws destroy the pins at the shear line. Hole saws are available for standard and oversize keyways. Saws will fit any  $\frac{1}{4}$  inch electric drill. Saw life is approximately three openings. *Not for locks with hardened pins or ball bearings in the keyway.*


**No. AG-1** Standard size tool + extra saw — **No. AG-2** Oversize tool + extra saw

**No. G-1** Replacement saw for AG-1 — **No. G-2** Replacement saw for AG-2



## TUBULAR LOCK DRILLS

Occasionally, it is found that a mortise or rim cylinder is impossible to pick. Even the best lock picker may be foiled by a broken cylinder spring, corroded pins, etc. Drilling is the answer.



## CYLINDER DRILL JIGS

The CDJ-1 and CDJ-2 drill jigs are designed for such situations. These Jigs will assure perfect alignment on the shear line for a drill bit.


**No. CDJ-1** Cylinder Drill Jig and Drill Bit for a flat face cylinder.

**No. CDJ-2** Cylinder Drill Jig and Drill Bit for recessed Tulip design types.




# CAR OPENING TOOLS

THE ONLY OPENERS FOR THE CARS WITH VENTED WINDOWS



No. CO-4 — DELUXE OPENER SET




No. CO-6 — For General Motors, Chrysler and Ford cars with curved windshields and side vent windows. For convenient handling, tool comes in three, screw-together sections, totaling 62" long. Full instructions.

THE ONLY OPENERS FOR THE NEW CARS WITH VENTLESS WINDOWS




No. CO-10 — THE SLIM JIM — The tool does not enter inside of the car. Opens a car door by "feel" rather than sight. With some practice, following the illustrated instructions, car opening will be no problem. For General Motors, Ford and Chrysler cars. Made of clock-spring steel and is hand finished.



No. CO-11 — THE SUPER JIM — This tool will open most General Motors, Ford and AMC car doors. Chrysler products, after 1974, have their locking mechanism protected by a sheet metal, box-shaped lock cylinder clip and cannot be opened with this tool. Opener does not enter vehicle. Made wider and thicker, and is bright nickel plated. Faster openings on most domestic automobiles. With illustrated instructions.



No. CO-18 — THE SIR JAMES — A deluxe version of our popular "Super-Jim" car opener, the Sir James tool features a permanently stamped "depth grid" on the blade for marking steps. The comfortable handle has been covered with top grain leather and secures a pad of paper, lined for you to record opening information by vehicle, model and year.



# NEW CAR OPENING TOOLS

Mount unit on bench, direct your code machine to the code reader, cover and tools viewer.


No. CO-20 — PEG LEG JIM — 1980 GM with cover over the cylinder and linkage - works on older cars also.



No. CO-22 — JIM DANDY — For 1980 GM and others except X body.




No. CO-24 — BIG JIM — For 1980 GM X body.



No. CO-26 — JIMMY — Many 1979-80 GM grip open door handles plus Corvettes with this handle.



No. CO-28 — C-JAMES — The Corvette tool.



Set of 3

No. CO-33 — Set of 3 car openers for VW vent windows



# 1200CM CODE MACHINE




No. 1200CM

BINDER for Code Card storage  
& fully illustrated instructions included.


No. 1200CM DC—Equipped w/12 DC motor  
No. 1200CM 220V—EXPORT MODEL/220V, 50 cycle

CUTTER HEAD SWIVELS  
TO CUT MEDECO KEYS



Cut standard commercial Medeco keys  
with optional cutter & jaw.


OPTIONAL MEDECO EQUIPMENT



No. MJ-1 Medeco Jaw

No. CW-1012 Medeco Cutter


CORBIN, RUSSWIN, SARGENT. OPTIONAL  
RADIUS TOOTH CUTTER NO. CW-20MC.  
(USE NO SUBSTITUTE)



Micrometer Card for Dial  
Indicator type flexibility.

A total of 59 Code Cards for  
domestic locks are included.

## CUTS A VARIETY OF KEYS— EASILY!!!



Can cut virtually all foreign vehicle &  
many flat keys with optional equipment  
available at your locksmith distributor.

## THIS IS THE REVOLUTIONARY CODE MACHINE MAKING ALL OTHERS OBSOLETE! SO SIMPLE TO USE—SO VERSATILE

Makes accurate cylinder keys by dimension, quickly & easily. The EASE of CHANGING— from one set-up to another is UN-PARALLELED! Even radically different set-ups are accomplished in 10 to 30 seconds, without wasting any key blanks.


This dramatic advancement is made possible through the use of plastic cards, which are inserted for information guidance. Quite often, just replacing the code card is all that is required to change from one set-up to another. No additional depth or space adjustments are needed.

# CODE MACHINE CONSOLE


## STORAGE CENTER FOR THE CODE-A-KEY™ CODE MACHINE

Mount unit on bench, directly behind your code machine. This will bring the code cards, cutters and tools within easy reach. Included with this console is a high quality open-end wrench for the cutter nut and a pad of printed forms especially useful for code work (refills available).


Made of sheet steel and has a baked-on black spatter-effect finish, with white epoxy silk screened tool designations at the top ledge section. Base requires only 10" x 10" of bench space.



Mount Behind  
Code Machine



Console includes a cutter nut wrench and a pad of printed forms. Other tools and cutters shown here, for placement purposes only.



### EXTRA CARD STORAGE PANEL

Original equipment storage panel holds 30 more code cards. Optional cards for foreign or flat keys kept at fingertips. White strip is for posting any stock numbers.

No. CARD-BP

CODE NUMBER	CUTS
KEY BLANK	16
QUANTITY	100

### REPLACEMENT CODE NUMBER SCRATCH PADS

No. CP-5, 5 pads of 100 each

## POLYBELT TRACTION SPRAY



- STOPS SLIPPAGE NOW!
- DELIVERS MAXIMUM TORQUE
- WASHES AWAY GREASE & OIL
- ERADICATES BELT GLAZE
- PRESERVES BELT LIFE


FOR H.P.C./ LA GARD  
CODE-A-KEY MACHINES  
EQUIPPED WITH POLY-  
PROPYLENE DRIVE BELTS.  
THE ONLY DRESSING OF  
ITS KIND.

FORMULATED FOR H.P.C.  
INC. TO IMMEDIATELY  
DELIVER MAXIMUM MOTOR  
TORQUE TO THE KEY CUT-  
TING WHEEL.

CONTENTS 13 OZ. NET WT.

No. PTS-1

## 12 VOLT KEY MACHINE CONVERSION - made easy!



No. DC-12

- FRAME MOUNTING — Standard NEMA 48.
- CORRECT CUTTER R.P.M. — Includes motor pulley for shaft speed of 1000 R.P.M.
- SWITCH — Includes double pole, single throw switch.
- PROTECTION — In-line fuse holder eliminates possibility of wiring damage caused by a "short".
- DURABILITY — 3/8" diameter shaft turns within ball bearings on the pulley side.
- ELECTRIC DRAW — 13 amps/typical load similar to car headlights.
- POWER — High torque motor 40 oz.-inch torque rating. No load R.P.M. 3600. Under load 3000 R.P.M., 1/6 H.P. equivalent.
- ROTATION — Simply switch power leads to reverse shaft rotation.

KIT INCLUDES: MOTOR + FRAME, PULLEY, BELT, 10 ft. of 14 GAUGE WIRE, CIGAR LIGHTER ADAPTOR, IN-LINE FUSE HOLDER and FUSE, DOUBLE POLE, SINGLE THROW TOGGLE SWITCH.

\*Switch mounting shown above, as of July 1, 1978 production.



# AUTOMATIC KEY MACHINE



STOCK No. 6666CA  MADE IN U.S.A.

A new generation Automatic Key Machine has arrived! This unusual key duplicator will automatically make duplicate keys in an amazingly fast cycle- 20 seconds!

A separate gear motor drives the carriage assembly for optimum speed while the SOLID CARBIDE CUTTER is driven at high R.P.M. Cutter shaft rotates within permanently sealed ball bearings.


Vise jaws are made of stainless steel & incorporate built-in tip gauges. Unique design offers the rigidity required for accurate duplication for a variety of single sided, as well as some double sided keys.

This machine has the quality & accuracy of the famous No. 1200CM Code Machine that has set new standards in the industry.

No. 6666CA 220V



# MANUAL KEY DUPLICATOR



STOCK No. 3333CA  MADE IN U.S.A.


This machine is a **MANUAL** version of the Automatic Key Machine, Model 6666CA. It incorporates amazing accuracy, with a speed that is appreciated by today's busy locksmith. Cuts most cylindrical & disc tumbler keys. The stainless steel vise jaws are of a unique design, offering the rigidity required for accurate duplication of a variety of single sided, as well as some double sided keys. This rugged machine is designed for durability, so as to faithfully & accurately perform the day to day duplication of cylinder keys.

**No. 3333CADC**

No. 3333CA 220V

**LPT**

# SPEEDEX KEY CUTTING MACHINES



- RUGGED
- VERSATILE
- ACCURATE
- DEPENDABLE

Duplicates Cylinder & Disc Tumbler keys. Supplied with a "Sharp" milling cutter. An optional CW-16 (.045) Flat Slotter with a W-16 Slotter Washer & a 9100-23 Copy Dog is used for cutting flat steel keys. In a very short time, this cutter has become the one to which all others are compared.



**No. 9110MC MACHINE, MOTOR & BASE** Supplied with a "Sharp" milling cutter & a 110V, AC, 1/6 H.P., 1725 R.P.M. motor. Machine & motor are mounted on a 14½" x 11" x 1" metal base. Shipping Weight: 41 lbs.

**No. 9110MC MACHINE ONLY** Same as No. 9110MC, less motor & base. Bench space: 8" x 4". Shipping wt.: 16 lbs.

**No. 9110MCDC** Same as above but with 12 volt DC motor.

**No. 9110MC-220** Motor is 220 volt, 50 cycle for imports.

## THE SPEEDEX "MC" MODEL




## THE SPEEDEX "SMS" MODEL

Duplicates either Cylinder or Flat keys with just a .045 thick, side-milling slotter, without changing cutters or re-adjusting guides.

**No. 9110SMS MACHINE, MOTOR & BASE** Supplied with an "SMS" side milling slotter, wire brush & a 110V, AC, 1/6 H.P., 1725 R.P.M. motor. Machine & motor mounted on a 14½" x 11" x 1" metal base. Ship wt: 41 lbs.

**No. 9110SMS MACHINE ONLY** Same as No. 9110 SMS, less motor & base. Bench space: 8" x 4". Shipping wt.: 16 lbs.

# SPEEDEX "DEPTH KEY MODEL"




USES No. CW-10  
DOUBLE ANGLE MILLING CUTTER


THIS MANUAL OF KEY CUTTING  
DIMENSIONS IS INCLUDED. SITS  
ON MOTOR-MOUNTED PEDESTAL  
AS SHOWN.

THE ONLY KEY MACHINE DESIGNED EXCLUSIVELY FOR  
MAKING ACCURATE CYLINDER KEYS BY CODE,  
THROUGH THE USE OF DEPTH KEY SETS.  
(DEPTH KEY SETS NOT INCLUDED)

**No. 9310DKM** - Supplied with No. CW-10 Double Angle Milling Cutter and a 110V A.C. 1/6 H.P., 1725 R.P.M. motor. Includes depth and space charts book, pedestal, fully enclosed belt guard and wire brush. Mounted on a 14½" x 11" x 1" metal base. Shipping weight: 43 lbs.



## STEEL SPLIT KEY RINGS



### ALL TEMPERED HARD STEEL NICKEL PLATED

Slim rings easy to put your keys on.

### BEST VALUE IN KEY RINGS

These key rings will bring a larger percentage of profit than any other item that you sell in your shop.

Packed 50 per box

STOCK	SIZE
HKR-20	2 in.
HKR-112	1 1/2 in.
HKR-138	1 3/8 in.
HKR-114	1 1/4 in.
HKR-118	1 1/8 in.
HKR-10	1 in.
HKR-78	7/8 in.
HKR-34	3/4 in.
HKR-58	5/8 in.


## WAFER KEY PUNCH for SCHLAGE

No. 200

CUTS 10-20-30 SERIES

FOR BOTH NEW & OLD STYLE KEYS. CUTS BY CODE OR DUPLICATE.

This handy key punch cuts both old & new style Schlage Wafer keys. Simply decode the customer's key with the built-in gauge & punch out a perfect duplicate in less than a minute. Gauge also can be used to decode key plugs for making "first keys". Includes fully illustrated instructions & a vinyl carrying pouch.



**HPC**

## SOFTIE BRUSH




No. TYX-3 — 3", 1/2" hole  
for key machines

TYX-6 — 6", for larger jobs  
direct motor connection

The HPC Softie Brush is the only key machine brush made of DUPONT TYLON-X. The carbide impregnated brush deburrs faster and smoother than wire and lasts 6 times longer than wire. Non flaring-no flying wire strands.

## CONVERSION CUTTER

DOUBLE ANGLE



No. CW-51MC kit


CUT FROM DEPTH KEYS OR DUPLICATE M2 Tool Steel cutter, cuts steel, brass or nickel silver. Fits the following: HPC Speedex, Taylor KD-1, 2 etc., Dominion 145, 146; Ilco 2584, 2585; Keil 4, 4 1/2; Curtis 2H. Replaces the following single angle cutters: 23RF, 26, CU-5, CU-1, 23MC and 34MC.

Set includes cutter copy dog, washers and complete instructions.

## OVERSIZE WING NUTS

FOR ILCO and KEIL

AUTOMATIC KEY MACHINES







No. SNK-2 Complete Kit

Eliminates defective studs or loose and bent keys when duplicating. These enlarged, 2 inch diameter wing nuts, provide a 50% tighter grip than any others available.

Kit includes two "Super Nuts" wing nuts, two case hardened super studs and a pair of ball bearing thrust washers.

## KEY MACHINE CUTTERS







STYLE	STOCK No.	TYPE	O.D.	THICKNESS	HOLE	USE	COMPARATIVE
FLAT SLOTTED	CW-3FSHS	Flat	2 1/2"	.055"	3/8"	21771D, 21791M, 1751A	3FSHS
	CW-7FSHS	Flat	2 1/2"	.040"	3/8"	21771D, 21791M, 1751A	7FSHS
	CW-10FSHS	Flat	2 1/2"	.030"	3/8"	21771D, 21791M, 1751A	10FSHS
	CW-11	Flat	2 1/16"	.035"	1/2"	2196K and 6 1/2	11
	CW-12	Flat	2 1/16"	.045"	1/2"	2196K and 6 1/2	12
	CW-13	Flat	2 1/16"	.072"	1/2"	2196K and 6 1/2	13
	CW-15FSHS	Flat	2 1/2"	.045"	3/8"	21771D, 21791M, 1751A	15FSHS
	CW-16	Flat	2 1/4"	.045"	1/2"	2184CD, 4 1/2, 9110, 2584CV	27
	CW-30SMS	Side Mill	2 3/8"	.030"	1/2"		30SMS
	CW-33	Flat	2 1/4"	.045"	7/16"	6210, KD-10, 815-1815	13FSHS
	CW-33A	Flat	2 1/4"	.035"	7/16"	6210, KD-10, 815-1815	--
	CW-33B	Flat	2 1/4"	.030"	7/16"	6210, KD-10, 815-1815	--
	CW-33C	Flat	2 1/4"	.055"	7/16"	6210, KD-10, 815-1815	--
	CW-39	Flat	2 1/4"	.030"	1/2"	2184CD, 4 1/2, 9110, 2584CV	27-1
DOUBLE ANGLE	CW-45SMS	Side Mill	2 3/8"	.045"	1/2"	2184CD, 4 1/2, 9110, 2584CV	45SMS
	CW-65	Flat	2 1/2"	.065"	3/8"	2178U F/ Lockers	DSL
SINGLE ANGLE	CW-10	Tungsten St. Mill	2 1/4"	.280"	7/16"	6210, KD-10, 815-1815 9310DKM	18MC
	CW-14MC	Tool Steel Mill	2 3/8"	.375"	3/8"	1200CM Code, LG1011 Code	LG-14MC
	CW-19MC	Tung. Steel Mill	2 7/8"	.281"	1/2"	2183DM Ilco, 1 1/2 Keil Auto	10, 19MC
	CW-19TS	Tool Steel Mill	2 7/8"	.281"	1/2"	2183DM Ilco, 1 1/2 Keil Auto	10, 19MC
	CW-20MC	Tool Steel Mill	2 3/8"	.375"	3/8"	1200CM, LG1011 Radius Tooth (Sargent)	--
	CW-41CA	Carbide Mill	2 1/2"	.281"	7/8"	3333, 6666 - 1250, 1350	LG-41CA
	CW-50MC	Tool Steel Mill	2 1/2"	.281"	1/2"	See CW-51MC above	--
	CW-1011	Tool Steel Mill	2 3/8"	.288"	3/8"	1200CM, LG1011	LG-1011
	CW-1012	Tool Steel Mill	2 3/8"	.375"	3/8"	1200CM, LG1011 (Medeco, Emhart Syst. 70)	LG-1012



**HPC  
ORIGINAL  
KEY  
BLANKS**


AVAILABILITY  
TO BE  
ANNOUNCED



NOTE METAL: NP—NICKEL PLATED BRASS, NS—NICKEL SILVER, BR—BRASS

**HPC**

# KEKAB KEY SECURITY CONTROL SYSTEMS



KEKAB-60

The variety of sizes and capacities of these KEKABS are ideally suited for key storage in homes, hotels, apartment buildings, motels, industrial plants, schools and institutions.

KEKABS offer a handy, central location for keys, under security conditions.

KEKAB doors and panels have piano type hinges, and are locked by a five disc tumbler cam lock.


**NO. KEKAB- 30 ( 30 KEYS ) 12 x 8 x 2½ inches. Shipping Weight: 4 lbs.**

**NO. KEKAB- 60 ( 60 KEYS ) 17 x 13 x 3¼ inches. Shipping Weight: 10 lbs.**

**NO. KEKAB- 110 ( 110 KEYS ) 17 x 13 x 3¼ inches. Shipping Weight: 11 lbs.**

# KEKAB KEY SECURITY CONTROL SYSTEMS


## TWO EXPANDABLE KEKABS WITH ALL HARDWARE & INSTRUCTIONS



**No. KEKAB - 160X**  
160 Key Capacity.  
20" X 16½" X 5".  
Shipping Wt. 18 lbs.  
Expandable to 330  
key capacity. See Ex-  
pansion Leaf below.

**No. KEKAB - 260X**  
260 Key Capacity.  
25¼" X 17¾" X 5½".  
Shipping Wt. 24 lbs.  
Expandable to 500  
key capacity. See Ex-  
pansion Leaf below.

KEKAB-160X (SHOWN ABOVE) AND  
KEKAB-260X ARE SPECIALLY  
DESIGNED TO ACCEPT THE  
ADDITION OF THE EXPANSION LEAF




### EXAMPLE OF AN EXPANSION LEAF

**No. KEKAB- A** — Expansion Leaf kit is for use with No. KEKAB - 160X shown above. It increases the capacity to 330 keys. All attaching hardware is included. Has tags numbered 161 thru 330, with snap hooks — plus a control chart.

**No. KEKAB- B** — Expansion Leaf Kit is for use with No. KEKAB - 260X shown above. Increases the capacity to 500 keys. All attaching hardware is included. Has tags numbered 261 thru 500, with snap hooks — plus a control chart.



# KEKAB KEY SECURITY CONTROL SYSTEMS



KEKAB-330 SHOWN HERE

KEKABs are made of heavy gauge metal and finished in a textured neutral tan. Each KEKAB has a full complement of numbered tags with snap hooks. These KEKABs offer a full view of all key panels and come with a key control chart.

NOTE: KEKAB - 260X, 500 & 730 have a heavy duty locking "T" Handle, incorporating a high security 7 pin tumbler, tubular type lock.


#### Shipping Weight:

No. KEKAB-240 (240 Keys) 20 x 16½ x 5 inches. 23 lbs.

No. KEKAB-330 (330 Keys) 20 x 16½ x 5 inches. 23 lbs.

No. KEKAB-500 (500 Keys) 25¼ x 18 x 5½ inches. 33 lbs.


No. KEKAB-730 (730 Keys) 25¼ x 18 x 7 inches. 48 lbs.



# ROLL RACKS KEBOX-8 CABINET


No. KEBOX-8  
5 $\frac{3}{4}$ "W x 6 5/8"H x 2"D

This compact, eight key capacity cabinet offers an opportunity for the security control of a lesser number of keys for homes, offices, gas stations, etc. This provides a convenient, locked central location.



*ALL CABINETS ON THIS PAGE ARE CONSTRUCTED ACCORDING TO THE SAME HIGH QUALITY STANDARDS OF MATERIAL AND WORKMANSHIP AS IS USED IN THE GENERAL KEKAB LINE.*

## EMERGENCY KEY BOXES



No. 511 - 5 $\frac{3}{4}$ "W x 6 5/8"H x 2"D


These boxes are designed to house a restricted door key at the immediate location. The bright red steel box has a key-locking hinged door with a glass window. When an emergency arises and access to a specific key is necessary, break glass with the attached hammer.

No. 511 GLASS—REPLACEMENT GLASS ONLY.



HP

# KEKAB KEY CONTROL RACKS





These KEY CONTROL RACKS are designed to offer an economical control system for 10 to 160 keys. Choose the rack size required. The open file arrangement and identification tags with hooks provide an open-view and ready convenience in a central location.


This should prove to be a desirable system where informal key security is all that is needed. Ideal for use in any home, club, church or institution.

No. KB-10P	10 Plain Tags & Snap Hooks	7½" x 2½"
No. KB-20P	20 Plain Tags & Snap Hooks	12¾" x 5"
No. KB-20N	20 Numbered Tags (1-20) & Snap Hooks	12¾" x 5"
No. KB-40N	40 Numbered Tags (1-40) & Snap Hooks	9½" x 12-5/8"
No. KB-80N	80 Numbered Tags (1-80) & Snap Hooks (Two 40 unit panels)	19" x 12-5/8"
No. KB-120N	120 Numbered Tags (1-120) & Snap Hooks (Three 40 unit panels)	28½" x 12-5/8"
No. KB-160N	160 Numbered Tags (1-160) & Snap Hooks (Four 40 unit panels)	38" x 12-5/8"


## KEKAB ACCESSORIES



No. NT-1  
NUMBERED TAGS  
with Snap Hooks.  
Packs of 10. Specify  
numbers in tens  
wanted.




No. PLT-1  
PLAIN TAGS  
100 per box



No. SN-100  
SNAP HOOKS  
100 per box

OT-10, 10 per pkg.  
OT-100, 100 per box  
OUT TAGS

## KEY KEEPER BOXES



## FOR HOME, AUTO and TRUCK

Boxes are of 18 Gauge Steel. Boxes for the homes are BRITE ZINC PLATED. Automotive boxes are PRIMED BAKED GREY HAMMER TONE ENAMEL.

THE KEY KEEPER BOX FOR THE HOME IS MOUNTED ONTO THE TOP EDGE OF A DOOR. BOX SIZE: 3 $\frac{1}{4}$ "x 2 $\frac{1}{2}$ "x 2". NO DUST COVER.

## 7 PIN TUMBLER KEY LOCK

No. KEP-12-81, Keyed Alike 15481  
No. KEP-12-95, Keyed Alike 3395  
No. KEP-12-96, Keyed Alike 3396  
No. KEP-12-97, Keyed Alike 3397


Furnished With One Key

## DISC TUMBLER TYPE LOCK

No. KEP-13-301, Keyed Alike 301  
No. KEP-13-302, Keyed Alike 302  
No. KEP-13-303, Keyed Alike 303

Furnished With 2 Keys

SECURE AN INDIVIDUAL KEY IN THE KEY KEEPER. No more lost keys or lockouts! Box is placed over the top edge of a door. When door is closed, the top mounting screws are hidden. Piano hinged box door. Specify type of lock preferred. Dust cover is not included with this model.



SPECIFY LOCKING SYSTEM PREFERRED  
7 PIN TUMBLER TUBULAR — or — DISC TUMBLER TYPE LOCK



AUTOMOBILE KEY KEEPERS — FOR NEW or USED CAR DEALERS  
With DUST COVER OVER LOCK. BOX SIZE: 2 $\frac{1}{2}$ "x 2 $\frac{1}{4}$ "x 1 $\frac{1}{2}$ "

## 7 PIN TUMBLER KEY LOCK

No. KEP-14-95, Keyed Alike 3395  
No. KEP-14-96, Keyed Alike 3396  
No. KEP-14-97, Keyed Alike 3397


Furnished With One Key Per Box

## DISC TUMBLER TYPE LOCK


No. KEP-15-301, Keyed Alike 301  
No. KEP-15-302, Keyed Alike 302  
No. KEP-15-303, Keyed Alike 303

Furnished With Two Keys

END LOSS OF AUTO KEYS ON CAR LOTS! Simply place car's keys into box. Lower the door window and slip the Key Keeper's back clip over the top edge of the glass. Rolling window up secures the box and keys locked within, against all but extreme and deliberate vandalism. High security 7 pin tumbler tubular lock with dust cover offers both excellent pick resistance and protection against the elements. Choose a 7 pin tumbler tubular lock or an economical disc tumbler lock.



\*AUTOMOBILE & TRUCK KEY KEEPERS ARE NOT RECOMMENDED FOR AREAS OF EXTREME VANDALISM.



KEY KEEPER FOR TRUCKING FIRMS, COMMERCIAL TRUCK FLEETS  
With DUST COVER OVER LOCK. BOX SIZE: 2 $\frac{1}{2}$ "x 2 $\frac{1}{4}$ "x 1 $\frac{1}{2}$ "

## 7 PIN TUMBLER KEY LOCK

No. KEP-16-95, Keyed Alike 3395  
No. KEP-16-96, Keyed Alike 3396  
No. KEP-16-97, Keyed Alike 3397

## DISC TUMBLER TYPE LOCK

No. KEP-17-301, Keyed Alike 301  
No. KEP-17-302, Keyed Alike 302  
No. KEP-17-303, Keyed Alike 303

KEEP KEYS SECURE WITHIN A TRUCK.  
Helps to eliminate loss of ignition keys for large fleets. Key Keeper is like a small bank vault. Mount under the hood, onto an inside fender or body wall, with the three included sheet metal screws. Dust covers on locks.



HPC

# GENERAL CODE BOOK SET

OVER 1100 PAGES OF CODES & INFORMATION



No. HGCB 2 Volume Set

## —VOLUME 1 695 PAGES—

**AUTOMOBILE CODES**— 395 pages covering the most up-to date codes for G.M., Ford, Chrysler, AMC, plus Briggs & Stratton codes as used on gas caps etc.

**LOCKSMITH SHOP CODES**— 300 pages. Contains a large variety of miscellaneous codes for cabinets & drawer locks; includes exact "SHADOW SILHOUETTES" for the Chicago "H" series double-sided keys; Wonder Lock Showcase locks; Mercury & Clum motorboats; flat steel silhouettes for Auth "S" large & small Couch & Bommer "R". These alone will save you several hundred dollar\$.

Cover's many series used on Auth, Bommer, B&S, Chicago, Corbin, Couch, Eagle, Hudson Lock Inc, Ilco, Illinois, Kennedy plus dimensions for many large & small cylinder keys.

## —VOLUME 1A 424 PAGES—

**NATIONAL LOCK CODES**— 185 valuable pages of information for National of Rockford. Covers many series used on wafer & pin tumbler drawer & file cabinet locks. Only the National factory code book lists more series for letterbox locks made by National.

**YALE LOCKER LOCK CODES**— 35 pages of codes for flat steel locker locks. IED, IEH, DSL, 15WB, 9M prefixes. 1-7750 codes. Illustrated instructions explain how to use depth keys.

**YALE CABINET LOCK CODES**— 170 pages covers most popular series used on Yale wafer & pin tumbler drawer locks, padlocks, locking handles & other locking devices made by Yale.

**HONDA & SUZUKI MOTORCYCLE CODES**— 24 pages of valuable information makes fitting these keys much easier. This is the original book that others have copied. Up-dates though 1979 will be added during the coming year.

## ONLY H.P.C. INC. CODE BOOK'S OFFER THE TOTAL CONCEPT OF CODE CUTTING

Each page refers you to the proper key blank. Each page shows the depth key set or refers you to the correct dimensional information which is presented in each section.

NOW each page shows the code card used with the Code-A-Key™ Code Machine!

Our books contain useable current information often times not available from other code publishers.

Unlike some books which advertise quantity- WE DELIVER QUALITY.


(Inasmuch as new code series are continuously being produced, with little factory cooperation, having all lock codes is asking the impossible.)

If you want reams of seldom- if ever- used codes, please shop elsewhere! If, however, you want the "STANDARD" & most widely used code books & code cutting equipment, then H.P.C. INC. products are the logical choice!


CODE CARD  
No. 25

GENERAL MOTOR'S (IGN. & DOOR) 1971 AND 1979 (IGN ONLY)							
5A00 7A49							
USE DEPTH KEY SET 7190KS (See Pg. 25)							
H.P.C. Code Machine Card No. 25							
5A00	5A50	6A00	6A50	KEYWAY "A" Guts L. fted Bw. to Tip			
00 353122	50 432311	00 454234	50 324335	00 133421			
01 455321	51 113331	01 213342	51 444334	01 423135			
02 234243	52 455332	02 324432	52 532211	02 544353			
03 113423	53 535553	03 242334	53 332211	03 22			
04 545323	54 332453	04 544313	54 552224				
05 313542	55 3221						
06 353533							
07 312414							

# PADLOCK CODE BOOK



No. HPCB




Volume 2 Includes These Six Individual Books

TO HAVE A COMPLETE SET, INCLUDE THE PADLOCK CODE  
BOOK AS A MATE TO THE GENERAL CODE BOOK SET.

Volumes HGCB and HPCB have 8½ x 11 inch pages of Eze-Eye tinted paper, large page numbers, five page-securing rings and a heavy duty, washable, vinyl coated hard cover. Section dividers with plastic tabs, provide rapid code location.

There are over 175,000 codes contained in its 700 pages. It presents the popular Master pin tumbler padlocks, combinations for Master A, B, M, V and X series, Yale large pin tumbler padlock codes 1-28, 086, combinations for Yale and Dudley dial type padlocks and includes most combinations for Junkunc-American, Blue Dial combination padlocks.

New code supplements for all three volumes shall be printed as soon as they become available. These additions will be distributed through the locksmith jobber. Supplement pages will be punched to fit into these code books, including new indexes. For continued convenience, keep your code library current by adding the latest supplements.



FOR OWNERS OF THE SINGLE VOLUME BOOKS, BOUGHT PRIOR TO 1973

PROVIDE MORE SPACE FOR YOUR GENERAL CODE BOOK VOL. 1  
by getting this Supplementary Binder -- No. CBB-1A

With recent additions of new code sheets, your older single Vol. 1 is probably crowded. Add No. CBB-1A to your set. Matches the Vol. 1 cover, except that it has 2½" metal rings. Place the last 4 sections of your old Vol. 1 binder into this empty expansion binder, and add the cross reference index and tabs. You will enjoy the same rapid location of codes common to all HPC Inc. code books. Complete with instructions.


Each page is a clear, concise reference guide to padlock codes.



# BASIC CODE BOOKS

GENERAL CODE BOOK SET

OVER 1100 PAGES OF CODES & INFORMATION




No. HAC - AUTOMOBILE CODES - 395 PAGES

Amer. Motors	Chrysler	Crosley	Ford
Gas Caps	Gen. Motors	Henry J	Hudson
International H.	Kaiser-Fraser	Packard	Rambler
Studebaker			Willys

Over 100 code series listed for domestic automobiles, trucks, locking gas caps, etc.

Includes Depth and Space Charts for easy cutting with code machine or Depth Key set.


With our easy-to-add supplements, your auto book won't become out dated each year. All books are up dated and bound every 90 days, assuring you of the latest information.



No. HMPC - MASTER PIN TUMBLER PADLOCK CODES - 150 PAGES

Codes for Master Pin Tumbler padlocks. Directions for cylinder removal and key fitting when no code number is known. Includes 80% of the new 10N and 60% of the 10T series and some "L" series gun lock codes.


Many new code series have been added recently. Since the factory is no longer cooperative in providing code information for servicing these locks, this book is not as complete as we would like it to be. We solicit any cooperation by you, the locksmith, in helping us to add more codes.



No. HDSLC - YALE LOCKER LOCK CODES  
36 PAGES

1-7770 code listings for Yale flat steel type IED, IEA, DSL, 15WB, 9M, N9M. Also used on some locks by National of Rockford.

Includes instructions for cutting locker keys by code, aided by depth keys. Depth keys not included




No. HNLC - NATIONAL LOCK CODES  
185 PAGES

Disc and pin tumbler codes for the popular National of Rockford locks.

Includes codes for pin tumbler locks made by National for Auth, Bommer, Couch and Florence as used on their letter boxes.

*When new supplement code pages become available, each will be 19 ring punched, to fit into books using 19 rings; or the new large 5 ring binders.*


## CODE B BASIC CODE BOOKS



**HYPC - YALE PADLOCK CODES - 113 PAGES**

Codes for large and small pin tumbler padlocks using the UNPREFIXED series numbered from 1 to 28,086. It is used primarily on large and small brass padlocks with standard as well as sectional keyways.


Includes Depth and Space charts, with instructions.



**HYC - YALE CABINET LOCK CODES - 170 PAGES**

Over 175 series listed covering codes for Yale discs and small pins. Contains extensive code listings for drawer locks, padlocks, locking handles and many more of the locking devices manufactured by Yale.

Does not cover codes for larger pin tumbler locks.




**HJAC - COMBINATIONS for JUNKUNC PADLOCKS**  
Series 12000-16000 (Blue Dial)

The newest addition to our library of useful code books for the locksmith. The heretofore elusive code series for these popular American locks have been made available. 85% complete.

4-4 American Pin Tumbler  
4-5 AD501-AD1500 American Device Letters  
4-6 CM001-CM200  
N301-N550 for Kwikset

American	Arrow
Chicago	Clum
Dexter	Eagle
Florence	Harloc
Junkunc	Kenedy
Letter Boxes-(flat steel keys)	Lockwood
Taylor	Sargent
	Welch

Auth (Flat)	Bommer
Corbin	Couch (Flat)
Excelsior	Falcon
Ico	Illinois
Kwikset	Labelle
Motor Boats	Russwin
Schlage	Segal
Weiser	Weslock



**HLSC - LOCKSMITH SHOP CODES - 300 PAGES**

NEW. Contains some codes for Auth and Bommer pin tumbler locks by Hudson. More to be added as they become available.


SILHOUETTE CODES For "H" series Chicago double sided and "KF" motor boat ignition keys.  
Codes for double sided Wonderlock's showcase locks.  
Flat key silhouettes for old and new style Couch, Auth "S" series and the Bommer "R" series.

Each book has 8 1/2" x 11" sheets of Eze-Eye tinted pages, large page numbers and a clear, concise index; bound by a 19 ring, washable vinyl cover. Book always lies flat when open.




# BASIC CODE BOOKS

Each book has 8½" x 11" sheets of Eze-Eye tinted pages, large page numbers and a clear, concise index; bound by a 19 ring, washable vinyl cover. Book always lies flat when open.




No. HSMC - HONDA & SUZUKI  
MOTORCYCLE CODES - 21 PAGES

Charts and explanatory information covering Honda and Suzuki motorcycle codes. Makes possible the fitting of keys by number, to 70% or more of these two popular motorcycles. Includes the latest information for double-sided key used for 1975 and on.




No. HMCCX - MASTER COMBINATION  
PADLOCK CODES M, V, X - 140 PAGES

All currently available M, V & X combinations for No. 1500 series combination padlocks. Covers many of the key controlled Master combination padlocks as well as the standard dial type. Has all known "X" series. Includes the current No. 9 series covering 900001-903072.



No. HMCC - MASTER COMBINATION  
PADLOCK CODES A & B - 335 PAGES

Over 85,000 Master A & B combinations for popular No. 1500 series combination locks contained in one volume. A useful aid for the locksmith or security officer.



HYD - YALE & DUDLEY COMBINATION  
PADLOCK CODES - 75 PAGES

12,000 "K" codes for Yale. Includes some "N" series. Partial listing of Dudley "ABS" and "ES" series.

# CODE BOOK SUPPLEMENTS

*This is a complete listing of Code Supplements, beginning with the initial 1969 printings. Further listings shall be announced in the National Locksmith and by flyer sheets to distributors.*

**LOOK ON PAGE 8 EACH MONTH IN THE NATIONAL LOCKSMITH MAGAZINE FOR THE LATEST SUPPLEMENTS AND HIGHLIGHTS.**



## CODE BOOK SUPPLEMENTS

This complete listing of H.P.C. Code Book Supplements has the initial 1969 printing plus the latest additions. Further listings shall be announced in **The National Locksmith** and other publications as well as by flyer sheets to distributors.

### Locksmith Shop Codes

#### Description

- 1-1 Auth Pin Tumbler Letterboxes H001-H400 Mfd. by Hudson
- 1-2 Pin Tumbler Letterboxes HL001-HL250 Mfd. by Hudson
- 1-3 HL201-HL400 Wafer Locks Hudson Lock Cabinet Codes B601-B636 Chicago Lock Co. for General Fireproofing LZ1-752 Chicago Lock Co. for Wafer Locks
- 1-4 X001-X250 Pin Tumbler Letterbox Locks by XL Lock Co., California. Used on Jensen, Perma Bilt and Dura Steel.
- 1-5 AD501-AD1500 American Device Letterbox
- 1-6 C, C01-2055 Cutler Mail Chute, for Lever Tumbler Lock F01-60 Hudson File Cabinet Code  
Auth Pin Tumbler Letterboxes H401-H500 Mfd. by Hudson  
File Cabinet Locks F61-F161 Mfd. by Hudson Lock  
Metalstand Office Equipment D301-D336 Mfd. by Hudson  
Art Steel FC101-FC-136, H101-H136 Mfd. by Hudson
- 1-7 Marble Imperial Office Equip. PMI 100-149 Mfd. by Hudson  
Western Mfg. Office Equipment W01-W35 Mfd. by Hudson  
Florence Letterboxes FH751-FH1000 Mfd. by Hudson Lock  
Hudson Lock Pin Tumbler HL251-HL1500 Mfd. by Hudson  
Chicago Lock Office Equipment VF101-VF252  
XL Lock Letterboxes X251-X1000  
XL Lock Letterboxes K001-K1000 Copyrighted 1975, XL Lock Co. Exclusive license to Publish — H.P.C., Inc.
- 1-8 AMG 1-1000 Completed, Depth & Space Chart for Emhart, Depth & Space Chart "Junkunc Revised", H1651-2550 Hudson Codes, L001-010 Hudson Codes and "Problem with Hudson Codes". Discussed, LL1H-225H Craftsman Tool Box Codes, LL1W-225W Craftsman Tool Box Codes, Depth & Space Chart-General Lock Inc., Depth & Space Chart "Weslock Revised", Depth & Space Chart "Yale Large Pin .019", 1979 General Motors explanation. Please add to your Automobiles Codes Section.
- 1-9 Lyons Metal Disc Tumbler LM501 to LM1400 Mfd. by Chicago Lock, Lyon Metal Disc Tumbler L-001 to L-482 Mfd. by Hurd Lock, 1980 General Motors explanation (Please add to your Automobile Code section).

### Yale Cabinet Lock Codes

#### Description

- Stock No. 2-1 BP501-700 For Bauer Products Locker Handles, Etc.
- 2-2 SD201-700 For Bauer Products Locker Handles, Etc.

**Automotive Lock Codes**

**Description**

- 3-1 1971 & 79 GM 0A00-9A99, 0B00-9B99, 0C00-9C99, 0D00-9D99
- 3-2 1972 GM 00N0-99N9, 00P0-99P9, 00S0-99S9, 00U0-99U9
- 3-3 1973 GM 00J0-99J9, 00K0-99K9, 00L0-99L9, 00M0-99M9
- 3-4 1974 GM 00E0-99E9, 00F0-99F9, 00H0-99H9, 1973 Jeep, D & E Series
- 3-5 1975 GM 00V0-99V9, 00W0-99W9, 00X0-99X9, 00Y0-99Y9
- 3-6 1976 GM 00A0-99A9, 00B0-99B9, 00C0-99C9, 00D0-99D9
- 3-7 1977 General Motors Codes
- 3-8 1978 General Motors Series E, F, G and H 000-999

### National Lock Codes

#### Description

- Stock No. 4-1 AM001-950, AM3001-3200, AM3401-3600 for Art Metal
- 4-2 Florence Pin Tumbler Letterbox F0001-0250, Couch Pin Tumbler Letterbox 100-00—350-00 Mfd. by National
- 4-3 Auth Pin Tumbler Letterboxes 1N-400N Mfd. by National
- 4-4 Bommer Pin Tumbler Letterbox BN1249-1750 Mfd. by National
- 4-5 A0001-1000 American Device Letterbox N1-N25 Cabinet
- 4-6 CM001-CM250 for Cutler, MC1-MC250 for Miami Carey, N301-N550 for Nutone, 1PD-500PD for Dura Steel Letterboxes  
Pin Tumbler AP1-AP5700 Mfd by National Lock  
Pin Tumbler AT101-3960 Mfd. by National Lock
- 4-7 Bommer Letterboxes BN1750-NB3199 Mfd. by National Lock  
Florence Letterboxes F0251-F0750 Mfd. by National Lock
- 4-8 Auth Pin Tumbler Letterbox 401N to 1000N Mfd. by National (Rockford) Lock, National (Rockford) Pin Tumbler Letterbox MN5001 to MN5800, National (Rockford) Pin Tumbler Letterbox 1P0 to 190P0.

### Honda & Suzuki Code Charts

#### Description

- Stock No. 5-1 1, 2, 3, 4 Suzuki Codes for 1971-72 Models
- 5-2 Honda Motorcycles Double-sided Key 00000-99999

### Master Padlock Combination

#### Description

- Stock No. 7-1 B Series, B93001-B115200 Combination Padlock
- 8-1 No. 9 Series Comb. for No. 1500 Padlock 900001-903072

### Master Pin Tumbler Padlock Codes

#### Description

- Stock No. 9-1 10N001-10N1000 for No. 15 Padlock 80% complete
- 9-2 10T001-10T1000 for No. 17 Padlock 60% complete

### Yale Padlock Codes

- 10-1 Series, 1-29, 078 Continuation 28000 to 29078

- 13-1 Dimensions for Emhart, Medeco 4 Level and 11 Level plus depth key/code card cross index.



# DEPTH KEY SETS


## AUTOMOBILE

#### DESCRIPTION

#### SPACES KEYWAY

**STOCK No**

American Motors	Up to 1969. Wafer Tumbler (3 Depth 1, 2, 3)	5	32900	711 DKS
American Motors	1970 and On. Wafer Tumbler	5	1970AM	757 DKS
Briggs & Stratton	Wafer Tumbler (will replace 711DKS)	5	42755	727 DKS
Chrysler	1956-67. Ignition and Trunk. Pin Tumbler	5	1764P	745 DKS
Chrysler	1968 Ign. & Trunk (DP, DS Series) Pin Tumbler	5	1768CH	744 DKS
Chrysler	1969 and ON. Ignition and Trunk. Pin Tumbler	5	1770CH	749 DKS
Chrysler	Trunk. Side-Bar Type, Wafer Tumbler	6	S1767DP	746 DKS
Ford Motors	Up to 1951 Ign. & Trunk (Narrow) Pin Tumbler	5	1125H	754 DKS
Ford Motors	1952-64 Ign. & Trunk. Single-Sided, Pin Tumbler	5	1127DP	717 DKS
Ford Motors	1965 + Ignition. Double-Sided, Pin Tumbler	5	1167FD	718 DKS
Ford Motors	1965 + Trunk. Double-Sided, Pin Tumbler	5	S1167FD	718A-DKS
General Motors	1936 & Up. Ign. & Trunk. 5 Depths. Wafer Tumb.	6	Current year	719DKS



## CABINET, DRAWER LOCKS and PADLOCKS

Chicago	Wafer Tumbler	5	K-5	734 DKS
Chicago	Wafer Tumbler, will replace 734 DKS	6	K101, 102, etc.	735 DKS
Chicago	Pin Tumbler, File Cabinets, etc.	4	KP-1	736 DKS
Corbin	Small Pin Tumbler, File Cabinets, etc.	6	8687C	742 DKS
Corbin	Wafer Tumbler	6	8658JVR	743 DKS
Eagle	Small Pin Tumbler (Long Space)	4	11625B	705 DKS
Eagle	Wafer Tumbler	5	0745	707 DKS
Ilco	Small Pin Tumbler	5	X1054JA, JK	716 DKS
Illinois	Wafer Tumbler, Single Sided	5	360	737 DKS
Junkunc	Pin Tumbler, Padlocks, etc.	5	PTKB-1	750 DKS
Lockwood	Small Pin Tumbler	5	1004M	722 DKS
Master Padlocks	Pin Tumbler, Standard Large, 4 Space	4	1K	703 DKS
Master Padlocks	Standard Large Pin Tumbler, will replace 703 DKS	5	81K	752 DKS
Master Padlocks	Extra Large Pin Tumbler	6	19K	773 DKS
Master Padlocks	Small Pin Tumbler	4	7K	704 DKS
Master Padlocks	Small Pin Tumb., 7 Depths, will replace 704 DKS	4	7K	704A-DK
Natl. Rockford	Wafer Tumbler	5	687-3	740 DKS
Natl. Rockford	Small Pin Tumbler, All except Letter Boxes	5	676-1	741 DKS
Yale	Small Pin Tumbler	6	12½	700 DKS
Yale	Wafer Tumbler	5	9278A	712 DKS




## FLAT STEEL

Yale & National	Locker Locks IED, IEH, DSL, 15WB, etc.	Lever Tumb.	6	JX	R381½N-1	714 DKS
Yale & National	Locker Locks 9M, N9M Series,	Lever Tumbler	6		R381½N-1	715 DKS



## FOREIGN

Honda Cycles	"T"--3, 4, 5, 6 Series	3	H76K	800 DKS
Honda Cycles	"T"--2, 6, 7, 8, 9 Series	3	H76K	801 DKS
Honda Cycles	"NA, NB, NC" Series	4	H70H	802 DKS
Honda Cycles	"H" Series without a Ward Cut	4	H79MR	803 DKS
Honda Cycles	"H" Series with a Ward Cut	4	H76YR	804 DKS
Honda Cycles	No Letter Prefix 1, 3, 5 Series	3	H69T	805 DKS
Honda Cycles	00000-99999 Double-Sided, Most 1975 and Up	5	X57	808 DKS
Honda Cycles	00000-99999 Double-Sided, Most 1975 and Up	5	X58	809 DKS
Suzuki Cycles	No Letter Prefix 1, 3, 5 Series Up to 1970	3	S74G	806 DKS
Suzuki Cycles	No Letter Prefix 1, 2, 3, 4 Series, 1971-1972	5	X11	807 DKS




# DEPTH KEY SETS

## LARGE CYLINDER



	DESCRIPTION	SPACES	KEYWAY	STOCK No.
Arrow	Standard Large Pin Tumbler & Sectional. (New)	6	AR-6	733DKS
Best	Pin Tumbler	6	1114A	726DKS
Corbin	Large Pin Tumbler (Old)	6	X1-67-6	701DKS
Corbin	Large Pin Tumb. (New) 59A1, A2, B1, B2, C1, C2, 60	6	Z1-60-6	702DKS
Dexter	Pin Tumbler (Close Spacing) <i>Discontinued</i>	5	61	747DKS
Dexter	Standard, Large, Up to 1969	5	67	748DKS
Dexter	Standard Large, 10 Depths, 1969 and On	5	67	760DKS
Emhart	System 70 "Conventional Pins" .028" Increment	6	6D1R	774DKS
Eagle & Harloc	Large Pin Tumbler	5	11929B	706DKS
Ilco	Large Pin Tumbler, X1054K	5	X1054K	723DKS
Ilco	Large Pin Tumbler, X1054F	5	X1054F	724DKS
Ilco-Unican	Large Pin Tumbler, 1054FN	5	1054FN	771DKS
Kwikset	Standard Large Pin Tumbler (New)	5	1-1063	730DKS
Lockwood	Large Pin Tumbler, Standard	6	1004A	720DKS
Lckwd, Chantrell	Large Pin Tumbler, Sectional	6	B317L, N, P, R	721DKS
Natl. Rockford	Standard Large Pin Tumbler	5	411-31	753DKS
Russwin	Large Pin Tumbler, Standard	6	6961R	710DKS
Russwin	Large Pin Tumbler, Sectional "D"	6	6D1R	751DKS
Sargent	Large Pin Tumbler, Standard (U, R, K)	6	6265U	708DKS
Sargent	Lge. Pin Tumb. Sect. (LA, LB, RA, RB, etc.) & "S" kwy.	6	6275RA, LA	709DKS
Schlage	Pin Tumbler, C, E, F etc. keyways	6	35-101-C	725DKS
Segal	Standard Large Pin Tumbler	5	K-9	738DKS
Taylor	Standard Large Pin Tumbler	5	111GE	739DKS
Weiser	Standard Large Pin Tumbler	6	1556	732DKS
Welch	Standard Large Pin Tumbler	5	WE-5	728DKS
Weslock	Standard Large Pin Tumbler	5	4425	731DKS
Yale	Large Pin Tumbler, Standard and Sectional	6	11	713DKS

## PIN TUMBLER LETTERBOXES



Hudson	Used on Auth & Bommer - 0, 1, 2, 3, 4 Bommer Depths	5	22B	758DKS
Hudson	Used on American Device, Miami Carey + others. 0, 1, 2, 3, 4, 5, 6 Depths. Will replace 758DKS	5	R22B	764DKS
Natl. Rockford	Used on American Device, Auth, Bommer, Couch, Dura-Steel, Florence, Cutler, etc.	5	676-1 w/ward	761DKS
"XL" Lock Co.	Used on Dura-Steel, Jensen Permabilt "X" series	5	XL16	762DKS
"XL" Lock Co.	Used on Dura-Steel, Jensen Permabilt "K" series	5	XL16	772DKS

## LEVER TUMBLER LETTERBOXES



Cutler	Cutler mail chute "C" series	7	78 Taylor	765DKS
--------	------------------------------	---	-----------	--------

A SET OF DEPTH and SPACE KEYS contains a cut key for each of the different depths used in a given series or a particular locking mechanism. All the cuttings on a key are to the same depth, repeated as many times as the number of pins or disc tumblers used in a lock. These cuts are correctly spaced as required by the tumbler system in a specific lock.


For instance — a No. 3 depth key for a 5 pin tumbler plug, will have 5 correctly spaced cuts; each to a No. 3 depth. Spacings and depths vary with manufacturers and their products.

Such depth key sets have several time-saver uses. They are valuable when cutting a key by code. They offer a method for working out a new master system or for adding keys under an established system.

Depth and space keys offer an inexpensive alternative to a code machine and the ability of rapid change-over, not found in most code cutting equipment.



# SAFE AND VAULT MANUAL



## — CONTAINS —

Hand Changing  
Key Changing  
Drilling Locations  
Lock Servicing  
Internal Drawings  
Time Lock Operation

SAFE AND VAULT MANUAL  
THE FOURTH EDITION — 221 PAGES

The SAFE AND VAULT MANUAL is generally recognized as the "Safe Man's Bible". Whether you are new to safe work or an old timer interested in broadening your knowledge of safe locks, you will find this book contains valuable information covering a wide variety of safe lock topics. Contains over 250 illustrations, 1000 factory try-out combinations and a newly added section on original factory methods of safe and vault combination changing.

## No. SVM

70000  
722 DNSY  
703 DKS  
782 DKS  
81K

## STORY OF SAFE DEPOSIT BOX LOCKS


### METHODS DESCRIBED:

- Open by Picking
- Use of Door Pullers
- Open by the Hinge Method
- Open by the Drilling Method
- Plugging Holes and Refinishing
- Classification of Types

### SAFE DEPOSIT LOCKS

This book explains procedures on opening safety deposit box locks. Contains valuable information for servicing locks by Bates, Diebold, Eagle, Herring Hall Marvin, Miller, Mosler, Remington, Sherman, S & G, Victor, Western, Yale, and York.


No. SDL-15



By BILL KENTON



# SAFE COMBINATION CHANGING



## ORIGINAL FACTORY METHODS

A collection of original direction sheets on how to operate and change combinations, written by the safe lock manufacturers. Has 85 pages and hundreds of illustrations and diagrams. Covers combination changing information on most of the safe locks manufactured during the last 75 years. This book helps the Locksmith BE SURE that he will get the best results in the shortest possible time, by using the proper procedures. Includes combination changing information for Diebold, Eagle, HHM, S & G, Yale and York safe locks.


No. SCC

## THE ART OF MANIPULATION


### OPEN COMBINATION LOCKS WITHOUT DRILLING, BURNING OR FORCING

No. TOAM-2

A practical work method clearly explained and easy to understand. The combination lock opening system of Hear, Feel and See is called "Manipulation." It was discovered and developed in the past two decades by a small group of safe experts. After much deliberation two of these experts decided to pass on their information to other safe men and published this invaluable book, titled, THE ART OF MANIPULATION. Due to the highly confidential information in this book, the sale shall be restricted to established Safe Men and Locksmiths. SAFE MANIPULATION IS AN ABSOLUTE FACT, NOT A MYTH. GET THIS VALUABLE BOOK AND LEARN THE FACTS.



# MICROFILMED LOCK CODE LIBRARY




No. MLCO-2

Includes codes on Microfilm, Binder and Index  
Compatible with any  
24X magnifying reader.


1800 PAGES OF PRINTED CODES ARE NOW CONDENSED  
ONTO 21 INDEX CARD-SIZE MICROFILMS (MICROFICHE),  
THAT HAVE BEEN PROCESSED BY EASTMAN KODAK.

THIS PROJECTION PRESENTATION consists of General Code Books Vol. 1 and Vol. 1A, plus Padlock Code Book Vol. 2, which includes the code series listed above.



## Micro-Code VIEWER No. MRO-3


Compact hand-held magnifying viewer  
for reading the Microfiche Code Cards  
Light sturdy plastic, housed in a leather  
case. Convenient portability.




## No. MLCO-4 Micro Code BOOK and VIEWER

A complete unit containing pockets for holding microfilm reductions of the HGCB General Code Books and the HPCB Padlock Code Book, plus a manual viewer. No. MLCO-5, Book and Microfiche set ONLY.

# AUDIO-VISUAL TECHNICAL EDUCATION AIDS



Illustrated Workbook



Tape Cassette


Complete unit consist of the copyrighted Tape & our illustrated Workbook with all pertinent informative steps seen in the simple illustrations. Just play the tape & refer to the book while listening, for a clearer understanding of the directions being given.

## No. AA-3 LOCKSMITHS PREPARING FOR OSHA

CONTENTS: Federal rules on preventing shop mishaps & violations, to avoid fines & penalties. Keeping records to OSHA requirements. Posting of exit & fire extinguisher signs. Proper conditions & accomodations for employees, equipment, machinery & hazardous materials.

## No. AA-4 CHANGING COMBINATIONS ON PIN TUMBLER CYLINDERS

CONTENTS: Shimming & Rapping a Cylinder Open-  
The Selection & Use of Followers & Plug Holders-  
The Selection & Use of Pin Kits- Loading the Plug by  
"The Eye Method", "Miking the Key & Plug Diameter"  
& "The Pin Decoder Method".




No. BB-3

Basic information covering the anatomy of a pin tumbler cylinder, shimming and rapping a cylinder open, the selection and use of followers and plug holders, using pin kits, methods of selecting the proper bottom pin length - "the eye method", "miking the key and plug diameter", "using pin decoders".


## FOR MEASURING THE DEPTHS OF CUTS ON FLAT STEEL & CYLINDER KEYS

The STRAIGHT YOKE TYPE key micrometer is designed to support the cut key while checking the depths. Has a hardened anvil, thin enough to check all cylinder keys, as well as flat steel keys with cuts as narrow as .030" in width. These advanced key micrometers are encased in a genuine leather pouch.

## KEY MICROMETERS



No. SKM-1— This straight yoke key micrometer has ratchet thimble to assure proper tightening for an accurate reading. Satin chrome body and yoke. Includes a leather case.



No. SKM-3DM  
METRIC MODEL



No. SKM-2D "THE ULTIMATE  
IN KEY MICROMETERS".


A new, easy to see feature gives instant readings of depths of cuts, without eye strain. Friction thimble keeps user from over-tightening. Satin chrome plated, heavy duty construction for years of service.

No. KM-60

Forged steel frame, with a satin chrome finish. Tool steel anvil, slide & screw. Clear precise graduations. Tapered anvil, reaches down into narrow pin seats.


No. KM-70

METRIC MODEL An international version of the locksmith key micrometer. Range 0-25mm. Graduated in increments of .01mm.



A new, easy to see feature gives instant readings of depths of cuts, without eye strain. Friction thimble keeps user from over-tightening. Satin chrome plated, heavy duty construction for years of service.

## DEPTH CHARTS



No. HSCB— For cutting keys using depth keys or codes. A completely illustrated manual of cutting dimensions covering almost all domestic pin & disc tumbler keys. This information is applicable to all popular & current code cutting equipment.

For convenience, this book is divided into four sections, containing 95 charts. The reference material included here is presented in a simple, direct manner, made applicable to all popular code cutting methods, i.e., Dial, Disc, Bar or Card type code machines or by using depth keys.

Any locksmith shop cutting keys by code, whether using code machines or depth keys— cannot afford to be without these listings.

This manual is included with the purchase of the No. 9310DKM Depth Key Machine, shown in the key machine section of this catalog.

## KEY DECODER

No. HKD-75— This handy, pocket size decoder kit determines the original factory depths of most popular domestic pin & disc tumbler cylinders & automotive keys. Does NOT measure in thousandths of an inch. NOT intended for adjusting or setting up any key machine.

Ideally suited for giving the correct bottom pin size when re-keying new or worn cylinders. Also an effective time saver when used along with a pin assortment's length chart, such as is included with the very popular original, precision color pin assortment or when using original pins.

Simply insert the correct information card into the top slot of the decoder. Lowering the depth pin into each cut, from bow to tip, will indicate the correct depths, in the window at the top.



Each of the more than fifty 2"x 4" information cards, also lists the correct factory depths & space specifications. The heavy duty construction, with just two internal moving parts, will assure years of trouble free service. Each decoder & information card set is packed in a black vinyl case.



## GUARD PLATES




### KING-SIZE — FOR DOORS OPENING OUT




This is our strongest and most popular guard plate. It is 14 inches long and is made of two welded pieces of steel.

Offers maximum resistance to prying and forcing. Mounted onto door with 2 carriage bolts, going through the door and anchored with a nut and cap nut on the inside. Four wood screws go into the edge of the door.

No. VDG-10 Baked Dark Brown Enamel Finish



COMPLETE WITH  
ALL NECESSARY HARDWARE



### OFFSET — FOR DOORS OPENING OUT AND WITH A DOOR CASING

Offset guard plates are to be used on vestibule doors with projecting door casings. For doors that are not flush with the frame.


These plates are easily installed by drilling only 2 holes for the pair of thru-bolts and nuts to solid-mount it. Made of heavy gauge steel and is bright nickel plated. Complete with all necessary hardware.

The 14 inch overall length, extends three inches beyond the average lock face, presenting plenty of covered area to frustrate unauthorized, forceable entry.

Four sizes are available. Choose the offset depth that best fits the door and frame requirements.

BRIGHT NICKEL PLATED

- No. OVDG-11 = 3/16" Offset
- No. OVDG-12 = 3/8" Offset
- No. OVDG-13 = 7/16" Offset
- No. OVDG-14 = 9/16" Offset



## CYLINDER SCAR PLATES

No. SPO-3 OVAL U.S.-3 Finish, Polished Brass

No. SPO-10 OVAL U.S.-10 Finish, Dull Bronze


No. SPO-26D OVAL U.S.-26D Finish, Dull Chrome

No. SPR-3 ROUND U.S.-3 Finish, Polished Brass

No. SPR-10 ROUND U.S.-10 Finish, Dull Bronze

No. SPR-26D ROUND U.S.-26D Finish, Dull Chrome

Use these plates to cover oversize cylinder holes or when the area around the cylinder hole is chipped, cracked or scarred. Covers an elongated cylinder hole after a replacement lock with a different backset must be used. The oval plate is ideal for narrow stile, aluminum doors. These plates "dress-up" any door.




A complete un  
HGCB General  
viewer. No. ML



# GUARD PLATES


## VESTIBULE LOCK – FOR DOORS OPENING OUT



Because of variations in door thickness, fit of door in frames and different lock face widths, there are four sizes of these guards available.

They are designed for vestibule doors that swing out and are flush with the door frame. Each is bright nickel plated. Packed with all necessary screws.

Stock No.	Flange	Screw Edge
VDG-1	Wide	Wide
VDG-2	Wide	Narrow
VDG-3	Narrow	Wide
VDG-4	Narrow	Narrow



## LATCH LOCK – ON DOORS OPENING IN

These guards tie the door stop and the door frame together. An extended, 1/16" edge goes down into the wood frame itself to provide more complete security. This effective barrier prevents any door openings by a knife or celluloid strip.

Many homes, hotels and motels still have unguarded latch locks in use. They are easy prey for even an inexperienced burglar!



Made of Nickel Plated Steel  
Countersunk Screw Holes  
Packed with Screws

No. IDG-7 3 1/2" Lock face opening  
No. IDG-8 5 3/8" Lock face opening

## LATCH LOCK ON DOORS OPENING OUT

### END VIEW ACTUAL SIZE

### SHOWING ANGLE OF FLANGE



Guard plate is screwed directly onto the edge of the door. The flange will keep any prying tools away from the latch.


ALL DOORS USING SPRING LATCH TYPE LOCKS - should have the added protection of a lock guard.

Made of Nickel Plated Steel  
Countersunk Screw Holes  
Packed With Screws

No. ODG-6

## NARROW STILE CYLINDER GUARD PLATE

- Mount the guard plate on the narrow stile. This will stop the puller.
- The top, round guide bar has a slot for use of the tap.
- To remove lock case to get to the lock. Then use the Tap to pull the lock.
- Tap bar can be used as a follow through, before.
- Pins can be placed in the holes at the base of the door.
- Loosen thumb screw and the upright section can be moved for convenience.



Attractive dull chrome finish of case-hardened plate and bolts. No special tools required. For either hand doors – in-swing or out-swinging.

An attractive and effective device to protect against puller action on narrow stile door cylinders.

Quickly and easily installed without appearing as an added-on feature. The innovative mounting system makes it simple to put on or take off. Complete, illustrated and easy to follow instructions.

No. ADG-1



# CYLINDER GUARD PLATES


ALL ARE BRIGHT NICKEL PLATED

MAKES CYLINDER LOCKS  
PULLER RESISTANT

Puts a sheet of hard armor over the cylinder. Easy to install. Two different well depths are available. The  $7/32$ " depth is the popular choice.

No. RW-2 For Rim Locks,  $5\frac{1}{4}$ " long ( $7/32$ " well)  
No. RW-3 For Rim Locks,  $7\frac{1}{2}$ " long ( $7/32$ " well)

## FOR RIM LOCKS



No. RW-2

## FOR TUBULAR LOCKS






PLATE MOUNTING SYSTEM ON INSIDE OF  
DOOR, FOR TUBULAR OR RIM LOCKS.



## FOR RIM LOCKS



- HIGH TENSILE ALUMINUM ALLOY PLATES
- STEEL PLATE LAMINATED BACKING
- NO EXPOSED BOLTS
- NO LOCK REMOVAL TO INSTALL
- WEATHER TESTED

Either plate requires just two  $7/8$ " diameter holes bored through the door. All mounting screws and anchoring buttons are attached on the interior side of door. With illustrated instructions.


Completely surrounds the cylinder. Includes spacer shims for adapting the plate for cylinder clearance on most single cylinder tubular dead locks. Finished with a durable, epoxy hammer-tone paint — in brass or aluminum color.

No. TGP-1 Brass finish  
No. TGP-2 Aluminum finish

Flat face front offers streamlined cylinder protection for all rim type deadlocks and spring latches. Finished with a durable epoxy hammer-tone paint — in brass or aluminum color.

No. RGP-1 Brass finish  
No. RGP-2 Aluminum finish

## PADLOCK BUSTER



**No. PB-20** The Padlock Buster is designed to open most small & medium size padlocks with shackle diameters up to 5/16". Opens padlocks with toe & heel steel locking balls, up to 1/4" diameter shackle only.


— PARTS ARE AVAILABLE THROUGH YOUR DISTRIBUTOR —

No. PB-20TS  
THUMB SCREW

No. PB-20C  
CAM

No. PB-20H  
HANDLE

**NEW**



YOUR FIRST PICK FOR LOCKSMITH SUPPLIES

RPD-1

All brass (engine turned) cap and barrel. Stainless steel retractable pin.  
Easy to carry—depress spring loaded retaining pins with ease.


### OFFERS 4 DIFFERENT FUNCTIONS

- 1 — For RETAINING PIN REMOVAL
- 2 — As an ASSEMBLY TOOL
- 3 — A PIN DECODER
- 4 — A FOLLOW THRU

HERE IS A SMALL, COMPACT BUT AMAZINGLY  
VERSATILE DEVICE FOR SERVICING THE  
THREE LENGTHS OF TUBULAR LOCKS.

- Mount the tubular lock onto the fixture by turning the large flat washer with the knurled edge. This will screw the lock firmly back and against the upright post.
- The top, round guide bar has a forward hole as a drill guide and a second hole for the use of the tap.
- To remove lock case to get to the pins, drill hole into the holding plug on top of the lock. Then use the Tap to pull the plug, enabling removal of lock cover.
- Top bar can be used as a follow through, before casing is removed.
- Pins can be placed in the holes at the base of the fixture.
- Loosen thumb screw and the upright section can be laid flat for a greater working convenience.

## TUBULAR LOCK SERVICING FIXTURE



No. SUT-137

**HPC**

# PIN ASSORTMENTS

## FOR KWIKSET (.115)

### ASSORTMENT CONTAINS:

1200 Pins 1 Plug Holder  
144 Cylinder Springs 1 Cylinder Removal Tool  
1 Follower Packed in a Plastic Box

For current Kwikset cylinders of .115" diameter. Each pin, shape, size and finish is guaranteed. Springs are of phosphor bronze with tucked in ends.

### Refills BOTTOM PINS

No. 1 KBP-1 (.172") No. 2 KBP-2 (.195")  
No. 3 KBP-3 (.218") No. 4 KBP-4 (.241")  
No. 5 KBP-5 (.264") No. 6 KBP-6 (.287")


### TOP PINS No. 1 KTP-1 (.180")

MASTER PINS  
No. 1 KMP-1 (.023") No. 2 KMP-2 (.046")  
No. 3 KMP-3 (.069") No. 4 KMP-4 (.092")  
No. 5 KMP-5 (.115")



KWIKSET CYLINDER  
(Not Included)

THREE INCLUDED  
ACCESSORIES



KWK-115


## FOR TUBULAR KEY TYPE CYLINDERS

### ASSORTMENT CONTAINS:

700 Top Pins  
300 Bottom Pins  
100 Pin Springs  
Packed in a Plastic Box



For current Ace tubular keyway cylinders and vending machine locks. Each pin; shape, size and finish is guaranteed. Springs are of phosphor bronze with tucked in ends.



APS-077

## FOR YALE (.115)

### ASSORTMENT CONTAINS:

400 Master Pins 1,000 Bottom Pins  
300 Top Pins 1 gross Cylinder Springs

For current Yale cylinder of .115" diameter. Each pin; size and finish is guaranteed. Springs are of phosphor bronze with tucked in ends.

### Refills BOTTOM PINS


No. 0 CLP-0 (.184")	No. 1 CLP-1 (.203")	No. 2 CLP-2 (.221")
No. 3 CLP-3 (.240")	No. 4 CLP-4 (.259")	No. 5 CLP-5 (.276")
No. 6 CLP-6 (.296")	No. 7 CLP-7 (.315")	No. 8 CLP-8 (.334")
No. 9 CLP-9 (.353")		

### TOP PINS

No. 1 CUP-1 (.190") No. 2 CUP-2 (.230") No. 3 CUP-3 (.260")

### MASTER PINS


No. 0 CMP-0 (.020")	No. 1 CMP-1 (.038")	No. 2 CMP-2 (.076")
No. 3 CMP-3 (.110")		



YPA-115



## CARRY-OUT KEYING KIT




**No. COKO-5** . This handy kit contains almost everything needed to handle outside keying jobs. Follow thru tools, plug holders, pins, cylinder springs, tailpieces and tweezers; are all contained in this kit. An excellent machinist's vise swings up on a hinged plate, ready for instant use. The inside of the lid is lined with foam tape to keep all interior parts where they belong.

### No. KO-3 Carry-Out Kit Box ONLY.

With empty plastic bottles. Measures 17 $\frac{1}{2}$ "x 7 $\frac{1}{2}$ "x 3 $\frac{1}{4}$ ". A kit box for carrying miscellaneous parts, pins, wafers, springs, etc.


## KEYING TOOL FOR JUNKUNC



### No. DGM-1 — GRINDS BLANK TUMBLER PLUGS TO ANY DOUBLE-SIDED COMBINATION

Key your own double-sided plugs for Junkunc padlocks in no time. Just buy a supply of *blank tumbler plugs* (Junkunc No. BTC.) and avoid waiting for special factory orders. Simply insert the cut key into the plug and hold it firmly in a vise by the head of the key. Insert the DGM-1 into the chuck of any  $\frac{1}{4}$ " electric drill and feed it  $1/32$ " over the plug. Start the drill and the tool easily trims the tumblers, giving you a perfectly keyed plug. Also ideal for grinding blank tumblers as used in glove box locks on GM cars.

## THE IMPRESSIONER




A revolutionary new tool that impressions so fast & marks so well, that you won't believe your eyes.

### IMPRESSIONER PARTS

1. Bolt and wing nut which are used to hold the key in position.
2. Clacker assembly which is moved up and down in short, rapid strokes to create the impression marks.
3. The tool rod handle is used to hold the tool and keep the key in the lock.

# TRUARC RING PLIERS




Perfect for Corbin and Russwin heavy duty knob locks.

No. TRU-123  
RING SPREADER  
OFFSET




No. TRU-121  
RING COMPRESSOR



No. TRU-122  
RING SPREADER

Position for  
Ring Spreading

Position for  
Ring Compression




No. TRU-55


Two Tools in One  
COMBINATION RING SPREADING  
AND COMPRESSION TOOL

Two pivot centers - dual operation.  
No. 1 center is for compressing, and  
No. 2 is for spreading action. Change-  
overs are made quickly and easily.

## Impression File SAFETY CASE



THIS CLEAR TUBE  
CLIPS TO SHIRT  
POCKET. HAS A  
SPRING ACTION CAP.




No. IFH-1 = File Holder  
Case ONLY




No. IFH-2 = Case + #2 Cut  
Impression File

No. IFH-4 = Case + #4 Cut  
Impression File



## TRUARC RING ASSORTMENT



No. TRU-275

This assortment contains twenty-seven different styles of Truarc rings and retainers. You will find them very helpful for servicing Arrow, Best, Corbin, Dexter, Ilco, Lockwood, National, Schlage and many more. All are made of carbon spring steel and offer long-lasting tension or compression for retaining purposes.

CONTAINS 265 RINGS - ALL REFILLABLE

Shipping Weight: 2 lbs.



# PIN TUMBLER TWEEZERS




No. PTT-4

The groove in the tip provides a firm, non-twisting grip on cylinder pins for easy loading. The tip is also milled back so that the outside diameter of a standard .115" diameter pin extends past the tip. This permits "butting" the pin against the end of the plug follower when loading the upper chambers, providing added control when holding top or master pins of varying lengths.


**No. TPT-5 — THIS IMPROVED PIN TUMBLER TWEEZER** has a pin pushing attachment that makes it easier to load top pins into a cylinder.

While top pin is held in place, use forefinger to push attachment down to set pin into chamber.

Pin loading wire is removable, making this ideal also, for loading bottom pins.



## LUBRICATING GRAPHITE GUN



REFILLABLE  
LEAK-PROOF  
CLOG-PROOF

**12 GRAPHITE GUNS**  
Per Display Carton  
3 Displays Per Carton  
( 36 Guns Per Carton)


Use prior to picking or impressioning. Lossens tight wafers & pins. Perfect for lubricating key machine carriage shaft & wing nut studs. Does not attract dust or chips.  
No. SGG

### No. GG-16 BULK GRAPHITE

High quality Finest Micro-Spray refill Graphite. One pound per can.



## COMPACT PIN TUMBLER TWEEZER




No. PTT-5

Another, but shorter version of a pin tumbler tweezer. Only 4 inches long. Milled tips firmly grip top and bottom pins. A compact, pocket-sized keying aid.


## TUMBLER SPRINGS

For .115" Diameter Standard Cylinder




No. LCS  
pack of 144

For General Motors



No. GMLS  
pack of 100

For .095" & .101" Diameter Pins




No. SCS  
pack of 144


No. GMLS-500  
Economy 500 Pack

These phosphor bronze springs have tucked-in ends for easier loadings. They offer a maximum corrosion resistance and will give years of control over pins, without any tension loss or collapse.

## PLUG HOLDERS




No. CPH-9  
MULTIPLE  
CAVITY  
BENCH TYPE



No. CPH-5  
MULTIPLE CAVITY  
VISE TYPE

FITS THE FIVE  
MOST POPULAR SIZES

Holder bodies are hardened  
and have a black oxide finish.




No. CPH-15 - .405" Hole

No. CPH-8 - .500" Hole

No. CPH-10 - .510" Hole

No. CPH-20 - .550" Hole

These four plug holders provide the assort-  
ment needed to fit almost every pin tumbler  
lock core. They are made of hardened bar  
stock, so as not to become scratched by the  
file. Black oxide finish.




### RETAINER STAKING FIXTURE FOR GENERAL MOTORS AUTO LOCKS.

No. RSF-1

The tumbler retainers on GM  
Auto Locks must be staked to  
prevent their popping out and  
causing unneeded "lockouts".


This case hardened vise-held  
fixture, grips the core tightly  
without distortion while stak-  
ing the four corners of the  
retainer with a small chisel-edge  
punch.

Rigid bottom holds without  
any giving or "bounce" as may  
occur with spring loaded, ad-  
justable holder. Also ideal for  
holding most other standard  
pin tumbler cylinder cores.



### No. SUT-600 ADJUSTABLE PLUG HOLDER

THE UNIVERSAL ADJUSTABLE PLUG  
VISE. A plug holder that adjusts its own  
hole size from .350" to .600" to give a per-  
fect fit on many different cores. Plug vise  
body and slide are hardened and have a  
black oxide finish.




### PLUG HOLDER GUIDE CHART

Manufacturer	Holder
ACROLOCK	CPH-10
ALMONT (Peanut Cylinder)	CPH-15
ARROW	CPH-10
CORBIN	CPH-10
CORBIN OVERSIZE	CPH-20
CORBIN (SMALL PINS)	CPH-15
DEXTER	CPH-8
EAGLE	CPH-10
EAGLE (SMALL PINS)	CPH-15
ILCO	CPH-10
ILCO (Peanut Cylinder)	CPH-15
KEIL	CPH-10
KWIKSET	CPH-10
LOCKWOOD	CPH-10
NATL. of ROCKFORD (Except KNK)	CPH-10
NATIONAL of OZONE PARK	CPH-10
NESCO	CPH-10
RUSSWIN (.500" diameter)	CPH-10
RUSSWIN OVERSIZE	CPH-20
SARGENT	CPH-10
SCHLAGE	CPH-10
SEGAL	CPH-8
TACO	CPH-8
TAYLOR	CPH-8
WEISER	CPH-10
WELCH	CPH-8
YALE	CPH-10
YALE (SMALL PINS)	CPH-15



# PLUG FOLLOWERS




No. SUT-18 — SUPER PLUG FOLLOWER

This handy Super-Length Follower can hold 12 cylinders for convenient PIN SERVICING. Ideal for multiple cylinder Master Keying. Made of a polished stock and finished in a gleaming black and bright nickel. Has removable cylinder stops at each end. Same size as SUT-1 follower.

**FOLLOWER and PIN PUNCH, No. SUT-24**

Follower machined and zinc plated for smooth operation. Pin punch is plated and hardened.

For National-Rockford




No. SUT-23 — For Weiser Beverly design knob locks. Solid bar stock machined to perfect dimensions. Bright zinc plated.

## PLUG FOLLOWER GUIDE CHART

Manufacturer	Follower
ACROLOCK	SUT-1
ALMONT (Peanut Cylinder)	SUT-0
ARROW	SUT-1
CORBIN	SUT-1
CORBIN OVERTSIZE	SUT-10
CORBIN (SMALL PINS)	SUT-0
DEXTER	SUT-1
EAGLE	SUT-1
EAGLE (SMALL PINS)	SUT-0
ILCO	SUT-1
ILCO (4019 Rim Cylinders)	SUT-3
ILCO (Peanut Cylinders)	SUT-0
KEIL	SUT-1
KEIL (No. 30 Rim Cylinders)	SUT-3
KWIKSET	SUT-1
LOCKWOOD	SUT-1
LOCKWOOD (956 Rim Cylinders)	SUT-3
NATIONAL of ROCKFORD (Except KNK)	SUT-1
NATIONAL of OZONE PARK	SUT-1
NESCO	SUT-1
RUSSWIN (.500" Diameter)	SUT-1
RUSSWIN OVERTSIZE	SUT-10
SARGENT	SUT-1
SCHLAGE	SUT-1
SEGAL	SUT-1
TACO	SUT-1
TAYLOR	SUT-1
WEISER (All But Beverly)	SUT-1
WELCH	SUT-1
WESLOCK (Except KNK)	SUT-1
YALE	SUT-1
YALE (SMALL PINS)	SUT-0




No. SUT-0 — .395" diameter



No. SUT-1 — .495" diameter



No. SUT-3 — .500" diameter




No. SUT-10 — .550" diameter

These four plug followers will fit 99% of the rim or mortise cylinders and cylinder units currently in use. Made of centerless ground bar stock.

No. SUT-47 is a set of one of each of the above followers.

## No. SUT-22 ADJUSTABLE FOLLOWER




Fits all standard locks .495" to .600" in diameter. It will handle 90% of all locks. Spring loaded.


## HOLLOW BRASS FOLLOWER SET




SMALL — .395" diameter



MEDIUM — .495" diameter



LARGE — .550" diameter



Case with orange caps on each end

No. SUT-14 — This set contains three popular sizes of medium-hard, zinc plated, hollow brass followers. Each fits into the other and into their case for convenient compactness and protection.

This follower kit will also work on the new style Corbin and Russwin heavy duty knob lock cylinder unit. The small diameter follower is useful for cabinet locks, peanut size cylinders and the new type pin tumbler letterbox locks.

Complete set fits into a tube with an orange cap on each end. Handy, compact, efficient and lightweight.




# MORTISE CYLINDER LOCK TAP & DIE SET

Bothered by stripped mortise cylinders and lock cases? How many times has a customer come into your shop with a stripped mortise cylinder, because he unscrewed it without loosening the retaining screw or fork? This kit offers the perfect solution to this problem as well as the more important task of rethreading cylinders and cases that are no longer manufactured and must be repaired.


**No. CLD-6** Cylinder Re-threading Die Only and Holding Fixture

**No. CLT-4** Lock Case Re-tapping Tap Only

**No. CLTD-5** Complete Tap & Die Kit with Cylinder Holding Fixture & Metal Box




## METAL PUNCH and DIE SETS



**No. HDPS-4** PUNCHES A DOUBLE "D" HOLE. A necessary aid to the locksmith for installing vending machine and cam type locks on metal cabinets, sheet metal lockers, filing cabinets and cash boxes made of single wall, sheet metal of 18 gauge or lighter.

**No. SDP-700** PUNCHES A SINGLE "D" HOLE. As needed for many auto alarm cylinders and cam locks that have a single flat side on the threaded outside case. For 18 gauge or lighter sheet metal.



# DIE STAMP SETS

## HAND CUT

### LETTER SETS

Stock No.	Size
HCL-3/32	3/32"
HCL-1/8	1/8"
HCL-3/16	3/16"

No. SUT-22  
This handy Set  
PIN SERVICING  
polished stock  
movable cylinder



### FIGURE SETS

HCF-3/32	3/32"
HCF-1/8	1/8"
HCF-3/16	3/16"

FOLLOWER  
PUNCH, No. SUT-22

Follower punch made of  
zinc plated for smooth  
operation. Pin punch is  
plated and hardened.

No. SUT-22  
Solid bar made  
zinc plated



Tempered Head Prevents Mushrooming

Extra Tough Shank Prevents Bending

Hand Ground Taper Makes Locating Easier

Specially Hardened Character End Prevents Chipping


Index on Thumb Side Prevents Stamping Upside-Down

Sharp Chisel Edge Character Face Assures Clear Impressions

For the Locksmith who appreciates HAND CUT QUALITY.  
Made to last and give a good impression, for years of service.

Actual Size Numerals


4      4      4  
3/32"   1/8"   3/16"



## SPECIAL LOCKSMITH STAMPS

Permanently mark a Master or Restricted key. Let other locksmiths and key duplicators know it is a special purpose key and is part of a restricted system. Made of heavy duty steel stock, 3/8" x 5/8", hardened and flash-chromed for years of trouble free service.

ILLUSTRATIONS  
ARE NOT  
ACTUAL SIZE




No. LDND  
DO NOT  
DUPLICATE

No. LDNC  
DO NOT  
COPY

No. LMS  
MASTER


# TOOLS FOR THE LOCKSMITH



## SB-1 5 PIECE SET

### SCREWDRIVER BITS FOR ALL VARIABLE SPEEDS DRILLS

Fits power screwdrivers & attachments. Industrial-quality bits of hardened tool steel  $\frac{1}{4}$ " hex shanks cannot slip in drill chuck. Flat bits have steel screw finders to prevent slipping off Screwheads. Includes 2 Flat Bits for #4-14 Slotted Screws & one each #1, 2, 3 Phillips Bits.



## SG-1


### SAFETY GOGGLES complies with OSHA

Soft, form fitting vinyl frame. Fits over personal glasses. Protects eyes from flying particles, dust, spray. Has distortion-free lens. Well ventilated for extra comfort. Meets OSHA requirements.



### ADJUSTABLE DRILL- STOPS 1/16 to 1/2 INCH BITS. 2-pc SET. ADJUSTS TO EXACT DEPTH DESIRED.

Used for drilling perfect, exact depth holes automatically. "Stop" is slipped on bit & twisted to tightened for desired depth. No other tools needed. Eliminates guess-work, avoids costly errors. Fits Twisted Drills & Masonry bits.



## RD-1

### ROUTER-DRILL SAWS, DRILLS, ROUTS, FILES.

Fits any electric drill, drill press. Cuts own starting hole & any shape in any direction tool is removed. Sharp milled flutes for fast cutting action....will not clog! Ideal for enlarging holes, making scrolls. Cuts wood, plastics, non-ferrous metals. Made of hardened, tough steel for long life.



## QCS-1

### QUICK-CHANGE SCREWDRIVER

### 4 HEAVY DUTY SCREW- DRIVERS IN ONE! PULL- OUT, SNAP-BACK TO CHANGE BITS.

Screwdriver includes 2 double ended hex bits inserted in opposite ends of a removable hex tube. Bits are reversible in the tube, providing a total of 4 bits. Change by pulling out bits from tube or tube from handle & snapping back with ball lock. Change takes only two seconds! Bits are alloy & heat treated for maximum strength. Indestructible 6 spline tenite handle is impact & twist-proof. Bits included: #1 Phillips, #2 Phillips, #4-8 Slotted & #8-14 Slotted.




## ASD-1

### ADJUSTABLE SCREW-DRILLS

for

ANY LENGTH of SCREW. Drills, countersinks, counterbores in one operation. For every wood-screw: Flat, Round, Oval Head. For use with electric or hand drills on wood, plastic, soft metals. Drills pilot hole, shank clearance, countersink for all screw heads, counterbore for recessed heads. Counterbores to correct depth with stop indicator. Only one adjustment to length of screw! Only 4 sizes needed for No. 6-8-10-12 Wood Screws.




### ROTO-RASPS FORMS, SHAPES, CUTS, MILLS.

#### RR-12 (1/2" dia.)

#### RR-34 (3/4" dia.)

Fits any electric drill. Cuts wood, plastics, aluminum, rubber, brass, copper. Never clogs, never needs sharpening. Made of hardened and tempered  $1\frac{1}{2}'' \times \frac{1}{4}''$  shank.



## HS-2


### HOLE-SAW 7 HOLE SAWS IN ONE

#### 2 to 1 3/4" DEPTH

Consists of rugged Alloy Tool Head, 7 shatterproof Blades, Automatic "Slug-Ejector" &  $\frac{1}{4}$ " Drill Bit.




# STEERING COLUMN LOCK PLATE COMPRESSION KIT



Once the steering wheel is removed, simply screw the center post's threading onto the steering shaft & place the yoke over it. Turning inward on the center post nut compresses the plate. This leaves both hands free to pry the wire snap-ring out of the shaft's groove. Re-installation of the ring after servicing is accomplished by just sliding the ring down the tapered shank of the center post screw & back into the groove.

**No. SWLPC-1 COMPLETE KIT, INCLUDES BOTH STANDARD & METRIC THREADED SCREWS**

**NO. SWLPC-1B METRIC SCREW ONLY.**



## TILT AND TELESCOPIC STEERING COLUMNS – No. SWLPC-2

A specially designed lockplate compressor for tilt and telescopic columns used on General Motors. Assures an easier access to ignition lock retainer, after steering wheel is removed.



## No. AST-4 – CLIP REMOVAL TOOL for DOOR TRIM PADS

Gaining access to the automobile door lock cylinder requires removal of the door trim pads as well as the regulator cranks.


Removing the trim pads without tearing out the nylon retainer clips has always been difficult.

The tapered end of this heavy duty lever type tool enters between the door and trim pad and *persuades* the pad off. This greatly reduces the possibility of tearing or damaging the pad and clips.

COMPRESSES THE LOCK PLATE FOR EASY REMOVAL OF THE SNAP RING.




**KIT INCLUDES METRIC SCREW**



**Lock Plate Compressor for Conventional Steering Columns.**

Included extra, this 14mm metric internally threaded screw required for 1978 & on General Motors. Also this handy 9"x 12" vinyl pouch to carry this tool set plus many of your other automotive service devices.



**REMOVE AUTO LOCK FACE CAPS IN SECONDS – EASILY!**

## No. ALCP-10 AUTO LOCK CAP PLIERS


The specially machined tips grip like the JAWS OF A BULLDOG – and won't let go!

Quickly removes either the factory lock caps, using the rolled crimp; or the "Tab Style" replacement caps.

*Side cutters and cut fingers are now a thing of the past!*

**FOREIGN AUTO CAPS** – With some care, it should be possible to remove these hard to replace foreign caps with a minimum of distortion, thereby being able to re-use the removed cap again.

This heavy duty forged pliers should give years of good service, and is a valuable addition to your auto lock service department.



## No. AST-3 – CLIP REMOVAL TOOL for DOOR HANDLE AND WINDOW CRANKS


Used on General Motors, Ford and AMC automobiles. Easily removes the hard to reach retaining clips – without damage.

# SAFE DRILLS

## CARBIDE TIP




No. SHPD-6 3/8" Carbide Tip




No. SHPD-8 1/2" Carbide Tip

The Carbide tipped drill bit is a good general purpose bit designed to drill hardened steel.

## TUNGSTEN TIP




No. SHPD-12 1/4" Tungsten Tip




No. SHPD-14 3/8" Tungsten Tip

These genuine Carbon Tungsten tipped drills are designed for use on hardened die steel. Their main purpose is to make possible the drilling of steel that has been hardened to Rockwell C-40 or harder without the usual annealing process or reverting to the slow and costly grinding method. We do not guarantee these drills against chipping or breakage caused by unintentional misuse to which they might be subjected.

## EMERGENCY SAFE DIAL





No. MED-66. NUMBERS AND  
MARKINGS ON DIAL ARE  
WHITE ON ENAMELED BLACK




Drive a wedge or pin in at the edge of the broken spindle end to keep it from turning, and then drill a small hole into the center of the spindle stub. Remove the anchoring wedge or pin. Hammer the pointed spindle end of the Emergency Dial into the drilled hole until it is firmly attached to the broken spindle. The Emergency Dial is ready to work the combination for opening the safe and making repairs.

# NOSE PULLER and DOOR PULLER for SAFE DEPOSIT BOXES



NOSE PULLER  
No. NP-4B



This heavy wrought and bar steel set is expertly machined and finished to effectively pull out a lock core. Simply turn screw into the center of core's keyway to act as an anchor. Then slip the spacer block into place and tighten by turning knurled knob. Continue turning clockwise, slowly and gradually until the entire core is drawn out. Then use the guard key and disengage bolt. If door does not open, then it becomes necessary to use the Door Puller device No. DP-7B. The Nose Puller set is available separately however when ordering the No. DP-7B Door Puller set, the Nose Puller set No. NP-4B is included, along with a steel carrying case.



#### REPLACEMENT PARTS FOR THE No. NP-4B NOSE PULLER SET

- No. NP-4B-1 = Screw Retainer
- No. NP-4B-2 = Standard Hex Head Sheet Metal Screw
- No. NP-4B-3 = Threaded Shaft
- No. NP-4B-4 = Ball Thrust Bearing
- No. NP-4B-5 = Knurled Knob
- No. NP-4B-6 = Handle
- No. NP-4B-7 = Spacer Block


#### DOOR PULLER set No. DP-7B / INCLUDES NOSE PULLER set No. NP-4B – All Within A Carrying Case



#### REPLACEMENT PARTS FOR THE No. DP-7B DOOR PULLER

- No. DP-7B-1 = Hooked Anchoring Post
- No. DP-7B-2 = Knurled Nut only, to fit Anchor Post and Leg
- No. DP-7B-3 = 3 Diameter Spacer Block
- No. DP-7B-4 = Flat Blade
- No. DP-7B-5 = Slotted Leg with Foot
- No. DP-7B-6 = Handle
- No. NP-4B-4 = Ball Thrust Bearing
- No. NP-4B-5 = Knurled Knob for Thrust Bearing

#### DOOR PULLER No. DP-7B



Complete Door Puller set  
in position and ready to pull  
out the safe deposit box door.

After the lock core has been pulled and use of the guard key has not opened the door, then it is time to apply the Door Puller set.

Place the stepped Spacer Block onto the hook unit. The three different diameter steps make it adaptable to three different sizes of plug bores. Place the correct diameter step into the corresponding bore. Have the hook end set against the inside back wall of the door, then tighten the knurled nut to hold hook in place. The flat surface on the outside of the hook unit should be in a level position.

The long flat blade is then fitted onto the holding slot, along with the remainder of the Puller unit, as shown above. Position feet of Puller unit onto "Rebates" (partitions between boxes) or away from centers of adjacent doors, so as to minimize the possibility of distortion. The knurled nut is then turned until the door is pulled out.

# LUGGAGE KEY

# SAFE CHANGE KEYS

## DIEBOLD



**SLC-12**  
4 TUMBLER  
RIGHT HAND  
SERIES 161



**SLC-13**  
3 TUMBLER  
RIGHT HAND  
SERIES  
172 & 182




**SLC-14**  
4 TUMBLER  
RIGHT HAND  
K & M LOCK  
172 & 182




**SLC-15**  
3 TUMBLER  
LEFT HAND  
SERIES  
172 & 182




**SLC-16**  
4 TUMBLER  
LEFT HAND  
SERIES 161



**SLC-17**  
SERIES 177  
And 900



**SLC-18**  
SERIES 180




**SLC-19**  
DOUBLE END  
KEY  
SERIES 180  
177 & 900  
Two Keys In One


## YALE




**SLC-6**  
EARLY  
3 TUMBLER  
OC-8




**SLC-26**  
225




**SLC-27**  
2421



**SLC-37**  
FITS LOCK NOS.  
B31 B41  
B31T B41T  
B31R B41R  
B31RT B41RT



**SLC-28**  
2455




**SLC-29**  
2431




**SLC-30**  
OC-8

## HALL & YORK



FITS HALL COMBINATION LOCKS




FITS YORK  
COMBINATION  
LOCK NO. 480

RIGHT OR LEFT HAND



# SAFE CHANGE KEYS


SARGENT & GREENLEAF



(No. SLC-4 and No. SLC-31,  
are now the same.)

<b>SLC-4</b> 6720 6730	<b>SLC-31</b> 6721 6722 6732 6725 6735	T8410MP T8415MP ET8410MP ET8415MP
---------------------------	---	--

## MOSLER



# LUGGAGE KEY BOARD ASSORTMENT

FLAT, FORMED, MILLED BRASS, CAST and STEEL KEYS  
ALL CUT and READY TO USE.


Here is the Luggage Key Assortment to service the requests of your customers. This board contains a wide variety of the most popular keys, as a permanent fixture in your shop.

A heavy gauge metal mounting board and hooks are included.

No. LKBA-400 400 Assorted Luggage Keys


Assortment contains keys made by these major producers of luggage locks and keys.

CHENEY - CREST - EAGLE - EXCELSIOR  
LONG - NEUMAN - N. R. W. PRESTO  
SAMSONITE - SKYWAY




## LUGGAGE KEYS


### CHENEY



### CHENEY




### CREST









**HPC**

# LUGGAGE KEYS



# LUGGAGE KEYS



## GIVE-AWAY KEY RINGS



No. GAK-6

Actual Size GAK-6



No. GAK-4



No. GAK-3

Quantity .....	1000 .....	1000 .....	1000 .....
Diameter .....	1" .....	3/4" .....	5/8" .....
Gauge .....	0475 .....	0475 .....	0475 .....
Shipping Wt. ....	2 lbs. ....	1 lb. 8 oz. ....	1 lb. 4 oz. ....

Manufactured from hardened spring steel wire and bright zinc plated to resist tarnishing.


These rings are so inexpensive that they can be given away with duplicate keys.

## UTILITY TAGS


### PERSONAL PROPERTY TAGS For PRICE or SIZE TAGS For WILL-CALL ITEMS

For use on heavy or much handled merchandise, where strength and non-mutilating qualities are required. These Metal Rim Tags are manufactured from heavy stock with a smooth writing surface.

Each tag has an attached string, looped and knotted. PACKED 100 PER BOX.



## LARGE KEY RINGS



No. LKR-6 = 6" diameter

No. LKR-8 = 8" diameter


No. LKR-11 = 11" diameter

Made of half-hard steel, bright nickel plated. Brass fastener, screws either to left or right. Eleven inch ring slips over head easily, for carrying around the neck if so desired. Will hold about 260 cylinder keys.


## LIGHTWEIGHT FIBER TAGS

100 PER BOX

### RING TYPES




### SNAP TYPES




No. EYR-7

No. EYS-6



No. EYR-5



1 3/4" Diameter



No. EYS-8

No. EYR-5

# KEY BLANK INVENTORY CONTROL




These tag's offer a quick visual method of controlling key blank inventory.

Simply mount these bright yellow tag's directly on the key hook in front of your determined "order point".


No. INV-1 Packed 100 per box

## SECURITY LOCKING BARS



HEAVY DUTY 1/2" x 1 1/2"  
CHANNEL STEEL


Stock No.	Drawers	Length
No. SLB-42	2	27"
No. SLB-43	3	39-1/2"
No. SLB-44	4	51-1/2"
No. SLB-45	5	59-7/8"



Secure Locking Bars are quickly installed on steel or wood file, blueprint or tool cabinets.

Packed with all necessary hasps, staples and screws for easy, on-the-job installation.


## HOLLOW MILL DRILLS SET



No. HMD-5

For drilling off luggage lock rivet heads when servicing suitcase locks. Can also be used to shear base plate rivets on Master Padlocks. Fits into either a hand drill or an electric drill.

No. GMTD-5



## GM TUMBLER DECODER GAUGES

This inexpensive set of gauges eliminates the guess work, when reading the GM tumblers. No need to take apart or waste key blanks by "eye-balling" the depths.

Simply press inward on the side bar and rake the tumblers, until the side bar moves inward to the unlocked position. Then, place gauge pin over each wafer until the shoulder stop, butts against the top of the plug.




# SPEEDEX KEY MACHINE PARTS

## REPLACEMENT PARTS AND PARTS LOCATIONS


WHEN ORDERING PARTS FOR THIS MACHINE, USE PREFIX No. 9100— THEN ADD PART No.

- 1 — Base
- 2 — Key Gauge
- 3 — Key Gauge Shaft
- 4A — Cutter Shaft, MC & SMS Models
- 4B — Cutter Shaft, DKM Model
- 5A — Milling Cutter, MC Model
- 5B — Side Milling Cutter
- 5C — Milling Cutter, DKM Model
- 6 — Thrust Washer (2) .125" thick
- 6A — Thrust Washer, (1) .157" MC Model
- 6B — Thrust Washer, (1) .205" MC Model
- 6C — Thrust Washer, (1) .110" DKM
- 7 — Nut for Cutter Shaft, MC & SMS
- 7A — Nut for Cutter Shaft, DKM Model
- 8A — Carriage Body, Studs, Key Rests Only
- 9 — Carriage Shaft
- 10A — Vise Flaps (2)
- 11 — Set Screws for Carriage Shaft
- 13 — Springs for Vise Flap (13)
- 14 — Wing Nut (2)
- 15 — Stud for Wing Nut (2)
- 16 — Chip Guard
- 17 — Screw for Chip Guard
- 17A — Lockwasher for Chip Guard
- 18 — Oil Cup
- 19A — Machine Pulley
- 20 — Fibre Pulley Washer
- 21 — Cutter Shaft Bushings (2)
- 22 — Key Rests (2)
- 23 — Copy Dog, SMS Model Only
- 23A — Copy Dog, MC Model Only
- 23B — Copy Dog, DKM Model
- 24 — Wire Brush
- 25 — Nut for Wire Brush
- 26 — Guide Binding Washer
- 27 — Guide Adjusting Screw
- 28 — Guide Binding Screw
- 29 — Steel Mounting Board
- 30 — Pulley Guard
- 31 — "V" Belt




## KEY MACHINE ACCESSORIES

### THRUST BEARINGS and KEY BLOCKS




No. BBW-2


Set of 2 ball bearing units and four hardened steel washers for key machine wing nut studs.



No. FB-1



Set of 2 narrow key rests, raises the key off the bottom of the key rest, for cutting narrow keys or keys with very deep cuts.




# COMBINATION LOCKS


## Standard Features All Locks

Satin Chrome Dial and Ring  
Relocker and Key Change  
ADAPTA 4 Way Cam  
Anti Spy Guard  
Key Locking Dial

Personalized Safe Locks  
Your Company Name or Logo  
No Set-Up Charge  
No Minimum Quantity  
One time tooling charge




GROUP 2




HP1800  
LOCK ONLY


GROUP 2




HP1800  
COMBINATION LOCK



HP1830  
STANDARD DIAL



HP1831  
ANTI SPY GUARD



HP1832  
KEY LOCKING



HP1833  
ANTI SPY GUARD  
KEY LOCKING


## LOCK SETS

**STANDARD FEATURES:** All locks have a satin chrome dial and ring. Adapta 4 way cam can be mounted RH, LH, VU, VD. Plus all locks have a relocker and key change. Spindle length may be cut off to accommodate door thicknesses from 1/2" to 3 1/2".

### Features of HP1800 Series Group 2 Combination Locks

1. Wheels are simple three piece construction.
2. Wheels cannot be left unlocked after combination change.
3. Single piece gate wheel design for truer static balancing.
4. One piece precision cast lever and fence eliminates tolerance build up.
5. Lever spring is reversible for easy servicing.
6. Positive relock eliminates "fishing" when spindle is punched.
7. The housing is designed to resist binding distortion during installation.
8. Dials and rings, satin chrome finished with copper and nickel base.
9. Completely interchangeable with Group 2 key change combination locks manufactured by others.

GROUP 2




## 4-WHEEL COMBINATION LOCK

HP1847  
COMBINATION LOCK




## TIME DELAY




1. 1840 COVER
2. 1808 CAM ASSEMBLY
3. 1307 CHANGE KEY
4. 1829 HOUSING
5. 1839 MOUNTING SCREWS
6. 1848 TIME DELAY MOVEMENT
7. 1849 MOVEMENT MOUNTING SCREWS
8. 1813 THREADED STUD
9. 1809 LEVER ASSEMBLY

HP1843RL TIME DELAY LOCK WITH MOVEMENT


## TIME LOCK




## DIAL RING PULL HANDLE




## LOCK DIALS




HP1777  
STANDARD DIAL AND RING



HP1779  
KEY LOCKING



HP1778  
ANTI-SPY



HP1780  
ANTI-SPY AND KEY LOCKING

**STANDARD FEATURES:** satin chrome dial and ring. Spindle length may be cut off to accommodate door thicknesses from 1/2" to 3 1/2".



# NUMERICAL INDEX

STOCK NO.	PAGE	STOCK NO.	PAGE	STOCK NO.	PAGE	STOCK NO.	PAGE
AA-1	8	EYS-6, 8	59	KEKAB-160X	20	SKM-2D	36
AA-2	8	EZ-1 thru 5	5	KEKAB-240	21	SKM-3DM	36
AA-3	35	EZ-6 thru 7D	6	KEKAB-260X	20	SLB-42 thru 45	60
AA-4	35	F-095-1 thru 3	42	KEKAB-330, 500	21	SLC-1 thru 43, 54, 55	
ACS	41	FB-1	61	KEKAB-730	21	SLP-0 thru 9	42
ADG-1	38	FEE-1	5	KEKAB-A, B	20	SN-100	23
ADS-1	50	FNB-2	61	KEP-12 thru 17	24	SNK-2	17
AG-1, 2	8	G-1, 2	8	KM-60, 70	36	SPA-115	42
ALCP-10	51	GAK-3, 4, 6	59	KMP-1 thru 5	41	SPM-2 thru 9	42
APS-077	41	GG-16	45	KO-3	43	SPO-3 thru 26D	37
ARP-1	41	GMLS	45	KTP-1	41	SPR-3 thru 26D	37
ASD-1	50	GMLS-500	45	KWK-115	41	SPT-1, 2, 3	42
AST-3, 4	51	GMTD-5	60	LCS	45	SWLPC-1, 1B, 2	51
ATP-1 thru 7	41	HAC	27	LDNC, LDND	49	STW-3	6
BB-1	8	HCF-3/32, etc.	49	LKBA-400	56	SUT-0 thru 47	47
BB-2	8	HCL-3/32, etc.	49	LKR-6, 8, 11	59	SUT-137	40
BB-3	35	HDPS-4	48	LMS	49	SUT-600	46
BBW-2	61	HDSL C	27	LPX-10 thru 16	5	SVM	33
BPX-1 thru 61	5	HGCB	25	Luggage Keys		TEN-2 thru 9	6
C-095-0 thru 6	42	HJAC	28		56, 57, 58	TGP-1, 2	39
CARD-BP	12	HKD-75	36	MO95-1 thru 3	42	TI-1	43
CBB-1A	26	HKR-20 thru 138	16	MED-66	52	TLP-C, L, R	7
CDJ-1, 2	8	HPX-10, 11, 12	5	MJ-1	11	TLP-C MOD-B	7
CLD-6	48	HLSC	28	MLCO-2, 4	35	TLP-OFT	7
CLP-0 thru 9	41	HMCC	29	MRO-3	35	TLP-UL	7
CLPS-0 thru 6	42	HMCCX	29	NDPK	1	TOAM-2	34
CLT-4	48	HMD-5	60	NDPK-32	1	TPT-5	45
CLTD-5	48	HMPC	27	NDPK-60, 100	2	TR-2 thru 25	6
CMC-1	12	HNLC	27	NP-4B	53	TRU-1 thru 28	44
CMP-0 thru 3	41	HP1600-2	63	NP-4B-1 thru 7	53	TRU-55	44
CMPS-1 thru 3	42	HP1600-3	63	NT-1	23	TRU-121, 122, 123	44
CO-4	9	HP1776	63	ODG-6	38	TRU-275	44
CO-6	9	HP1777	63	OT-10, 100	23	TYX-3, 6	17
CO-10	9	HP1778	63	OVD6-11 thru 14	37	VDG-1 thru 4	38
CO-11	9	HP1779	63	P-2 thru 35	5	VDG-10	37
CO-18	9	HP1780	63	PB-20	40	VIPS-1	4
CO-20	10	HP1800	62	PB-20C, H, TS	40	VV-6	6
CO-22	10	HP1830	62	PIP-13, 15	4	WLP-0 thru 9	42
CO-24	10	HP1831	62	PIP-23	3	WMP-2 thru 9	42
CO-26	10	HP1832	62	PKS	5	WPA-115	42
CO-28	10	HP1833	62	PLT-1	23	WTP-1	42
CO-33	10	HP1843RL	63	PTS-1	12	YPA-095	42
COKO-5	43	HP1847	62	PTT-4, 5	45	YPA-101	42
COMP-1	3	HPCB	26	PX-1 thru 31	5	YPA-115	41
CP-5	12	HPX-1 thru 31	5	QCS-1	50	1-1 thru 13-1	30
CPH-5 thru 20	46	HS-2	50	R-1	5	200	16
CPX-10 thru 12	5	HSCB	36	RD-1	50	511	22
CUP-1 thru 3	41	HSMC	29	RGP-1, 2	39	700DKS thru	
CUPS-1 thru 4	42	HYC	28	RPD-1	40	809DKS	31, 32
CW-3FSHS		HYD	29	RR-12, 34	50	1200CM, CMDC,	
thru 1012	17	HYPC	28	RSF-1	46	CM220V	11
CW-51MC	17	IDG-7, 8	38	RW-2, 3	39	3333CA, CADC,	
DC-12	12	IFH-1, 2, 4	44	SB-1	50	CA220V	14
DGM-1	43	INV-1	60	SCC	34	6666CA, CA220V	13
DP-7B	53	JKP-5	4	SCS	45	9100-1 thru 31	61
DP-7B-1 thru 6	53	JPO-1	4	SDL-15	33	9100MC	15
DSP-1	4	KB-10P thru 160N	23	SDP-700	48	9100SMS	15
DSP-A, B, C, D	4	KBP-1 thru 6	41	SG-1	50	9110MC, MCDC,	
EP-007	4	KEBOX-8	22	SGG	45	MC220V	15
ERD-0 thru 3	59	KEKAB-30		SHPD-6 thru 14	52	9110SMS,	
YEY-5, 7	59	thru 110	19	SKM-1	36	SMS220V	15
						9310DKM	15

## TIME DELAY

# NOTES

MANUFACTURER & PUBLISHER  
IN SERVICE TO THE  
LOCKSMITH INDUSTRY

