
CATALOG 701



Manufacturers of
KEY CONTROL SYSTEMS
KEY CUTTING MACHINES
HARDWARE SPECIALTIES

and Publishers of CODE and TECHNICAL BOOKS for LOCKSMITHS

WILCO SUPPLY
5960 TELEGRAPH AVE.
OAKLAND, CA. 94609
PHONE (415) 652-8522



# CATALOG 701



Copyrighted 1973
H.P.C. Inc., Chicago, Illinois 60659

This catalog offers a greater variety of tools, supplies and equipment necessary for the progressive locksmith. Improvements of our products and new, convenient items are part of our program to be of service in the most satisfactory way available. Quick and easy location of all our units are made possible with the Alphabetical Index at the beginning of this catalog and a Numerical Index at the back section. We are grateful to our friends who make effective use of our catalog and products.

# ALPHABETICAL INDEX

Item	Page	Item	Pag
Plates, Guerd, cont.		Code Books, cont.	
Accessories, Key Cabinet	4	Locksmith Shop Codes	T atotoM laten
Key Machine		Master Combination Padlock Codes	
Ace Pin Assortment		Master Combination Padlock Codes	
Armor Plates,		National Lock Codes	
For Mortise Locks	39	Padlock Code Book	
For Rim Locks	39	Yale Cabinet Lock Codes	
		Yale Padlock Codes	
Assortments, Flat Spring Wire	24	Yale & Dudley Combinations	
Luggage Key		Yale Locker Lock Codes	
Pin Tumbler		Code Book Supplementary Binder	
Spring, Lock		Code Book Supplements	
Truarc Ring	46	Cutters, Key Machine	
Automobile Code Book	13	Cylinder,	
Automobile.		Drill Jig	28
General Motors Try-Out Keys	28	Scar Plates	40
Opening Tools		Springs	34
		Cylinder Guard Plates,	
Bars, Filing Cabinet Security	58	Display	35
Bearings, Thrust		Narrow Stile	
Binder, Supplementary Code Book		For Mortise Locks	39
Blocks, Key Machine	54	For Rim Locks	39
Boards,			
Burglar Barriers	35	"D" Punch and Die Set,	
Key Rack		Single "D" and Double "D"	
Luggage Key	52	Decoder, Tubular Lock	
Books,		Depth Key Sets	
The Art of Manipulation		Dial, Emergency Safe	
Automobile Codes		Diamond, Lockpicking	
General Code Book		Die, Cylinder Rethreading	
Honda & Suzuki Motorcycle Codes		Die Stamp Sets	
Locksmith Shop Codes		Die Stamps, Special Locksmith	
Master Combination Padlock Codes A & B		Display, Lock and Cylinder Guard Plate	S 35
Master Combination Padlock Codes M, V & X		Door Guards,	20
National Lock Codes		Cylinder for Mortise Locks	
Padlock Code Book		Cylinder for Rim Locks Glass Paneled Door Security Guards	
Safe and Vault Manual		King-Size	
Safe Combination Changing		Latch Lock	
Story of Safe Deposit Box Locks		Narrow Stile	
Yale Cabinet Lock Codes		Offset	
Yale & Dudley Combinations		Vestibule Lock	
Yale Locker Lock Codes		Drills,	
Yale Padlock Codes		Cylinder Jig	28
Box,	Moking	Hollow Mill	
Carry-Out Keying Kit	45	Safe	
Key Keeper		Tubular Lock	10
Broken Key Extractors			
Bulk Graphite		Electric Opener "Face Extensions"	40
		Emergency Safe Dial	20
Cabinets, Key	1-3	Extractors, Broken Key	8
Car Opening Tools			
Carry-Out Keying Kit		Feeler, Lockpicking	8
Chains, Key		Figures, Stamp Set	
Change Keys, Safe	.21-22	Filing Cabinet Locking Bars	
Code Books, Automobile Codes	10	Flat Spring Wire Assortment	
		Flip-It	
General Code Book		Followers, Plug	32
Honda & Suzuki Motorcycle Codes	14	SEE NUMERICAL INDEX AT BACK OF TH	HE CATALOC



### ALPHABETICAL INDEX

Item	Page	Item	Page
General Code Book	11	Lock,	
General Motors Try-Out Keys	28	Cylinder Drill Jig	28
Give-Away Key Rings	47	Tap & Die Set	. 31
Glass Paneled Door Guards	41	Guards	35-40
Graphite, Bulk	39	Pick Sets	
Graphite Gun	39	Picks	8
6		Safe Locks	. 23
Cylinder for Mortise Locks	39	Spring Assortment	
Cylinder for Rim Locks		Lock and Cylinder Guard Plates,	
Glass Paneled Door Security Guard		Display	. 35
King-Size		King-Size	36
Latch Lock		Latch Lock	. 37
Narrow Stile	38	For Mortise Locks	39
Offset	. 36	Narrow Stile	. 38
Vestibule Lock	37	Offset	. 36
Guards, Window	42	For Rim Locks	. 39
Gun, Graphite	39	Vestibule	. 37
		Locker Lock Codes	
Handcuff Keys	51	Locksmith Die Stamps	
Holders, Plug	33	Locksmith Shop Codes	
Hole Saw, Tubular Lock	. 10	Lubricating Graphite Gun	
Hollow Mill Drill Set	. 29	Luggage Key Board Assortment	
Honda & Suzuki Motorcycle Codes		Luggage Keys	49-51
Hook, Kekab Snap Hooks		olar Barriers	
Hotel Key Rings	. 47	Machines, Key	53,55
Of Tubular Lock Social reludity rele	CARC	Metal Punch and Die Set,	or LL
Jig, Cylinder Drill		Single "D" and Double "D"	
Junkunc Keying Tool	. 29	Micrometer, Cut Key	
B B		Mortise Cylinder Lock Tap & Die Set	
Key, Cabinet Accessories	4	Mortise Lock Guard Plates	, 39
Cabinets		Needles, Pick	a
Cabinets		Nose Puller, Safety Deposit	
Chains	HUE LL	Numbered Tags	
Control Racks		Numbers, Die Stamp Set	
Extractors		Trainstit, Bio Stamp Got 11	
Machines		Offset Lock Guard Plates	. 36
Machine Accessories		Openers, Automobile	
Machine Cutters		Out Tags, Key Control	
Machine Parts			
Micrometer	31	Padlock Code Book	.12
Rings		Panels, Key Control	4
Sets, Depth Key	17-18	Paper Tags	
Stamping Dies		Parts, Key Machine	54,56
Key Keeper Box	. 38	Picking Tools	8
Keying Kits	45	Picks,	
Keying Tool for Junkunc	. 29	Needles	9
Keys,		Tubular Lock	
Depth Keys		Sets	
GM Try-Out Keys		Warded Padlock	. 8
Handcuff Keys		Pin, Assortments	12 11
Luggage Keys		The Aller and the Control of the Con	
Safe Change Keys		Tweezers	. 34
King-Size Guard Plates		Plates, Guard, Cylinder for Mortise Locks	30
NAME OF THE WOOD FUNDING	. 43	Cylinder for Rim Locks	
Large Key Rings	47	Glass Paneled Door Security Guard	
Latch Lock Guard Plates		King-Size Guard	
Letters, Die Stamp Sets		Latch Lock	
Letters, Die Stamp Sets	182		
		SEE NUMERICAL INDEX AT BACK OF THIS CATA	ALOG




# ALPHABETICAL INDEX

Item	Page	Item	age
Plates, Guard, cont.		Stainless Steel Key Chains	
Narrow Stile	38	Supplementary Code Book Binder	
Offset		Supplements, Code Book	16
Vestibule Lock		T	
Plates, Cylinder Scar		Tags,	1
Pliers, Truarc		Key Control Tags	
Plug Followers		Lightweight Fiber	
Plug Holders		Tap, Lock Rethreading	
Pullers, Safety Deposit Box Lock		Tension Wrenches	
Punches, Metal Single "D"		Thrust Bearings, Key Machine	
runches, Metal Double D	29	Tools,	54
Racks, Key Control	4	Broken Key Extractors	8
Rakes, Lockpicking		Car Opening Tools	27
Rim Lock Guard Plates		Carry-Out Keying Kit	45
Replacement Parts,		Cylinder Drill Jig	28
Simplex Key Machine	56	Die Stamp Sets	
Speedex Key Machine		Depth Key Sets	7-18
Rings,		Emergency Safe Dial	
Key Rings		General Motors Try-Out Keys	
Truarc Ring Assortment	46	Graphite Gun	
		Hollow Mill Drills Set	
Safe,	21.20	Key Cutting Machines	
Change Keys		Key Machine Cutters	
Deposit Box Lock Pullers		Key Micrometer	
Dial, Emergency		Keying Tool for Junkunc	
Locks		Mortise Cylinder Lock Tap & Die Set	
Safe Books,		Picks	
The Art of Manipulation	20	Pin Tumbler Tweezers	
Safe and Vault Manual		Plug Followers	
Safe Combination Changing		Plug Holders	
Story of Safe Deposit Box Locks		Safe Change Keys	
Safe Locks		Safe Drills	24
Safety Deposit Box Puller Sets	25	Tension Wrenches	9
Scar Plates, Cylinder	40	Truarc Ring Pliers	
Schlage Pin Assortment	44	Tubular Lock Drills	
Security Locking Bars, Filing Cabinet	58	Tubular Lock Picks	10
Sets,		Truarc,	46
Car Opening		Tilling Assortinicite	
Depth Key		Ring Pliers	28
Key Die Stamps		Tubular Lock,	20
Lock Tap and Die	31	Drilling Tools	10
Luggage Key		Lock Picks	
Pick		Tweezers, Pin Tumbler	
Safety Deposit Box Lock & Door Pulle			
Simplex Key Cutting Machines		Utility Tags	48
Simplex Key Machine Parts			
Slotters, Key Machine		Vestibule Door Guards	37
Snap Hooks, Kekab Tag	4	Volkswagon Car Opener	27
Space and Depth Keys			
Speedex Key Cutting Machines		Window Security Guards	
Speedex Key Machine Parts	54	Wrenches, Tension	. 9
Spring,		Vala 9 Duellas Caralination	1.4
Assortment, Lock		Yale & Dudley Combinations	
Cylinder Tumbler		Yale Radioak Codes	
Flat Stock Assortment		Yale Padlock Codes	
Stamps, Special Locksmith	30	Yale Pin Assortments	



## KEKAB KEY SECURITY CONTROL SYSTEMS



The variety of sizes and capacities of these KEKABS should prove to be ideally suited for key storage in small or large offices, hotels, apartment buildings, motels, industrial plants, schools and institutions.

KEKABS offer a convenient, central location for keys, under security conditions.

All KEKAB doors and panels have piano type hinges and the door has a five disc tumbler cam lock. All stress points are electro welded.


No. KEKAB-30 (30 Keys)  $12 \times 8 \times 2\%$  inches. Shipping Weight: 4 lbs. No. KEKAB-60 (60 Keys)  $17 \times 13 \times 3\%$  inches. Shipping Weight: 10 lbs. No. KEKAB-110 (110 Keys)  $17 \times 13 \times 3\%$  inches. Shipping Weight: 11 lbs.



# KEKAB KEY SECURITY CONTROL SYSTEMS

### TWO EXPANDABLE KEKABS

WITH ALL HARDWARE AND INSTRUCTIONS



No. KEKAB-160X 160 Key Capacity. 20" x 16½" x 5." Shipping Wt. 18 lbs. Expandable to 330 key capacity. See Expansion Leaf below.


No. KEKAB-260X 260 Key Capacity. 25%"x 17%"x 5%". Shipping Wt. 24 lbs. Expandable to 500 key capacity. See Expansion Kit below.

KEKAB-160X (SHOWN ABOVE) AND KEKAB-260X ARE SPECIALLY DESIGNED TO ACCEPT THE ADDITION OF THE EXPANSION LEAF

# EXAMPLE OF A COMPLETE EXPANSION LEAF


No. EL-330X Expansion Leaf Kit is for use with No. KEKAB-160X shown above. It increases the capacity to 330 keys. All attaching hardware is included. Has tags numbered 161 thru 330, with snap hooks — plus a control chart.

No. EL-500X Expansion Leaf Kit is for use with No. KEKAB-260X listed above. It increases the capacity to 500 keys. All attaching hardware is included. Has tags numbered 261 thru 500, with snap hooks — plus a control chart.





# KEKAB KEY SECURITY CONTROL SYSTEMS




All KEKABS are made of a heavy gauge metal and finished in a textured neutral tan.

Each KEKAB has a full complement of numbered tags with snap hooks. These KEKABS offer a full vision of all key panels, and come with a key control chart.

No. KEKAB-240 (240 Keys)  $20 \times 16\% \times 5$  inches. Shipping Weight: 23 lbs. No. KEKAB-330 (330 Keys)  $20 \times 16\% \times 5$  inches. Shipping Weight: 23 lbs. No. KEKAB-500 (500 Keys)  $25\% \times 18 \times 5\%$  inches. Shipping Weight: 33 lbs. No. KEKAB-730 (730 Keys)  $25\% \times 18 \times 7$  inches. Shipping Weight: 48 lbs.




### KEKAB KEY CONTROL RACKS




These KEY CONTROL RACKS are designed to offer an economical control system for 10 to 160 keys. Choose the rack size required. The open file arrangement and identification tags with hooks, provide an open-view and ready convenience in a central location.

This should prove to be a desirable system where informal key security is all that is needed. Ideal for use in any home, club, church or institution.



### **DELUXE PICK SET**



Shirt Pocket Size

Top Grain Leather Case

Tools are of Spring Steel


16 Picks, Tension Tools, & Extractors

Shipping Weight: 5 ounces

No. NDPK

FOR YEARS, H.P.C. picks have been the standard choice of the industry. Each pick is made of hard finished clock spring steel, tempered to the correct degree of hardness. Whether the subject is wafer tumbler locks or six and seven pin tumbler locks, H.P.C. picks provide the best quality tools for the particular job at hand.

### SUPERIOR PICK SET



No. NDPK-32

Hip Pocket Size


Top Grain Leather Case

Tools are of Spring Steel

Hand Finished Components
32 Picks, Tension Tools & Extractors
Shipping Weight: 7½ ounces



### PROFESSIONAL PICK SET



No. NDPK-60 Shipping Weight: 1 lb.

The Professional Pick Set is a wise choice for either the newcomer or master locksmith. It is a general assortment of the most popular picks, tension wrenches, key extractors and feelers, manufactured by the world's largest producer of locksmith picking tools.


Contains full, half and three-quarter rakes and diamond tip picks, single, double, half double ball picks; light, medium and heavy weight tension wrenches of various lengths and styles. Plus, hook and saw type key extractors, and many more necessary tools vital to the trade.

### PARAMOUNT PICK SET

The Paramount Pick Set has been made available for the discriminating locksmith who desires an assortment of lock picking tools of this size so that replacements will not be necessary for some time.

Set has a wide choice of full, half and three-quarter rakes and diamond tip picks; single, double, half single and double ball picks; light, medium and heavy weight tension wrenches; hook and saw type key extractors. Included also, are a set of warded padlock pick keys. More of the tools for the technician — all carried in a handy leather zippered case, measuring 9"x 6" when closed.

No. NDPK-100 Shipping Weight: 2 lbs.






# NOVICE PICK SET

Contains 11 Picks, Tension Wrenches and a broken key extractor. All of these are made of Clock Spring Steel and are tempered to the right hardness. Secured in an attractive, top-grain cowhide leather case.

No. PIP-13 Shipping Weight: 3 ounces

# TYRO PICK SET




Has 9 Picks, Tension Wrenches and a key extractor. All are contained in a top-grain, cowhide leather case. Shipping weight: 2% ounces.

No. PIP-15



### **PICKING TOOLS**



### ABOUT LOCK PICKING TOOLS ...

Illustrated here, are the world's finest lock picking tools. They are produced from blue, oil tempered spring steel, and are individually finished. Whether your preference is for light or heavy weight rakes, diamonds or hooks — with or without handles, or for double end picks, for saw or hook type extractors — the tool you require can be found here.

The very popular LPX-10 diamond, LPX-11 rake and the LPX-12 hook are now available in .025" thickness. Those desiring the added rigidity of a heavier weight pick, should order HLPX-10, HLPX-11 or HLPX-12 as shown above.


Over 30 years experience in lock pick manufacturing is behind the statement of "H.P.C. Picks — the Best."

A majority of locksmiths, the world over, prefer and rely on H.P.C. lock picking tools.

All are American made, of materials produced in the U.S.A.



### **TENSION WRENCHES**



### **TUBULAR LOCK PICKS**

### LOCK FACE FRONT VIEW PIN ARRANGEMENTS







REGULAR CENTER

**RIGHT HAND** 

LEFT HAND

### For Opening and Decoding Tubular Type Locks


There are three types available:

- 1. TLP-C White Handle for the regular center spaced pins.
- 2. TLP-R Red Handle for the right of center pin settings.
- 3. TLP-L Blue Handle for the left of center pin settings.

Get the entire set of three or any individual one.

Although requiring much more practice to become proficient, this tool provides a reliable method for opening tubular type locks to those individuals willing to diligently practice until the skill is mastered.

Each tool comes complete with instructions for use.



### TUBULAR LOCK DRILLS



It is not necessary to refuse lock-outs of tubular key locks. For servicing, these hole saws destroy the pins at the shear line.


Hole saws are available for standard and oversize keyways. Will fit any  $\mbox{\%}$  inch electric drill.


Saw Life - Approximately three openings.

No. AG-1 Standard size tool with extra saw.


No. G-1 Replacement saw for AG-1

No. AG-2 Oversize tool with extra saw.





# **GENERAL CODE BOOKS**



No. HGCB (Volumes 1 and 1A in set)

Volume 1A contains these four books Volume 1 contains these two books LOCKSMITH SHONDA & SUZUKI AUTOMOBILE YALE NATIONAL YALE CABINET LOCK SHOP CODES MOTORCYCLE CODES LOCK CODES LOCKER LOCK CODES CODES CODES

VOL. 1 — Contains a large variety of miscellaneous codes for Cabinet locks, drawer locks, letterbox locks and padlocks. Covers products by Auth, Bommer, B & S, Chicago, Corbin, Couch, Eagle, Ilco, Illinois, Keil, and others. This collection has the variety of codes needed in the daily shop routine of fitting keys.

Included are the hard-to-get codes for Chicago "FR" and "AMG" series, used on bowling alley equipment; and the pin tumbler type letterbox locks in the "BH" series.

Also has the most up-to-date automobile codes for General Motors, Ford, Chrysler, American Motors, Studebaker, Kaiser, Diamond, Harley Davidson — and more.

VOL. 1A — Has National of Rockford code listings for their wafer and pin tumbler drawer, file cabinet and cylindrical knob locks.


Codes for flat steel key types of Yale locker locks. Proper methods and steps in cutting locker keys and handling problems that are common to this type of lock, are included.

Codes for the Yale wafer and pin tumbler drawer locks, padlocks, locking handles and other Yale locking devices. Explains the coding method for the popular Honda and Suzuki motorcycles. Fit keys for about 70% of these locks, instead of resorting to disassembly or the impression method.

\* \* \* SEE NEXT PAGE, REGARDING THE SUPPLEMENTARY BINDER FOR VOLUME 1 \* \* \*



# PADLOCK CODE BOOK




# TO HAVE A COMPLETE SET, INCLUDE THE PADLOCK CODE BOOK AS A MATE TO THE GENERAL CODE BOOK SET.

Volumes HGCB and HPCB have  $8\% \times 11$  inch pages of Eze-Eye tinted paper, large page numbers, nineteen page-securing rings and a heavy duty, washable, vinyl coated hard cover. Section dividers with plastic tabs, provide rapid code location.

There are over 175,000 codes contained in its 700 pages. It presents the popular Master pin tumbler padlocks, combinations for Master A, B, M, V and X series. Has Yale large pin tumbler padlock codes 1-28, 086 and combinations for Yale and Dudley dial type padlocks.

New code supplements for all three volumes shall be printed as soon as they become available. These additions will be distributed through the locksmith jobber. Supplement pages will be punched to fit into these code books; including new indexes. For continued convenience, keep your code library current by adding the latest supplements.




# PROVIDE MORE SPACE FOR YOUR GENERAL CODE BOOK VOL. 1 by getting this Supplementary Binder — No. CBB-1A

With recent additions of new code sheets, your older single Vol. 1 is probably crowded. Add the No. CBB-1 to your set. Matches the Vol. 1 cover, except; it has 1 5/8" metal rings. Place the last 4 sections of your old Vol. 1 binder into this empty expansion binder, and add the cross reference index and tabs. You will enjoy the same rapid location of codes common to all HPC Inc. code books. Complete with instructions.



# **BASIC CODE BOOKS**

Each book has 8½" x 11" sheets of Eze-Eye tinted pages, large page numbers and a clear, concise index; bound by a 19 ring, washable vinyl cover. Book always lies flat when open.



### No. HAC - AUTOMOBILE CODES - 312 PAGES

Amer. Motors Gas Caps International H. Studebaker Chrysler Gen. Motors Kaiser-Fraser Crosley Henry J Packard Ford Hudson Rambler Willys

Over 100 code series listed for domestic automobiles, trucks, locking gas caps, etc.

Includes Depth and Space Charts for easy cutting with code machine or Depth Key set.

With our easy-to-add supplements, your auto book won't become out dated each year. All books are up dated and bound every 90 days, assuring you of the latest information.



### No. HMPC - MASTER PIN TUMBLER PADLOCK CODES - 150 PAGES


Codes for the favored Master Pin Tumbler padlocks. Includes instructions for cylinder removal and key fitting when no code number is known. Contains a partial listing for the new "10N" series. More codes are being added as they become available.



### No. HDSLC - YALE LOCKER LOCK CODES 36 PAGES

1-7770 code listings for Yale flat steel type IED, IEA, DSL, 15WB, 9M, N9M. Also used on some locks by National of Rockford.

Includes instructions for cutting locker keys by code, aided by depth keys. Depth keys not included.



No. HNLC - NATIONAL LOCK CODES 133 PAGES

Disc and pin tumbler codes for the popular National of Rockford locks.

NEW! Includes codes for pin tumbler locks made by National for Auth, Couch and Florence as used on their letterboxes.

When new supplement code pages become available, each will be die-cut and standard three ring punched, to fit into either the spiral bound book or a three ring binder.



### **BASIC CODE BOOKS**


Each book has 8½" x 11" sheets of Eze-Eye tinted pages, large page numbers and a clear, concise index; bound by a 19 ring, washable vinyl cover. Book always lies flat when open.



No. HSMC - HONDA & SUZUKI MOTORCYCLE CODES - 21 PAGES

Charts and explanatory information covering Honda and Suzuki motorcycle codes. Makes possible the fitting of keys by number, to 70% or more of these two popular motorcycles.

THE ONLY BOOK OF ITS KIND!




# No. HMCCX - MASTER COMBINATION PADLOCK CODES M, V, X - 127 PAGES

All currently available M, V & X combinations for No. 1500 series combination padlocks. Covers many of the key controlled Master combination padlocks as well as the standard dial type. Includes all known "X" series as used on padlocks of current manufacture.



### No. HMCC - MASTER COMBINATION PADLOCK CODES A & B - 335 PAGES

Over 85,000 Master A & B combinations for popular No. 1500 series combination locks. Contained in one volume. A useful aid for the locksmith or security officer.



### HYD - YALE & DUDLEY COMBINATION PADLOCK CODES - 75 PAGES


12,000 "K" codes for Yale. Includes some "N" series.
Partial listing of Dudley "ABS" and "ES" series.

When new supplement code pages become available, each will be die-cut and standard three ring punched, to fit into either the spiral bound book or a three ring binder.



### **BASIC CODE BOOKS**


Each book has 8%" x 11" sheets of Eze-Eye tinted pages, large page numbers and a clear, concise index; bound by a 19 ring, washable vinyl cover. Book always lies flat when open.



### HYPC - YALE PADLOCK CODES - 113 PAGES

Codes for large and small pin tumbler padlocks using the UNPREFIXED series numbered from 1 to 28,086. It is used primarily on large and small brass padlocks with standard as well as sectional keyways.

Includes Depth and Space charts, with instructions.



### No. HYC - YALE CABINET LOCK CODES 165 PAGES

Over 175 series listed covering codes for Yale discs and small pins. Contains extensive code listings for drawer locks, padlocks, locking handles and many more of the locking devices manufactured by Yale.

Does not cover codes for larger pin tumbler locks.

### No. HLSC - LOCKSMITH SHOP CODES 248 PAGES

Auth (Flat) **Bommer** American Arrow Couch (Flat) Corbin Chicago Clum Excelsion Falcon Dexter Eagle Illinois lico **Florence** Harloc Kwikset Labelle Junkung Kenedy **Motor Boats** Russwin Letter Boxes-Lockwood (flat steel keys) Sargent Schlage Segal Weslock **Taylor** 

NEW. Contains some codes for Auth and Bommer pin tumbler locks by Hudson. More to be added as they become available.

SILHOUETTE CODES For "H" series Chicago double sided and "KF" motor boat ignition keys.

Codes for double sided Wonderlock's showcase locks. Flat key silhouettes for old and new style Couch, Auth "S" series and the Bommer "R" series.



When new supplement code pages become available, each will be die-cut and standard three ring punched, to fit into either the spiral bound book or a three ring binder.



### **CODE BOOK SUPPLEMENTS**

These additions go into the General Code Book, Vol. 1, but the last item No. 7-1; goes into the Padlock Code Book, Vol. 2


Stock No.	Book/Section	Description
1-1	LOCKSMITH SHOP CODES (HLSC)	AUTH PIN TUMB. LETTERBOXES H001-H400 Mfd. by HUDSON
1-2	LOCKSMITH SHOP CODES (HLSC)	PIN TUMBLER LETTERBOXES HL001-HL250 Mfd. by HUDSON
1 - 3	LOCKSMITH SHOP CODES (HLSC)	HL201-HL400 WAFER LOCKS HUDSON LOCK CABINET CODES
1 - 4	LOCKSMITH SHOP CODES (HLSC)	B601-B636 CHICAGO LOCK CO. for GENERAL FIREPROOFING LZ1-752 CHICAGO LOCK CO. for WAFER LOCKS X001-X250 PIN TUMBLER LETTERBOX LOCKS Mfd. by "XL" LOCK CO., Calif. Used on Jensen, Perma Bilt & Dura Stee
1 - 5	LOCKSMITH SHOP CODES (HLSC)	AD501-AD1500 AMER. DEVICE LETTERBOX
2 - 1	YALE CABINET LOCK CODES (HYC)	BP501-700 for Bauer Products - Locker Handles, etc.
2-2	YALE CABINET LOCK CODES (HYC)	SD201-700 for Bauer Products - Locker Handles, etc.
3-1	AUTOMOTIVE CODES (HAC)	1971 GENERAL MOTORS OA00-9A99, OB00-9B99, OC00-9C99, OD00-9D99
3 - 2	AUTOMOTIVE CODES (HAC)	1972 GENERAL MOTORS OON0-99N9 OOP0-99P9, OOS0-99S9, OOW0-99W9
3 - 3	AUTOMOTIVE CODES (HAC)	1973 GENERAL MOTORS OOJ0-99J9, OOK0-99K9, OOL0-99L9, OOM0-99M9
4-1	NATIONAL LOCK CODES (HNLC)	AM001-950, AMC3001-3200, AMD3401-3600 for ART METAL
4-2	NATIONAL LOCK CODES (HNLC)	FLORENCE PIN TUMBLER LETTERBOX F0001-F0250 COUCH PIN TUMB. LETTERBOX 102-00—350-00 Mfd. by NATIONAL
4 - 3	NATIONAL LOCK CODES (HNLC)	AUTH PIN TUMBLER LETTERBOXES 1N-400N Mfd. by NATIONAL
4-4	NATIONAL LOCK CODES ( HNLC)	BOMMER PIN TUMB. LETTERBOX BN1249-1750 Mfd. by NATIONAL
4 - 5	NATIONAL LOCK CODES (HNLC)	A1000 AMER. DEVICE LETTERBOX
5 - 1	HONDA & SUZUKI CODE CHARTS	1, 2, 3, 4 SUZUKI CODES for 1971-1972 Models
7-1	MASTER PADLOCK COMB. (HMCC)	"B" SERIES B93001-B115200 COMBINATION PADLOCKS

NOTE: The above is a complete listing of the CODE BOOK SUPPLEMENTS added to the H.P.C. code books SINCE THE INITIAL PRINTING IN 1969. Each book is made current as supplementary materials become available. Check the first page of each book or section for an orange sticker, to see if your book has all the additions.



To insert the supplementary pages into the plastic rib type binders, use the following procedure. With a scissors, slit the punched end tabs as shown above.

Lay the page with the slit tabs into place, in line with the pages already in the book. Then use the plastic tool gently, to press the tabs down and past the ring binders. Let the tool's fingers do the job. The tabs will now be in place, to keep the page anchored. This procedure is not necessary when adding pages to the large metal rim binders.



# DEPTH KEY SETS

AUTOMOBILE	DEI III KEI	Spaces	Keyway	Stock No.	
	but the list term to 7-1 cost into the Parlock		DOG SECT PRINTS		
	to 1969. Wafer Tumbler	5	32900	711DKS	
	70 & On. Wafer Tumbler	5	1970AM	757DKS	
	fer Tumbler	5	42755	727DKS	
	56-67. Ignition & Trunk, Pin Tumbler	5	1764P	745DKS	processoon.
	68. Ign. & Trunk [DP,DS Series] Pin Tumbler	5	1768CH	744DKS	Surur Cons
	69 & On. Ignition & Trunk, Pin Tumbler	5	1770CH	749DKS	
	unk. Side-Bar Type, Wafer Tumbler	6	S1767DP	746DKS	1 1 1 3
	to 1951. Ign. & Trunk [Narrow] Pin Tumbler	5	1125H	754DKS	
Ford Motors 19	52-64. Ign. & Trunk, Single Sided, Pin Tumbler	5	1127DP	717DKS	
Ford Motors 19	65-72. Ignition, Double Sided, Pin Tumbler	5	1167FD	718DKS	
Ford Motors 19	65-72. Trunk, Double Sided, Pin Tumbler	5	S1167FD	718A-DKS	
General Motors 19	36 & Up. Ign. & Trunk, 5 Depths, Wafer Tumb.	6	current year	719DKS	
CABINET, DRAW	ER LOCKS, & PADLOCKS				
Chicago Wa	fer Tumbler	5	K-5	734DKS	
THE RESERVE OF THE PARTY OF THE	fer Tumbler, will replace 734DKS	6	K101,102,etc.	735DKS	
	Tumbler, File Cabinets, etc.	4	KP-1	736DKS	
	all Pin Tumbler, File Cabinets, etc.	6	8687C	742DKS	
	fer Tumbler	6	8658JVR	742DKS	
	all Pin Tumbler [Long Space]	4	11625B	745DKS	
	fer Tumbler	5	0745		00000000
	all Pin Tumbler			707DKS	80 nn nn 18
		5	X1054JA,JK	716DKS	(3)
	fer Tumbler, Single Sided	5	360	737DKS	
	Tumbler, Padlocks, Etc.	5	PTKB-1	750DKS	
THE PARTY OF TAKE YES	all Pin Tumbler	5	1004M	722DKS	
	Tumbler, Standard Large, 4 Space	4	1K	703DKS	
	indard Large Pin Tumbler, will replace 703DKS	5	81K	752DKS	
A CONTRACTOR OF BRANCH	all Pin Tumbler	4	7K	704DKS	
	fer Tumbler	5	687-3	740DKS	
	all Pin Tumbler, All except Letter Boxes	5	676-1	741DKS	
	all Pin Tumbler	6	X12½	700DKS	
Yale Wa	fer Tumbler	5	9278A	712DKS	
FLAT STEEL					1-1
Yale &, Natl. Loc	cker Locks,IED,IEH,DSL,15WB,etc.Lever Tumb	. 6	R381½N-1	714DKS	
	cker Locks, 9M, N9M Series, Lever Tumbler	6	R381½N-1	715DKS	TALE
i Loc	and Eddis, diff, rediff deries, Edver Turnbler		113017214-1	713013	
FOREIGN					
Honda Cycles "T'	'-3, 4, 5, 6 Series	3	H76K	800DKS	
Honda Cycles "T	'-2, 6, 7, 8, 9 Series	3	H76K	801DKS	
Honda Cycles "N	A, NB, NC" Series	4	H70H	802DKS	80000000000000000000000000000000000000
Honda Cycles "H	' Series w/o Ward Cut	4	H79MR	803DKS	6 WIDTH
	'Series with a Ward Cut	4	H76YR	804DKS	IPS / III TIPS
	Letter Prefix 1, 3, 5 Series	3	H69T	805DKS	
	Letter Prefix 1,3,5 Series Up to 1970	3	S74G	806DKS	inders. Let the t
	Letter Prefix 1,2,3,4 Series. 1971-1972	5	X11	807DKS	



### **DEPTH KEY SETS**

		Description	Spaces	Keyway	Stock No.
	LARGE CYLI	NDER			
	Arrow	Standard Large Pin Tumbler & Sectional. [New]	6	AR-6	733DKS
	Best	Pin Tumbler	6	1114A	726DKS
	Corbin	Large Pin Tumbler [Old]	6	X1-67-6	701DKS
	Corbin	Large Pin Tumb. [New] 59A1,A2,B1,B2,C1,C2,&60	0 6	Z1-60-6	702DKS
	Dexter	Pin Tumbler [Close Spacing]	5	61	747DKS
	Dexter	Standard, Large, Up to 1969	5	67	748DKS
	Dexter	Standard Large, 10 Depths, 1969 & On	5	67	760DKS
	Eagle & Harloc	Large Pin Tumbler	5	11929B	706DKS
	Ilco	Large Pin Tumbler, X1054K	5	X1054K	723DKS
	Ilco	Large Pin Tumbler, X1054F	5	X1054F	724DKS
3	Kwikset	Standard Large Pin Tumbler [New]	5	1-1063	730DKS
	Lockwood	Large Pin Tumbler, Standard	6	1004A	720DKS
A	Lckwd.,Chantrell	Large Pin Tumbler, Sectional	6	B317L,N,P,R	721DKS
1	Natl. Rockford	Standard Large Pin Tumbler	5	411-31	753DKS
A	Russwin	Large Pin Tumbler, Standard	6	6961R	710DKS
	Russwin	Large Pin Tumbler, Sectional-"D"	6	6D1R	751DKS
	Sargent	Large Pin Tumb., Standard [U,R,K]	6	6265U	708DKS
	Sargent	Lrg. Pin Tumb., Sect. [LA, LB, RA, RB, etc.] & "S" kwys	s. 6	6275RA,LA	709DKS
	Schlage	Pin Tumbler, C,E,F etc. keyways.	6	35-101-C	725DKS
	Segal	Standard Large Pin Tumbler	5	K-9	738DKS
	Taylor	Standard Large Pin Tumbler	5	111GE	739DKS
	Weiser	Standard Large Pin Tumbler	6	1556	732DKS
	Welch	Standard Large Pin Tumbler	5	WE-5	728DKS
	Weslock	Standard Large Pin Tumbler	5	4425	731DKS
	Yale	Large Pin Tumb., Standard & Sectional	6	11	713DKS
	PIN-TUMBLER	R LETTER BOXES			
	Hudson	Used on Auth & Bommer. 0,1,2,3,4 Bom. Depths	5	22B	758DKS
	Hudson	Used on Am. Device, Miami Carey, & others. 0,1,2,3,4,5,6 Depths. Will replace 758DKS	5	R22B	764DKS
	Natl. Rockford	Used on Am. Device, Auth,Bommer, Couch, Dura-Steel, Florence, Cutler, etc.	5	676-1 w/ward	<b>761DKS</b>

A set of depth and space keys contains a cut key for each of the different depths used in a given series or a particular locking mechanism. All the cuttings on a key are to the same depth, repeated as many times as the number of pins or disc tumblers used in the lock. These cuts are correctly spaced as required by the tumbler system in a specific lock.

"XL" Lock Co. Used on Dura-Steel, Jensen Permabilt

For Instance: a No. 3 depth key for a 5 pin tumbler plug, will have 5 correctly spaced cuts; each to a No. 3 depth. Spacings and depths vary with different manufacturers and their products.

Such depth key sets have several time-saver uses. They are valuable when cutting a key by code. They offer a simple method for working out a new master system or for adding keys under an established system.


Depth and space keys offer an inexpensive alternative to a code machine and the ability of rapid change-over not found in most code cutting equipment.



**762DKS** 

XL16

### SAFE AND VAULT MANUAL



- CONTAINS -

Hand Changing
Key Changing
Drilling Locations
Lock Servicing
Internal Drawings
Time Lock Operation

SAFE AND VAULT MANUAL
THE FOURTH EDITION – 221 PAGES

The SAFE AND VAULT MANUAL is generally recognized as the "Safe Man's Bible". Whether your new to safe work or an old timer interested in broadening your knowledge of safe locks, you will find this book contains valuable information covering a wide variety of safe lock topics. It contains over 250 illustrations, 1000 factory try-out combinations, and a newly added section on original factory methods of safe and vault combination changing.

No. SVM

# STORY OF SAFE DEPOSIT BOX LOCKS


#### METHODS DESCRIBED:

- Open by Picking
- Use of Door Pullers
- Open by the Hinge Method
- Open by the Drilling Method
- Plugging Holes and Refinishing
- Classification of Types

### SAFE DEPOSIT LOCKS

This book explains procedures on opening safety deposit box locks. Contains valuable information for servicing locks by Bates, Diebold, Eagle, Herring Hall Marvin, Miller, Mosler, Remington, Sherman, S & G, Victor, Western, Yale, and York.

No. SDL-15





### SAFE COMBINATION CHANGING




### ORIGINAL FACTORY METHODS

A collection of original direction sheets on how to operate and change combinations, written by the safe lock manufacturers. Has 85 pages and hundreds of illustrations and diagrams. Covers combination changing information on most of the safe locks manufactured during the last 75 years. This book helps the Locksmith BE SURE that he will get the best results in the shortest possible time, by using the proper procedures. Includes combination changing information for Diebold, Eagle, HHM, S & G, Yale and York safe locks.


# THE ART OF MANIPULATION

OPEN COMBINATION LOCKS
WITHOUT DRILLING,
BURNING OR FORCING

A practical work method clearly explained and easy to understand. The combination lock opening system of Hear, Feel and See is called "Manipulation." It was discovered and developed in the past two decades by a small group of safe experts. After much deliberation two of these experts decided to pass on their information to other safe men and published this invaluable book, titled, "THE ART OF MANIPULATION." Due to the highly confidential information in this book, the sale shall be resticted to established Safe Men and Locksmiths. SAFE MANIPULATION IS AN ABSOLUTE FACT, NOT A MYTH. BUY THIS VALUABLE BOOK AND LEARN THE FACTS.




### SAFE CHANGE KEYS




### SAFE CHANGE KEYS

**SARGENT & GREENLEAF** 



### SAFE LOCKS and HANDLES




YALE OCN REPLACEMENT COMBINATION LOCK Hand Change - With Tube

- \*Brass Tube 51/64" Diameter x 6-1/8" Long
- \*Three 21/2" Tumblers
- \*3" Black and White Dial
- \*71/2" Long Spindle 5/16 x 40 Thread
- \*Tumblers are .050" Thick
- \*Driver is .0625" Thick

Weight: 1 lb. 8 oz.

No. HOCN

### REPLACEMENT FOR YALE OB and OBB LOCKS




- \*Brass Tube 51/64" Diameter x 5%" Long
- \*Three 1-7/8" Tumblers
- \*3" Black and White Dial
- \*71/2" Long Spindle 5/16 x 40 Thread
- \*Tumblers are .090" Thick
- \*Driver is .127" Thick

This lock can be set into the doors, after the doors are filled. The levers, dials, rings and tumblers can then be assembled into the lock. The boltwork dogs against the end of the lever and puts no pressure on the tumblers.

# **CAN REPLACE YALE OC-3 CAN REPLACE MOSLER M-20** No. M-20

### SAFE HANDLE and ATTACHING SHAFTS





No. EU-48


Replacement bulb for the discontinued, safe work use, Peep Lite.

- \*Brass Tube 5/8" Diameter x 4-5/16" Long
- \*Three 1-7/8" Tumblers
- \*3" Black and White Dial
- \*5-1/2" Long Spindle 5/16 x 40 Thread]
- \*Tumblers are .090" Thick
- \*Driver is .127" Thick

Weight: 1 lb. 2 oz.

### SAFE DRILLS


### CARBIDE TIP




No. SHPD-8 1/2" Carbide Tip

The Carbide tipped drill bit is a good general purpose bit designed to drill hardened steel.

### **TUNGSTEN TIP**




### No. SHPD-12 1/4" Tungsten Tip



No. SHPD-14 3/8" Tungsten Tip

These genuine Carbon Tungsten tipped drills are designed for use on hardened die steel. Their main purpose is to make possible the drilling of steel that has been hardened to Rockwell C-40 or harder, without the usual annealing process or reverting to the slow and costly grinding method. We do not guarantee these drills against chipping or breakage caused by unintentional misuse to which they might be subjected.

# FLAT SPRING WIRE ASSORTMENT




### No. FSW-100

A one pound assortment of the most popular sizes of flat spring wire. Make your own hard-to-get flat springs for mortise and rim locks.



# SAFETY DEPOSIT BOX LOCK and DOOR PULLER SET




### **INCLUDES NOSE PULLER TOOLS**

This Puller Set is made of heavy wrought and bar steel, expertly machined, assembled and finished. It is a heavy duty set of tools; built to last a lifetime.

Set enables servicing 98% of safety deposit boxes and locks. Comes packed in a handy steel carrying case. It is adjustable to fit most safety deposit situations. Puller's legs have padded feet to prevent marring. Complete, illustrated directions are included.

No. HLP-7B Complete Door and Core Puller Set Shipping Weight: 9 lbs.

### SAFETY DEPOSIT BOX "NOSE PULLER"




A complete set of lock nose and core pulling tools. Simply drill and tap a hole in the center of the nose, screw in the threaded stud of the pulling tool, then turn the tension bar until the nose is pulled.

Comes with a key seat turning tool. All parts are nickel or cadmium plated. Illustrated instructions are included.

No. HLP-4B Complete Core Puller Set Shipping Weight: 1 lb.




### **EMERGENCY SAFE DIAL**



### NUMBERS AND MARKINGS ON DIAL ARE WHITE ON ENAMELED BLACK

After a wedge or pin has been driven in at the edge of the broken spindle end to keep it from turning, a small hole is drilled into the center of the spindle stub. Then, remove the anchoring wedge or pin. Hammer the pointed spindle end of the Emergency Dial into the drilled hole until it is firmly attached to the broken spindle. The Emergency Dial is then ready to work the combination for opening the safe and making repairs.

# STAINLESS STEEL KEY CHAINS





6 Inch Long Stainless Steel Chain With Split-Ring Connector TEST STRENGTH — Up to 200 LBS.

Highly Resistant to Rust, Tarnish and Corrosion


No. CR-6 24 on an attractive display card




### **CAR OPENING TOOLS**



For General Motors, Chrysler and Ford cars with curved windshields and side vent windows. For easy, convenient handling, this tool is made in three, screw-together sections. Complete with instructions. A full 62 inches long.



This old favorite will open most General Motors, Ford and Chrysler hardtops, convertibles and models with side vents. Made of spring steel, nickel plated.



This tool will open most General Motors hardtops, that have the inside locking button located near the end of the door panel. Not for "long-reach" styles as used on late models.



# No. CO-15 VOLKSWAGEN OPENER

Operates on all Volkswagen cars from 1965 and later. Hardened nickel plated steel.



#### No. CO-10 - THE SLIM JIM


THE ONLY OPENER FOR THE NEW CARS WITH VENTLESS WINDOWS! Tool does not enter the inside of car. Opens a car door by "feel", rather than by sight. With some practice and following the illustrated instructions, car opening will be no problem.

For General Motors, Ford and Chrysler cars. Made of clock-spring steel and is hand finished.



### CYLINDER DRILL JIGS


Occasionally, it is found that a mortise or rim cylinder is impossible to pick. Even the best lock picker may be foiled by a broken cylinder spring, corroded pins, etc.





The CDJ-1 and CDJ-2 drill jigs are designed for such situations. Drilling seems to be the answer. These Jigs will assure perfect alignment on the shear line, for a drill bit.

No. CDJ-1 Cylinder Drill Jig and Drill Bit for a flat face cylinder.


No. CDJ-2 Cylinder Drill Jig and Drill Bit for recessed Tulip design types.







# **GENERAL MOTORS TRY-OUT KEYS**




Stock No.	Years	Ignition	Doors	Trunk	Glove	Keys per set	
GMMK-1	1935-66	×	X	X	X	64	
GM-AA	1967 & 71	X	X			150	
GM-BB	1967 & 71			X	X	150	
GM-CC	1968 & 72	2 X	X			150	
GM-DD	1968 & 72	2		X	X	150	

Stock No.	Years	Ignition	Doors	Trunk	Glove	Keys per
GM-EE	1969 & 73	X	X			150
GM-HH	1969 & 73			X	X	150
GM-J	1970	X	X			150
GM-K	1970			X	X	150



### **KEYING TOOL FOR JUNKUNC**




No. DGM-1

### GRIND BLANK TUMBLER PLUGS TO ANY DOUBLE-SIDED COMBINATION

Key your own double-sided plugs for Junkunc padlocks in only a minute. You can buy a supply of "blank tumbler plugs" (JUNKUNC No. BTC) and avoid waiting for special factory orders. Simply insert the cut key into the plug and hold it firmly in a vise by the head of the key. Insert the DGM-1 into the chuck of any 1/4" electric drill and feed it 1/32" over the plug. Start the drill and the tool easily trims the tumblers, giving you a perfectly keyed plug.


### **HOLLOW MILL DRILLS SET**



No. HMD-5

For the drilling off of luggage lock rivet heads when servicing suitcase locks. Can be used for shearing off base plate rivets on Master Padlocks, when servicing. Used in either a hand or electric drill.

### **METAL PUNCH and DIE SETS**



threaded outside case.










A necessary aid to the locksmith for installing vending machine and cam type locks on metal cabinets, sheet metal lockers, filing cabinets and cash boxes made of single wall, sheet metal.

No. HDPS-4



Same set is the same type as No. HDPS-4, but punches a single "D" hole as needed for many auto alarm cylinders and cam locks that have a single flat side on the



No. SDP-700

### DIE STAMP SETS

#### LETTER SETS

 Stock No.
 Size

 HCL-3/32
 3/32"


 HCL-1/8
 1/8"

 HCL-3/16
 3/16"

### FIGURE SETS

HCF-3/32 3/32" HCF-1/8 1/8" HCF-3/16 3/16"

HAND CUT



Tempered Head Prevents Mushrooming

Extra Tough Shank To Prevent Bending

Hand Ground Taper Makes Locating Easier

Specially Hardened Character End, To Prevent Chipping
Index on Thumb Side Prevents Stamping Upside-Down
Sharp Chisel Edge Character Face, Assures Clear Impressions


For the Locksmith who appreciates HAND CUT QUALITY. Made to last and give a good impression, for years of service.

**Actual Size Numerals** 

4 3/32"

4 1/8"

4 3/16"



### SPECIAL LOCKSMITH STAMPS

NOT SHOWN
ACTUAL SIZE

TOUTOO
ETADILIQUE

No. LDND

No. LDNC

DO NOT

DUPLICATE

DO NOT

COPY

NOT SHOWN

FETZAM

FETZAM

MASTER

Permanently mark a Master or Restricted key. Let the other locksmiths and key duplicators know that it is a special purpose key and part of a restricted system.




# MORTISE CYLINDER LOCK TAP & DIE SET


Bothered by stripped mortise cylinders and lock cases? How many times has a customer come into your shop with a stripped mortise cylinder, because he unscrewed it without loosening the retaining screw or fork? This kit offers the perfect solution to this problem as well as the more important task of rethreading cylinders and cases that are no longer manufactured and must be repaired.


No. CLD-6 Cylinder Re-threading Die Only

No. CLT-4 Lock Case Re-tapping Tap Only

No. CLTD-5 Complete Tap & Die Kit with Cylinder Holding Fixture & Metal Box







Cylinder Holding Fixture

# **KEY MICROMETER**


THE BEST KEY MICROMETER AVAILABLE TO THE LOCKSMITH

Machinists Quality
Forged Steel Frame
Satin Chrome Finish
Special Ground Anvil
Clear-Cut Precise Graduations
Tool Steel Anvil, Slide and Screw





# **PLUG FOLLOWERS**



#### No. SUT-18 - SUPER PLUG FOLLOWER

This handy, Super-Length Follower can hold 12 Cylinders for convenient, PIN SERVICING. Ideal for multiple, cylinder MASTER KEYING. Made of polished stock and finished in gleaming black and bright nickel. Has removable cylinder stops. Same size as SUT-1.



No. SUT-22

Fits All Standard Locks .493" to .600".

Will handle 90% of all locks,

Spring Loaded.



No. SUT-0, Size .395



No. SUT-1, Size .495



No. SUT-3, Size .500



No. SUT-10, Size .550

These four plug followers will fit 99% of the rim or mortise cylinders and cylinder units currently in use. Made of centerless ground bar stock.


No. SUT-47 set of one each, of the above followers.

#### PLUG FOLLOWER GUIDE CHART

Manufacturer	SUT-0	SUT-1	SUT-3	SUT-10
ACROLOCK		x		
ALMONT (PEANUT CYL.)				
ARROW				
CORBIN				~
CORBIN (SMALL PINS)				^
DEXTER		X		
EAGLE				
EAGLE (SMALL PINS)	x			
ILCO				
ILCO (4019 RIM CYL'S)			X	
ILCO (PEANUT CYL.)				
KEIL		X		
KEIL (NO. 30 RIM CYL'S)			x	
KWIKSET				
LOCKWOOD			x	
NATIONAL OF ROCKFORD (EXCEPT KNK)				
NATIONAL OF OZONE PARK				
NESCO		X		
RUSSWIN (.500" DIA.)				
RUSSWIN OVERSIZE				X
SARGENT				
SCHLAGE				
TACO				
TAYLOR				
WEISER (ALL BUT BEVERLY)				
WELCH		X		
WESLOCK (EXCEPT KNK)				
YALE		X		
YALE (SMALL PINS)	X			



# PLUG HOLDERS






No. CPH-15 .405" Hole

No. CPH-8 .500" Hole


No. CPH-10 .510" Hole No. CPH-20 .550" Hole

These four plug holders will give you the assortment you will need to fit almost every pin tumbler lock core. They are made of hardened bar stock, so as not to become scratched by the file, and have a black oxide finish.






FITS THE FIVE MOST POPULAR SIZES Holder bodies are hardened and have a black oxide finish.




#### PLUG HOLDER GUIDE CHART




# No. SUT-600 ADJUSTABLE PLUG HOLDER

THE UNIVERSAL ADJUSTABLE PLUG VISE. A plug holder that adjusts its own hole size from .350" to .600" to give a perfect fit on many different cores. Plug vise body and slide are hardened and have a black oxide finish.






## PIN TUMBLER TWEEZERS



No. PTT-4

The groove in the tip provides a firm non-twisting grip on cylinder pins. The ideal tweezers for loading bottom, top and master pins. The tip is also milled back so that the outside diameter of a standard .115" diameter pin extends past the tip enabling you to "butt" the pin against the end of the plug follower when loading the upper chambers, which gives you added control when holding top or master pins of varying lengths.



## **TUMBLER SPRINGS**

.115" Diameter

Standard Cylinder

Spring Sp

No. LCS

.095" Diameter
For Small Diameter
Pins

No. SCS

For GENERAL MOTORS

No. GMLS

These phosphor-bronze springs have "tucked-in" ends so that they load easily. They offer maximum corrosion resistance and will give years of control over pins, without collapsing or losing tension. LCS and SCS packed 144 per bag. GMLS packed 100 par bag.

# SPRING ASSORTMENT


100 BRASS, BRONZE AND STEEL COMPRESSION SPRINGS


12 DIFFERENT SIZES

**VARYING LENGTHS, DIAMETERS & TENSION** 

HANDY PLASTIC CARRYING CASE

ORDER REFILLS AS NEEDED







# BURGLAR BARRIER DISPLAY

# OFFERS LOCK and CYLINDER GUARDS for GREATER DOOR SECURITY

#### REFILLABLE - COLORFUL - SELF-SELLING

This eye-catching, heavy duty display will offer continuous impulse sales to your security conscious customers — for a quick turnover and profit.

The large, royal blue display board and attractive metal sign on top, assures an attention-getting appeal. This variety and complete colorful display is a self service security center.

Each of the 14 guard plates is individually packaged in contrasting colors of orange and black cardboard, pre-punched for easy removal or fast refilling of stock. Each item has all necessary hardware included.

Comes with simple illustrated instructions for do-it-yourself installation. Display includes the following stock guards:

#### DOOR GUARDS

One - No. IDG-8

Two- No. ODG-6

One - No. OVDG-12

One - No. OVDG-14

One - No. VDG-1

One - No. VDG-2

Two - VDG-10

#### CYLINDER GUARDS

One - No. MW-2


Two - No. RW-2

One - No. RW-3

One - No. RW-226


See numerical index for pages showing complete descriptions and application of each guard plate.

No. LCD-14 Complete Display





## **GUARD PLATES**




KING-SIZE - FOR DOORS OPENING OUT


This is our strongest and most popular guard plate. It is 14 inches long and is made of two, welded pieces of steel.

Offers maximum resistance to prying and forcing. Mounted onto door with 2 carriage bolts, going through the door and anchored with a nut and cap nut on the inside. Four wood screws go into the edge of the door.

No. VDG-10 Neutral Brown Baked-on Enamel


No. VDG-1026 Chrome Plated





## OFFSET - FOR DOORS OPENING OUT

AND WITH A DOOR CASING




Offset guard plates are to be used on vestibule doors with projecting door casings. For doors that are not flush with the frame.

These plates are easily installed by drilling only 2 holes for the pair of thru-bolts and nuts to solid-mount it. Made of heavy guage steel, finished in a neutral brown baked-on enamel. Complete with all necessary hardware.

The 14 inch overall length, extends three inches beyond the average lock face, presenting plenty of covered area to frustrate unauthorized, forceable entry.

Three sizes are available. Choose the offset depth that best fits the door and frame requirements.

No. OVDG-14 (A)=9/16" Offset No. OVDG-13 (B)=7/16" Offset No. OVDG-12 (C)=3/8" Offset






## **GUARD PLATES**


## **VESTIBULE LOCK — FOR DOORS OPENING OUT**

Because of variations in door thickness, fit of door in frames and different lock face widths, there are four sizes of these guards available.

They are designed for vestibule doors that swing out and are flush with the door frame. Each are finished in a neutral brown baked-on enamel. Packed with all necessary screws.

Stock No.	Flange	Screw Edge
VDG-1	Wide	Wide
VDG-2	Wide	Narrow
VDG-3	Narrow	Wide
VDG-4	Narrow	Narrow





## LATCH LOCK - ON DOORS OPENING IN

These guards tie the door stop and the door frame together. An extended, 1/16" edge goes down into the wood frame itself, to provide more complete security. This effective barrier prevents any door openings by a knife or celluloid strip.

Many homes, hotels and motels still have unguarded latch locks in use. They are easy prey for even an inexperienced burglar!

Made of Nickel Plated Steel Countersunk Screw Holes Packed with Screws

No. IDG-7 3½" Lock face opening
No. IDG-8 5-3/8" Lock face opening

# LATCH LOCK ON DOORS OPENING OUT


END VIEW
ACTUAL SIZE
SHOWING ANGLE
OF FLANGE

Guard plate is screwed directly onto the edge of the door. The flange will keep any prying tools away from the latch.

ALL DOORS USING SPRING LATCH TYPE LOCKS - should have the added protection of a lock guard.


Made of Nickel Plated Steel Countersunk Screw Holes Packed With Screws

No. ODG-6



37

# NARROW STILE CYLINDER **GUARD PLATE**




- CASE HARDENED PLATE and BOLTS
- NO SPECIAL TOOLS REQUIRED
- FOR EITHER HAND, IN-SWING **OR OUT-SWINGING DOORS**

Fills a need for an attractive and effective device to protect against puller action on narrow stile door cylinders.

Easily installed in minutes - without appearing as an addedon feature. New innovation in mounting makes it simple to put on or take off. Complete, illustrated and easy to follow instructions.

No. ADG-1





Secure an individual door key in the Key Keeper on any location. No more lost keys or lockouts! The Key Keeper Box is mounted on the top edge of a door and fastened with screws. When the door is closed, the mounting screws are hidden.

The door of the box is piano hinged and locked by a 7 pin tumbler, high security tubular type lock. Available in quantity - all keyed alike ( for one key accessiblity ) or keyed individually different. Made of steel, durably finished.


No. KEP-12





## CYLINDER GUARD PLATES


#### FOR RIM LOCKS



# MAKES CYLINDER LOCKS PULLER RESISTANT

Puts a sheet of hard armor over the cylinder. Easy to install. Two different well depths are available. The 7/32" depth is the popular choice.

No. RW-1 and 2



FOR MORTISE LOCKS

No. MW-1 and 2

No. RW-1 For Rim Locks, 5%" long (3/64" well)

No. RW-2 For Rim Locks, 5%" long (7/32" well)

No. RW-3 For Rim Locks, 71/2" long (7/32" well)

No. RW-1026 Chrome Plated, 5%" long (7/32" well)

No. MW-1 For Mortise Locks, 5%" long (3/64" well)

No. MW-2 For Mortise Locks, 5%" long (7/32" well)

No. MW-3 For Mortise Locks, 7½" long (7/32" well)

# LUBRICATING GRAPHITE GUN



# The Locksmith's Ideal Lubricant REFILLABLE - LEAK-PROOF - CLOG-PROOF

Each gentle squeeze, releases a fine spray of graphite. Used prior to picking or impressioning, it will loosen tight wafers and pins, to make the job easier.

A perfect lubricant for key machine surfaces such as the carriage shaft, and wing nut studs. Does not attract dust or brass chips.

No. HGG Ten Graphite Guns packed in a Display Carton

## PACKAGED BULK GRAPHITE


Highest quality, fine Micro-Spray refill Graphite. Packed one pound per can.

No. GG-16





# CYLINDER SCAR PLATES





No. SPR-3 ROUND U.S.—3 Finish, Polished Brass
No. SPR-10 ROUND U.S.—10 Finish, Dull Bronze
No. SPR-26D ROUND U.S.—26D Finish, Dull Chrome

No. SPO-3 OVAL U.S.—3 Finish, Polished Brass
No. SPO-10 OVAL U.S.—10 Finish, Dull Bronze
No. SPO-26D OVAL U.S.—26D Finish, Dull Chrome

Use these plates to cover oversize cylinder holes, or when the area around the cylinder hole is chipped, cracked or scarred. When a replacement lock of a different backset must be used, they serve to cover up the elongated cylinder hole that must be made to accept a new backset. The oval plate is ideal for narrow stile aluminum doors, to dress up the door or when using different backset locks for replacement.










## WINDOW SECURITY GUARDS



# KEEP OUT INTRUDERS WITH THESE MOUNTED WINDOW GUARDS!

These welded steel Window Security Guards have adjustable, sliding arms to protect windows of various types. Can be permanently installed into wood window frame with tamper-proof screws — or attached with lag bolts and anchors into masonry.

Units can be mounted one above the other, for complete window coverage on the inside or outside. Illustrated instructions with each unit.

#### **ECONOMY WOOD FRAME MODEL**

Stock No.	Number of Bars	Unit Height	Fits Windows	Weight
WSG-3	3	141/2"	15"-201/2" High	8½ lbs.
WSG-4	4	201/2"	21"-261/2" High	11 lbs.
WSG-5	5	261/2"	27"-321/2" High	15½ lbs.
WSG-6	6	321/2"	33"-381/2" High	17 lbs.

All sizes above adjust from 24" to 42" width. May be fastened into wood window frame with tamper-proof screws.

Can be used on any wood frame windows in the home, including basement windows.

#### **HEAVY DUTY ADJUSTABLE**

Mediterranean styling in heavy welded steel construction. Sliding arms extend 6 inches.

Can be attached one above the other for full window coverage, or one beside another for extra wide windows. Specify when ordering. Parts for adjoining two or more units will be furnished.

Available also, with hinge mounting on one side. Required padlock not included.


Scroll-work decorations come separate and detached, so that they can be bolted wherever desired.

Size: 26" x 24"


Weight: 20 lbs. per complete unit

No. WSG-1 Fixed Mount
No. WSG-2 Hinged Mount

#### HEAVY DUTY, EXTERIOR WALL MOUNT.



## PIN ASSORTMENTS



## FOR KWIKSET (.115)

**ASSORTMENT CONTAINS:** 

1200 Pins 1 Plug Holder 144 Cylinder Springs 1 Cylinder Removal Tool 1 Follower

Packed in a Metal Box

For current Kwikset cylinders of .115" diameter. Each pin, shape, size and finish is guaranteed. Springs are of phosphor bronze with tucked in ends.

#### Refills **BOTTOM PINS**

No. 1 KBP-1 (.172") No. 2 KBP-2 (.195") No. 3 KBP-3 (.218") No. 4 KBP-4 (.241") No. 5 KBP-5 (.264") No. 6 KBP-6 (.287")

> TOP PINS No. 1 KTP-1 (.180")

#### MASTER PINS

No. 1 KMP-1 (.023") No. 3 KMP-3 (.069") No. 5 KMP-5 (.115")


No. 2 KMP-2 (.046") No. 4 KMP-4 (.092")

## FOR TUBULAR KEY TYPE CYLINDERS

**ASSORTMENT CONTAINS:** 

700 Top Pins 300 Bottom Pins 100 Pin Springs Packed in a Metal Box

For current Ace tubular keyway cylinders and vending machine locks. Each pin; shape, size and finish is guaranteed. Springs are of phosphor bronze with tucked in ends.



## FOR YALE (.115)

ASSORTMENT CONTAINS:

4 gross Master Pins 3 gross Top Pins

10 gross Bottom Pins 1 gross Cylinder Springs

For current Yale cylinders of .115" diameter. Each pin; shape, size and finish is guaranteed. Springs are of phosphor bronze with tucked in ends.

	Re	ef	ill	s	
DO	T-	-		P3 1	

BUTTUNI PINS	
No. 1 CLP-1 (.203")	No. 2 CLP-2 (.221")
No. 4 CLP-4 (.259")	No. 5 CLP-5 (.276")
No. 7 CLP-7 (.315")	No. 8 CLP-8 (.334")
TOP PINS	
	No. 1 CLP-1 (.203") No. 4 CLP-4 (.259")


No. 2 CUP-2 (.230")

MASTER PINS No. 0 CMP-0 (.020") No. 1 CMP-1 (.038") No. 2 CMP-2 (.076")

No. 3 CMP-3 (.110")



No. 3 CUP-3 (.260")



No. 1 CUP-1 (.190")

# PIN ASSORTMENTS

**FOR YALE (.095)** 

#### **ASSORTMENT CONTAINS:**

7 Gross Bottom Pins

3 Gross Top Pins


3 Gross Master Pins

1 Gross Cylinder Springs

Packed in a Metal Box

Refills Available

For current Yale cylinders of .095" diameter. Each pin; shape, size and finish is guaranteed. Springs are of phosphor bronze with tucked in ends.





## FOR YALE (.101)

#### **ASSORTMENT CONTAINS:**

7 Gross Bottm Pins

4 Gross Top Pins

3 Gross Master Pins

1 Gross Cylinder Springs

Packed in a Metal Box

Refills Available

For current Yale cylinders of .101" diameter. Each pin; shape, size and finish is guaranteed. Springs are of phosphor bronze with tucked in ends.

## FOR SCHLAGE (.115)

**ASSORTMENT CONTAINS:** 

1000 Bottom Pins

800 Master Pins

144 Cylinder Springs Packed in a Metal Box

For current Schlage cylinders of .115" diameter. Each pin; shape, size and finish is guaranteed. Springs are of phosphor bronze with tucked in ends.

#### Refills BOTTOM PINS

No. 0	SLP-0 (.165")	No. 1	SLP-1 (.180")	No. 2	SLP-2 (.195")
No. 3	SLP-3 (.210")	No. 4	SLP-4 (.225")	No. 5	SLP-5 (.240")
No. 6	SLP-6 ( 255")	No. 7	SLP-7 (.270")	No. 8	SLP-8 (.285")

No. 9 SLP-9 (.300") TOP PINS


No. 1 SPT-1 (.235") No. 2 SPT-2 (.200") No. 3 SPT-3 (.165")

MACTED DING

MASTER PINS

No. 2 SPM-2 (.030") No. 3 SPM-3 (.045") No. 4 SPM-4 (.060") No. 5 SPM-5 (.075") No. 6 SPM-6 (.090") No. 7 SPM-7 (.105")


No. 8 SPM-8 (.120") No. 9 SPM-9 (.135")





## CARRY-OUT KEYING KIT

A SHOP IN A BOX



No. COKO-5

This handy kit contains just about everything you will need to handle most outside keying jobs. Followthru tools, plug holders, pins, cams, tailpieces, cam screws, cylinder springs and tweezers are all contained in the COKO-5 kit. An excellent machinist's vise swings up on a hinged plate, ready for instant use. The bottom of the box has four cushioned bumpers that won't scratch or mar any surface. The inside of the lid is lined with foam tape to keep all interior parts where they belong. Box Measures 15"x7"x31/4"

## CARRY-OUT KIT BOX ONLY


The KO-3 CARRY-OUT KIT BOX is a perfect carrying case for small parts that so easily can be misplaced in your tool box. Fill the 30 clear plastic vials with special pin sizes, automobile wafers and springs or a thousand and one of the small items that you always leave at the shop when you need them most. The machinist's vise puts a firm grip on plug holders or any small lock part that requires filing or cutting.

No. KO-3 Box Measures 15"x7"x3"4"






## TRUARC RING PLIERS



No. TRU-121
RING COMPRESSOR

No. TRU-122 RING SPREADER


No. TRU-123 RING SPREADER OFFSET



No. TRU-55
Two Tools in One
COMBINATION RING SPREADING
AND COMPRESSION TOOL

Two pivot centers - dual operation. No. 2 center is for compressing, and No. 1 is for spreading action. Changeovers are made quickly and easily.

## TRUARC RING ASSORTMENT



QTRU-1	TRU-7	5 TRU-20	O TRU-23	TRU-26
O ROS	TRU-9 TRU-17	TRU-21	TRU-24	TRU-27
OTRUS C	TRU-11 OTRU	RU-)9 TRU-22	TRU-25	TRU-28

No. TRU-275

This assortment contains twenty-seven different styles of Truarc rings and retainers. You will find them very helpful for servicing Arrow, Best, Corbin, Dexter, IIco, Lockwood, National, Schlage and many more. All are made of carbon spring steel and offer long-lasting tension or compression for retaining purposes.

CONTAINS 275 RINGS - ALL REFILLABLE

Shipping Weight: 2 lbs.



## **GIVE-AWAY KEY RINGS**

Actual Size GAK-6

No. GAK-6

No. GAK-4

No. GAK-3

No. GAK-3

No. GAK-3

Quantity 1000 1000 1000 1000 1000

Diameter 1" 3/4" 5/8" 5/8"

Guage 0475 0475 0317 0475 0317

Shipping Wt 2 lbs. 1 lb. 8 oz. 1 lb. 1 lb. 4 oz. 11½ oz.

Manufactured from hardened spring steel wire and bright zinc plated to resist tarnishing.

These rings are so inexpensive that they can be given away with duplicate keys.

# LARGE KEY RINGS



No. LKR-6 is 6 inches in diameter.

No. LKR-8 is 8 inches in diameter.


No. LKR-11 is 11 inches in diameter.

Made of half-hard steel, bright nickel plated. Brass fastener, screws either to left or right. Eleven inch ring slips over head easily, for carrying around the neck if so desired. Will hold about 260 cylinder keys.




# **UTILITY TAGS**

## **METAL RIM TAGS**




For use on heavy or much handled merchandise, where strength and non-mutilating qualities are required. These Metal Rim Tags are manufactured from heavy stock with a smooth writing surface. Each tag is strung with a heavy string, looped and knotted. PACKED 100 PER BOX.





48

# **LUGGAGE KEYS**







# LUGGAGE KEYS



# **LUGGAGE KEYS**







# LUGGAGE KEY BOARD ASSORTMENTS


Flat, Formed, Milled Brass Cast and Steel Keys


> All Keys Are Cut Ready To Use

These two Luggage Key Assortments should enable you to meet most of your customers' requests for luggage keys. A wide assortment of the most popular flat, formed, milled brass and steel luggage keys will be at your fingertips if you make these assortments a permanent fixture in your shop.

A heavy gauge metal mounting board and hooks are included with each assortment. The luggage keys included on the LKBA-200 and LKBA-400 are different from each other. The assortments are updated periodically and thus the contents will vary.

No. LKBA-400 400 Assorted Luggage Keys






Assortments contain keys made by these major producers of luggage locks and keys.

CHENEY NEUMAN
CREST N. R. W.
EAGLE PRESTO
EXCELSIOR SAMSONITE
LONG SKYWAY

No. LKBA-200 200 Assorted Keys




## SPEEDEX KEY CUTTING MACHINES




**NEW TYPE STEEL JAW** This new design assures maximum leverage for a firm grip on cylinder and flat steel keys. Made of steel for added durability.

- RUGGED
- VERSATILE
- ACCURATE
- DEPENDABLE

The "MC" model cuts cylinder keys and uses the very popular "Sharpy" milling cutter. In a very short time, this cutter has become the one to which all others are compared.



The "SMS" model cuts cylinder cutters or re-adjusting guides.




#### THE SPEEDEX "MC" MODEL

Duplicates Cylinder and Disc Tumbler keys. Supplied with a "Sharpy" milling cutter. An optional CW-16 (.045) Flat Slotter with a W-16 Slotter Washer is used for the cutting of flat steel keys.

#### THE SPEEDEX "SMS" MODEL

Duplicates either Cylinder or Flat keys with just a . 045 thick, side-milling slotter.



#### No. 9110MC Machine, Motor and Base

Supplied with a "Sharpy" milling cutter and a 110V, AC, ¼ H.P., 1725 R.P.M. motor. Machine and motor are mounted on a 14½"x 11" x 1" metal base. Shipping Weight: 41 lbs.

#### No. 9100MC Machine Only

Same machine as No. 9110MC, less motor and base. Bench space: 8"x 4". Shipping wt.: 16 lbs.



#### No. 9110SMS Machine, Motor and Base

Supplied with an "SMS" side-milling slotter, wire brush and a 110V, AC, 1/4 H.P., 1725 R.P.M. motor. Machine and motor mounted on a 141/2"x 11"x 1" metal base. Shipping weight: 41 lbs.

#### No. 9100 SMS Machine Only

Same machine as No. 9110 SMS, less motor and base. Bench space: 8"x 4". Shipping wt.: 16 lbs.

# SPEEDEX KEY MACHINE PARTS

### REPLACEMENT PARTS AND PARTS LOCATIONS

# KEY MACHINE ACCESSORIES

THRUST BEARINGS and KEY BLOCKS




No. BBW-2

Set of 2 ball bearing units and four, hardened steel washers for key machine wing nut studs.

> Set of two blocks for holding Ford double-sided keys, when duplicating.





Set of 2 narrow key rests, raises the key off the bottom of the key rest, for cutting narrow keys or keys with very deep cuts. 1 - BASE

2 - KEY GAUGE

3 - KEY GAUGE SHAFT

4 - CUTTER SHAFT

5A - MILLING CUTTER "MC" MODEL

5B – SIDE MILLING CUTTER
"SMS" MODEL
"SMS" MODEL

6 - THRUST WASHER (2)

6A - THRUST WASHER (1) .157" "MC" MODEL

6B -THRUST WASHER (1)

7 - NUT FOR CUTTER SHAFT

8A – CARRIAGE BODY WITH STUDS AND KEY RESTS ONLY.

9 - CARRIAGE SHAFT

10A - VISE FLAPS (2)

11 - SET SCREW FOR CARRIAGE SHAFT

13 - SPRINGS FOR VISE FLAP (2)

14 - WING NUT (2)

15 - STUD FOR WING NUT (2)

16 - CHIP GUARD

17 - SCREW FOR CHIP GUARD

17A - LOCKWASHER FOR CHIP GUARD

18 - OIL CUP

19 - MACHINE PULLEY

20 - FIBRE PULLEY WASHER

21 - CUTTER SHAFT BUSHINGS (2)

22 - KEY RESTS (2)

23 - COPY DOG


24 - WIRE BRUSH

25 - NUT FOR WIRE BRUSH


26 - GUIDE BINDING WASHER

27 - GUIDE ADJUSTING SCREW


28 - GUIDE BINDING SCREW



#### WHEN ORDERING PARTS FOR THIS MACHINE, USE PREFIX No. 9100- THEN ADD PART No.



## SIMPLEX KEY CUTTING MACHINES



#### THE SIMPLEX MARK II - With 2 Cutters

The SIMPLEX key cutting machine will accurately duplicate cylinder keys, flat steel keys and the lever cuts of bit keys without the necessity of changing cutters.

The polished and ground cutter shaft is carried on four needle bearings, for smooth running and long lasting accuracy that users appreciate. The carriage shaft is carried on two self lubricating oilite bearings; thus adding to the superiority of the SIMPLEX.


OFFERS GREATER CUTTER LIFE
CUTS FIRST SPACE ON G.M. AUTO KEYS
WIRE BRUSH FOR DEBURRING CUT KEYS
NEW TYPE, SINGLE ANGLE MILLING CUTTER
CUTS SMOOTHER, FASTER AT NEW HIGHER R.P.M.
CUTS ALUMINUM, HARD METAL AND NEW ALLOY BLANKS
CUTS DOWNWARD, THROWING CHIPS AWAY FROM OPERATOR
FULLY ENCLOSED PULLEY GUARD MEETS SAFETY REQUIREMENTS

#### No. 6210MK-II Complete, ready to operate


Includes: A heavy duty ¼ H.P., 110V, 60 cycle, 1725 R.P.M. single phase AC motor; heavy electric cord, switch and V belt. Mounted on a 14"x 1" metal base. Shipping weight: 57 lbs.

No. 6200MK-II Machine only 20" Long, 8½" Deep, 8" High Shipping Weight: 33 lbs.






# **KEY MACHINE CUTTERS**




STYLE	STOCK NO.	TYPE	O.D.	THICKNESS	HOLE	USE	COMPARATIVE
	CW-3FSHS	Flat	2½"	.055''	3/8"	2177ID,2179IM,175IA	3FSHS
	CW-7FSHS	Flat	21/2"	.040''	3/8"	2177ID,2179IM,175IA	7FSHS
	CW-10FSHS	Flat	2½"	.030"	3/8"	2177ID,2179IM,175IA	10FSHS
	CW-11	Flat	2-1/16"	.035"	1/2"	2196K & 6½	11
	CW-12	Flat	2-1/16"	.045"	1/2"	2196К & 6½	12
	CW-13	Flat	2-1/16"	.072"	1/2"	2196K & 6½	13
7	CW-15FSHS	Flat	21/2"	.045"	3/8"	2177ID,2179IM,175IA	15FSHS
	CW-16	Flat	21/4"	.045"	1/2"	2184CD,4½,9110,2584C\	/ 27
	CW-33	Flat	21/4"	.045"	7/16"	6210,KD-10,815-1815	13FSHS
	CW-33A	Flat	21/4"	.035"	7/16"	6210,KD-10,815-1815	
•	CW-33B	Flat	21/4"	.030"	7/16"	6210,KD-10,815-1815	. 0
	* CW-33C	Flat	21/4"	.055"	7/16"	6210,KD-10,815-1815	\
	CW-39	Flat	21/4"	.030"	1/2"	2184CD,4½,9110,2584C\	/ 27-1
	CW-45SMS	Side-Mill	2-3/8"	.045''	1/2"	2184CD,4½,9110,2584CV	45SMS
FIRST	CW-65	Flat	2½"	.065"	3/8"	2178U F/ Lockers	DSL
	CW-10	Mill	21/4"	.280''	7/16"	6210,KD-10,815-1815	18MC
	CW-10F Disc	continued	21/4"	.280"	7/16"	6210,KD-10,815-1815	G me in a
7	CW-19MC	Mill	2-7/8"	.281"	1/2"	2183DM & 1½ Auto.	10,19MC
	CW-5RF	File	2-3/8"	.187"	3/8"	2177ID,175IA	5RF
	CW-6RF	File	2-3/8"	.187"	3/8"	2179IM bef. June 1963	6RF
	CW-23MC	Mill	21/4"	.093"	1/2"	Replaces all 23RF	"SHARPY"
	CW-23RF	File	21/4"	.250"	1/2"	2184CD.4½,9110,2584CV	23RF,26



## **SECURITY LOCKING BARS**





## HEAVY DUTY CHANNEL STEEL 1/2" x 11/2"

SECURE LOCKING BARS are quickly installed on steel or wood file, blueprint or tool cabinets. They are made of heavy channel steel and are packed with all necessary hasps, staples and screws for easy and profitable on-the-job installations. When used in conjunction with the approved S & G padlock, it meets U. S. Government Specification MIL-P-17257A.


Stock No.	Drawers	Length
No. SLB-42	2	27"
No. SLB-43	3	39-1/2"
No. SLB-44	4	51-1/2"
No. SLB-45	5	59-7/8"



# NUMERICAL INDEX

					Page	Stock No.	Page
Stock No. Pag		Stock No.		Stock No.	Page		
ADG-13	8	HCF-3/32		LKR-6 thru	_#	SN-100	4
AG-1, 2 1	0	HCF-1/8	30	LKR-11	47	SO-12, 58,	
APS-077 4	3	HCF-3/16	30	LMS	30	916, 1116	23
BBW-2 5	4	HCL-3/32	30	LPX-10 thru		SPA-115	
вно 2	3	HCL-1/8	30	LPX-16		SPM-2 thru	
	7.13	HCL-3/16	30	M-20	23	SPM-9	11
BPX-1 thru		HDSLC	13	MED-66	26	SPO-3 thru	
BPX:61		HDPS-4	29	MW-1 thru		SPO-26D	40
CBB-1A 1		HGCB	11	MW-3	39	SPR-3 thru	. 40
CDJ-1, 22	.8	1100	20	NDPK		SPR-26D	40
CLP-0 thru		HGG					. 40
CLP-9 4	3	HLP-4B, 7B.		NDPK-32 thru		SPT-1 thru	44
CLT-4	1	HLPX-10 thru		NDPK-100.		SPT-3	
CLTD-5 3		HLPX-12.		NT-1		SS-2 thru	24
CMP-0 thru		HLSC		OT-10		SS-16 ·	
CMP-3 4	3	HMD-5		OVDG-12		STW-3	9
CO-4 thru		HMCC				SUT-0 thru	
CO-15 2	7	HMCC-X		OVDG-13, 14.		SUT-47	. 32
COKO-5 4		HMPC		P-2, 3	9	SUT-600	. 33
CPH-5 thru		HNLC	13	P-8 thru	E E	SVM	19
CPH-20 3	33	HOCN	23	P-35		TEN-2 thru	
CR-6 2		HPCB	12	PIP-13, 15		TEN-9	9
		HPX-1 thru		PKS		TLP-C thru	
CUP-1 thru	12	HPX-31	8	PLT-1		TLP-R	10
CUP-3 4	13	HSA-100	34	PTT-4	34	TO-2	9
CW-6RF thru	7	HSMC	14	PX-1 thru		TOAM-2	
CW-65 5		HYC	15	PX-31	8		
DGM-1 2	9	HYD	14	R-1	0	TR-3 thru	
700DKS thru	0	HYPC	15	RW-1 thru		TR-25	
807DKS1		IDG-7, 8	37	RW-3		TRU-1 thru	
ECFE-2 4		KB-10P thru		RW-226		TRU-28	
EL-330X		KB-160N.	1	SCC		TRU-55,	
EL-500X	2	KBP-1 thru	n was all w	SCS		121,122,	
ERD-0 thru		KBP-6	13	SDL-15		123, 275	
ERD-34	18	KEKAB-30 th		SDP-700		VDG-1 thru	
EU-48 2	23	KEKAB-11		SHPD-8 thru		VDG-4	
EYR-5, 7 4	18	KEKAB-160X		SHPD-14		VDG-10	30
EYS-6, 8 4	18				217418	VDG-1026	36
EZ-1, 2	8	KEKAB-240.		SLB-42 thru	anage of the	VV-6	. 9
FB-1 5	54	KEKAB-260X		SLB-45	58	WSG-1 thru 6.	
FEE-1		KEKAB-330.		SLC-1 thru	azie do tokis	YPA-095	
FNB-2	54	KEKAB-500.	3	SLC-11	21	YPA-101	. 44
FSW-100 2		KEKAB-700.	3	SLC-12 thru		YPA-115	. 44
		KEP-12	8	SLC-21	22	1-1 thru	
G-1, 2 1		KM-60	31	SLC-22, 23	21	7-1	16
GAK-3 thru		KMP-1 thru		SLC-24 thru		6200MK-II	55
GAK-44 4		KMP-5	43	SLC-30	22	Parts	
GG-16 3	9	KO-3	45	SLC-31	21	6210MK-II	
GM-AA thru	00	KTP-1	43	SLC-32 thru		Parts	
GM-K 2		KWK-115	43	SLC-36	21	9100MC	
GMLS		LCD-14	35	SLC-37		9100SMS	
GPG-30, 42 4		LCS	34	SLC-39 thru		9110MC	
		LDNC		SLC-41	21	9110SMS	
HAC 1		LKBA-200		SLP-0 thru	Printed at 124	Parts	
НВВ	23	LKBA-400		SLP-9	44	1 01 03	







THE CAR OPENER DESIGN THAT EVERYONE IS COPYING! Clock spring steel,

bright zinc plated. Wider and thicker. Offers faster openings on most domestic auto-

mobiles. Does not enter vehicle. Complete illustrated instructions.

No. PG-3 \$27.50

Trigger action causes bottom pins to bounce into position,

while a slight turning tension is applied to plug with the

Includes vinyl carrying pouch.

included tension wrench.

## KEY MICROMETER

NEW TAPERED ANVIL



Tapered top anvil allows for accurate measurements of a cut on a key with narrow pin seats as for Medeco, Emhart, foreign autos.

## **ROTO-RASPS**



No. RR-12 - " Diameter



No. RR-34 — ¾" Diameter @ \$1.70 each

SHAPES, CUTS, FORMS, MILLS HARDENED TEMPERED STEEL. FITS ELECTRIC DRILLS OR DRILL PRESS.

- Cuts Wood, Aluminum, Plastics, Brass
- Ideal for enlarging or elongating cylinder holes when moving backset.
- "Dresses-up" a mortise pocket.

## Adjustable DRILL-STOPS


End Overdrilling, Guesswork, Trouble



- End costly errors caused by overdrilling.
- End damage to tailpieces or switch mechanisms, when drilling cylinders.

2 pc. set — 1/16 to 1/2 inch bits No. ADS-1 @ \$3,10 per set





AT LAST! A 12 VOLT D.C. MOTOR THAT EASILY MOUNTS ONTO EXISTING KEY MACHINES, HAS HIGH TORQUE AND MINIMAL BATTERY DRAINAGE.

No. DC-12 @ \$75.00

- FRAME MOUNTING Standard NEMA 48.
- CORRECT CUTTER R.P.M. Included motor pulley for shaft speed of 1000 R.P.M.
- SWITCH Includes double pole, single throw switch.
- PROTECTION In-line fuse holder eliminates possibility of wiring damage caused by a "short".
- DURABILITY 3/8" diameter shaft turns within ball bearings on the pulley side.
- ELECTRIC DRAW 13 amps/typical load similar to car headlights.
- POWER High torque motor 40 oz.-inch torque rating. No load R.P.M. 3600. Under load 3000 R.P.M., 1/6 H.P. equivalent
- ROTATION Simply switch power leads to reverse shaft rotation

KIT INCLUDES: MOTOR and FRAME, PULLEY, BELT, 10 ft. of 14 GAUGE WIRE, CIGAR LIGHTER ADAPTOR, IN-LINE FUSE HOLDER and FUSE, DOUBLE POLE, SINGLE THROW TOGGLE SWITCH.



## SAFETY GOGGLES

No. SG-1 @ \$2.45

Soft, form fitting vinyl frame. Fits over personal glasses. Protects eyes from flying particles, dust, spray. Has distortion-free lens. Well ventilated. OSHA approved.

## WAFER KEY PUNCH for SCHLAGE

Includes a vinyl carrying pouch.

CUTS 10 - 20 - 30 SERIES



DECODER GAUGE READS
BOTH CUT KEYS and PLUGS




#### ROUTER-DRILL



DRILLS, SAWS, ROUTS, FILES

- Cuts Wood, Aluminum, Plastics, Brass
- Ideal for enlarging holes or the forming of irregular shapes.
- Makes own starting hole.
- Fits any electric drill or drill press.

No. RD-1 @ \$2.50 ea.



## **Door and Nose PULLER KIT**

for Safe Deposit Boxes

A heavy wrought and bar steel set, expertly made and finished to effectively pull out a lock core. Complete with illustrated instructions. No. NP-4B @ \$30.25 Nose Puller Set.

Nose Puller can also be used to remove a padiock plug!

Order the No. DP-7B Door Puller Set @ \$85.00 and the No. NP-4B Nose Puller Kit is included.

REPLACEMENT PARTS ARE AVAILABLE

WOW!!!

0 || 王

WE'VE SOLD THOUSANDS OF THE STANDARD "SLIM JIM" MODEL, BUT NOW - HERE'S

No. CO-11 • CAR OPENER

@ \$5.00 each



BRITE ZINC PLATED

WIDER and THICKER FASTER OPENINGS

ON MOST DOMESTIC AUTOMOBILES.

DOES NOT ENTER VEHICLE.

Lock Mechanism




## FOLLOWER and PIN PUNCH

for National-Rockford No. SUT-24 @ \$3.00

Follower machined and zinc plated for smooth operation. Pin punch is plated and hard.



Available Now



## BROKEN KEY EXTRACTOR

No EZ-5@ .85 each

REC Dustanumin 36456

SPIRAL ROUND TYPE

Available Nov. 10



## COMPACT PIN TUMBLER **TWEEZER**

No. PTT-5 @ \$2.75

Only 4" long. Milled tips firmly grips top and bottom pins. A useful keying aid.



2%" O.D.

"HOLE

M2

#### CONVERSION CUTTER Available Double Angle MILLIAM TO

CUT FROM DEPTH KEYS OR DUPLICATE

M2 Tool Steel Cutter cuts steel, brass or MIZ Tool Steel Cutre cuts steel press on ricces sitver. Fits the following. HPC Speades: Taylo KD 1.2 etc., Dominion 145, 146, 1460. 2584.6, 2585, Keil 4.6, 45, Cutris. 24. Replaces the following single angle cutrers. 23RF.26,CU.5. CU. 1.23MC.24MC.

No. CW-51MC.kit. \$39,00 includes cutter.






# TOOL STEEL

## FOLLOWER TOOL for

WEISER BEVERLY DESIGN KNOB LOCKS



Available Now

No. SUT-23 \$3.00


Solid bar stock machined to perfect dimensions. Is bright zinc plated.

## SELF-CONTAINED, BROKEN KEY EXTRACTOR SET

No. EZ-6 @ \$6.25



FOUR REPLACEABLE BLADES ARE CONTAINED IN HOLLOW HANDLE.





ENLARGED TIP END VIEW OF ROUND CONVOLUTED EXTRACTOR

#### ECONOMICAL REPLACEMENT BLADES

@ \$3.60 per pack of any 10



No. EZ 7A = 10 Sew type extractor blades only

No. EZ 78 = 10 Round type extractor blades, .040" standard diamete

No. EZ 7C - 10 Round type extractor blades .050" heavy diameter

No. EZ-7D = 10 piece assorted, consists of 4 of 7A, 4 of 7B, 2 of 7C

## IMPRESSION FILE SAFETY CASE

THIS CLEAR TUBE CLIPS TO SHIRT . POCKET. HAS A SPRING ACTION CAP.

PROTECTS POCKET

and WEARER



Available Oct. 25

IFH-1 = File Holder Case ONLY, \$2.25

IFH-2 = Case plus No. 2 Cut Impression File. @ \$5.00

1FH-4 = Case plus No. 4 Cut Impression File. @ \$5.15



FILES ARE AMERICAN MADE

## KEYING PIN KIT for WEISER


No. WPA-115 @ \$29.50

Available Nov. 10

Securely contained in a heavy duty metal box with a latch.

Consists of 100 each of all Bottom, Top, Master Pins and Springs.

Includes a Follower, Cap Tool, Shim Pick and a special Pin Tweezer.



## HOLLOW FOLLOWER SET

No. SUT-14 @ \$8.75 Available Now



No.	List	Dealer	No.	List	Dealer	No.	List	Dealer	No.	List	Dealer
4.4		20	DEDTH	KEY SET	c	764DKS	****	5.75	НМСС	***	13.00
1-1		.38	DEFIN	VE I SE I	3	800DKS		4.05	HMCCX		11.00
1-2		.38	700DKS		4.00	801 DKS		4.05	HMD-5		14.75
1-3	****	.38.					****	4.75	HMPC		12.10
1-4		1.75	701DKS		5.75	802DKS				~	13.00
1-5		.63	702DKS		5.75	803DKS		3.70	HNLC		
2-1		.38	703DKS		4.75	804DKS	****	3.70	HPCB		50.00
2-2		.38	704DKS		3.70	805DKS	*****	3.70	HPX-1, 2, 3		.65
3-1		1.50	705DKS	****	5.75	806DKS		3.10	HPX-4, 30, 31	****	.65
3-2	-	1.50	706DKS		5.75	807DKS		3.70	HR-38		1.50
3-3		1,50	707DKS	****	3.10	1248 241					
			708DKS	****	5.75	ECFE-2		3.50	HSA-100		8.00
4-1		.63	709DKS	****	5.75	EL-330X	59.00	35.40	HSMC		8.00
4-2		.63				EL-500X	75.00	45.00	HYC		14.30
4-3	****	.63	710DKS		5.75	ERD-0		2.80	HYD		10.00
		.63	711DKS		2.05	ERD-1	****	3.30	HYPC		10.50
4-4					3.10	ERD-2	-	3.80	IDG-7	3.75	2.50
4-5		.90	712DKS			ERD-3	### n	4.20	IDG-8	3.75	2.50
5-1		1.20	713DKS		5.75	1		3.25	1000	0.70	2.00
7-1		5.63	714DKS		4.75	EU-48			KEY CAB	INICTO	
ADG-1	7.15	4.75	715DKS	****	5.50	EYR-5	****	3.30	NET CAD	HVC13	
AG-1		12.25	716DKS	****	4.00	EYR-7		4.00			
AG-2		13.50	717DKS	****	3.10	00,811 -			EL-330X	59.00	35.40
APS-077		15.00	718DKS		3.70	EYS-6	4000 C-40	4.00	EL-500X	75.00	
BBW-2		2.50	718ADKS	40 milestra	3.70	EYS-8	****	4.50	KB-10P	3.25	1.95
			08.389			EZ-1	****	.80	KB-20P	4.00	2.40
вно	30.00	20.00	719DKS		3.10	EZ-2		.40	KB-20N	5.00	3.00
BPX-1, 2, 3		.55	720DK\$	****	5.75	FB-1		.40	KB-40N	10.00	6.00
BPX-4, 5, 6		.60	721DKS		6.60	FEE-1		.35	KB-80N	20.00	12.00
BPX-11, 21		.55	722DKS		4.00	FNB-2		.40	KB-120N	30.00	18.00
BPX-31		.55	723DKS		5.75	FSW-100	****	5.50	KB-160N	40.00	24.00
BPX-41, 51		.60	724DKS		5.75	G-1		2.50	TED TOOK	10.00	21.00
BPX-61		.60	725DKS		5.75	G-2		2.75	KEKAB-30	23.00	13.80
			1			G-2		2.75			
CBB-1A	****	6.00	726DKS		5.75	CAKO		2.00	KEKAB-60	47.00	28.20
CDJ-1		6.00	727DKS	****	3.10	GAK-3		3.00	KEKAB-110	60.00	36.00
CDJ-2		6.00	728DKS	****	5.75	GAK-4	****	3.25	KEKAB-160X		48.00
CLD-6		19.00				GAK-6		4.35	KEKAB-240	99.75	59.85
CLT-4	****	16.00	730DKS		5.75	GAK-33		3.00	KEKAB-260X		90.00
CLTD-5		36.00	731DKS		5.75	GAK-44		3.25	KEKAB-330		
CO-4		10.75	732DKS	****	5.75	GG-16	****	2.75	KEKAB-500		
CO-6	~~~	7.00	733DKS		5.75	GM-AA		30.00	KEKAB-730	288.75	173.25
CO-7	****	3.00	734DKS	****	3.10	GM-BB		30.00			
			735DKS		3.10	GM-CC		30.00	KEP-12	9.75	6.50
CO-10		4.00	736DKS	****	4.00	GM-DD		30.00	KM-60		19.00
CO-15		2.25	737DKS		2.50				KO-3	****	40.00
COKO-5		80.00	738DKS	****	4.00	GM-EE	-	30.00	KWK-115		18.00
CPH-5		12.00	739DKS	****	5.75	GM-HH	****	30.00	LCD-14	56.45	37.60
CPH-8		4.00	7000110		0.70	GM-J	****	30.00	LCS		.80
CPH-9		12.00	740DKS		2.50	GM-K		30.00	LDNC		14.00
CPH-10, 15, 20		4.00				GMMK-1		20.00	LDND		18.00
			741DKS		5.75						
CR-6	6.00	4.00	742DKS	****	5.75	GMLS	20.75	.80	LKBA-200		38.50
CW-3FSHS		7.25	743DKS		3.10	GPG-30	36.75	22.05	LKBA-400		66.00
CW-5RF		8.40	744DKS		3.10	GPG-42	42.00	25.20			
			745DKS	~~~	3.10	HAC		13.50	LKR-6	2.10	1.40
CW-6RF		8.40	746DKS	****	3.10				LKR-8	2.45	1.63
CW-7FSHS		7.25	747DKS	****	5.75	HCF-3/32		5.00	LKR-11	2.70	1.80
CW-10		24.00	748DKS	****	5.75	HCF-1/8	****	5.00	LMS		12.00
CW-10FSHS		7.25	749DKS	****	3.70	HCF-3/16		6.50	LPX-10 to 16		.60
CW-11, 12, 13	****	7.25	ner. I			HCL-3/32	****	14.00	MED-66		15.00
CW-15FSHS	****	7.25	750DKS	****	5.75	HCL-1/8		14.00	MW-1, 2, 3	3.75	2.50
CW-16		7.25	751DKS		5.75	HCL-3/16		18.00	NDPK		12.00
CW-19MC		23.00	752DKS	****	4.75	HDPS-4	****	14.30	NDPK-32		16.50
CW-23MC		20.00	753DKS	****	5.75	HDSLC		10.00	NDPK-60		26.00
CW-23RF		7.25	754DKS		3.10	HGCB		66.00	1151100		20.00
011-23MF		7.25				HGG	2.10	1.40	NDPK-100		43.00
0141 004 0 0		7.05	757DKS		3.10	ndd	2.10	1.40			
CW-33A, B, C		7.25	758DKS		5.75	LII D AD		10.50	NT-1		12.00c
CW-39		7.25	760DKS	****	5.75	HLP-4B		18.50	ODG-6	3.00	2.00
CW-45SMS		25.00	761 DKS		5.75	HLP-7B	4.0	49.00	OT-10		k .60pk
CW-65		7.25	762DKS		2.50	HLPX-10, 11		.65	OVDG-12	4.15	2.75
DGM-1	****	12.50	763DKS		3.10	I HLSC		18.00	OVDG-13	4.15	2.75

## HPC INC. DEALER PRICE LIST

No.	List	Dealer	No.	List	Dealer	Stock No.	Group	Stock No.	Group	Stock No.	Group
OVDG-14	4.15	2.75	TRU-121		4.00	1 C-0	1 1	C-31	1 1	UG-230	G
P-2 to 35		.55	TRU-122		4.00	PKY-0	E	PK-31	1	H-242	M
PIP-13		5.50	TRU-123		5.50	C-1	so i re	C-32	1		G
			1 41		19.00	CT-1	E			UG-250	
PIP-15		4.75	TRU-275	2.75				€-33	1	UG-260	G
PKS	10.00	3.50	VDG-1, 2, 3, 4		2.50	E-1	K	E-33	E	EX-301	G
PLT-1	16.000		VDG-10	5.25	3.50	KG-1	F	PK-33	H		
PTT-4		2.90	VDG-1026	7.50	5.00	6K-1		C-34		UG-330	G
PX-1 to 31		.65	VV-6		90	KY-1	E	T-35	E	L-340	E
R-1		.50	WSG-1	25.85	15.51	6M-1		EX-36		UG-350	G
RW-1, 2, 3	3.75	2.50	WSG-2	30.20	18.12	7M-1	1	T-36	E	UG-360	G
			WSG-3	9.45	5.67	8.78	2	C-37		P-440	N
RW-226	5.40	3.60	WSG-4	12.45	7.47	8M-1	1	T-37	E	4	8.8
SCC	-	10.00	WSG-5	15.45	9.27	9M-1	1 2	PK-38	н	480	E
SCS		.80	WSG-6	18.90	11.34	PKY-1	E		EB.	526	E
SDP-700		16.00	YPA-095		17.00	C-2	1	C-38	88.4	P-527	G
SDL-15		16.50	YPA-101		22.00	E-2	K	C-39	88	P-538	G
SHPD-6		4.00	YPA-115		22.00	6M-2	1	C-40	88.	599	F
SHPD-8		4.50	00.0			7M-2	1	EX-40	ce i	333	
SHPD-12	9899	16.00	KEY MA	CHINES	S	8M-1	1	PK-40	N	610	Н
SHPD-14	-	16,80	6200MKII		235.00	8M-2			1		
SLB-42	O V	9.70						E-44	E,	P-645	N
3LD-42		3.70	6210MKII	mton	290.00	9M-2	1	T-44	H	P-660	N
CLD 40		10.00	9100MC	000	88.00	077.0	_	PK-46	1	P-815	N
SLB-43		10.90	9110MC		145.00	CT-3	E	T-46	H	900	Н
SLB-44	age option to	12.10	9100SMS		88.00	E-3	K	EX-48	G		
SLB-45		13.30	9110SMS		145.00	KG-3	F	ABEL	080	907	E
SLC-1, 2, 3		4.85	LOCK PUL	I FR DA	RTS	6M-3		PK-50	N	1052	N
SLC-4	-	1.65	LOCKFOL	LLINIA		7M-3		C-50	1	1231	N
SLC-5, 6, 7, 8		4.85	PT. A Comple	te	30.00	8M-3		50P	L	1570	E
SLC-9, 10, 11		5.45	PT. A Body O	nly	15.00	9M-3	1	S-53	L	1572	E
SLC-12, 13, 14		5.45	PT. A Screw C	nly	4.00	PKY-3	H	PK-55	G		
SLC-15, 16		5.45	PT. B		5.00	C-4	1	PK-57	J	1573	E
SLC-17, 18		4.25	PT. C		4.50	CT-4	E	PK-59	G	1742	N
23.00 13.89			PT. D		6.00	AT 2		PK-60	N	1824	N
SLC-19	-	4.85	PT. E		3.75	E-4	K	C-60	001	1830	STO CES
SLC-20		6.65	PT. F		1.35	CT-5	E	60R	L	2076	N
SLC-21, 22		4.85	PT. G		1.20	E-5	K	0011	ona		400
SLC-23		1.80	PT. H	****	4.50	HA-5	E	C-62	00.12	2086	N
SLC-24		6.65	PT. K	-	6.00	PKY-5	G	P-70	N	2094	N
SLC-25		4,25	PT. L		5.00	E-6	K	S-70	00	2102	
SLC-26, 27, 28		6.65	PT. M		3.00	KE-6	E	EX-71	F		N
SLC-29		6.65	00.02		3.00	E-7	K	L-62	K	2119	N
SLC-30		7.25	CYLINE	DER PIN	S	KG-7	G	L-02 L-71	E	2121	N
SLC-31		1.65	1004		4.00	TZ-7	j	PK-73		04.40	
320-31		1.05	ABP-1		1.20	12-1	,		G	2148	N
SLC-32, 33, 35		5.45	ACS		1.20	E-8	v	L-75	E	2173	F
		5.45	ATP		1.20		K	PK-75	G	2148	N
SLC-36			C		1.20	TZ-8	J	LS-80	E	2471	J
SLC-37	*****	6.65	CLP	-	1.20	E-9	K	0.00	-	2620	G
SLC-39	*****	6.60	CLPS	****	1.20	L-9	E	S-80	L	0740	
SLC-40		6.05	CMP	****	1.20	C-10	-	PK-81	N	2712	E
SLC-41		1.65	CMPS		1.20	LS-10	E	L-83	E	3057	E
SN-100	6.000		CUP		1.20	C-11	!	LS-85	E	3310	Н
SO-12 thru 1110			CUPS		1.20	6K-11		S-86	L	EX-4686	M
SPA-115		22.00	F	****	1.20	KY-11	E	N-87	L	5951	Н
SPO-3, 10, 260		1.10	KBP	****	1.20	PK-11	N	93	M		
SPR-3, 10, 260	1.65	1.10	KMP		1.20	3,10	8	S-94	L	5952	H
			M		1.20	L-12	E	S-96	L	5953	Н
STW-3	****	.70	SLP		1.20	L-14	K	102	F	5985	G
SUT-0		1.80	SPM		1.20	C-16	1		100	5986	G
SUT-1		2.20	STP		1.20	M-16	1	126	M	5987	G
SUT-3	E	2.00	00.41			KY-20	F	127	H		
SUT-10		2.00	LUGGA	GE KEY	S	PKL-20	N	149	F	5988	G
SUT-18		6.00	100.00			PK-22	G	150P	L.	5989	G
SUT-22		6.00	GROUP	D	EALER	PK-25	F	E-151	6	E-7847	K
SUT-47	****	7.50	E		1.20/10	L-23	K	152	H	8446	E
SUT-600	****	16.00	2.10 F		1.40/10	L-26	G	154	G	8446-K	Ē
SVM		25.00	G		1.60/10	3.75		EX-154	G	- 0.8 AD	CVV-
TEN-2, 3, 4, 5		.70	H	11/1/38	1.80/10	PK-26	F	160R	L	8446-2K	G
TEN-7, 9		.85	00105		2.00/10	C-30	1	S-170	O ES	8510	G
TLP-C, L, R		20.00	J - 51		2.40/10	PK-30	N	L-198	G	9961	N
TO-2		3.00	K		2.40/10	AT-31	H	P-202	N	22054	G
TOAM-2		50.00	L		2.80/10						
TR-3 to 25		.55	M		3.20/10						
TRU-1 to 28		1.15	N		3.60/10						
TRU-55		5.75	HCK-2 to 21		.50 ea.						

# CATALOG 702



# LIST and DEALER PRICES of Consumer Items

FEBRUARY 23, 1976

## PRICES SUBJECT TO CHANGE WITHOUT NOTICE!

Stock No.	List	Dealer	Stock No.	List	Dealer	Stock No.	List Deale
1-1		.75	CBB-1A		9.00	CW-33C	9.50
1-2		.75	CDJ-1		7.30	CW-34MC	22.00
1.3		.75	CDJ-2		7.30	CW-39	8.75
1-4		3.00	CLD-6		23.00	CW-45SMS	26.25
1-5		1.35	CLP-0 to 9		1.50	CW-65	8.75
1-6		3.00	CLPS-0, 1, 2		1.50		N. Production of the state of
1-0	*****	3.00	CLPS-3, 4, 5		A CALL PROPERTY.	DGM-1	19.00
Park Televisia					1.50	DRC-1-M	33.00
2-1		.75	CLPS-6		1.50	DRC-1-P	27.00
2-2	******	.75	CLT-4	******	20.00	DRC-1-S	27.00
			CLTD-5		46.00	DSP-1	6.00
3-1		2.65	CMP-0, 1, 2		1.50		
3-2	*****	2.65	CMP-3		1.50	ECFE-2	7.75 5.50
3-3		2.65	CMPS-0, 1		2.00	EL-330X	68.25 40.95
3-4		3.00			2.00	EL-500X	86.63 51.98
3-5		2.65	CMPS-2, 3				0.00
3-6	*****	2.65	C-095-1, 2		1.50	EP-007	8.85
			C-095-3, 4		1.50	ERD-0	2.95
4-1		1.35	C-095-5, 6			ERD-1	3.45
4-2		1.35	CO-4	*****	14.00	ERD-2	1.00
		1.35			10.00		
4-3	*****		CO-6			ERD-3	DISCONTINUED
4-4	******	1.35	CO-7		4.00	EU-48	
4-5	*****	1.70	CO-10		4.85	EYR-5	4.85
4-6	******	1.35	CO-15		3.50	EYR-7	5.39
F 4		0.00	COKO-5	******	102.00	EYS-6	4.85
5-1		2.00	CPH-5		16.00	EYS-8	5,39
7-1		9.25	СРН-8		6.25	EZ-1	85
		S CONTRACTOR OF THE PARTY OF TH	CPH-9		16.00	EZ-2	45
8-1	******	5.50	CPH-10, 15		6.25	FB-1	55
			CPH-20		6.25	FEE-1	50
AA-1		15.00	CR-6	10.00	6.67	FNB-2	55
AA-2		15.00	CUP-1-3	******	2.00	F095-1	1.50
AA-3		15.00	CUPS-1-4		2.00	F095-2, 3	1.50
AA-4	******	15.00				Market Co.	
AA-5		15.00	CW-3FSHS		8.50	G-1	3.25
AA-6		15.00	CW-5RF	******	13.40	G-2	3.50
AA-7	*****	15.00	CW-6RF		13.40	GAK-3	4.00
			CW-7FSHS		8.75	GAK-4	4.20
ABP-1		1.50	CW-8		13.50	GAK-6	5.50
ACS		1.50	CW-10	******	26.00	GAK-33	4.00
ADG-1	8.70	5.79	CW-10FSHS		8.75	GAK-44	4.20
AG-1		14.00	CW-10F3H3		0.75	GART	7.2
AG-2		15.50	CW-11		8.75	GG-16	3.60
APS-077	******	21.00	CW-12	******	8.75		DISCONTINUED
	•••••	1.50	CW-13		8.75		E DISCONTND
ATP-1 to 7	•••••	1.50			The second secon	GM-HH, JJ, K	
			CW-15FSHS		8.75	GMHP-4	16.80
BBW-2	******	3.00	CW-16		8.50	GMLS	90
BPX-1, 2		.65	CW-19MC	******	24.50	GMMK-1	DISCONTINUED
BPX-3		.65	CW-19TS		33.50		0.00
DDV 4 E		.70			00000	GMTD-5	6.00
BPA-4, 5		.70	CW-23MC	*****	23.00	GSM-10	132.0
					44 00		
BPX-6		.65	CW-23RF	*****	11.25	HAC	45.00
BPX-6 BPX-11, 21		.65 .65	CW-23RF CW-30SMS	*****	11.25 22.00	HAC	15.90
BPX-4, 5 BPX-6 BPX-11, 21 BPX-31 BPX-41, 51						HCF-1/8	7.75
BPX-6 BPX-11, 21 BPX-31		.65	CW-30SMS	*****	22.00		7.70

Stock No.	List	Dealer	1 3 13 1 13 1		1		
			Stock No.	List Dealer	Stock No.	List	Dealer
HCL-1/8	•••••	21.85	DEFECT OF THE RESERVE				
HCL-3/16	******	26.45	LCD-14	44.00	SLC-1, 2, 3		7.00
HCL-3/32	******	21.85	LCS	1.00	SLC-4		3.00
HDPS-4	*****	18.00	LDNC	17.00	SLC-5, 6		7.00
HDSLC	******	11.55	LDND	40.00			
					SLC-7, 8		7.00
HGCB		79.90	LKBA-200	75.00	SLC-9, 10	*****	8.00
HGG	2.80	1.87	LKBA-400	115.00	SLC-11, 12		8.00
HJAC		10.50					
			LKR-6	1.70	SLC-13, 14		8.00
HKD-75		57.50	LKR-8	2.00	SLC-15, 16		8.00
HLP-4B		30.25	LKR-11	2.20	SLC-17, 18		7.00
HLP-7B		75.75	LMS	12.00	SLC-17, 18	*************	
			LPX-10, 11	70			8.00
HLPX-10		.80			SLC-20	******	9.50
HLPX-11		.80	LPX-12, 15	70	SLC-21, 22		7.00
HLPX-12		.80	104.00				
	*****		LPX-16	70	SLC-23		3.00
HLSC		21.80	LPX-80, 81	1.00	SLC-24		10.00
HMCC		20.80	LPX-82	1.00	SLC-25		7.00
HMCCX		15.00		22.50	SLC-26, 27		10.00
			MED-66	20.50			
HMD-5		22.00	MW-1, 2, 3	4.40 2.93	SLC-28, 29	******	10.00
HMPC		14.00	M 095-1, 2, 3	1.50	SLC-30		10.50
HNLC		15.50					
	*****		MLCO-2	78.00	SLC-31		3.00
HPCB	******	63.00			SLC-32, 33		8.00
HPX-1		.75	MRO-1	170.00	SLC-35, 36		8.00
HPX-2		.75	MRO-2	139.00	SLC-37, 39		10.00
HPX-3		.75	MRO-3				
THE RESERVE AND ADDRESS OF THE PARTY OF THE	*****		IMNO-3	47.50	SLC-40		10.00
HPX-4		.75	NDPK	15.00	SLC-41		3.00
HPX-30, 31		.75			0.00.0		4.50
			NDPK-32	20.50	SLP-0 to 9	•••••	1.50
HSCB		15.00	NDPK-60	35.50	SMB-1	******	6.00
HSMC		9.35	NDPK-100	56.00	SMB-34		6.00
HYC		16.55			SMB-78		6.00
HYD		11.65	NT-1	22.50c 15.00c	SMR-20		40.00
			NULL-1	248.00 165.00			
HYPC	******	12.10		240.00 100.00	SN-100	******	7.25c
1007	4.25	200	ODG-6	3.45 2.30	CAUK		0.75
IDG-7	4.35	2.90	OT-1	1.20 .80	SNK-2	•••••	9.75
IDG-8	4.35	2.90			SPA-115		27.50
INV-1		3.00	OVDG-12	4.80 3.20	SPM-2 to 9		1.50
			OVDG-13, 14	4.80 3.20	SPO-3, 10		1.35
KB-10P	4.35	2.61	P-2 to 35	65	SPO-26D		1.35
KB-20P	7.55	4.53	PB-20	30.00	SPR-3, 10		1.35
KB-20N	8.90	5.34	PCTR-1	59.00	SPR-26D		1.35
					0.11200	******	1.33
KB-40N	15.40	9.24	PIP-13	7.50	SPT-1, 2, 3		1.50
KB-80N	30.80	18.48	PIP-15	0.00		******	
KB-120N	46.20	27.72			STW-3	******	.90
KB-160N	61.60	36.96	PKS	4.25	SUT-0	******	2.50
			PLT-1	18.75c 12.50c	SUT-1		3.45
KBIC		15.00	PTT-4	3.75	SUT-3		2.90
KBP-1, 2, 3	*****	1.50	PX-1 to 31	75	SUT-10		2.90
KBP-4, 5, 6		1.50	The second secon	Spinish saying	The second secon		3763
KBI 4, 5, 5		1.00	R-1	70	SUT-18		8.00
KEKAB-8	11.55	7.70	RBHC-1	3.50	SUT-22		
			RGP-1, 2	14.00 9.33		•••••	8.50
KEKAB-30	27.75	16.65			SUT-47		11.50
KEKAB-60	56.10	33.66	RSF-1	9.75	SUT-600	******	21.50
KEKAB-110	71.25	42.75	RW-1, 2, 3	4.35 2.90	SVM		27.50
KEKAB-160X	99.75	59.85	RW-226	6.30 4.20	The same and the s		
					TEN-2 thru 5		.80
KEKAB-240	124.75	74.85	SCC	11.55	TEN-7, 9		.95
KEKAB-260X	187.10		scs	1.00	TGP-1, 2	15,00	10.00
	107.10		SDP-700	21.80	TLP-C		27.50
KEKAR 220	160 OF			18.00			
KEKAB-330	169.95		CDI.16		TLP-C Model A		30.00
KEKAB-500	275.00	165.00	SDL-15				05.00
		165.00	SHPD-6	4.20	TLP-Cust.		95.00
KEKAB-500	275.00	165.00					95.00 95.00
KEKAB-500 KEKAB-730 EL-330X	275.00 357.00 68.25	165.00 214.20 40.95	SHPD-6 SHPD-8	4.20 4.75	TLP-Cust.		
KEKAB-500 KEKAB-730	275.00 357.00	165.00 214.20	SHPD-6	4.20 4.75 21.25	TLP-Cust. TLP-OFT		95.00
KEKAB-500 KEKAB-730 EL-330X	275.00 357.00 68.25	165.00 214.20 40.95	SHPD-6 SHPD-8	4.20 4.75	TLP-Cust. TLP-OFT TLP-L, R		95.00 27.50
KEKAB-500 KEKAB-730 EL-330X EL-500X	275.00 357.00 68.25 86.63 11.60	165.00 214.20 40.95 51.98	SHPD-6 SHPD-8 SHPD-12	4.20 4.75 21.25	TLP-Cust. TLP-OFT TLP-L, R TO-2		95.00 27.50 4.75
KEKAB-500 KEKAB-730 EL-330X EL-500X KEP-12 KM-60	275.00 357.00 68.25 86.63 11.60	165.00 214.20 40.95 51.98 7.73 23.10	SHPD-6 SHPD-8 SHPD-12 SHPD-14	4.20 4.75 21.25 22.30 24.00	TLP-Cust. TLP-OFT TLP-L, R		95.00 27.50
KEKAB-500 KEKAB-730 EL-330X EL-500X KEP-12 KM-60 KMP-1 thru 5	275.00 357.00 68.25 86.63 11.60	165.00 214.20 40.95 51.98 7.73 23.10 1.50	SHPD-6 SHPD-8 SHPD-12 SHPD-14 SKM-1 SLB-42	4.20 4.75 21.25 22.30 24.00 12.70	TLP-Cust. TLP-OFT TLP-L, R TO-2 TOAM-2		95.00 27.50 4.75 52.50
KEKAB-500 KEKAB-730 EL-330X EL-500X KEP-12 KM-60 KMP-1 thru 5	275.00 357.00 68.25 86.63 11.60	165.00 214.20 40.95 51.98 7.73 23.10 1.50	SHPD-6 SHPD-12 SHPD-14 SKM-1 SLB-42 SLB-43	4.20 4.75 21.25 22.30 24.00 12.70 14.40	TLP-Cust. TLP-OFT TLP-L, R TO-2 TOAM-2 TPT-5		95.00 27.50 4.75 52.50 6.00
KEKAB-500 KEKAB-730 EL-330X EL-500X KEP-12 KM-60 KMP-1 thru 5	275.00 357.00 68.25 86.63 11.60	165.00 214.20 40.95 51.98 7.73 23.10 1.50 46.20	SHPD-6 SHPD-12 SHPD-14 SKM-1 SLB-42 SLB-43 SLB-44	4.20 4.75 21.25 22.30 24.00 12.70 14.40 15.95	TLP-Cust. TLP-OFT TLP-L, R  TO-2 TOAM-2 TPT-5 TR-3 thru 25		95.00 27.50 4.75 52.50 6.00 .65
KEKAB-500 KEKAB-730 EL-330X EL-500X KEP-12 KM-60 KMP-1 thru 5	275.00 357.00 68.25 86.63 11.60	165.00 214.20 40.95 51.98 7.73 23.10 1.50	SHPD-6 SHPD-12 SHPD-14 SKM-1 SLB-42 SLB-43 SLB-44 SLB-45	4.20 4.75 21.25 22.30 24.00 12.70 14.40	TLP-Cust. TLP-OFT TLP-L, R TO-2 TOAM-2 TPT-5		95.00 27.50 4.75 52.50 6.00

-2-

Stock No.	List Dealer	Stock No.	List	Dealer	Stock No.	List	Dea
	Division 1 1 1 2 2 2 2				9100-18		1.2
RU-55	8.50	6200-28A	set	2.25	9100-19		3.5
'RU-121	4.50	6200-28LH + RH	set	25.00	9100-20		.2
RU-122	4.50	6200-29		.65	9100-21		3.0
		6200-30		1.50		••••	
RU-123	6.25	6200-31		.65	9100-22		3.0
RU-275	28.00	6200-32	*****	.25	9100-23	*****	5.
DG-1. 2	4.50 3.00	6200-32		.25	9100-23A		5.5
					0400 000		6
/DG-3, 4	4.50 3.00	6200-70		8.50	9100-23B		6.7
		6200-71	set	25.00	9100-24		1.9
/DG-10	6.00 4.00	6200-72		1.00	9100-25		
/DG-1026	8.50 5.67	6200-73		.65	9100-26		
VV-6	1.50				9100-27		2.
YPA-095	22.00	6200-76 (CW-23M	IC)	23.00	9100-28		200
/PA-101	20.00	6200-77		2.00	9100-29		15.
		6200-78	*****	2.00			
YPA-115	26.50	6200-79		2.00	9100-31	*****	2.
511	16.00 10.67	6200-80		4.00			
11AL	29.95 20.00	6200-81		4.00	HLP-7B, LOCK PUL	LER	PAR
-			*****		PT-A Complete		40.
KEY CUTTI	ING MACHINES	6200-82	*****	.25	PT-A Frame Only		20.
		6200-83	*****	25.00	PT-A Leg Screw Onl		8.
1200CM	695.00	6200-84		2.25		3 11 1111	
5200MK-II	DISCONTINUED	6200-85		15.00	РТ-В	*****	6.
210MK-II	DISCONTINUED				PT-C		6.
9100MC	132.00	MOTOR and AC	CESSOR	RIFS	PT-D		B.
					PT-E		5.
110MC	220.00	Motor, Complete	*****	50.00	PT-F		1.
9100SMS	132.00	Motor Cord		3.50			
9110SMS	220.00	Motor Switch	*****	3.50	PT-G		1.
9310DKM	242.00	Motor Switch Box		3.50	PT-H		6.
NULL-1	248.00 165.00	Motor Pulley, 2"		4.50		*****	
	240.00 100.00	11101011101/7		7.00	PT-K	*****	8.
CIMPLE	X MARK II	SPEEDEX 91	100 Saria	ic .	PT-L		6.
	CHINE PARTS				PT-L-1		
		KEY MACHIN	NE PARI		PT-M		4.
6200-1R	144.00	9100-1	*****	74.00	PT-N		4.
5200-2R	7.20	9100-2		10.00	PT-O		12.
5200-3	set 3.75	9100-3	*****	1.25	PI-O	•••••	14.
6200-3R	pr. 10.50	9100-4		12.00	23 3 6 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		-
6200-4	1.50	9100-4A		13.00	ANICOTI I ANEOL	IC DA	DTC
6200-5	65	9100-4B		13.00	MISCELLANEOU		
6200-6	CF		-1		HDPS-P Punch Only		7.
		9100-5 (CW-23RF		11.25	HGCB Binder (Vol.	1)	13.
6200-7	8.50	9100-5A (CW-23N		23.00	HPCB Binder (Vol. 2	2)	13.
6200-7A	8.50	9100-5B (CW-45S)	MS)	26.25	KEKAB Lock Only		1.
6200-7B	8.50	9100-5C (CW-10)		26.00	KEP-12 Key Only to	n No	
6200-7C	8.50						
6200-8	05	9100-6		2.00	KEP-12 Lock Only,		
2000				2.50	LKBA-200 Board O	nly	13.
200 0 4	11.50	9100-6A	*****		LKBA-400 Board O	nly	16.
5200-9A	11.50	9100-6B		3.00	NDPK Case Only		8.
5200-10	10.00	9100-6C		2.50	NDPK-32 Case Only	,	12.
5200-11	20.00	9100-7	*****	.65	NDPK-60 Case Only		
6200-11B	9.00	9100-7A		.65			16.
6200-11C	set 7.20	9100-8A		35.00	NDPK-100 Case On	y	22.
5200-13			*****		PIP Case Only		4.
200-13	2.25	9100 9		4.60	SDP-700 (SDP-P) Pu	nch	7.
					SLB Brackets Only		1.
6200-14 (CW-	33) 8.50	- NOTE 9			REL-12 Compartme	nt Ro	
6200-14A (CV	N-33A) 9.50	NO LONGER A	VAILA	BLE.			
6200-14B (CV	V-33B) 9.50	REPLACE WITH	COMPL	ETE	REL-18 Compartme	ut Ro	
6200-14C (CV	V-33C) 9.50				511 Glass Only		1.
6200-15	5.50	CARRIAGE AS	SSEMBL	Υ.	511 Hammer		3.
6200-17	4.70	9100-8A Ordere	ed Comp	lete	511 Glass Retainer		1.
	4.75				WANT OF STREET		110
6200-17A	1.75	9100-10A	9100		DSP-1 PA	RTS	
6200-23	2.50	9100-14	BBW	2			-
6200-24, 25	set 17.00	@ \$64.5	50		DSP-A, B, C or D Pic	KS ea	. 2.
	The second secon	Marie Control of the			FD 007.0	DEC	
6200-26R	125.00	9100-10A		10.00	EP-007 PA	1412	
6200-26R2	125.00	9100-11		.45	EP-007-1		2.
6200-26AR	50.00	9100-13	pr	1.50	EP-007-2		1.0
6200-26AR2	50.00	9100-14		4.00	EP-007-3		4.0
	0.50						
6200-26BR	8.50	9100-15	*****	1.65	EP-007-4		2.
6200 27	250	0400 40		4.00	ED 007 E 841-1	199.11.00	
6200-27 6200-27B	3.50	9100-16		4.00	EP-007-5 * *Mini		3.

.25

.25

EP-007-6 \*

EP-007-7\*

Quantity

of 10 pcs.

.80

.80

9100-17

9100-17A

6200-27B

6200-27C

.75

.... set 4.50

tock No.	Dealer		DEPTH K	EY SETS		Stock No.	Dea
OODKS	4.60					758DKS	6.
01DKS	6.50	Stock No.	D. 1 1	Stock No.	Dealer	760DKS	6.
02DKS	6.50	Otock 140.	Dealer			761DKS	6.
03DKS	5.65	719DKS	3.80	738DKS	4.60	762DKS	3.
04DKS	4.35	720DKS	6.50	739DKS	6.50		
		721DKS	6.75	740DKS	3.00	763DKS	3.
OEDKC	6.50				6.50		
05DKS		722DKS	4.60	741DKS		764DKS	6.
06 DKS	6.50	723DKS	6.50	742DKS	6.50	765DKS	11.
07DKS	3.80			743DKS	3.80	766DKS	6.
08DKS	6.50	724DKS	6.50	744DKS	3.80	767DKS	6.
09DKS	6.50	725DKS	6.50				
	-310 /100	726DKS	6.50	745DKS	3.80	768DKS	5.
10046	6 50					THE RESERVE THE PROPERTY OF THE PARTY OF THE	
10DKS	6.50	727DKS	3.80	746DKS	3.80	769DKS	6.
11DKS	3.00	728DKS	6.50	747DKS DIS	CONTINUED	770DKS	6.
12DKS	3.80			748DKS	6.50	800DKS	4.
13DKS	6.50	730DKS	6.50	749DKS	4.35	801DKS	4.
14DKS	5.65	731DKS	6.50				217 11 117
IADKO	5.05			750DKS	6.50	802DKS	5.
		732DKS	6.50				
15DKS	6.50	733DKS	6.50	751DKS	6.50	803DKS	4.
16DKS	4.60	734DKS	3.80	752DKS	5.65	804DKS	4.
17DKS	3.80	735DKS	3.80	753DKS	6.50	805DKS	4.
18DKS	4.35	736DKS		754DKS	3.80	806DKS	3.
	Action to the second second second		4.60			SE CONTRACTOR OF SECURITY	
18A DKS	4.35	737DKS	3.00	757DKS	3.80	807DKS	4.
10.3			LUGGAG	EKEYS			
tock No.	Dealer	Stock No.	Dealer	Stock No.	Dealer	Stock No.	Deal
0	3.60/10	KY-11	2.00/10	C-63	3.60/10	526	2.00
			THE RESERVE THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLU				
KY-0	2.00/10	PK-11	5.00/10	L-62	2.20/10	P-527	2.20/
1	3.60/10	L-12	2.20/10	P-70	5.00/10	P-538	2.20/
T-1	2.00/10	L-14	2.20/10	S-70	4.20/10	610	2.00/
-1	2.20/10		3.60/10		2.40/10	THE RESERVE AND DESCRIPTION OF THE PARTY OF	
		C-16		EX-71		P-660	5.00
K-1	2.80/10	M-16	2.80/10	L-71	2.20/10	P-815	5.00/
Y-1	2.00/10	KY-20	2.40/10	L-75	2.20/10	850	2.20/
M-1	2.80/10	L-23	2.20/10	PK-75	2.20/10	900	2.20
M-1	2.80/10	PK-25	2.20/10	LS-80	2.20/10	907	2.00/
M-1	2.80/10	L-26	2.00/10	S-80	4.20/10	1052	5.00
PM-1	2.80/10	PK-26	2.20/10	PK-81	5.00/10	4024	E 00
KY-1	2.00/10	C-30	3.60/10	L-83	2.00/10	1231	5.00
2	3.60/10		AND THE RESERVE TO SERVE TO SE	LS-85	2,20/10	1570	2.00/
	THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.	PK-30	5.00/10	S-86	4.20/10	1572	2.00/
-2	2.20/10	AT-31	2.80/10			1573	2.00
M-2	2.80/10	C-31	3.60/10	93	4.80/10		
M-2	2.80/10	PK-31	3.60/10	S-94	4.20/10	1742	5.00/
M-2	2.80/10			S-96	4.20/10	2076	5.60
	NAME OF TAXABLE PARTY OF TAXABLE PARTY.	C-32	3.60/10			2086	5.60
M-2	2.80/10	C-33	3.60/10	L-97	2.20/10		5.60
-3	2.20/10	E-33	2.00/10	102	2.20/10	2119	
M-3	2.80/10	C-34	3.60/10	126	2.80/10	2133	3.20
CONTRACTOR OF STREET	*****			400	2 20/10	2173	2.00
W-3	2.80/10	T-35	2.00/10	127	2.20/10	A STATE OF THE PARTY OF THE PAR	
W-3	2.80/10	EX-36	2.80/10	149	2.00/10	2471	3.20
	THE RESERVE AND ADDRESS OF THE PARTY OF THE			150P	4.20/10		
M-3	2.80/10	T-36	2.00/10	E-151	2.20/10	2620	2.00
KY-3	2.20/10	C-37	3.60/10			2712	2.00
4	3.60/10	T-37	2.00/10	152	2.20/10	3057	2.00
T-4	3.60/10	PK-38	2.20/10	154	2.20/10	3310	2.00
4	2.20/10		STATE OF STREET STATE OF STREET	EX-154	2.20/10	5951	2.20
		C-38	3.60/10	160R	4.20/10	The state of the s	
T-5	2.00/10	C-39	3.60/10	S-170	4.20/10	5952	2.20
-5	2.20/10	C-40	3.60/10			5953	2.20
KY-5	2.80/10	EX-40.	2.80/10	P-202	4.80/10	5985	2.20
	SASTEM OF THE		3-1460			5986	2.20
-6	2.20/10	PK-40	5.00/10	UG-230	2.20/10	C.Y.C.Yun.	
E-6	2.00/10	E-44	2.80/10	H-242	2.80/10	5987	2.20/
7	the land has been been been been been been been bee						
	2.20/10	T-44	2.80/10	UG-250	2.20/10	5988	2.20/
-8	2.20/10	PK-46	3.20/10	UG-260	2.20/10	5989	2.20/
Z-8	4.00/10	T-46	2.80/10	L-270	2.20/10	8446	2.00/
.9	2.20/10	EX-48	2.80/10	EX-301	2.20/10	8446K	2.00/
9	2.20/10						
	The second secon	C-50	3.60/10	UG-330	2.20/10	8446-2K	2.00
		DIV ET	3.20/10	UG-350	2.20/10	8510	2.00/
10	3.60/10	PK-57	3.20/10	09-350	2.20/10	0510	
10	3.60/10 3.60/10	PK-60	5.00/10	UG-360	2.20/10	8518	4.80

