

CATALOG 709 1987

HPC Learning Center

The HPC Learning Center, in affiliation with Triton College, is proud to announce the only accredited courses of instruction in the country on the subject of locksmithing. These educational classes will take place in the modern HPC Learning Center facility, located across the street from the HPC plant in Schiller Park, Illinois.

Learning Center courses include: interesting, in-depth lectures on a wide variety of security-related topics, a vast array of visual aids (including exploded view transparencies and detailed colored slides), and comprehensive hands-on training.

The student will find that the HPC Learning Center facilities feature the largest selection of equipment ever gathered together in one location for the purpose of training security professionals. The spacious classrooms contain only the finest audio-visual equipment, reference books, instructional materials, and demonstration devices. In fact, each student will be able to use, on the premises, any and all tools necessary for hands-on instructions.

The HPC Learning Center also features a working model locksmith shop run by the students under the direction and guidance of our expert staff. This allows the students to receive the most realistic and intensive hands-on training possible in the security industry.

Remember, the HPC Learning Center is the place where you or your employees will learn skills that will help build a secure future!

Locksmiths: take advantage of the HPC Learning Center to train your employees and future employees. You can save time and money when you use the HPC Learning Center for apprentice training.

SecureMent, Ltd., a division of HPC, Inc., is the most successful job placement service in the locksmith industry. Through SecureMent, Ltd., our Learning Center graduates can be placed in shops throughout the country.

Triton College

HPC first opened its doors in November of 1956. From that opening day a commitment was made which was based on two ideals: dedication to the quality of our products and the guaranteed satisfaction of our customers. It is this very philosophy which has proven to be the cornerstone of our continuing success.

Much has been accomplished since we opened our doors some thirty-one years ago. Below are just a few of the highlights.

HPC KEYWAYS

- **KEYWAYS** (est. 1977) is our own quarterly magazine which has a larger circulation among different subscribers than all other publications in the locksmithing field combined.

SUPPORTED BY HPC SERVICES

- **HPC Services** (est. 1981) offers the most extensive service warranty and repair service in the security industry for HPC key machines and software.

HPC Learning Center

- **HPC Learning Center** (est. 1984) has branched out into three directions. First, an accredited school (in affiliation with Triton College) has been established, which has become the most respected institution of its kind in the United States. Second, an ongoing series of traveling seminars was established to educate security technicians all over the world. Finally, HPC has published the first eight volumes of a complete series of security reference books which have become the standard of the industry.

HPC SOFT

- **HPCSoft** (est. 1986) was created to generate state-of-the-art (IBM compatible) software programs to usher the modern security professional into the computer age. HPCSoft goes beyond the initial sale to offer a full range of support services to the end user.

HPC

- **HPC** will continue to lead the security industry by producing innovative tools, publishing informative textbooks, manufacturing precision key-cutting machinery, and generating state-of-the-art software programs. Our continuing efforts will keep you on the cutting edge of technology.

NLSA ASSOCIATE MEMBER

CATALOG 709
1987 ISSUE



© **Copyright 1987** by HPC, Inc. ■ Schiller Park, IL 60176 ■ Printed in USA

NUMERICAL INDEX

A

AA-1 thru 4 68
ACP 85
ADG-1 101
AG-1,2 84
AKK-8,12 80
ALCP-10 88
APF 85
APS-077 61
AST-3,4,5 88,89
AW-34,38 80

B

BPX-1 thru 61 74

C

CAB-25I,25AT,25ATT ... 1
CARD-B 8
CARD-BP 8
CDJ-1,2 84
CLD 83
CLP-0 thru 9 62
CLT-4 83
CLTD-5 83
CLUB 4
CMC-1 8
CMP-0 thru 3 62
CMPS-1 thru 3 62
CO-4 thru 59 78-80
COKO-5 86
COMP-1 71
CORE-IBM 2
CPH-5 thru 20 94
CPX-10 thru 12 74
CROWN, CM 5
CUP-1 thru 3 62
CUPS-1 thru 4 62
CUTTERS 8,9
CW-3FSHS thru 4112 .. 9
CW-14MC 8
CW-20FM 3,8
CW-90MC 8
CW-1011 8
CW-1012 3,8
CW-1013 8
CW-4112 6,8
CW-51MC 9
CW-80CAK 7

D

DA-RH 15
DC-12 7
DCM 102
DGM-1 86
DKBA 12
DL-555 103
DL-755 103
DP-7B 91
DP-7B-1 thru 6 91
DPX 10,11,12 73
DSP-1 73
DSP-A,B,C,D 73

E

ERD-0 thru 3 97
ES-2000 72
EYR-5,7 97
EYS-6,8 97
EZ-1 thru 5 74
EZ-6 thru 7D 73

F

FDB-511,Glass Only .. 57
FB-1 9
FEE-1 74
FNB-2 9
FPL-10 82
FPR-2 89
FRS-4 97
Furniture Keys 48-50
FX-1,2 89
FXM-3,4 89

G

G-1,2 84
GAK-3,4,6 97
GG-16 90
GM BLANKS 10,15
GMH-1 83
GMHF 83
GMLS 86
GMLS-500 86
GMP-1 83
GMTD-5 81
GTO,GTD-1,2 84

H

H90ZPA 61
HAC 67
HCF-3/32 etc. 87
HCL-3/32 etc. 87
HDPS-4 83
HDSLC 67
HFCB 66
HFSD 66
HGCB 65
HGG 90
High Security Blanks 16,17
HKCB 66
HKD-75 81
HLPX-10,11,12 74
HLSC 67
HMCC 68
HMCCX 68
HMD-5 90
HMPC 68
HNLC 67
HPCB 65
HPX-1 thru 31 74
HSCB 66
HU42P, 45P 15
HYD 67

I

IDG-7,8 102
IFH-1,2,4 86
INV-1 97
IVA-2 14
ITF-14 84

J

JB-5 103
JKP-5 73
JPO-1 73

K

KBA-HS 14
KBA-RH 14
KB-10P thru 40N 53
KBP-1 thru 6 62
KEKAB-8 thru 330 52
KEKAB-260 53
KEKAB-500 53
KEKAB-730 53
KEKAB-A,B 53
KEKAB-C40,C80 53
KEKAB-D120 53
KEKAB-T30 thru T500 54,55
KEKAB-TA thru TG ... 55
KEP-5 56
KEP-12 thru 17,M-2 57,58
KEY Blanks ... 10 thru 51
KFS-6 87
KIP-1 90
KM-60,70 81
KMP-1 thru 5 62
KO-3 86
KTP-1 62
KWK-115 62

L

LB-1 84
LBR-10 102
LC-1 thru 8,15 59
LCS 86
LDNC,LDND 87
LFS-2 87
LKR-6,8,11 97
LMS 87
LPX-10 thru 16 74
Luggage Keys 51

M

MED-66 96
MED-68 96
MEDI-KAB-3,6 56
MGS-1,B 82
MJ-1 3,6
MLCO-2 60
MS-2 60
Motorcycle Keys ... 42,43

N

NDPK 70
NDPK-32 thru 100 70
NDPX 73
NP-4B 91
NP-4B-1 thru 7 91
NST-6 96
NT-1 53

O

ODG-6 102
OL-1 82
ONE-MAS,ONE-CA 5
OPTI-1 82
OVDG,11 thru 14 101

P

P-2 thru 35 74
PB-20 85
PB-20C,H,TS 85
PICK GRIP 72
PIK-1 76
PIP-13,15 71
PIP-23 71
PIP-2000 72
PKS 76
PLB-1A 102
PLT-2T 55
POUCH-1,3 89
POKER 4
PSA-20 72
PSPL 100A
PTT-4,5 86
PX-1 thru 31 74

Q

QCS-1 92
QUICK-IBM 2

R

R-1 76
RD-1 92
RHM-2,3 92
RPD-1 94
RR-12,34 92
RR-178 92
RSF-1 94

S

SCC 60
SCF-0,1,2,3 89
SCP-0,1,2 89
SCS 86
SDL-15 60
SDP-700 83
SHPD-6 thru 14 96
SKM-1 81
SKM-2D 81
SLB-44,45 56
SLC-1 thru 44 95
SLP-0 thru 9 62
SNK-2 7
SNL 100A
SPA-115 62
SPM-2 thru 9 62
SPO-3 thru 26D 101
SPR—3 thru 26D 101
SPT-1,2,3 62
SSP 10 thru 40 74
SSX 10,11,20,21 ... 72,74
STW-3 75
SUPPLEMENTS 69
SUT-0 thru 47 93
SUT-600 94
SVM 60
SWLPC-1,1MS,2 88

T

TEN 4
TEN-2 thru 9 75
TEN,161,165 4
TLG-10,20 82
TLP-II 77
TLP-C 76
TLP-C MOD B 76
TLP-Midget 77
TLP-MidX 77
TLP-OFM 77
TLP-Peanut 77
TLP-UL 76
TLP-X-nut 77
TNT-1 thru 15 75
TOAM-2 60
TPT-5 86
TR-2 thru 25 75,76
TRU-1 thru 28 90
TRU-55 90
TRU-121,122,123 90
TRU-275 90
TS-1 85
TYX-3 8

V

VDG-10 101
VIPS-1 73
VV-6 75

W

WLP-0 thru 9 62
WMP-2 thru 9 62
WORK-IBM 2
WPA-115 62
WTP-1 62

Y

YPA-095,101 61
YPA-115 62

Z

1-1 thru 20-3 69
1-928 7
33-928 7
200 7
511 57
700DKS thru 867DKS 98-100
1200,CMDC,CM220V ... 3
1200CM AC-DC 3
1200 CASE 3
1200 MAX 1
3333M2,M2DC,M2220V . 6
8200 5
9150MC,MCDC 6
9150SMS 6

"...HPC key machines are precision engineered to cut any type of key accurately and efficiently. Just as importantly, they can now be backed by the optional extended service warranty offered by the HPC Service Center. Remember, HPC quality can't be duplicated..."

"...Computers have become more than a convenience, they have become a necessity. However, they are only as reliable as the specialized software programs which operate them. To fill this growing need for security software a new division was born — HPCSoft. Tackle your hardest problems with HPCSoft..."

KEY MACHINES

CODEMAX



- IT'S COMPUTERIZED
- IT'S ACCURATE
- IT NEEDS NO CARDS
- BEST OF ALL—IT'S HPC!

No. 1200MAX

MADE IN U.S.A.

The evolution of Key Cutting.

We took the 1200 CM code machine (which has already set the standard by which all others are judged) and did it one better. Code key origination and reproduction is done automatically and accurately to within .005 of manufacturers' specifications. Codemax comes with a single Maxpax software cartridge that contains over 240 Depth and Spacing Charts. These built-in charts allow Codemax to cut all types of keys available worldwide. Codemax cuts keys up to 15 spaces wide and up to 15 depths. Codemax also cuts all types of keys the first time: Standard keys, specially widened keys, contour keys, Medeco keys, etc.

Codemax also incorporates a revolutionary system for cutting keys in that there are no Depth and Spacing Charts available. Simply enter the Jaw, Cutter Wheel, and Key Style information and Codemax runs free to allow you to move the motors manually.

Codemax is also compatible with your personal computer via a built-in RS 232 Serial port. Software for HPCSoft is already available to use for Code Books, Master Key Systems, and Removable Core Master Key Systems that send and cut up to 500 keys automatically from your IBM or IBM compatible computer.

Best of all, Codemax is supported by the HPC Access System and the HPC Service Center for worldwide 800 phone support and service.

Components:
1200MAX Computerized Cutting Machine
1200MAX Codemax CPU Base Unit
Vise Jaw C
CW-1011, CW-14MC, CW-20FM and CW-1012 Cutter Wheels
Maxpax Depth and Spacing Cartridge

Wt. 45 Lbs.

Keys: Will cut all keys but not HPC #375. Most foreign vehicle blanks but not high security.



CABLES FOR IBM VERSIONS OF HPCSOFT SOFTWARE AND CODEMAX

NEW

Those customers that have 1200MAX (Codemax computerized key machine) and a HPCsoft software program (All HPCsoft software is equipped to work with Codemax) and wish to connect the two for greater efficiency, need one of the following cables to connect the two. In addition, computer users need to have a RS232 communications port on their IBM or IBM compatible computer to connect the cable. Available in 25 foot lengths for 3 different computers: IBM, IBM-AT, and AT&T.



WT. 1 LB. 4 OZ.

No. CAB-25I, No. CAB-25AT, No. CAB-25ATT

HPCSOFT SOFTWARE NEW



No. WORK-IBM

CODE OVERLOAD? YOU NEED WORKSHOP® FROM HPC SOFT.®

WT. 5 LBS. 8 OZ.

THE WORKSHOP CODE MANAGEMENT SYSTEM.

- Completely replaces manual paperback code books with over 570,000 computerized codes.
- Code can be retrieved in alpha-numeric order by series or manufacture in less than six seconds.
- Workshop™ displays code, 1200 card number information, depth and spacing tables as well as three popular key blank manufactures.
- Workshop provides room to add your own codes.
- Workshop is designed to work with the HPC Codemax™ Computerized Key Machine for automatic key cutting.
- Workshop is available for IBM and IBM compatible machines.

MASTER KEYING IS EASY WITH QUICKCHART™



WT. 2 LBS. 2 OZ.

No. QUICK-IBM

QUICKCHART COMPUTERIZED MASTER KEYING.

- Provide computerized Master Keying on Levels 1 (Change Keys only), Level 2 (Master Key with multiple Change Keys) and Level 3 (Grand Master Key, multiple Master Keys and multiple Change Keys under each Master Key).
- Provides room to add manual entering of paper manual Master Keys System.
- Provide only usable key codes, with simple to read pinning charts and available descriptions of key location, finish, etc.
- QuickChart is designed to work with the HPC Codemax Computerized Key Machine for automatic key cutting.
- QuickChart is available for IBM and IBM compatible machines.

REMOVABLE CORE MASTER KEYING IS EASY WITH QUICKCORE



No. CORE-IBM

WT. 2 LBS. 2 OZ.

Removable Core Master Keying Software for IBM and IBM Compatible Computers

QuickCore is an IBM compatible software program designed to generate master key systems for: Best, Falcon, Eagle and Arrow brand Removable Core locks. The QuickCore program produces a complete Master Key System in seconds, all by answering a few simple questions: Level of Master Keying, Type of Rotation desired and total number of change keys required. You can also enter lock location descriptions and build Cross Keyed locks. QuickCore also provides complete printed pinning charts as well as the ability to safely store the system information for future use.

1200CM CODE MACHINE

NO. 1200CM
WT. 28 LBS.
Binder for Code Card storage & fully illustrated instructions included.
NO. 1200CM DC—EQUIPPED W/12 VOLT DC MOTOR
NO. 1200CM 220V—EXPORT MODEL/220V, 50 CYCLE

This is the revolutionary code machine making all others obsolete! So simple to use-so versatile.

Makes accurate cylinder keys by code, quickly & easily. The ease of changing from one set-up to another is unparralled! Even radically different set-ups are accomplished in 10 to 30 seconds, without wasting key blanks.

This dramatic code cutting advancement is made possible through the use of plastic cards, which are inserted in the machine. Quite often, just replacing the code card is all that is required to change from one set-up to another. No additional depth & space adjustments are needed.

Two cutters are provided-CW-14MC, CW-1011. Additional optional cutters are available.

A TOTAL OF 59 CODE CARDS FOR DOMESTIC LOCKS ARE INCLUDED.
Two micrometer cards for dial indicator type felxibility.





MADE IN USA

CUTS A VARIETY OF KEYS —EASILY!



Can cut virtually all foreign vehicle & many flat keys with optional equipment available at your locksmith distributor.

CUTTERS: (1200CM, No. CW-1011 & No. CW-90MC) (1200CMDC, No. CW-1012) (1200CMACDC, No. CW-1013) (1200CMDC220, No. CW-14MC)

CUTTER HEAD SWIVELS TO CUT MEDECO KEYS

NO. MJ-1 MEDECO JAW
WT. 4 OZ.

NO. CW-1012 MEDECO CUTTER WT. 8 OZ.
Cut standard commercial Medeco keys with optional cutter & jaw.



NO. CW-20FM Corbin, Russwin, Sargent. Optional radius tooth cutter (Use no substitute).



MADE IN USA

NO. 1200CM AC-DC CODE MACHINE

One 1200CM Code Machine can do the work of two! Two sets of wires will allow this machine to be connected to the cigarette lighter of a car or van as well as to the 110 volt outlet in the shop or on the job. The powerful HPC DC12 motor is used with a special transformer for 110 volt use. Comes complete with a metal carry case with handle.

NO. 1200CM AC-DC CODE MACHINE
WT. 60 LBS.

No. 1200 CASE—CASE ONLY
WT. 25 LBS.

ALL HPC • LA GARD • SILCA KEY MACHINES ARE SUPPORTED BY HPC SERVICES

KEY MACHINES

THE POKER, A FULLY AUTOMATIC KEY MACHINE

NEW

NO. POKER

SUPPORTED BY HPC SERVICES

MADE IN ITALY FOR HPC



WT. 30 LBS.

The Poker cuts domestic plus foreign and domestic auto keys. Position the key gauge—position the original—then the blank to be duplicated. Then simply push the start button and the Poker does the rest. The key gauge will automatically move out of the way. The machine incorporates new double sided revolving clamps for better holding power. Accurate depth is maintained with micrometer adjustments on the tracer point. Chips fall into the easy to remove tray keeping your work area clean. Plus the Poker is equipped with the TYX-3 brush. The Poker offers the highest efficiency in automatic key duplication. Cutter CW-80.

Dimensions: Height: 14," Depth: 14," Width: 9"
Weight: 30 lbs., Horsepower: 3/16, Amps: 3,
Volts: 115, RPM: 1700, Cycle Time: 25 seconds.



THE CLUB STATE OF THE ART HIGH SECURITY KEY DUPLICATION

SUPPORTED BY HPC SERVICES

No. CLUB

MADE IN ITALY FOR HPC



WT. 32 LBS.

State of the art high security key duplication, as only HPC can bring you: Variable angle vice jaws, Detachable light can be directed to most any position, Compact rugged design ensures a long prosperous future . . . An engineer's dream comes true!

Duplicates the most popular high security keys, including Alfa Romeo, BMW, Lancia, Mercedes, Dom, Kaba, and Sergant Keso . . . Only HPC TEN Machine cuts Fichet keys.



KEYS: (CLUB—WILL CUT ALL KEYS BUT NOT TUBULAR, FICHET, HU-42P/45P)



THE TEN

NOTE: THIS MACHINE IS AVAILABLE AS A SPECIAL ORDER ITEM ONLY.

MADE IN ITALY FOR HPC

SUPPORTED BY HPC SERVICES

WT. 81 LBS. No. TEN.

OPTIONAL ACCESSORIES FOR THE TEN

These accessory clamps are needed when cutting various High Security key blanks with the TEN High Security Key Machine. They fasten in the M1 Standard Carriage and accept the blanks noted.



NO. TEN-165
15 DEGREE ANGLE BLOCK
FOR CUTTING KABA/GEMINI.



TEN-161
5 degree angle block
KESO, etc.

KEY MACHINES

THE ONE

MADE IN ITALY FOR HPC



No. ONE-MAS

WT. 62 LBS.

No. ONE-CA CARBIDE

Height: 12½″ Depth: 15¾″ Width: 15″ Motor: Two-speed heavy duty 1/8hp 110V, twin belt drive. Cutter: high speed tool steel angular cutter, CW-80, 80mm. Lever operated carriage. Cutter shaft rotates within screened ball bearings permanently lubricated and sealed. Brush: "The Softie" made of DuPont Tylon X. Key Guide: depth + or – micro adjustment. Space: micro adjustment. Vise Jaws: Four way rotating pivot with tip gauge—lever handle adjusting. Key gauge: automatic return. Built-in adjustable work light. Cutter guard plus adjustable clear cutter shield. Automatic ON when you lift carriage. Separate electric switch for brushing keys.

CUTTERS: No. CW-80 & No. CW-80CA FOR GEARED UP MOTOR.

KEYS: (WILL CUT ALL KEYS BUT NOT HPC #375. FOREIGN VEHICLE BUT NOT HIGH SECURITY) PORSCHE 928 KEYS (HU-42P/44P) CAN BE CUT USING 1-928 BLOCKS.



CLONE Key Machine



No. 8200

WT. 35 LBS.

MADE IN USA

The Clone Key Machine represents a new innovation in key cutting. It is one of a kind. It duplicates cylinder and disc tumbler keys, using a "Sharpy" milling cutter or optional CW-16 (.045) flat slotter.

The cutter shaft has sealed radial ball bearings. To insure straight line left-to-right action, the carriage has linear ball bearings protected by accordion boots.

The copy dog (KK-82-16) is machined on both ends, one end for "Sharpy" cutter action and the other end for the (.045) flat slotter. The adjustable copy dog is a new feature in key cutting.

The key setting guage has positive stops, which can be set for shoulder application and/or key tip gauging. Key clamping is positive. The reversible jaws, when rotated, provide clamping for innumerable key styles. The new slide heel plate prevents wedge locking by holding jaws in a parallel position, regardless of key style.

CUTTERS: (8200 CLONE , No. CW-16, No. CW-23MC, No. CW-34TS, No. CW-39, No. CW-45SMS, No. CW-50MC—ALSO No. CW-51MC KIT)

KEYS: (WILL CUT ALL KEYS BUT NOT HPC #375. ALL FOREIGN VEHICLE AND FLAT STEEL BUT NOT HIGH SECURITY)



CROWN Tubular Key Machine

MADE IN ITALY FOR HPC

Key cutting machine for tubular keys with frontal cuts. Standard version supplied with synchronized selfcentering clamp

The synchronization device automatically rotates the key blank proportionately as the original key is rotated. Rotation may be free through 360 degrees or set to stop in 6 or 8 predetermined positions, by operating a selector. 9 additional clamps are available on request for special requirements.

Stock No. "CROWN-CM" — Tubular Key Duplicator/Code Cutter. This is Stock No. CROWN (tubular key duplicator) combined with Stock No. CROWN-KIT (code cutting attachment). By turning the depth dial and advancing the carriage to the proper space position, each cut can take as little as three seconds (and maintain the same accuracy as a factory original key). For duplicating an extremely worn key or creating a perfect working key from an HPC tubular lock pick.



Width: 8¼″ Single-phase motor-115V
Depth: 15½″ Cutter: 4 Fluted End Mill
Height: 7″



CROWN-CM ATTACHMENT



No. CROWN

WT. 35 LBS.

KEY MACHINES

THE 9150 SPEEDEX KEY DUPLICATOR



No. 9150MC

RUGGED
VERSATILE
ACCURATE
DEPENDABLE

WT. 41 LBS.
MADE IN USA
11¼"w x 9⅛"d x 13"h

The legendary "SPEEDEX" has been transformed from the old stand-by, to the machine for today's progressive key cutting needs. Equipped with the finest set of double-sided jaws available (an HPC exclusive) this duplicator is a must for the serious locksmith who does a lot of foreign automotive work. With a wider carriage, there is enough room for even the largest of keys.

Comes with a "Sharpy" milling cutter. An optional CW-16 (.045) Flat Slotter with a W-16 Slotter Washer & a 9100-23 Copy Dog is used for cutting flat steel keys.

CUTTERS: (9150 SPEEDEX, No. CW-16, No. CW-23MC, No. CW-34TS, No. CW-39, No. CW-45SMS, No. CW-50MC—ALSO No. CW-51MC KIT)

KEYS: (WILL CUT ALL KEYS BUT NOT HPC #375. ALL FOREIGN VEHICLE AND FLAT STEEL BUT NOT HIGH SECURITY)

No. 9150MC
Supplied with a "Sharpy" milling cutter & a 110V, AC, 1/6 H.P., 1725 R.P.M. motor.

No. 9150MCDC 12 volt DC motor.

THE SPEEDEX "MC" MODEL



THE SPEEDEX "SMS" MODEL



No.9150SMS **WT. 41 LBS.**

Duplicates either Cylinder or Flat keys with just a .045 thick, side-milling slotter, without changing cutters or re-adjusting guides. Supplied with an "SMS" side milling slotter & a 110V, AC, 1/6 H.P., 1725 R.P.M. motor.

3333M2 SEMI-AUTOMATIC DUPLICATOR

NEW



No. 3333M2
No. 3333M2DC
No. 3333M2 220V

MADE IN U.S.A.
WT. 30 LBS. 8 OZ.

HPC's 3333CA has evolved into an even more versatile semi-automatic key cutting machine: the 3333M2. The 3333M2, which comes with the superb CW-41CA Carbide Cutter, will cut the same variety of keys and maintain the same close tolerances as the original model. However, the 3333M2 has an added feature which sets it apart from all other duplicators.

The 3333M2 has the ability to duplicate Medeco keys when the proper optional equipment is added (the MJ-1 Medeco Jaw and the CW-4112 Tool Steel Cutter for Medeco blanks). This machine is engineered so that both the cutter head and the two-sided copy dog rotate to allow duplication of angular cuts. It is no longer necessary to own two different machines to duplicate both regular and angular cut keys.

CUTTERS: CW-41CA (CW-4112 OPTIONAL)

KEYS: WILL CUT ALL KEYS BUT NOT HPC #375. WILL CUT FOREIGN VEHICLE (BUT NOT HIGH SECURITY). PORSCHE 928 KEYS (HU-42P/44P) CAN BE CUT USING NO. 33-928 ADAPTOR BLOCKS.



CUTTER HEAD SWIVELS TO CUT MEDECO KEYS

NO. MJ-1 MEDECO JAW
WT. 4 OZ.

NO. CW-4112 MEDECO CUTTER WT. 8 OZ.

Cut standard commercial Medeco keys with optional cutter & jaw.



KEY MACHINE – ACCESSORIES

ADAPTORS FOR CUTTING PORSCHE KEYS ON THE ONE & 3333M2 KEY MACHINES

ADAPTOR FOR HU42P & HU45P



No. 1-928 FOR THE ONE
No. 33-928 FOR THE 3333M2

These precision Adaptors are needed to make the proper angle cuts on four sides of the High Security Porsche Blanks pictured above. Complete instructions are included to allow the user to accurately duplicate these high profit keys on the HPC Key Machines indicated. NOTE: These adaptors have been engineered for the Key Machines specified. They will not work on any other.

12 VOLT KEY MACHINE CONVERSION



NO. DC-12

WT. 9 LBS. 12 OZ.

FRAME MOUNTING — Standard NEMA 48.
CORRECT CUTTER R.P.M. — Includes motor pulley for shaft speed of 1000 R.P.M.
SWITCH — Includes double pole, single throw switch.
PROTECTION — In-line fuse holder eliminates possibility of wiring damage caused by a "short".
DURABILITY — 3/8" diameter shaft turns within ball bearings on the pulley side.
ELECTRIC DRAW — 13 amps/typical load similar to car headlights.
POWER — High torque motor 40 oz.-inch torque rating. No load R.P.M. 3600. Under load 3000 R.P.M., 1/6 H.P. equivalent.
ROTATION — Simply switch power leads to reverse shaft rotation.

Kit includes: Motor + Frame, Pulley, Belt, 10 ft. of 14 Gauge Wire, Cigar Lighter Adaptor, In-Line Fuse Holder and Fuse, Double Pole, Single Throw Toggle Switch.

WAFER KEY PUNCH FOR SCHLAGE



1 – KEY BLANK RETAINER
2 – PUNCH
3 – MEASUREMENT DATA PLATE
4 – BASE AND DIE HOLDER
5 – KEY AND PLUG DE-CODER GAUGE
6 – PUNCH HANDLE

NO. 200 WT. 2 LBS.
CUTS 10-20-30 SERIES
FOR BOTH NEW & OLD STYLE KEYS. CUTS BY CODE OR DUPLICATE.

This handy key punch cuts both old & new style Schlage Wafer keys. Simply decode the customer's key with the built-in gauge & punch out a perfect duplicate in less than a minute. Gauge also can be used to decode key plugs for making first keys. Includes fully illustrated instructions & a vinyl carrying pouch plus the tool is chromed.

OVERSIZE WING NUTS FOR ILCO AND KEIL AUTOMATIC KEY MACHINES



NO. SNK-2 COMPLETE KIT
WT. 10 OZ.

Eliminates defective studs or loose and bent keys when duplicating. These enlarged, 2 inch diameter wing nuts, provide a 50% tighter grip than any others available.

Kit includes two Super Nuts wing nuts, two case hardened super studs and a pair of ball bearing thrust washers.

CUTTER & PULLEY KIT



CW-80CAK

WT. 1 LB. 5 OZ.

This conversion kit is designed for use with the ONE key machine. The pulleys and the CW-80 carbide cutter provide a smoother and faster operation for cutting keys. The carbide cutter is manufactured to exacting standards to last three times longer than the standard cutter.

1200CM ACCESSORIES AND CUTTERS

STORAGE CENTER FOR CODE MACHINE



WT. 17 LBS. 10 OZ. **NO. CMC-1**

Mount unit on bench, directly behind your code machine. This will bring the code cards, cutters and tools within easy reach. Included with this console is a pad of printed forms especially useful for code work (refills available).

Made of steel with a baked-on black spatter-effect finish, and white epoxy silk screened tool designations at the top ledge section. Base requires only 10" x 10" of bench space.

Other tools and cutters shown here for placement purposes only.

REPLACEMENT CODE NUMBER SCRATCH PADS NO. CP-5, 5 PADS OF 100 EACH





Card-B
instruction manual etc.

WT. 3 OZ.

NO. CARD-BP EXTRA CARD STORAGE PANEL

Original equipment storage panel holds 30 more code cards.

SOFTIE BRUSH



NO. TYX-3—3", 1/2" HOLE FOR KEY MACHINES
WT. 2 OZ.

The HPC Softie Brush is the only key machine brush made of **DUPONT TYLON-X.** The carbide impregnated brush deburrs faster and smoother than wire and lasts 6 times longer than wire. Non flaring-no flying wire strands.



No. CW-90MC - enables you to cut large cylinder keys with shallower & deeper cuts in adjacent positions.



No. CW-1013 --the only available cutter offering the exact angle of cut & full "V" pin seat as used on Emhart High Security.



No. CW-1011 - solid carbide small cylinder cutter. 90° included angle, has matching O.D. Hardness of C91 Rockwell is 50% harder than tool steel.



No. CW-20 FM—Double angle, flat mill tooth for Sargent. 76° angle.



No. CW-1012 -optional milling cutter has angle & pin seat as req'd. for cutting Medeco® High Security keys. Features "shear-action" tooth for added life.



No. CW-14MC - solid carbide standard large cylinder cutter. 100° included angle, has matching O.D., of course! For the busiest shops that desire the best.



No. CW-4112—optional milling cutter has angle & pin seat for cutting Medeco High Security keys. Features "shear-action" tooth for added life. Used on 3333M2 machine.



No. CW-41CA—Solid carbide double angle milling cutter for the 3333M2, 3333CA, and 6666CA.

CUTTERS

KEY MACHINE CUTTERS

STYLE	STOCK NO.	TYPE	O.D.	THICKNESS	HOLE	USE	COMPARATIVE	WEIGHT
FLAT SLOTTER	CW-3FSHS	Flat	2 1/2″	.055″	3/8″	21771D, 21791M, 1751A	3FSHS	1 OZ.
	CW-7FSHS	Flat	2 1/2″	.040″	3/8″	21771D, 21791M, 1751A	7FSHS	1 OZ.
	CW-10FSHS	Flat	2 1/2″	.030″	3/8″	21771D, 21791M, 1751A	10FSHS	1 OZ.
	CW-11	Flat	2 1/16″	.035″	1/2″	2196K and 6½	11	1 OZ.
	CW-12	Flat	2 1/16″	.045″	1/2″	2196K and 6½	12	1 OZ.
	CW-13	Flat	2 1/16″	.072″	1/2″	2196K and 6½	13	1 OZ.
	CW-15FSHS	Flat	2 1/2″	.045″	3/8″	21771D, 21791M, 1751A	15FSHS	1 OZ.
	CW-16	Flat	2 1/4″	.045″	1/2″	2184CD, 4½, 9110, 2584CV	27	1 OZ.
	CW-30SMS	Side Mill	2 3/8″	.030″	1/2″		30SMS	1 OZ.
	CW-33	Flat	2 1/4″	.045″	7/16″	6210, KD-10, 815-1815	13FSHS	1 OZ.
	CW-33A	Flat	2 1/4″	.035″	7/16″	6210, KD-10, 815-1815	--	1 OZ.
	CW-33C	Flat	2 1/4″	.055″	7/16″	6210, KD-10, 815-1815	--	1 OZ.
	CW-45SMS	Side Mill	2 3/8″	.045″	1/2″	2184CD, 4½, 9110, 2584CV	45SMS	1 OZ.
	CW-65	Flat	2 1/2″	.065″	3/8″	2178U F/Lockers	DSL	2 OZ.
DOUBLE ANGLE	CW-10TS	Tung. Steel Mill	2 1/4″	.280″	7/16″	6210, KD-10, 815-1815 9310DKM	18MC	4 OZ.
	CW-14MC	Tool Steel Mill	2 3/8″	.375″	3/8″	1200CM Code, LG1011 Code	LG-14MC	8 OZ.
	CW-19TS	Tool Steel Mill	2 7/8″	.281″	1/2″	2183DM Ilco, 1½ Keil Auto	10, 19MC	7 OZ.
	CW-20FM	Tool Steel Mill	2 3/8″	.375″	3/8″	1200CM, LG1011 Radius Tooth (Sargent)	--	8 OZ.
	CW-41CA	Carbide Mill	2 1/2″	.281″	3/8″	3333, 6666 — 1250, 1350	LG-41CA	11 OZ.
	CW-50MC	Tool Steel Mill	2 1/4″	.281″	1/2″	See CW-51MC below	--	4 OZ.
	CW-80	Milling Cutter	80mm	9mm	16mm	ONE, THREE, Borkey & A-1 Yankee		1 OZ.
	CW-80CA	Carbide	80mm	9mm	16mm	Silca Only		1 OZ.
	CW-1011	Tool Steel Mill	2 3/8″	.288″	3/8″	1200CM, LG1011	LG-1011	6 OZ.
	CW-1012	Tool Steel Mill	2 3/8″	.375″	3/8″	1200CM, LG1011 (Medeco, Emhart Syst. 70)	LG-1012	9 OZ.
	CW-4112	Carbide	2 1/2″	.375″	3/8″	3333M2	—	9 OZ.
SINGLE ANGLE	CW-5RF	File	2 3/8″	.187″	3/8″	21771D, 1751A	5RF	3 OZ.
	CW-6RF	File	2 3/8″	.187″	3/8″	21791M before June 1963	6RF	3 OZ.
	CW-23MC	Mill	2¼″	.093″	1/2″	Replaces all 23RF	"Sharpy"	2 OZ.
	CW-23RF	File	2¼″	.250″	1/2″	2184CD, 4½, 9110, 2584CV	23RF, 26	4 OZ.
	CW-34TS	Mill	2¼″	.250″	1/2″	2184CD, 4½, 9110, 2584CV	23RF, CU-5	4 OZ.



CONVERSION DOUBLE ANGLE CUTTER



NO. CW-51MC KIT
WT. 8 OZ.

Cut from depth keys or duplicate. M2 Tool Steel cutter, cuts steel, brass or nickel silver. Fits the following: HPC Speedex, Taylor KD-1, 2 etc., Dominion 145, 146; Ilco 2584, 2585; Keil 4, 4½; Curtis 2H. Replaces the following single angle cutters: 23RF, 26, CU-5, CU-1, 23MC and 34MC. Set includes cutter copy dog, washers and complete instructions.

KEY MACHINE ACCESSORIES



THRUST BEARINGS & KEY BLOCKS NO. BBW-2

Set of 2 ball bearing units & 4 hardened steel washers for key machine wing nut studs.

NO. FB-1 **WT. 1 OZ.**

Set of 2 blocks for holding Ford double-sided keys when duplicating.

NO. FNB-2 **WT. 1 OZ.**

Set of 2 narrow key rests, raises the key off the bottom of the key rest, for cutting narrow keys or keys with very deep cuts.

"...HPC key blanks are manufactured in accordance with the most rigorous guidelines in the security industry. Such dedication to quality makes HPC keyblanks a cut above the rest..."

★ HPC ORIGINAL KEY BLANKS ★

ORIGINAL MANUFACTURER'S NUMBER IN PARENTHESES ( )

ARROW



289
(K2)

ARROW



290
(K7)
6 pin

FORD



FORD PRIM
325
(320516)

FORD SEC
324
(320321)

KWIKSET



035
(1063)

BEST FALCON



A 228 (1A1A1)
B 229 (1A1B1)
C 230 (1A1C1)
D 231 (1A1D1)
E 232 (1A1E1)
F 233 (1A1F1)
J 235 (1A1H1)
H 234 (1A1J1)

CORBIN



120
(Z1-60-5)
119
(Z1-60-6)
6 pin

GM



A 315 (320588)
C 313 (320652)
E 311 (320404)
J 309 (320470) (321355)
B 314 (320589)
D 312 (320653)
H 310 (320405)
K 308 (320471) (321356)

CHRYSLER



CHRYS PRIM
300
(320514)

CHRYS SEC
299
(320433)

DEXTER



330
(67)

LOCKWOOD



365
(1004)
364
(A1004)
6 pin

MASTER



070
(1K)

RUSSWIN



170
(5D1R)
169 6 pin
(6D1R)
164 6 pin
(6D4R)

WT. 1 OZ.

★ HPC ORIGINAL KEY BLANKS ★

ORIGINAL MANUFACTURER'S NUMBER IN PARENTHESES ( )

SARGENT



SCHLAGE



YALE



YALE



CHICAGO-ACE



SCHLAGE





SEGAL



AMERICAN MOTORS







WEISER



WEISER



WESLOCK



MEDECO*



*A REGISTERED TRADEMARK OF MEDECO, INC.

WT. 1 OZ.

KEY BOARD PERSONALIZED BLANKS

EXCLUSIVE HPC DOMESTIC KEY BLANK ASSORTMENT



KEYS MADE IN USA BY HPC

No. DKBA
WT. 14 LBS.

BOARD SIZE:
14 1/2" x 38"

- Sturdy wall mounted board.
- Complete with extra hooks for additions.

This board contains the most popular numbers in use today. Since this assortment will be updated from time to time, extra hooks are provided for new numbers as they become available.

GO FIRST CLASS ALL THE WAY— WITH PERSONALIZED KEY BLANKS BY HPC.



Your shop name, phone number and city are embossed on the highest quality key blanks available.
Embossing (or coining) is the use of raised letters.

Remember your blanks will be embossed and not just stamped.

ORDER FORM ON NEXT PAGE

CUT ON DOTTED LINE

HPC PERSONALIZED KEY BLANKS
ORDER FORM

TOP QUALITY BRASS KEY BLANKS—NOT NICKEL PLATED

- one side coined with the HPC logo and stock number
- the other side coined with your advertisement. (Three lines of your choice. See bottom of this page for details.)

ACT NOW.
Order your HPC personalized key blanks by following these steps:
1) See reverse side of this page for a complete list of available numbers.
2) Mark the desired quantity in the space provided next to each number.
3) Complete the bottom portion of this page.
4) Send order form to: HPC, Inc.
P.O. Box 2093
Schiller Park, IL 60176

17 characters* per line



Suggestions for coining on personalized key blanks: name, address, area code and phone number, other information (i.e. 24 HOUR SERVICE).

*letters, numbers, spaces, punctuation marks

For an additional fee, you may have your logo coined on your personalized key blanks. Simply submit a copy of your logo to HPC for approval by our coining technicians. You will be informed promptly of the additional cost.

Please type or print legibly:

Distributor's Name _____

Purchaser's Name _____

Shop Name _____

Address _____

City _____

State _____ Zip Code _____

Area Code/Telephone Number _____

Purchaser's Signature _____

250 pieces per head shape is the minimum order that can be accepted. All orders must be in increments of 50. There is a one-time charge of $85.00 per head die number. This charge will be refunded if 10,000 pieces (of one head shape) are purchased within one year.

HPC Stock No.	Original Stock No.	Manufacturer Name	Head Die No.	Pin Number	Quantity
289	K2	Arrow	#1	5	
286	K7-5	Arrow	#1A	5	
290	K7	Arrow	#1A	6	
228	1A1A1	Best	#2	6	
229	1A1B1	Best	#2	6	
230	1A1C1	Best	#2	6	
231	1A1D1	Best	#2	6	
232	1A1E1	Best	#2	6	
233	1A1F1	Best	#2	6	
234	1A1H1	Best	#2	6	
235	1A1J1	Best	#2	6	
119	Z1-60-6	Corbin	#7	6	
120	Z1-60-5	Corbin	#7	5	
299	320433 B&S	Chrysler Sec.	#6	5	
300	320514 B&S	Chrysler Prim.	#5	5	
330	67	Dexter	#11	5	
324	320321 B&S	Ford Sec.	#13	5	
325	320516 B&S	Ford Prim.	#12	5	
035	1063	Kwikset	#8	5	
308	320471 K	G.M. Sec.	#4	wafer	
310	320405 H	G.M. Sec.	#4	wafer	
312	320653 D	G.M. Sec.	#4	wafer	
314	320589 B	G.M. Sec.	#4	wafer	
309	320470 J	G.M. Prim.	#3	wafer	
311	320404 E	G.M. Prim.	#3	wafer	
313	320652 C	G.M. Prim.	#3	wafer	
315	320588 A	G.M. Prim.	#3	wafer	
364	A1004	Lockwood	#9	5	
365	1004	Lockwood	#9	6	
070	1K	Master	#10	4	
164	6K4R	Russwin	#14	6	
169	6D1R	Russwin	#14	6	
170	5D1R	Russwin	#14	5	
213	6273CN	Sargent	#15	6	
215	6270RN	Sargent	#15	5	
217	6275LA	Sargent	#15	6	
218	275LA	Sargent	#15	5	
219	6275S	Sargent	#15	6	
220	275S	Sargent	#15	5	
001	35-100C	Schlage	#16	5	
002	35-101C	Schlage	#16	6	
003	35-100E	Schlage	#16	5	
004	35-101E	Schlage	#16	6	
005	35-100F	Schlage	#16	5	
006	35-101F	Schlage	#16	6	
029	35-180A	Schlage	#17	wafer	
030	35-200W	Schlage	#18	wafer	
295	K9	Segal	#19	5	
049	1559	Weiser	#20	6	
050	1555	Weiser	#20	5	
051	P1555	Weiser	#21	5	
055	12344	Weslock	#22	5	
285	8E1R	Yale	#23	5	
282	11E1R	Yale	#24	6	
283	EN8E1R	Yale	#24	5	
375	137	Chicago	#25	7	
334	320560	American Motors	#3	wafer	
335	320561	American Motors	#4	wafer	
650	10-010-0000	Medeco	#26	5	

OTHER SECTIONS TO BE ANNOUNCED AS THEY BECOME AVAILABLE

HPC ORIGINAL DOMESTIC KEYBLANKS

CROSS REFERENCE LISTINGS

HPC	ORIG. MFG.	ORIG. NO.	ILCO	TAYLOR	CURTIS	DOMINION
001	SCHLAGE	35-100C	1145	145	SC1	145
002	SCHLAGE	35-101C	A1145	145A	SC4	A145
003	SCHLAGE	35-100E	1145E	145ES	SC8	145E
004	SCHLAGE	35-101E	A1145E	145E	SC9	A145E
005	SCHLAGE	35-100F	1145F	145FS	SC7	145F
006	SCHLAGE	35-101F	A1145F	145F	SC10	A145F
029	SCHLAGE	35-180A	1307A	307A	SC6	707A
030	SCHLAGE	35-200W	1307W	307W	SC22	707W
035	KWIKSET	1063	1176	54KS	KW1	H176
049	WEISER	1559	A1054WB	54WA	WR4	HL54WA
050	WEISER	1555	1054WB	54WB	wR3	H54WA
055	WESLOCK	12344	1175N	175W	WK2	H175
070	MASTER PADLOCK	1K	N1092	92	M1	92
119	CORBIN	Z1-60-6	A1001EH	A22Z2	C088	U00Z
120	CORBIN	Z1-60-5	1001EH	22Z2	CO87	00Z
164	RUSSWIN	6D4R	A1011D4	A574D		A11D4
169	RUSSWIN	6D1R	A1011D1	A571D	RU46	A11D1
170	RUSSWIN	5D1R	1011D1	57-1D	RU45	11D1
213	SARGENT 6 PIN	6273CN	01007CN	049CN	S82 1/2	NU07CN
217	SARGENT	6275LA	01007LA	043LA	S22	U07LA
218	SARGENT	275LA	1007LA	43LA	S22 1/2	7LA
219	SARGENT	6275S	L1010N	51SA	S69	A10N
220	SARGENT	275S	1010N	51S	S68	10N
228	BEST OR FALCON	1A1A1	A1114S	114A	BE1	A114A
229	BEST OR FALCON	1A1B1	A1114B	114B	BE3	A114B
230	BEST OR FALCON	1A1C1	A1114C	114C	BE6	A114C
231	BEST OR FALCON	1A1D1	A1114D	114D	BE4	A114D
232	BEST OR FALCON	1A1E1	A1114E	114E	BE5	A114E
233	BEST OR FALCON	1A1F1	A1114F	114F	BE7	A114F
234	BEST OR FALCON	1A1H1	A1114H	114H		A114H
235	BEST OR FALCON	1A1G1	A1114G			
282	YALE	11E1R	999A	14A	Y2	9A
283	YALE	EN81ER	999N	14E	Y15	K9
285	YALE	8E1R	999	14	Y1	9
286	ARROW	5 PIN LGE HEAD				
289	ARROW	K2	1179	102	AR1	22W
290	ARROW	K7	A1179	135A	AR4	HL22W
295	SEGAL	K9	1022	102	SE1	22
299	CHRYSLER	320433	S1770U		Y149	S770U
300	CHRYSLER	320514	P1770U		Y152	770U
308	GENERAL MOTORS	320471 (321356)K	S1098K	098K	B47	S98K
309	GENERAL MOTORS	320470 (321355)J	P1098J	X98J	B46	P98J
310	GENERAL MOTORS	320405 (H)	S1098H	098H	B45	S09H
311	GENERAL MOTORS	320404 (E)	P1098E	X98E	B44	P98E
312	GENERAL MOTORS	320653 (D)	S1098D	S91D	B51	S98D
313	GENERAL MOTORS	320652 (C)	P1098C	P91C	B50	P98C
314	GENERAL MOTORS	320589 (B)	S1098B	S91B	B49	S98B
315	GENERAL MOTORS	320588 (A)	P1098A	P91A	B48	P98A
324	FORD	320321	S1167FD	P27	H50	S167FD
325	FORD	320516	1167FD	S27	H51	167FD
330	DEXTER	67	1054KD	54KE	DE1	H54KD
365	LOCKWOOD	B308	1004	35N	L1	04

KEY BOARDS

INTERNATIONAL VEHICLE BOARD



NO. IVA-2
WT. 14 LBS.

KEYS MADE IN ITALY

BOARD SIZE:
14 1/2" x 38"

- Packed with three keys each of 80 different numbers (for 70 cars and 10 motorcycles) for a total of 240 key blanks.
- Sturdy wall mounted board.
- Complete with 20 extra hooks for additions.

One attractive metal key board becomes the foreign vehicle center in the professional lockshop. This board contains the most popular numbers in use today. Since this assortment will be updated from time to time, extra hooks are provided for new numbers as they become available.

HIGH SECURITY KEY BLANK ASSORTMENT



YOU DON'T HAVE TO SAY, "I CAN'T CUT THAT KIND OF KEY"

NO. KBA-HS
Weight: 6 lbs.

Board Size:
14½" x 13"

KEYS MADE IN ITALY

Consists of 3 High Security Key Blanks of 12 different numbers. These blanks are duplicated on the TEN key machine. All keys are in the "extra charge" category—up to $50.00 per key from the manufacturer, in some cases. Packed with an attractive, heavy duty, colorful metal display board suitable for hanging or free standing.

RUBBER HEAD KEY BLANK ASSORTMENT

YOU CAN PROVIDE YOUR CUSTOMER WITH ORIGINAL STYLE AUTOMOTIVE KEYS



NO. KBA-RH
Weight: 10 lbs.

Board size:
14½" x 20½"

KEYS MADE IN ITALY

Consists of 102 original styled Rubber Headed Key Blanks of 34 different numbers. These blanks are the same style as the keys that came with the new vehicle and are an extra profit opportunity for the locksmith. Packed with an attractive, heavy duty, colorful metal display board suitable for hanging or free standing.

YOU CAN BANK ON HPC BLANKS.



GM RUBBER HEAD KEY BLANK ASSORTMENT



NO. DA-RH
Weight: 4 lbs.

Board size:
11½" x 14½"

NUMBER
GMAP (A)
GMBP (B)
GMCP (C)
GMDP (D)
GMEP (E)
GMHP (H)
GMJP (J)
GMKP (K)

KEYS MADE IN ITALY EXCLUSIVELY FOR HPC

This board consists of 10 each of the eight different blanks to fit all General Motors vehicles produced since 1967. Offer your customer the attractively styled rubber head key blank alternative. Packed with an attractive, heavy duty, colorful metal display board suitable for hanging or free standing use.

RUBBER SAFETY HEAD GM KEYS

General Motors blanks are now available in Rubber Head style. Attractively styled blanks will fit Primary and Secondary locks for all General Motors cars and trucks made since 1967. Used in Europe as a safety requirement, the rubber head key blank has now come to this continent.



Packed 25 per box

NO. GMAP (A)
NO. GMBP (B)
NO. GMCP (C)
NO. GMDP (D)
NO. GMEP (E)
NO. GMHP (H)
NO. GMJP (J)
NO. GMKP (K)

PORSCHE BLANKS



HU42P Porsche Blank



HU45P Porsche Blank

SPECIAL BLOCKS NEEDED TO CUT THESE KEYS

SEE PAGE — 7 —

HIGH SECURITY BLANKS FOR TEN & CLUB

MERCEDES

NICKEL PLATED BRASS



HU 39P | HU 40P | HU 41P | HU 44AP | HU 55P



TEN | CLUB

BMW



HU 58AP | PB 1P 0001-1100

SAAB



Saab «9000»

YM 30P

VOLVO



HU 56RP
DH
6001-8000

NS-Nickel Silver

WT. 1 OZ.

HIGH SECURITY BLANKS FOR TEN & CLUB

DOM



DM 22

FICHET



FT 5

LANCIA ALFA ROMEO



GT 2P
0001 1460



TEN

CLUB

KABA



KA 1
2 mm



20 SERIES

KA 2
2,5 mm



KA 5

KESO



KE 3



KE 4

KEY BLANKS

ALFA ROMEO













AMERICAN MOTORS





NOTE: ALSO SEE RENAULT SECTION

ASTON MARTIN







WT. 1 OZ.

MADE IN ITALY

KEY BLANKS

Audi



WT 4
..W..
11-91/11-91



1984-85
HU 49BP
AH



HU 49
AH



1978-1985
HU 48
AN
VO 9
VB
NV



WT 6
..X..



1978-83
WT 10P
AH
WT 7P



1984-85
WT 10
AH
WT 7
HV

AH AN HV NV VB	1-854 1001-1918 2001-2830 3001-3890 4001-5151 6001-7086	(HUF D)

Austin Morris



1972
UNI 8
FT 101-225
BC 301-360
LF 451-575



RT 2



RT 2P

WT. 1 OZ.

KEY BLANKS

FIAT



SIP 2P
A



SIP 11
X
3301-4886
(SIPEA III)

Ford



FO 7
TC
1-1000



1971-74
FOT 6 FOT 6R
XR 001-195 XL



1971-78
FO 9
TC
1-1000



1979-80
FO 10P



FO 10



NEW

FO 19P



NEW

FO 21P



LF 21RCP
WR
3000-3999
5000-5999



324



325



327

WT. 1 OZ.

HPC/SILCA

MADE IN ITALY

KEY BLANKS

GM GENERAL MOTORS





GM OPEL



WT. 1 OZ.

KEY BLANKS

HONDA



1971-76

HON 23R

11111-44444



1976-81

HON 32
1

HON 33
2

001-700
(HONDA J)



HON 32P
1

HON 33P
2



1984

HON 37

3001-
4481



1984

HON 37P

3001-
4481



1982-83

HON 38

HON 38R



1982-83

HON38P



1984-85

HON 40P

3001-
4481



HON 40

3001-
4481



1973-76

2001-4949

NE 19P



NE 19



NEW

NE 38DP
NSP
4000-4999
7001-9000



NE 52DP
NSP
4001-4999
7001-9000
E 4001-5000
E 8001-9000
L 8001-10000

WT. 1 OZ.

HPC/SILCA

MADE IN ITALY

KEY BLANKS

HYUNDAI



HYN 1
Y
1001-2000

HYN 2R
X 001-1000

HYN 2RP
X 001-1000

INTERNATIONAL HARVESTER



RB 2
D 225-814
K 01-1000

RB 3
E 225-814
L 01-1000

BA 8R

HD 1

YA 4

ISUZU



1981-85
MIT 1R
H 0001-5143

MIT 2RP

TOY 4RCP

ISU 3

WT. 1 OZ.

KEY BLANKS

IVECO



1982+

SIP 14

JAGUAR



1973+

DM 1R



FOT 2
B.D.DV
1-64



LF 9RP
WB



1976+

LF 9R
WB



UNI 13
FS
01-99/876-955



UNI 14
FS
01-99/876-955



UNI 11A
FS
01-99
876-955



UNI 11AP
FS



1975-1980

UNI 8
FT 101-225
BC 301-360
LF 451-575



NEW

CEM 3
JC
001-852

WT. 1 OZ.

HPC/SILCA

MADE IN ITALY

KEY BLANKS

JENSEN



DM 1RP



UNI 11A

LAMBORGHINI



AF 7A
1

AF 7C
3
501-1000



SIP 2



SIP 2P



BH 4



FAB 1



AF 4A
2

AF 4B
4

AF 4C
6

AF 4D
8

LANCIA





1977 +

SIP 2P

SIP 2



GT 2P
0001-1460





WT. 1 OZ.

KEY BLANKS

LOTUS



DM 1R



UNI 8



RT 2P



TOY 6P



UNI 11A

MASERATI



AF 4B
4
AF 4D
8



AF 7A
1
AF 7C
3



LF 10P



FO 6

WT. 1 OZ.

HPC/SILCA

MADE IN ITALY

KEY BLANKS

JENSEN



DM 1RP



UNI 11A

LAMBORGHINI



AF 7A
1

AF 7C
3
501-1000



AF 4A
2

AF 4B
4

AF 4C
6

AF 4D
8



SIP 2



SIP 2P



BH 4



FAB 1

LANCIA



1977 +

SIP 2P



SIP 2



GT 2P
0001-1460





WT. 1 OZ.

KEY BLANKS

MERCEDES



YM 4R
B,KB,TB
001-100



YM 15
NF
1-1200
HM
1-1200
2501-3500
4001-5795

YM 12
HF-NM
1-1200
4001-5795
..HF.. 01-99

1969-78



1969-78

YM 12P
HF-NM
1-1200
4001-5795
..HF.. 01-99



1969-78

YM 15P
NF
1-1200
HM
1-1200
2501-3500
4001-5795
5801-7350
..NF.. 01-99



1977 +

YM 23P
HY
6001-8129



1977 +

YM 24P
NY
6001-8129



NE 8
D
1-2-3-4-5



1969-78

HU 22
HZ
1-1200
2001-2500
2501-3500
ND
4001-5795
..HZ.. 01-99

HU 23
NZ
1-1200
1201-1400
2001-2500
..NZ.. 01-99



1969-78

HU 22P
HZ
1-1200
2001-2500
2501-3500
ND
4001-5795
..HZ.. 01-99



1969-78

HU 23P
NZ
1-1200
1201-1400
2001-2500
..HZ.. 01-99



1969-78

HU 34P
HD
4001-5975
5801-7350



1977 +

HU 36
HU
6001-8129



1977 +

HU 36P
HU
6001-8129



1977 +

HU 37
NU
6001-8129

HU 37P
NU
6001-8129



WT. 1 OZ.

MADE IN ITALY

KEY BLANKS

mazda



MAZ 3
002-989



1970-1977
DAT 5
VH 0001-3948
K 00001-14000



1970-1977
DAT 5P
VH 0001-3948
K 00001-14000



WAS 1
FH
1-1080



1977-82
MAZ 2P
2500-2599
3500-4600



1974+
MAZ 1
2000-
2499
MAZ 1R
1500-
1999



1977-80
MAZ 2
2500-2599
3500-4600
MAZ 2R
3000-3499
5000-6100



1982-85
MAZ 7
6500
7733



NEW
MAZ 6
2500-2999
3500-4600



MAZ 9
6500
7733

MERCEDES



NEW
HU 55P
(ALARM)



HU 41P
1982+



HU 44AP
1982+



HU 39P
1979-82



HU 40P
1979-82





WT. 1 OZ.

KEY BLANKS

MERCEDES



YM 4R
B,KB,TB
001-100



YM 15
NF
1-1200
HM
1-1200
2501-3500
4001-5795

YM 12
HF-NM
1-1200
4001-5795
..HF.. 01-99

1969-78



1969-78
YM 12P
HF-NM
1-1200
4001-5795
..HF.. 01-99



1969-78
YM 15P
NF
1-1200
HM
1-1200
2501-3500
4001-5795
5801-7350
..NF.. 01-99



1977+
YM 23P
HY
6001-8129



1977+
YM 24P
NY
6001-8129



NE 8
D
1-2-3-4-5



1969-78
HU 22
HZ
1-1200
2001-2500
2501-3500
ND
4001-5795
..HZ.. 01-99

HU 23
NZ
1-1200
1201-1400
2001-2500
..NZ.. 01-99



1969-78
HU 22P
HZ
1-1200
2001-2500
2501-3500
ND
4001-5795
..HZ.. 01-99



1969-78
HU 23P
NZ
1-1200
1201-1400
2001-2500
..NZ.. 01-99



1969-78
HU 34P
HD
4001-5975
5801-7350



1977+
HU 36
HU
6001-8129



1977+
HU 36P
HU
6001-8129



1977+
HU 37
NU
6001-8129

HU 37P
NU
6001-8129



WT. 1 OZ.

HPC/SILCA

MADE IN ITALY

KEY BLANKS



1975-78
UNI 8
FT 101-225
BC 301-360
LF 451-575

1970-74
UNI 11A
FS
1-99/876-955

UNI 11AP
FS

1970-74
UNI 14
FS
01-99
876-955



1975-78
NE 19
NE 19P
2001-4949

1970-74
UNI 19
NH

1970-74
UNI 19P
NH

MITSUBISHI



MIT 1R
H
0001-0400/2221-2620
4441-4640/4641-5143

MIT 4RP
H
7001-8400

MIT 2R
H

MIT 2RP
H

0001-0400/2221-2620
4441-4640/4641-5143

MIT 3RP
H
7001-8400

WT. 1 OZ.

KEY BLANKS

PEUGEOT



1977 +

LS 1R
V 001-224



1980-81

PJ 2P
K



1965 +

VAC 12
E
01-649



1984-85

VAC 62
...E
01-649

PORSCHE



PW 1
HC

PW 2
NC
1-2080



1970 +

1-2080

PW 1P
HC

PW 2P
NC



1960-70

POR 2
K
300-399



1960-70

POR 5
FL
1-1800



VO 9P



1976 +

VO 9



1978-85

HU 42P



1978-85

HU 45P

WT. 1 OZ.

HPC/SILCA

MADE IN ITALY

KEY BLANKS

RENAULT



ROLLS ROYCE



WT. 1 OZ.

KEY BLANKS

ROVER



1973+
UNI 11A
FS
1-99/876-955



1973+
UNI 11AP
FS



1976+
LF 10P
RO



RT 2



1976+
RT 2P



UNI 8

LAND ROVER

RANGE ROVER



UNI 15



UNI 19
UNI 19R



UNI 55



NEW
NE 52AP
E 4001-5000



NEW
NE 38AP



NE 38DP

SAAB



1967-73
ASS 43
22
1001-3300



1967-73
ASS 46
30
1001-3300



YM 22
AC



1974+
YM 22AP
AC
1-2000



NEW
YM 30P
Saab «9000»

WT. 1 OZ.

HPC/SILCA

MADE IN ITALY

KEY BLANKS

STERLING



NE 38DP
NSP
4000-4999
7001-9000

NE 52DP
NSP
4001-4999
7001-9000
E 4001-5000

SUBARU



DAT 6
F

1970-81
DAT 6P
F
0001-1000

1982-85
DAT 9
W
6001-7000

1982-85
DAT 9P
M
6001-7000
W
7001-8000

SUZUKI



MIT 2R
H

WT. 1 OZ.

KEY BLANKS

TOYOTA



1969 +

TOY 4

K 001-400/1511-1910
2221-2620/3731-4130
4131-4400
(TOYOTA III J)

R 0401-800/1112-1540
2621-3020/3331-3730
(TOYOTA IV J)

S 5951-6350/7061-7460
8171-8570/9281-9680



1969 +

TOY 4P

K 001-400/1511-1910
2221-2620/3731-4130
4131-4400
(TOYOTA III J)

R 0401-800/1112-1510
2621-3020/3331-3730
(TOYOTA IV J)

S 5951-6350/7061-7460
8171-8570/9281-9680





1969 +

TOY 5

TOY 5P

A 0001-0400/1477-1510/2221-2620/4441-4640 **(TOYOTA X J)**
B 5001-6000 **(TOYOTA XI J)**
C 6001-7000 **(TOYOTA XII J)**
M 5551-5950/6601-7060/ 7771-8170/8881-9280 **(TOYOTA XIII J)**



1973-76

TOY 6

K 001-400/1511-19
2221-2620/3731-41
4131-4400



1971-78

TOY 7

1001-1500
(TOYOTA VII J)



1969 +

TOY 8

TOY 9

1001-2500



1969 +

TOY 8P



1969 +

TOY 11

F
5951-6350
7061-7460
8171-8570
9281-9680
TOYOTA



1969 +

TOY 11P

F
5951-6350
7061-7460
8171-8570
9281-9680



1973-78

TOY 12

F
5951-6350
7061-7460
8171-8570
9281-9680



1969 +

TOY 15

A.M.N



1983 +

MIT 2



1983 +

MIT 2P



TOY 30

S
0001-2878



NEW

TOY 30P

S
0001-2878

WT. 1 OZ.

HPC/SILCA

MADE IN ITALY

KEY BLANKS

TOYOTA



TOY 26P
F
5951-6350
7061-7460
8171-8570
9281-9680
P
7001-8500



TOY 28P
F
5951-6350
7061-7460
8171-8570
9281-9680
P
7001-8500

NEW

TRIUMPH



1972-76
UNI 11A
FS
1-99/876-955



1972-76
UNI 11AP
FS



1971-1977
UNI 8
FT 101-225
BC 301-360
LF 451-575



1975-1981
UNI 19
NII



1975-1981
UNI 19P
NII



1969-1977
DM 1R

VOLKSWAGEN



1962-68
FOT 2
B.D.DV
1-64



1974-81
FOT 3R
FB 1-210
PO 101-295
PO 501-695



KO 1L
H
5000-5999



PR 1
A 3101-5037



1982-1985
BT 2
701-737

WT. 1 OZ.

KEY BLANKS

VOLKSWAGEN



1966-1979
VO 4R
..K..
11-72/1-110



1966-1979
VO 5
..L..
11-72/
001-110



1960-68
VO 6
SU
1-240
401-630



1960-68
VO 6R
SV
1-240
401-630



VO 7
..VA..
01-55
01-99



1962-1968
VO 8
SE
1-750



1974-85
VO 9
NV



1974-85
VO 9P
NV
WT 7AP
HV
1-854/1001-1918
2001-2830/3001-3890
4001-5151/6001-7086
1981-85



1966-69
VO 10
..M..
11-72/001-110



1966-69
VO 10P
..M..
11-72/001-110



1966-69
VO 11
..R..
11-72/1-110



1966-69
VO 11P
..R..
11-72/001-110



1981-85
VO 13
N
1001-1918
3001-3890
6001-7086



1981-85
VO 13P
N
1001-1918
3001-3890
6001-7086



WI 2
T
3001-6150

WT. 1 OZ.

HPC/SILCA

MADE IN ITALY

KEY BLANKS

VOLVO



1982-85
BT 2
701-737



1968-72
NE 9
...E
1-2-3-4-5



1965-67
NE 10
1-2-3-4-5



1973-77
NE 26
6250
6499



NE 43P
...B...
3-5-7





1973-77
NE 27 NE 27P
7001-9000



1977-1985
NE 40
1A-2A
3A-4A
000-999
5A
000-745

1984-85
NE 51
1A-2A
3A-4A
5A



1977-1985
NE 40P
1A-2A
3A-4A
5A



1984-85
NE 51P
1A-2A
3A-4A
5A



1982-85
HU 38



1982-85
HU 38P



NEW

HU 56RP
DH
6001-8000

ZASTAVA

Yugo



NEW

YG 1R



YG 1RP

WT. 1 OZ.

KEY BLANKS

BMW



NE 5



HARLEY DAVIDSON



HY 1 HY 4R

HY 5 HY 7R

43-118

HONDA



1962-1974

000-999

HON 3R

T4



1962-1974

HON 4



1974-77

HON 24

HON 24R

00000-99999



1977+

HON 31R

101-120/201-220

301-320/401-420/501-520

601-620/701-720/801-820

(HONDA I J)



1977+

HON 31RAP

101-120/201

401-420/501

701-720



HON 34R



1983+

HON 39R

C00–C99

D00–D99



1980-83

SZ 4

WT. 1 OZ.

HPC/SILCA

MADE IN ITALY

KEY BLANKS

KAWASAKI













SUZUKI







YAMAHA











WT. 1 OZ.

KEY BLANKS / CROSS REFERENCE

TAYLOR	HPC/SILCA
X147	NE57
X122	VAC59
X1	DAT5
X1	DAT5P
X4	MAZ1
X5	MAZ1R
X6	DAT6
X6	DAT6P
X7	DAT6R
X7	DAT6RP
X8	VO7
X9	VO9
X9	VO9P
X10	DAT7
X10	DAT7P
X11	SZ3
X13	LF13
X16	RT1P
X18	YH3R
X20	FO7
X20	FO9
X21	FOT6R
X22	FOT6
X23	SZ4R
X24	SZ4
X26	MAZ2
X26	MAZ2P
X27	MAZ2R
X28	RR5
X29	NE27
X29	NE27P
X30	NE26
X31	ASS43
X31	ASS46
X32	PW2P
X32	PW2
X36	MAZ3
X37	TOY11P
X37	TOY11
X39	YH3
X42	HON34
X43	HON34R
X44	HON23R
X45	TOY12
X50	RT2P
X50	RT2
X51	NE19
X51	NE19P
X52	YM22AP
X52	YM22
X54	MIT1R
X55	LF9R
X55	LF9RP
X57	HON24
X58	HON24R
X59	BW7
X59	BW7P
X59	BW8
X60	MAZ5
62HB	RR1
X62	YH22R
RM63E	YM4R
X63	YH9R

TAYLOR	HPC/SILCA
X63	YH24
R63Y	HU9
D67P	NE9A
V67	VO8
V68D	PR1
V68LR	VO6
V68L	VO6R
M68	NE8
F68XR	UNI6
F68YT	UNI8
P69A	POR2
B69K	NE5
V69N	KO1L
X69	YH21
F70S	UNI13
F70T	UNI14
S71B	UNI11AP
S71B	UNI11A
X71	HON33
X71	HON33P
V72L	WI2
F72V	AF4D
F72W	AF4C
F72X	AF4B
F72Y	AF4A
D72Z	DAT3R
P73U	VAC12
F74T	NE6
X74	YH17R
X75	YH17
D76F	DAT1R
D76F	DAT4R
H76J	HON4
O76R	HU21
O76R	HU21P
S76S	SIP2AP
S76S	SIP2P
S76S	SIP2
H76W	HON3R
X76	YH24R
B77U	BW4
V77	NE10
V77V	FOT2
X77	YH21R
T77ZL	UNI7
V78G	VO5
V78J	VO4R
X78	AR10
P79A	POR5
V79D	NE9
O79JB	HU20
T79R	FOT3R
M79S	HU23
M79S	HU23P
M79S	HU34P
M79T	HU22
M79T	HU22P
M79U	YM12P
M79U	YM12
X79	AR9
D80E	DAT4
D80G	DAT1
D80K	WAS1

TAYLOR	HPC/SILCA
B80NR	BW6
T80R	TOY4P
T80R	TOY4
T80S	TOY6
T80U	TOY15
T80V	TOY5P
T80V	TOY5
X80	NE40
X80	NE40P
T81A	TOY7
T81A	TOY9
T81B	TOY8P
T81B	TOY8
K81D	LF2
F81E	DM1R
M81G	UNI19P
M81G	UNI19
A81M	PW1P
A81M	PW1
A81R	WT4
A81S	WT6
V81V	VO11P
V81V	VO11
V81W	VO10P
V81W	VO10
X81	HU38
X81	HU38P
M81X	YM15P
M81X	YM15
X82	HU37
X82	HU37P
X83	YM23P
X83	HU36
X83	HU36P
X84	HON31RAP
X84	HON31
X85	NE49
X86	FO10P
X87	SZ5
X88	WT7AP
X88	WT7P
X89	LS1R
X90	KW9R
X92	NE42
X92	NE42
X95	HY5
P98A	NMAP
S98B	GMBP
P98C	GMCP
S98D	GMDP
P98E	GMEP
S98H	GMHP
P98J	GMJP
S98K	GMKP
X98	HY7R
X99	FAB2
X100	HY1
X102	HY4R
X103	KW7
X104	KW11
X105	KW8
X106	KW8R
X106	KW9

TAYLOR	HPC/SILCA
X107	YH22
X109	SIP11
X110	VO13
X111	YH25R
X112	YH25
X113	AM2R
X114	DAT9R
X114	DAT9RP
X115	DAT9
X115	DAT9P
X116	NE23AP
X116	NE23
X117	YH29R
X117	YH30R
X118	YH29
X118	YH30
X119	YH28
X120	YH28R
X137	MIT2P
X121	MIT2R
X121	MIT2RP
X122	VAC59
X123	DAT12
X123	DAT12P
X124	DAT13
X124	DAT14
X124	DAT14P
X128	HON37
X128	HON37P
X129	HON38
129X	HON38P
X130	HON38R
X131	MAZ7
X132	BT2
X132	KI17P
X137	MIT2
X137	MIT2P
X138	HON39R
X139	WT10P
X139	HU49BP
X139	HU49
X140	NE51
X140	NE51P
X143	MIT3R
X143	GM11P
X144	HU50AP
X144	HU50
X145	GM12R
X159	TOY26
X146	TPY28
X147	NE55AP
X147	NE57
X148	VAC62
X150	NE55
X150	NE55
X151	TOY30P
X151	TPY30
X152	GT6RAP
X152	GT6R
X153	YG1RP
X153	YG1R
X158	ISU3
X154	DAT12R

TAYLOR	HPC/SILCA
X155	SIP14
X166	YM31AP
X157	LF10P
X158	ISU3
X159	TOY26
X160	HYN2R
X161	HYN1
X164	HON40
X166	YM31AP
X167	GT5
X168	HU46
F79-1	AF7A
F72W	AF4C
F79-3	AF7C
X166	YM31

DOMINION	HPC/SILCA
CA1	VO9
FA1	FAB2
KP1	POR5
PR1	PR1
CA1RH	VO9P
PN1RH	PJ2P
SF1	AF4A
WB1	LF9R
WB1	LF9RP
ZU1	TOY5P
ZU1	TOY5
DT2	DAT3R
PN2RH	NE43P
SF2	AF4B
UN2	UNI19P
UN2	UNI19
HY3	HY1
KL3	KO1L
SF3	AF4C
WT3	BW4
DM4	POR2
LF4	LF13
MZ4	MAZ1
HY4R	HY5
SF4	AF4D
WT4	VO5
YM4	YM4R
CA5	VO13
HY5	HY4R
KL5	FOT2
MZ5	MAZ1R
SF5	AF7A
SK5	SZ3
63Y	HU9
CE6	FO9
DT6	DAT1R
KL6	FO7
KW6	SZ4R
NE6	NE10
SF6	AF7C
WT6	WT4
DT7	DAT4R
KW7	S24
LF7	LF2
SP7	AR9

KEY BLANKS / CROSS REFERENCE

DOMINION	HPC/SILCA
WS7	WAS1
WT7	WT6
SB8	ASS43
SB8	ASS46
SP8	AR10
DM9	DM1R
KM9	LS1R
MZ9	MAZ2
MZ9	MAZ2P
NE9	NE6
CE9RH	FO10P
SB9RH	YM22AP
SB9	YM22
SP9	YM22
SP9	SIP1AP
SP9	SIP2
WT9	WT7AP
WT9	WT7P
HF10	HU21
HF10	HU21P
MZ10	MAZ2R
MZ11	MAZ3
SK11	SZ5
HD12	HON3R
LF12	RT2P
LF12	RT2
M212	DAT5
MZ12	DAT5P
NE12	NE9
DT14	DAT4
HD14	HON4
MS15	MIT2R
MS15	MIT2RP
MZ15	MAZ7
TA15	TOY15
DT16	DAT1
DT17	DAT7
DT17	DAT7P
LF17	LF10P
TA17	TOY4P
TA17	TOY4
YM17	YM12P
YM17	YM12
DT18	DAT6
DT18	DAT6P
TA18	TOY6
DT19	DAT6R
DT19	DAT6RP
TA19	TOY7
TA19	TOY9
YH19	YH3
YM19	YM15P
YM19	YM15
TA20	TOY8P
TA20	TOY8
YM20	FOT6R
DT21	DAT9
DT21	DAT9P
NE21	NE19
NE21RH	NE19P
YH21	YH3R
DT22	DAT9R
DT22	DAT9RP

DOMINION	HPC/SILCA
TA22	TOY11P
TA22	TOY11
DT23	DAT12
DT23	DAT12P
NE23	SIP2P
DT24	DAT14
DT24	DAT14P
HF24	HU23
HF24	HU23P
NE24	NE27
NE24-RH	NE27P
HF25	HU22
HF25	HU22P
TA26	TOY12
YM26	FOT6
HF27	VO7
HF28	BW6
YM29RH	YM21P
TA29	MIT2
TA29	MIT2P
HF30	PW1P
HF30	PW1
YM30RH	YM21RP
YH30	YH9R
HF31	PW2P
HF31	PW2
YM31-RH	YM23P
HF32	VO11P
HF32	VO11
YM32RH	YM24P
YH32	YH24
HF3	VO10P
HF33	VO10
YH33	YH17
NE34	NE23AP
NE34	NE23
YH34	YH17R
NE35	NE40
NE85	NE40P
NE36	NE49
NE37	NE42
YH37	YH21
YH38	YH21R
HF39	BW7P
HF39	BW7P
HF40	BW8
HD44	HON23R
HF44	HU36
HF44	HU36P
YH44	YH22R
HF45	HU37
HF45	HU37P
HF46	HU38
HF46	HU38P
YH46	YH28R
YH47	YH28
NE48-RH	NE38BP
YH48	YH29R
YH49	YH29
YH49	YH30
HD50	HON24
YH50	YH30R
HD52	HON24R

DOMINION	HPC/SILCA
HD54	HON32P
HD55	HON33P
HD55	HON33P
SR61N	NE5
H61VR	NE9A
H62DP	UN17
62DR	UNI11AP
62DR	UNI11A
B62DR	UNI14
62DS	UNI13
62DY	WI2
62FD	UNI8
HR62FD	FOT3R
62HB	RR1
62HE	RR5
62VK	VO6R
R62VK	VO6
U62VN	VO8
H62VP	HU20
HD63	HON31RAP
HD63	HON31R
H63N	NE8
63PX	VAC12
HD64	HON39R
HD66	HON34R
HD67	HON34
HD70	HON37
HD70	HON37P
HD71	HON38
HD71	HON38P
UN90	UNI6
771CHRH	RT1P

ILCO	HPC/SILCA
BM1	HU9
BMW1	BW6
IV1	SIP14
MG1	UNI19P
MG1	UNI19
SAA1	YM22AP
SAA1	YM22
YS1	FOT6R
YU1	YG1RP
YU1	YG1R
AA2	NE19
AA2	NE19P
BMW2	BW7
BMW2	BW7P
BMW2	BW8
FC2	FO7
FC2	FO9
FTA2	NE9A
LF2	LF2
N2M	NE5
YU2	GT5
AA3	RT2P
AA3	RT2
BMW3	HU50AP
BMW3	HU50
TR33	MIT2P
DC3	MIT2R
DC3	MIT2RP

ILCO	HPC/SILCA
MB3	YM4R
AU4	PR1
BM4	BW4
MZ4	MAZ1
PO4	POR5
MZ5	MAZ1R
PA5	WT4
PG5	VAC62
PO5	PW1P
PO5	PW1
PA6	WT6
PO6	PW2P
PO6	PW2
FT6R	DM1R
VL6	NE40
VL6	NE40P
VO6	NE10
AL7	AR9
FC7	FO10P
FT7R	FOT3R
SU7	SZ5
AL8	AR10
PA8	WT7AP
PA8	WT7P
SB8	ASS43
SB8	ASS46
VL8	NE51
VL8	NE51P
MZ9	MAZ2
MZ9	MAZ2P
MZ10	MAZ2R
KA11	KW8
MZ11	MAZ3
OP11	HU21
OP11	HU21P
MZ12	DAT5
MZ12	DAT5P
KA13	KW11
MZ13	MAZ7
KA14	KW7
MZ14	MAZ5
KA15	KW8R
KA15	KW9
MB15	HU22
MB15	HU22P
BR16	UNI14
MB16	YM12P
MB16	YM12
UN16	UN16
MB17	YM15P
MB17	YM15
MB18	HU23
MB18	HU23P
MB18	HU34P
BR19	LF13
OP19	HU20
DA20	WAS1
VW20	VO7
DA23	DAT9
DA23	DAT9P
DA24	DAT9R
DA24	DAT9RP
RN24	NE23AP

ILCO	HPC/SILCA
RN24	NE23
DA25	DAT12
DA25	DAT12P
RN25	NE42
TR25	TOY7
DA26	DAT14
DA26	DAT14P
TR26	TOY8P
TR26	TOY8
TR26	TOY9
RN27	NE55
TR28	TOY11P
TR28	TOY11
RN29	VAC59
RN30	NE55AP
TR33	MIT2
TR33	MIT2P
V33	VO13
V35	WT10P
V35	WT10
V35	HU49BP
V35	HU49
NE36	NE49
FT37	AF7A
TR37	TOY26
F91CR	AF4C
FT38	AF7C
MB38	HU37
MB38	HU37P
MB39	YM23P
TR39	TOY30P
TR39	TOY30
MB40	YM24P
MB41	HU36
MB41	HU36P
FT43	SIP11
YM44	YH9R
YM43	YH22R
F44	NE6
HD44	HON23R
YM44	YH9R
YM44	YH24
FT46	GT6RAP
FT46	GT6R
YM47	YH21
FT48	YM31AP
FT48	YM31
YM50	YH7R
YM51	YH17
Y52	FOT6
YM52	YH24R
B53	MIT3R
B53	GM11P
YM53	YH21R
B54	DAT12R
YM54	YH22
YM55	YH25R
YM56	YH25
B57	ISU3
YM57	YH28R
YM58	YH28
MB59	NE8
YM59	YH29R

KEY BLANKS / CROSS REFERENCE

ILCO	HPC/SILCA
YM60	YH29
YM60	YH30
B61	HU46
T61C	TOY4P
T61C	TOY4
T61D	TOY6
T61F	TOY5P
T61F	TOY5
HO61T	HON3R
U61VW	VO6
V61VW	VO6R
YM61	YH30R
62DT	DAT6
62DT	DAT6P
62DU	DAT6R
62DU	DAT6RP
62DV	DAT7
DV62	DAT7P
62FS	UNI11AP
62FS	UNI11A
62FT	UNI8
62SM	SIP2AP
625M	SIP2AP
625M	SIP2P
625M	SIP2
VO62	NE9
62VS	VO8
VW63	KO1L
VW64T	WI2
VW67S	VO5
VW67	VO4R
HD70U	HON32
VW71A	VO11P
HD71	HON33
HD71	HON33P
VW71	VO10P
VW71	VO10
HD72	HON24
HD73	HON24R
VO73S	NE26
73VB	VO9P
73VB	VO9
VO73	NE27
VO73	NE27P
73VB	VO9P
HD74	HON31RAP
HD74	HON31R
HD75	HON39R
VW77	FOT2
HD82	HON38
HD82	HON38P
HD83	HON37
HD83	HON37P
HD86	HON40
P91A	GMAP
S91B	GMBP
F91C2	AF4A
F91C8	AF4B
F91C	AF4D
P91C	GMCP
F91CR	AF4C
S91D	GMDP
V91P	VAC12

ILCO	HPC/SILCA
X98E	GMEP
D98H	GMHP
X98J	GMJP
O98K	GMKP
P1098V	TOY15
P1771CR	RT1P
P1771CR	LF10P

ESP/ CURTIS	HPC/SILCA
BL1	LF9R
BL1	LF9RP
BM1	BW4
MG1	UNI19P
MG1	UNI19
VL1	NE10
YS1	FOT6R
AA2	NE19
AA2	NE19P
FC2	FO9
HY2	HYN2R
HY2	HYN2RP
LF2	LF2
PA2	PW1P
PA2	PW1
RR2	RR1
WS2	DM1R
WS2	DAT5
WS2	DAT5P
YU2	GT5
AA3	RT2P
AA3	RT2
AA3	LF10P
BM3	BW6
TR33	MIT2P
DC3	MIT2R
DC3	MIT2RP
RN3	LS1R
VL3	NE9
VL4	NE26
FC5	MAZ1
GF5	FOT3R
PA5	WT4
VL5	NE27
VL5	NE27P
FC6	MAZ1R
PA6	WT6
VL6	NE40
VL6	NE40P
DA7	DAT3R
FC7	FO10P
KA7	SZ4
PA7	PW2P
PA7	PW2
VL7	HU38
BL7	HU38P
MC8	HU9
PA8	WT7P
MZ9	MAZ2
MZ9	MAZ2P
V9	VO8
MZ10	MAZ2R

ESP/ CURTIS	HPC/SILCA
RN10	VAC12
SB10	ASS43
SB10	ASS46
FT39	SIP2AP
SM10	SIP2P
FT39	SIP2
V10	PR1
DA11	DAT4R
OP11	HU21
OP11	HU21P
SB11	YM22AP
SB11	YM22
V11	VO6
V12	VO6R
MZ13	MAZ7
V13	KO1L
PL16	POR5
UN16	UNI6
DA17	DAT4
MB17	NE8
P17	POR2
UN17	UNI8
UN18	UNI11AP
UN18	UNI11A
DA19	DAT1
OP19	HU20
UN19	UNI13
V19	WI2
DA20	WAS1
TR20	TOY4P
TR20	TOY4
UN20	UNI14
DA21	DAT6R
DA21	DAT6RP
DA21	DAT7
DA21	DAT7P
TR21	TOY6
DA22	DAT6
DA22	DAT6P
TR22	TOY15
DA23	DAT9
DA23	DAT9P
TR23	TOY5P
TR23	TOY5
UN23	UNI7
DA24	DAT9R
DA24	DAT9RP
RN24	NE23AP
RN24	NE23
V24	FOT2
DA25	DAT12
DA25	DAT12P
RN25	NE42
TR25	TOY7
TR25	TOY9
V25	VO5
DA26	DAT14
DA26	DAT14P
TR26	TOY8P
TR26	TOY8
UN26	RT1P
TR28	TOY11P

ESP/ CURTIS	HPC/SILCA
TR28	TOY11
V28	VO10P
V28	VO10
V28	VO11P
V29	VO11
RN-30	NE55AP
RN-30	NE57
V30	VO9P
V30	VO9
V31	VO7
FT32	AF4D
HD32	HON4
FT33	AF4C
MB33	HU23
MB33	HU23P
MB33	HU34P
TR33	MIT2P
V33	VO13
FT34	AF4B
MB34	HU22
MB35	AF4A
MB35	YM12
V35	WT10P
V35	WT10
YM35	YH3
FT36	NE6
YM36	YH3R
FT37	AF7A
HD37	HON3R
MB37	YM15P
FT33	AF4C
FT38	AF7C
MB38	HU37
MB38	HU37P
FT39	SIP2AP
FT39	SIP2
MB39	HU36
MB39	HU36
MB39	HU36P
TR39	TOY30P
TR39	TOY30
MC42	NE9A
FT43	SIP11
B44	GMEP
YM44	YH9R
B45	GMHP
B46	GMJP
FT46	GT6RAP
B47	GMKP
B48	GMAP
B49	GMBP
B50	GMCP
YM50	YH17R
B51	GMDP
YM51	YH17
B52	DAT12R
Y52	FOT6
B53	MIT3R
B57	ISU3
B61	HU46
HD69	HON23R
HD70	HON32

ESP/ CURTIS	HPC/SILCA
HD70	HON32P
HD71	HON33
HD71	HON33P
HD72	HON24
HD73	HON24R
HD75	HON39R
HD77	HON34R
HD79	HON37
HD79	HON37P
HD80	HON38
HD80	HON38P

CONS. ILCO	HPC/SILCA
	DAT3R
	LF9RP
	UNI13
BMW1	BW6
IV1	SIP14
KP1	POR5
MG1	UNI19P
MG1	UNI19
SAA1	YM22AP
SAA1	YM22
WB1	LF9R
YS1	FOT6R
YUI	YG1RP
YUI	YG1R
AA2	NE19
AA2	NE19P
BMW2	BW7
BMW2	BW7P
BMW2	BW8
FC2	FO7
FC2	FO9
HY2	HYN2R
LF2	LF2
YS2	FOT6
AA3	RT2P
AA3	RT2
BMW3	HU50AP
BMW3	HU50
DC3	MIT2R
HY3	HYN1
HYD3	HY1
WT3	BW4
DM4	POR2
LF4	LF13
MZ4	MAZ1
MZ5	MAZ1R
PA5	WT4
PG5	VAC62
PO5	PW1P
PO5	PW1
KA6	SZ4R
PA6	WT6
PO6	PW2P
PO6	PW2
FT6R	DM1R
UNI6	UNI6
VL6	NE40
VL6	NE40P

KEY BLANKS / CROSS REFERENCE

CONS. ILCO	HPC/SILCA
VO6	NE10
DT7	DAT4R
FC7	FO10P
KA7	SZ4
NE7	NE9A
BMW2	BW8
PA8	WT7AP
PA8	WT7P
SB8	ASS43
SB8	ASS46
SP8	AR9
SP8	AR10
VL8	NE51
VL8	NE51P
KM9	LS1R
MZ9	MAZ2
MZ9	MAZ2P
NE9	NE6
MZ10	MAZ2R
KA11	KW8
MZ11	MAZ3
OP11	HU21
OP11	HU21P
SUZ11	SZ5
HD12	HON3R
MZ12	DAT5
MZ12	DAT5P
KA13	KW11
MZ13	MAZ7
DT14	DAT4
HD14	HON4
KA14	KW7
MZ14	MAZ5
KA15	KW8R
KA15	KW9
MB15	HU22
MB15	HU22P
BR16	UNI14
DT16	DAT1
MB16	YM12P
MB16	YM12
LF17	LF10P
MB17	YM15P
MB17	YM15
MB18	HU23
MB18	HU23P
MB18	HU34P
NE19	SIP2P
NE19	SIP2
OP19	HU20
YH19	YH3
DA20	WAS1
VW20	VO7
TA21	TOY12
YH21	YH3R
DA23	DAT9
DA23	DAT9P
	DAT9RP
DA24	DAT9RP
RN24	NE23AP
RN24	NE23
DA25	DAT12

CONS. ILCO	HPC/SILCA
DA25	DAT12P
RN25	NE42
SU25	SZ3
TR25	TOY7
	DAT14
DA26	DAT14P
TR26	TOY8P
TR26	TOY8
TR26	TOY9
RN27	NE55
DA28	DAT13
TR28	TOY11P
TR28	TOY11
RN29	VAC59
RN30	NE55AP
RN30	NE57
YH30	YH24R
YS2	FOT6
YH32	YH24
TR33	MIT2
TR33	MIT2P
V33	VO13
YH33	YH17
YH34	YH17R
V35	WT10P
V35	WT10
V35	HU49BP
V35	HU49
NE36	NE49
FT37	AF7A
TR37	TOY26
YH37	YH21
FT38	AF7C
YH38	YH21R
39MB	YM23P
MB39	HU36
MB39	HU36P
TR39	TOY30P
TR39	TOY30
MB40	YM24P
MB41	HU37
MB41	HU37P
FT43	SIP11
HD44	HON23R
YH44	YH22R
YM44	YH9R
YH45	YH22
FT46	GT6RAP
FT46	GT6R
HF46	HU38
HF46	HU38P
YH46	YH28R
HD47	HON34
YH47	YH28
FT48	YM31AP
HD48	HON34R
YH48	YH29R
YH49	YH29
YH49	YH30
B53	GM11P
V53	MIT3R
B54	DAT12R

CONS. ILCO	HPC/SILCA
MB59	NE8
B55	GM12R
YM55	YH25R
B56	TOY28
YM56	YH25
B57	ISU3
MB59	NE8
T61C	TOY4P
T61C	TOY4
T61D	TOY6
T61E	TOY15
T61F	TOY5P
T61F	TOY5
SR61N	NE5
61VW	PR1
U61VW	VO6
U61VW	VO6R
H62DP	UNI7
62DT	DAT6
62DT	DAT6P
62DU	DAT6R
62DU	DAT6RP
62DV	DAT7
62DV	DAT7P
HR62FD	FOT3R
62FS	UNI11AP
62FS	UNI11A
62FT	UNI8
62HE	RR5
U62VN	VO8
VO62	NE9
RM63E	YM4R
63PX	VAC12
VW63	KO1L
63Y	HU9
VW64T	WI2
VW67	VO4R
HD70U	HON32P
HD70U	HON33
HD70U	HON33P
VW71A	VO11P
VW71	VO10P
VW71	VO10
HD72	HON24
HD73	HON24R
VO73S	NE26
VO73	NE27
VO73	NE27P
HD74	HON31RAP
HD75	HON39R
VW77	FOT2
HD82	HON38
HD82	HON38P
	HON37
	HON37P
HD86	HON40
P91A	GMAP
S91B	GMBP
F91C2	AF4A
F91C8	AF4B
F91C	AF4D
P91C	GMCP

CONS. ILCO	HPC/SILCA
F91CR	AF4C
S91D	GMDP
X98E	GMEP
D98H	GMHP
X98J	GMJP
O98K	GMKP
VW675	VO5
P1771CR	RT1P
VW71A	VO11
DC3	MIT2RP

KEY BLANKS

ABF = ANTIQUE BRONZE FINISH
GF = GOLD FINISH
—S = SWIVEL HEAD



CLASSIC FUNITURE KEYS
HOT FORGED SOLID BRASS



1033 GF



1140 GF



1232 ABF



1540 GF



1630 ABF



1730 ABF



1735 ABF



1832 GF-S



2127 GF



2136 GF

WT. 1 OZ.

MADE IN ITALY

KEY BLANKS

ABF = ANTIQUE BRONZE FINISH
GF = GOLD FINISH
—S = SWIVEL HEAD



CLASSIC FUNITURE KEYS
HOT FORGED SOLID BRASS



2332 GF-S



2532 ABF



2635 GF



2734 GF



2830 ABF



2933 ABF



3427 GF



3437 GF



4135 ABF



4333 GF

WT. 1 OZ.

KEY BLANKS

ABF = ANTIQUE BRONZE FINISH
GF = GOLD FINISH
—S = SWIVEL HEAD



CLASSIC FUNITURE KEYS
HOT FORGED SOLID BRASS



4535 GF



4735 GF



4935 GF



5233 ABF



5332 ABF-S



5935 GF



6932 ABF



7032 GF-S

HAND CUFF KEY





6750

WT. 1 OZ.

MADE IN ITALY

LUGGAGE KEYS

EAGLE

850



LONG

T44 T46 L-71 N-87 22054



MILWAUKEE

KY-1 KY-11



PRESTO

PKY-0 PKY-1 PKY-5 PK-25 PK-26 PKL-20



SAMSONITE

S-86 S-94 S-96



SKYWAY

KY-20



— KEKAB —
KEY SECURITY CONTROL SYSTEMS.



HPC

"...Do you know where your keys are? Few individuals and even fewer institutions can answer that question with any degree of certainty. That is precisely the reason for the HPC KEKAB Line of Key Security Control Systems. The KEKAB system takes control of your keys..."


A


B


C


D

A Single-tag key security control system by HPC . . . Designed to control and provide security for a small or large number of keys.

Each **HPC Kekab** security key control system includes:

- **Chrome plated snap-hook key tags** of white vulcanized fibre can hold multiple keys on each snap-hook. Numbered for easy identification.
- **Durable steel key racks.** These tags are slotted and numbered. They store key tags uniformly for immediate identification.
- **"Out key" control tags** are paper yellow tags used for accountability (record information on borrowed keys).
- **Lock location data** consists of an erasable lock location chart as part of the Kebox-8, and numbered key control charts as part of all other Kekabs.
- **Texture Painting**—The unique two-step textured painting process is an attractive feature found on all Kekab II units which allows them to be hung in all offices even those which are finely decorated. Industry standard color is sand.
- **HPC Kekab**—Heavy gauge steel construction with piano hinged doors and key panels. Designed to be mounted on wall, near desk, work station, or recessed into wall opening. Single-tag Kekab series E, F equipped with a high security 7 pin tumbler, tubular lock with popout T-handle. Kebox-8 and all other single-tag Kekabs equipped with 5 wafer tumbler cam lock with two keys. All Kekab series can be master-keyed or furnished with combination lock or dual control locks at additional charge.

(A) Kekab-8 Ideal for home, stores or small offices where decentralized or departmental key control is desired. Each unit comes complete with numbered key tags. Erasable lock location chart on Kekab door.

Catalog No.		Dimensions	Shpg. Wt.
Kekab-8	8 key capacity	6⅝" x 5¾" x 2"	2 lbs.

(B) Series "B" Versatile, Compact 30, and 40 key control Kekabs ideal for users with a small number of keys to control. Each unit comes complete with single-tag Kekab components.

Catalog No.		Dimensions	Shpg. Wt.
Kekab-30	30 key capacity	12" x 8" x 2½"	4 lbs.
Kekab-40	40 key capacity	12" x 8" x 2½"	4 lbs.

(C) Series "C" Popular Multi-Purpose 60, 80, 120 capacity key control Kekabs for a small to medium number of keys to control. Each unit comes complete with single-tag Kekab components.

Catalog No.		Dimensions	Shpg. Wt.
Kekab-60	60 key capacity	17" x 13" x 3¼"	10 lbs.
Kekab-80	80 key capacity	17" x 13" x 3¼"	10 lbs.
Kekab-120	120 key capacity	17" x 13" x 3¼"	10 lbs.

(D) Series "D" Large Capacity kekabs for users with a large number of keys to control in a centralized manner. Each unit comes complete with single-tag Kekab components.

Catalog No.		Dimensions	Shpg. Wt.
Kekab-160	160 key capacity	20" x 16½" x 5"	17 lbs.
Kekab-240	240 key capacity	20" x 16½" x 5"	23 lbs.
Kekab-330	330 key capacity	20" x 16½" x 5"	23 lbs.

(E) Extra Large Capacity Kekabs (Not Shown) for users whose key control needs are continually expanding. Each unit comes complete with single-tag Kekab components.

Catalog No.		Dimensions	Shpg. Wt.
Kekab-260	260 key capacity	25¼" x 18" x 5½"	23 lbs.
Kekab-500	500 key capacity	25¼" x 18" x 5½"	33 lbs.

(F) Kekab-730—HPC's largest capacity Kekab. (Not Shown). Each unit comes complete with single-tag Kekab components.

Catalog No.		Dimensions	Shpg. Wt.
Kekab-730	730 key capacity	25¼" x 18" x 7"	48 lbs.

(Larger capacities or special cabinet feature priced upon quotations, i.e., tags numbered sequentially.)

(G) Series "G" "Carry On" Kekab—These versatile key control units may be used in desks or file cabinets. Or, quickly assemble the lockable hinged top (equipped with handle) and CARRY ON to the job at hand. Keys will hold uniformly to the key racks even when unit is turned upside down! Each unit comes complete with single-tag Kekab components. Equipped with 5 wafer tumbler cam lock with two keys.

Catalog No.		Dimensions	Shpg. Wt.
Kekab-C40	40 key capacity	5½" x 12" x 6"	5 lbs.
Kekab-C80	80 key capacity	5½" x 12" x 12"	8 lbs.

(H) "A-Drawerable" Kekab—Designed to fit most deep desk drawers and file cabinets. Organizes and secures important keys, keeping them within arms reach of user. Removable key panels designed not to spill. Each comes complete with single-tag Kekab components. Equipped with 5 wafer tumbler cam lock.

Catalog No.		Dimensions	Shpg. Wt.
Kekab-D120	120 key capacity	10" x 12" x 12"	10 lbs.

(I) Series "I" Key Control Racks—Where cabinet security is not required. Racks mountable on walls, doors, inside cabinets, etc., in the home or office. Made of steel construction. Each complete with key tags and mounting screws. (See catalog No. to determine whether numbered or unnumbered tags come with unit. P = Plain tags, N = Numbered tags.)

Catalog No.		Dimensions	Shpg. Wt.
KB-10P	10 key capacity	2½" x 7½"	6 oz.
KB-20P	20 key capacity	5" x 12¾"	1 lb.
KB-20N	20 key capacity	5" x 12¾"	1 lb.
KB-40N	40 key capacity	9½" x 12⅝"	2 lbs. 2 oz.

(J) Series "J" Expansion Leaves, when your key control needs grow so can your system. Leaves are easy to install and come with all attaching hardware, numbered tags to the increased capacity number, and control chart. Leaf No. Kekab-A for Kekab 160 expands to 330 key capacity. Leaf No. Kekab-B for Kekab-260 expands to 500 key capacity.

Catalog No.	Dimensions	Shpg. Wt.
Kekab-A	18" x 14¾"	6 lbs.
Kekab-B	23" x 16¾"	10 lbs.

(K) Series "K" Kekab Accessory Tags—Fit all Kekabs, Key Boards, Key Racks, "Carry Ons," and "A-Drawerables." Numbered or plain.



NT-1 Numbered tags. Packed in series of 10 numbers, i.e, 1 to 10, 11 to 21, etc. PLT-1 Plain, unnumbered tags. 100 per box. OT-100 "Out Tags" 100 per box.

KEKAB II KEY SECURITY CONTROL SYSTEMS — TWO-TAG

30 To 500 Keys for all your key control needs.

NEW



A Two-Tag Key Security Control System by HPC . . . Designed to control and provide security for a small to a large number of keys.

Each HPC **Kekab II** security control system includes:

- **Permanent Key**—Red vulcanized octagonal key tag with self-locking brass key holder. This key never leaves the Kekab. It is retained as a permanent key from which other keys can be duplicated or cut by the code method. Numbered for easy identification.
- **Loaner Key**—White, vulcanized cloverleaf snap-hook key tags are used to hold duplicates of the permanent key. Loaner keys are loaned out in accordance with the control procedures of the system. Numbered for easy identification.
- **Key Collection Envelopes**—Labeled envelopes for the collection of keys and the inscription of information.
- **Key Receipt Slips**—Personnel must fill out slips in order to obtain a key. The slip is then hung on the appropriate hook in the Kekab in place of the loaned key.
- **Brass Receipt Holder**—Optional method of holding key receipt slip on hook. (Used only if system must comply with governmental regulations.)
- **Cross Reference Binder**—Contains three method option of cross reference fro detailed record of all keys. Complete key loan record for at-a-glance recognition of loaned keys, cross reference sheets and detailed easy to follow instruction sheet.
- **Texture Painting**—Unique two-step texture painting process is used on all Kekab II series for beauty and durability. This allows units to be hung in all offfices even those that are finely decorated. Industry standard color is sand.

HPC **Kekab II**—Heavy gauge steel construction with piano hinged doors and key panels. Designed to be mounted on wall, near desk, work station or recessed into wall opening. Kekab II series "D" equipped with high security 7 pin tumbler, tubular lock and pop-out T-handle. All other Kekab II series equipped with a 5 wafer tumbler cam lock with two keys. All Kekab II series can be master-keyed or furnished with combination lock or dual control locks at additional charge.

(A) Kekab-T30—Versatile, Compact 30 key control two-tag Kekab. Each complete with Kekab II components.

Catalog No.		Dimensions	Shpg. Wt.
Kekab-T30	30 key capacity	12″ x 8″ x 2½″	8 lbs.

(B) Series "B"—Popular, Multi-purpose key control two-tag Kekabs for small or medium numbers of keys to control. Each complete with Kekab II components.

Catalog No.		Dimensions	Shpg. Wt.
Kekab-T40	40 key capacity	17″ x 13″ x 3¼″	16 lbs.
Kekab-T60	60 key capacity	17″ x 13″ x 3¼″	19 lbs.

(C) Series "C"—Large capacity key control two-tag Kekabs. Each complete with Kekab II components.

Catalog No.		Dimensions	Shpg. Wt.
Kekab-T80	80 key capacity	20″ x 16½″ x 5″	21 lbs.
Kekab-T120	120 key capacity	20″ x 16½″ x 5″	23 lbs.
Kekab-T160	160 key capacity	20″ x 16½″ x 5″	27 lbs.
Kekab-T200	200 key capacity	20″ x 16½″ x 5″	35 lbs.
Kekab-T240	240 key capacity	20″ x 16½″ x 5″	37 lbs.

KEKAB II KEY SECURITY CONTROL SYSTEMS — TWO-TAG

30 To 500 Keys for all your key control needs.

NEW

(D)Series "D"—Expandable key control two-key Kekabs, for users whose key control needs are continually growing. Each complete with Kekab II components. Equipped with high security 7 pin tumbler, tubular lock with pop-out T-handle.

Catalog No.		Dimensions	Shpg. Wt.
Kekab-T100	100 key capacity	30″ x 18″ x 5½″	23 lbs.
Kekab-T300	300 key capacity	30″ x 18″ x 5½″	29 lbs.
Kekab-T400	400 key capacity	30″ x 18″ x 5½″	39 lbs.
Kekab-T500	500 key capacity	30″ x 18″ x 5½″	39 lbs.

(E) Series "E"—Expansion leaves for Kekab II. When your key control needs grow so can your system. Leaves are easy to install and include all attaching hardware, numbered tags to the increased capacity number and control charts. Leaf No. Kekab-TA for Kekab II series "C." Leaf No. Kekab-TB for Kekab II series.

For Kekab II series "C" only (Not Shown)

Catalog No.	Expansion from—to	Dimensions	Leaf	Shpg. Wt.
Kekab-TA	80–120	14″ x 14¼″	1	6 lbs.
Kekab-TB	80–160	14″ x 14¼″	1	6 lbs.
Kekab-TC	80–200	14″ x 14¼″	2	12 lbs.
Kekab-TD	80–240	14″ x 14¼″	2	12 lbs.

For Kekab II series "D" only.

Catalog No.	Expansion from—to	Dimensions	Leaf	Shpg. Wt.
Kekab-TE	100–300	18⅝ x 23½″	1	10 lbs.
Kekab-TF	100–400	18⅝ x 23½″	2	20 lbs.
Kebab-TG	100–500	18⅝ x 23½″	2	20 lbs.

(F) Optional Locking Devices installed in place of regular locking devices. Available on all Kekab and Kekab II units at additional cost.

Master Keyed Locks—Add suffix "MK" to catalog number when ordering

Dual Control Locks— Add suffix "DC" to catalog number when ordering.

Combination Locks— Add suffix "CL" to catalog number when ordering.

Extra Key Tags for Kekab II (Two-Tag) Security Key Control Systems.

Catalog No.	Description	Packaged Qty.
NLT-2T	Numbered Loaner Tags White Vulcanized Clover-leaf. Snap-Hook Key Tags.	Packed in series of 10 numbers ie: 1-10, 11-21, etc. . .
PLT-2T	Plain Unnumbered Loaner Tags. White Vulcanized Clover-leaf Snap-Hook Key Tags.	100 per box.
NPT-2T	Numbered Permanent Tags Red Vulcanized Octagonal Key-Tag.	Packed in series of 10 numbers ie: 1-10, 11-21, etc. . .
PPT-2T	Plain Unnumbered Permanent Tags. Red Vulcanized, Octagonal Key Tag.	



KEKAB STEEL GAUGES		
Kekab Size	Box	Door
Single Tag		
8/511	20	18
30	22	20
40	22	20
60/120	22	18
160x/240/330	20	18
500/700	18	16
C40/C80	22	
2-Tag		
T30	22	20
T40/T60	22	18
T80/T120/T160	20	18
T200/T240	20	18
T100/T300	18	16
T400/T500	18	16
Special Purpose Kekab		
MEDI-KAB 3	22	20
MEDI-KAB 6	22	18

MEDI-KABS, KEY KEEPER, LOCKING BARS

MEDI-KAB OFFERS THE MOST SECURE LOCATION FOR MEDICINES AND PHARMACEUTICALS.



NEW

Wt.10 lbs. No. MEDI-KAB 6
17" x 13" x 3¼"



Wt.4 lbs. No. MEDI-KAB 3
12" x 8" x 2½"

MEDI-KAB THE Rx FOR SECURITY

The welded construction is from the finest heavy gauge steel. The MEDI-KAB also features a rugged piano hinged door. For security purposes all MEDI-KABS use a tubular type cam lock with a hooked cam. These tubular locks can be keyed alike or keyed differently to meet virtually any security requirement.

The 2-step painting process is responsible for the neutral sand color which is suitable for even the most tastefully decorated office or home. At the office the MEDI-KAB is designed to be mounted on a wall, near a desk, at a work station or recessed into a wall opening. In the home the MEDI-KAB is designed to be used in the kitchen, bathroom or closet.

FLUSH KEY KEEPER

FOR AUTO - TRUCK - HOME



NO. KEP-5

WT. 8 OZ.

This cylindrical key keeper comes with a high security 7 pin tubular lock - it is like a small vault. It eliminates the loss of ignition keys for large fleets of trucks or cars. This key keeper is made of 18 gauge steel that is painted white and it comes with 4 screws. It can be mounted flush under the hood or body wall. This versatile unit can also be used in the home to keep rings, etc. in a safe place.

SECURITY LOCKING BARS



HEAVY DUTY 1/2" x 1 1/2" CHANNEL STEEL

Stock No.	Drawers	Length	WT.
No. SLB-44	4	51½"	6 LBS. 7 OZ.
No. SLB-45	5	59-7/8"	7 LBS. 4 OZ.

Secure Locking Bars are quickly installed on steel or wood file, blueprint or tool cabinets.

Packed with all necessary hasps, staples and screws for easy, on-the-job installation.

EMERGENCY & KEY KEEPER BOXES

REAL ESTATE KEY KEEPER



THE KEY KEEPER BOX FOR THE HOME IS MOUNTED ONTO THE TOP EDGE OF A DOOR. BOX SIZE: 3¼" x 2½" x 2". NO DUST COVER.

BOXES ARE 18 GAUGE STEEL AND ARE BRITE ZINC PLATED

SECURE AN INDIVIDUAL KEY IN THE KEY KEEPER.

No more lost keys or lockouts! Box is placed over the top edge of a door. When door is closed, the top mounting screws are hidden. Piano hinged box door. Specify type of lock preferred.

7 PIN TUBULAR KEY LOCK

NO. KEP-12-81, Keyed Alike 15481	WT. 1 LB. 2 OZ.
NO. KEP-12-95, Keyed Alike 3395	WT. 1 LB. 2 OZ.
NO. KEP-12-96, Keyed Alike 3396	WT. 1 LB. 2 OZ.
NO. KEP-12-97, Keyed Alike 3397	WT. 1 LB. 2 OZ.

Furnished With One Key

DISC TUMBLER TYPE LOCK

NO. KEP-13-301, Keyed Alike 301	WT. 1 LB.
NO. KEP-13-303, Keyed Alike 303	WT. 1 LB.

Furnished With 2 Keys

MAID KEY KEEPER FOR HOTELS & MOTELS



HOLDS MORE THAN 30 KEYS

THE MAID KEY KEEPER BOX IS MOUNTED TO THE MAID'S CART.

SIZE: 7 3/8"H X 4 1/8"W X 3 3/8D

MAID KEY KEEPER IS PAINTED GRAY

The maid key keeper box will prevent lost, misplaced or stolen keys. The maid simply drops the room key into the storage box. The box is easy and convenient to use, plus it offers the best security for the temporary storage of room keys. The box is securely mounted to the maid's cart and if desired can only be opened by management.

BOXES ARE MADE OF 18 GAUGE STEEL

DISC TUMBLER TYPE LOCK

NO. KEP-M2-301, Keyed Alike 301	WT. 2 LBS.
NO. KEP-M2-303, Keyed Alike 303	WT. 2 LBS.

Furnished With 2 Keys



EMERGENCY KEY BOXES

No. FDB-511
FIRE DEPT. USE

No. FDB-Glass Only

NO. 511
5¾"W x 6 5/8"H x 2"D
WT. 2 LBS. 6 OZ.

NO. 511 GLASS REPLACEMENT GLASS ONLY IS AVAILABLE

These boxes are designed to house a restricted door key at the immediate location. The bright red steel box has a key-locking hinged door with a glass window. When an emergency arises and access to a specific key is necessary, break glass with the attached hammer.

KEY KEEPER BOXES

AUTO KEY KEEPER











SPECIFY LOCKING SYSTEM PREFERRED
7 PIN TUMBLER TUBULAR—or—
DISC TUMBLER TYPE LOCK
AUTOMOBILE KEY KEEPERS—FOR NEW or USED CAR DEALERS. With DUST COVER OVER LOCK. BOX SIZE: 2½" x 2¼" x 1½".

BOXES ARE MADE OF 18 GAUGE STEEL AND ARE PRIME BAKED GREY HAMMER TONE ENAMEL

End loss of auto keys on car lots! Simply place car's keys into box. Lower the door window and slip the Key Keeper's back clip over the top edge of the glass. Rolling window up secures the box and keys locked within, against all but extreme and deliberate vandalism. High security 7 pin tumbler tubular lock with dust cover offers both excellent pick resistance and protection against the elements. Choose a 7 pin tumbler tubular lock or an economical disc tumbler lock.

NOTE: WELDED HINGE PIN TO PREVENT KNOCKOUT.

7 PIN TUBULAR KEY LOCK

NO. KEP-14-95, Keyed Alike 3395	WT. 13 OZ.
NO. KEP-14-96, Keyed Alike 3396	WT. 13 OZ.
NO. KEP-14-97, Keyed Alike 3397	WT. 13 OZ.

Furnished With One Key Per Box

DISC TUMBLER TYPE LOCK

NO. KEP-15-301, Keyed Alike 301	WT. 12 OZ.
NO. KEP-15-303, Keyed Alike 303	WT. 12 OZ.

Furnished With Two Keys

TRUCK KEY KEEPER







KEY KEEPER FOR TRUCKING FIRMS, COMMERCIAL TRUCK FLEETS With DUST COVER OVER LOCK. BOX SIZE: 2½" x 2¼" x 1½".

BOXES ARE 18 GAUGE STEEL AND ARE PRIME BAKED GREY HAMMER TONE ENAMEL

KEEP KEYS SECURE WITHIN A TRUCK. Helps to eliminate loss of ignition keys for large fleets. Key Keeper is like a small bank vault. Mount under the hood, onto an inside fender or body wall, with the three included sheet metal screws. Dust covers on locks.

NOTE: WELDED HINGE PIN TO PREVENT KNOCKOUT.

7 PIN TUBULAR KEY LOCK

NO. KEP-16-95, Keyed Alike 3395	WT. 15 OZ.
NO. KEP-16-96, Keyed Alike 3396	WT. 15 OZ.
NO. KEP-16-97, Keyed Alike 3397	WT. 15 OZ.

DISC TUMBLER TYPE LOCK

NO. KEP-17-301, Keyed Alike 301	WT. 12 OZ.
NO. KEP-17-303, Keyed Alike 303	WT. 12 OZ.

AUTO AND TRUCK KEY KEEPERS ARE NOT RECOMMENDED FOR AREAS OF EXTREME VANDALISM

"...HPC publishes the most extensive line of books, technical publications, and educational texts in the security industry. These works represent a readily available storehouse of essential reference material. After all, isn't your own library long overdue..."

HPC PRODUCTS ARE A CUT ABOVE.



HPC

LEARNING CENTER BOOKS



Wt. 8oz.

LEARNING CENTER LIBRARY REFERENCE COLLECTION

The HPC Learning Center Library is a new series of technical manuals designed with the security professional in mind.

All our revised and expanded technical manuals are clearly written. They feature meticulously detailed exploded view drawings (instead of the usual 2-dimensional black and white photographs).

The durable leatherette cover and colorful wire bindings (which allow the text book to be opened flat) complement the convenient 6″ x 9″ two-color format.

1. Basic Picking **(LC-1)** is a book which describes in detail the theories and techniques for picking standard pin and wafer tumbler locks. All the necessary tools (such as picks and tension wrenches) are not only listed, but fully illustrated for convenient cross-reference.

2. Basic Tubular Picking **(LC-2)** is a book which covers the basic theories and procedures necessary for compromising the more fundamental types of tubular locks. Both the locks in question and the necessary tools are fully illustrated and described in detail.

3. The 1984 ½ Ford **(LC-4)** is a manual which uses exploded view drawings to fully illustrate the mechanics of this revolutionary new lock. Servicing techniques, key making methods, assembly, and disassembly procedures are explained. Progression bittings are listed as is a chart for making your own set of Try-Out Keys.

4. The Basic Impressioning **(LC-5)** book explains the fundamental theories and methods for making a key in this fashion. The proper technique for blank preparation (spacing), obtaining marks, and the ability to recognize marks are covered in detail.

5. The Basic Master Keying **(LC-6)** volume introduces the locksmith to the theories and principles associated with master keying. Such techniques as 1 and 2-Step Progression, Incidental Master Keys, etc. are fully explained and illustrated in 3-color charts.

6. The Advanced Tubular Picking **(LC-7)** text picks up where its predecessor **Basic Tubular Picking** leaves off. This volume continues to describe the more complex and unusual types of tubular locks and the techniques necessary to pick them open.

7. The Basic Electricity for Locksmiths **(LC-8)** text describes the fundamental electrical theory. This volume describes those procedures which are necessary to determine the compatibility of electrical strikes, transformers, etc. through the use of Ohm's Law. Electrical components (and their corresponding symbols) as they are represented in schematic diagrams are also discussed.

8. The V.A.T.S. (Vehicle Anti-Theft System) **(LC-15)** manual describes all the servicing procedures necessary (i.e. assembly, disassembly, resistance value determination, and troubleshooting) to make a correct key for a V.A.T.S. equipped car. Also included are fully illustrated exploded view drawings of the steering column and hush panel.

BOOKS

MICROFILMED LOCK CODE LIBRARY



NO. MLCO-2

WT. 2 LBS. 12 OZ.

Includes codes on Microfilm, Binder and Index Compatible with any 24X magnifying reader. 1800 PAGES OF PRINTED CODES ARE NOW CONDENSED ONTO 21 INDEX CARD-SIZE MICROFILMS (MICROFICHE).

THIS PROJECTION PRESENTATION consists of General Code Books Vol. 1 and Vol. 1A, plus Padlock Code Book Vol. 2.

MS-2 MICROFICHE UPDATES

STORY OF SAFE DEPOSIT BOX LOCKS



NO. SDL-15

WT. 4 OZ.

METHODS DESCRIBED:
Open by Picking
Use of Door Pullers
Open by the Hinge Method
Open by the Drilling Method
Plugging Holes and Refinishing
Classification of Types

This book explains procedures on opening safety deposit box locks. Contains valuable information for servicing locks by Bates, Diebold, Eagle, Herring Hall Marvin, Miller, Mosler, Remington, Sherman, S & G, Victor, Western, Yale, and York.

SAFE COMBINATION CHANGING



ORIGINAL FACTORY METHODS

NO. SCC WT. 2 LBS.

A collection of original direction sheets on how to operate and change combinations, written by the safe lock manufacturers. Has 85 pages and hundreds of illustrations and diagrams. Covers combination changing information on most of the safe locks manufactured during the last 75 years. This book helps the Locksmith BE SURE that he will get the best results in the shortest possible time, by using the proper procedures. Includes combination changing information for Diebold, Eagle, HHM, S & G, Yale and York safe locks.

SAFE AND VAULT MANUAL



NO. SVM

WT. 3 LBS.
—CONTAINS—
Hand Changing
Key Changing
Drilling Locations
Lock Servicing
Internal Drawings
Time Lock Operation

SAFE AND VAULT MANUAL
THE FOURTH EDITION — 221 PAGES

The SAFE AND VAULT MANUAL is generally recognized as the "Safe Man's Bible". Whether you are new to safe work or an old timer interested in broadening your knowledge of safe locks, you will find this book contains valuable information covering a wide variety of safe lock topics. Contains over 250 illustrations, 1000 factory try-out combinations and a newly added section on original factory methods of safe and vault combination changing.

THE ART OF MANIPULATION



NO. TOAM-2

OPEN COMBINATION LOCKS WITHOUT DRILLING, BURNING OR FORCING
WT. 4 OZ.

A practical work method clearly explained and easy to understand. The combination lock opening system of Hear, Feel and See is called "Manipulation." It was discovered and developed in the past two decades by a small group of safe experts. After much deliberation two of these experts decided to pass on their information to other safe men and published this invaluable book, titled, THE ART OF MANIPULATION. Due to the highly confidential information in this book, the sale shall be restricted to established Safe Men and Locksmiths. SAFE MANIPULATION IS AN ABSOLUTE FACT, NOT A MYTH. GET THIS VALUABLE BOOK AND LEARN THE FACTS.

"...HPC Zip-Pins are precision engineered and color-coded to make repinning of a single cylinder or a complex master key system a snap. All HPC Zip-Pin Kits are clearly labeled and carefully designed to handle even the most complex pinning problem. Just leave it to HPC to pinpoint the right solution..."

MASTER KEYING IS EASY WITH QUICKCHART™ FROM HPC SOFT.™



HPC

HPC COLOR ZIP-PIN ASSORTMENTS

ONE LEVEL ZIP-PIN ASSORTMENT



No. H90ZPA

HEAVY STEEL CARRYING CASE

LARGE PIN COMPARTMENTS—TOOL COMPARTMENT HEAVY STEEL CARRYING CASE WITH PLASTIC TRAY. REKEY THE PROFESSIONAL PROFITABLE WAY WITH THE ORIGINAL ULTRA PRECISION COLORED ZIP-PINS.

Heavy metal box with hinged lid and handsome, convenient, space-saving plastic tray. Every compartment in the tray is plainly numbered for quick selection of the right pin. Ultra-precision pins (standard .115 dia.) in size graduations of .005—to save you hours of filing and chamfering. Colored for easier, faster selection, and as an aid in identification of sizes.

Assortment includes one-half gross of each of 40 Sizes of Bottom Pins, 39 Sizes of Top or Master Pins, 1 Size of Phosphor Bronze Springs, two of the Extra Parts Storage Boxes and a Pin Equivalent Chart.

HEAVY 20 GUAGE STEEL CASE WITH 18 GUAGE LID. HIDDEN-WELDED, TURNED IN SEAMS. FULL PIANO HINGE WITH LID STOPS. CORNERS OF LID WELDED TO PREVENT SPRINGING. STAINLESS STEEL, PLASTIC COVERED, HANDLE. MAR RESISTANT RUBBER FEET.

COMPARTMENTS WILL HOLD AT LEAST ONE GROSS OF ALL SIZES, 1½ GROSS OF MORE POPULAR SIZES. COMPARTMENTS CONVENIENTLY ARRANGED. COMPARTMENTS SEALED, WHERE NEEDED, TO PREVENT MIXING. TRAY MADE OF HEAVY A B S PLASTIC, NOT STYRENE.

HIGHEST QUALITY BRASS. COMPLETELY PRECHAMFERED (TOP PINS ON BOTH ENDS). FLAT TOPS—NO DEBURRING NECESSARY. ULTRA PRECISION ACCURACY. ELIMINATE FILING AND PLUG BUTCHERING.

And yours FREE!

Two sturdy storage boxes for keeping extra pins in order.



FOR TUBULAR KEY TYPE CYLINDERS

NO. APS-077

WT. 1 LB. 2 OZ.

ASSORTMENT CONTAINS:

700 Top Pins
300 Bottom Pins
100 Pin Springs
Packed in a Plastic Box

Package of 20
Retainer Pins



For current Ace tubular keyway cylinders and vending machine locks. Each pin; shape, size and finish is guaranteed.Springs are of phosphor bronze with tucked in ends.

FOR YALE (.101)



NO. YPA-101

CONTAINS:

700 Bottom Pins
400 Top Pins
300 Master Pins
1 Gross Cyl. Springs
Packed in a Plastic Box
Refills available

WT. 1 LB. 2 OZ.

Each pin's shape, size and finish is guaranteed. Springs are phosphor bronze with tucked-in ends.

FOR YALE (.095)



CONTAINS:

700 Bottom Pins
300 Top Pins
300 Master Pins
1 Gross Cyl. Springs
Packed in a Plastic Box
Refills Available

NO. YPA-095

WT. 1 LB. 2 OZ.

Each pin's shape, size and finish is guaranteed. Springs are phosphor bronze with tucked-in ends.

HPC COLOR ZIP-PIN ASSORTMENTS

FOR KWIKSET (.115)



NO. KWK-115

WT. 1 LB. 8 OZ.

ASSORTMENT CONTAINS:

1200 Pins
144 Cylinder Springs
1 Follower
1 Plug Holder
1 Cylinder Removal Tool
Packed in a Plastic Box

For current Kwikset cylinders of .115″ diameter. Each pin, shape, size and finish is guaranteed. Springs are of phosphor bronze with tucked in ends.

Refills

BOTTOM PINS

No. 1 KBP-1 (.172″) No. 2 KBP-2 (.195″)
No. 3 KBP-3 (.218″) No. 4 KBP-4 (.241″)
No. 5 KBP-5 (.264″) No. 6 KBP-6 (.287″)

TOP PINS

No. 1 KTP-1 (.180″)

MASTER PINS

No. 1 KMP-1 (.023″) No. 2 KMP-2 (.046″)
No. 3 KMP-3 (.069″) No. 4 KMP-4 (.092″)
No. 5 KMP-5 (.115″)

FOR YALE (.115)



ASSORTMENT CONTAINS:

400 Master Pins
300 Top Pins
1,000 Bottom Pins
1 gross Cylinder Springs

NO. YPA-115

For current Yale cylinder of .115″ diameter. Each pin; size and finish is guaranteed. Springs are of phosphor bronze with tucked in ends. **WT. 1 LB. 13 OZ.**

Refills

BOTTOM PINS

No. 0 CLP-0 (.184″) No. 1 CLP-1 (.203″) No. 2 CLP-2 (.221″)
No. 3 CLP-3 (.240″) No. 4 CLP-4 (.259″) No. 5 CLP-5 (.276″)
No. 6 CLP-6 (.296″) No. 7 CLP-7 (.315″) No. 8 CLP-8 (.334″)
No. 9 CLP-9 (.353″)

TOP PINS

No. 1 CUP-1 (.190″) No. 2 CUP-2 (.230″) No. 3 CUP-3 (.260″)

MASTER PINS

No. 0 CMP-0 (.020″) No. 1 CMP-1 (.038″) No. 2 CMP-2 (.076″)
No. 3 CMP-3 (.110″)

FOR SCHLAGE (.115)



NO. SPA-115

WT. 2 LBS. 10 OZ.

CONTAINS: 1000 Bottom Pins - 300 Master Pins - 300 Top Pins - 144 Cylinder Springs - Packed in a Metal Box.

Each pin's shape, size and finish guaranteed. Springs of phosphur bronze have tucked-in ends.

REFILLS

Bottom Pins

No. 0 SLP-0 (.165″) No. 1 SLP-1 (.180″) No. 2 SLP-2 (.195″)
No. 3 SLP-3 (.210″) No. 4 SLP-4 (.225″) No. 5 SLP-5 (.240″)
No. 6 SLP-6 (.255″) No. 7 SLP-7 (.270″) No. 8 SLP-8 (.285″)
No. 9 SLP-9 (.300″)

Top Pins

No. 1 SPT-1 (.235″) No. 2 SPT-2 (.200″) No. 3 SPT-3 (.165″)

Master Pins

No. 2 SPM-2 (.030″) No. 3 SPM-3 (.045″) No. 4 SPM-4 (.060″)
No. 5 SPM-5 (.075″) No. 6 SPM-6 (.090″) No. 7 SPM-7 (.105″)
No. 8 SPM-8 (.120″) No. 9 SPM-9 (.135″)

FOR WEISER (.115)



NO. WPA-115

WT. 3 LB.

Contains 100 each of Bottom Pins, Universal Top Pins, Master Pins and Springs — plus a Follower, Cap Tool, Shim Pick and a special Tweezer.

REFILLS

Bottom Pins

No. WLP-0 (.166″) No. WLP-3 (.220″) No. WLP-6 (.274″)
No. WLP-1 (.184″) No. WLP-4 (.238″) No. WLP-7 (.292″)
No. WLP-2 (.202″) No. WLP-5 (.256″) No. WLP-8 (.310″)
No. WLP-9 (.328″)

Master Pins

No. WMP-2 (.034″) No. WMP-5 (.088″) No. WMP-8 (.142″)
No. WMP-3 (.052″) No. WMP-6 (.106″) No. WMP-9 (.160″)
No. WMP-4 (.070″) No. WMP-7 (.124″)

No. WTP-1 - Universal Top Pins (.186″) . LCS - Cylinder Springs

HPC COLORED ZIP-PINS

EQUIVALENT CHART FOR HPC COLORED, PRECISION ZIP-PINS

ARROW			CORBIN 60			CORBIN 77-67			DEXTER			INDEPENDENT		
MFG. No.	ZIP-PINS		MFG. No.	ZIP-PINS		MFG. No.	ZIP-PINS		MFG. No.	ZIP-PINS		MFG. No.	ZIP-PINS	
	B	T		B	T		B	T		B	T		B	T
0	180		1	205		1	170		0	165		0		
1	195		2	220	30	2	185		1	180		1	165	15
2	205	30	3	230	40	3	200	40	2	195	30	2	180	30
3	220	40	4	245	55	4	210	55	3	210	45	3	195	45
4	235	55	5	260	70	5	225	70	4	225	60	4	210	60
5	250	70	6	275	85	6	240	85	5	240	75	5	225	75
6	265	85	7	285	95	7	255	100	6	255	90	6	240	90
7	275	100	8	300	110	8	270	115	7	270	105	7	255	105
8	290	110	9	315		9	285	125	8	285	120	8	270	120
9	305	125	0	330		0	295		9	300	135	9	285	135
												10	300	150
												11	315	165
												12	330	

KWIKSET			LOCKWOOD			NATIONAL 411			RUSSWIN 852B			RUSSWIN 981		
MFG. No.	ZIP-PINS		MFG. No.	ZIP-PINS		MFG. No.	ZIP-PINS		MFG. No.	ZIP-PINS		MFG. No.	ZIP-PINS	
	B	T		B	T		B	T		B	T		B	T
0			0	175		0	130		0	235		0	220	
1	170	25	1	195	20	1	145		1	255	20	1	230	
2	195	45	2	210	35	2	155	25	2	275	40	2	245	30
3	220	70	3	230	55	3	170	35	3	295	60	3	265	45
4	240	90	4	250	70	4	180	50	4	315	80	4	280	60
5	265	115	5	265	90	5	195	60	5	335	100	5	295	75
6	285		6	285	110	6	205	75	6	355	120	6	310	90
			7	300	125	7	220	85				7	320	105
			8	320	145	8	230	100				8	335	120
			9	340	160	9	245	110						

B=BOTTOM PIN

T=TOP OR MASTER PIN

EQUIVALENT CHART FOR HPC COLORED PRECISION ZIP-PINS

RUSSWIN 5D1			SARGENT REGULAR			SARGENT SPECIAL			SCHLAGE			SEGAL		
MFG. No.	ZIP-PINS		MFG. No.	ZIP-PINS		MFG. No.	ZIP-PINS		MFG. No.	ZIP-PINS		MFG. No.	ZIP-PINS	
	B	T		B	T		B	T		B	T		B	T
0	205		0			0			0	165		0	170	
1	220		1	170		1	170	20	1	180		1	190	40
2	230	30	2	180	25	2	190	40	2	195	30	2	210	60
3	245	45	3	195	35	3	210	60	3	210	45	3	230	80
4	265	60	4	205	50	4	230	80	4	225	60	4	250	100
5	280	75	5	220	60	5	250	100	5	240	75	5	270	120
6	295	90	6	230	75	6	270	120	6	255	90	6	290	
7	310	105	7	245	85	7	290	140	7	270	105			
8	320	120	8	255	100	8	310	160	8	285	120			
9	335		9	270	110	9	330	180	9	300	135			
			10	280		10	350							

TAYLOR			WEISER .018			WESLOCK			YALE .019			YALE .025		
MFG. No.	ZIP-PINS		MFG. No.	ZIP-PINS		MFG. No.	ZIP-PINS		MFG. No.	ZIP-PINS		MFG. No.	ZIP-PINS	
	B	T		B	T		B	T		B	T		B	T
0			0	165		0	155		0	185		0	185	
1	150	20	1	185		1	170		1	200	40	1	210	25
2	170	40	2	205	35	2	185	30	2	220	75	2	235	50
3	190	60	3	220	55	3	205	45	3	240	115	3	260	75
4	210	80	4	240	70	4	220	60	4	260	150	4	285	100
5	230	100	5	260	90	5	235	80	5	280		5	310	125
6	250	120	6	275	110	6	250	95	6	295		6	335	150
7	270		7	295	125	7	265	110	7	315		7	360	175
8	290		8	310	145	8	280	125	8	335				
9	310		9	330	160	9	295	140	9	355				
10	330					10	310							

B=BOTTOM PIN

T=TOP OR MASTER PIN

"...HPC Code Books offer the most compplete concept of cutting keys by code to be found in the security industry. Dimensional information is presented in an easy to understand format which can be quickly and easily referenced. Code work need no longer be a secret. Unlock the wealth of information which is found in every HPC Code Book..."

CODE BOOK SET

GENERAL CODE BOOK SET OVER 1100 PAGES OF CODES & INFORMATION

In 1969, we started a trend. We published code books that were easy to use. Looking up codes was faster, the book lay flat when opened & no magnifying glass was required. The first professionally illustrated drawings appeared in our books. Pictorial depth & space information told the story in a universal manner applicable to all methods of code cutting. H.P.C. INC. was the first to do it right, & that's where we plan to stay—first!



NO. HGCB
2 VOLUME SET

VOLUME 1 695 PAGES

AUTOMOBILE CODES—395 pages covering the most up-to-date codes for G.M., Ford, Chrysler, AMC plus Briggs & Stratton codes as used on gas caps etc.

LOCKSMITH SHOP CODES—300 pages. Contains a large variety of miscellaneous codes for cabinets & drawer locks; includes exact "Shadow Silhouettes" for the Chicago "H" series double-sided keys; Wonder Lock Showcase locks; Mercury & Clum motorboats; flat steel silhouettes for Auth "S" large & small Couch & Bommer "R". These alone will save you several hundred dollars. Covers many series used on Auth, Bommer, B&S, Chicago, Corbin, Couch, Eagle, Hudson Lock Inc, Ilco, Illinois, Kennedy. All binders have 5 metal rings.

VOLUME 1A 414 PAGES

NATIONAL LOCK CODES—185 valuable pages of information for National of Rockford. Covers many series used on wafer & pin tumbler drawer & file cabinet locks. Only the National factory code book lists more series for letterbox locks made by National.

YALE LOCKER LOCK CODES—35 pages of codes for flat steel locker locks. IED, IEH, DSL, 15WB, 9M prefixes. 1-7750 codes. Illustrated instructions explain how to use depth keys.

YALE CABINET LOCK CODES—170 pages. Covers most popular series used on Yale wafer & pin tumbler drawer locks, padlocks, locking handles & other locking devices made by Yale.

HONDA & SUZUKI MOTORCYLE CODES—24 pages of valuable information makes fitting these keys much easier. This is the original book that others have copied. Updates through 1979 will be added during the coming year.

ONLY H.P.C. INC. CODE BOOKS OFFER THE TOTAL CONCEPT OF CODE CUTTING

Each page refers you to the proper key blank. Each page shows the depth key set or refers you to the correct dimensional information which is presented in each section. Now each page shows the code card used with the Code-A-Key™ Code Machine!

Our books contain usable current information often not available from other code publishers. Unlike some books which advertise quantity, we delivery quality.

(Inasmuch as new code series are continuously being produced, with little factory cooperation, having all lock codes is asking the impossible.)





PADLOCK CODE BOOK

Volume 2 Includes These Six Individual Books

1. Master Pin Tumbler Padlock Codes
2. Yale Padlock Codes
3. Master Combination Padlock Codes A & B
4. Combos for Junkunc Padlocks (Blue Dial) Series 12,000-16,000
5. Yale & Dudley Combination Padlock Codes
6. Master Combination Padlock Codes M,V,X

NO. HPCB

COMPLETE SET INCLUDES THE PADLOCK CODE BOOK AS A MATE TO THE GENERAL CODE BOOK SET.

Volumes HGCB and HPCB have 8½ x 11 inch pages of Eze-Eye tinted paper, large page numbers, five page-securing rings and a heavy duty, washable, vinyl coated hard cover. Section dividers with plastic tabs, provide rapid code location.

There are over 175,000 codes contained in its 879 pages. It presents the popular Master pin tumbler padlocks, combinations for Master A, B, M, V and X series, Yale large pin tumbler padlock codes 1-28, 086, combinations for Yale and Dudley dial type padlocks and includes most combinations for Junkunc-American, Blue Dial combination padlocks.

New code supplements for all three volumes shall be printed as soon as they become available. These additions will be distributed through the locksmith jobber. Supplement pages will be punched to fit into these code books, including new indexes. For continued convenience, keep your code library current by adding the latest supplements.

WT. 7 LBS. 8 OZ.

BASIC CODE BOOKS

FOREIGN VEHICLE CODES CAR, TRUCK, MOTORCYCLE, GAS CAP



NO. HFCB
WT. 4 LBS.

FOREIGN DEPTH & SPACE CHARTS



NO. HFSD
WT. 4 LBS.

Here are the books you've been waiting for. Over two years in the making, these volumes not only include the necessary information, but also embody the following unique and important features:

- May be bought separately or as a complete set.
- Complete set has thousands of entries, over 563 pages.
- All books come with complete space and depth information.
- All books are referenced throughout to the correct card for HPC's famous 1200CM Code Machine
- All books are referenced with HPC's new complete line of foreign vehicle depth keys.

BUY SEPARATELY OR AS A COMPLETE SET...
THE CHOICE IS YOURS.

DEPTH CHARTS



WT. 14 OZ. **NO. HSCB**

For cutting keys using depth keys or codes. A 114 page completely illustrated manual of cutting dimensions covering almost all domestic pin & disc tumbler keys. This information is applicable to all popular & current code cutting equipment.

For convenience, this book is divided into four sections, containing 95 charts. The reference material included here is presented in a simple, direct manner, made applicable to all popular code cutting methods, i.e., Dial, Disc, Bar or Card type code machines or by using depth keys.

Any locksmith shop cutting keys by code, whether using code machines or depth keys—cannot afford to be without these listings.

THE KABA HIGH SECURITY CODE BOOK

NEW

No. HKCB

Wt. 5lbs. 8oz.



The Kaba Code Book (No. HKCB) contains **all** the codes which have been assigned to the U.S. market with the exception of those codes which have been designated as registered or restricted. Included in this book are open codes, a list of the registered codes, as well as notations on handing, and bitting (i.e., hand side, non-hand side, and edge). This informative code book will prove to be invaluable to those locksmiths who plan to use or currently use the Kaba system manufactured by the Lori Corporation.

BASIC CODE BOOKS



NO. HAC - **AUTOMOBILE CODES** - **396 PAGES**

WT. 4 LBS.

Amer. Motors	**Chrysler**	**Crosley**	**Ford**
Gas Caps	**Gen. Motors**	**Henry J**	**Hudson**
International H.	**Kaiser-Fraser**	**Packard**	**Rambler**
Studebaker		**Willys**	

Over 100 code series listed for domestic automobiles, trucks, locking gas caps, etc.

Includes Depth and Space Charts for easy cutting with code machine or Depth Key set.

With our easy-to-add supplements, your auto book won't become outdated each year. All books are updated and bound every 90 days, assuring you of the latest information.



American	**Arrow**
Chicago	**Clum**
Dexter	**Eagle**
Florence	**Harloc**
Junkunc	**Kenedy**
Letter Boxes—	**Lockwood**
(flat steel keys)	**Sargent**
Taylor	**Welch**
Auth (Flat)	**Bommer**
Corbin	**Couch (Flat)**
Excelsior	**Falcon**
Ilco	**Illinois**
Kwikset	**Labelle**
Motor Boats	**Russwin**
Schlage	**Segal**
Weiser	**Weslock**

NO. HLSC - **LOCKSMITH SHOP CODES** - **326 PAGES**

WT. 4 LBS. 2 OZ.

Contains some codes for Auth and Bommer pin tumbler locks by Hudson. More to be added as they become available.

SILHOUETTE CODES For "H" series Chicago double sided and "KF" motor boat ignition keys.

Codes for double sided Wonderlock's showcase locks. Flat key silhouettes for old and new style Couch, Auth "S" series and the Bommer "R" series.

FOREIGN VEHICLE CODE BOOK ON MICROFICHE

No. MCS-2

The very popular HPC Foreign Vehicle Code Book is now on microfiche. Motorcycle, European, German and Japanese vehicle codes are necessary when working on foreign autos. The HPC microfiche is easy to use. The accuracy of HPC codes is the same on microfiche as on our printed pages.



NO. HDSLC - **YALE LOCKER LOCK CODES** - **36 PAGES**

WT. 14 OZ.

1-7770 code listings for Yale steel type IED, IEA, DSL, 15WB, 9M, N9M. Also used on some locks by National of Rockford.

Includes instructions for cutting locker keys by code, aided by depth keys. Depth keys not included.



NO. HNLC - **NATIONAL LOCK CODES** - **200 PAGES**

WT. 1 LB. 10 OZ.

Disc and pin tumbler codes for the popular National of Rockford locks.

Includes codes for pin tumbler locks made by National for Auth, Bommer, Couch and Florence as used on their letter boxes.



WT. 1 LB. 10 OZ.

NO. HYD - **YALE & DUDLEY COMBINATION PADLOCK CODES** - **80 PAGES**

12,000 "K" codes for Yale. Includes some "N" series. Partial listing of Dudley "ABS" and "ES" series.



NO. HMCCX WT 1 LB. 6 OZ.

· MASTER COMBINATION PADLOCK CODES M, V, X · 143 PAGES

All currently available M, V & X combinations for No. 1500 series combination padlocks. Covers many of the key controlled Master combination padlocks as well as the standard dial type. Has all known "X" series. Includes the current No. 9 series covering 900001-903072.



NO. HMCC **WT. 2 LBS. 5 OZ.**

· MASTER COMBINATION PADLOCK CODES A & B · 335 PAGES

Over 85,000 Master A & B combinations for popular No. 1500 series combination locks contained in one volume. A useful aid for the locksmith or security officer.



NO. HMPC

· MASTER PIN TUMBLER PADLOCK CODES · 170 PAGES

WT. 1 LB. 8 OZ.

Codes for Master Pin Tumbler padlocks. Directions for cylinder removal and key fitting when no code number is known. Includes 80% of the new 10N and 60% of the 10T series and some "L" series gun lock codes.

AUDIO-VISUAL TECHNICAL EDUCATION AIDS



Illustrated Workbook



Tape Cassette

Complete unit consists of the copyrighted tape & our illustrated workbook with all pertinent informative steps seen in the simple illustrations. Just play the tape & refer to the book while listening, for a clearer understanding of the directions being given.

NO. AA-1 PICKING & RAKING OF PIN & DISC TUMBLER LOCKS CONTENTS:
WT. 1 LB. 12 OZ.

Preliminary preparations before picking. Picking procedures. Proper tools & how to use them on various types of tumbler locks.

NO. AA-2 PICKING OF THE 7 PIN TUBULAR LOCK
CONTENTS:
WT. 1 LB. 12 OZ.

Origin, pinsetting & previous picking difficulties, now overcome by the H.P.C.-Gruber picking tool. Proper use of picking tool for tubular type locks. The tool for the NEW "OPEN—FACE" type tubular locks is also covered.

NO. AA-4 CHANGING COMBINATIONS ON PIN TUMBLER CYLINDERS
WT. 14 OZ.

CONTENTS: Shimming & Rapping a Cylinder Open—The Selection & Use of Followers & Plug Holders—The Selection & Use of Pin Kits—Loading the Plug by "The Eye Method," "Milking the Key & Plug Diameter" & "The Pin Decoder Method."

DOOR CLOSER MANUAL
See Page 102

CODE BOOK SUPPLEMENTS

STOCK NO.	DESCRIPTION
	LOCKSMITH SHOP CODES
1-1	Auth Pin Tumbler Letterboxes H001-H400 Mfd. by Hudson
1-2	Pin Tumbler Letterboxes HL001-HL250 Mfg. by Hudson
1-3	HL201-HL400 Wafer Locks Hudson Lock Cabinet Codes.
1-4	B601-B636 Chicago Lock Co. for General Fireproofing, L21-752 Chicago Lock Co. For Wafer Locks. X001-X250 Pin Tumbler Letterbox Locks by XL Lock Co., California. Used on, Jensen, Permabilt and Dura Steel.
1-5	AD501-AD1500 American Device Letterlock.
1-6	C, C01-2005 Cutler Mail Chute, For Lever Tumbler Lock F01-60 Hudson File Cabinet Code, Auth Pin Tumbler Letterboxes.
1-7	H401-H500 Mfd. by Hudson, File Cabinet Locks F61-F161 Mfd. by Hudson Lock, Metalstand Office Equipment D301-D336 Mfd. by Hudson, Art Steel FC101-FC136, H101-H136 Mfd. by Houdson Marble Imperial Office Equip. PM1-100-149 Mfd. by Hudson, Lock, Hudson Lock Pin Tumbler HL251-HL1500 Mfd. by Hudson, Chicago Lock Office Equipment VF101-HL1500 Mfd. by Hudson, Chicago Lock Office Equipment VF101-VF252, XL Lock Letterboxes X251-X1000 Lock Co. Exclusive License to Publishing-HPC, Inc.
1-8	AMG 1-1000 Completed, Depth & Space Chart for Emhart, Depth & Space Chart "Junkunc Revised," H1651-2550 Hudson Codes, L001-010 Hudson Codes and "Problems with Hudson Codes" - Discussed, LL1H-225H Craftsman Tool Box Codes, LL1W-225W Craftsman Tool Box Codes, Depth & Space Chart - General Lock Inc., Depth & Space Chart — "Weslock Revised," Depth & Space Chart - "Yale Large Pin .019," 1979 General Motors explanation, - Please add to your Automobile Code Section.
1-9	Lyons Metal Disc Tumbler LM501 to LM1400 Mfd. by Chicago Lock, Lyon Metal Disc Tumbler L-001 to L-482 Mfd. by Hurd Lock, 1980 General Motors explanation (Please add to your Automobile Code Section).
1-10	Bommer Letterbox BH750-1249, Hudson Lock Codes-511-760, DA01-36, DA101-150, EL101-619, GA101-350, GB301-550, GG101-200, GG301-426, GG551-999, H001-1650, H501-1000, H2551-3000, HC80-94, HC901-925, HC401-650, HC701-840, HC900-924, HL1-100, HU1-100, HU1-360, JB1-300, LL1-853, LL11-50, LL226-425, LL431-630, MA101-200, MB301-500, MM101-150, P201-300, PC1-500, X750-X999.
	YALE CABINET LOCK CODES
2-1	BP501-700 For Bauer Products Locker Handles, Etc.
2-2	SD201-700 For Bauer Products Locker Handles, Etc.
	AUTO LOCK CODES
3-1	1971 & 79 GM 0A00-9A99, 0B00-9B99, 0C00-9C99, 0D00-9D99
3-2	'72,'80 GM 00N0-99N9, 00P0-99P9, 00S0-99S9, 00U0-99U9
3-3	'73,'81 GM 00J0-99J9, 00K0-99K9, 00L0-99L9, 00M0-99M9
3-4	'74,'82 GM 00E0-99E9, 00F0-99F9, 00H0-99H9, 1973 Jeep, D & E Series
3-5	1975 GM 00V0-99V9, 00W0-99W9, 00X0-99X9, 00Y0-99Y9
3-6	1976 GM 00A0-99A9, 00B0-99B9, 00C0-99C9, 00D0-99D9
3-7	1977 General Motors Codes
3-8	1978 General Motors Series E, F, G and H 000-999
3-9	1984½ Ford Codes A, B, C, D, E 101-624
	NATIONAL LOCK CODES
4-1	AM001-950, AM3001-3200, AM3401-3600 for Art Metal
4-2	Florence Pin Tumbler Letterbox F0001-2500, Couch Pin Tumbler Letterbox 100-00—350-00 Mfd. by National
4-3	Auth Pin Tumbler Letterboxes 1N-400N Mfd. by National
4-4	Bommer Pin Tumbler Letterbox BN1249-1750 Mfd. by National
4-5	A0001-1000 American Device Letterbox N1-N25 Cabinet
4-6	CM001-CM250 for Cutler, MC1-MC250 for Miami Carey, N301-N550 for Nutone, 1PD-500PD for Dura Steel Letterboxes, Pin Tumbler AP1-AP5700 Mfd. by National Lock, Pin Tumbler AT101-3960 Mfd. by National Lock.
4-7	Bommer Letterboxes BN1750-NB3199 Mfd. by National Lock, Florence Letterboxes FO251-FO750 Mfd. by National Lock.
4-8	Auth Pin Tumbler Letterbox 401N to 1000N Mfd. by National (Rockford) Lock, National (Rockford) Pin Tumbler Letterbox MN5001 to MN5800, National (Rockford) Pin Tumbler Letterbox 1PO to 1900PO.
4-9	National (Rockford) Pin Tumbler and Pin Tumbler Letterboxes, Series 400: 1-5100, 1379-2000, 4844-4871, 12A: 1-3850, AY101-1780, BN,EN: 501-711, B,E: 101-887, DW101-300, DW-501-550, DM101-400, EM101-750, T1-675, MF1-81, 1K: NL1-7760, 6LLT: 1-1000, 8LLT: 1-300.
	HONDA & SUZUKI CODE CHARTS
5-1	1, 2, 3, 4 Suzuki Codes for 1971-72 Models
5-2	Honda Motorcycles Double-sided Key 00000-99999
	MASTER PADLOCK COMBINATIONS
7-1	B Series, B93001-B115200 Combination Padlock
8-1	No. 9 Series Comb. for No. 1500 Padlock 90001-903072
8-2	Master Padlock 500001-539550, 10501-14500, V Series 10001-29000, New codes added and series completed Nov. 1, 1984
	MASTER PIN TUMBLER PADLOCK CODES
9-1	10N001-10N1000 for No. 15 Padlock 80% complete 10T001-10T1000 for No. 17 Padlock 60% complete
9-2	E2751-3000, 34H601-35H850, J301-550, 10L001-10L999, 10R01-18R00, Appendix
	YALE AND DUDLEY PADLOCK CODES
10-1	Series, 1-29, 078 Continuation 28000 to 29078
11-1	Dudley "ZK" 83515-83814, Yale "K" 12051-15750
	EMHART, MEDECO LEVEL 4 & 11
13-1	Dimensions for Emhart, Medeco 4 Level and 11 Level plus depth key/code card cross index. For HSCB.
13-2	Schlage/General Lock—large pins and Hurd Disc Tumbler (single sided) updates on depth and space charts.
20-2	**FOREIGN VEHICLE** **EUROPEAN—NON GERMAN**—Fiat Strada K3301-4886 **GERMAN**—BMW-HB10001-10980 **JAPANESE**—Mitsubishi-H001-0250, H7001-840
20-3	BMW HB10981-2000

Unlock The Wealth of Information Found In Every HPC Code Book.

This complete listing of HPC Code Book Supplements has initial 1969 printing plus the latest supplements.

"...Even though you only have a moment to open an auto or unlock a deadbolt, HPC makes it easy to pick the right tool for the job! HPC manufactures the world's largest line of lock picks and opening tools. Remember, when seconds count, count on HPC..."

HPC IS YOUR BEST PICK.



HPC

PICK SETS

DELUXE PICK SET



No. NDPK

NDPK CASE
CASE ONLY

- **Shirt Pocket Size**
- **Top Grain Leather Case**
- **Spring Steel Tools**
- **16 Picks, Tension Tools, Extractor**

WT. 8 OZ.

HPC picks are the standard choice of the industry. Each pick is made of hard finished clock spring steel, tempered to the correct degree of hardness. If you are working on wafer tumbler locks or six or seven pin tumbler locks, HPC has the finest quality tools for the job at hand.

PROFESSIONAL PICK SET



No. NDPK-60

60 CASE
CASE ONLY

- **Contains 60 Tools**

WT. 1 LB. 4 OZ.

This set is a wise choice for the master locksmith or the novice. It contains a general assortment of the most popular picks, tension wrenches, key extractors and feelers. This set is manufactured by HPC the largest producer of locksmith picking tools in the world.

Contains full, half and three quarter rakes. Diamond tip picks, single, double, half double ball picks; light, medium and heavy weight tension wrenches of various styles and lengths, hook and saw type key extractors and many more tools vital to the trade.

SUPERIOR PICK SET



No. NDPK-32

32 CASE
CASE ONLY

- **Hip Pocket Size**
- **Top Grain Leather Case**
- **Spring Steel Tools**
- **Hand Finished Components**

32 Picks, Tension Tools, Extractor

WT. 13 OZ.

This pick set gives you more of a choice of a particular tool. It is one of our most popular pick sets. With this set as with all of our pick sets you can depend on the HPC name to give you the finest quality in workmanship. This is proven when you use our tools on the job.

PARAMOUNT PICK SET



No. NDPK-100

100 CASE CASE ONLY

- **Contains 100 Picking Tools**

WT. 2 LBS. 2 OZ.

This set is for the discriminating locksmith who desires an extensive assortment of lock picking tools, so that replacement will be unnecessary for some time.

This set has a wide choice of full, half and three quarter rakes and diamond tip picks; light, medium and heavy weight tension wrenches; hook and saw type key extractors and a set of warded padlock pick keys. Tools for the technician all carried in a handy leather zippered case, measuring 9" x 6" when closed.

PICK SETS

COMPUTER PICKS



No. COMP-1

- **9 computer picks & 2 special tension tools**
- **Designed for more picking possibilities**

WT. 8 OZ.

These pick configurations were designed on a computer to conform to the greatest possible amount of 5 & 6 pin and disc tumbler curve configurations. The set consists of 9 picking tools (18 configurations) and 2 special tension tools. All new construction, pick; 301 extra hard (chrome nickel) stainless steel C45/50 Rockwell tensile 200,000 psi min. Handle, baked enamel on aluminum fused to pick at high temperature. All tools come in a top grain leather case. Set comes complete with directions.

Individual replacement picks are available. Simply order by number. (See illustration above for pick numbers.)

TYRO PICK SET



No. PIP-15

WT. 2 oz. PIP CASE CASE ONLY

Has 9 picks, tension wrenches and a broken key extractor. Comes in a top grain, cowhide leather case.

I.D. BADGE PICK SET



No. PIP-23 No. PIP-23-CASE ONLY

- **Badge is inscribed with your personal I.D. number**
- **14 picking tools**

WT. 8 OZ.

Here is a handy way to carry a lock picking set and a means of identification at the same time. On the back there is a pocket containing an identification card with space for a photo or thumbprint of the owner.

Inside this top grain leather case is a complete pick set consisting of 4 vinyl handled picks, 4 stainless steel handled picks, 2 tension tools and a set of 4 double-sided picks for disc tumbler locks.

NOVICE PICK SET



No. PIP-13

PIP CASE CASE ONLY

WT. 3.5 oz.

Contains 11 picks, tension wrenches and a broken key extractor. Made of clock spring steel, tempered to the right hardness. Comes with a cowhide leather case.

PICK SETS

"2000 SERIES" THE NEXT GENERATION HPC PICK SET.

NEW



Wt. 9oz. **No. PIP-2000**

The 2000 consists of thirteen new tools (9 picks and 4 extractors) which have been engineered to outperform any other tool on the market. The new design permits easier access into even the most restrictive keyways. High grade stainless steel is the material of choice for the pick body, offering optimum feel of pin movement within the lock. Each tool can be purchased separately or as a set, in the **PIP-2000** (which includes 3 of HPC's most popular tension wrenches). In true HPC tradition, the 16 piece set comes in a genuine leather case which will fit in almost any pocket.

- **Easier access into the most restrictive keyways.**

Picks sold individually also.

PICK GRIP™ HANDLE.

NEW



Wt. 2oz.

No. PICK GRIP **PACKS OF TEN ONLY**

This latest addition to HPC's locksmith tool line is being marketed as a "soft pick handle," though it's a comfortable handle for almost any item it will fit onto. The material is a dense rubber-type foam, (3/16" diameter x 3" long) which takes on the form of the object it covers, whether that shape is round, flat or rectangular. **PICK GRIP™** slides onto most picks easily without the application of alcohol or glue.

- **Maximum pulling strength for key extractors. For picks with *or* without metal handles.**
- **Unique design grips tool without any adhesive**
- **3/16" round, inside diameter expands to hold: file, wire cutter, pen, tweezer, car opener, etc.**

THE HPC "2000 SERIES" EXTRACTOR SET.



NEW



No. ES-2000 Wt. 3oz.

HPC "2000 SERIES" Extractor Set is the ultimate in broken key and pick removal. The tools are designed to *slide* next to broken keys along the side mill, and *ride* along the bottom pins to hook into a cut in the key. This set makes all other extractors obsolete. They're real on-the-job time savers!

- **High grade stainless steel body.**
- **Can be bent to side angles to reach around many obstacles.**
- **Faster extraction.**
- **Much less likely to break during use.**
- **Less frequent replacement purchases.**

Extractors sold individually also.

PADLOCK SHIM PICKS

NEW



No. PSA-20
Wt. 3oz.

The **20-piece Padlock Shim Pick Assortment** is a fantastic alternative to picking, and in many situations it's the only way to open the padlock in seconds. The shim picks' unique design makes them so successful that it's *frightening*. Their forte' is opening laminated type padlocks (the most popular variety in use today), though they will open almost any lock which has a *flat* top body (as opposed to *round* top), providing there is not a deadlocking latch and there is enough clearance to allow the shim to operate.

- **The assortment contains five each of the most common shackle diameters.**
- **A broad spectrum of locks can be opened with the PSA-20.**
- **One-piece construction.**

PICK SETS

JACKNIFE PICK SET



No. JKP-5

WT. 1 OZ.

A complete compact pick set to use on pin and disc tumbler locks. Has 2 rakes, 1 diamond, 1 hook and 1 tension wrench. A big performer that folds into a compact case. Keep one in your pocket, on the workbench and in your travel kit. **No. JPO-1** Optional leather case is available, 4"long x ¾" wide.

Pick The Best... Pick HPC.

CHANGEABLE VISE HEAD KEY EXTRACTOR SET



No. EZ-6

WT. 1 OZ.

The broken key extractor set includes 4 changeable blades stored inside a hollow handle.

- 1 saw type extractor blade
- 2 round extractors, .040" diameter
- 1 round extractor, .050" diameter
- Enlarged tip end view

Replacement blades-economy packs of 10.
No. EZ-7A 10 saw type extractor blades only.
No. EZ-7B 10 round type extractors, .040 diam.
No. EZ-7C 10 round type extractors, .050 diam.
No. EZ-7D 10 assorted-4 of 7A, 4 of 7B, 2 of 7C.

DOUBLE-SIDED DISC TUMBLER LOCK PICKS



No. DSP-1

WT. 2 OZ. No. DSP-1-CASE ONLY

Set of 4 picks. To be used on the most popular double-sided, disc tumbler, showcase, cam and padlocks. Replacement picks available. Specify No. DSP-A, B, C, or D when ordering.

PEN PICK SET



ALUMINUM PEN No. VIPS-1

WT 3 OZ.

Unscrew the lower half section-inside are stored 2 sets of the most popular types of picks. The black are .025" thick and the silver are .020" thick. Unscrew the double end collet from the upper section. Use the black picks in the black end of the collet and the silver picks into the silver tip. Turn the black top piece to release the clip. The clip serves as the tension wrench.

DENTAL PICKS



WT. 4 OZ. SET

No. NDPX—SET
No. DPX10—DIAMOND
No. DPX11—RAKE
No. DPX12—HOOK
WT. 1 OZ. EACH

These precision picking instruments are hand made from the finest quality stainless steel. They have the accurate balance and feel that the locksmith needs in his precise work. These picks are 6¾" long.

These picks come in an all-leather protective case and the TR-14 tension wrench is also included in the set. The dental picks may also be ordered separately.

PICKING TOOLS

NEW

BALL PICKS



BPX-5 .022



BPX-51 .022



BPX-4 .022



BPX-61 .022



BPX-6 .022



BPX-41 .022



BPX-2 .022



BPX-21 .022



BPX-1 .022



BPX-11 .022



BPX-3 .022



BPX-31 .022

DIAMONDS



LPX-10 .022 HLPX-10 .025



P-10 .022



CPX-10

LARGE DIAMONDS



PX-30 .025 HPX-30 .035



PX-3 .025 HPX-3 .035



PX-1 .025 HPX-1 .035

HOOKS



P-11 .022



CPX-12



LPX-12 .022 HLPX-12 .025

LARGE HOOKS



PX-31 .025 HPX-31 .035



PX-4 .025 HPX-4 .035



PX-2 .025 HPX-2 .035



P-25 .025 P-35 .035

RAKES



LPX-11 .022 HLPX-11 .025



LPX-15 .022



LPX-16 .022



P-12 .022



P-8 .022



P-9 .022



CPX-11



P-13 .025



P-31 .025

EXTRACTORS



EZ-1



EZ-5



EZ-2



EZ-3

"2000 SERIES" Picks



SSP-10



SSP-11

SSP-12

SSP-13

SSP-14

SSP-20

SSP-30

SSP-31

SSP-40

HPC USA

"2000 SERIES" Extractors

SSX-10

SSX-11

SSX-20

SSX-21

HPC USA

FEELER

FEE-1 .022

All tools on this page.
Shipping Weight: 1 oz.

TENSION WRENCHES



DOUBLE-SIDED TYPE



TENSION WRENCH



Variable Tension
No.STW-3

LETTER BOX TYPE



TORQUE N' TENSION TOOL



TNT-10 (Set of 1,2,3,4)

Side View



TNT-1 Red
Chrysler & Ford Double Sided
Toyota
VW
Mercedes
Etc.

TNT-2 White
Regular House Cylinders
Etc.

TNT-3 Blue
American Motors
Junkunc
Chicago Double Sided
Foreign Autos
Etc.

TNT-4 Tulip
Concave Knobs
Etc.



TNT-5 Brown
American Padlock

Side View



Front View

TNT-15
Regular House Cylinders
Etc.

Incorrect tension is one of the most common causes of picking failure. Use the new easy method to apply the correct amount of tension every time.

All TORQUE N' TENSION® tools provide a large opening diameter allowing unrestricted entry of picking tools; dual prong action assures even torque always keeping the plug in proper alignment. All units are feather weight and pocket sized with easy to hold knurled rims.

TNT-1,2,3,4, feature easy to read tension indicator and dual coil spring construction. TNT-10, set includes 1 each of TNT-1,2,3,4.

TNT-15, simplified tension device.

KEY FOB PICK SET



NO. PIK-1 WT. 2 OZ.

Pick key is a key fob pick set perfect for emergencies when a standard pick set is unavailable. Chrome plated die cast key replica contains a tension wrench and room for one of the popular picks shown above. To use, simply remove the tension wrench and extend the pick. Set consists of PIK KEY holder, tension wrench and three picks. Holder will hold only one of the picks, but will accept your choice of any of the above. Packed as a set.

REPLACEMENT PICK NEEDLES



Wt.1oz.

WARDED PADLOCK PICK SET



No.PKS
Wt.1oz.

TENSION TOOLS FOR TULIP SHAPED KNOBS



NEW SHAPE FOR EASIER PICKING OF TULIP DESIGNED KEY-IN-THE-KNOB

No. TR-2
No. TR-22

WT. 1 OZ.

No.TLP-C



regular center spaced pins

WT. 4 oz.

STANDARD DIAMETER

This tool provides a reliable method for opening tubular type locks. Practice is required for proficiency. Stainless steel tubular body.

No.TLP-C, Model B



WT. 4 oz.

This is the same as the TLP-C, but features an advanced method of feeler tension adjustment. Internal neoprene "O" rings, together with knurled collar, provides the necessary holding tension on the feelers. Turning downward increases the holding strength on the seven feelers. Practice is required for proficiency. Each tool is contained in a genuine leather case.

No.TLP-UL



WT. 9 oz.

This unique tubular lock pick is specifically designed to pick and decode 9-pin, 10-pin and 11-pin high security pin within a pin UL approved tubular locks with randomly located pin chambers.

Each TLP-UL is hand made. The body is composed of of stainless steel for strength. The handle is made of lightweight aluminum to permit the feeling generated by the lock picking process to be transmitted from the feelers back to the hand. The pin slides are made of brass and stainless steel for long life and flexibility.

This tool is perfect for those high security tubular locks which have drill resistant pins which must be picked in order to be opened without damage.

TUBULAR LOCK PICKS

No.TLP-OFM



ACTUAL SIZE



FRONT VIEW WT. 1 oz.

No. TLP-OFM — 7-pin center open faced (mini)

The special design of this pick enables it to fit like a glove over the open-face type tubular locks. It opens them with the same accuracy. Operation of the TLP-OFM is the same as our other tubular lock picks. It's about the size of a small camlock.

"PEANUT" TUBULAR PICK



ACTUAL SIZE WT. 1 OZ.

Internal "O" rings together with a brass collar provide the necessary holding tension on the feelers.

The problem with using a tubular lock pick is the tendency to use it as a prying object to force the lock open. A rough heavy handed approach is definitely not the answer.

Because of their small size you can only use a gentle easy action to properly pick a lock open. These tubular picks are a definite must for your tool kit.

No. TLP-Peanut
7-pin center (delron)



FRONT VIEW

AVAILABLE REPLACEMENT PARTS

No. PEANUT-A (o-rings, shaft, and handle)
No. PEANUT-B (collar, feelers, and o-rings)
No. PEANUT-C (center pin, spring, and set screw)

No. TLP-Xnut
7-pin left/right offset and some
8-pin center (delron)



FRONT VIEW

AVAILABLE REPLACEMENT PARTS

No. PEANUT-X (shaft, handle, and o-rings)
No. PEANUT-B (collar, feelers, and o-rings)
No. PEANUT-C (center pin, spring, and set screw)

TLP-II HIGH SECURITY TUBULAR LOCK PICK



No. TLP-II — 7-pin variable spring tension **WT. 1 oz.**

In an age where quick, efficient entry is the primary intent of the professional locksmith, and destruction of the locking device is less than desirable . . . HPC announces the release of "TLP-II." This lock manipulation instrument opens all standard sized 7-pin tubular locks. Fear not those locks which possess springs of varying tension, "TLP-II" uses them to its advantage. (and the cost won't rival your car payments!)

TLP-MIDGET



ACTUAL SIZE

No. TLP-Midget — 7-pin center (delron-mini)
No. TLP-Mid X — 7-pin left/right offset and some 8-pin center (delron-mini)
WT. 1 oz.

It fits in your pocket . . . but not at the expense of your money. This durable mini pick opens most 7-pin center tubular locks with great simplicity. Specially shaped feelers are easier to reset than other picks. Replacement parts are available through your local distributor.

When Seconds Count... Count On HPC Picking Tools And Car Openers.

CAR OPENING TOOLS



CO–4

THE ONLY OPENERS FOR THE CARS WITH VENTED WINDOWS



NO. CO-4 DELUXE OPENER SET

Six piece set of tools for most domestic cars and trucks 1960s and 70s. WT. 10 oz.

CO–6



NO. CO-6

Collapsable 62″ opener for older GM and Ford automobiles. WT. 14 oz.

CO–10 THE SLIM JIM



NO. CO-10

The original **"SLIM JIM."** WT. 3 oz.

CO–11 THE SUPER JIM



NO. CO-11

"SUPER JIM" wider and faster than CO-10 on many models. WT. 5 oz.

CO–16



No. CO-16

Traveling Slim Jim, folds to length of 6″ to fit in most pockets.

CO–18 THE SIR JAMES



NO. CO-18

Deluxe Super Jim with marked depth positions and handy memo pad. WT. 6 oz.

CO–20 PEG LEG JIM



NO. CO-20

The **"PEG LEG"** for GM models with protected linkage. Early 1980s GM used Cylinder covers etc. . . . on random model autos. WT. 5 oz.

CO–21



NO. CO-21

The original **Mercedes Benz** opener. For vacuum operated locks other than SEL models. WT. 2 oz.

CO–22 JIM DANDY



No. CO-22

The **Jim Dandy,** our most versatile opener. Designed for GM models other than "X," although great on most Japanese cars and trucks. WT. 2 oz.

CO–24 BIG JIM



NO. CO-24

Specialty is the **"X" type GMs** but opens almost everything that the slim-jim will. WT. 5 oz.

CO–26 JIMMY



NO. CO-26

Opens most late 70s/early 80s "grip handle" including **Corvette.** WT. 3 oz.

CO–28 C-JAMES



No. CO-28

For most other **Corvettes** without grip handle. Until body style change in 1984. WT. 5 oz.

FOR OPENERS... IT'S HPC.

FOR OPENERS IT'S HPC.



HPC

"...HPC's line of security tools is unparalleled. They range from the explosive T'N'T collection to the hot new Padlock Shim Pick Assortment. HPC tools have become the standard by which all others are measured. After all, the proper tool helps you do your job more quickly and profitably. Secure your future with HPC..."

MICROMETERS & DECODERS

KEY MICROMETERS

FOR MEASURING THE DEPTHS OF CUTS ON FLAT STEEL & CYLINDER KEYS

The STRAIGHT YOKE TYPE key micrometer is designed to support the cut key while checking the depths. Has a hardened anvil, thin enough to check all cylinder keys, as well as flat steel keys with cuts as narrow as .030" in width. These advanced key micrometers are encased in a genuine leather pouch.



NO. SKM-1

WT. 8 OZ.

This straight yoke key micrometer has ratchet thimble to assure proper tightening for an accurate reading. Satin chrome body and yoke. Includes a leather case.



NO. SKM-2D "THE ULTIMATE IN KEY MICROMETERS".

A new, easy to see feature gives instant readings of depths of cuts, without eye strain. Friction thimble keeps user from over-tightening. Satin chrome plated, heavy duty construction for years of service.



NEW TAPERED ANVIL



NO. KM-60

WT. 8 OZ.

Forged-steel frame, with a satin chrome finish. Tool steel anvil, slide & screw. Clear precise graduations. Tapered anvil, reaches down into narrow pin seats.

NO. KM-70 METRIC MODEL

WT. 8 OZ.

An international version of the locksmith key micrometer. Range 0-25mm. Graduated in increments of .01mm.

KEY DECODER



NO. HKD-75

This handy, pocket size decoder kit determines the original factory depths of most popular domestic pin & disc tumbler cylinders & automotive keys. Does NOT measure in thousandths of an inch. NOT intended for adjusting or setting up any key machine.

Ideally suited for giving the correct bottom pin size when re-keying new or worn cylinders. Also an effective time saver when used along with a pin assortment's length chart, such as is included with the very popular original, precision color pin assortment or when using original pins.

Simply insert the correct information card into the top slot of the decoder. Lowering the depth pin into each cut, from bow to tip, will indicate the correct depths, in the window at the top.



Each of the 63 2" x 4" information cards, also lists the correct factory depths & space specifications & shows the proper key. The heavy duty construction, with just 2 internal moving parts, will assure years of trouble free service. Each decoder & information card set is packed in a black vinyl case.

GM TUMBLER DECODER GAUGES



NO. GMTD-5

WT. 1 OZ.

This inexpensive set of gauges eliminates the guess work, when reading the GM tumblers. No need to take apart or waste key blanks by "eye-balling" the depths.

Simply press inward on the side bar and rake the tumblers, until the side bar moves inward to the unlocked position. Then, place gauge pin over each wafer until the shoulder stop, butts against the top of the plug.

LOCKSMITH TOOLS

MAGNA SCOPE



MGS-1 WT. 12 oz.
MGS-B (Replacement Bulb) WT. 1 oz.

An economically priced Otoscope ideal for magnifying and illuminating hard to see areas. This compact functional instrument reflects the same level of craftsmanship and precision as the most expensive medical instruments on today's market. Packaged complete with three specula, pin probe assembly and soft plastic carrying pouch. Uses convenient "C" batteries.

FLEXIBLE PROBE-LITE™



No. FPL-B Replacement bulb for FPL
FPL-10, 10"FLEXIBLE SHAFT WT. 6 oz.
BATTERIES CAN BE REPLACED

This lite is an economical, long life, shock resistant, high intensity diagnostic tool designed for the locksmith profession. The shaft may be bent so that any angle is possible and the small prefocused bulb assembly will easily enter a 1/4" hole.

The high impact plastic casing can be extended to any length. Accessories include a heavy-duty pick-up "illuminated" magnet assembly and a clip-on magnet attachment for freeing both hands. Also, a small spring clip is available for securing the lite to a visor, tool, etc.

TUBULAR LOCK GUARDS

NEW



No. TLG-20 (FOR OVERSIZE LOCKS) Wt. 2oz.
No. TLG-10 (FOR STANDARD SIZE LOCKS) Wt. 2oz.

Designed to prevent tampering by pick or drill. Only the key itself, will by-pass the guard and enter the keyway. They are easily attached to cam locks and to switch locks. Guard turns with key when operating the lock.

LIGHT ATTACHMENT FOR OPTI-1

NEW



NO. OL-1 Wt. 2oz.

This attachment provides ample light for OPTI-1 even under the most difficult conditions. Insert Opti-1 (lens first) into sleeve as shown. The unit uses C size batteries.

OPTICAL HAND HELD COMPARATOR



NO. OPTI-1 WT. 4.5 OZ.

One easy operation provides information that was previously unavailable to the locksmith. This easily used instrument provides a unique view of the key and allows the viewer to determine the spacing dimensions; the angle of the cuts, distance of first cut from the shoulder, etc.... all plainly visible on the scale superimposed on the lense. Both inches and millimeters are used. Focusing eyepiece makes for a clear view every time and means that users who wear eye glasses do not need them when using this tool.

MORTISE CYLINDER LOCK TAP & DIE SET



NO. CLD-6
WT. 1 LB.
Cylinder Re-threading Die – Holding Fixture.

NO. CLT-4
WT. 11 OZ.
Lock Case Re-tapping Tap.

NO. CLTD-5
WT. 2.6 OZ.
Complete Tap & Die Kit with Cylinder Holding Fixture & Metal Box.

Bothered by stripped mortise cylinders and lock cases? How many times has a customer come into your shop with a stripped mortise cylinder, because he unscrewed it without loosening the retaining screw or fork? This kit offers the perfect solution to this problem as well as the more important task of rethreading cylinders and cases that are no longer manufactured and must be repaired.

METAL PUNCH and DIE SETS



DOUBLE "D" **SINGLE "D"**

NO. HDPS-4
WT. 6 OZ. PUNCHES AVAILABLE
PUNCHES A DOUBLE "D" HOLE. A necessary aid to the locksmith for installing vending machine and cam type locks on metal cabinets, sheet metal lockers, filing cabinets and cash boxes made of single wall, sheet metal of 18 gauge or lighter.

NO. SDP-700
WT. 6 OZ.
PUNCHES A SINGLE "D" HOLE. As needed for many auto alarm cylinders and cam locks that have a single flat side on the threaded outside case. For 18 gauge or lighter sheet metal.

PRECISION ZIP-PINS BY HPC.



HPC precision ZIP-PINS are the original colored pins.

- For all standard .115 cylinders
- Sizes .010-.320 for master and top pins
- Sizes .115-.360 for bottom pins
- Packaged 1-gross per envelope

GM PLUG HOLDER FIXTURE AND DECODER





No. GMHF - Complete Set, WT. 4 oz.
No. GMH-1 - Holder Only, WT. 3 oz.
No. GMP-1 - Decoder Only, WT. 1 oz.

A Method To Rekey All General Motors Cylinders. Two piece set consists of a plug holder and decoder. First the plug is placed in the holder fixture so that pressure is applied to the side bar. Then the plug can be easily raked open. The decoder is used to determine the depths so that a new key may be made by using depth keys or a code machine. Works on all General Motors locks from the middle 30's.

LOCKSMITH TOOLS

IGNITION DRILL TEMPLATE FOR FORD

NEW



No. ITF-14 Wt. 4oz.

This template allows swift, precise removal of the side-bar so that replacement can be done almost immediately. Accuracy is ensured by the use of a keyblank as a guide. After all, "time is money" and the ITF-14 requires little of each!

TUBULAR LOCK DRILLS



HOLLOW DRILLS FIT INTO HOLDER

HOLDER

NO. AG-1
WT. 1 OZ.
Standard size tool + extra saw

NO. AG-2
WT. 1 OZ.
Oversize tool + extra saw

NO. G-1
WT. 1 OZ.
Replacement saw for AG-1

NO. G-2
WT. 1 OZ.
Replacement saw for AG-2

Lock-outs of tubular key locks can be serviced. These hole saws destroy the pins at the shear line. Hole saws are available for standard and oversize keyways. Saws will fit any ¼ inch electric drill. Saw life is approximately three openings. Not for locks with hardened pins or ball bearings in the keyway.

GATEWAY™ TOOLS

NEW



No. GTO, 2 Piece Set Wt. 1oz.

The Gateways™. Two revolutionary tools which act as a third hand to hold aside the dust cover on auto door locks, exposing the entire keyway, so that picking or extracting broken keys can be done more quickly and easily. Just insert into the door lock, turn in the direction the shutter opens to, and the lock is ready for service (with the Gateway™ securely held out of the way).

The two sizes in the set cover all major domestic manufacturers (GM, Ford, Chrysler and AMC), as well as many imports (BMW, Volkswagen, Toyota and Honda).

CYLINDER DRILL JIGS



NO. CDJ-1





NO. CDJ-2



NO. CDJ-1
WT. 2 OZ.
Cylinder Drill Jig and Drill Bit for a flat face cylinder.

NO. CDJ-2
WT. 2 OZ.
Cylinder Drill Jig and Drill Bit for recessed Tulip design types.

Occasionally, it is found that a mortise or rim cylinder is impossible to pick. Even the best lock picker may be foiled by a broken cylinder spring, corroded pins, etc. Drilling is the answer.

The CDJ-1 and CDJ-2 drill jigs are designed for such situations. These Jigs will assure perfect alignment on the shear line for a drill bit.

LOCKS BOX

DETACHABLE COVER





WT. 9 lbs. 2 oz. **NO. LB-1**

Speeds up lock installation. No clean up after job is completed. All steel construction. Super hard baked enamel finish. No bending down each time you need a tool. It is a handy tool box with a detachable cover.

LOCKSMITH TOOLS

PADLOCK BUSTER



Method 1
(Normal Padlock)
Adjust the handle angles to approximately as shown above, by relocating the thumb screws.



Method 2
(Larger Padlocks)
For larger locks, use the opposite side of the cams.

Method 3 — If the lock is not accessible by the methods 1 or 2, reverse one of the cams to made a left and right hand device and use as illustrated.



Place a piece of wood under lock to protect wall.

NO. PB-20

WT. 2 LBS. 6 OZ.

The Padlock Buster is designed to open most small & medium size padlocks with shackle diameters up to 5/16″. Opens padlocks with toe & heel steel locking balls, up to 1/4″ diameter shackle only.

PARTS ARE AVAILABLE THROUGH YOUR DISTRIBUTOR

NO. PB-20TS
SCREW



NO. PB-20H
HANDLE

NO. PB-20C
CAM







TUBULAR LOCK SERVICING FIXTURE

NEW

FITS EASILY INTO SMALL PORTABLE VICE



5/32″ ← ALLEN SCREW



(VICE NOT INCLUDED)

No. APF

This holding fixture is the perfect tool for many tubular lock servicing needs. Whether the job calls for rekeying many cylinders or simply picking and decoding, APF's practical design and light weight make it a clear choice. It can be held in hand or in any vice, and is adjustable to accommodate most size locks. Wt. 1oz.

TUBULAR LOCK CENTER PUNCH



No. ACP



LEAVES CLEAR MARK ← ON RETAINING PIN



SIDE VIEW OF LOCK & PUNCH

NEW

Wt 1oz.

Servicing and re-keying tubular locks can be both easy and profitable, providing you have the right equipment. HPC announces the latest addition to their line of tubular lock servicing equipment. ACP—the answer to one of the most difficult tasks in disassembling tubular locks. In order to fully remove the plug retainer *without* damaging the lock housing, you must locate the center of the pin. ACP center punch leaves a perfectly centered indentation on the retaining pin so that removal by drill can be a simple operation.

THE STAMPER

NO. TS-1

WT. 10 LBS. LETTER SIZE: 3/32″

Now key identification systems can be handled quickly and easily because The HPC Stamper makes an excellent impression. Keys made of steel, brass, nickel plated brass or nickel silver are accurately and precisely stamped. Plus The Stamper will accept all sizes of keys.

Simply align the area of the key to be stamped at the indicator line, turn the spring loaded ball bearing dial to the correct letter or number, then using the heel of your hand - stamp the key. That's all there is to it!

As you can see the speed and convenience of The Stamper is unmatched in the industry. For example, the key in the photo was stamped in less than 20 seconds. The size is 5 1/8″ H x 4 3/8″ W x 3 1/4″ D.

LOCKSMITH TOOLS

PIN TUMBLER TWEEZERS



NO. PTT-4

WT. 1 OZ.

The groove in the tip provides a firm, non-twisting grip on cylinder pins for easy loading. The tip is also milled back so that the outside diameter of a standard .115″ diameter pin extends past the tip. This permits "butting" the pin against the end of the plug follower when loading the upper chambers, providing added control when holding top or master pins of varying lengths.



NO. TPT-5

WT. 2 OZ.

THIS IMPROVED PIN TUMBLER TWEEZER has a pin pushing attachment that makes it easier to load top pins into a cylinder.

While top pin is held in place, use forefinger to push attachment down to set pin into chamber.

Pin loading wire is removable, making this ideal also, for loading bottom pins.

COMPACT PIN TUMBLER TWEEZER

NO. PTT-5



WT. 1 OZ.

Another, but shorter version of a pin tumbler tweezer. Only 4 inches long. Milled tips firmly grip top and bottom pins. A compact, pocket-sized keying aid.

TUMBLER SPRINGS



For .115″ Diameter Standard Cylinder

NO. LCS PACK OF 144
WT. 1 OZ.



For .095″ & .101″ Diameter Pins

NO. SCS PACK OF 144
WT. 1 OZ.

For General Motors

NO. GMLS PACK OF 100
WT. 1 OZ.

NO. GMLS-500 ECONOMY 500 PACK
WT. 10 OZ.



These phosphor bronze springs have tucked-in ends for easier loadings. They offer a maximum corrosion resistance and will give years of control over pins, without any tension loss or collapse.

CARRY-OUT KEYING KIT



NO. COKO-5
A SHOP IN A BOX

WT. 13 LBS.

This handy kit contains almost everything needed to handle outside keying jobs. Follow thru tools, plug holders, pins, cylinder springs, tailpieces and tweezers; are all contained in this kit. An excellent machinist's vise swings up on a hinged plate, ready for instant use. The inside of the lid is lined with foam tape to keep all interior parts where they belong.

NO. KO-3 CARRY-OUT KIT BOX ONLY
WT. 11 LBS.

With empty plastic bottles. Measures 17½″ x 7½″ x 3¼″. A kit box for carrying miscellaneous parts, pins, wafers, springs etc.

KEYING TOOL FOR JUNKUNC



NO. DGM-1 — GRINDS BLANK TUMBLER PLUGS TO ANY DOUBLE-SIDED COMBINATION
WT. 2 OZ.

Key your own double-sized plugs for Junkunc padlocks in no time. Just buy a supply of blank tumbler plugs (Junkunc No. BTC.) and avoid waiting for special factory orders. Simply insert the cut key into the plug and hold it firmly in a vise by the head of the key. Insert the DGM-1 into the chuck of any ¼″ electric drill and feed it 1/32″ over the plug. Start the drill and the tool easily trims the tumblers, giving you a perfectly keyed plug. Also ideal for grinding blank tumblers as used in glove box locks on GM cars.

IMPRESSION FILE SAFETY CASE

PROTECTS POCKET
PROTECTS WEARER



NO. IFH-1 = File Holder Case ONLY
WT. 1 OZ.

NO. IFH-2 = Case + #2 Cut Impression File
WT. 1 OZ.

NO. IFH-4 = Case + #4 Cut Impression File
WT. 1 OZ.

THIS CLEAR TUBE CLIPS TO SHIRT POCKET. HAS A SPRING ACTION CAP.

DIE STAMP SETS HAND CUT



LETTER SETS

Stock No.	Size	
HCL-3/32	3/32″	WT. 1.8 OZ.
HCL-1/8	1/8″	WT. 1.8 OZ.
HCL-3/16	3/16″	WT. 2.2 OZ.

FIGURE SETS

HCF-3/32	3/32″	WT. 8 OZ.
HCF-1/8	1/8″	WT. 8 OZ.
HCF-3/16	3/16″	WT. 12 OZ.

Tempered Head Prevents Mushrooming
Extra Tough Shank Prevents Bending
Hand Ground Taper Makes Locating Easier
Specially Hardened Character End Prevents Chipping
Index on Thumb Side Prevents Stamping Upside-Down
Sharp Chisel Edge Character Face Assures Clear Impressions
For the Locksmith who appreciates HAND CUT QUALITY. Made to last and give a good impression, for years of service.

Actual Size Numerals 4 3/32″ 4 1/8″ 4 3/16″

SPECIAL LOCKSMITH STAMPS



DO NOT DUPLICATE	DO NOT COPY	MASTER
NO. LDND	NO. LDNC	NO. LMS
WT. 3 OZ.	WT. 3 OZ.	WT. 3 OZ.

Permanently mark a Master or Restricted key. Let other locksmiths and key duplicators know it is a special purpose key and is part of a restricted system. Made of heavy duty steel stock, 3/8″ x 5/8″, hardened and flash-chromed for years of trouble free service.

KEY FILE SET



NO. KFS-6

KFS-6 includes six four inch files with wooden handles. Files included are:

Swiss Pattern Rd. - tapered
Swiss Pattern - warding tapered
Swiss Pattern - rectangular straight
Swiss Pattern - 3 sq. tapered
Swiss Pattern Square - tapered
Swiss Pattern - half round tapered

LOCKSMITH FILE SET



NO. LFS-2
WT. 6 OZ.

What locksmith doesn't need a set of these fine, precision jeweler type files? The set of twelve is packaged in a plastic dispenser box ready for instant use. The files are of a fine cut, perfect for impressioning or any other work you may have. Made in Italy for HPC.

LOCKSMITH TOOLS

STEERING COLUMN LOCK PLATE COMPRESSION KIT



NO. SWLPC-1 COMPLETE KIT, INCLUDES BOTH STANDARD & METRIC THREADED SCREWS



KIT INCLUDES METRIC SCREW

Included extra, this 14mm metric internally threaded screw required for 1978 & on General Motors. Also this handy 9″ x 12″ vinyl pouch to carry this tool set plus many of your other automotive service devices.





Lock Plate Compressor for Conventional Steering Columns.

WT. 1 LB. 12 OZ.

Once the steering wheel is removed, simply screw the center post's threading onto the steering shaft & place the yoke over it. Turning inward on the center post nut compresses the plate. This leaves both hands free to pry the wire snap-ring out of the shaft's groove. Re-installation of the ring after servicing is accomplished by just sliding the ring down the tapered shank of the center post screw & back into the groove.

NO. SWLPC-1MS METRIC SCREW ONLY

LOCK PLATE COMPRESSOR





HOLDING CLIP

NO. SWLPC-2 — TILT AND TELESCOPIC STEERING COLUMNS
WT. 10 OZ.

A specially designed lockplate compressor for tilt and telescopic columns used on General Motors. Assures an easier access to ignition lock retainer, after steering wheel is removed.

CLIP REMOVAL TOOLS



NO. AST-3 — CLIP REMOVAL TOOL FOR DOOR HANDLE AND WINDOW CRANKS
WT. 2 OZ.

Used on General Motors, Ford and AMC automobiles. Easily removes the hard to reach retaining clips — without damage.



NO. AST-4 — CLIP REMOVAL TOOL for DOOR TRIM PADS
WT. 6 OZ.

Gaining access to the automobile door lock cylinder requires removal of the door trim pads as well as the regulator cranks.

Removing the trim pads without tearing out the nylon retainer clips has always been difficult.

The tapered end of this heavy duty lever type tool enters between the door and trim pad and persuades the pad off. This greatly reduces the possibility of tearing or damaging the pad and clips.

AUTO LOCK PLIERS



GRIPS LIKE THE JAWS OF A BULLDOG!

REMOVE AUTO LOCK FACE CAPS IN SECONDS — EASILY!

NO. ALCP-10 AUTO LOCK CAP PLIERS
WT. 7 OZ.

The specially machined tips grip like the JAWS OF A BULLDOG — and won't let go!

Quickly removes either the factory lock caps, using the rolled crimp; or the "Tab Style" replacement caps.

Side cutters and cut fingers are now a thing of the past!

FOREIGN AUTO CAPS — With some care, it should be possible to remove these hard to replace foreign caps with a minimum of distortion, allowing re-use of the removed cap.

These heavy duty forged pliers should give years of good service, and is a valuable addition to your auto lock service department.

LOCKSMITH TOOLS & TOOL CARRIERS

AUTOMOTIVE DOOR PANEL CLIP REMOVAL TOOL

NEW



No. AST-5 Wt. 7oz.

The new offset design combined with a longer handle allows you to reach clips toward the center of the panel. A must for the locksmith specializing in automotive service. Saves time and work on both foreign and domestic models.

FORD & GM GLOVE COMPARTMENT LOCK PLUG REMOVAL TOOLS

NEW

FOR REMOVING PLUG FROM MANY NEWER FORD & GM AS WELL AS AUDI, SAAB & VW GLOVE BOXES.



No. FPR-2 Wt. 1oz.

Set of two tools allows swift removal of the lock plug from many newer Ford and GM glove compartments. Spreads the plastic retaining arms without breakage and pushes plug out safely. A necessary operation when obtaining correct code information.

TOOL CARRIERS-POUCHES



NO. POUCH-1
WT. 9 OZ.



NO. POUCH-3
WT. 1 LB.

All locksmiths have experienced the frustration of having too many tools for a certain job and not enough hands carry them. HPC's new line of tool carriers is designed to eliminate that problem.

1. Four Pocket Professional Tool Pouch is made from heavy duty top grain leather. Size is 6¾″x9″ with one large and three smaller pockets. Rivet reinforced with extra wide 2¾″ belt slot.

3. Six Pocket Professional Tool Pouch is made from heavy duty top grain moccasin leather. Size is 7″x10″ with one large and five smaller pockets.

LOCKSMITH SCREWDRIVERS



SCP-1 SCP-2



SCF-1 SCF-2 SCF-3



FX-2

FX-1

Made in Holland for HPC.

- All models utilize the specially designed Beargrip handle shape for improved gripping power with less fatigue.
- Handle material, cellulose acetate, is one of the strongest plastics known to science... almost indestructible!
- Blade material is 64 Si steel, refined and hardened to make it the very best material for screwdriver use, regardless of cost.
- Sure grip tip stays in screw.
- Hexagon-shaped blade permits the use of extra force by pliers if necessary.

NO.	Phillips	Flat	Length	Blade	Wt. Oz.
SCP-0	x		2½″	0	1.5
SCF-0		x	2½″	1/8″ wide	1.5
SCP-1	x		3″	No. 1	2
SCP-2	x		4″	No. 2	2.5
SCF-1		x	3″	3/16″ wide	2
SCF-2		x	4″	7/32″ wide	2.5
SCF-3		x	5″	9/32″ wide	4
FLEXIBLE					
FX-1	x		6″	No. 1	3
FX-2		x	6″	15/64″ wide	3
FLEXIBLE MAGNETIZED					
FXM-3		x	6″	15/64″ wide	3.5
FXM-4	x		6″	No. 1	3.5

LOCKSMITH TOOLS

KEY IMPRESSIONING PLIERS



Use this tool the same as you would other self-gripping pliers. Even a very tight grip will only slightly affect the appearance of the key. The jaws are smooth to the touch, though they are parallel at the most common thickness of the key. This allows great holding strength even though there are no teeth on the jaws.

TRUARC RING PLIERS



Position for Ring Compression

TWO TOOLS IN ONE



Position for Ring Spreading

NO. TRU-55

WT. 2 OZ.
COMBINATION RING SPREADING AND COMPRESSION TOOL.
Two pivot centers - dual operation. No. 1 center is for compressing, and No. 2 is for spreading action. Changeovers are made quickly and easily.



Perfect for Corbin and Russwin heavy duty knob locks.

TRU-123

WT. 3 OZ.
RING SPREADER OFFSET



TRU-121
WT. 2 OZ.
RING COMPRESSOR



TRU-122
WT. 2 OZ.
RING SPREADER

GRAPHITE GUN



REFILLABLE LEAK-PROOF CLOG-PROOF
NO. HGG WT. 4 OZ.
Use prior to picking or impressioning. Loosens tight wafers & pins. Perfect for lubricating key machine carriage shaft & wing nut studs. Does not attract dust or chips.

NO. GG-16 BULK GRAPHITE
High quality Finest Micro-Spray refill Graphite. One pound per can.



TRUARC RING ASSORTMENT



WT. 2 LBS. **NO. TRU-275**
CONTAINS 265 RINGS — ALL REFILLABLE
This assortment contains twenty-seven different styles of Truarc rings and retainers. You will find them very helpful for servicing Arrow, Best, Corbin, Dexter, Ilco, Lockwood, National, Schlage and many more. All are made of carbon spring steel and offer long-lasting tension or compression for retaining purposes.

HOLLOW MILL DRILLS SET



NO. HMD-5

WT. 2 OZ.
For drilling off luggage lock rivet heads when servicing suitcase locks. Can also be used to shear base plate rivets on Master Padlocks. Fits into either a hand drill or an electric drill.

NOSE PULLER AND DOOR PULLER FOR SAFE DEPOSIT BOXES





NO. NP-4B NOSE PULLER

WT. 2 LBS. 4 OZ.

This heavy wrought and bar steel set is expertly machined and finished to effectively pull out a lock core. Simply turn screw into the center of core's keyway to act as an anchor. Then slip the spacer block into place and tighten by turning knurled knob. Continue turning clockwise, slowly and gradually until the entire core is drawn out. Then use the guard key and disengage bolt. If door does not open, then it becomes necessary to use the Door Puller device **No. DP-7B.** The Nose Puller set is available separately, however, when ordering the **No. DP-7B** Door Puller set, the Nose Puller set **No. NP-4B** is included, along with a steel carrying case.

Nose Puller can also be used towards removing the plug from a padlock.



Steel Case



REPLACEMENT PARTS FOR THE No. NP-4B NOSE PULLER SET

No. NP-4B-1 = Screw Retainer
No. NP-4B-2 = Standard Hex Head Sheet Metal Screw –10 Per Pack
No. NP-4B-3 = Threaded Shaft
No. NP-4B-4 = Ball Thrust Bearing
No. NP-4B-5 = Knurled Knob
No. NP-4B-6 = 2- Handles
No. NP-4B-7 = Spacer Block



NO. DP-7B DOOR PULLER

WT. 6 LBS.

Complete Door Puller set in position and ready to pull out the safe deposit box door.

After the lock core has been pulled and use of the guard key has not opened the door, then it is time to apply the Door Puller set.

Place the stepped Spacer Block onto the hook unit. The three different diametered steps make it adaptable to three different sizes of plug bores. Place the correct diameter step into the corresponding bore. Have the hook end set against the inside back wall of the door, then tighten the knurled nut to hold hook in place. The flat surface on the outside of the hook unit should be in a level position.

The long flat blade is then fitted onto the holding slot, along with the remainder of the Puller unit, as shown above. Position feet of Puller unit onto "Rebates" (partitions between boxes) or away from centers of adjacent doors, so as to minimize the possibility of distortion. The knurled nut is then turned until the door is pulled out.

REPLACEMENT PARTS FOR THE NO. DP-7B DOOR PULLER

No. DP-7B-1 = Hooked Anchoring Post
No. DP-7B-2 = Knurled Nut only, to fit Anchor Post and Leg
No. DP-7B-3 = 3 Diameter Spacer Block
No. DP-7B-4 = Flat Blade
No. DP-7B-5 = Slotted Leg with Foot
No. DP-7B-6 = Handle
No. NP-4B-4 = Ball Thrust Bearing
No. NP-4B-5 = Knurled Knob for Thrust Bearing

DOOR PULLER SET NO. DP-7B INCLUDES NOSE PULLER SET NO. NP-4B — ALL WITHIN A CARRYING CASE

QUICK-CHANGE SCREWDRIVER



NO. QCS-1
WT. 6 OZ.

4 HEAVY DUTY SCREWDRIVERS IN ONE! PULL-OUT, SNAP-BACK TO CHANGE BITS.

Screwdriver includes 2 double ended hex bits inserted in opposite ends of a removable hex tube. Bits are reversible in the tube. The tube is reversible in the handle, providing a total of 4 bits. Change by pulling out bits from tube or tube from handle & snapping back with ball lock. Change takes only two seconds! Bits are alloy & heat treated for maximum strength. Indestructible 6 spline tenite handle is impact & twist-proof. Bits included: #1 Phillips, #2 Phillips, #4-8 Slotted & #8-14 Slotted.

ROUTER-DRILL SAWS, DRILLS, ROUTS, FILES



NO. RD-1
WT. 1 OZ.

Fits any electric drill, drill press. Cuts own starting hole & any shape in any direction tool is removed. Sharp milled flutes for fast cutting action....will not clog! Ideal for enlarging holes, making scrolls. Cuts wood, plastics, non-ferrous metals. Made of hardened, tough steel for long life.

ROTO RASP RR-178



1⅞" Diameter
Shapes, Cuts, Forms, Mills WT. 2 oz.

Fits any electric drill, drill press. Cuts wood, plastics, aluminum, rubber, brass copper. Never clogs, never needs sharpening. Made of hardened and tempered steel. Drum length 1½". ¼" shank.

HPC Tools Are The Standard In The Industry. Secure Your Future With HPC.

ROTO-RASPS FORMS, SHAPES, CUTS, MILLS



NO. RR-12 (1/2" dia.)
WT. 1 OZ.
NO. RR-34 (3/4" dia.)
WT. 1 OZ.

Fits any electric drill. Cuts wood, plastics, aluminum, rubber, brass, copper. Never clogs, never needs sharpening. Made of hardened and tempered 1½" x ¼" shank.

LOCKSMITH HAMMERS AND MALLETS



NO. RHM-3 WT. 8 OZ.
NO. RHM-2 WT. 8 OZ.

HPC has the correct hammer or mallet to assure that your finished work has that "professional" look. Made in England for HPC.

- All have fine, selected hickory hardwood handles.
- Rawhide mallets employ tightly coiled water buffalo hide for striking surfaces.

PLUG FOLLOWERS



For National-Rockford

NO. SUT-24, FOLLOWER AND PIN PUNCH

WT. 3 OZ.

Follower machined and zinc plated for smooth operation. Pin punch is plated and hardened.



NO. SUT-23

WT. 3 OZ.

For Weiser Beverly design knob locks. Solid bar stock machined to perfect dimensions. Bright zinc plated.



NO. SUT-0 — .395″ diameter **WT. 2 OZ.**



NO. SUT-1 — .495″ diameter **WT. 2 OZ.**



NO. SUT-3 — .500″ diameter **WT. 2 OZ.**



NO. SUT-10 — .550″ diameter **WT. 3 OZ.**

These four plug followers will fit 99% of the rim or mortise cylinders and cylinder units currently in use. Made of centerless ground bar stock.

NO. SUT-47

WT. 10 OZ.

Is a set of one of each of the above followers.



NO. SUT-22 ADJUSTABLE FOLLOWER

WT. 2 OZ.

Spring Action Bar

Fits all standard locks .495″ to .600″ in diameter. It will handle 90% of all locks. Spring loaded.

HPC IS YOUR BEST PICK.





HOLLOW BRASS FOLLOWER SET

MEDIUM — .495″ diameter



LARGE — .550″ diameter



SMALL — .395″ diameter

End view of nested followers, within case.





Case with orange caps on each end

WT. 2 OZ. **NO. SUT-14**

This set contains three popular sizes of medium-hard, zinc plated, hollow brass followers. Each fits into the other and into their case for convenient compactness and protection.

This follower kit will also work on the new style Corbin and Russwin heavy duty knob lock cylinder unit. The small diameter follower is useful for cabinet locks, peanut size cylinders and the new type pin tumbler letterbox locks.

Complete set fits into a tube with an orange cap on each end. Handy, compact, efficient and lightweight.

PLUG FOLLOWER CHART

Manufacturer	Follower
ACROLOCK	SUT-1
ALMONT (Peanut Cylinder)	SUT-0
ARROW	SUT-1
CORBIN	SUT-1
CORBIN OVERSIZE	SUT-10
CORBIN (SMALL PINS)	SUT-0
DEXTER	SUT-1
EAGLE	SUT-1
EAGLE (SMALL PINS)	SUT-0
ILCO	SUT-1
ILCO (4019 Rim Cylinders)	SUT-3
ILCO (Peanut Cylinders)	SUT-0
KEIL	SUT-1
KEIL (No. 30 Rim Cylinders)	SUT-3
KWIKSET	SUT-1
LOCKWOOD	SUT-1
LOCKWOOD (956 Rim Cylinders)	SUT-3
NATIONAL of ROCKFORD (Except KNK)	SUT-1
NATIONAL of OZONE PARK	SUT-1
NESCO	SUT-1
RUSSWIN (.500″ Diameter)	SUT-1
RUSSWIN OVERSIZE	SUT-10
SARGENT	SUT-1
SCHLAGE	SUT-1
SEGAL	SUT-1
TACO	SUT-1
TAYLOR	SUT-1
WEISER (All But Beverly)	SUT-1
WELCH	SUT-1
WESLOCK (Except KNK)	SUT-1
YALE	SUT-1
YALE (SMALL PINS)	SUT-0

HPC MANUFACTURES THE MOST COMPLETE LINE OF LOCKSMITH TOOLS.

PLUG HOLDERS



NO. CPH-9 MULTIPLE CAVITY BENCH TYPE
WT. 13 OZ.



NO.CPH-5 MULTIPLE CAVITY VISE TYPE
WT. 11 OZ.
FITS THE FIVE MOST POPULAR SIZES
Holder bodies are hardened and have a black ozide finish.





NO. CPH-15 — .405″ Hole WT. 3 OZ.
NO. CPH-8 — .500″ Hole WT. 2 OZ.
NO. CPH-10 — .510″ Hole WT. 3 OZ.
NO. CPH-20 — .550″ Hole WT. 2 OZ.

These four plug holders provide the assortment needed to fit almost every pin tumbler lock core. They are made of hardened bar stock, so as not to become scratched by the file. Black oxide finish.



NO. SUT-600 ADJUSTABLE PLUG HOLDER
WT. 14 OZ.

THE UNIVERSAL ADJUSTABLE PLUG VISE. A plug holder that adjusts its own hole size from .350″ to .600″ to give a perfect fit on many different cores. Plug vise body and slide are hardened and have a black oxide finish.



RETAINER STAKING FIXTURE FOR GENERAL MOTORS AUTO LOCKS.

PUNCH SHOWN HERE IS NOT INCLUDED

NO. RSF-1
WT. 15 OZ.

The tumbler retainers on GM Auto Locks must be staked to prevent their popping out and causing unneeded "lockouts".

This case hardened vise-held fixture, grips the core tightly without distortion while staking the four corners of the retainer with a small chisel-edge punch.

Rigid bottom holds without any giving or "bounce" as may occur with spring loaded, adjustable holder. Also ideal for holding most other standard pin tumbler cylinder cores.

PLUG HOLDER CHART

Manufactuer	Holder
ACROLOCK	CPH-10
ALMONT (Peanut Cylinder)	CPH-15
ARROW	CPH-10
CORBIN	CPH-10
CORBIN (SMALL PINS)	CPH-15
EAGLE	CPH-10
EAGLE (SMALL PINS)	CPH-15
ILCO	CPH-10
ILCO (Peanut Cylinder)	CPH-15
KEIL	CPH-10
KWIKSET	CPH-10
LOCKWOOD	CPH-10
NATL. of ROCKFORD (Except KNK)	CPH-10
NATIONAL of OZONE PARK	CPH-10
NESCO	CPH-10
RUSSWIN (.500″ diameter)	CPH-10
RUSSWIN OVERSIZE	CPH-20
SARGENT	CPH-10
SCHLAGE	CPH-10
WEISER	CPH-10
WELCH	CPH-8
YALE	CPH-10

RETAINING PIN DEPRESSOR



WT. 1 OZ. **NO. RPD-1**

All brass (engine turned) cap and barrel. Stainless steel retractable pin. Easy to carry—depress spring loaded retaining pins with ease.

SAFE CHANGE KEYS

DIEBOLD



SLC-12
4 TUMBLER
RIGHT HAND
SERIES 161



SLC-13
3 TUMBLER
RIGHT HAND
SERIES
172 & 182



SLC-14
4 TUMBLER
RIGHT HAND
K & M LOCK



SLC-15
3 TUMBLER
LEFT HAND
SERIES
172 & 182



SLC-16
4 TUMBLER
LEFT HAND
SERIES 161



SLC-19
DOUBLE END
KEY
SERIES 180
177 & 900
Two Keys In One



SLC-17
SERIES 177
And 900



SLC-18
SERIES 180



YALE

SLC-30
OC-8

HALL & YORK



SLC-24
FITS HALL COMBINATION LOCKS

SARGENT & GREENLEAF



SLC-1
6850



SLC-2
6570



SLC-3
6800
6805
EARLY



SLC-7
6810
6815



SLC-8
6580
6700



SLC-5
6800
6805

SLC-5 REPLACES SLC-3



SLC-21
6550
LONG



SLC-23
8088
PADLOCK



SLC-31 SAME AS (SLC-4)

SLC-4		SLC-31	
6720	6730	6721	T8410MP
6722	6732	6723	T8415MP
6725	6735	6726	ET8410MP
			ET8415MP

CHANGE KEYS FOR HPC/ LA GARD LOCKS



No. SLC 42-For Group 2, Group 1 & 2200 Key Lock

No. SLC 43-For Group 3, 4 wheel combination locks.

1308 Amsec
3 wheel change key
SLC-44

No. SLC-45 For HP 2100 series small combination lock.

MOSLER



SLC-9
B 607



SLC-10
104



SLC-11
B 107



SLC-36
MRK-120
CDK-120



SLC-32
KCB-1
KCB-101
KCB-201
KCB-401



SLC-33
KSD-12
KC-11



SLC-35
K-1203
K-1204
SPEC.



SLC-40
S.T.D. SER.

SLC-46

All keys on
this page - WT. 1 oz.

HPC PUBLISHES THE FINEST INFORMATIONAL BOOKS IN THE INDUSTRY.

YOUR KEY FOR SUCCESS: USE HPC KEY MACHINES, TOOLS & CODE BOOKS.

EMERGENCY SAFE DIAL





NO. MED-66 NUMBERS AND MARKINGS ON DIAL ARE WHITE ON ENAMELED BLACK

Drive a wedge or pin in at the edge of the broken spindle end to keep it from turning, and then drill a small hole into the center of the spindle stub. Remove the anchoring wedge or pin. Hammer the pointed spindle end of the Emergency Dial into the drilled hole until it is firmly attached to the broken spindle. The Emergency Dial is ready to work the combination for opening the safe and making repairs.

EMERGENCY SAFE DIAL



No.MED 68 **WT.1.7oz.**

The MED 68—emergency safe dial—was designed to be used when the original safe dial has been removed. You must have at least a 1/4″ extension from the safe for the dial to be used.

It is easy to use. Just mark zero on the spindle and tighten down with the set screw. Then use masking tape extending out from the crow's foot and dial the combination.

SAFE OPENING TOOLS SET OF 6



No. NST-6

These tools have been designed for use on safe locks **after** burglary has been attempted. Entering through the existing hole, they not only align the wheel pack, but also hold the relocker aside so that the safe can be opened quickly and easily. Set includes tools for most popular locks; S&G (both old **and** new style), MOSLER (302 and 402), and LaGard 2100 series.

SAFE DRILLS

CARBIDE TIP



NO. SHPD-6
WT. 2 OZ.
3/8″ Carbide Tip

NO. SHPD-8
WT. 3 OZ.
1/2″ Carbide Tip



The Carbide tipped drill bit is a good general purpose bit designed to drill hardened steel.

TUNGSTEN TIP



NO. SHPD-12
WT. 2 OZ.
1/4″ Tungsten Tip

NO. SHPD-14
WT. 4 OZ.
3/8″ Tungsten Tip



These genuine Carbon Tungsten tipped drills are designed for use on hardened die steel. Their main purpose is to make possible the drilling of steel that has been hardened to Rockwell C-40 or harder without the usual annealing process or reverting to the slow and costly grinding method. We do not guarantee these drills against chipping or breakage caused by unintentional misuse to which they might be subjected.

RINGS AND TAGS

GIVE-AWAY KEY RINGS



NO. GAK-6	NO. GAK-4	NO. GAK-3
WT. 2.5 OZ.	WT. 1 OZ.	WT. 1.8 OZ.
Quantity 1000	1000	1000
Diameter 1″	3/4″	5/8″
Gauge 0475	0475	0475
WT. 2 lbs.	1 lb. 8 oz.	1 lb. 4 oz.

Manufactured from hardened spring steel wire and bright zinc plated to resist tarnishing.

These rings are so inexpensive that they can be given away with duplicate keys.

LARGE KEY RINGS



NO. LKR-6 = 6″ diameter WT. 1 OZ.
NO. LKR-8 = 8″ diameter WT. 1 OZ.
NO. LKR-11 = 11″ diameter WT. 2 OZ.

Made of half-hard steel, bright nickel plated. Brass fastener, screws either to left or right. Eleven inch ring slips over head easily, for carrying around the neck if so desired. Will hold about 260 cylinder keys.

UTILITY TAGS



WT. 3 OZ. WT. 4 OZ. WT. 5 OZ. WT. 6 OZ.

- PERSONAL PROPERTY TAGS
- PRICE or SIZE TAGS
- WILL-CALL ITEMS

For use on heavy or much handled merchandise, where strength and non-mutilating qualities are required. These Metal Rim Tags are manufactured from heavy stock with a smooth writing surface.

Each tag has an attached string, looped and knotted. PACKED 100 PER BOX.

FLAT, ROUND SPRING STEEL



No. FRS-4

SPRING STEEL ASSORTMENT

This spring steel assortment contains different sizes of the most popular flat and round blue steel. The assortment is cut into convenient 9″ lengths and is packaged in a C-thru round plastic container.

LIGHTWEIGHT FIBER TAGS

100 PER BOX

RING TYPES



NO. EYR-7
1 3/4″ Diameter
WT. 7 OZ.



NO. EYR-5
1 1/4″ Diameter
WT. 6 OZ.

SNAP TYPES



NO. EYS-8
1 3/4″ Diameter
WT. 7 OZ.



NO. EYS-6
1 1/4″ Diameter
WT. 6 OZ.

KEY BLANK INVENTORY CONTROL





WT. 5 OZ. **NO. INV-1 Packed 100 per box**

These tag's offer a quick visual method of controlling key blank inventory.

Simply mount these bright yellow tag's directly on the key hook in front of your determined "order point".

DEPTH KEY SETS

Automobile

Description	Spaces	Keyway	Stock No.	Weight
American Motors Up to 1969. Wafer Tumbler (3 Depth 1, 2, 3)	5	32900	711DKS	
American Motors 1970 and On. Wafer Tumbler	5	1970AM	757DKS	
Briggs & Stratton Wafer Tumbler (will replace 711DKS)	5	42755	727DKS	
Chrysler 1956-67. Ignition and Trunk. Pin Tumbler	5	1764P	745DKS	
Chrysler 1968 Ign. & Trunk (DP, DS Series) Pin Tumbler	5	1768CH	744DKS	2 oz.
Chrysler 1969 and ON. Ignition and Trunk. Pin Tumbler	5	1770CH	749DKS	
Chrysler Trunk. Side-Bar Type, Wafer Tumbler	6	S1767DP	746DKS	
Ford Motors Up to 1951 Ign. & Trunk (Narrow) Pin Tumbler	5	1125H	754DKS	
Ford Motors 1952-64 Ign. & Trunk. Single-Sided, Pin Tumbler	5	1127DP	717DKS	
Ford Motors 1965 + Ignition. Double-Sided, Pin Tumbler	5	1167FD	718DKS	3 oz.
Ford Motors 1965 + Trunk. Double-Sided, Pin Tumbler	5	S1167FD	718A-DKS	2 oz.
General Motors 1936 & Up. Ign. & Trunk, 5 Depths, Wafer Tumb.	6	Current year	719DKS	1 oz.



Cabinet Drawer Locks and Padlocks

Chicago	Wafer Tumbler	5	K-5	734DKS	
Chicago	Wafer Tumbler, will replace 734DKS	6	K101, 102, etc.	735DKS	2 oz.
Chicago	Pin Tumbler, File Cabinets, etc.	4	KP-1	736DKS	
Corbin	Small Pin Tumbler, File Cabinets, etc.	6	8687C	742DKS	3 oz.
Corbin	Wafer Tumbler	6	8658JVR	743DKS	2 oz.
Eagle	Small Pin Tumbler (Long Space)	4	11625B	705DKS	5 oz.
Eagle	Wafer Tumbler	5	0745	707DKS	
Ilco	Small Pin Tumbler	5	X1054JA, JK	716DKS	2 oz.
Illinois	Wafer Tumbler, Single Sided	5	360	737DKS	
Junkunc	Pin Tumbler, Padlocks, etc.	5	PTKB-1	750DKS	3 oz.
Lockwood	Small Pin Tumbler	5	1004M	722DKS	
Master Padlocks	Pin Tumbler, Standard Large, 4 Space	4	1K	703DKS	2 oz.
Master Padlocks	Standard Large Pin Tumbler, will replace 703DKS	5	81K	752DKS	
Master Padlocks	Extra Large Pin Tumbler	6	19K	773DKS	4 oz.
Master Padlocks	Small Pin Tumbler	4	7K	704DKS	
Master Padlocks	Small Pin Tumb., 7 Depths, will replace 704DKS	4	7K	704A-DKS	2 oz.
Natl. Rockford	Wafer Tumbler	5	687-3	740DKS	
Natl. Rockford	Small Pin Tumbler, All except Letter Boxes	5	676-1	741DKS	4 oz.
Yale	Small Pin Tumbler	6	12½	700DKS	2 oz.
Yale	Wafer Tumbler	5	9278A	712DKS	1 oz.



Flat Steel

Yale & National	Locker Locks IED, IEH, DSL, 15WB, etc. Lever Tumb.	6	R381½N-1	714DKS	3 oz.
Yale & National	Locker Locks 9M, N9M Series, Lever Tumbler	6	R381½N-1	715DKS	



Foreign

Honda Cycles	"T"–3, 4, 5, 6 Series	3	H76K	800DKS	
Honda Cycles	"T"–2, 6, 7, 8, 9 Series	3	H76K	801DKS	
Honda Cycles	"NA, NB, NC" Series	4	H70H	802DKS	
Honda Cycles	"H" Series without a Ward Cut	4	H79MR	803DKS	
Honda Cycles	"H" Series with a Ward Cut	4	H76YR	804DKS	
Honda Cycles	No Letter Prefix 1, 3, 5 Series	3	H69T	805DKS	2 oz.
Honda Cycles	00000-99999 Double-Sided, Most 1975 and Up	5	X57	808DKS	
Honda Cycles	00000-99999 Double-Sided, Most 1975 and Up	5	X58	809DKS	
Suzuki Cycles	No Letter Prefix 1, 3, 5 Series Up to 1970	3	S74G	806DKS	
Suzuki Cycles	No Letter Prefix 1, 2, 3, 4 Series, 1971-1972	5	X11	807DKS	



DEPTH KEY SETS

Large Cylinder

	Description	Spaces	Keyway	Stock No.	Weight
Arrow	Standard Large Pin Tumbler & Sectional. (New)	6	AR-6	733DKS	5 oz.
Best	Pin Tumbler	6	1114A	726DKS	4 oz.
Corbin	Large Pin Tumbler (Old)	6	X1-67-6	701DKS	
Corbin	Large Pin Tumb. (New) 59A1, A2, B1, B2, C1, C2, 60	6	Z1-60-6	702DKS	
Dexter	Standard, Large, Up to 1969	5	67	748DKS	
Dexter	Standard Large, 10 Depths, 1969 and On	5	67	760DKS	
Emhart	System 70 "Conventional Pins" .028" Increment	6	6D1R	774DKS	3 oz.
Eagle & Harloc	Large Pin Tumbler	5	11929B	706DKS	4 oz.
Ilco	Large Pin Tumbler, X1054K	5	X1054K	723DKS	
Ilco	Large Pin Tumbler, X1054F	5	X1054F	724DKS	3 oz.
Ilco-Unican	Large Pin Tumbler, 1054FN	5	1054FN	771DKS	2 oz.
Kwikset	Standard Large Pin Tumbler (New)	5	1-1063	730DKS	
Lockwood	Large Pin Tumbler, Standard	6	1004A	720DKS	4 oz.
Lckwd., Chantrell	Large Pin Tumbler, Sectional	6	B317L, N, P, R	721DKS	
Natl. Rockford	Standard Large Pin Tumbler	5	411-31	753DKS	
Russwin	Large Pin Tumbler, Standard	6	6961R	710DKS	
Russwin	Large Pin Tumbler, Sectional "D"	6	6D1R	751DKS	
Sargent	Large Pin Tumbler, Standard (U, R, K)	6	6265U	708DKS	
Sargent	Lge. Pin Tumb., Sect. (LA, LB, RA, RB, etc.) & "S" kwy.	6	6275RA, LA	709DKS	
Schlage	Pin Tumbler, C, E, F etc. keyways	6	35-101-C	725DKS	
Segal	Standard Large Pin Tumbler	5	K-9	738DKS	2 oz.
Taylor	Standard Large Pin Tumbler	5	111GE	739DKS	3 oz.
Weiser	Standard Large Pin Tumbler	6	1556	732DKS	4 oz.
Welch	Standard Large Pin Tumbler	5	WE-5	728DKS	
Weslock	Standard Large Pin Tumbler	5	4425	731DKS	
Yale	Large Pin Tumbler, Standard and Sectional	6	11	713DKS	5 oz.



Pin Tumbler Letterboxes

Hudson	Used on Auth & Bommer - 0, 1, 2, 3, 4 Bommer Depths	5	22B	758DKS	2 oz.
Hudson	Used on American Device, Miami Carey + others. 0, 1, 2, 3, 4, 5, 6 Depths. Will replace 758DKS	5	R22B	764DKS	
Natl. Rockford	Used on American Device, Auth, Bommer, Couch, Dura-Steel, Florence, Cutler, etc.	5	676-1 w/ward	761DKS	3 oz.
"XL" Lock Co.	Used on Dura-Steel, Jensen Permabilt "X" series	5	XL16	762DKS	2 oz.
"XL" Lock Co.	Used on Dura-Steel, Jensen Permabilt "K" series	5	XL16	772DKS	



Lever Tumbler Letterboxes

Cutler	Cutler mail chute "C" series	7	78 Taylor	765DKS	4 oz.



A set of depth and space keys contains a cut key for each of the different depths used in a given series or a particular locking mechanism. All the cuttings on a key are to the same depth, repeated as many times as the number of pins or disc tumblers used in a lock. These cuts are correctly spaced as required by the tumbler system in a specific lock.

For instance: a No. 3 depth key for a 5 pin tumbler plug will have 5 correctly spaced cuts, each to a No. 3 depth. Spacings and depths vary with manufacturers and their products.

Depth key sets have several time saving uses. They are valuable when cutting a key by code. They offer a method for working out a new master system or for adding keys under an established system. Depth and space keys offer an inexpensive alternative to a code machine and the ability of rapid change over not found in most code cutting equipment.

FOREIGN DEPTH KEY SETS

AUTOMOBILE	SERIES	SPACES	STOCK NUMBER	WEIGHT OUNCES
Datsun-Subaru	M, N, F, W	6	810DKS	
Toyota-Luv	A, M, N, T, B	6	811DKS	2
Datsun-Subaru	E	5	812DKS	
Toyota-Mitsubishi	F, P, K, R, S, C, H	6	813DKS	
Porsche	HC, NC	10	814DKS	4
Mercedes-BMW	HU, HY, NU, NY	10	815DKS	
BMW	W	4	816DKS	
Alfa Romeo-Fiat	2100-2307, 4100-4307, 6100-6307, 8100-8307	5	817DKS	2
Fiat	1501-1900, 3501-3900	6	818DKS	
Alfa Romeo-Fiat	E, F, G, H	4	819DKS	
British Leyland	BL, RO, SL	5	820DKS	
Mercedes	HD, ND, HF, NF, HZ, NZ	10	821DKS	4
Toyota	1001-6500	6	822DKS	2
Toyota	1116-6662, 11212-61661	5	823DKS	
Audi-Porsche-VW	VB, HV, NB	7	824DKS	3
British-Datsun-Mazda	FR, FH, VH	5	825DKS	2
Alfa-Romeo - Fiat	A	5	826DKS	
MG-Volvo	6250-6499, 7001-9000	10	827DKS	4
Volvo	1A000-5A745	10	828DKS	
Saab	AC	10	829DKS	
Toyota	511121	6	830DKS	
Alfa-Romeo - Fiat	X3301-4886	6	831DKS	
Fiat	M0001-1050	5	832DKS	
Fiat	Y7001-9956	6	833DKS	
Fiat	B, C & D 001-125	5	834DKS	
Fiat	D, S, 115-899	5	835DKS	2
Alfa-Romeo	1100-1789, 3100-3789, 5100-5789	6	836DKS	
Peugeot-Renault	20200-25527	5	837DKS	
VW	A, T	4	838DKS	
Capri-Jaguar-VW	DV01-64	5	839DKS	
Ford Courier-Mazda	1500-2499, 3500-6100	7	840DKS	3
Ford Courier-Mazda	002-989	5	841DKS	2
Opel-VW	BB, CC, K, L, M, R	5	842DKS	
Mazda	2500-3499, 3500-6100	7	843DKS	3
MG-Triumph	NH	10	844DKS	4
British Leyland-Volvo	FK, FS, RL, RM	5	845DKS	2
British Leyland	FT, FV, SF, VM	5	846DKS	
Honda	2001-4949	8	847DKS	3
Honda	Direct Digit	6	848DKS	
British Leyland-Volvo	FA, FG, FP, FS, FNR, FMD	5	849DKS	2
Datsun	K00001-14000	6	850DKS	
Renault	1R, 2R, 3R000-1837	6	851DKS	
Volvo	DF-1-1000	10	852DKS	4
Capri-Jaguar	JC, TC	10	853DKS	
Honda	1001-2700	6	854DKS	2
Datsun	X & Y1-8000	8	855DKS	3
Mazda	6500-7733	7	856DKS	
VW	SC, SE, SG, SU, SV	5	857DKS	2
Audi	11X11-91X91, 11W11-91W91	8	858DKS	3
Toyota	K7001-9000	6	859DKS	2
Honda	1001-2700, 3001-4481	8	860DKS	3
Capri	XL & XR1-195	5	861DKS	
Renault	2700-4816	6	862DKS	
Saab	201001-203300, 301001-303300	6	863DKS	2
Opel	AB1-750	5	864DKS	
Opel	H1-250, H1251-1500	5	865DKS	
Opel	S1-500, D1001-1500	10	866DKS	4
VW	FB1-210	6	867DKS	2

YOU CAN BANK ON HPC BLANKS.



HPC

"...The HPC door hardware line offers a long list of high quality security items which provide the right amount of added strength at the most critical points. Get the edge. Guard your door with HPC..."

POSITIVE SHOT PIN LOCK



Wt. 1 lb. 10 oz. No. PSPL

The Positive Shot Pin Lock (No. PSPL) sturdy design will set a new precedent for home security. Its rugged, solid bronze construction combines classic beauty with unparalleled protection. The lock may be used as a night latch and a dead lock. The location of the shot pin determines the function of the lock. Exclusive secondary locking functions make manipulation from the outside quite difficult. Installation is an elementary task, since the strike plate fits in virtually the same mortise as most jimmy-proof locks. The hardened, coarse thread installation screws are long enough to secure firmly to the stud. Conceived, patented, and produced in the U.S.

SECURITY NIGHT LATCH™

NEW



Wt. 1 lb. 5 oz. No. SNL

The patented Security Night Latch™ (No. SNL) is designed for easy installation and dependable protection at an affordable price. This lock serves the function of a chain night latch, with an added feature... dead locking capability. With the barrel bolt in the first position the door can be safely opened just enough to see visitor. The second position allows the door to be locked as securely as a dead bolt. The HPC Security Night Latch™ utilizes two restricted tracking arms rather than a chain. This creates a smoother, steadier, and most of all stronger operation. SNL includes case hardened anchor screws for stable installation.

GUARD PLATES

KING SIZE — FOR DOORS OPENING OUT



NO. VDG-10 BAKED DARK BROWN ENAMEL FINISH
WT. 9 OZ.

This is our strongest and most popular guard plate. It is 14 inches long and is made of two welded pieces of steel.

Offers maximum resistance to prying and forcing. Mounted onto door with 2 carriage bolts, going through the door and anchored with a nut and cap nut on the inside. Four wood screws go into the edge of the door.

OFFSET — FOR DOORS OPENING OUT AND WITH A DOOR CASING



NO. OVDG-11 = 1/4" Offset WT. 7 OZ.
NO. OVDG-12 = 3/8" Offset WT. 7 OZ.
NO. OVDG-13 = 7/16" Offset WT. 7.5 OZ.
NO. OVDG-14 = 9/16" Offset WT. 8 OZ.
BRIGHT NICKEL PLATED

Offset guard plates are to be used on vestibule doors with projecting door casings. For doors that are not flush with the frame.

These plates are easily installed by drilling only 2 holes for the pair of thru-bolts and nuts to solid-mount it. Made of heavy gauge steel and is bright nickel plated.

The 14 inch overall length, extends three inches beyond the average lock face, presenting plenty of covered area to frustrate unauthorized, forceable entry.

Four sizes are available. Choose the off-set depth that best fits the door and frame requirements.

CYLINDER SCAR PLATES



NO. SPO-3	OVAL U.S. - 3 Finish, Polished Brass	**WT. 1 OZ.**
NO. SPO-10	OVAL U.S. - 10 Finish, Dull Bronze	**WT. 1 OZ.**
NO. SPO-26D	OVAL U.S. - 26D Finish, Dull Chrome	**WT. 1 OZ.**
NO. SPR-3	ROUND U.S. - 3 Finish, Polished Brass	**WT. 1 OZ.**
NO. SPR-10	ROUND U.S. - 10 Finish, Dull Bronze	**WT. 1 OZ.**
NO. SPR-26D	ROUND U.S. - 26D Finish, Dull Chrome	**WT. 1 OZ.**

Use these plates to cover oversize cylinder holes or when the area around the cylinder hole is chipped, cracked or scarred. Covers an elongated cylinder hole after a replacement lock with a different backset must be used. The oval plate is ideal for narrow stile, aluminum doors. These plates "dress-up" any door.

NARROW STILE CYLINDER GUARD PLATE



NO. ADG-1
WT. 4 OZ.

Attractive dull chrome finish of case-hardened plate and bolts. No special tools required. For either hand doors — in-swinging or out-swinging.

An attractive and effective device to protect against puller action on narrow stile door cylinders.

Quickly and easily installed without appearing as an added-on feature. The innovative mounting system makes it simple to put on or take off. Complete, illustrated and easy to follow instructions.

GUARD PLATES•PATIO BLOK•REINFORCER

DOOR CLOSER MANUAL



No. DCM

An extensive look at the parts, service, installation of the most widely used door closers. Pocket sized manual designed especially for "ON THE JOB USE." A must for the serious security hardware specialist. The first edition in our series of hardware specialty manuals. Written by Lee Wagner, Published by HPC.

LATCH LOCK — DOORS OPENING IN



NO. IDG-7 3½" Lock face opening **WT. 1.5 OZ.**
NO. IDG-8 5 3/8" Lock face opening **WT. 1.11 OZ.**

These guards tie the door stop and the door frame together. An extended, 1/16" edge goes down into the wood frame itself to provide more complete security. This effective barrier prevents any door openings by a knife or celluloid strip.

Many homes, hotels and motels still have unguarded latch locks in use. They are easy prey for even an inexperienced burglar!

Made of Nickel Plated Steel
Countersunk Screw Holes
Packed with Screws

LATCH LOCK ON DOORS OPENING OUT



Made of Nickel Plated Steel
Countersunk Screw Holes
Packed With Screws



NO. ODG-6

WT. 1.9 OZ.

Guard plate is screwed directly onto the edge of the door. The flange will keep any prying tools away from the latch.

ALL DOORS USING SPRING LATCH TYPE LOCKS — should have the added protection of a lock guard.

PATIO BLOK



NO. PLB-1A WT. 1 OZ.

This dual purpose blocking plate can be installed in the upper track of sliding patio doors to prevent the door from being lifted from the track. It is also employed to prevent the lock from being vibrated open from the outside. Vibration protection is for the popular Woodbine or DNS locking mechanisms.

DOOR REINFORCER



No. LBR-10 Door Reinforcer

The door reinforcer strengthens the door by transferring stress from the center of the door inward to the stronger area. Anchor bolts into door with 3" case hardened screws. **NOTE: FOR WOOD DOORS ONLY.**

DOOR & WINDOW SECURITY

KEY OPERATED SASH LOCK HORIZONTAL SLIDING OR DOUBLE HUNG



No. DL-555 **WT. 5 OZ.**

Total window security with this patented window lock. Easy to install just drill 4 holes. Ventilation unhampered-designed to leave window open yet remain burglar proof. Resists forced entry-sure protection against any type of forced entry. The finest quality one piece extruded aluminum for strength and durability-anodized for long life. Mounted on a sales making display card for fast profitable sales. Made in the USA.

THE JERI-BAR,™ SECURITY FOR THE BACK DOOR OF BUSINESS.

Keyless Lock for Outswinging Steel Doors

NEW





The **JERI-BAR** is HPC's solution to the security deficiency behind almost every business . . . the back door. For many years, protecting the *emergency exit* was only a secondary thought, since the more frequently used *main* entrance was the most conspicuous site of a security weakness. In recent years, rising crime rates (and more noticeably, insurance rates) have forced businesses to make some changes in the securing of all entrances and *potential* entrances.

The **JB-5** not only strengthens outswinging main doors against forced entry, but it resists passage by *unauthorized* keyholding personnel through these oftentimes *isolated* doorways. Its rugged construction offers both *high strength* and *light weight* making it practical in a number of situations. The **JERI-BAR** can be quickly and easily removed from the *inside* merely by lifting. This unique security device is for left *or* right hand opening metal doors with five inch inset.

Models for 11 and 17 inch inset doors are available upon special order.

BASEMENT WINDOW LOCK





No. DL-755 **WT. 2 LBS.**

Designed for all basement windows wood or steel. Adjustable for widths up to 38". Installs easily the only tools needed are a hammer and center punch. The basement window lock can be removed after it is unlocked. The bar requires a long shackle padlock.

PADLOCK NOT INCLUDED



Since 1956, HPC has manufactured the world's most extensive line of security products. These items were specifically designed for use by the security professional. We know from over thirty years of experience that fine quality products alone are not enough. We must provide many different types of support for our customers so that they can obtain the performance that they have come to expect from our products.

In response to this particular need, HPC has introduced a division which we have named HPC Services—to service HPC, HPC/LaGard, or HPC/Silca key machine owners. Four different types of services are available: technical support, the obtaining of parts, factory authorized repair, and the HPC/Care extended warranty program.

Free technical support is offered to all HPC, HPC/LaGard, or HPC/Silca key machine owners. Simply place a toll free telephone call to 1-800-323-3295, and ask any pertinent technical question. HPC's experienced staff of technicians will promptly and courteously provide the correct answer.

A free service is provided to assist you in obtaining any factory approved parts (except cutters, which must be purchased through an authorized HPC distributor) for your HPC, HPC/LaGard or HPC/Silca key machine. This service also extends to software updates, as well as code book supplements.

There are times when an HPC, HPC/LaGard, or HPC/Silca key machine must be repaired by one of our experienced technicians. If this should occur, merely send your machine to HPC for a fast, efficient diagnosis and repair. Remember that it is always best to call ahead of time to let the service department know when to expect your key machine.

HPC SERVICE CENTER LOCATIONS:

Schiller Park, IL USA:	Services Headquarters-for service on all key machines.
Vittorio Veneto, Italy:	for service on Formula-X (1200 CM for Europe), Codemax and HPC/Silca only.
Torrance, CA USA:	for service on HPC/LaGard only.

New locations to be added in late 1987 and 1988 are: Stockholm, Sweden-London, England-Melbourne, Australia. These 3 new locations are for service on Formula-X, 1200 CM and Codemax.

As an owner of an HPC, HPC/LaGard, or HPC/Silca key machine you are entitled to our standard one year warranty which begins on the original date of purchase. However, until now there was no warranty program available after that initial period of time had expired. HPC Services now offers an extended warranty program which we call HPC/Care. HPC/Care is a service agreement designed to keep the original warranty on your key machine or code books in force for as many as three additional years from the original date of expiration. This means that you are now able to guarantee your HPC, HPC/LaGard, HPC/Silca, QuickCore, QuickChart, Workshop, MAXPAX, or HPC Code Books for up to four years from the original date of purchase. However, no other extended warranties can be issued after this period of time.

When you subscribe to the HPC/Care program, you will receive an HPC Access Card with your personal Access Number. This will entitle you to ask specific technical questions about HPC products over the telephone using our service toll-free number.

The HPC/Care extended service warranty may be purchased two ways, either as a Full Service Program or as a Special Service Program. Both programs are identical except for the fact that the Special Service Program also includes cutter replacement under the terms of the extended warranty agreement.

These two programs will cover your HPC, HPC/LaGard, or HPC/Silca key machines in three ways. First, the warranty provides for free periodic key machine adjustment, so that all keys will continue to be cut within recommended tolerances. Second, the warranty provides free service to locate and ship parts necessary to repair your HPC key machine. Finally, the extended service warranty provides for free service and repair of your key machine until your warranty expires.

The complete cost of each of these programs is listed below for your convenience.

PRODUCT	FULL SERVICE (Annual)	SPECIAL SERVICE (Annual)
1200MAX	392.00	452.00
1200CM	86.00	116.00
1200CMDC	89.00	119.00
1200CMACDC	91.00	121.00
9150MC	33.00	54.00
9150SMS	33.00	54.00
*3333M2	72.00	
*ONE-MAS	67.00	88.00
POKER	78.00	99.00
CROWN	52.00	
CROWN-CM	59.00	
CLUB	92.00	
*SOFTWARE ACCESS-CARD	50.00	
CODE BOOK SUPPLEMENTS	50.00	

1. Extended warranty of CODEMAX includes complete software updates for one year.
2. Software updates include: Workshop, QuickChart, QuickCore, and MaxPax

NOTE: Prices are subject to change without notice.

Leave it to HPC to develop an innovative approach to doing business which will offer you a complete package of services designed to minimize your "down-time" and maximize your "output"!

*(CA) All machines with carbide cutters use full service coverage only—special service coverage is not available.



CATALOG 709 1987