NATIONAL BRASS

Residence

BUILDERS HARDWARE

LOCK SET
CATALOG
NO. 31

LOCK SETS, LATCH SETS—FOR EXTERIOR and INTERIOR DOORS

NATIONAL BRASS COMPANY

Manufacturers

GRAND RAPIDS, MICHIGAN
U. S. A.

DEXTER TUBULAR
Lock Sets and Latch Sets



The *"Drill-Hole"* Installation

1. Dexter is the original Tubular Latch — the genuine, merited thru twenty years of satisfactory service. Tubular means tube-shaped that will fit into the round hole bored with Brace & Bit. It's the "Drill-Hole" installation! Costly, door-weakening mortising is entirely eliminated.

2-5. Trim — this is Escutcheons, Knob Body, Interchangeable Insert Top — each may be selected in Duralin of any stock color or Brass in any standard finish. Each part of the trim is interchangeable. Pleasing combinations in trims of Duralin and Brass may be selected.

6. Dexter Tubular Latch is ruggedly constructed offering dependable trouble-free service. Quality is built-in with exclusive features such as independent springs for Latch Bolt and Spindle. Exposed parts are solid Brass; the cold-rolled electro galvanized steel case contains a fitted assembly of precision-cut parts.

7. Unique Locking Device — an emergency lock for interior doors — does not affect the ease or simplicity of installation.

National Brass Company, Mfrs.
GRAND RAPIDS, MICHIGAN

Certified
Builders Hardware
Cabinet Hardware
Screen Door Hardware



CLINTON DESIGN
Pages 50-51



BEVERLY DESIGN
Pages 52-53



BEVERLY DESIGN
Pages 52-53



TIFFANY DESIGN
Pages 34-35



OLYMPIAN DESIGN
Pages 28-29

RED

IVORY

YELLOW

GREEN

BLUE

ORCHID

WALNUT

BLACK

RED

IVORY

YELLOW

GREEN

BLUE

ORCHID

WALNUT

BLACK



CLINTON DESIGN
Pages 50-51



FAIRMOUNT DESIGN
Pages 46-47



DOVER DESIGN
Pages 42-43



TROY DESIGN
Pages 38-39



WAYNE DESIGN
Pages 30-31

Residence Builders Hardware

LOCK AND LATCH CATALOG No. 31

Dexter Tubular Locks and Latches

Mortise Knob Locks

To the Trade

NATIONAL BRASS PRESENTS . . . fine hardware, Beautiful appointments to the Home.

Here is fine Residence Hardware, a Catalog designed and compiled in a manner so as to be of greater service to the dealer, and in turn, to all concerned . . . home owner, architect, and builder.

Since our policy is dealing direct with the dealer, bringing to him the advantages of a direct manufacturer to dealer relation, we have endeavored with this Catalog to eliminate all obstacles by presenting a manual easily understood and easy-to-use.

The listing and numbering system is simple. Clear, large sized illustrations that fully reproduce the actual items are used throughout.

That these pages may serve the home builder of Today . . . and Tomorrow, we have endeavored to supplement fine quality and high standards with smart styling and designs. We dedicate this manual to service . . . to the profitable merchandising and handling of the line.

NATIONAL BRASS COMPANY
L. M. Dexter,
President

NATIONAL BRASS COMPANY

Manufacturers

GRAND RAPIDS, MICHIGAN

U. S. A.

Printed in U. S. A.

Alphabetical Index

A

PAGE

"A", Type Latch Sets ..... 7, 28 to 55 inc.
Athens, Design Lock and Latch Sets 40, 41, 88, 89

B

Barcelona, Entrance Cylinder Sets 24, 25, 72, 73
Design Entrance Hardware 24, 25, 72, 73
Bell Plates, Electric 11, 13, 15, 17, 19, 21, 23, 25, 59, 61, 63, 65, 67, 69, 71, 73
Berkshire, Entrance Cylinder Sets 20, 21, 68, 69
Design Entrance Hardware 20, 21, 68, 69
Beverly, Design Lock and Latch Sets 52, 53, 100, 101
Bit Guides, and Rose Guide Sets 8
Bolts, Cylinder Dead 26
Flat Key Dead 27
Brass, Door Knobs 107, 108
Knob Sets 104, 105
Buttons, Electric Push 11, 13, 15, 17, 19, 21, 23, 25, 59, 61, 63, 65, 67, 69, 71, 73

C

Century, Entrance Cylinder Sets 14, 15, 62, 63
Design Entrance Hardware 14, 15, 62, 63
Clinton, Design Lock and Latch Sets..... 50, 51, 98, 99
Concord, Design Lock and Latch Sets 55, 103
Craft, Design Lock and Latch Sets 32, 33, 80, 81
Crawford, Design Lock and Latch Sets 49, 97
Cylinder, Lock Sets 26
Dead Locks 26
Mortise Locks 56, 57
Night Latches 26

D

Dead Locks, Cylinder 26
Flat Key 27
Display Cases 112
Door Bells, Electric 11, 13, 15, 17, 19, 21, 23, 25, 59, 61, 63, 65, 67, 69, 71, 73
Knob Sets 104, 105, 106
Knobs 107, 108
Knockers 10, 12, 15, 16, 19, 21, 23, 25, 58, 60, 63, 64, 67, 69, 71, 73
Dover, Design Lock and Latch Sets 42, 43, 90, 91
Duralin, Door Knobs 108
Knob Sets 104

E

Electric, Push Buttons 11, 13, 15, 17, 19, 21, 23, 25, 59, 61, 63, 65, 67, 69, 71, 73
Entrance, Hardware (Barcelona Design) ... 24, 25, 72, 73
Hardware (Berkshire Design) 20, 21, 68, 69
Hardware (Century Design) 14, 15, 62, 63
Hardware (Milton Design) 12, 13, 60, 61
Hardware (Plymouth Design) 16, 17, 64, 65
Hardware (Revere Design) 10, 11, 58, 59
Hardware (Valencia Design) 22, 23, 70, 71
Hardware (York Design) 18, 19, 66, 67
Escutcheons, Descriptions 109, 110

F

PAGE

"F", Type Latches 7
Fairmont, Design Lock and Latch Sets 46, 47, 94, 95
Finishes, Table of U. S. Standard 5
Flat Key, Dead Locks 27
Night Latches 27

G

"G", Type Mortise Knob Locks 75
Glass, Door Knobs 108
Knobs Sets 106
Guides, Bit and Rose 8

H

Hampton, Design Lock and Latch Sets 44, 45, 92, 93
Handles, Entrance Set ..... 10 to 25, 58 to 73 inc.
Hinge Straps 14, 18, 20, 22, 24, 62, 66, 68, 70, 72

I

Information, General 3
How to Order 6
Types of Locks and Latches 4
Inside, Lock and Latch Sets ..... 27 to 55, 76 to 103 inc.

J

"J", Type Mortise Knob Locks 75

K

"K", Type Mortise Knob Lock Sets ..... 75 to 103 inc.
Knobs, Door 107, 108
Knob Sets, Brass 104, 105
Cut Glass 106
Duralin 104
Glass 106
Knockers, Door 10, 12, 15, 16, 19, 21, 23, 25, 58, 60, 63, 64, 67, 69, 71, 73

L

Latch Sets, Cylinder Night 26
Flat Key Night 27
Type "A" ..... 28 to 55 inc.
Latches, Cylinder Night 26
Flat Key Night 27
Type "A" 7
Type "F" 7
Lenox, Entrance Cylinder Sets 74
Letter Plates 11, 13, 15, 17, 19, 21, 23, 25, 59, 61, 63, 65, 67, 69, 71, 73
Lever Handles 107, 108
Lock Sets, Cylinder 26
Entrance ..... 10 to 25, 58 to 73 inc.
Flat Key 27
Inside ..... 27 to 55, 76 to 103 inc.
Locks, Cylinder Dead 26
Entrance Sets ..... 10 to 25, 58 to 74 inc.
Flat Key Dead 27
Mortise Knob ..... 75 to 103 inc.

Alphabetical Index

PAGE

M

Master Key, Information 3
Mail Plates 11, 13, 15, 17, 19, 21, 23, 25, 59, 61, 63, 65, 67, 69, 71, 73
Milton, Entrance Cylinder Sets 12, 13, 60, 61
Design Entrance Hardware 12, 13, 60, 61
Mortise, Cylinder Locks 56, 57
Cylinders 56
Knob Locks 75
Knob Lock Sets ..... 76 to 103 inc.
Mounted, Samples 111, 112

N

Night, Latch, Cylinder 26
Cylinder Sets 26
Flat Key 27
Flat Key Sets 27

O

Olympian, Design Lock and Latch Sets 28, 29, 76, 77

P

Plates, Electric Push Button 11, 13, 15, 17, 19, 21, 23, 25, 59, 61, 63, 65, 67, 69, 71, 73
Mail 11, 13, 15, 17, 19, 21, 23, 25, 59, 61, 63, 65, 67, 69, 71, 73
Plymouth, Entrance Cylinder Sets 16, 17, 64, 65
Design Entrance Hardware 16, 17, 64, 65
Preston, Design Lock and Latch Sets 54, 102

PAGE

R

Revere, Entrance Cylinder Sets 10, 11, 58, 59
Design Entrance Hardware 10, 11, 58, 59
Rim Cylinders 56
Rose Guides, and Bit Guide Sets 8
Roses, Descriptions 110

S

Sample Cases 112
Samples, Mounted 111, 112
Sectional Cylinder Sets ..... 10 to 25 inc.
Sherwood, Design Lock and Latch Sets 48, 96
Spartan, Design Lock and Latch Sets 36, 37, 84, 85
Strap Hinges 14, 18, 20, 22, 24, 62, 66, 68, 70, 72
Strikes, Designs 9

T

Tiffany, Design Lock and Latch Sets 34, 35, 82, 83
Troy, Design Lock and Latch Sets 38, 39, 86, 87
Types, Locks and Latches 4

V

Valencia, Entrance Cylinder Sets 22, 23, 70, 71
Design Entrance Hardware 22, 23, 70, 71

W

Wayne, Design Lock and Latch Sets 31, 32, 78, 79

Y

York, Entrance Cylinder Sets 18, 19, 66, 67
Design Entrance Hardware 18, 19, 66, 67

GENERAL INFORMATION

PACKING

All National Brass Company goods are packed complete with screws — brass screws with brass goods and steel screws with steel and iron goods.

GUARANTEE

All goods are unconditionally guaranteed against original defects in material and workmanship. We cannot be responsible for goods which have been improperly installed or subjected to abuse.

CLAIMS — RETURNED GOODS — ETC.

Kindly notify us at once of any error, shortage, or misunderstanding applying to shipments received from us. This is very important as no goods returned to us will be accepted for credit unless our permission for their return has first been given. Transportation charges on all goods returned to us must be "PREPAID".

ORDERING

Always specify quantity, catalog number, finish, and the name of item desired. By giving this necessary information, a correct and prompt shipment is assured for all concerned.

MAIL ORDERS

Kindly mail your orders direct to the National Brass Company at Grand Rapids, Michigan, as our salesmen receive full credit for all orders received by mail.

MINIMUM CHARGE

No invoice will be rendered for less than 25c. The cost of packing, billing, etc. for small charge items makes this rule necessary.

FINISH of FACE PLATES and STRIKES

Face Plates and Strikes are finished as follows: Exterior Sets—(Entrance Sets, Cylinder Sets, Type "D" and "E" Locks) finish matches outside trim. Interior Sets—(Type "A" Latch Sets, Mortise Knob Lock Sets) finish matches inside trim, unless otherwise specified.

SPECIAL FINISHES

We can furnish any special finish desired providing a sample of special finish accompanies the order, as this enables us to match the finish perfectly without unnecessary delay. For **US 26** (Bright Chromium) and **US 26 D** (Dull Chromium) finishes — see Price List for Additional Costs. Chromium finish not furnished on Cast Iron Items.

TECHNICAL TERMS

"Master Keyed" is a term applied to a series of locks having individual "keys" to each locks, that are not interchangeable, and a master key that will open all of the locks in the series.

"Keyed Alike" is a term applied to a series of locks having keys that are identical and interchangeable.

PATENTS

All the important features of Dexter Latches are fully covered by United States and Foreign patents. Any violations will be vigorously prosecuted to the full extent of the law.

For Prices, Terms, Finish Extras, Etc. — See Price List

Index

Types of Locks and Latches

"A" —Tubular Latch, detail specifications, see page 7. Sets using this type of latch, see pages 28 to 55 inclusive.

"B" —Flat Key Dead Lock, detail specifications, see page 27.

"C" —Flat Key Night Latch, detail specifications, see page27.

"D" —Cylinder Dead Lock, Tubular, detail specifications, see page 26.

"E" —Cylinder Night Latch, Tubular, detail specifications, see page 26.

"F" —Tubular Latch (Narrow Stile & French Doors), detail specifications, see page 7.

"G" —Mortise Knob Lock (Bathroom Doors), detail specifications, see page 75. Sets using this type of latch, see pages 76 to 103 inclusive.

"J" —Mortise Knob Lock (Narrow Stile & French Doors), detail specifications, see page 75.

"K" —Mortise Knob Lock, detail specifications, see page 75. Sets using this type of latch, see pages 76 to 103 inclusive.

"R" —Entrance Lock Set, Tubular, with Dead Lock. Sets using this type of lock, see pages 11 to 25 inclusive.

"S" —Entrance Lock Set, Tubular, with Night Latch. Sets using this type of latch, see pages 10 to 24 inclusive.

"AB" —Combination type "A" Latch with type "B" Dead Lock. Illustration of set, see page 27.

"AC" —Combination type "A" Latch with type "C" Night Latch. Illustration of set, see page 27.

"AD" —Combination type "A" Latch with type "D" Dead Lock. Illustration of set, see page 26.

"AE" —Combination type "A" Latch with type "E" Night Latch. Illustration of set, see page 26.

"WA"—Cylinder Mortise Lock-Handle one side, cylinder one side — detail specifications, see page 56. Sets using this type of Entrance Lock, see pages 58 to 72 inclusive.

"WB" —Cylinder Mortise Lock-Handle one side, cylinders both sides — detail specifications, see page 56. Sets using this type of Entrance Lock, see pages 58 to 72 inclusive.

"WC"—Cylinder Mortise Lock-Handle both sides, cylinders both sides — detail specifications, see page 56. Sets using this type of Entrance Lock, see pages 59 to 73 inclusive.

"WD"—Cylinder Mortise Lock-Knobs both sides, cylinder one side -- detail specifications, see page 57. Sets illustrating this type of Entrance Lock, see pages 57 and 74.

"WE" —Cylinder Mortise Lock-Knobs both sides, cylinder both sides — detail specifications, see page 57. Sets illustrating this type of Entrance Lock, see pages 57 and 74.

"WH"—Cylinder Mortise Lock-Handles both sides, cylinder one side — detail specifications see page 56. Sets using this type of Entrance Lock, see pages 59 to 73 inclusive.

"WN"—Cylinder Mortise Lock-Knobs both sides, cylinder one side — (Narrow Stile & French Doors) detail specifications, see page 57.

"WM"—Cylinder Mortise Lock-Knobs both sides, cylinders both sides — (Narrow Stile & French Doors) detail specifications, see page 57.

TECHNICAL TERMS

"Dead Lock"—a lock having a bolt with a square head, moved only by the key or thumb turn.

"Night Latch"—a lock having a bolt with a beveled head, actuated by a spring. Cannot be operated from outside except by key.

DESCRIPTION OF FINISHES

All National Brass Co. products are furnished in standard finishes, as recommended by the United States Bureau of Standards, which are as follows:

No.	Finish	No.	Finish
US 3	Polished Brass or Brass Plate	US 14	Polished Nickel
US 4	Dull Brass	US 15	Dull Nickel
US 5	Dull Brass, Oxidized, Relieved	US 16	Sanded Nickel
US 6	Sanded Brass	*US 17	Sanded Nickel Raised ornamentation polished (Hi-lited)
*US 7	Sanded Brass Raised ornamentation polished (Hi-lited)	US 19	Sanded Dull Black
US 8	Antique Copper	US 20	Statuary Bronze
US 9	Polished Bronze	US 26	Bright Chromium Plated
US 10	Dull Bronze	US 26 D	Dull Chromium Plated
US 11	Dull Bronze, Oxidized, Relieved	OI	Old Iron
US 12	Sanded Bronze	Etched	Any Finish—See footnote below!
*US 13	Sanded Bronze Raised ornamentation polished (Hi-lited)		

*Limited to ornamental designs. Polishing confined to raised ornamentation, edges not polished.

DURALIN COLORS

WALNUT	YELLOW	ORCHID	BLUE
BLACK	IVORY	GREEN	RED

Etched—is not a complete finish. It is the surface of the metal made to simulate acid etching to which any desired finish is applied. In ordering, always specify finish suffixed with the word, "etched". Example: 121A121-US11etchedXUS11 etched. Available only on items so designated in Price List.

Duralin—is our trade name identifying the material used in the plastic line of hardware. Technically, the plastic Tenite (or Cellulose Acetate Compound) is used for knobs in the light colors. The plastic Plaskon (or Urea Compound) is used for escutcheons in the light colors, Bakelite (Phenolic Formaldehyde) is used exclusively for the walnut and black colors.

Order only by U. S. Standard Finish Numbers (Above)—Always Specify Color of all **"Duralin"** Parts (Above).

HOW TO ORDER
AND
USE THIS CATALOG

The use of this Catalog is an easy procedure that requires only an understanding of its simple system of numbering — and a little care in giving accurately complete details.

Since both Entrance Lock Sets and Interior Door Latches are comprised of three principal elements: (1) Outside Trim, (2) Lock and/or Latch mechanism, (3) Inside Trim; the make-up of each set from the catalog follows that logical procedure. Numbers are assigned to each trim, while letters identify the several lock and/or latch mechanisms. (2) Thus, for example listing a latch set, (1) the outside trim number is specified (2) followed directly by the letter of the type of latch desired (3) and that followed by the inside trim numbers. Example: 135½A136½. Detail description of the Tubular Latch may be found on page 7, detail description of the Mortise Lock on page 75.

INTERIOR LATCH and **LOCK** section of this catalog — upon the left-hand pages are complete latch sets and, therefore, complete numbers under each set. Upon the right-hand pages will be found groupings of trims under the heading "Trims" which means that the escutcheon of each trim on that page is of identical design and material, the difference is entirely with the knob. Any combination of trims may be selected, that is the trim of the outside of door may be of a different design or material than the trim of the inside of door. Example: 135½A0512½. Care must be exercised in giving the proper trim number even though the same design is used on both inside and outside trims as the escutcheon is different between the two — example: 135½ is an outside trim (with keyhole and keys), 136½ is an inside trim of the same design (with thumb-turn).

Caution! Do not erroneously combine trims of the Tubular Latch with trims of the Mortise Lock.

ENTRANCE LOCK SETS . . . The Tubular Lock Set — In using this section of the catalog the procedure is identical with that of locks and latches, however, with additional factors. The Tubular Entrance Lock Sets are offered in two types, namely; Night Latch, and Dead Lock. These two types with the same design handle are placed on opposite pages — but care must be used in not confusing the one with the other, particularly when ordering. For detail description of the Night Latch and Dead Lock, see page 4.

The Mortise Entrance Lock Set section of the catalog is also divided: left-hand pages showing the set with handle one side, right-hand pages with handle both sides.

All Single Handle Tubular and Mortise Entrance Sets available with any trim for inside of door. Ordering Entrance Sets follow the same procedure as for interior latch sets. Example: 8950S121—US10XUS4. The following chart graphically illustrates the method of listing Latch Sets for Inside Doors.

As the complete trim number specifies only the type of knob, type and design of escutcheon (substitute "handles" when listing Entrance Sets) it is essential that the Finish of all Brass parts and color of all Duralin parts be specified. The finish and color specifications should be given directly after the complete latch or entrance set specifications and in exactly the same sequence: (1) outside trim, (2) latch, (3) inside trim, (4) finish of outside trim, (5) finish of inside trim. Example: 135½A136½—US4XUS26D. The separation between specification on the outside trim and the inside trim is always made with the letter X. Often more than one finish or color specification applies to a trim in which case finish or color of the escutcheon is given first followed by finish or color of the knob. Where special or additional requirements are necessary such as special strike, or length of spindle; such desires should be fully written in detail. Description of finishes, see page 5.



MATCHED TRIMS such as Hinge Strap, Letter Plate, Door Knocker and Electric Push Buttons require only the catalog number followed by the finish desired.

The Order Chart below serves as a convenient guide. Fill in each space that applies. (The figures in the chart only illustrate examples) Columns for insertion of "quantity" and "special information" have been omitted from the chart.

	COMPLETE LATCH NO.			COMPLETE FINISH AND COLOR SPECIFICATIONS						
	OUTSIDE	LATCH	INSIDE	OUTSIDE TRIM			*X	INSIDE TRIM		
	Trim No.	Style	Trim No.	Escutcheon	Knob	Knob Insert	X	Escutcheon	Knob	Knob Insert
		A-F-K-G-J		Finish or Color	Finish or Color	Finish or Color	X	Finish or Color	Finish or Color	Finish or Color
Example A	135	A	135	US4	....	....	X	US14	....	....
Example B	0511½	A	0512½	Ivory	Ivory	US26	X	Black	Black	Red
Example C	0511½	A	176½	Orchid	Ivory	Orchid	X	US26	....	....

*(Insert Letter "X" between finish or color of Outside and Inside Trim.)

Example A — 135A135 — US4XUS14 (Latch Set illustrated on page 41).

Example B —0511½A0512½ — Ivory, Ivory US26 X Black, Black Red (Latch Set illustrated on page 38).

Example C — 0511½A176½ — Orchid, Ivory Orchid X US26 (Latch Set illustrated on page 38 combined with Trim on page 41).

TUBULAR LATCHES

(Cuts full size)

Type "A" Latch

Patented

Part Numbers
Type "A" Latch

No.	Description
1	Face Plate
2	Latch Bolt
3	Case Halves
4	Retainer
5	Swivels
6	End Cap
7	Latch Spring
8	Bolt Spring
*9	Spindle



Spindle: 3/8" x 20 thread, 9/32" Square.

*Spindles regularly furnished for doors 1 3/8" to 1 3/4" thick. For doors of greater thickness always specify on order.

Case Length—3 3/4 inches.
Case Diameter—15/16 inch.
Backset—2 1/2 inches.
Face Plate—2 3/8 x 1 1/16 inches.

All exposed parts including strike, wood screws, are solid **Brass**. Other parts: cold rolled **Steel**, electro galvanized.
Double coil springs assure quick, free action.

Type "F" Latch

Patented

Part Numbers
Type "F" Latch

No.	Description
1	Face Plate—Case Assembly
2	Latch Bolt Assembly
3	Latch Spring
4	Spindle



For Narrow Stile Doors

(Adaptable to Rabbeted Doors—No Face Plate furnished when used with Rabbeted Strikes—See page 9.)

Spindle: 3/8" x 20 thread. 9/32" Square.

Case Length—2 21/32 inches.
Case Diameter—5/8 inch.
Backset—1 3/4 inches.
Face Plate—2 3/8 x 7/8 inches.

All exposed parts including strike, wood screws, latch, seamless case, are solid **Brass**. Other parts: cold rolled **Steel**, electro galvanized.
Double coil springs assure quick, free action.

INSTALLATION

Bore two round holes according to printed instructions packed with every set. Latch fits either right-hand or left-hand doors.

Dexter Bit Guide and Rose and Escutcheon Guide



Instructions for Using Bit Guide

Place Bit Guide on door at any height desired for latch. Tighten thumb-screws.

Bore 15/16" hole in edge of door and spot through small hole in clamp for spindle hole on face of door.

Remove Bit Guide and bore 15/16" hole in face of door.

No. 1199 Bit Guide Set
(Furnished with $\frac{15}{16}$" Bit)
For use in installation of Type "A" Tubular Latches.

No. 2000 Bit Guide Set
For use in installation of Type "A," Type "F," and Combination Screen and Storm Door Latches. (Same as No. 1199 except furnished with removable bushing for both $\frac{15}{16}$" and $\frac{5}{8}$" bit.

Instructions for Using Dexter Rose and Escutcheon Guide

Insert spindle in latch — place roses or escutcheons on spindle — screw guide nuts on spindle tight against roses or escutcheons to hold them in proper location — insert screws and then release guides. By this application the base of knobs are centered in roses or in escutcheons which permits them to turn freely.



No. 1198 Rose and Escutcheon Guide



One Rose and Escutcheon Guide packed with each Dexter Bit Guide

Designs of Strikes

(Full size)



A-138
BRASS
Short Lip



A-415
BRASS
Medium Lip



A-515
BRASS
Straight Lip



A-529
BRASS
Long Lip



A-530
BRASS
Box Type
Used in conjunction with A-415, A-515 and A-529 Strikes.



No. 390
BRASS
Rabbeted Strike Set



A-5448
CAST BRASS
Front View



A-5448
CAST BRASS
Back View



A-455
BRASS
Dead Lock Strike

Entrance Lock Sets — Tubular — Cast Brass or Bronze

Patented



Entrance Set Illustrated

No. 8650 S 1121 with Night Latch

(½ actual size)

— REVERE —

— With Night Latch —

No. 8650 S ..... (add inside Trim No.).
(Example: 8650 S 1121 US 3 x US 4)

Inside Trim. Any Trim desired, see pages 28 to 55 inclusive.

Finishes. Outside Trim: Polished Brass (US 3), Dull Brass (US 4), Polished Bronze (US 9), Dull Bronze (US 10). Inside Trim: Always specify finish of all Brass parts and color of all Duralin parts, see page 5.

Spring Night Latch. Fitted with Dexter Five Pin Tumbler Cylinder outside—Knob Turn inside. Furnished in any number of key changes, with master key, or keyed alike.—Furnished with 3 keys.

Dexter Locks and Latches. Adaptable for either right-hand or left-hand doors.

Door Thickness. Sets regularly packed for 1¾" doors . . . for other thicknesses, specify on order.

Materials. All exposed parts: Solid **Brass** or **Bronze**. All other parts cold rolled electro-galvanized Steel.

Dimensions. Latches: Case length, 3¾ inches; Case diameter, $\frac{15}{16}$ inch; Backset, 2½ inches.

Packing. One complete set in a box with installation instructions.

Matched Trims

Cast Brass or **Bronze**



No. 5320

CAST BRASS Door Knocker

Dimensions. 7½" x 3¼".

Finishes. To match Entrance Lock Sets.

Entrance Lock Sets — Tubular — Cast Brass or Bronze

Patented

— REVERE —

— With Dead Lock —

No. 8600 R.....(add inside Trim No.)

(Example: 8600 R 125 US 10 x US 10)

Inside Trim. Any Trim desired, see pages 28 to 55 inclusive.

Finishes. Outside Trim: Polished Brass (US 3), Dull Brass (US 4), Polished Bronze (US 9), Dull Bronze (US 10). Inside Trim: Always specify finish of all Brass parts and color of all Duralin parts, see page 5.

Dead Lock. Fitted with Dexter Five Pin Tumbler Cylinder outside — Knob Turn inside. Furnished in any number of key changes, with master key or keyed-alike. — Furnished with 3 keys.

Dexter Locks and Latches. Adaptable for either right-hand or left-hand doors.

Door Thickness. Sets regularly packed for 1¾" doors . . . for other thicknesses, specify on order.

Materials. All exposed parts: Solid **Brass** or **Bronze**. All other parts cold rolled electro-galvanized Steel.

Dimensions. Latches: Case length, 3¾ inches; Case diameter, $\frac{15}{16}$ inch; Backset, 2½ inches.

Packing. One complete set in a box with installation instructions.



Entrance Set Illustrated No. 8600 R 161 with Dead Lock

(½ actual size)

Matched Trims

Cast Brass or **Bronze**



No. 5008
Electric Push Button
Dimensions. 2¼"x3¼".



No. 5603—Mail Plate

Finish. Outside: To Match Entrance Lock Set. Inside: Any finish desired, see page 5.

Dimensions. Outside Plate: 10"x 3½". Opening: 7½"x2". Back Plate: 9½"x3½". Opening: 7¾"x2¼".

Finishes. To match Entrance Lock Sets.

Entrance Lock Sets — Tubular — Cast Brass or Bronze

Patented



Entrance Set Illustrated

No. 8350 S 121 with Night Latch

(½ actual size)

— MILTON —

— With Night Latch —

No. 8350 S . . . . . (add Inside Trim No.)

(Example: 8350 S 121 US 7 x US 4)

Inside Trim. Any Trim desired, see pages 28 to 55 inclusive.

Finishes. Outside Trim: Sanded Brass Hi-lited (US 7) or Sanded Bronze Hi-lited (US 13). Inside Trim: Always specify finish of all Brass parts and color of all Duralin parts, see page 5.

Spring Night Latch. Fitted with Dexter Five Pin Tumbler Cylinder outside—Knob Turn Inside. Furnished in any number of key changes with master key or keyed-alike. — Furnished with 3 keys.

Dexter Locks and Latches. Adaptable for either right-hand or left-hand doors.

Door Thickness. Sets regularly packed for 1¾" doors . . . for other thicknesses, specify on order.

Materials. All exposed parts: Solid **Brass** or **Bronze**. All other parts cold rolled electro-galvanized Steel.

Dimensions. Latches: Case length, 3¾ inches; Case diameter, $\frac{15}{16}$ inch; Backset, 2½ inches.

Packing. One complete set in a box with installation instructions.

Matched Trims

Cast Brass or **Bronze**



No. 5331

CAST BRASS Door Knocker

Dimensions. 8"x2½"

Finishes. To match Entrance Lock Sets.

Entrance Lock Sets — Tubular — Cast Brass or Bronze

Patented

— MILTON —

— With Dead Lock —

No. 8300 R . . . . . (add inside Trim No.)

(Example: 8300 R 175 US 13 x US 13)

Inside Trim. Any Trim desired, see pages 28 to 55 inclusive.

Finishes. Outside Trim: Sanded Brass Hi-lited (US 7) or Sanded Bronze Hi-lited (US 13). Inside Trim: Always specify finish of all Brass parts and color of all Duralin parts, see page 5.

Dead Lock. Fitted with Dexter Five Pin Tumbler Cylinder outside — Knob Turn inside. Furnished in any number of key changes, with master key or keyed-alike. — Furnished with 3 keys.

Dexter Locks and Latches. Adaptable for either right-hand or left-hand doors.

Door Thickness. Sets regularly packed for 1¾" doors . . . for other thicknesses, specify on order.

Materials. All exposed parts: Solid **Brass** or **Bronze**. All other parts cold rolled electro-galvanized Steel.

Dimensions. Latches: Case length, 3¾ inches; Case diameter, $\frac{15}{16}$ inch; Backset, 2½ inches.

Packing. One complete set in a box with installation instructions.



Entrance Set Illustrated No. 8300 R 161 with Dead Lock

(½ actual size)

Matched Trims

Cast Brass or **Bronze**



No. 5009
Electric Push Button
Dimensions. 2¼"x¾".



No. 5603—Mail Plate

Finish. Outside: To match Entrance Lock Set. Inside: Any finish desired, see page 5.

Dimensions. Outside Plate: 10"x 3½". Opening: 7½"x2". Back Plate: 9½"x3½". Opening: 7¾"x2¼".

Finishes. To match Entrance Lock Sets.

Entrance Lock Sets — Tubular — Cast Brass or Bronze

Patented

— CENTURY —

— With Night Latch —

No. 8150 S . . . . . (add inside Trim No.)

(Example: 8150 S 511-US 13 x Walnut US 20)





Entrance Set Illustrated No. 8150 S 511 with Night Latch

(½ actual size)

Inside Trim. Any Trim desired, see pages 28 to 55 inclusive.

Finishes. Outside Trim: Sanded Brass Hi-lited (US 7), Sanded Bronze Hi-lited (US 13) or Sanded Dull Black with Chrome Hi-lites (US 19-26). Inside Trim: Always specify finish of all Brass parts and color of all Duralin parts, see page 5.

Spring Night Latch. Fitted with Dexter Five Pin Tumbler Cylinder outside—Knob Turn Inside. Furnished in any number of key changes with master key or keyed-alike. — Furnished with 3 keys.

Dexter Locks and Latches. Adaptable for either right-hand or left-hand doors.

Door Thickness. Sets regularly packed for 1¾" doors . . . for other thicknesses, specify on order.

Materials. All exposed parts: Solid **Brass** or **Bronze**. All other parts cold rolled electro-galvanized Steel.

Dimensions. Latches: Case length, 3¾ inches; Case diameter, $\frac{15}{16}$ inch; Backset, 2½ inches.

Packing. One complete set in a box with installation instructions.

Matched Trims

Cast Brass or **Bronze**



No. 1668—24" Hinge Strap

No. 1669—18" Hinge Strap

Finishes. To match Entrance Lock Sets.



Cat. No. 1670 — Right Hand
Cat. No. 1671 — Left Hand

Material — Cast Brass or Bronze.

Finishes — Sanded Brass Hi-lited (US-7); Sanded Bronze Hi-lited (US-13); or Sanded Dull Black with Chrome Hi-lited (US-19 x 26)

Packed Weight — Per each, 3 lbs.

This Hinge Strap will center on a door 36 inches wide with circle top cut on an 18-inch radius.

Hinge Strap illustrated is left-hand.

Entrance Lock Sets—Tubular—Cast Brass or Bronze

Patented

— CENTURY —

— With Dead Lock —

No. 8100 R .....(add inside Trim No.)

(Example: 8100 R 135-US 13 x US 3)

Inside Trim. Any Trim desired, see pages 28 to 55 inclusive.

Finishes. Outside Trim: Sanded Brass Hi-lited (US 7), Sanded Bronze Hi-lited (US 13) or Sanded Dull Black with Chrome Hi-lites (US 19-26). Inside Trim: Always specify finish of all Brass parts and color of all Duralin parts, see page 5.

Dead Lock. Fitted with Dexter Five Pin Tumbler Cylinder outside — Knob Turn inside. Furnished in any number of key changes, with master key or keyed-alike. — Furnished with 3 keys.

Dexter Locks and Latches. Adaptable for either right-hand or left-hand doors.

Door Thickness. Sets regularly packed for 1¾" doors . . . for other thicknesses, specify on order.

Materials. All exposed parts: Solid **Brass** or **Bronze**. All other parts cold rolled electro-galvanized Steel.

Dimensions. Latches: Case length, 3¾ inches; Case diameter, $\frac{15}{16}$ inch; Backset, 2½ inches.

Packing. One complete set in a box with installation instructions.





Entrance Set Illustrated No. 8100 R 135 with Dead Lock

(½ actual size)

Matched Trims

Cast Brass or **Bronze**



No. 5603—Mail Plate

Finish. Outside: To match Entrance Lock Set. Inside: Any finish desired, see page 5.

Dimensions. Outside Plate: 10"x 3½". Opening: 7½"x2". Back Plate: 9½"x3½". Opening: 7¾"x2¼".



No. 5330—Door Knocker

Dimensions. 4¾" Diameter Ring

Finishes. To Match Entrance Lock Sets.



No. 5004

Electric Push Button

Dimensions. 3"x2".

NATIONAL BRASS CO. MFRS. BUILDERS HOWE. GRAND RAPIDS MICHIGAN

Entrance Lock Sets — Tubular — Cast Brass or Bronze

Patented



Entrance Set Illustrated

No. 8950 S 121 with Night Latch

(½ actual size)

— PLYMOUTH —

— With Night Latch —

No. 8950 S.....(add inside Trim No.)

(Example: 8950 S 121-US 9 x US 9)

Inside Trim. Any Trim desired, see pages 28 to 55 inclusive.

Finishes. Outside Trim: Polished Brass (US 3), Dull Brass (US 4), Polished Bronze (US 9) or Dull Bronze (US 10). Inside Trim: Always specify finish of all Brass parts and Color of all Duralin parts, see page 5.

Spring Night Latch. Fitted with Dexter Five Pin Tumbler Cylinder outside—Knob turn inside. Furnished in any number of key changes with master key or keyed-alike. — Furnished with 3 keys.

Dexter Locks and Latches. Adaptable for either right-hand or left-hand doors.

Door Thickness. Sets regularly packed for 1¾" doors . . . for other thicknesses, specify on order.

Materials. All exposed parts: Solid **Brass** or **Bronze**. All other parts cold rolled electro-galvanized Steel.

Dimensions. Latches: Case length, 3¾ inches; Case diameter, $\frac{15}{16}$ inch; Backset, 2½ inches.

Packing. One complete set in a box with installation instructions.

Matched Trims

Cast Brass or **Bronze**



No. 5300
CAST BRASS Door Knocker
Dimensions. 6½"x2¾".

Finishes. To match Entrance Lock Sets.

Entrance Lock Sets — Tubular — Cast Brass or Bronze

Patented

— PLYMOUTH —

— With Dead Lock —

No. 8900 R . . . . . (add inside Trim No.)

(Example: 8900 R 161-US 4 x US 4)

Inside Trim. Any Trim desired, see pages 28 to 55 inclusive.

Finishes. Outside Trim: Polished Brass (US 3), Dull Brass (US 4), Polished Bronze (US 9) or Dull Bronze (US 10). Inside Trim: Always specify finish of all Brass parts and color of all Duralin parts, see page 5.

Dead Lock. Fitted with Dexter Five Pin Tumbler Cylinder outside—Knob Turn inside. Furnished in any number of key changes, with master key or keyed-alike. — Furnished with 3 keys.

Dexter Locks and Latches. Adaptable for either right-hand or left-hand doors.

Door Thickness. Sets regularly packed for 1¾" doors . . . for other thicknesses, specify on order.

Materials. All exposed parts: Solid **Brass** or **Bronze**. All other parts cold rolled electro-galvanized Steel.

Dimensions. Latches: Case length, 3¾ inches; Case diameter, $\frac{15}{16}$ inch; Backset, 2½ inches.

Packing. One complete set in a box with installation instructions.

Matched Trims

Cast Brass or **Bronze**



No. 5005

Electric Push Button

Dimensions. 2⅜"x1¾".



No. 5603—Mail Plate

Finish. Outside: To match Entrance Lock Set. Inside: Any finish desired, see page 5.

Dimensions. Outside Plate: 10"x 3½". Opening: 7½"x2". Back Plate: 9½"x3½". Opening: 7¾"x2¼".

Finishes. To match Entrance Lock Sets.



Entrance Set Illustrated

No. 8900 R 161 with Dead Lock

(½ actual size)

Entrance Lock Sets — Tubular — Cast Brass or Bronze

Patented



Entrance Set Illustrated

No. 8750 S 121 with Night Latch

(½ actual size)

— YORK —

— With Night Latch —

No. 8750 S . . . . . (add inside Trim No.)
(Example: 8750 S 121-US 13 x US 3)

Inside Trim. Any Trim desired, see pages 28 to 55 inclusive.

Finishes. Outside Trim: Old Iron, Sanded Brass Hi-lited (US 7) or Sanded Bronze Hi-lited (US 13). Inside Trim: Always specify finish of all Brass parts and color of all Duralin parts, see page 5.

Spring Night Latch. Fitted with Dexter Five Pin Tumbler Cylinder outside—Knob Turn inside. Furnished in any number of key changes with master key or keyed-alike. — Furnished with 3 keys.

Dexter Locks and Latches. Adaptable for either right-hand or left-hand doors.

Door Thickness. Sets regularly packed for 1¾" doors . . . for other thicknesses, specify on order.

Materials. All exposed parts: Solid **Brass** or **Bronze**. All other parts cold rolled electro-galvanized Steel.

Dimensions. Latches: Case length, 3¾ inches; Case diameter, $\frac{15}{16}$ inch; Backset, 2½ inches.

Packing. One complete set in a box with installation instructions.

Matched Trims

Cast Brass or **Bronze**



No. 1662—24" Hinge Strap
No. 1663—18" Hinge Strap

Finishes. To match Entrance Lock Sets.



Cat. No. 1657 — Right Hand
Cat. No. 1658 — Left Hand

Material — Cast Brass or Bronze.
Finishes — Old Iron; Sanded Brass Hi-lited (US-7); or Sanded Bronze Hi-lited (US-13).
Packed Weight — Per each, 3 lbs.
This Hinge Strap will center on a door 36 inches wide with circle top cut on an 18-inch radius.

Hinge Strap illustrated is left-hand.

Entrance Lock Sets—Tubular—Cast Brass or Bronze

Patented

— YORK —

— With Dead Lock —

No. 8700 R .....(add Inside Trim No.)

(Example: 8700 R 161-US 7 x US 4)

Inside Trim. Any Trim desired, see pages 28 to 55 inclusive.

Finishes. Outside Trim: Old Iron, Sanded Brass Hi-lited (US 7) or Sanded Bronze Hi-lited (US 13). Inside Trim: Always specify finish of all Brass parts and color of all Duralin parts, see page 5.

Dead Lock. Fitted with Dexter Five Pin Tumbler Cylinder outside — Knob Turn inside. Furnished in any number of key changes, with master key or keyed-alike. — Furnished with 3 keys.

Dexter Locks and Latches. Adaptable for either right-hand or left-hand doors.

Door Thickness. Sets regularly packed for 1¾" doors . . . for other thicknesses, specify on order.

Materials. All exposed parts: Solid **Brass** or **Bronze**. All other parts cold rolled electro-galvanized Steel.

Dimensions. Latches: Case length, 3¾ inches; Case diameter, $\frac{15}{16}$ inch; Backset, 2½ inches.

Packing. One complete set in a box with installation instructions.



Entrance Set Illustrated No. 8700 R 121 with Dead Lock

(½ actual size)

Matched Trims

Cast Brass or Bronze



No. 5603—Mail Plate

Finish. Outside: To match Entrance Lock Set. Inside: Any finish desired, see page 5.

Dimensions. Outside Plate: 10"x 3½". Opening: 7½"x2". Back Plate: 9½"x3½". Opening: 7¾"x2¼".



No. 5328—Door Knocker
Dimensions. 8¼"x2½".

Finishes. To match Entrance Lock Sets.



No. 5002
Electric Push Button
Dimensions. 3"x2⅜".

Entrance Lock Sets—Tubular—Cast Brass or Bronze

Patented



Entrance Set Illustrated No. 8050 S 165 with Night Latch

(½ actual size)

— BERKSHIRE —

— *With Night Latch* —

No. 8050 S .....(add Inside Trim No.)

(Example: 8050 S 165-US 7 x US 4)

Inside Trim. Any Trim desired, see pages 28 to 55 inclusive.

Finishes. Outside Trim: Old Iron, Sanded Brass Hi-lited (US 7) or Sanded Bronze Hi-lited (US 13). Inside Trim: Always specify finish of all Brass parts and color of all Duralin parts, see page 5.

Spring Night Latch. Fitted with Dexter Five Pin Tumbler Cylinder outside—Knob Turn Inside. Furnished in any number of key changes with master key or keyed-alike. — Furnished with 3 keys.

Dexter Locks and Latches. Adaptable for either right-hand or left-hand doors.

Door Thickness. Sets regularly packed for 1¾" doors . . . for other thicknesses, specify on order.

Materials. All exposed parts: Solid **Brass** or **Bronze**. All other parts cold rolled electro-galvanized Steel.

Dimensions. Latches: Case length, 3¾ inches; Case diameter, $\frac{15}{16}$ inch; Backset, 2½ inches.

Packing. One complete set in a box with installation instructions.

Matched Trims

Cast Brass or **Bronze**



No. 1662—24" Hinge Strap

No. 1663—18" Hinge Strap

Finishes. To match Entrance Lock Sets.



Cat. No. 1657 — Right Hand
Cat. No. 1658 — Left Hand

Material — Cast Brass or Bronze.

Finishes — Old Iron; Sanded Brass Hi-lited (US-7); or Sanded Bronze Hi-lited (US-13).

Packed Weight — Per each, 3 lbs.

This Hinge Strap will center on a door 36 inches wide with circle top cut on an 18-inch radius.

Hinge Strap illustrated is left-hand.

Entrance Lock Sets — Tubular — Cast Brass or Bronze

Patented

— BERKSHIRE —

— *With Dead Lock* —

No. 8000 R .....(add Inside Trim No.)
(Example: 8000 R 121-US 7 x US 6)

Inside Trim. Any Trim desired, see pages 28 to 55 inclusive.

Finishes. Outside Trim: Old Iron, Sanded Brass Hi-lited (US 7) or Sanded Bronze Hi-lited (US 13). Inside Trim: Always specify finish of all Brass parts and color of all Duralin parts, see page 5.

Dead Lock. Fitted with Dexter Five Pin Tumbler Cylinder outside — Knob Turn inside. Furnished in any number of key changes, with master key or keyed-alike. — Furnished with 3 keys.

Dexter Locks and Latches. Adaptable for either right-hand or left-hand doors.

Door Thickness. Sets regularly packed for 1¾" doors . . . for other thicknesses, specify on order.

Materials. All exposed parts: Solid **Brass** or **Bronze**. All other parts cold rolled electro-galvanized Steel.

Dimensions. Latches: Case length, 3¾ inches; Case diameter, $\frac{15}{16}$ inch; Backset, 2½ inches.

Packing. One complete set in a box with installation instructions.





Entrance Set Illustrated No. 8000 R 121 with Dead Lock

(½ actual size)

Matched Trims

Cast Brass or Bronze



No. 5603—Mail Plate

Finish. Outside: To match Entrance Lock Set. Inside: Any finish desired, see page 5.

Dimensions. Outside Plate: 10"x 3½". Opening: 7½"x2". Back Plate: 9½"x3½". Opening: 7¾"x2¼".



No. 5000
Electric Push Button
Dimensions. 3⅜"x2⅛".



No. 5326—Door Knocker
Dimensions. 8"x2⅜".
Finishes. To match Entrance Lock Sets.

Entrance Lock Sets — Tubular — Cast Brass or Bronze

Patented



Entrance Set Illustrated No. 8850 S 121 with Night Latch

(½ actual size)

— VALENCIA —

— *With Night Latch* —

No. 8850 S .....(add Inside Trim No.)
(Example: 8850 S 503-OI x Walnut US 20)

Inside Trim. Any Trim desired, see pages 28 to 55 inclusive.

Finishes. Outside Trim: Old Iron only. Inside Trim: Always specify finish of all Brass parts and color of all Duralin parts, see page 5.

Spring Night Latch. Fitted with Dexter Five Pin Tumbler Cylinder outside—Knob Turn Inside. Furnished in any number of key changes with master key or keyed-alike. — Furnished with 3 keys.

Dexter Locks and Latches. Adaptable for either right-hand or left-hand doors.

Door Thickness. Sets regularly packed for 1¾" doors . . . for other thicknesses, specify on order.

Materials. All exposed parts: Solid **Brass** or **Bronze**. All other parts cold rolled electro-galvanized Steel.

Dimensions. Latches: Case length, 3¾ inches; Case diameter, $\frac{15}{16}$ inch; Backset, 2½ inches.

Packing. One complete set in a box with installation instructions.

Matched Trims

Cast Brass or **Bronze**



No. 1666—22" Hinge Strap

No. 1667—18" Hinge Strap

Finishes. Old Iron only.



Cat. No. 1665 (Reversible)

Material — Cast Brass.
Finish — Old Iron only.
Packed Weight — Per each, 3 lbs.
This Hinge Strap will center on a door 36 inches wide with circle top cut on an 18-inch radius.

Reversible.

Entrance Lock Sets—Tubular—Cast Brass or Bronze

Patented

— VALENCIA —

— With Dead Lock —

No. 8800 R .....(add Inside Trim No.)

(Example 8800 R 161-OI x US 26)

Inside Trim. Any Trim desired, see pages 28 to 55 inclusive.

Finishes. Outside Trim: Old Iron only. Inside Trim: Always specify finish of all Brass parts and color of all Duralin parts, see page 5.

Dead Lock. Fitted with Dexter Five Pin Tumbler Cylinder outside — Knob Turn inside. Furnished in any number of key changes, with master key or keyed-alike. — Furnished with 3 keys.

Dexter Locks and Latches. Adaptable for either right-hand or left-hand doors.

Door Thickness. Sets regularly packed for 1¾" doors . . . for other thicknesses, specify on order.

Materials. All exposed parts: Solid **Brass** or **Bronze**. All other parts cold rolled electro-galvanized Steel.

Dimensions. Latches: Case length, 3¾ inches; Case diameter, $\frac{15}{16}$ inch; Backset, 2½ inches.

Packing. One complete set in a box with installation instructions.



Entrance Set Illustrated

No. 8800 R 161 with Dead Lock

(½ actual size)

Matched Trims

Cast Brass or **Bronze**



No. 5661—Mail Plate

Finish. Outside: Old Iron only; Inside: any finish desired, see page 5.

Dimensions. Outside Plate: 10"x 3½". Opening: 7½"x2". Back Plate 9½"x3¼". Opening: 7¾"x 2¼".



No. 5329—Door Knocker

Dimensions. 8"x4".

Finishes. Old Iron only.



No. 5003—Electric Push Button

Dimensions. 3⅛"x2⅛".

Entrance Lock Sets — Tubular — Cast Brass or Bronze

Patented



Entrance Set Illustrated

No. 8450 S 161 with Night Latch

(½ actual size)

— BARCELONA —

— *With Night Latch* —

No. 8450 S . . . . . (add Inside Trim No.)
(Example 8450 S 161-OI x US 3)

Inside Trim. Any Trim desired, see pages 28 to 55 inclusive.

Finishes. Outside Trim: Old Iron only. Inside Trim: Always specify finish of all Brass parts and color of all Duralin parts, see page 5.

Spring Night Latch. Fitted with Dexter Five Pin Tumbler Cylinder outside—Knob Turn inside. Furnished in any number of key changes with master key or keyed-alike. — Furnished with 3 keys.

Dexter Locks and Latches. Adaptable for either right-hand or left-hand doors.

Door Thickness. Sets regularly packed for 1¾" doors . . . for other thicknesses, specify on order.

Materials. All exposed parts: Solid **Brass** or **Bronze**. All other parts cold rolled electro-galvanized Steel.

Dimensions. Latches: Case length, 3¾ inches; Case diameter, $1\frac{5}{16}$ inch; Backset, 2½ inches.

Packing. One complete set in a box with installation instructions.

Matched Trims

Cast Brass or **Bronze**



No. 1660—24" Hinge Strap

No. 1661—18" Hinge Strap

Finishes. Old Iron only.



Cat. No. 1659 (Reversible)

Material — Cast Brass.
Finish — Old Iron only.
Packed Weight — Per each, 3½ lbs.
This Hinge Strap will center on a door 36 inches wide with circle top cut on an 18-inch radius.

Reversible.

Entrance Lock Sets — Tubular — Cast Brass or Bronze

Patented

— BARCELONA —

— With Dead Lock —

No. 8400 R .....(add Inside Trim No.)
(Example: 8400 R 121-OI x US 4)

Inside Trim. Any Trim desired, see pages 28 to 55 inclusive.

Finishes. Outside Trim: Old Iron only. Inside Trim: Always specify finish of all Brass parts and color of all Duralin parts, see page 5.

Dead Lock. Fitted with Dexter Five Pin Tumbler Cylinder outside—Knob Turn inside. Furnished in any number of key changes, with master key or keyed-alike. — Furnished with 3 keys.

Dexter Locks and Latches. Adaptable for either right-hand or left-hand doors.

Door Thickness. Sets regularly packed for 1¾" doors . . . for other thicknesses, specify on order.

Materials. All exposed parts: Solid **Brass** or **Bronze**. All other parts cold rolled electro-galvanized Steel.

Dimensions. Latches: Case length, 3¾ inches; Case diameter, $\frac{15}{16}$ inch; Backset, 2½ inches.

Packing. One complete set in a box with installation instructions.



Entrance Set Illustrated No. 8400 R 121 With Dead Lock

(½ actual size)

Matched Trims

Cast Brass or **Bronze**



No. 5660—Mail Plate

Finish. Outside: Old Iron only. Inside: Any finish desired, see page 5.

Dimensions. Outside Plate: 10"x 3½". Opening: 7½"x2". Back Plate: 9½"x3¼". Opening: 7¾"x2¼".



No. 5327—Door Knocker
Dimensions. 5½"x3".
Finishes. Old Iron only.



No. 5001
Electric Push Button
Dimensions. 2⅝"x2⅞".

"5" Pin Tumbler Cylinder Locks

(For Exterior Doors)

Patented

Type "D"
DEAD LOCK



Type "E"
SPRING NIGHT LATCH



Finishes. Any finish desired. Always specify on order. See page 5.
Dimensions. Case Length: 3¾ inches; Case Diameter: $\frac{15}{16}$ inch; Backset: 2½ inches.
Keys. Furnished in any number of key changes, with master key or keyed-alike — furnished with 3 keys.
Trim. Outside: Dexter Five Pin Tumbler Cylinder—Inside: Cast Brass Oval Knob Turn.
Installation. Adaptable for either right-hand or left-hand doors.
Packing. One set complete in a box with installation instructions.

Cylinder Lock Sets

(For Exterior Doors)

Type "D" or "E" Cylinder Locks used in combination with Tubular Latch Sets make practical Exterior Door Sets.

In ordering, suffix the letter "D" or "E" (whichever style lock is desired) directly after the letter "A" of the latch selected (as illustrated below).





No. 121 AD 121—With Dead Lock

No. 121 AE 121—With Night Latch

Outside Trim 121—2" brass knob; Beverly design plain brass rose—brass pin tumbler cylinder above. For description see page 52.

Type A Latch—See page 7.

Type "D" or **"E" Bolt**—See above.

Inside Trim 121—2" brass knob; Beverly design plain brass rose—brass knob turn above. For description see page 52.

NATIONAL BRASS CO. MFRS. BUILDERS HOWE. GRAND RAPIDS MICHIGAN

Locks for Interior Doors

Patented

(Not Suitable for Exterior Doors)

Type "B"
DEAD LOCK



Type "C"
SPRING NIGHT LATCH



(Cannot be Master Keyed or Keyed alike with 5 Pin Tumbler Locks)

Finishes. Any finish desired. Always specify on order. See page 5.
Dimensions. Case Length: 3¾ inches; Case Diameter: $\frac{15}{16}$ inch; Backset: 2½ inches
Keys. Furnished in 12 key changes — cannot be master keyed — furnished with 2 keys.
Trim. Solid Brass Key Escutcheon. Inside: Cast Brass Oval Knob Turn.
Installation. Adaptable for either right-hand or left-hand doors.
Packing. One set complete in a box with installation instructions.

Interior Door Lock Sets

Type "B" or "C" Locks used in combination with Tubular Latch Sets make practical Interior Door Sets.

In ordering, suffix the letter "B" or "C" (whichever style lock is desired) directly after the letter "A" of the latch selected (as illustrated below).

No. 161 AB 161—With Dead Lock

No. 161 AC 161—With Night Latch

Outside Trim 161—2" glass knob; Beverly design plain brass rose—brass key escutcheon above. For description see page 53.

Type A Latch—See page 7.

Type "B" or **"C" Bolt**—See above.

Inside Trim 161—2" glass knob; Beverly design plain brass rose—brass knob turn above. For description see page 53.



Type "A" — BRASS — Olympian Design

Latch Sets

Patented





No. 1119 A 219—Closet Set With 2" Recessed **BRASS** Knob.

No. 1619 A 219—Closet Set With 1¾" Recessed **BRASS** Knob.

Same as set at lower right except it has Cast Brass Closet-Turn inside.

No. 1119½ A 1120½—Latch Set With 2" Recessed **BRASS** Knobs.

No. 1619½ A 1620½—Latch Set With 1¾" Recessed **BRASS** Knobs.

Outside Trim. Recessed Brass Knob with Olympian Design Brass escutcheon (keyhole and key).

Latch Type "A". Detail description, see page 7.

Inside Trim. Recessed Brass Knob with Olympian Design Brass Locking escutcheon (Thumb-Turn Lock).



No. 1119 A 1119—Latch Set With 2" Recessed **BRASS** Knobs.

No. 1619 A 1619—Latch Set With 1¾" Recessed **BRASS** Knobs.

Same as set in upper center except it has plain escutcheons both sides.

LATCH FOR NARROW STILE DOORS SEE TYPE "F" PAGE 7

BOX STRIKE — AVAILABLE, DESCRIPTION, SEE PAGE 9

Finishes. Any finish or color desired. Always specify on order. See page 5.

Dimensions. Case length: 3¾ inches; Case diameter: 15/16 inch; Backset: 2½ inches.

Materials. All exposed parts: Solid **Duralin, Brass** or **Bronze.** All other parts: cold rolled, electro galvanized steel.

Packing. One set complete in box with installation instructions.

Caution: ALWAYS SPECIFY: (1) Finish of outside Escutcheon; (2) Color or finish of outside Knob and color or finish of Interchangeable Insert Top when used; (3) Separate outside and inside finish with letter "X"; (4) Finish of inside Escutcheon; (5) Color or finish of inside Knob and color or finish of Interchangeable Insert Top when used — detailed description Page 6.

TRIMS—Olympian Design

Patented

For Type "A" Latch Sets



***2" INSERT BRASS** Knob
BRASS escutcheon
Trim **0119** —Plain
Trim **0119½**—Keyhole
Trim **0120½**—Thumb-turn



2" GLASS Knob
BRASS escutcheon
Trim **159** —Plain
Trim **159½**—Keyhole
Trim **160½**—Thumb-turn

2¼" GLASS Knob
BRASS escutcheon
Trim **149** —Plain
Trim **149½**—Keyhole
Trim **150½**—Thumb-turn



2" CUT GLASS Knob
BRASS escutcheon
Trim **319** —Plain
Trim **319½**—Keyhole
Trim **320½**—Thumb-turn

2¼" CUT GLASS Knob
BRASS escutcheon
Trim **309** —Plain
Trim **309½**—Keyhole
Trim **310½**—Thumb-turn



2" PLAIN DURALIN Knob
BRASS escutcheon
Trim **519** —Plain
Trim **519½**—Keyhole
Trim **520½**—Thumb-turn

***2" INSERT DURALIN** Knob
BRASS escutcheon
Trim **0519** —Plain
Trim **0519½**—Keyhole
Trim **0520½**—Thumb-turn



2" PLAIN BRASS Knob
BRASS escutcheon
Trim **119** —Plain
Trim **119½**—Keyhole
Trim **120½**—Thumb-turn

1¾" PLAIN BRASS Knob
BRASS escutcheon
Trim **619** —Plain
Trim **619½**—Keyhole
Trim **620½**—Thumb-turn

2¼" PLAIN BRASS Knob
BRASS escutcheon
Trim **109** —Plain
Trim **109½**—Keyhole
Trim **110½**—Thumb-turn



3¼" Oct. BRASS Lever
BRASS escutcheon
Trim **419** —Plain
Trim **419½**—Keyhole
Trim **420½**—Thumb-turn



3" Rd. BRASS Lever
BRASS escutcheon
Trim **439**— Plain
Trim **439½**—Keyhole
Trim **440½**—Thumb-turn



3" Hex. DURALIN Lever
BRASS escutcheon
Trim **719** —Plain
Trim **719½**—Keyhole
Trim **720½**—Thumb-turn

*Knob furnished with Interchangeable Insert Top

FOR CATALOG NUMBERS OF COMPLETE LATCHSETS, USING ABOVE TRIMS, FOLLOW EXAMPLES ON OPPOSITE PAGE

Type "A" — DURALIN — Wayne Design Latch Sets

Patented

COLORS

IVORY	GREEN
YELLOW	BLUE
RED	ORCHID
BLACK	WALNUT



INTERCHANGEABLE INSERT TOPS

Furnished in **DURALIN** in any stock color or **BRASS** in any standard finish. See Page 5.



No. 531 A 241 Latch Set with **2" PLAIN DURALIN** Knob.

No. 0531 A 241 Latch Set with **2" INSERT DURALIN** Knob.

Same as set at lower right except it has Cast Brass Closet-Turn inside.

No. 531½ A 532½ Latch Set with **2" PLAIN DURALIN** Knobs.

No. 0531½ A 0532½ Latch Set with **2" INSERT DURALIN** Knobs.

Outside Trim—Duralin Knob with Wayne design Duralin Escutcheon (keyhole and key).

Latch Type "A"—Detail description see Page 7.

Inside Trim—Duralin Knob with Wayne design Duralin Locking Escutcheon (thumb-turn lock).



No. 531 A 531 Latch Set with **2" PLAIN DURALIN** Knobs.

No. 0531 A 0531 Latch Set with **2" INSERT DURALIN** Knobs.

Same as set in upper center except it has plain escutcheons both sides.

LATCH FOR NARROW STILE DOORS SEE TYPE "F" PAGE 7

BOX STRIKE — AVAILABLE, DESCRIPTION, SEE PAGE 9

Finishes. Any color or finish desired. Always specify on order. See Page 5.

Exposed Metal Parts of all Duralin Trims except Walnut and Black furnished in US 26 (Chrome) — Face Plate and Strike in US 14 (Nickel).

Dimensions. Case length: 3¾ inches; Case diameter: 15/16 inch; Backset: 2½ inches.

Materials. All exposed parts: Solid **Duralin, Brass** or **Bronze.** All other parts: cold rolled, electro galvanized Steel.

Packing. One set complete in box with installation instructions.

Caution: ALWAYS SPECIFY: (1) Color of outside Escutcheon; (2) Color or finish of outside Knob and color or finish of Interchangeable Insert Top when used; (3) Separate outside and inside finish with letter "X"; (4) Color of inside Escutcheon; (5) Color or finish of inside Knob and color or finish of Interchangeable Insert Top when used — detailed description Page 6.

NATIONAL BRASS CO. MFRS. BUILDERS HOWE. GRAND RAPIDS MICHIGAN

TRIMS—Wayne Design

For Type "A" Latch Sets



2" PLAIN BRASS Knob
DURALIN escutcheon

Trim **133** —Plain
Trim **133½**—Keyhole
Trim **134½**—Thumb-turn

1¾" PLAIN BRASS Knob
DURALIN escutcheon

Trim **633** —Plain
Trim **633½**—Keyhole
Trim **634** —Thumb-turn



***2" INSERT BRASS** Knob
DURALIN escutcheon

Trim **0133** —Plain
Trim **0133½**—Keyhole
Trim **0134½**—Thumb-turn



2" RECESSED BRASS Knob
DURALIN escutcheon

Trim **1133** —Plain
Trim **1133½**—Keyhole
Trim **1134½**—Thumb-turn

1¾" RECESSED BRASS
Knob
DURALIN escutcheon

Trim **1633** —Plain
Trim **1633½**—Keyhole
Trim **1634½**—Thumb-turn



2" GLASS Knob
DURALIN escutcheon

Trim **173** —Plain
Trim **173½**—Keyhole
Trim **174½**—Thumb-turn



2" CUT GLASS Knob
DURALIN escutcheon

Trim **333** —Plain
Trim **333½**—Keyhole
Trim **334½**—Thumb-turn



3" Hex. DURALIN Lever Handle
DURALIN escutcheon

Trim **721** —Plain
Trim **721½**—Keyhole
Trim **722½**—Thumb-turn

*Knob furnished with Interchangeable Insert Top

FOR CATALOG NUMBERS OF COMPLETE LATCHSETS, USING ABOVE TRIMS, FOLLOW EXAMPLES ON OPPOSITE PAGE

Type "A"—BRASS—Craft Design Latch Sets

Patented







No. 123 A 203 Closet Set with 2" BRASS Knob.

No. 623 A 203 Closet Set with 1¾" BRASS Knob.

No. 103 A 203 Closet Set with 2¼" BRASS Knob.

Same as set at lower right except it has Cast Brass Closet-Turn inside.

No. 123½ A 124½ Latch Set with 2" BRASS Knobs.

No. 623½ A 624½ Latch Set with 1¾" BRASS Knobs.

No. 103½ A 104½ Latch Set with 2¼" BRASS Knobs.

Outside Trim—Brass Knob with Craft design Brass Escutcheon (keyhole and key).

Latch Type "A"—Detail description see Page 7.

Inside Trim—Brass Knob with Craft design Brass Locking Escutcheon (thumb-turn lock).

No. 123 A 123 Latch Set with 2" BRASS Knobs.

No. 623 A 623 Latch Set with 1¾" BRASS Knobs.

No. 103 A 103 Latch Set with 2¼" BRASS Knobs.

Same as set in upper center except it has plain escutcheons both sides.

LATCH FOR NARROW STILE DOORS SEE TYPE "F" PAGE 7

BOX STRIKE — AVAILABLE, DESCRIPTION, SEE PAGE 9

Finishes. Any finish or color desired. Always specify on order. See page 5.

Dimensions. Case length: 3¾ inches; Case diameter: 15/16 inch; Backset: 2½ inches.

Materials. All exposed parts: Solid **Duralin, Brass** or **Bronze.** All other parts: cold rolled, electro galvanized steel.

Packing. One set complete in box with installation instructions.

Caution: ALWAYS SPECIFY: (1) Finish of outside Escutcheon; (2) Color or finish of outside Knob and color or finish of Interchangeable Insert Top when used; (3) Separate outside and inside finish with letter "X"; (4) Finish of inside Escutcheon; (5) Color or finish of inside Knob and color or finish of Interchangeable Insert Top when used — detailed description Page 6.

TRIMS — Craft Design

For Type "A" Latch Sets



***2" INSERT BRASS** Knob
BRASS escutcheon

Trim **0123** —Plain
Trim **0123½**—Keyhole
Trim **0124½**—Thumb-turn



2" GLASS Knob
BRASS escutcheon

Trim **163** —Plain
Trim **163½**—Keyhole
Trim **164½**—Thumb-turn

2¼" GLASS Knob
BRASS escutcheon

Trim **143** —Plain
Trim **143½**—Keyhole
Trim **144½**—Thumb-turn



2" CUT GLASS Knob
BRASS escutcheon

Trim **323** —Plain
Trim **323½**—Keyhole
Trim **324½**—Thumb-turn

2¼" CUT GLASS Knob
BRASS escutcheon

Trim **303** —Plain
Trim **303½**—Keyhole
Trim **304½**—Thumb-turn



2" PLAIN DURALIN Knob
BRASS escutcheon

Trim **513** —Plain
Trim **513½**—Keyhole
Trim **514½**—Thumb-turn

***2" INSERT DURALIN** Knob
BRASS escutcheon

Trim **0513** —Plain
Trim **0513½**—Keyhole
Trim **0514½**—Thumb-turn



2" RECESSED BRASS Knob
BRASS escutcheon

Trim **1123** —Plain
Trim **1123½**—Keyhole
Trim **1124½**—Thumb-turn

1¾" RECESSED BRASS Knob
BRASS escutcheon

Trim **1623** —Plain
Trim **1623½**—Keyhole
Trim **1624½**—Thumb-turn



3¼" Oct. BRASS Lever
BRASS escutcheon

Trim **403** —Plain
Trim **403½**—Keyhole
Trim **404½**—Thumb-turn



3" Rd. BRASS Lever
BRASS escutcheon

Trim **423** —Plain
Trim **423½**—Keyhole
Trim **424½**—Thumb-turn



3" Hex. DURALIN Lever
BRASS escutcheon

Trim **725** —Plain
Trim **725½**—Keyhole
Trim **726½**—Thumb-turn

***Knob furnished with Interchangeable Insert Top**

FOR CATALOG NUMBERS OF COMPLETE LATCHSETS, USING ABOVE TRIMS, FOLLOW EXAMPLES ON OPPOSITE PAGE

Type "A" — DURALIN — Tiffany Design Latch Sets

Patented

COLORS

IVORY	GREEN
YELLOW	BLUE
RED	ORCHID
BLACK	WALNUT



INTERCHANGEABLE INSERT TOPS

Furnished in **DURALIN** in any stock color or **BRASS** in any standard finish. See Page 5.



No. 541 A 211 Closet Set with 2" PLAIN DURALIN Knob.

No. 0541 A 211 Closet Set with 2" INSERT DURALIN Knob.

Same as set at lower right except it has Cast Brass Closet-turn inside.

No. 541½ A 542½ Latch Set with 2" PLAIN DURALIN Knobs.

No. 0541½ A 0542½ Latch Set with 2" INSERT DURALIN Knobs.

Outside Trim—Duralin Knob with Tiffany design Duralin escutcheon (keyhole and key).

Latch Type "A"—Detail description see Page 7.

Inside Trim—Duralin knob with Tiffany design Duralin Locking Escutcheon (thumb-turn lock).



No. 541 A 541 Latch Set with 2" PLAIN DURALIN Knobs.

No. 0541 A 0541 Latch Set with 2" INSERT DURALIN Knobs.

Same as set in upper center except it has plain escutcheons both sides.

LATCH FOR NARROW STILE DOORS SEE TYPE "F" PAGE 7
BOX STRIKE — AVAILABLE, DESCRIPTION, SEE PAGE 9

Finishes. Any color or finish desired. Always specify on order. See Page 5.

Exposed Metal Parts of all Duralin Trims except Walnut and Black furnished in US 26 (Chrome) — Face Plate and Strike in US 14 (Nickel).

Dimensions. Case length: 3¾ inches; Case diameter: 15/16 inch; Backset: 2½ inches.

Materials. All exposed parts: Solid **Duralin, Brass** or **Bronze.** All other parts: cold rolled, electro galvanized steel.

Packing. One set complete in box with installation instructions.

Caution: ALWAYS SPECIFY: (1) Color of outside Escutcheon; (2) Color or finish of outside Knob and color or finish of Interchangeable Insert Top when used; (3) Separate outside and inside finish with letter "X"; (4) Color of inside Escutcheon; (5) Color or finish of inside Knob and color or finish of Interchangeable Insert Top when used — detailed description Page 6.

TRIMS — Tiffany Design

Patented

For Type "A" Latch Sets



2" PLAIN BRASS Knob
DURALIN escutcheon
Trim **137** —Plain
Trim **137½**—Keyhole
Trim **138½**—Thumb-turn

1¾" PLAIN BRASS Knob
DURALIN escutcheon
Trim **637** —Plain
Trim **637½**—Keyhole
Trim **638½**—Thumb-turn



***2" INSERT BRASS** Knob
DURALIN escutcheon
Trim **0137** —Plain
Trim **0137½**—Keyhole
Trim **0138½**—Thumb-turn



2" RECESSED BRASS Knob
DURALIN escutcheon
Trim **1137**—Plain
Trim **1137½**—Keyhole
Trim **1138½**—Thumb-turn

1¾" RECESSED BRASS Knob
DURALIN escutcheon
Trim **1637** —Plain
Trim **1637½**—Keyhole
Trim **1638½**—Thumb-turn



2" GLASS Knob
DURALIN escutcheon
Trim **177** —Plain
Trim **177½**—Keyhole
Trim **178½**—Thumb-turn



2" CUT GLASS Knob
DURALIN escutcheon
Trim **337** —Plain
Trim **337½**—Keyhole
Trim **338½**—Thumb-turn



3" Hex. DURALIN Lever
DURALIN escutcheon
Trim **731** —Plain
Trim **731½**—Keyhole
Trim **732½**—Thumb-turn

*Knob furnished with Interchangeable Insert Top

FOR CATALOG NUMBERS OF COMPLETE LATCHSETS, USING ABOVE TRIMS, FOLLOW EXAMPLES ON OPPOSITE PAGE

Type "A"—BRASS—Spartan Design Latch Sets

Patented





No. 167 A 207 Closet Set with 2" GLASS Knob.

No. 147 A 207 Closet Set with 2¼" GLASS Knob.

Same as set at lower right except it has Cast Brass Closet-Turn inside.

No. 167½ A 168½ Latch Set with 2" GLASS Knobs.

No. 147½ A 148½ Latch Set with 2¼" GLASS Knobs.

Outside Trim—Glass Knob with Spartan design Brass Escutcheon (keyhole and key).

Latch Type "A"—Detail description see Page 7.

Inside Trim—Glass Knob with Spartan design Brass Locking Escutcheon (thumb-turn lock).



No. 167 A 167 Latch Set with 2" GLASS Knobs.

No. 147 A 147 Latch Set with 2¼" GLASS Knobs.

Same as set in upper center except it has plain escutcheons both sides.

LATCH FOR NARROW STILE DOORS SEE TYPE "F" PAGE 7

BOX STRIKE — AVAILABLE, DESCRIPTION, SEE PAGE 9

Finishes. Any finish or color desired. Always specify on order. See Page 5.

Dimensions. Case length: 3¾ inches; Case diameter: 15/16 inch; Backset: 2½ inches.

Materials. All exposed parts: Solid **Duralin, Brass** or **Bronze.** All other parts: cold rolled, electro galvanized steel.

Packing. One set complete in box with installation instructions.

Caution: ALWAYS SPECIFY: (1) Finish of outside Escutcheon; (2) Color or finish of outside Knob and color or finish of Interchangeable Insert Top when used; (3) Separate outside and inside finish with letter "X"; (4) Finish of inside Escutcheon; (5) Color or finish of inside Knob and color or finish of Interchangeable Insert Top when used — detailed description Page 6.

TRIMS — Spartan Design

Patented

For Type "A" Latch Sets



*2" INSERT BRASS Knob
BRASS escutcheon

Trim **0127** —Plain
Trim **0127½**—Keyhole
Trim **0128½**—Thumb-turn



2" PLAIN BRASS Knob
BRASS escutcheon

Trim **127** —Plain
Trim **127½**—Keyhole
Trim **128½**—Thumb-turn

1¾" PLAIN BRASS Knob
BRASS escutcheon

Trim **627** —Plain
Trim **627½**—Keyhole
Trim **628½**—Thumb-turn

2¼" PLAIN BRASS Knob
BRASS escutcheon

Trim **107** —Plain
Trim **107½**—Keyhole
Trim **108½**—Thumb-turn



2" CUT GLASS Knob
BRASS escutcheon

Trim **327** —Plain
Trim **327½**—Keyhole
Trim **328½**—Thumb-turn

2¼" CUT GLASS Knob
BRASS escutcheon

Trim **307** —Plain
Trim **307½**—Keyhole
Trim **308½**—Thumb-turn



2" PLAIN DURALIN Knob
BRASS escutcheon

Trim **537** —Plain
Trim **537½**—Keyhole
Trim **538½**—Thumb-turn

*2" INSERT DURALIN Knob
BRASS escutcheon

Trim **0537** —Plain
Trim **0537½**—Keyhole
Trim **0538½**—Thumb-turn



2" RECESSED BRASS Knob
BRASS escutcheon

Trim **1127** —Plain
Trim **1127½**—Keyhole
Trim **1128½**—Thumb-turn

1¾" RECESSED BRASS Knob
BRASS escutcheon

Trim **1627** —Plain
Trim **1627½**—Keyhole
Trim **1628½**—Thumb-turn



3¼" Oct. BRASS Lever
BRASS escutcheon

Trim **407** —Plain
Trim **407½**—Keyhole
Trim **408½**—Thumb-turn



3" Rd. BRASS Lever
BRASS escutcheon

Trim **427** —Plain
Trim **427½**—Keyhole
Trim **428½**—Thumb-turn



3" Hex. DURALIN Lever
BRASS escutcheon

Trim **735** —Plain
Trim **735½**—Keyhole
Trim **736½**—Thumb-turn

*Knob furnished with Interchangeable Insert Top

FOR CATALOG NUMBERS OF COMPLETE LATCHSETS, USING ABOVE TRIMS, FOLLOW EXAMPLES ON OPPOSITE PAGE

Type "A" — DURALIN — Troy Design Latch Sets

Patented

COLORS

IVORY	GREEN
YELLOW	BLUE
RED	ORCHID
BLACK	WALNUT



INTERCHANGEABLE INSERT TOPS

Furnished in **DURALIN** in any stock color or **BRASS** in any standard finish. See Page 5.



No. 511 A 231 Closet Set with 2" PLAIN DURALIN Knob.

No. 0511 A 231 Closet Set with 2" INSERT DURALIN Knob.

Same as set at lower right except it has Cast Brass Closet-Turn inside.

No. 511½ A 512½ Latch Set with 2" PLAIN DURALIN Knobs.

No. 0511½ A 0512½ Latch Set with 2" INSERT DURALIN Knobs.

Outside Trim—Duralin Knob with Troy design Duralin Escutcheon (keyhole and key).

Latch Type "A"—Detail description see Page 7.

Inside Trim—Duralin Knob with Troy design Duralin Locking Escutcheon (thumb-turn lock).



No. 511 A 511 Latch Set with 2" PLAIN DURALIN Knobs.

No. 0511 A 0511 Latch Set with 2" INSERT DURALIN Knobs.

Same as set in upper center except it has plain escutcheons both sides.

LATCH FOR NARROW STILE DOORS SEE TYPE "F" PAGE 7

BOX STRIKE — AVAILABLE, DESCRIPTION, SEE PAGE 9

Finishes. Any finish or color desired. Always specify on order. See Page 5.

Exposed Metal Parts of all Duralin Trims except Walnut and Black furnished in US 26 (Chrome) — Face Plate and Strike in US 14 (Nickel).

Dimensions. Case length: 3¾ inches; Case diameter: 15/16 inch; Backset: 2½ inches.

Materials. All exposed parts: Solid **Duralin, Brass** or **Bronze.** All other parts: cold rolled, electro galvanized steel.

Packing. One set complete in box with installation instructions.

Caution: ALWAYS SPECIFY: (1) Color of outside Escutcheon; (2) Color or finish of outside Knob and color or finish of Interchangeable Insert Top when used; (3) Separate outside and inside finish with letter "X"; (4) Color of inside Escutcheon; (5) Color or finish of inside Knob and color or finish of Interchangeable Insert Top when used — detailed description Page 6.

TRIMS — Troy Design

Patented

For Type "A" Latch Sets



2" PLAIN BRASS Knob
DURALIN escutcheon
Trim **131** —Plain
Trim **131½**—Keyhole
Trim **132½**—Thumb-turn

1¾" PLAIN BRASS Knob
DURALIN escutcheon
Trim **631** —Plain
Trim **631½**—Keyhole
Trim **632½**—Thumb-turn



***2" INSERT BRASS** Knob
DURALIN escutcheon
Trim **0131** —Plain
Trim **0131½**—Keyhole
Trim **0132½**—Thumb-turn



2" RECESSED BRASS Knob
DURALIN escutcheon
Trim **1131** —Plain
Trim **1131½**—Keyhole
Trim **1132½**—Thumb-turn

1¾" RECESSED BRASS Knob
DURALIN escutcheon
Trim **1631** —Plain
Trim **1631½**—Keyhole
Trim **1632½**—Thumb-turn



2" GLASS Knob
DURALIN escutcheon
Trim **171** —Plain
Trim **171½**—Keyhole
Trim **172½**—Thumb-turn



2" CUT GLASS Knob
DURALIN escutcheon
Trim **331** —Plain
Trim **331½**—Keyhole
Trim **332½**—Thumb-turn



3" Hex. DURALIN Lever Handle
DURALIN escutcheon
Trim **711** —Plain
Trim **711½**—Keyhole
Trim **712½**—Thumb-turn

*Knob furnished with Interchangeable Insert Top

FOR CATALOG NUMBERS OF COMPLETE LATCHSETS, USING ABOVE TRIMS, FOLLOW EXAMPLES ON OPPOSITE PAGE

Type "A" — BRASS — Athens Design Latch Sets

Patented

COLORS

IVORY	GREEN
YELLOW	BLUE
RED	ORCHID
BLACK	WALNUT



INTERCHANGEABLE INSERT TOPS

Furnished in **DURALIN** in any stock color or **BRASS** in any standard finish. See Page 5.



No. 515 A 215 Closet Set with **2" PLAIN DURALIN** Knob.

No. 0515 A 215 Closet Set with **2" INSERT DURALIN** Knob.

Same as set at lower right except it has Cast Brass Closet-Turn inside.

No. 515½ A 516½ Latch Set with **2" PLAIN DURALIN** Knobs.

No. 0515½ A 0516½ Latch Set with **2" INSERT DURALIN** Knobs.

Outside Trim—Duralin Knob with Athens design Brass Escutcheon (keyhole and key).

Latch Type "A"—Detail description see Page 7.

Inside Trim—Duralin Knob with Athens design Brass Locking Escutcheon (thumb-turn lock).



No. 515 A 515 Latch Set with **2" PLAIN DURALIN** Knobs.

No. 0515 A 0515 Latch Set with **2" INSERT DURALIN** Knobs.

Same as set in upper center except it has plain escutcheons both sides.

LATCH FOR NARROW STILE DOORS SEE TYPE "F" PAGE 7
BOX STRIKE — AVAILABLE, DESCRIPTION, SEE PAGE 9

Finishes. Any finish or color desired. Always specify on order. See Page 5.

Dimensions. Case length: 3¾ inches; Case diameter: 15/16 inch; Backset: 2½ inches.

Materials. All exposed parts: Solid **Duralin, Brass** or **Bronze.** All other parts: cold rolled, electro galvanized steel.

Packing. One set complete in box with installation instructions.

Caution: ALWAYS SPECIFY: (1) Finish of outside Escutcheon; (2) Color or finish of outside Knob and color or finish of Interchangeable Insert Top when used; (3) Separate outside and inside finish with letter "X"; (4) Finish of inside Escutcheon; (5) Color or finish of inside Knob and color or finish of Interchangeable Insert Top when used — detailed description Page 6.

TRIMS — Athens Design

Patented

For Type "A" Latch Sets



***2" INSERT BRASS** Knob
BRASS escutcheon

Trim **0135** —Plain
Trim **0135½**—Keyhole
Trim **0136½**—Thumb-turn



2" PLAIN BRASS Knob
BRASS escutcheon

Trim **135** —Plain
Trim **135½**—Keyhole
Trim **136½**—Thumb-turn

1¾" PLAIN BRASS Knob
BRASS escutcheon

Trim **635** —Plain
Trim **635½**—Keyhole
Trim **636½**—Thumb-turn

2¼" PLAIN BRASS Knob
BRASS escutcheon

Trim **115** —Plain
Trim **115½**—Keyhole
Trim **116½**—Thumb-turn



2" GLASS Knob
BRASS escutcheon

Trim **175** —Plain
Trim **175½**—Keyhole
Trim **176½**—Thumb-turn

2¼" GLASS Knob
BRASS escutcheon

Trim **155** —Plain
Trim **155½**—Keyhole
Trim **156½**—Thumb-turn



2" CUT GLASS Knob
BRASS escutcheon

Trim **335** —Plain
Trim **335½**—Keyhole
Trim **336½**—Thumb-turn

2¼" CUT GLASS Knob
BRASS escutcheon

Trim **315** —Plain
Trim **315½**—Keyhole
Trim **316½**—Thumb-turn



2" RECESSED BRASS Knob
BRASS escutcheon

Trim **1135** —Plain
Trim **1135½**—Keyhole
Trim **1136½**—Thumb-turn

1¾" RECESSED BRASS Knob
BRASS escutcheon

Trim **1635** —Plain
Trim **1635½**—Keyhole
Trim **1636½**—Thumb-turn



3¼" Oct. BRASS Lever
BRASS escutcheon

Trim **415** —Plain
Trim **415½**—Keyhole
Trim **416½**—Thumb-turn



3" Rd. BRASS Lever
BRASS escutcheon

Trim **435** —Plain
Trim **435½**—Keyhole
Trim **436½**—Thumb-turn



3" Hex. DURALIN Lever
BRASS escutcheon

Trim **715** —Plain
Trim **715½**—Keyhole
Trim **716½**—Thumb-turn

***Knob furnished with Interchangeable Insert Top**

FOR CATALOG NUMBERS OF COMPLETE LATCHSETS, USING ABOVE TRIMS, FOLLOW EXAMPLES ON OPPOSITE PAGE

Type "A" — BRASS — Dover Design

Latch Sets

Patented





No. 389 A 209 Closet Set with 1¾" CAST BRASS Knob.

No. 629 A 209 Closet Set with 1¾" WROUGHT BRASS Knob.

No. 129 A 209 Closet Set with 2" WROUGHT BRASS Knob.

Same as set at lower right except it has Cast Brass Closet-Turn inside.

No. 389½ A 390½ Latch Set with 1¾" CAST BRASS Knobs.

No. 629½ A 630½ Latch Set with 1¾" WROUGHT BRASS Knobs.

No. 129½ A 130½ Latch Set with 2" WROUGHT BRASS Knobs.

Outside Trim—Brass Knob with Dover design Brass Escutcheon (keyhole and key).

Latch Type "A"—Detail description see Page 7.

Inside Trim—Brass Knob with Dover design Brass Locking Escutcheon (thumb-turn lock).



No. 389 A 389 Latch Set with 1¾" CAST BRASS Knobs.

No. 629 A 629 Latch Set with 1¾" WROUGHT BRASS Knobs.

No. 129 A 129 Latch Set with 2" WROUGHT BRASS Knobs.

Same as set in upper center except it has plain escutcheons both sides.

LATCH FOR NARROW STILE DOORS SEE TYPE "F" PAGE 7

BOX STRIKE — AVAILABLE, DESCRIPTION, SEE PAGE 9

Finishes. Any finish or color desired. Always specify on order. See Page 5.

Dimensions. Case length: 3¾ inches; Case diameter: 15/16 inch; Backset: 2½ inches.

Materials. All exposed parts: Solid **Duralin, Brass** or **Bronze.** All other parts: cold rolled, electro galvanized steel.

Packing. One set complete in box with installation instructions.

Caution: ALWAYS SPECIFY: (1) Finish of outside Escutcheon; (2) Color or finish of outside Knob and color or finish of Interchangeable Insert Top when used; (3) Separate outside and inside finish with letter "X"; (4) Finish of inside Escutcheon; (5) Color or finish of inside Knob and color or finish of Interchangeable Insert Top when used — detailed description Page 6.

NATIONAL BRASS CO. MFRS. BUILDERS HOWE GRAND RAPIDS MICHIGAN

TRIMS—Dover Design

Patented

For Type "A" Latch Sets



***2" INSERT BRASS** Knob
BRASS escutcheon
Trim **0129** —Plain
Trim **0129½**—Keyhole
Trim **0130½**—Thumb-turn



2" GLASS Knob
BRASS escutcheon
Trim **169** —Plain
Trim **169½**—Keyhole
Trim **170½**—Thumb-turn



2" CUT GLASS Knob
BRASS escutcheon
Trim **329** —Plain
Trim **329½**—Keyhole
Trim **330½**—Thumb-turn



2" PLAIN DURALIN Knob
BRASS escutcheon
Trim **509** —Plain
Trim **509½**—Keyhole
Trim **510½**—Thumb-turn

***2" INSERT DURALIN** Knob
BRASS escutcheon
Trim **0509** —Plain
Trim **0509½**—Keyhole
Trim **0510½**—Thumb-turn



2" RECESSED BRASS Knob
BRASS escutcheon
Trim **1129** —Plain
Trim **1129½**—Keyhole
Trim **1130½**—Thumb-turn

1¾" RECESSED BRASS Knob
BRASS escutcheon
Trim **1629** —Plain
Trim **1629½**—Keyhole
Trim **1630½**—Thumb-turn



3¼" Oct. BRASS Lever
BRASS escutcheon
Trim **409** —Plain
Trim **409½**—Keyhole
Trim **410½**—Thumb-turn



3" Rd. BRASS Lever
BRASS escutcheon
Trim **429** —Plain
Trim **429½**—Keyhole
Trim **430½**—Thumb-turn



3" Hex. DURALIN Lever
BRASS escutcheon
Trim **709** —Plain
Trim **709½**—Keyhole
Trim **710½**—Thumb-turn

***Knob furnished with Interchangeable Insert Top**

FOR CATALOG NUMBERS OF COMPLETE LATCHSETS, USING ABOVE TRIMS, FOLLOW EXAMPLES ON OPPOSITE PAGE

Type "A" — DURALIN — Hampton Design Latch Sets

Patented

COLORS

IVORY	GREEN
YELLOW	BLUE
RED	ORCHID
BLACK	WALNUT



INTERCHANGEABLE INSERT TOPS

Furnished in **DURALIN** in any stock color or **BRASS** in any standard finish. See Page 5.



No. 507 A 227 Closet Set with 2" PLAIN DURALIN Knob.

No. 0507 A 227 Closet Set with 2" INSERT DURALIN Knob.

Same as set at lower right except it has Cast Brass Closet-Turn inside.

No. 507½ A 508½ Latch Set with 2" PLAIN DURALIN Knobs.

No. 0507½ A 0508½ Latch Set with 2" INSERT DURALIN Knobs.

Outside Trim—Duralin Knob with Hampton design Duralin Escutcheon (keyhole and key).

Latch Type "A"—Detail description see Page 7.

Inside Trim—Duralin Knob with Hampton design Duralin Locking Escutcheon (thumb-turn lock).



No. 507 A 507 Latch Set with 2" PLAIN DURALIN Knobs.

No. 0507 A 0507 Latch Set with 2" INSERT DURALIN Knobs.

Same as set in upper center except it has plain escutcheons both sides.

LATCH FOR NARROW STILE DOORS SEE TYPE "F" PAGE 7

BOX STRIKE — AVAILABLE, DESCRIPTION, SEE PAGE 9

Finishes. Any finish or color desired. Always specify on order. See Page 5.

Exposed Metal Parts of all Duralin Trims except Walnut and Black furnished in US 26 (Chrome) — Face Plate and Strike in US 14 (Nickel).

Dimensions. Case length: 3¾ inches; Case diameter: 15/16 inch; Backset: 2½ inches.

Materials. All exposed parts: Solid **Duralin, Brass** or **Bronze.** All other parts: cold rolled, electro galvanized steel.

Packing. One set complete in box with installation instructions.

Caution: ALWAYS SPECIFY: (1) Color of outside Escutcheon; (2) Color or finish of outside Knob and color or finish of Interchangeable Insert Top when used; (3) Separate outside and inside finish with letter "X"; (4) Color of inside Escutcheon; (5) Color or finish of inside Knob and color or finish of Interchangeable Insert Top when used — detailed description Page 6.

TRIMS — Hampton Design

Patented

For Type "A" Latch Sets



2" PLAIN BRASS Knob
DURALIN escutcheon

Trim **139** —Plain
Trim **139½**—Keyhole
Trim **140½**—Thumb-turn

1¾" PLAIN BRASS Knob
DURALIN escutcheon

Trim **639** —Plain
Trim **639½**—Keyhole
Trim **640½**—Thumb-turn



***2" INSERT BRASS** Knob
DURALIN escutcheon

Trim **0139** —Plain
Trim **0139½**—Keyhole
Trim **0140½**—Thumb-turn



2" RECESSED BRASS Knob
DURALIN escutcheon

Trim **1139** —Plain
Trim **1139½**—Keyhole
Trim **1140½**—Thumb-turn

1¾" RECESSED BRASS Knob
DURALIN escutcheon

Trim **1639** —Plain
Trim **1639½**—Keyhole
Trim **1640½**—Thumb-turn



2" GLASS Knob
DURALIN escutcheon

Trim **179** —Plain
Trim **179½**—Keyhole
Trim **180½**—Thumb-turn



2" CUT GLASS Knob
DURALIN escutcheon

Trim **339** —Plain
Trim **339½**—Keyhole
Trim **340½**—Thumb-turn



3" Hex. DURALIN Lever
DURALIN escutcheon

Trim **707** —Plain
Trim **707½**—Keyhole
Trim **708½**—Thumb-turn

*Knob furnished with Interchangeable Insert Top

FOR CATALOG NUMBERS OF COMPLETE LATCHSETS, USING ABOVE TRIMS, FOLLOW EXAMPLES ON OPPOSITE PAGE

Type "A" — BRASS — Fairmont Design
Latch Sets

Patented

COLORS

IVORY	GREEN
YELLOW	BLUE
RED	ORCHID
BLACK	WALNUT



INTERCHANGEABLE INSERT TOPS

Furnished in **DURALIN** in any stock color or **BRASS** in any standard finish. See Page 5.



No. 505 A 225 Closet Set with **2" DURALIN** Knob.

No. 0505 A 225 Closet Set with **2" INSERT DURALIN** Knob.

Same as set at lower right except it has Cast Brass Closet-Turn inside.

No. 505½ A 506½ Latch Set with **2" PLAIN DURALIN** Knobs.

No. 0505½ A 0506½ Latch Set with **2" INSERT DURALIN** Knobs.

Outside Trim—Duralin Knob with Fairmont design Brass Escutcheon (keyhole and key).

Latch Type "A"—Detail description see Page 7.

Inside Trim—Duralin Knob with Fairmont design Brass Locking Escutcheon (thumb-turn lock).



No. 505 A 505 Latch Set with **2" PLAIN DURALIN** Knobs.

No. 0505 A 0505 Latch Set with **2" INSERT DURALIN** Knobs.

Same as set in upper center except it has plain escutcheons both sides.

LATCH FOR NARROW STILE DOORS SEE TYPE "F" PAGE 7
BOX STRIKE — AVAILABLE, DESCRIPTION, SEE PAGE 9

Finishes. Any finish or color desired. Always specify on order. See page 5.

Dimensions. Case length: 3¾ inches; Case diameter: 15/16 inch; Backset: 2½ inches.

Materials. All exposed parts: Solid **Duralin, Brass** or **Bronze.** All other parts: cold rolled, electro galvanized steel.

Packing. One set complete in box with installation instructions.

Caution: ALWAYS SPECIFY: (1) Finish of outside Escutcheon; (2) Color or finish of outside Knob and color or finish of Interchangeable Insert Top when used; (3) Separate outside and inside finish with letter "X"; (4) Finish of inside Escutcheon; (5) Color or finish of inside Knob and color or finish of Interchangeable Insert Top when used — detailed description Page 6.

NATIONAL BRASS CO. MFRS. BUILDERS HDWE. GRAND RAPIDS MICHIGAN

TRIMS—Fairmont Design

Patented

For Type "A" Latch Sets



***2" INSERT BRASS** Knob
BRASS escutcheon
Trim **0125** —Plain
Trim **0125½**—Keyhole
Trim **0126½**—Thumb-turn



2" PLAIN BRASS Knob
BRASS escutcheon
Trim **125** —Plain
Trim **125½**—Keyhole
Trim **126½**—Thumb-turn

1¾" PLAIN BRASS Knob
BRASS escutcheon
Trim **625** —Plain
Trim **625½**—Keyhole
Trim **626½**—Thumb-turn

2¼" PLAIN BRASS Knob
BRASS escutcheon
Trim **105** —Plain
Trim **105½**—Keyhole
Trim **106½**—Thumb-turn



2" GLASS Knob
BRASS escutcheon
Trim **165** —Plain
Trim **165½**—Keyhole
Trim **166½**—Thumb-turn

2¼" PLAIN GLASS Knob
BRASS escutcheon
Trim **145** —Plain
Trim **145½**—Keyhole
Trim **146½**—Thumb-turn



2" CUT GLASS Knob
BRASS escutcheon
Trim **325** —Plain
Trim **325½**—Keyhole
Trim **326½**—Thumb-turn

2¼" CUT GLASS Knob
BRASS escutcheon
Trim **305** —Plain
Trim **305½**—Keyhole
Trim **306½**—Thumb-turn



2" RECESSED BRASS Knob
BRASS escutcheon
Trim **1125** —Plain
Trim **1125½**—Keyhole
Trim **1126½**—Thumb-turn

1¾" RECESSED BRASS Knob
BRASS escutcheon
Trim **1625** —Plain
Trim **1625½**—Keyhole
Trim **1626½**—Thumb-turn



3¼" Oct. BRASS Lever
BRASS escutcheon
Trim **405** —Plain
Trim **405½**—Keyhole
Trim **406½**—Thumb-turn



3" Rd. BRASS Lever
BRASS escutcheon
Trim **425** —Plain
Trim **425½**—Keyhole
Trim **426½**—Thumb-turn



3" Hex. DURALIN Lever
BRASS escutcheon
Trim **705** —Plain
Trim **705½**—Keyhole
Trim **706½**—Thumb-turn

***Knob furnished with Interchangeable Insert Top**

FOR CATALOG NUMBERS OF COMPLETE LATCHSETS, USING ABOVE TRIMS, FOLLOW EXAMPLES ON OPPOSITE PAGE

Type "A" — BRASS — Sherwood Design
Latch Sets

Patented





No. 185 A 205 Closet Set with **2" HAMMERED BRASS** Knob.

Same as set at lower right except it has Cast Brass Closet-Turn inside.

No. 185½ A 186½ Latch Set with **2" HAMMERED BRASS** Knobs.

Outside Trim—2" Hammered Brass Knob with Sherwood design Hammered Brass Escutcheon (keyhole and key).

Latch Type "A"—Detail description see Page 7.

Inside Trim—2" Hammered Brass Knob with Sherwood design Hammered Brass Locking Escutcheon (thumb-turn lock).



No. 185 A 185 Latch Set with **2" HAMMERED BRASS** Knobs.

Same as set in upper center except it has plain escutcheons both sides.

LATCH FOR NARROW STILE DOORS SEE TYPE "F" PAGE 7
BOX STRIKE — AVAILABLE, DESCRIPTION, SEE PAGE 9

Finishes. Any finish desired. Always specify on order. See page 5.

Dimensions. Case length: 3¾ inches; Case diameter: 15/16 inch; Backset: 2½ inches.

Materials. All exposed parts: Solid **Brass** or **Bronze**. All other parts: cold rolled, electro galvanized steel.

Packing. One set complete in box with installation instructions.

Type "A" — BRASS — Crawford Design
Latch Sets
Patented



No. 181½ A 182 Latch Set with **2" HAMMERED BRASS** Knobs.

Outside Trim—2" Hammered Brass Knob with Crawford design Hammered Brass Rose (emergency key).

Latch Type "A"—Detail description see Page 7.

Inside Trim—2" Hammered Brass Knob with Crawford design Hammered Brass Locking Rose.



No. 181 A 201 Closet Set with **2" HAMMERED BRASS** Knob.

Same as set at lower right except it has Cast Brass Closet-Turn inside.



No. 181 A 181 Latch Set with **2" HAMMERED BRASS** Knobs.

Same as set in upper center except it has plain roses both sides.

LATCH FOR NARROW STILE DOORS SEE TYPE "F" PAGE 7
BOX STRIKE — AVAILABLE, DESCRIPTION, SEE PAGE 9

Finishes. Any finish desired. Always specify on order. See page 5.

Dimensions. Case length: 3¾ inches; Case diameter: 15/16 inch; Backset: 2½ inches.

Materials. All exposed parts: Solid **Brass** or **Bronze**. All other parts: cold rolled, electro galvanized steel.

Packing. One set complete in box with installation instructions.

Type "A" — DURALIN — Clinton Design Latch Sets

Patented

COLORS

IVORY	GREEN
YELLOW	BLUE
RED	ORCHID
BLACK	WALNUT



INTERCHANGEABLE INSERT TOPS

Furnished in **DURALIN** in any stock color or **BRASS** in any standard finish. See Page 5.



No. 503 A 223 Closet Set with **2" PLAIN DURALIN** Knob.

No. 0503 A 223 Closet Set with **2" INSERT DURALIN** Knob.

Same as set at lower right except it has Cast Brass Closet-turn inside.

No. 503½ A 504 Latch Set with **2" PLAIN DURALIN** Knobs.

No. 0503½ A 0504 Latch Set with **2" INSERT DURALIN** Knobs.

Outside Trim—Duralin Knob with Clinton design Duralin Rose (emergency key).

Latch Type "A"—Detail description see Page 7.

Inside Trim—Duralin Knob with Clinton design Duralin Locking Rose.



No. 503 A 503 Latch Set with **2" PLAIN DURALIN** Knobs.

No. 0503 A 0503 Latch Set with **2" INSERT DURALIN** Knobs.

Same as set in upper center except it has plain roses both sides.

LATCH FOR NARROW STILE DOORS SEE TYPE "F" PAGE 7
BOX STRIKE — AVAILABLE, DESCRIPTION, SEE PAGE 9

Finishes. Any color or finish desired. Always specify on order. See Page 5.

Exposed Metal Parts of all Duralin Trims except Walnut and Black furnished in US 26 (Chrome) — Face Plate and Strike in US 14 (Nickel).

Dimensions. Case length: 3¾ inches; Case diameter: 15/16 inch; Backset: 2½ inches.

Materials. All exposed parts: Solid **Duralin, Brass** or **Bronze.** All other parts: cold rolled, electro galvanized steel.

Packing. One set complete in box with installation instructions.

Caution: ALWAYS SPECIFY: (1) Color of outside Rose; (2) Color or finish of outside Knob and color or finish of Interchangeable Insert Top when used; (3) Separate outside and inside finish with letter "X"; (4) Color of inside Rose; (5) Color or finish of inside Knob and color or finish of Interchangeable Insert Top when used — detailed description Page 6.

TRIMS — Clinton Design

Patented

For Type "A" Latch Sets



2" PLAIN BRASS Knob
DURALIN rose

Trim **111** —Plain
Trim **111½**—Emergency Key
Trim **112** —Locking



***2" INSERT BRASS** Knob
DURALIN rose

Trim **0111** —Plain
Trim **0111½**—Emergency Key
Trim **0112** —Locking



2" RECESSED BRASS Knob
DURALIN rose

Trim **1111** —Plain
Trim **1111½**—Emergency Key
Trim **1112** —Locking

1¾" PLAIN BRASS Knob
DURALIN rose

Trim **611** —Plain
Trim **611½**—Emergency Key
Trim **612** —Locking

1¾" RECESSED BRASS Knob
DURALIN rose

Trim **1611** —Plain
Trim **1611½**—Emergency Key
Trim **1612** —Locking



2" GLASS Knob
DURALIN rose

Trim **151** —Plain
Trim **151½**—Emergency Key
Trim **152** —Locking



2" CUT GLASS Knob
DURALIN rose

Trim **311** —Plain
Trim **311½**—Emergency Key
Trim **312** —Locking



3" Hex. DURALIN Lever Handle
DURALIN rose

Trim **703** —Plain
Trim **703½**—Emergency Key
Trim **704** —Locking

***Knob furnished with Interchangeable Insert Top**

FOR CATALOG NUMBERS OF COMPLETE LATCHSETS, USING ABOVE TRIMS, FOLLOW EXAMPLES ON OPPOSITE PAGE

Type "A" — BRASS — Beverly Design
Latch Sets
(2" Brass Rose)

Patented



No. 121 A 201 Closet Set with 2" BRASS Knob.

No. 621 A 201 Closet Set with 1¾" BRASS Knob.

No. 101 A 201 Closet Set with 2¼" BRASS Knob.

Same as set at lower right except it has Cast Brass Closet-turn inside.



No. 121½ A 122 Latch Set with 2" BRASS Knobs.

No. 621½ A 622 Latch Set with 1¾" BRASS Knobs.

No. 101½ A 102 Latch Set with 2¼" BRASS Knobs.

Outside Trim—Brass Knob with Beverly design 2" Brass Rose (emergency key).

Latch Type "A"—Detail description see Page 7.

Inside Trim—Brass Knob with Beverly design 2" Brass Locking Rose.

See page 54 for 1¾" Brass Knob Sets



No. 121 A 121 Latch Set with 2" BRASS Knobs.

No. 621 A 621 Latch Set with 1¾" BRASS Knobs.

No. 101 A 101 Latch Set with 2¼" BRASS Knobs.

Same as set in upper center except it has plain roses both sides.

LATCH FOR NARROW STILE DOORS SEE TYPE "F" PAGE 7
BOX STRIKE — AVAILABLE, DESCRIPTION, SEE PAGE 9

Finishes. Any finish or color desired. Always specify on order. See Page 5.

Dimensions. Case length: 3¾ inches; Case diameter: 15/16 inch; Backset: 2½ inches.

Materials. All exposed parts: Solid **Duralin, Brass** or **Bronze.** All other parts: cold rolled, electro galvanized steel.

Packing. One set complete in box with installation instructions.

Caution: ALWAYS SPECIFY: (1) Finish of outside Rose; (2) Color or finish of outside Knob and color or finish of Interchangeable Insert Top when used; (3) Separate outside and inside finish with letter "X"; (4) Finish of inside Rose; (5) Color or finish of inside Knob and color or finish of Interchangeable Insert Top when used — detailed description Page 6.

TRIMS — Beverly Design (2" Brass Rose)

Patented

For Type "A" Latch Sets



***2" INSERT BRASS** Knob
2" BRASS rose

Trim **0121** —Plain
Trim **0121½**—Emergency Key
Trim **0122** —Locking



2" GLASS Knob
2" BRASS rose

Trim **161** —Plain
Trim **161½**—Emergency Key
Trim **162** —Locking

2¼" GLASS Knob
BRASS rose

Trim **141** —Plain
Trim **141½**—Emergency Key
Trim **142** —Locking



2" CUT GLASS Knob
2" BRASS rose

Trim **321** —Plain
Trim **321½**—Emergency Key
Trim **322** —Locking

2¼" CUT GLASS Knob
BRASS rose

Trim **301** —Plain
Trim **301½**—Emergency Key
Trim **302** —Locking



2" PLAIN DURALIN Knob
2" BRASS rose

Trim **501** —Plain
Trim **501½**—Emergency Key
Trim **502** —Locking

***2" INSERT DURALIN** Knob
BRASS rose

Trim **0501** —Plain
Trim **0501½**—Emergency Key
Trim **0502** —Locking



2" RECESSED BRASS Knob
2" BRASS rose

Trim **1121** —Plain
Trim **1121½**—Emergency Key
Trim **1122** —Locking

1¾" RECESSED BRASS Knob
2" BRASS rose

Trim **1621** —Plain
Trim **1621½**—Emergency Key
Trim **1622** —Locking



3¼" Oct. BRASS Lever
2" BRASS rose

Trim **401** —Plain
Trim **401½**—Emergency Key
Trim **402** —Locking



3" Rd. BRASS Lever
2" BRASS rose

Trim **421** —Plain
Trim **421½**—Emergency Key
Trim **422** —Locking



3" Hex. DURALIN Lever
2" BRASS rose

Trim **701** —Plain
Trim **701½**—Emergency Key
Trim **702** —Locking

***Knob furnished with Interchangeable Insert Top**

FOR CATALOG NUMBERS OF COMPLETE LATCHSETS, USING ABOVE TRIMS, FOLLOW EXAMPLES ON OPPOSITE PAGE

Type "A"—WROUGHT BRASS—Preston Design

Latch Sets

Patented

(1¾" Brass Rose)



No. 691 A 200 Closet Set with 1¾" PLAIN BRASS Knob, 1¾" WROUGHT BRASS roses.

No. 1691 A 200 Closet Set with 1¾" RECESSED BRASS Knob, 1¾" WROUGHT BRASS roses.

Same as set in upper center except it has Cast Brass Closet-turn inside.



No. 691 A 691 Latch Set with 1¾" PLAIN BRASS Knobs, 1¾" PLAIN WROUGHT BRASS roses.

No. 1691 A 1691 Latch Set with 1¾" RECESSED BRASS Knobs, 1¾" PLAIN WROUGHT BRASS Roses.

Latch Type "A"—Detail description see Page 7.

See page 52 for 2" Brass Knob Sets.



No. 691½ A 692 Latch Set with 1¾" PLAIN BRASS Knobs, 1¾" WROUGHT BRASS roses.

No. 1691½ A 1692 Latch Set with 1¾" RECESSED BRASS Knobs, 1¾" WROUGHT BRASS Roses.

Outside Trim—With Emergency Key.

Inside Trim—With Locking Rose.

LATCH FOR NARROW STILE DOORS SEE TYPE "F" PAGE 7
BOX STRIKE — AVAILABLE, DESCRIPTION, SEE PAGE 9

Finishes. Any finish desired. Always specify on order. See page 5.

Dimensions. Case length: 3¾ inches; Case diameter: 15/16 inch; Backset: 2½ inches.

Materials. All exposed parts: Solid **Brass** or **Bronze**. All other parts: cold rolled, electro galvanized steel.

Packing. One set complete in box with installation instructions.

Type "A" — CAST BRASS — Concord Design

Latch Sets

Patented



No. 379 A 200 Closet Set with 1¾" CAST BRASS Knob, 1¾" BRASS Roses.

No. 375 A 200 Closet Set with 1¾" CAST BRASS Knob, 1¾" WROUGHT BRASS Roses.

Same as set in upper center except it has Cast Brass Closet-turn and 1¾" Wrought Brass Rose inside.



No. 379 A 379 Latch Set with 1¾" CAST BRASS Knobs, 1¾" PLAIN CAST BRASS Roses.

No. 375 A 375 Latch Set with 1¾" CAST BRASS Knobs, 1¾" PLAIN WROUGHT BRASS Roses.

Latch Type "A"—Detail description see Page 7.



No. 375½ A 376 Latch Set with 1¾" CAST BRASS Knobs, 1¾" WROUGHT BRASS Roses.

Outside Trim—With Emergency Key.

Inside Trim—With Locking Rose.

See Page 52 for 2" Brass Knob Sets.

See Page 54 for 1¾" Wrought Brass Knob Sets.

LATCH FOR NARROW STILE DOORS SEE TYPE "F" PAGE 7

BOX STRIKE — AVAILABLE, DESCRIPTION, SEE PAGE 9

Finishes. Any finish desired. Always specify on order. See page 5.

Dimensions. Case length: 3¾ inches; Case diameter: 15/16 inch; Backset: 2½ inches.

Materials. All exposed parts: Solid **Brass** or **Bronze**. All other parts: cold rolled, electro galvanized steel.

Packing. One set complete in box with installation instructions.

Cylinder Mortise Locks

For Entrance Handle Sets







Type "WA" —For use with Handle One Side, Cylinder One Side

Type "WB" —For use with Handle One Side, Cylinders Both Sides

Type "WC" —For use with Handles Both Sides, Cylinders Both Sides

Type "WH" —For use with Handles Both Sides, Cylinder One Side

Case—Cast Iron, 5 1/2 x 3 1/2 x 3/4 inches.

Front—Forged Brass, 7 3/4 x 1 inch.

Hand—Reversible for either right or left-hand door.

Backset—2 1/2 inches.

Spacing—3 1/2 inches, knob center to cylinder key center.

Strike—1 3/8 inch, lip to center.

Bolts—Cast Bronze.

Latch Bolt—Easy Spring.

Cylinder—5 Pin Tumbler, Changes Unlimited.

Keys—3, Nickel Silver, Milled.

Master Keying—Can be Master-keyed in sets as desired.

OPERATION

Latch bolt by thumb latch from outside and by door knob or thumb latch from inside. Both bolts by key from outside at all times. Dead bolt by turn knob or cylinder from inside. Outside thumb latch is locked by stop in face. Outside thumb latch, latch bolt, and door knob or inside thumb latch are locked when dead bolt is locked.

No. 9090 Mortise Cylinder



Fits any standard mortise lock

4 lengths: 1 1/8"—1 1/4"—1 1/2"—1 5/8"; Diameter 1 1/8".

(Length measured from inside edge of face to extreme end of cam.)

Equipped with Dexter Five Pin Tumbler Unit, and furnished with an adjustable cylinder ring.

No. 9091 Rim Cylinder



Fits any standard rim lock

Equipped with Dexter Five Pin Tumbler Unit, and furnished with adjustable tail piece for cylinder.

Cylinder Mortise Locks

For Entrance Doors — Knobs Both Sides

Type "WD"

For use with Knobs Both Sides, Cylinder One Side

Type "WE"

For use with Knobs Both Sides, Cylinders Both Sides.

Case—Cast Iron, 5 1/2 x 3 1/2 x 3/4 inches.
Front—Forged Brass, 7 3/4 x 1 inch.
Hand—Reversible for either right or left-hand door.
Backset—2 1/2 inches.
Spacing—3 1/2 inches, knob center to cylinder key center.
Strike—1 3/8 inch, lip to center.
Bolts—Cast Bronze.
Latch Bolt—Easy Spring.
Cylinder—5 Pin Tumbler, Changes Unlimited.
Keys—3, Nickel Silver, Milled.
Master Keying—Can be Master-keyed in sets as desired.



LOCKS FOR NARROW STYLE DOORS
TYPE "WN" and "WM"

Type "WN"

For use with Knobs Both Sides, Cylinder One Side

Type "WM"

For use with Knobs Both Sides, Cylinders Both Sides

Case—Cast Iron, 5 x 3 x 3/4 inches.
Front—Forged Brass, 7 x 1 1/8 inches.
Hand—Reversible for either right or left-hand door.
Backset—2 inches.
Spacing—3 inches, knob center to cylinder key center.
Strike—1 3/8 inch, lip to center.
Bolts—Cast Bronze.
Latch Bolt—Easy Spring.
Cylinder—5 Pin Tumbler, Changes Unlimited.
Keys—3, Nickel Silver, Milled.
Master Keying—Can be Master-keyed in sets as desired.

OPERATION

Latch bolt by knob from either side. Both bolts by key from outside at all times. Dead bolt by either key or turn knob from inside. Outside knob is locked by stop in face. Outside knob, latch bolt, and inside knob are locked when dead bolt is locked.

— EXAMPLE —

No. 121 WD 121—With 2-inch Brass Knobs

No. 101 WD 101—With 2 1/4-inch Brass Knobs

Trim—Brass knob, Beverly round brass rose—both sides.

Lock Type "WD"—Cylinder and keys outside—turn knob inside. See illustration above.

For use with any trims—see pages 76 to 105, inclusive.

Finishes. Any finish desired. Always specify on order. See page 5.



Entrance Lock Sets — Mortise — Cast Brass or Bronze

— REVERE —



(½ actual size)

— Handle One Side / Cylinder One Side —

No. 8665 WA .....(add inside Trim No.)

— Handle One Side / Cylinders Both Sides —

No. 8670 WB .....(add inside Trim No.)

(Example: 8665 WA 135 US 9 x US 4)

Inside Trim. Any Trim desired, see pages 76 to 105 inclusive.

Finishes. Outside Trim: Polished Brass (US 3), Dull Brass (US 4), Polished Bronze (US 9), Dull Bronze (US 10). Inside Trim: Always specify finish of all Brass parts and color of all Duralin parts, see page 5.

Cylinder Mortise Lock. Fitted with Dexter Five Pin Tumbler Cylinders both sides or with Dexter Five Pin Tumbler outside—Knob Turn inside. Furnished in any number of key changes, with master key, or keyed-alike. — Furnished with 3 keys. — Detailed description of locks, see page 56.

Hand. Reversible for either right-hand or left-hand doors.

Door Thickness. Entrance Handle Sets are packed regularly for 1¾ inch doors. For other thicknesses, specify on order.

Material. Face Plate: **Forged Brass**. Case: **Cast Iron**. Bolts: **Cast Bronze.**

Dimensions. Face Plate: 7¾" x 1". Case: 5½" x 3½" x ¾". Backset: 2½".

Packing. One complete set in a box with installation instructions.

Matched Trims

Cast Brass or **Bronze**



No. 5320

CAST BRASS Door Knocker

Dimensions. 7½" x 3¼".

Finishes. To match Entrance Lock Sets.

Entrance Lock Sets — Mortise — Cast Brass or Bronze

— REVERE —

— Handles Both Sides / Cylinders Both Sides —
No. 8675 WC 8675 Entrance Lock Set

— Handles Both Sides / Cylinder One Side —
No. 8680 WH 8680 Entrance Lock Set

Finishes. Polished Brass (US 3), Dull Brass (US 4), Polished Bronze (US 9), Dull Bronze (US 10).

Cylinder Mortise Lock. Fitted with Dexter Five Pin Tumbler Cylinders both sides or with Dexter Five Pin Tumbler outside—Knob Turn inside. Furnished in any number of key changes, with master key, or keyed-alike. — Furnished with 3 keys. — Detailed description of locks, see page 56.

Hand. Reversible for either right-hand or left-hand doors.

Door Thickness. Entrance Handle Sets are packed regularly for 1¾ inch doors. For other thicknesses, specify on order.

Material. Face Plate: **Forged Brass**. Case: **Cast Iron**. Bolts: **Cast Bronze.**

Dimensions. Face Plate: 7¾" x 1". Case: 5½" x 3½" x ¾". Backset: 2½".

Packing. One complete set in a box with installation instructions.



(½ actual size)

Matched Trims

Cast Brass or **Bronze**



No. 5008

Electric Push Button

Dimensions. 2¼" x 3¼".



No. 5603—Mail Plate

Finish. Outside to match Entrance Lock Set. Inside: Any finish desired.

Dimensions. Outside Plate: 10" x 3½". Opening: 7½" x 2". Back Plate: 9½" x 3½". Opening: 7¾" x 2¼".

Finishes. To match Entrance Lock Sets.

Entrance Lock Sets — Mortise — Cast Brass or Bronze

— MILTON —



(½ actual size)

— Handle One Side / Cylinder One Side —

No. 8365 WA .....(add Inside Trim No.)

— Handle One Side / Cylinders Both Sides —

No. 8370 WB .....(add Inside Trim No.)

(Example: 8365 WA 161 US 13 x US 4)

Inside Trim. Any Trim desired, see pages 76 to 105 inclusive.

Finishes. Outside Trim: Sanded Brass Hi-lited (US 7) or Sanded Bronze Hi-lited (US 13). Inside Trim: Always specify finish of all Brass parts and color of all Duralin parts, see page 5.

Cylinder Mortise Lock. Fitted with Dexter Five Pin Tumbler Cylinders both sides or with Dexter Five Pin Tumbler outside—Knob Turn inside. Furnished in any number of key changes, with master key, or keyed-alike. — Furnished with 3 keys. — Detailed description of locks, see page 56.

Hand. Reversible for either right-hand or left-hand doors.

Door Thickness. Entrance Handle Sets are packed regularly for 1¾ inch doors. For other thicknesses, specify on order.

Material. Face Plate: **Forged Brass**. Case: **Cast Iron**. Bolts: **Cast Bronze.**

Dimensions. Face Plate: 7¾" x 1". Case: 5½" x 3½" x ¾". Backset: 2½".

Packing. One complete set in a box with installation instructions.

Matched Trims

Cast Brass or **Bronze**



No. 5331

CAST BRASS Door Knocker

Dimensions. 8" x 2½".

Finishes. To match Entrance Lock Sets.

Entrance Lock Sets — Mortise — Cast Brass or Bronze

— MILTON —

— Handles Both Sides / Cylinders Both Sides —
No. 8375 WC 8375 Entrance Lock Set

— Handles Both Sides / Cylinder One Side —
No. 8380 WH 8380 Entrance Lock Set

Finishes. Sanded Brass Hi-lited (US 7) or Sanded Bronze Hi-lited (US 13).

Cylinder Mortise Lock. Fitted with Dexter Five Pin Tumbler Cylinders both sides or with Dexter Five Pin Tumbler outside—Knob Turn inside. Furnished in any number of key changes, with master key, or keyed-alike. — Furnished with 3 keys. — Detailed description of locks, see page 56.

Hand. Reversible for either right-hand or left-hand doors.

Door Thickness. Entrance Handle Sets are packed regularly for 1¾ inch doors. For other thicknesses, specify on order.

Material. Face Plate: **Forged Brass**. Case: **Cast Iron**. Bolts: **Cast Bronze.**

Dimensions. Face Plate: 7¾" x 1". Case: 5½" x 3½" x ¾". Backset: 2½".

Packing. One complete set in a box with installation instructions.



(½ actual size)

Matched Trims

Cast Brass or **Bronze**



No. 5009

Electric Push Button

Dimensions. 2¼" x 3¼".



No. 5603—Mail Plate

Finish. Outside to match Entrance Lock Set. Inside: Any finish desired.

Dimensions. Outside Plate: 10" x 3½". Opening: 7½" x 2". Back Plate: 9½" x 3½". Opening: 7¾" x 2¼".

Finishes. To match Entrance Lock Sets.

Entrance Lock Sets — Mortise — Cast Brass or Bronze

— CENTURY —



(½ actual size)

— Handle One Side / Cylinder One Side —

No. 8165 WA .....(add Inside Trim No.)

— Handle One Side / Cylinders Both Sides —

No. 8170 WB .....(add Inside Trim No.)

(Example: 8165 WA 0515—US 13 x US 26 D, Ivory—US 26 D)

Inside Trim. Any Trim desired, see pages 76 to 105 inclusive.

Finishes. Outside Trim: Sanded Brass Hi-lited US 7), Sanded Bronze Hi-lited (US 13), or Sanded Dull Black with Chrome Hi-lites (US 19-26). Inside Trim: Any finish desired. Always specify finish of all Brass parts and color of all Duralin parts, see page 5.

Cylinder Mortise Lock. Fitted with Dexter Five Pin Tumbler Cylinders both sides or with Dexter Five Pin Tumbler outside—Knob Turn inside. Furnished in any number of key changes, with master key, or keyed-alike. — Furnished with 3 keys. — Detailed description of locks, see page 56.

Hand. Reversible for either right-hand or left-hand doors.

Door Thickness. Entrance Handle Sets are packed regularly for 1¾ inch doors. For other thicknesses, specify on order.

Material. Face Plate: **Forged Brass**. Case: **Cast Iron**. Bolts: **Cast Bronze.**

Dimensions. Face Plate: 7¾" x 1". Case: 5½" x 3½" x ¾". Backset: 2½".

Packing. One complete set in a box with installation instructions.

Matched Trims

Cast Brass or **Bronze**



No. 1668—24" Hinge Strap

No. 1669—18" Hinge Strap

Finishes. To match Entrance Lock Sets.



Cat. No. 1670 — Right Hand

Cat. No. 1671 — Left Hand

Material — Cast Brass or Bronze.

Finishes — Sanded Brass Hi-lited (US-7); Sanded Bronze Hi-lited (US-13); or Sanded Dull Black with Chrome Hi-lited (US-19 x 26)

Packed Weight — Per each, 3 lbs.

This Hinge Strap will center on a door 36 inches wide with circle top cut on an 18-inch radius.

Entrance Lock Sets — Mortise — Cast Brass or Bronze

— CENTURY —

— Handles Both Sides / Cylinders Both Sides —

No. 8175 WC 8175 Entrance Lock Set

— Handles Both Sides / Cylinder One Side —

No. 8180 WH 8180 Entrance Lock Set

Finishes. Sanded Brass Hi-lited (US 7), Sanded Bronze Hi-lited (US 13), or Sanded Dull Black with Chrome Hi-lites (US 19-26).

Cylinder Mortise Lock. Fitted with Dexter Five Pin Tumbler Cylinders both sides or with Dexter Five Pin Tumbler outside—Knob Turn inside. Furnished in any number of key changes, with master key, or keyed-alike. — Furnished with 3 keys. — Detailed description of locks, see page 56.

Hand. Reversible for either right-hand or left-hand doors.

Door Thickness. Entrance Handle Sets are packed regularly for 1¾ inch doors. For other thicknesses, specify on order.

Material. Face Plate: **Forged Brass.** Case: **Cast Iron.** Bolts: **Cast Bronze.**

Dimensions. Face Plate: 7¾" x 1". Case: 5½" x 3½" x ¾". Backset: 2½".

Packing. One complete set in a box with installation instructions.



(½ actual size)

Matched Trims

Cast Brass or Bronze



No. 5603—Mail Plate

Finish. Outside to match Entrance Lock Set. Inside: Any finish desired.

Dimensions. Outside Plate: 10" x 3½". Opening: 7½" x 2". Back Plate: 9½" x 3½". Opening: 7¾" x 2¼".



No. 5330 Door Knocker

Dimensions. 4¾" Diameter Ring

Finishes. To match Entrance Lock Sets.



No. 5004

Electric Push Button

Dimensions. 3" x 2".

Entrance Lock Sets — Mortise — Cast Brass or Bronze

— PLYMOUTH —



(½ actual size)

— Handle One Side / Cylinder One Side —

No. 8965 WA .....(add Inside Trim No.)

— Handle One Side / Cylinders Both Sides —

No. 8970 WB .....(add Inside Trim No.)

(Example: 8965 WA 121—US 9 x US 9)

Inside Trim. Any Trim desired, see pages 76 to 105 inclusive.

Finishes. Outside Trim: Polished Brass (US 3), Dull Brass (US 4), Polished Bronze (US 9), or Dull Bronze (US 10). Inside Trim: Any finish desired. Always specify finish of all Brass parts and color of all Duralin parts, see page 5.

Cylinder Mortise Lock. Fitted with Dexter Five Pin Tumbler Cylinders both sides or with Dexter Five Pin Tumbler outside—Knob Turn inside. Furnished in any number of key changes, with master key, or keyed-alike. — Furnished with 3 keys. — Detailed description of locks, see page 56.

Hand. Reversible for either right-hand or left-hand doors.

Door Thickness. Entrance Handle Sets are packed regularly for 1¾ inch doors. For other thicknesses, specify on order.

Material. Face Plate: **Forged Brass.** Case: **Cast Iron.** Bolts: **Cast Bronze.**

Dimensions. Face Plate: 7¾" x 1". Case: 5½" x 3½" x ¾". Backset: 2½".

Packing. One complete set in a box with installation instructions.

Matched Trims

Cast Brass or **Bronze**



No. 5300

CAST BRASS Door Knocker

Dimensions. 6½" x 2¾".

Finishes. To match Entrance Lock Sets.

Entrance Lock Sets—Mortise—Cast Brass or Bronze

— PLYMOUTH —

— Handles Both Sides / Cylinders Both Sides —
No. 8975 WC 8975 Entrance Lock Set

— Handles Both Sides / Cylinder One Side —
No. 8980 WH 8980 Entrance Lock Set

Finishes. Polished Brass (US 3), Dull Brass (US 4), Polished Bronze (US 9), Dull Bronze (US 10).

Cylinder Mortise Lock. Fitted with Dexter Five Pin Tumbler Cylinders both sides or with Dexter Five Pin Tumbler outside—Knob Turn inside. Furnished in any number of key changes, with master key, or keyed-alike. — Furnished with 3 keys. — Detailed description of locks, see page 56.

Hand. Reversible for either right-hand or left-hand doors.

Door Thickness. Entrance Handle Sets are packed regularly for 1¾ inch doors. For other thicknesses, specify on order.

Material. Face Plate: **Forged Brass.** Case: **Cast Iron.** Bolts: **Cast Bronze.**

Dimensions. Face Plate: 7¾" x 1". Case: 5½" x 3½" x ¾". Backset: 2½".

Packing. One complete set in a box with installation instructions.



(½ actual size)

Matched Trims

Cast Brass or Bronze



No. 5005
Electric Push Button
Dimensions. 2⅜"x1¾".



No. 5603—Mail Plate

Finishes. Outside: To Match Lock Set. Inside: Any finish desired.

Dimensions. Outside Plate: 10"x 3½". Opening: 7½"x2". Back Plate: 9½"x3½". Opening: 7¾"x2¼".

Entrance Lock Sets — Mortise — Cast Brass or Bronze

— YORK —



(½ actual size)

— Handle One Side / Cylinder One Side —

No. 8765 WA .....(add inside Trim No.)

— Handle One Side / Cylinders Both Sides —

No. 8770 WB .....(add inside Trim No.)

(Example: 8765 WA 121—US 13 x US 4)

Inside Trim. Any Trim desired, see pages 76 to 105 inclusive.

Finishes. Outside Trim: Old Iron, Sanded Brass Hi-lited (US 7), or Sanded Bronze Hi-lited (US 13). Inside Trim: Any finish desired. Always specify finish of all Brass parts and Color of all Duralin parts.

Cylinder Mortise Lock. Fitted with Dexter Five Pin Tumbler Cylinders both sides or with Dexter Five Pin Tumbler outside—Knob Turn inside. Furnished in any number of key changes, with master key, or keyed-alike. — Furnished with 3 keys. — Detailed description of locks, see page 56.

Hand. Reversible for either right-hand or left-hand doors.

Door Thickness. Entrance Handle Sets are packed regularly for 1¾ inch doors. For other thicknesses, specify on order.

Material. Face Plate: **Forged Brass.** Case: **Cast Iron.** Bolts: **Cast Bronze.**

Dimensions. Face Plate: 7¾" x 1". Case: 5½" x 3½" x ¾". Backset: 2½".

Packing. One complete set in a box with installation instructions.

Matched Trims

Cast Brass or **Bronze**



No. 1662—24" Hinge Strap
No. 1663—18" Hinge Strap



Cat. No. 1657 — Right Hand Curved Hinge Strap

Cat. No. 1658 — Left Hand Curved Hinge Strap

This Hinge Strap will center on a door 36 inches wide with circle top cut on an 18-inch radius.

Hinge Strap illustrated is left-hand.

Finishes. To match Entrance Lock Sets.

Entrance Lock Sets — Mortise — Cast Brass or Bronze

—YORK—

— Handles Both Sides / Cylinders Both Sides —

No. 8775 WC 8775 Entrance Lock Set.

— Handles Both Sides / Cylinder One Side —

No. 8780 WH 8780 Entrance Lock Set

Finishes. Old Iron, Sanded Brass Hi-lited (US 7), or Sanded Bronze Hi-lited (US 13).

Cylinder Mortise Lock. Fitted with Dexter Five Pin Tumbler Cylinders both sides or with Dexter Five Pin Tumbler outside—Knob Turn inside. Furnished in any number of key changes, with master key, or keyed-alike. — Furnished with 3 keys. — Detailed description of locks, see page 56.

Hand. Reversible for either right-hand or left-hand doors.

Door Thickness. Entrance Handle Sets are packed regularly for 1¾ inch doors. For other thicknesses, specify on order.

Material. Face Plate: **Forged Brass.** Case: **Cast Iron.** Bolts: **Cast Bronze.**

Dimensions. Face Plate: 7¾" x 1". Case: 5½" x 3½" x ¾". Backset: 2½".

Packing. One complete set in a box with installation instructions.



(½ *actual size*)

Matched Trims

Cast Brass or **Bronze**



No. 5603—Mail Plate

Finishes. Outside: To Match Lock Set. Inside: Any finish desired.

Dimensions. Outside Plate: 10"x 3½". Opening: 7½"x2". Back Plate: 9½"x3½". Opening: 7¾"x2¼".



No. 5328—Door Knocker

Dimensions. 8¼"x2½".

Finishes. To match Lock Set.



No. 5002
Electric Push Button
Dimensions. 3"x2⅜".

Entrance Lock Sets — Mortise — Cast Brass or Bronze

— BERKSHIRE —



(½ actual size)

— Handle One Side / Cylinder One Side —

No. 8065 WA .....(add inside Trim No.)

— Handle One Side / Cylinders Both Sides —

No. 8070 WB .....(add inside Trim No.)

(Example: 8065 WA 511—US 7 x Walnut US 20)

Inside Trim. Any Trim desired, see pages 76 to 105 inclusive.

Finishes. Outside Trim: Old Iron, Sanded Brass Hi-lited (US 7), or Sanded Bronze Hi-lited (US 13). Inside Trim: Any finish desired. Always specify finish of all Brass parts and Color of all Duralin parts.

Cylinder Mortise Lock. Fitted with Dexter Five Pin Tumbler Cylinders both sides or with Dexter Five Pin Tumbler outside—Knob Turn inside. Furnished in any number of key changes, with master key, or keyed-alike. — Furnished with 3 keys. — Detailed description of locks, see page 56.

Hand. Reversible for either right-hand or left-hand doors.

Door Thickness. Entrance Handle Sets are packed regularly for 1¾ inch doors. For other thicknesses, specify on order.

Material. Face Plate: **Forged Brass.** Case: **Cast Iron.** Bolts: **Cast Bronze.**

Dimensions. Face Plate: 7¾" x 1". Case: 5½" x 3½" x ¾". Backset: 2½".

Packing. One complete set in a box with installation instructions.

Matched Trims

Cast Brass or **Bronze**



No. 1662—24" Hinge Strap

No. 1663—18" Hinge Strap



Cat. No. 1657 — Right Hand Curved Hinge Strap

Cat. No. 1658 — Left Hand Curved Hinge Strap

This Hinge Strap will center on a door 36 inches wide with circle top cut on an 18-inch radius.

Hinge Strap illustrated is left-hand.

Finishes. To match Entrance Lock Sets.

Entrance Lock Sets — Mortise — Cast Brass or Bronze

— BERKSHIRE —

— Handles Both Sides / Cylinders Both Sides —
No. 8075 WC 8075 Entrance Lock Set

— Handles Both Sides / Cylinder One Side —
No. 8080 WH 8080 Entrance Lock Set

Finishes. Old Iron, Sanded Brass Hi-lited (US 7), or Sanded Bronze Hi-lited (US 13).

Cylinder Mortise Lock. Fitted with Dexter Five Pin Tumbler Cylinders both sides or with Dexter Five Pin Tumbler outside—Knob Turn inside. Furnished in any number of key changes, with master key, or keyed-alike. — Furnished with 3 keys. — Detailed description of locks, see page 56.

Hand. Reversible for either right-hand or left-hand doors.

Door Thickness. Entrance Handle Sets are packed regularly for 1¾ inch doors. For other thicknesses, specify on order.

Material. Face Plate: **Forged Brass.** Case: **Cast Iron.** Bolts: **Cast Bronze.**

Dimensions. Face Plate: 7¾" x 1". Case: 5½" x 3½" x ¾". Backset: 2½".

Packing. One complete set in a box with installation instructions.



(½ *actual size*)

Matched Trims

Cast Brass or **Bronze**



No. 5603—Mail Plate

Finish. Outside: To match Entrance Lock Set. Inside: Any finish desired.

Dimensions. Outside Plate: 10"x 3½". Opening: 7½"x2". Back Plate: 9½"x3½". Opening: 7¾"x2¼".



No. 5326—Door Knocker

Dimensions. 8"x2⅜".

Finishes. To match Entrance Lock Sets.



No. 5000
Electric Push Button

Dimensions. 3⅜"x2⅛".

Entrance Lock Sets — Mortise — Cast Brass or Bronze

—VALENCIA—



(½ actual size)

— Handle One Side / Cylinder One Side —

No. 8865 WA .....(add inside Trim No.)

— Handle One Side / Cylinders Both Sides —

No. 8870 WB .....(add inside Trim No.)

(Example: 8865 WA 507—O1 x Walnut US 20)

Inside Trim. Any Trim desired, see pages 76 to 105 inclusive.

Finishes. Outside Trim: Old Iron only. Inside Trim: Any finish desired. Always specify finish of all Brass parts and Color of all Duralin parts.

Cylinder Mortise Lock. Fitted with Dexter Five Pin Tumbler Cylinders both sides or with Dexter Five Pin Tumbler outside—Knob Turn inside. Furnished in any number of key changes, with master key, or keyed-alike. — Furnished with 3 keys. — Detailed description of locks, see page 56.

Hand. Reversible for either right-hand or left-hand doors.

Door Thickness. Entrance Handle Sets are packed regularly for 1¾ inch doors. For other thicknesses, specify on order.

Material. Face Plate: **Forged Brass.** Case: **Cast Iron.** Bolts: **Cast Bronze.**

Dimensions. Face Plate: 7¾" x 1". Case: 5½" x 3½" x ¾". Backset: 2½".

Packing. One complete set in a box with installation instructions.

Matched Trims

Cast Brass or **Bronze**



No. 1666—22" Hinge Strap

No. 1667—18" Hinge Strap



Cat. No. 1665 (Reversible)
Curved Hinge Strap

This Hinge Strap will center on a door 36 inches wide with circle top cut on an 18-inch radius.

Reversible

Finish. Old Iron only.

Entrance Lock Sets—Mortise—Cast Brass or Bronze

— VALENCIA —

— Handles Both Sides / Cylinders Both Sides —

No. 8875 WC 8875 Entrance Lock Set

— Handles Both Sides / Cylinder One Side —

No. 8880 WH 8880 Entrance Lock Set

Finishes. Old Iron only.

Cylinder Mortise Lock. Fitted with Dexter Five Pin Tumbler Cylinders both sides or with Dexter Five Pin Tumbler outside—Knob Turn inside. Furnished in any number of key changes, with master key, or keyed-alike. — Furnished with 3 keys. — Detailed description of locks, see page 56.

Hand. Reversible for either right-hand or left-hand doors.

Door Thickness. Entrance Handle Sets are packed regularly for 1¾ inch doors. For other thicknesses, specify on order.

Material. Face Plate: **Forged Brass.** Case: **Cast Iron.** Bolts: **Cast Bronze.**

Dimensions. Face Plate: 7¾" x 1". Case: 5½" x 3½" x ¾". Backset: 2½".

Packing. One complete set in a box with installation instructions.



(½ actual size)

Matched Trims

Cast Brass or Bronze



No. 5661—Mail Plate

Finish. Outside: Old Iron only; Inside: Any finish desired.

Dimensions. Outside Plate: 10"x 3½". Opening: 7½"x2". Back Plate: 9½"x3¼". Opening: 7¾"x 2¼".



No. 5329—Door Knocker

Dimensions. 8"x4".

Finish. Old Iron only.



No. 5003—Electric Push Button

Dimensions. 3⅛"x2⅛".

Entrance Lock Sets — Mortise — Cast Brass or Bronze

— BARCELONA —



(½ actual size)

— Handle One Side / Cylinder One Side —

No. 8465 WA .....(add inside Trim No.)

— Handle One Side / Cylinders Both Sides —

No. 8470 WB .....(add inside Trim No.)

(Example: 8465 WA 145—O1 x US 8)

Inside Trim. Any Trim desired, see pages 76 to 105 inclusive.

Finishes. Outside Trim: Old Iron only. Inside Trim: Any finish desired. Always specify finish of all Brass parts and Color of all Duralin parts.

Cylinder Mortise Lock. Fitted with Dexter Five Pin Tumbler Cylinders both sides or with Dexter Five Pin Tumbler outside—Knob Turn inside. Furnished in any number of key changes, with master key, or keyed-alike. — Furnished with 3 keys. — Detailed description of locks, see page 56.

Hand. Reversible for either right-hand or left-hand doors.

Door Thickness. Entrance Handle Sets are packed regularly for 1¾ inch doors. For other thicknesses, specify on order.

Material. Face Plate: **Forged Brass.** Case: **Cast Iron.** Bolts: **Cast Bronze.**

Dimensions. Face Plate: 7¾" x 1". Case: 5½" x 3½" x ¾". Backset: 2½".

Packing. One complete set in a box with installation instructions.

Matched Trims

Cast Brass or **Bronze**



No. 1660—24" Hinge Strap

No. 1661—18" Hinge Strap



Cat. No. 1659 (Reversible)
Curved Hinge Strap

This Hinge Strap will center on a door 36 inches wide with circle top cut on an 18-inch radius.

Reversible.

Finish. Old Iron only.

Entrance Lock Sets—Mortise—Cast Brass or Bronze

—BARCELONA—

— Handles Both Sides / Cylinders Both Sides —
No. 8475 WC 8475 Entrance Lock Set

— Handles Both Sides / Cylinder One Side —
No. 8480 WH 8480 Entrance Lock Set

Finish. Old Iron only.

Cylinder Mortise Lock. Fitted with Dexter Five Pin Tumbler Cylinders both sides or with Dexter Five Pin Tumbler outside—Knob Turn inside. Furnished in any number of key changes, with master key, or keyed-alike. — Furnished with 3 keys. — Detailed description of locks, see page 56.

Hand. Reversible for either right-hand or left-hand doors.

Door Thickness. Entrance Handle Sets are packed regularly for 1¾ inch doors. For other thicknesses, specify on order.

Material. Face Plate: **Forged Brass.** Case: **Cast Iron.** Bolts: **Cast Bronze.**

Dimensions. Face Plate: 7¾" x 1". Case: 5½" x 3½" x ¾". Backset: 2½".

Packing. One complete set in a box with installation instructions.



(½ actual size)

Matched Trims

Cast Brass or **Bronze**



No. 5660—Mail Plate

Finish. Outside: Old Iron only. Inside: Any finish desired.

Dimensions. Outside Plate: 10"x 3½". Opening: 7½"x2". Back Plate: 9½"x3¼". Opening: 7¾"x2¼".



No. 5327—Door Knocker
Dimensions. 5½"x3".
Finish. Old Iron only.



No. 5001
Electric Push Button
Dimensions. 2⅝"x2⅞".

Entrance Lock Sets — Mortise — Cast Brass or Bronze — Knobs both sides —

—LENOX—



(½ *actual size*)

Escutcheon Outside

— Knobs Both Sides / Cylinder One Side —

No. 4065 WD .....(add inside Trim No.)

— Knobs Both Sides / Cylinders Both Sides —

No. 4075 WE .....(add inside Trim No.)

Example: 4065 WD 125—US 7 x US 4)

Finishes. Outside Trim: Sanded Brass Hi-lited (US 7), or Sanded Bronze Hi-lited (US 13) only. Inside Trim: Any finish desired. Always specify finish of all Brass parts and Color of all Duralin parts on order, see page 5.

Escutcheon Both Sides

— Knobs Both Sides / Cylinder One Side —

No. 4065 WD 4065 Entrance Lock Set

— Knobs Both Sides / Cylinders Both Sides —

No. 4075 WE 4075 Entrance Lock Set

Finishes. Sanded Brass Hi-lited (US 7), or Sanded Bronze Hi-lited (US 13) only.

Cylinder Mortise Lock. Fitted with Dexter Five Pin Tumbler Cylinders both sides or with Dexter Five Pin Tumbler outside—Knob Turn inside. Furnished in any number of key changes, with master key, or keyed-alike. — Furnished with 3 keys. — Detailed description of locks, see page 57.

Hand. Reversible for either right-hand or left-hand doors.

Door Thickness. Entrance Handle Sets are packed regularly for 1¾ inch doors. For other thicknesses, specify on order.

Material. Face Plate: **Forged Brass.** Case: **Cast Iron.** Bolts: **Cast Bronze.**

Dimensions. Face Plate: 7¾" x 1". Case: 5½" x 3½" x ¾". Backset: 2½".

Packing. One complete set in a box with installation instructions.

For other Entrance Lock Sets with Knobs both sides, see page 57.

Mortise Knob Locks

(Cuts ½ size)



Type K

Type K

For Inside Doors

Case. Cast iron, japanned — 3¾ x 3¼ x 9/16 inches.
Front. Wrought brass — 5½ x ⅞ inches.
Hand. Reversible.
Backset. 2½ inches.
Spacing. 2 3/16 inches.
Strike. Wrought brass — 1⅜ inch lip to center.
Bolts. Cast.
Hub. Cast iron — 5/16 inch.
Keys. 1 key — 1 tumbler — 6 changes.

Operation

Latch bolt by knob from either side at all times. Dead bolt by key from either side.



Type G

Type G

For Bathroom Doors

Case. Cast iron, japanned — 3¾ x 3¼ x 9/16 inches.
Front. Wrought brass — 5½ x ⅞ inches.
Hand. Reversible.
Backset. 2½ inches.
Spacing. 2 3/16 inches.
Strike. Wrought brass — 1⅜ inch lip to center.
Bolts. Cast.
Hub. Cast iron — 5/16 inch and 3/16 inch.
Keys. 1 emergency key.

Operation

Latch bolt by knob from either side at all times. Dead bolt by key from outside and by turn knob from inside.



Type J

Type J

For French and Narrow Stile Doors

Case. Cast iron, japanned — 3¾ x 2½ x 9/16 inches.
Front. Wrought brass — 5½ x ⅞ inches.
Hand. Reversible.
Backset. 1¾ inches.
Spacing. 2 3/16 inches.
Strike. Wrought brass — 1⅜ inch lip to center.
Bolts. Cast.
Hub. Cast iron — 5/16 inch.
Keys. 1 key — 1 tumbler — 6 changes.

Operation

Latch bolt by knob or lever handle from either side at all times. Dead bolt by key from either side at all times.

Mortise Knob Lock Sets — BRASS — Olympian Design



No. 1119 K 219 Closet Lock Set with **2" RECESSED BRASS** Knob.

No. 1619 K 219 Closet Lock Set with **1¾" RECESSED BRASS** Knob.

Same as set in upper center except it has Cast Brass Closet-Turn inside.

Detail description Type "K" Lock, page 75.



No. 1119 K 1119 Mortise Lock Set with **2" RECESSED BRASS** Knobs.

No. 1619 K 1619 Mortise Lock Set with **1¾" RECESSED BRASS** Knobs.

Trim—Recessed Brass Knob with Olympian design Brass Escutcheon—both sides.

Lock Type "K"—Detail description see page 75.



No. 1119 G 1119 Bathroom Lock Set with **2" RECESSED BRASS** Knobs.

No. 1619 G 1619 Bathroom Lock Set with **1¾" RECESSED BRASS** Knobs.

Same as set in upper center except it has Brass Thumb-turn inside.

Detail description Type "G" Lock, page 75.

LOCK FOR NARROW STILE DOORS SEE TYPE "J" PAGE 75

Finishes. Any finish or color desired. Always specify on order. See Page 5.

Dimensions. Front: 5½ x ⅞ inches; Case: 3¾ x 3¼ x 9/16 inches; Backset: 2½ inches.

Materials. Front: **Wrought Brass;** Case: **Cast Iron.**

Spindles. To fit 1⅜-inch door. For other thicknesses specify on order.

Packing. One set complete in box with installation instructions.

Caution: ALWAYS SPECIFY: (1) Finish of outside Escutcheon; (2) Color or finish of outside Knob and color or finish of Interchangeable Insert Top when used; (3) Separate outside and inside finish with letter "X"; (4) Finish of inside Escutcheon; (5) Color or finish of inside Knob and color or finish of Interchangeable Insert Top when used — detailed description Page 6.

TRIMS—Olympian Design

For Mortise Knob Locks



***2" INSERT BRASS** Knob
BRASS escutcheon
Trim **0119K**—Keyhole
Trim **0119G**—Thumb-turn
(for bathroom)



2" GLASS Knob
BRASS escutcheon
Trim **159K**—Keyhole
Trim **159G**—Thumb-turn

2¼" GLASS Knob
BRASS escutcheon
Trim **149K**—Keyhole
Trim **149G**—Thumb-turn
(for bathroom)



2" CUT GLASS Knob
BRASS escutcheon
Trim **319K**—Keyhole
Trim **319G**—Thumb-turn

2¼" CUT GLASS Knob
BRASS escutcheon
Trim **309K**—Keyhole
Trim **309G**—Thumb-turn
(for bathroom)



2" PLAIN DURALIN Knob
BRASS escutcheon
Trim **519K**—Keyhole
Trim **519G**—Thumb-turn

***2" INSERT DURALIN** Knob
BRASS escutcheon
Trim **0519K**—Keyhole
Trim **0519G**—Thumb-turn
(for bathroom)



2" PLAIN BRASS Knob
BRASS escutcheon
Trim **119K**—Keyhole
Trim **119G**—Thumb-turn
(for bathroom)

1¾" PLAIN BRASS Knob
BRASS escutcheon
Trim **619K**—Keyhole
Trim **619G**—Thumb-turn
(for bathroom)

2¼" PLAIN BRASS Knob
BRASS escutcheon
Trim **109K**—Keyhole
Trim **109G**—Thumbturn
(for bathroom)



3¼" Oct. BRASS Lever
BRASS escutcheon
Trim **419K**—Keyhole
Trim **419G**—Thumb-turn
(for bathroom)



3" Rd. BRASS Lever
BRASS escutcheon
Trim **439K**—Keyhole
Trim **439G**—Thumb-turn
(for bathroom)



3" Hex. DURALIN Lever
BRASS escutcheon
Trim **719K**—Keyhole
Trim **719G**—Thumb-turn
(for bathroom)

*Knob furnished with Interchangeable Insert Top

FOR CATALOG NUMBERS OF COMPLETE LATCHSETS, USING ABOVE TRIMS, FOLLOW EXAMPLES ON OPPOSITE PAGE

Mortise Knob — DURALIN — Wayne Design Lock Sets

COLORS

IVORY	GREEN
YELLOW	BLUE
RED	ORCHID
BLACK	WALNUT



INTERCHANGEABLE INSERT TOPS

Furnished in **DURALIN** in any stock color or **BRASS** in any standard finish. See Page 5.



No. 531 K 241 Closet Lock Set with **2" PLAIN DURALIN** Knob.

No. 0531 K 241 Closet Lock Set with **2" INSERT DURALIN** Knob.

Same as set in upper center except it has Cast Brass Closet-Turn inside.

Detail description Type "K" Lock page 75.

No. 531 K 531 Mortise Lock Set with **2" PLAIN DURALIN** Knobs.

No. 0531 K 0531 Mortise Lock Set with **2" INSERT DURALIN** Knobs.

Trim—Duralin Knob with Wayne design Duralin Escutcheon—both sides.

Lock Type "K"—Detail description see page 75.



No. 531 G 531 Bathroom Lock Set with **2" PLAIN DURALIN** Knobs.

No. 0531 G 0531 Bathroom Lock Set with **2" INSERT DURALIN** Knobs.

Same as set in upper center except it has Brass Thumb-Turn Inside.

Detail description Type "G" Lock, page 75.

LOCK FOR NARROW STILE DOORS SEE TYPE "J" PAGE 75

Finishes. Any color or finish desired. Always specify on order. See page 5.

Dimensions. Front: $5\frac{1}{2}$ x $\frac{7}{8}$ inches; Case: $3\frac{3}{4}$ x $3\frac{1}{4}$ x 9/16 inches; Backset: $2\frac{1}{2}$ inches.

Materials. Front: **Wrought Brass;** Case: **Cast Iron.**

Spindles. To fit $1\frac{3}{8}$-inch door. For other thicknesses specify on order.

Packing. One set complete in box with installation instructions.

Caution: ALWAYS SPECIFY: (1) Color of outside Escutcheon; (2) Color or finish of outside Knob and color or finish of Interchangeable Insert Top when used; (3) Separate outside and inside finish with letter "X"; (4) Color of inside Escutcheon; (5) Color or finish of inside Knob and color or finish of Interchangeable Insert Top when used — detailed description Page 6.

NATIONAL BRASS CO. MFRS. BUILDERS HOWE GRAND RAPIDS MICHIGAN

TRIMS—Wayne Design

For Mortise Knob Locks



2" PLAIN BRASS Knob
DURALIN escutcheon

Trim **133K**—Keyhole
Trim **133G**—Thumb-turn
(for bathroom)

1¾" PLAIN BRASS Knob
DURALIN escutcheon

Trim **633K**—Keyhole
Trim **633G**—Thumb-turn
(for bathroom)



***2" INSERT BRASS** Knob
DURALIN escutcheon

Trim **0133K**—Keyhole
Trim **0133G**—Thumb-turn
(for bathroom)



2" RECESSED BRASS Knob
DURALIN escutcheon

Trim **1133K**—Keyhole
Trim **1133G**—Thumb-turn
(for bathroom)

1¾" RECESSED BRASS Knob
DURALIN escutcheon

Trim **1633K**—Keyhole
Trim **1633G**—Thumb-turn
(for bathroom)



2" GLASS Knob
DURALIN escutcheon

Trim **173K**—Keyhole
Trim **173G**—Thumb-turn
(for bathroom)



2" CUT GLASS Knob
DURALIN escutcheon

Trim **333K**—Keyhole
Trim **333G**—Thumb-turn
(for bathroom)



3" Hex. DURALIN Lever Handle
DURALIN escutcheon

Trim **721K**—Keyhole
Trim **721G**—Thumb-turn
(for bathroom)

*Knob furnished with Interchangeable Insert Top

FOR CATALOG NUMBERS OF COMPLETE LATCHSETS, USING ABOVE TRIMS, FOLLOW EXAMPLES ON OPPOSITE PAGE

Mortise Knob — BRASS — Craft Design Lock Sets







No. 123 K 203 Closet Lock Set with 2" **PLAIN BRASS** Knob.

No. 623 K 203 Closet Lock Set with 1¾" **PLAIN BRASS** Knob.

No. 103 K 203 Closet Lock Set with 2¼" **PLAIN BRASS** Knob.

Same as set in upper center except it has Cast Brass Closet-Turn inside.

Detail description Type "K" Lock, page 75.

No. 123 K 123 Mortise Lock Set with 2" **PLAIN BRASS** Knobs.

No. 623 K 623 Mortise Lock Set with 1¾" **PLAIN BRASS** Knobs.

No. 103 K 103 Mortise Lock Set with 2¼" **PLAIN BRASS** Knobs.

Trim—Brass Knob with Craft design Brass Escutcheon—both sides.

Lock Type "K" — Detail description see page 75.

No. 123 G123 Bathroom Lock Set with 2" **PLAIN BRASS** Knobs.

No. 623 G 623 Bathroom Lock Set with 1¾" **PLAIN BRASS** Knobs.

No. 103 G 103 Bathroom Lock Set with 2¼" **PLAIN BRASS** Knobs.

Same as set in upper center except it has Brass Thumb-Turn inside.

Detail description Type "G" Lock, page 75.

LOCK FOR NARROW STILE DOORS SEE TYPE "J" PAGE 75

Finishes. Any finish or color desired. Always specify on order. See page 5.

Dimensions. Front: 5½ x ⅞ inches; Case: 3¾ x 3¼ x 9/16 inches; Backset: 2½ inches.

Materials. Front: **Wrought Brass;** Case: **Cast Iron.**

Spindles. To fit 1⅜-inch door. For other thicknesses specify on order.

Packing. One set complete in box with installation instructions.

Caution: ALWAYS SPECIFY: (1) Finish of outside Escutcheon; (2) Color or finish of outside Knob and color or finish of Interchangeable Insert Top when used; (3) Separate outside and inside finish with letter "X"; (4) Finish of inside Escutcheon; (5) Color or finish of inside Knob and color or finish of Interchangeable Insert Top when used — detailed description Page 6.

TRIMS — Craft Design

For Mortise Knob Locks



***2" INSERT** BRASS Knob
BRASS escutcheon
Trim **0123K** —Keyhole
Trim **0123G**—Thumb-turn
(for bathroom)



2" GLASS Knob
BRASS escutcheon
Trim **163K** —Keyhole
Trim **163G**—Thumb-turn
(for bathroom)

2¼" GLASS Knob
BRASS escutcheon
Trim **143K** —Keyhole
Trim **143G**—Thumb-turn
(for bathroom)



2" CUT GLASS Knob
BRASS escutcheon
Trim **323K** —Keyhole
Trim **323G**—Thumb-turn
(for bathroom)

2¼" CUT GLASS Knob
BRASS escutcheon
Trim **303K** —Keyhole
Trim **303G**—Thumb-turn
(for bathroom)



2" PLAIN DURALIN Knob
BRASS escutcheon
Trim **513K** —Keyhole
Trim **513G**—Thumb-turn
(for bathroom)

***2" INSERT DURALIN** Knob
BRASS escutcheon
Trim **0513K** —Keyhole
Trim **0513G**—Thumb-turn
(for bathroom)



2" RECESSED BRASS Knob
BRASS escutcheon
Trim **1123K** —Keyhole
Trim **1123G**—Thumb-turn
(for bathroom)

1¾" RECESSED BRASS Knob
BRASS escutcheon
Trim **1623K** —Keyhole
Trim **1623G**—Thumb-turn
(for bathroom)



3¼" Oct. BRASS Lever
BRASS escutcheon
Trim **403K** —Keyhole
Trim **403G**—Thumb-turn
(for bathroom)



3" Rd. BRASS Lever
BRASS escutcheon
Trim **423K** —Keyhole
Trim **423G**—Thumb-turn
(for bathroom)



3" Hex. DURALIN Lever
BRASS escutcheon
Trim **725K** —Keyhole
Trim **725G**—Thumb-turn
(for bathroom)

*Knob furnished with Interchangeable Insert Top

FOR CATALOG NUMBERS OF COMPLETE LATCHSETS, USING ABOVE TRIMS, FOLLOW EXAMPLES ON OPPOSITE PAGE

Mortise Knob—DURALIN—Tiffany Design Lock Sets

COLORS

IVORY	GREEN
YELLOW	BLUE
RED	ORCHID
BLACK	WALNUT

INTERCHANGEABLE INSERT TOPS

Furnished in **DURALIN** in any stock color or **BRASS** in any standard finish. See Page 5.



No. 541 K 211 Closet Lock Set with **2" PLAIN DURALIN** Knob.

No. 0541 K 211 Closet Lock Set with **2" INSERT DURALIN** Knob.

Same as set in upper center except it has Cast Brass Closet-Turn inside.

Detail description Type "K" Lock, page 75.



No. 541 K 541 Mortise Lock Set with **2" PLAIN DURALIN** Knobs.

No. 0541 K 0541 Mortise Lock Set with **2" INSERT DURALIN** Knobs.

Trim—Duralin Knob with Tiffany design Duralin Escutcheon—both sides.

Lock Type "K" — Detail description see page 75.



No. 541 G 541 Bathroom Lock Set with **2" PLAIN DURALIN** Knobs.

No. 0541 G 0541 Bathroom Lock Set with **2" INSERT DURALIN** Knobs.

Same as set in upper center except it has Thumb-Turn inside.

Detail description Type "G" Lock, page 75.

LOCK FOR NARROW STILE DOORS SEE TYPE "J" PAGE 75

Finishes. Any color or finish desired. Always specify on order. See page 5.

Dimensions. Front: 5 1/2 x 7/8 inches; Case: 3 3/4 x 3 1/4 x 9/16 inches; Backset: 2 1/2 inches.

Materials. Front: **Wrought Brass;** Case: **Cast Iron.**

Spindles. To fit 1 3/8-inch door. For other thicknesses specify on order.

Packing. One set complete in box with installation instructions.

Caution: ALWAYS SPECIFY: (1) Color of outside Escutcheon; (2) Color or finish of outside Knob and color or finish of Interchangeable Insert Top when used; (3) Separate outside and inside finish with letter "X"; (4) Color of inside Escutcheon; (5) Color or finish of inside Knob and color or finish of Interchangeable Insert Top when used — detailed description Page 6.

TRIMS — Tiffany Design

For Mortise Knob Locks



2" PLAIN BRASS Knob
DURALIN escutcheon
Trim **137K** —Keyhole
Trim **137G**—Thumb-turn
(for bathroom)

1¾" PLAIN BRASS Knob
DURALIN escutcheon
Trim **637K** —Keyhole
Trim **637G**—Thumb-turn
(for bathroom)



***2" INSERT BRASS** Knob
DURALIN escutcheon
Trim **0137K**—Keyhole
Trim **0137G**—Thumb-turn
(for bathroom)



2" RECESSED BRASS Knob
DURALIN escutcheon
Trim **1137K**—Keyhole
Trim **1137G**—Thumb-turn
(for bathroom)



2" GLASS Knob
DURALIN escutcheon
Trim **177K** —Keyhole
Trim **177G**—Thumb-turn
(for bathroom)



2" CUT GLASS Knob
DURALIN escutcheon
Trim **337K** —Keyhole
Trim **337G**—Thumb-turn
(for bathroom)



3" Hex. DURALIN Lever
DURALIN escutcheon
Trim **731K** —Keyhole
Trim **731G**—Thumb-turn
(for bathroom)

*Knob furnished with Interchangeable Insert Top

FOR CATALOG NUMBERS OF COMPLETE LATCHSETS, USING ABOVE TRIMS, FOLLOW EXAMPLES ON OPPOSITE PAGE

Mortise Knob—BRASS—Spartan Design Lock Sets



No. 167 K 207 Closet Lock Set with **2" GLASS** Knob.

No. 147 K 207 Closet Lock Set with **2¼" GLASS** Knob.

Same as set in upper center except it has Cast Brass Closet-Turn inside.

Detail description Type "K" Lock, page 75.



No. 167 K 167 Mortise Lock Set with **2" GLASS** Knobs.

No. 147 K 147 Mortise Lock Set with **2¼" GLASS** Knobs.

Trim—Glass knob with Spartan design Brass Escutcheon—both sides.

Lock Type "K"—Detail description see page 75.



No. 167 G 167 Bathroom Lock Set with **2" GLASS** Knobs.

No. 147 G 147 Bathroom Lock Set with **2¼" GLASS** Knobs.

Same as set in upper center except it has Brass Thumb-Turn inside.

Detail description Type "G" Lock, page 75.

LOCK FOR NARROW STILE DOORS SEE TYPE "J" PAGE 75

Finishes. Any finish or color desired. Always specify on order. See page 5.

Dimensions. Front: 5½ x ⅞ inches; Case: 3¾ x 3¼ x 9/16 inches; Backset: 2½ inches.

Materials. Front: **Wrought Brass;** Case: **Cast Iron.**

Spindles. To fit 1⅜-inch door. For other thicknesses specify on order.

Packing. One set complete in box with installation instructions.

Caution: ALWAYS SPECIFY: (1) Finish of outside Escutcheon; (2) Color or finish of outside Knob and color or finish of Interchangeable Insert Top when used; (3) Separate outside and inside finish with letter "X"; (4) Finish of inside Escutcheon; (5) Color or finish of inside Knob and color or finish of Interchangeable Insert Top when used — detailed description Page 6.

TRIMS — Spartan Design

For Mortise Knob Locks



2" PLAIN BRASS Knob
BRASS escutcheon
Trim **127K** —Keyhole
Trim **127G**—Thumb-turn
(for bathroom)

1¾" PLAIN BRASS Knob
BRASS escutcheon
Trim **627K** —Keyhole
Trim **627G**—Thumb-turn
(for bathroom)

2¼" PLAIN BRASS Knob
BRASS escutcheon
Trim **107K** —Keyhole
Trim **107G**—Thumb-turn
(for bathroom)



***2" INSERT BRASS** Knob
BRASS escutcheon
Trim **0127K** —Keyhole
Trim **0127G**—Thumb-turn
(for bathroom)



2" CUT GLASS Knob
BRASS escutcheon
Trim **327K** —Keyhole
Trim **327G**—Thumb-turn
(for bathroom)

2¼" CUT GLASS Knob
BRASS escutcheon
Trim **307K** —Keyhole
Trim **307G**—Thumb-turn
(for bathroom)



2" PLAIN DURALIN Knob
BRASS escutcheon
Trim **537K** —Keyhole
Trim **537G**—Thumb-turn
(for bathroom)

***2" INSERT DURALIN** Knob
BRASS escutcheon
Trim **0537K** —Keyhole
Trim **0537G**—Thumb-turn
(for bathroom)



2" RECESSED BRASS Knob
BRASS escutcheon
Trim **1127K** —Keyhole
Trim **1127G**—Thumb-turn
(for bathroom)

1¾" RECESSED BRASS Knob
BRASS escutcheon
Trim **1627K** —Keyhole
Trim **1627G**—Thumb-turn
(for bathroom)



3¼" Oct. BRASS Lever
BRASS escutcheon
Trim **407K** —Keyhole
Trim **407G**—Thumb-turn
(for bathroom)



3" Rd. BRASS Lever
BRASS escutcheon
Trim **427K** —Keyhole
Trim **427G**—Thumb-turn
(for bathroom)



3" Hex. DURALIN Lever
BRASS escutcheon
Trim **735K** —Keyhole
Trim **735G**—Thumb-turn
(for bathroom)

***Knob furnished with Interchangeable Insert Top**

FOR CATALOG NUMBERS OF COMPLETE LATCHSETS, USING ABOVE TRIMS, FOLLOW EXAMPLES ON OPPOSITE PAGE

NATIONAL BRASS CO. MFRS. BUILDERS HOWE GRAND RAPIDS MICHIGAN

Mortise Knob—DURALIN—Troy Lock Sets Design

COLORS

IVORY	GREEN
YELLOW	BLUE
RED	ORCHID
BLACK	WALNUT



INTERCHANGEABLE INSERT TOPS

Furnished in **DURALIN** in any stock color or **BRASS** in any standard finish. See Page 5.



No. 511 K 231 Closet Lock Set with **2" PLAIN DURALIN** Knob.

No. 0511 K 231 Closet Lock Set with **2" INSERT DURALIN** Knob.

Same as set in upper center except it has Cast Brass Closet-Turn inside.

Detail description Type "K" Lock, page 75.

No. 511 K 511 Mortise Lock Set with **2" PLAIN DURALIN** Knobs.

No. 0511 K 0511 Mortise Lock Set with **2" INSERT DURALIN** Knobs.

Trim—Duralin Knob with Troy design Duralin Escutcheon—both sides.

Lock Type "K"—Detail description see page 75.



No. 511 G 511 Bathroom Lock Set with **2" PLAIN DURALIN** Knobs.

No. 0511 G 0511 Bathroom Lock Set with **2" INSERT DURALIN** Knobs.

Same as set in upper center except it has Brass Thumb-Turn inside.

Detail description Type "G" Lock, page 75.

LOCK FOR NARROW STILE DOORS SEE TYPE "J" PAGE 75

Finishes. Any color or finish desired. Always specify on order. See page 5.

Dimensions. Front: 5 1/2 x 7/8 inches; Case: 3 3/4 x 3 1/4 x 9/16 inches; Backset: 2 1/2 inches.

Materials. Front: **Wrought Brass;** Case: **Cast Iron.**

Spindles. To fit 1 3/8-inch door. For other thicknesses specify on order.

Packing. One set complete in box with installation instructions.

Caution: ALWAYS SPECIFY: (1) Color of outside Escutcheon; (2) Color or finish of outside Knob and color or finish of Interchangeable Insert Top when used; (3) Separate outside and inside finish with letter "X"; (4) Color of inside Escutcheon; (5) Color or finish of inside Knob and color or finish of Interchangeable Insert Top when used — detailed description Page 6.

TRIMS — Troy Design

For Mortise Knob Locks



2" PLAIN BRASS Knob
DURALIN escutcheon
Trim **131K** —Keyhole
Trim **131G**—Thumb-turn
(for bathroom)

1¾" PLAIN BRASS Knob
DURALIN escutcheon
Trim **631K** —Keyhole
Trim **631G**—Thumb-turn
(for bathroom)



***2" INSERT BRASS** Knob
DURALIN escutcheon
Trim **0131K** —Keyhole
Trim **0131G**—Thumb-turn
(for bathroom)



2" RECESSED BRASS Knob
DURALIN escutcheon
Trim **1131K** —Keyhole
Trim **1131G**—Thumb-turn
(for bathroom)

1¾" RECESSED BRASS Knob
DURALIN escutcheon
Trim **1631K** —Keyhole
Trim **1631G**—Thumb-turn
(for bathroom)



2" GLASS Knob
DURALIN escutcheon
Trim **171K** —Keyhole
Trim **171G**—Thumb-turn
(for bathroom)



2" CUT GLASS Knob
DURALIN escutcheon
Trim **331K** —Keyhole
Trim **331G**—Thumb-turn
(for bathroom)



3" Hex. DURALIN Lever Handle
DURALIN escutcheon
Trim **711K** —Keyhole
Trim **711G**—Thumb-turn
(for bathroom)

*Knob furnished with Interchangeable Insert Top

FOR CATALOG NUMBERS OF COMPLETE LATCHSETS, USING ABOVE TRIMS, FOLLOW EXAMPLES ON OPPOSITE PAGE

Mortise Knob Lock Sets — BRASS — Athens Design

COLORS

IVORY	GREEN
YELLOW	BLUE
RED	ORCHID
BLACK	WALNUT



INTERCHANGEABLE INSERT TOPS

Furnished in **DURALIN** in any stock color or **BRASS** in any standard finish. See Page 5.



No. 515 K 215 Closet Lock Set with **2" PLAIN DURALIN** Knob.

No. 0515 K 215 Closet Lock Set with **2" INSERT DURALIN** Knob.

Same as set in upper center except it has Cast Brass Closet-Turn inside.

Detail description Type "K" Lock, page 75.

No. 515 K 515 Mortise Lock Set with **2" PLAIN DURALIN** Knobs.

No. 0515 K 0515 Mortise Lock Set with **2" INSERT DURALIN** Knobs.

Trim—Duralin Knob with Athens design Brass Escutcheon—both sides.

Lock Type "K"—Detail description see page 75.



No. 515 G 515 Bathroom Lock Set with **2" PLAIN DURALIN** Knobs.

No. 0515 G 0515 Bathroom Lock Set with **2" INSERT DURALIN** Knobs.

Same as set in upper center except it has Brass Thumb-Turn inside.

Detail description Type "G" Lock, page 75.

LOCK FOR NARROW STILE DOORS SEE TYPE "J" PAGE 75

Finishes. Any finish or color desired. Always specify on order. See page 5.

Dimensions. Front: 5 1/2 x 7/8 inches; Case: 3 3/4 x 3 1/4 x 9/16 inches; Backset: 2 1/2 inches.

Materials. Front: **Wrought Brass;** Case: **Cast Iron.**

Spindles. To fit 1 3/8-inch door. For other thicknesses specify on order.

Packing. One set complete in box with installation instructions.

Caution: ALWAYS SPECIFY: (1) Finish of outside Escutcheon; (2) Color or finish of outside Knob and color or finish of Interchangeable Insert Top when used; (3) Separate outside and inside finish with letter "X"; (4) Finish of inside Escutcheon; (5) Color or finish of inside Knob and color or finish of Interchangeable Insert Top when used — detailed description Page 6.

TRIMS — Athens Design

For Mortise Knob Locks



2" PLAIN BRASS Knob
BRASS escutcheon
Trim **135K** —Keyhole
Trim **135G**—Thumb-turn
(for bathroom)

1¾" PLAIN BRASS Knob
BRASS escutcheon
Trim **635K** —Keyhole
Trim **635G**—Thumb-turn
(for bathroom)

2¼" PLAIN BRASS Knob
BRASS escutcheon
Trim **115K**—Keyhole
Trim **115G**—Thumb-turn
(for bathroom)



***2" INSERT BRASS** Knob
BRASS escutcheon
Trim **0135K** —Keyhole
Trim **0135G**—Thumb-turn
(for bathroom)



2" GLASS Knob
BRASS escutcheon
Trim **175K** —Keyhole
Trim **175G**—Thumb-turn
(for bathroom)

2¼" GLASS Knob
BRASS escutcheon
Trim **155K** —Keyhole
Trim **155G**—Thumb-turn
(for bathroom)



2" CUT GLASS Knob
BRASS escutcheon
Trim **335K** —Keyhole
Trim **335G**—Thumb-turn
(for bathroom)

2¼" CUT GLASS Knob
BRASS escutcheon
Trim **315K** —Keyhole
Trim **315G**—Thumb-turn
(for bathroom)



2" RECESSED BRASS Knob
BRASS escutcheon
Trim **1135K** —Keyhole
Trim **1135G**—Thumb-turn
(for bathroom)

1¾" RECESSED BRASS Knob
BRASS escutcheon
Trim **1635K** —Keyhole
Trim **1635G**—Thumb-turn
(for bathroom)



3¼" Oct. BRASS Lever
BRASS escutcheon
Trim **415K** —Keyhole
Trim **415G**—Thumb-turn
(for bathroom)



3" Rd. BRASS Lever
BRASS escutcheon
Trim **435K** —Keyhole
Trim **435G**—Thumb-turn
(for bathroom)



3" Hex. DURALIN Lever
BRASS escutcheon
Trim **715K** —Keyhole
Trim **715G**—Thumb-turn
(for bathroom)

*Knob furnished with Interchangeable Insert Top

FOR CATALOG NUMBERS OF COMPLETE LATCHSETS, USING ABOVE TRIMS, FOLLOW EXAMPLES ON OPPOSITE PAGE

NATIONAL BRASS CO. MFRS. BUILDERS HOWE GRAND RAPIDS MICHIGAN

Mortise Knob Lock Sets—BRASS—Dover Design



No. 389 K 209 Closet Lock Set with 1¾" **CAST BRASS** Knob.

No. 629 K 209 Closet Lock Set with 1¾" **WROUGHT BRASS** Knob.

No. 129 K 209 Closet Lock Set with **2" WROUGHT BRASS** Knob.

Same as set in upper center except it has Cast Brass Closet-Turn inside.

Detail description type "K" Lock, page 75.



No. 389 K 389 Mortise Lock Set with 1¾" **CAST BRASS** Knobs.

No. 629 K 629 Mortise Lock Set with 1¾" **WROUGHT BRASS** Knobs.

No. 129 K 129 Mortise Lock Set with **2" WROUGHT BRASS** Knobs.

Trim—Brass Knob with Dover design Brass Escutcheon—both sides.

Lock Type "K"—Detail description see page 75.



No. 389 G 389 Bathroom Lock Set with 1¾" **CAST BRASS** Knobs.

No. 629 G 629 Bathroom Lock Set with 1¾" **WROUGHT BRASS** Knobs.

No. 129 G 129 Bathroom Lock Set with **2" WROUGHT BRASS** Knobs.

Same as set in upper center except it has Brass Thumb-Turn inside.

Detail description type "G" Lock, page 75.

LOCK FOR NARROW STILE DOORS SEE TYPE "J" PAGE 75

Finishes. Any finish or color desired. Always specify on order. See page 5.

Dimensions. Front: 5½ x ⅞ inches; Case: 3¾ x 3¼ x 9/16 inches; Backset: 2½ inches.

Materials. Front: **Wrought Brass;** Case: **Cast Iron.**

Spindles. To fit 1⅜-inch door. For other thicknesses specify on order.

Packing. One set complete in box with installation instructions.

Caution: ALWAYS SPECIFY: (1) Finish of outside Escutcheon; (2) Color or finish of outside Knob and color or finish of Interchangeable Insert Top when used; (3) Separate outside and inside finish with letter "X"; (4) Finish of inside Escutcheon; (5) Color or finish of inside Knob and color or finish of Interchangeable Insert Top when used — detailed description Page 6.

TRIMS—Dover Design

For Mortise Knob Locks



*2" **INSERT BRASS** Knob
BRASS escutcheon
Trim **0129K**—Keyhole
Trim **0129G**—Thumb-turn
(for bathroom)



2" **GLASS** Knob
BRASS escutcheon
Trim **169K**—Keyhole
Trim **169G**—Thumb-turn
(for bathroom)



2" **CUT GLASS** Knob
BRASS escutcheon
Trim **329K**—Keyhole
Trim **329G**—Thumb-turn
(for bathroom)



2" **PLAIN DURALIN** Knob
BRASS escutcheon
Trim **509K**—Keyhole
Trim **509G**—Thumb-turn
(for bathroom)

*2" **INSERT DURALIN** Knob
BRASS escutcheon
Trim **0509K**—Keyhole
Trim **0509G**—Thumb-turn
(for bathroom)



1¾" **RECESSED BRASS** Knob
BRASS escutcheon
Trim **1629K**—Keyhole
Trim **1629G**—Thumb-turn
(for bathroom)

2" **RECESSED BRASS** Knob
BRASS escutcheon
Trim **1129K**—Keyhole
Trim **1129G**—Thumb-turn
(for bathroom)



3¼" **Oct. BRASS** Lever
BRASS escutcheon
Trim **409K**—Keyhole
Trim **409G**—Thumb-turn
(for bathroom)



3" **Rd. BRASS** Lever
BRASS escutcheon
Trim **429K**—Keyhole
Trim **429G**—Thumb-turn
(for bathroom)



3" **Hex. DURALIN** Lever
BRASS escutcheon
Trim **709K**—Keyhole
Trim **709G**—Thumb-turn
(for bathroom)

***Knob furnished with Interchangeable Insert Top**

FOR CATALOG NUMBERS OF COMPLETE LATCHSETS, USING ABOVE TRIMS, FOLLOW EXAMPLES ON OPPOSITE PAGE

Mortise Knob—DURALIN—Hampton Lock Sets Design

COLORS

IVORY	GREEN
YELLOW	BLUE
RED	ORCHID
BLACK	WALNUT

INTERCHANGEABLE INSERT TOPS

Furnished in **DURALIN** in any stock color or **BRASS** in any standard finish. See Page 5.



No. 507 K 227 Closet Lock Set with **2" PLAIN DURALIN** Knob.

No. 0507 K 227 Closet Lock Set with **2" INSERT DURALIN** Knob.

Same as set in upper center except it has Cast Brass Closet-Turn inside.

Detail description Type "K" Lock page 75.



No. 507 K 507 Mortise Lock Set with **2" PLAIN DURALIN** Knobs.

No. 0507 K 0507 Mortise Lock Set with **2" INSERT DURALIN** Knobs.

Trim—Duralin Knob with Hampton design Duralin Escutcheon—both sides.

Lock Type "K"—Detail description see page 75.



No. 507 G 507 Bathroom Lock Set with **2" PLAIN DURALIN** Knobs.

No. 0507 G 0507 Bathroom Lock Set with **2" INSERT DURALIN** Knobs.

Same as set in upper center except it has Brass Thumb-Turn inside.

Detail description Type "G" Lock page 75.

LOCK FOR NARROW STILE DOORS SEE TYPE "J" PAGE 75

Finishes. Any color or finish desired. Always specify on order. See page 5.

Dimensions. Front: 5 1/2 x 7/8 inches; Case: 3 3/4 x 3 1/4 x 9/16 inches; Backset: 2 1/2 inches.

Materials. Front: **Wrought Brass;** Case: **Cast Iron.**

Spindles. To fit 1 3/8-inch door. For other thicknesses specify on order.

Packing. One set complete in box with installation instructions.

Caution: ALWAYS SPECIFY: (1) Color of outside Escutcheon; (2) Color or finish of outside Knob and color or finish of Interchangeable Insert Top when used; (3) Separate outside and inside finish with letter "X"; (4) Color of inside Escutcheon; (5) Color or finish of inside Knob and color or finish of Interchangeable Insert Top when used — detailed description Page 6.

NATIONAL BRASS CO. MFRS. BUILDERS HOWE GRAND RAPIDS MICHIGAN

TRIMS — Hampton Design

For Mortise Knob Locks



2" PLAIN BRASS Knob
DURALIN escutcheon
Trim **139K** —Keyhole
Trim **139G**—Thumb-turn
(for bathroom)

1¾" PLAIN BRASS Knob
DURALIN escutcheon
Trim **639K** —Keyhole
Trim **639G**—Thumb-turn
(for bathroom)



***2" INSERT BRASS** Knob
DURALIN escutcheon
Trim **0139K** —Keyhole
Trim **0139G**—Thumb-turn
(for bathroom)



2" RECESSED BRASS Knob
DURALIN escutcheon
Trim **1139K** —Keyhole
Trim **1139G**—Thumb-turn
(for bathroom)

1¾" RECESSED BRASS Knob
DURALIN escutcheon
Trim **1639K** —Keyhole
Trim **1639G**—Thumb-turn
(for bathroom)



2" GLASS Knob
DURALIN escutcheon
Trim **179K** —Keyhole
Trim **179G**—Thumb-turn
(for bathroom)



2" CUT GLASS Knob
DURALIN escutcheon
Trim **339K** —Keyhole
Trim **339G**—Thumb-turn
(for bathroom)



3" Hex. DURALIN Lever
DURALIN escutcheon
Trim **707K** —Keyhole
Trim **707G**—Thumb-turn
(for bathroom)

***Knob furnished with Interchangeable Insert Top**

FOR CATALOG NUMBERS OF COMPLETE LATCHSETS, USING ABOVE TRIMS, FOLLOW EXAMPLES ON OPPOSITE PAGE

Mortise Knob — BRASS — Fairmont Locks Sets Design

COLORS

IVORY	GREEN
YELLOW	BLUE
RED	ORCHID
BLACK	WALNUT



No. 505 K 225 Closet Lock Set with **2" PLAIN DURALIN** Knob.

No. 0505 K 225 Closet Lock Set with **2" INSERT DURALIN** Knob.

Same as set in upper center except it has Cast Brass Closet-Turn inside.

Detail description Type "K" Lock, page 75.



No. 505 K 505 Mortise Lock Set with **2" PLAIN DURALIN** Knobs.

No. 0505 K 0505 Mortise Lock Set with **2" INSERT DURALIN** Knobs.

Trim—Duralin Knobs with Fairmont design Brass Escutcheon—both sides.

Lock Type "K" — Detail description see page 75.

INTERCHANGEABLE INSERT TOPS

Furnished in **DURALIN** in any stock color or **BRASS** in any standard finish. See Page 5.



No. 505 G 505 Bathroom Lock Set with **2" PLAIN DURALIN** Knobs.

No. 0505 G 0505 Bathroom Lock Set with **2" INSERT DURALIN** Knobs.

Same as set in upper center except it has Brass Thumb-Turn inside.

Detail description Type "G" Lock, page 75.

LOCK FOR NARROW STILE DOORS SEE TYPE "J" PAGE 75

Finishes. Any finish or color desired. Always specify on order. See page 5.

Dimensions. Front: 5½ x ⅞ inches; Case: 3¾ x 3¼ x 9/16 inches; Backset: 2½ inches.

Materials. Front: **Wrought Brass;** Case: **Cast Iron.**

Spindles. To fit 1⅜-inch door. For other thicknesses specify on order.

Packing. One set complete in box with installation instructions.

Caution: ALWAYS SPECIFY: (1) Finish of outside Escutcheon; (2) Color or finish of outside Knob and color or finish of Interchangeable Insert Top when used; (3) Separate outside and inside finish with letter "X"; (4) Finish of inside Escutcheon; (5) Color or finish of inside Knob and color or finish of Interchangeable Insert Top when used — detailed description Page 6.

TRIMS—Fairmont Design

For Mortise Knob Locks



2" PLAIN BRASS Knob
BRASS escutcheon
Trim **125K**—Keyhole
Trim **125G**—Thumb-turn
(for bathroom)

1¾" PLAIN BRASS Knob
BRASS escutcheon
Trim **625K**—Keyhole
Trim **625G**—Thumb-turn
(for bathroom)

2¼" PLAIN BRASS Knob
BRASS escutcheon
Trim **105K**—Keyhole
Trim **105G**—Thumb-turn
(for bathroom)



***2" INSERT BRASS** Knob
BRASS escutcheon
Trim **0125K**—Keyhole
Trim **0125G**—Thumb-turn
(for bathroom)



2" GLASS Knob
BRASS escutcheon
Trim **165K**—Keyhole
Trim **165G**—Thumb-turn
(for bathroom)

2¼" GLASS Knob
BRASS escutcheon
Trim **145K**—Keyhole
Trim **145G**—Thumb-turn
(for bathroom)



2" CUT GLASS Knob
BRASS escutcheon
Trim **325K**—Keyhole
Trim **325G**—Thumb-turn
(for bathroom)

2¼" CUT GLASS Knob
BRASS escutcheon
Trim **305K**—Keyhole
Trim **305G**—Thumb-turn
(for bathroom)



2" RECESSED BRASS Knob
BRASS escutcheon
Trim **1125K**—Keyhole
Trim **1125G**—Thumb-turn
(for bathroom)

1¾" RECESSED BRASS Knob
BRASS escutcheon
Trim **1625K**—Keyhole
Trim **1625G**—Thumb-turn
(for bathroom)



3¼" Oct. BRASS Lever
BRASS escutcheon
Trim **405K**—Keyhole
Trim **405G**—Thumb-turn
(for bathroom)



3" Rd. BRASS Lever
BRASS escutcheon
Trim **425K**—Keyhole
Trim **425G**—Thumb-turn
(for bathroom)



3" Hex. DURALIN Lever
BRASS escutcheon
Trim **705K**—Keyhole
Trim **705G**—Thumb-turn
(for bathroom)

*Knob furnished with Interchangeable Insert Top

FOR CATALOG NUMBERS OF COMPLETE LATCHSETS, USING ABOVE TRIMS, FOLLOW EXAMPLES ON OPPOSITE PAGE

Mortise Knob Lock Sets—HAMMERED BRASS—Sherwood Design



No. 185 K 205 Closet Lock Set with **2" HAMMERED BRASS** Knob.

Same as set in upper center except it has Cast Brass Closet-Turn inside.

Detail description Type "K" Lock, page 75.



No. 185 K 185 Mortise Lock Set with **2" HAMMERED BRASS** Knobs.

Trim—Hammered Brass Knob with Sherwood design Hammered Brass Escutcheon — both sides.

Lock Type "K"—Detail description see page 75.



No. 185 G 185 Bathroom Lock Set with **2" HAMMERED BRASS** Knobs.

Same as set in upper center except it has Brass Thumb-Turn inside.

Detail description Type "G" Lock, page 75.

LOCK FOR NARROW STILE DOORS SEE TYPE "J" PAGE 75

Finishes. Any finish desired. Always specify on order. See page 5.

Dimensions. Front: 5 1/2 x 7/8 inches; Case: 3 3/4 x 3 1/4 x 9/16 inches; Backset: 2 1/2 inches.

Materials. Front: **Wrought Brass;** Case: **Cast Iron.**

Spindles. To fit 1 3/8-inch door. For other thicknesses specify on order.

Packing. One set complete in box with installation instructions.

Mortise Knob—HAMMERED BRASS—Crawford Design Lock Sets



No. 181 K 201 Closet Lock Set with **2" HAMMERED BRASS** Knob.

Same as set in upper center except it has Cast Brass Closet-Turn inside.

Detail description Type "K" Lock, page 75.



No. 181 K 181 Mortise Lock Set with **2" HAMMERED BRASS** Knobs.

Trim—Hammered Brass Knob with Crawford design Hammered Brass Rose, Hammered Brass Oval Key Escutcheon—both sides.

Lock Type "K"—Detail description see page 75.



No. 181 G 181 Bathroom Lock Set with **2" HAMMERED BRASS** Knobs.

Same as set in upper center except it has Brass Thumb-Turn inside.

Detail description Type "G" Lock, page 75.

LOCK FOR NARROW STILE DOORS SEE TYPE "J" PAGE 75

Finishes. Any finish desired. Always specify on order. See page 5.

Dimensions. Front: 5 1/2 x 7/8 inches; Case: 3 3/4 x 3 1/4 x 9/16 inches; Backset: 2 1/2 inches.

Materials. Front: **Wrought Brass;** Case: **Cast Iron.**

Spindles. To fit 1 3/8-inch door. For other thicknesses specify on order.

Packing. One set complete in box with installation instructions.

Mortise Knob Lock Sets — DURALIN — Clinton Design

COLORS

IVORY	GREEN
YELLOW	BLUE
RED	ORCHID
BLACK	WALNUT

INTERCHANGEABLE INSERT TOPS

Furnished in **DURALIN** in any stock color or **BRASS** in any standard finish. See Page 5.



No. 503 K 223 Closet Lock Set with **2" PLAIN DURALIN** Knob.

No. 0503 K 223 Closet Lock Set with **2" INSERT DURALIN** Knob.

Same as set in upper center except it has Cast Brass Closet-Turn inside.

Detail description Type "K" Lock, page 75.



No. 503 K 503 Mortise Lock Set with **2" PLAIN DURALIN** Knobs.

No. 0503 K 0503 Mortise Lock Set with **2" INSERT DURALIN** Knobs.

Trim—Duralin Knob with Clinton design Duralin Rose, Oval Duralin Key Escutcheon—both sides.

Lock Type "K"—Detail description see page 75.



No. 503 G 503 Bathroom Lock Set with **2" PLAIN DURALIN** Knobs.

No. 0503 G 0503 Bathroom Lock Set with **2" INSERT DURALIN** Knobs.

Same as set in upper center except it has Brass Thumb-Turn inside.

Detail description Type "G" Lock, page 75.

LOCK FOR NARROW STILE DOORS SEE TYPE "J" PAGE 75

Finishes. Any color or finish desired. Always specify on order. See page 5.

Dimensions. Front: $5\frac{1}{2}$ x $\frac{7}{8}$ inches; Case: $3\frac{3}{4}$ x $3\frac{1}{4}$ x 9/16 inches; Backset: $2\frac{1}{2}$ inches.

Materials. Front: **Wrought Brass;** Case: **Cast Iron.**

Spindles. To fit $1\frac{3}{8}$-inch door. For other thicknesses specify on order.

Packing. One set complete in box with installation instructions.

Caution: ALWAYS SPECIFY: **(1)** Color of outside Rose; **(2)** Color or finish of outside Knob and color or finish of Interchangeable Insert Top when used; **(3)** Separate outside and inside finish with letter "X"; **(4)** Color of inside Rose; **(5)** Color or finish of inside Knob and color or finish of Interchangeable Insert Top when used — detailed description Page 6.

TRIMS — Clinton Design

For Mortise Knob Locks



2" PLAIN BRASS Knob
DURALIN Rose
Trim **111K** —Key escutcheon
Trim **111G**—Thumb-turn
(for bathroom)

1¾" PLAIN BRASS Knob
DURALIN Rose
Trim **611K** —Key escutcheon
Trim **611G**—Thumb-turn
(for bathroom)



***2" INSERT BRASS** Knob
DURALIN Rose
Trim **0111K** —Key escutcheon
Trim **0111G**—Thumb-turn
(for bathroom)



2" RECESSED BRASS Knob
DURALIN Rose
Trim **1111K** —Key escutcheon
Trim **1111G**—Thumb-turn
(for bathroom)

1¾" RECESSED BRASS Knob
DURALIN Rose
Trim **1611K** —Key escutcheon
Trim **1611G**—Thumb-turn
(for bathroom)



2" GLASS Knob
DURALIN Rose
Trim **151K** —Key escutcheon
Trim **151G**—Thumb-turn
(for bathroom)



2" CUT GLASS Knob
DURALIN Rose
Trim **311K** —Key escutcheon
Trim **311G**—Thumb-turn
(for bathroom)



3" Hex. DURALIN Lever Handle
DURALIN Rose
Trim **703K** —Key escutcheon
Trim **703G**—Thumb-turn
(for bathroom)

*Knob furnished with Interchangeable Insert Top

FOR CATALOG NUMBERS OF COMPLETE LATCHSETS, USING ABOVE TRIMS, FOLLOW EXAMPLES ON OPPOSITE PAGE

Mortise Knob—BRASS—Beverly Design Lock Sets

(2" Brass Roses)

COLORS

IVORY	GREEN
YELLOW	BLUE
RED	ORCHID
BLACK	WALNUT

INTERCHANGEABLE INSERT TOPS

Furnished in **DURALIN** in any stock color or **BRASS** in any standard finish. See Page 5.



No. 501 K 221 Closet Lock Set with **2" PLAIN DURALIN** Knob.

No. 0501 K 221 Closet Lock Set with **2" INSERT DURALIN** Knob.

Same as set in upper center except it has Cast Brass Closet-Turn inside.

Detail description Type "K" Lock, page 75.



No. 501 K 501 Mortise Lock Set with **2" PLAIN DURALIN** Knobs.

No. 0501 K 0501 Mortise Lock Set with **2" INSERT DURALIN** Knobs.

Trim—Duralin Knob with Beverly design Brass Rose, Oval Brass Key Escutcheon—both sides.

Lock Type "K"—Detail description see page 75.



No. 501 G 501 Bathroom Lock Set with **2" PLAIN DURALIN** Knobs.

No. 0501 G 0501 Bathroom Lock Set with **2" INSERT DURALIN** Knobs.

Same as set in upper center except it has Brass Thumb-Turn inside.

Detail description Type "G" Lock, page 75.

LOCK FOR NARROW STILE DOORS SEE TYPE "J" PAGE 75

Finishes. Any finish or color desired. Always specify on order. See page 5.

Dimensions. Front: 5 1/2 x 7/8 inches; Case: 3 3/4 x 3 1/4 x 9/16 inches; Backset: 2 1/2 inches.

Materials. Front: **Wrought Brass;** Case: **Cast Iron.**

Spindles. To fit 1 3/8-inch door. For other thicknesses specify on order.

Packing. One set complete in box with installation instructions.

Caution: ALWAYS SPECIFY: **(1)** Finish of outside Rose; **(2)** Color or finish of outside Knob and color or finish of Interchangeable Insert Top when used; **(3)** Separate outside and inside finish with letter "X"; **(4)** Finish of inside Rose; **(5)** Color or finish of inside Knob and color or finish of Interchangeable Insert Top when used — detailed description Page 6.

TRIMS — Beverly Design (2" BRASS ROSE)

For Mortise Knob Locks



2" PLAIN BRASS Knob
2" BRASS Rose
Trim **121K** —Key escutcheon
Trim **121G**—Thumb-turn
(for bathroom)

1¾" PLAIN BRASS Knob
2" BRASS Rose
Trim **621K** —Key escutcheon
Trim **621G**—Thumb-turn
(for bathroom)

2¼" PLAIN BRASS Knob
2" BRASS Rose
Trim **101K** —Key escutcheon
Trim **101G**—Thumb-turn
(for bathroom)



***2" INSERT BRASS** Knob
2" BRASS Rose
Trim **0121K** —Key escutcheon
Trim **0121G**—Thumb-turn
(for bathroom)



2" GLASS Knob
2" BRASS Rose
Trim **161K** —Key escutcheon
Trim **161G**—Thumb-turn
(for bathroom)

2¼" GLASS Knob
2" BRASS Rose
Trim **141K** —Key escutcheon
Trim **141G**—Thumb-turn
(for bathroom)



2" CUT GLASS Knob
2" BRASS Rose
Trim **321K** —Key escutcheon
Trim **321G**—Thumb-turn
(for bathroom)

2¼" CUT GLASS Knob
2" BRASS Rose
Trim **301K** —Key escutcheon
Trim **301G**—Thumb-turn
(for bathroom)



2" RECESSED BRASS Knob
2" BRASS Rose
Trim **1121K** —Key escutcheon
Trim **1121G**—Thumb-turn
(for bathroom)

1¾" RECESSED BRASS Knob
2" BRASS Rose
Trim **1621K**—Key escutcheon
Trim **1621G**—Thumb-turn
(for bathroom)



3¼" Oct. BRASS Lever
2" BRASS Rose
Trim **401K** —Key escutcheon
Trim **401G**—Thumb-turn
(for bathroom)



3" Rd. BRASS Lever
2" BRASS Rose
Trim **421K** —Key escutcheon
Trim **421G**—Thumb-turn
(for bathroom)



3" Hex. DURALIN Lever
2" BRASS Rose
Trim **701K** —Key escutcheon
Trim **701G**—Thumb-turn
(for bathroom)

***Knob furnished with Interchangeable Insert Top**

FOR CATALOG NUMBERS OF COMPLETE LATCHSETS, USING ABOVE TRIMS, FOLLOW EXAMPLES ON OPPOSITE PAGE

Mortise Knob—WROUGHT BRASS—Preston Design

Lock Sets

(1¾" Brass Rose)



No. 191 K 200 Closet Lock Set with 1¾" WROUGHT BRASS Knob. 1¾" WROUGHT BRASS Roses.

No. 1191 K 200 Closet Lock Set with 1¾" RECESSED BRASS Knob. 1¾" WROUGHT BRASS Roses.

Same as set in upper center except it has Cast Brass Closet-Turn inside.

Detail description Type "K" Lock, page 75.



No. 191 K 191 Mortise Lock Set with 1¾" WROUGHT BRASS Knobs. 1¾" WROUGHT BRASS Roses.

No. 1191 K 1191 Mortise Lock Set with 1¾" RECESSED BRASS Knobs. 1¾" WROUGHT BRASS Roses.

Trim—Wrought Brass Knob with Preston design 1¾" Wrought Brass Rose, Oval Brass Key Escutcheon—both sides.

Lock Type "K"—Detail description see page 75.



No. 191 G 191 Bathroom Lock Set with 1¾" WROUGHT BRASS Knobs. 1¾" WROUGHT BRASS Roses.

No. 1191 G 1191 Bathroom Lock Set with 1¾" RECESSED BRASS Knobs. 1¾" WROUGHT BRASS Roses.

Same as set in upper center except it has Brass Thumb-Turn inside.

Detail description Type "G" Lock, page 75.

LOCK FOR NARROW STILE DOORS SEE TYPE "J" PAGE 75

Finishes. Any finish desired. Always specify on order. See page 5.

Dimensions. Front: 5½ x ⅞ inches; Case: 3¾ x 3¼ x 9/16 inches; Backset: 2½ inches.

Materials. Front: **Wrought Brass;** Case: **Cast Iron.**

Spindles. To fit 1⅜-inch door. For other thicknesses specify on order.

Packing. One set complete in box with installation instructions.

Mortise Knob Lock Sets—CAST BRASS—Concord Design



No. 397 K 200 Closet Lock Set with 1¾" CAST BRASS Knob and 1¾" BRASS Roses.

No. 375 K 200 Closet Lock Set with 1¾" CAST BRASS Knob and 1¾" WROUGHT Roses.

Same as set in upper center except it has Cast Brass Closet-Turn and 1¾" Wrought Brass Rose inside.

Detail description Type "K" Lock, page 75.



No. 379 K 379 Mortise Lock Set with 1¾" CAST BRASS Knobs and 1¾" CAST BRASS Roses.

No. 375 K 375 Mortise Lock Set with 1¾" CAST BRASS Knobs and 1¾" WROUGHT BRASS Roses.

Trim—Cast Brass Knob with 1¾" Brass Rose, Oval Cast Brass Key Escutcheon—both sides.

Lock Type "K"—Detail description see page 75.



No. 379 G 379 Bathroom Lock Set with 1¾" CAST BRASS Knobs and 1¾" CAST BRASS Roses.

No. 375 G 375 Bathroom Lock Set with 1¾" CAST BRASS Knobs and 1¾" WROUGHT BRASS Roses.

Same as set in upper center except it has Brass Thumb-Turn inside.

Detail description Type "G" Lock, page 75.

LOCK FOR NARROW STILE DOORS SEE TYPE "J" PAGE 75

Finishes. Any finish desired. Always specify on order. See page 5.

Dimensions. Front: 5½ x ⅞ inches; Case: 3¾ x 3¼ x 9/16 inches; Backset: 2½ inches.

Materials. Front: **Wrought Brass;** Case: **Cast Iron.**

Spindles. To fit 1⅜-inch door. For other thicknesses specify on order.

Packing. One set complete in box with installation instructions.

KNOB SETS

Duralin and Brass



No. 755 — PLAIN DURALIN Knob Set
2" PLAIN DURALIN Knobs — 2" DURALIN Roses — DURALIN Key Escutcheons.
No. 754 — PLAIN DURALIN Knob Set
2" PLAIN DURALIN Knobs — 2" BRASS Roses — BRASS Key Escutcheons.



***No. 0755** — INSERT DURALIN Knob Set
2" INSERT DURALIN Knobs — 2" DURALIN Roses — DURALIN Key Escutcheons.
***No. 0754** — INSERT DURALIN Knob Set
2" INSERT DURALIN Knobs — 2" BRASS Roses — BRASS Key Escutcheons.
***Knobs furnished with Interchangeable Insert Tops**



***No. 0729** — INSERT BRASS Knob Set
2" INSERT BRASS Knobs — 2" BRASS Roses — BRASS Key Escutcheons.
***No. 0725** — INSERT BRASS Knob Set
2" INSERT BRASS Knobs — 2" DURALIN Roses — DURALIN Key Escutcheons.
***Knobs furnished with Interchangeable Insert Tops**

Finishes and Color. Any finish desired—Always specify color of Duralin parts. See Page 5.
All Our Knob Sets. Standard and may be used with any standard solid spindle lock or latch.
Packing. One set complete in a box with key escutcheons.

Cast Brass — KNOB SETS — Brass



No. 724 — CAST BRASS Knob Set
1¾" CAST BRASS Knobs — 1¾" CAST BRASS Roses — CAST BRASS Key Escutcheons.



No. 726 — BRASS Knob Set
1¾" WROUGHT BRASS Knobs (with French Shank) — 1¾" BRASS Roses — BRASS Key Escutcheons.
No. 729 — BRASS Knob Set
2" WROUGHT BRASS Knobs — 2" BRASS Roses — BRASS Key Escutcheons.
No. 725 — BRASS Knob Set
2" WROUGHT BRASS Knobs — 2" DURALIN Roses — DURALIN Key Escutcheons.
No. 727 — BRASS Knob Set
2¼" WROUGHT BRASS Knobs — 2" BRASS Roses — BRASS Key Escutcheons.



No. 1726 — BRASS Knob Set
1¾" RECESSED BRASS Knobs — 1¾" BRASS Roses — BRASS Key Escutcheons.
No. 1729 — BRASS Knob Set
2" RECESSED BRASS Knobs — 2" BRASS Roses — BRASS Key Escutcheons.
No. 1725 — BRASS Knob Set
2" RECESSED BRASS Knobs — 2" DURALIN Roses — DURALIN Key Escutcheons.

Finishes and Color. Any finish desired—Always specify color of Duralin parts. See Page 5.
All Our Knob Sets. Standard and may be used with any standard solid spindle lock or latch.
Packing. One set complete in a box with key escutcheons.

Glass — KNOB SETS — Cut Glass



No. 730 — GLASS Knob Set
2" GLASS Knobs — 2" BRASS Roses — BRASS Key Escutcheons

No. 720 — GLASS Knob Set
2¼" GLASS Knobs — 2" BRASS Roses — BRASS Key Escutcheons



No. 722 — DIAMOND CUT GLASS Knob Set
2" DIAMOND CUT GLASS Knobs — 2" CAST BRASS Roses — BRASS Key Escutcheons.

No. 723 — DIAMOND CUT GLASS Knob Set
2¼" DIAMOND CUT GLASS Knobs — 2" CAST BRASS Roses — BRASS Key Escutcheons.

Finishes. Any finish desired. Always specify on order. See Page 5.

All Our Knob Sets. Standard and may be used with any standard solid spindle lock or latch.

Packing. One set complete in a box with key escutcheons.

Designs of Knobs and Lever Handles

Front View *Side View*



***1¾" & 2" WROUGHT BRASS** (Plain)
(*1¾" Knob has French Shank same as Recessed)
Knob illustrated at right.

Front View *Side View*



1¾" & 2" WROUGHT BRASS (Recessed)

Front View *Side View*



2" WROUGHT BRASS (Insert)

Front View *Side View*



2" WROUGHT BRASS (Etched)

Front View *Side View*



3¼" CAST BRASS
Octagonal Lever Handle

Front View *Side View*



3" CAST BRASS
Round Lever Handle



2" INSERT WROUGHT BRASS

Interchangeable Insert Tops



BRASS **DURALIN**

Designs of Knobs and Lever Handles

Front View *Side View*



2" or 2¼" GLASS

Front View *Side View*



2" or 2¼" CUT GLASS

Front View *Side View*



1¾" CAST BRASS

Front View *Side View*



2" PLAIN DURALIN

Front View *Side View*



2" INSERT DURALIN

Front View *Side View*



3" DURALIN HEXAGONAL Lever Handle



2" INSERT DURALIN

Interchangeable Insert Tops



DURALIN BRASS

Designs of Escutcheons

(½ Actual Size)

Hampton



DURALIN

See Pages —
44, 45, 92, 93

Wayne



DURALIN

See Pages —
30, 31, 78, 79

Tiffany



DURALIN

See Pages —
34, 35, 82, 83

Troy



DURALIN

See Pages —
38, 39, 86, 87

Olympian



WROUGHT BRASS

See Pages —
28, 29, 76, 77

Craft



WROUGHT BRASS

See Pages —
32, 33, 80, 81

Spartan



WROUGHT BRASS

See Pages —
36, 37, 84, 85

Athens



WROUGHT BRASS

See Pages —
40, 41, 88, 89

Designs of Roses and Escutcheons

(½ Actual Size)

Beverly 2" Rose or Preston 1¾" Rose



WROUGHT BRASS

See Pages — (Beverly) 52, 53, 100, 101 (Preston) 54, 102

Crawford



HAMMERED WROUGHT BRASS

See Pages — 49, 97

Concord



CAST BRASS

See Pages — 55, 105

Clinton



DURALIN

See Pages — 50, 51, 98, 99

Fairmont



WROUGHT BRASS

See Pages — 46, 47, 94, 95

Sherwood



HAMMERED WROUGHT BRASS

See Pages — 48, 96

Dover



WROUGHT BRASS

See Pages — 42, 43, 90, 91

NATIONAL BRASS STANDARD SAMPLE MOUNTS



Any desired trim and/or set may be placed on display mounts.

Mounts furnished on ivory finished blocks.

NATIONAL BRASS SAMPLE CASES



Cases fitted with a selection of any desired trim each trim separately mounted on ivory easel panels. Door trim panel size 3" x 7¾". Entrance set panel size 3⅛" x 18⅛". Case will hold 24 door trim panels or 8 entrance trim panels, or a combination of 12 door trim panels and 4 entrance trim panels. Size of case overall 19" x 16½" x 7". Average weight, complete with samples, 21 lbs. to 25 lbs.



CLINTON DESIGN
Pages 98-99



BEVERLY DESIGN
Pages 100-101



BEVERLY DESIGN
Pages 100-101



TIFFANY DESIGN
Pages 82-83



OLYMPIAN DESIGN
Pages 76-77

RED

IVORY

YELLOW

GREEN

BLUE

ORCHID

WALNUT

BLACK

RED

IVORY

YELLOW

GREEN

BLUE

ORCHID

WALNUT

BLACK



CLINTON DESIGN
Pages 98-99



FAIRMOUNT DESIGN
Pages 94-95



DOVER DESIGN
Pages 90-91



TROY DESIGN
Pages 86-87



WAYNE DESIGN
Pages 78-79



"Custom-Bilt" DISPLAY

Dealers may select each trim of this "Custom-Built" Display to show only the trims carried in their stock. Space is provided for six trims and a removable mounted Dexter Tubular Latch Set. The trims may be all Brass or Duralin or combinations of Brass and Duralin — any trim in the National Brass Line. Panels are heavy metal, finished in Ivory. Catalog Numbers appear on the back side of the panel directly opposite each trim. Panel size 14½" x 15½".

(See pages 111-112 for additional "Selling Helps")

National Brass Company, Mfrs.

GRAND RAPIDS, MICHIGAN

Certified

Builders Hardware
Cabinet Hardware
Screen Door Hardware

LOCK SET

CATALOG No. 31

NATIONAL BRASS CO.
MFRS.
BUILDERS HDWE.
GRAND RAPIDS
MICHIGAN

AIA File No. 27