STANLEY

CATALOG NUMBER 30

STANLEY HARDWARE

Revised April, 1979

THE



WORKS

Sales Offices and Distribution Centers

ATLANTA

3029 Bankers Industrial Drive Atlanta, Georgia 30362 Telephone 449-6800 Area Code 404

DALLAS

4205 McEwen Road Dallas, Texas 75234 Telephone 661-3500 Area Code 214

STANLEY HARDWARE

Division of The Stanley Works 195 Lake Street New Britain, Conn. 06050 Telephone 225-5111 Area Code 203

CHICAGO

4455 North Avenue Melrose Park, Illinois 60160 Telephone 681-1200 Area Code 312

LOS ANGELES

1580 Sunflower Avenue Costa Mesa, Calif. 92626 Telephone 957-2800 Area Code 714

STANLEY HARDWARE

Division of The Stanley Works

New Britain, Connecticut 06050, U.S.A.


Copyright The Stanley Works 1979

FOREWORD

Stanley Hardware, Division of The Stanley Works, takes great pride in presenting you with this new No. 30 catalog. Since Stanley started manufacturing hardware in 1843, our policy has been and continues to be to manufacture only the finest quality products at the lowest possible prices.

Every effort has been made to give you complete information on our products, assembled in easy-to-read fashion. Alphabetical and numerical indexes, continuously numbered pages, large illustrations, and large product numbers assist you in easily locating the hardware applicable to your markets.

Our desire is to continuously improve our catalog and make it easier for you to use. We welcome your suggestions.



PRODUCT QUALITY

For the many years that Stanley Hardware has been selling products for the construction, manufacturing, and consumer markets, we have provided a high quality level consistent with the performance and durability requirements of our customers.

We intend to continue furnishing high quality products.

You will note that this catalog no longer carries a Warranty Statement. As a result of the recent Federal Legislation, we have made the decision to discontinue the use of the written warranty.

We pledge our continued effort to produce the finest quality hardware at the lowest price possible.

TRADE MARKS

All persons are cautioned against misuse of any of our trade marks and trade names. Our trade marks include the name "STANLEY" and are fully protected by registration in the U.S. and foreign countries.



THE STANLEY WORKS, NEW BRITAIN, CONNECTICUT

STANLEY MANUFACTURES MORE THAN 50,000 QUALITY PRODUCTS in 73 plants in the United States, Canada, England, Germany, Italy, France, Mexico, Guatemala, Colombia, Brazil and Australia. In addition to Stanley Hardware, with plants in New Britain, Conn., other divisions of The Stanley Works include:

UNITED STATES
STANLEY AIR TOOLS DIVISION
Cleveland, Ohio
STANLEY MAGIC-DOOR DIVISION
Farmington, Conn.
STANLEY DOOR SYSTEMS DIVISION
Birmingham, Mich.
STANLEY DOOR SYSTEMS DIVISION
Birmingham, Mich.
STANLEY DRAPERY HARDWARE DIVISION
Wallingford, Conn.; Dorado, P.R.
STANLEY HYDRAULIC TOOLS DIVISION
Milwaukie, Ore.
STANLEY INDUSTRIAL HARDWARE DIVISION
New Britain, Conn.
STANLEY POWER TOOLS DIVISION
New Bern, N.C.; New Britain, Conn.
STANLEY STEEL DIVISION
New Britain, Conn.; Pittsburg, Calif.
STANLEY STEEL DIVISION
New Britain, Conn.; Pittsburg, Calif.
STANLEY TOOLS DIVISION
New Britain and Plantsville, Conn.; Newark, N.J.;
Shaftsbury, Vt.; Pulaski and Shelbyville, Tenn.;
Omaha, Neb.; York and Royersford, Pa.; Cheraw, S.C.
STANLEY VEMCO DIVISION
Detroit, Mich.; Covington, Ohio
STANLEY-VIDMAR DIVISION
Allentown, Pa.
MULTI-ELMAC COMPANY
NOVI, Mich.
STANLEY STRUCTURES, INC.
Denver, Colo.; Cheyenne, Wyo.; Billings, Mont.;
Albuquerque, N.M.; Tucson, Ariz.; San Antonio, Texas

AUSTRALIA
STANLEY HARDWARE DIVISION
Melbourne, Victoria
STANLEY TOOLS DIVISION
Hobart, Tasmania; Melbourne, Victoria
THE STANLEY WORKS PTY. LTD.
Adelaide; Brisbane; Melbourne; Sydney; Townsville

AUSTRIA STANLEY AG Salzburg BELGIUM SA STANLEY WORKS Denijs-westrem

BRAZIL FERRAMENTAS STANLEY S.A. São Paulo

CANADA
THE STANLEY WORKS LTD.
Burlington and New Hamburg, Ont., Roxton Pond, Que.
STANLEY-BUMEDA LTD.
Montreal, Que.
STANLEY DOOR SYSTEMS LTD.
Toronto and Wingham, Ont.
STANLEY DOOR SYSTEMS LTD.
Calgary, Alta. and Montreal, Que.
STANLEY STEEL COMPANY LTD.
Hamilton, Ont. and Montreal, Que.

STANLEY STRUCTURES LTD.
Belleville and Brampton, Ont.
MULTI-ELMAC OF CANADA LTD.
WINDSON, Ont.
COLOMBIA

COLOMBIA COLLINS COLOMBIANA S.A. Palmira

DENMARK STANLEY VAERKTOEJ OG BESLAG APS Soeborg

ECUADOR
THE STANLEY WORKS LTD.
Guayaquil

ENGLAND
THE STANLEY WORKS, EUROPEAN HEADQUARTERS
Slough
STANLEY AUTOMATIC DOORS LTD.
Slough
STANLEY POWER TOOLS LTD.
Cramlington
STANLEY FOOLS LTD.
Sheffield; Ecclesfield; Hackenthorpe; Hellaby; Maltby
STANLEY GARDEN TOOLS LTD.
Woodhouse Mill
STANLEY WORKS (SALES) LTD.
Slough
STANLEY WORKS (SALES) LTD.
LUTTER STANLEY CURTAIN COMPANIONS LTD.
LUTTER STANLEY CURTAIN COMPANIONS LTD.
LUTTER STANLEY CURTAIN COMPANIONS LTD.

FINLAND SUOMEN STANLEY OSAKEYHTIG Helsinki

FRANCE STANLEY-MABO S.A. Besançon; Saint Louis; Chattelrault STANLEY-MABO S.A. Paris; Lyon; Marseille STANLEY (FRANCE) S.A. Trappes

GERMANY STANLEY WORKS G.M.B.H. HAND TOOL DIVISION, HARDWARE DIVISION Velbert

GHANA STANLEY WORKS (SALES) LTD. Accra

GREECE STANLEY WORKS (SALES) LTD. Athens

GUATEMALA HERRAMIENTAS COLLINS S.A. Amatitian

HOLLAND STANLEY WORKS (NEDERLAND) B.V. 's-Gravenzande

HONDURAS STANLEY CENTROAMERICANA S.R.L. Tegucigalpa

HONG KONG
THE STANLEY WORKS (HONG KONG) LTD.

ITALY STANLEY WORKS (ITALIA) S.R.L. Figino Serenza STANLEY MEDITERRANEA S.P.A.' Supino

LEBANON STANLEY WORKS (SALES) LTD. Beirut

MALAYSIA STANLEY WORKS SALES PTE. LTD. Kuala Lumpur

MEXICO HERRAMIENTAS STANLEY, S.A. DE C.V. Puebla

NEW ZEALAND STANLEY TOOLS (N.Z.) LTD. Auckland NORWAY

STANLEY NORGE A/S
OSIO
PERU
THE STANLEY WORKS LTD.

PUERTO RICO STANLEY SALES, INC. San Juan

SINGAPORE
THE STANLEY WORKS FAR EAST
HEADQUARTERS PTY. LTD.
JURONG
STANLEY WORKS SALES PTE. LTD.
JURONG

SOUTH AFRICA STANLEY TOOLS (SOUTH AFRICA) (PTY.) LTD. Johannesburg

SPAIN STANLEY IBERICA S.A. Madrid

SWEDEN NORDISKA STANLEY AB Mölndal

SWITZERLAND STANLEY A.G. Zürich VENEZUELA

VENEZUELA STANLEY VENEZOLANA, S.R.L. Caracas

STANLEY

ALPHABETICAL INDEX

	D. N. N.
A Page Number	C Page Number
Adjustable Door Spring	Catches, Screen and Storm Door 193, 219
Adjusters, Storm Sash 199, 237	Catches, Transom
Aligner, Bi-fold Doors	Center Stop Track Bracket
Application of Hinges	Chain Bolts
Arbors	Chain Door Guard 151, 241-243, 251, 258
Albois	Chain Door Stops
В	Chain Knob Guard
Back Flap Hinges	Chest Handles
Back Plate 32	Chest Handles, Brass
Ball Bearing Hinges 48-52, 54-62, 67-72	Chest Latches
Bar Holders	Chromium Plating
Bar Latches	Clamps, Line 171, 249
Barrel Bolt Guard	Clamps, Track, "Hold-fast" 131, 135, 137
Bars, Closet	Classic Brassware
Bases for Pulls	Closet Bar Glides
Basket Hasps	Closet Bars
Bi-fold Door Hardware	Closet Metal Shelves
Blind Hardware	Closet Pole and Shelf Support 118-120, 217, 249
Blind Hinges	Closet Pole Supports
Bolt Hooks	Cloth Picture Hanger
Bolt Hooks and Strap Hinges	Clothesline Hooks
Bolts 149-154, 168, 221, 231, 232, 239, 243, 256-259	Clothesline Pulleys
Bolts, Barrel	Coat and Hat Hooks
Bolts, Cane	Concealed Bearing Hinges 41-46
Bolts, Chain	Concealed Casework Hinges
Bolts, Flush	Continuous Hinges
Bolts, Foot	Corner Braces, Brass
Bolts, Garage Door	Corner Irons
Bolts, Screen	Corners, Brass
Bolts, Spring	Corrugated Nails
Bolts, Surface	Corrugated Nail Set
Bolts, Window Spring	Coupling, Bi-parting Sliding Door 104, 106B
Box Catch, Brass 247, 266 Braces, Chair 165, 190, 230	Cup Hooks160, 255Curved Trolley Tracks133
Braces Corner 163-165 190 230 262	HOURING CO. C.
Braces, Corner	D D
Braces, Garage Door	D Decimal Equivalents
Braces, Garage Door 139 Braces, Screen 197, 218	Decimal Equivalents
Braces, Garage Door	Decimal Equivalents
Braces, Garage Door 139 Braces, Screen 197, 218 Braces, Screen Door 197, 237	Decimal Equivalents
Braces, Garage Door 139 Braces, Screen 197, 218 Braces, Screen Door 197, 237 Braces, Table Leg 178, 190, 221, 261 Brackets, Bi-fold Door 113, 115 Brackets, Closet Bar 117-120, 249, 251	Decimal Equivalents
Braces, Garage Door 139 Braces, Screen 197, 218 Braces, Screen Door 197, 237 Braces, Table Leg 178, 190, 221, 261 Brackets, Bi-fold Door 113, 115 Brackets, Closet Bar 117-120, 249, 251 Brackets, Folding 180, 225, 226	Decimal Equivalents
Braces, Garage Door 139 Braces, Screen 197, 218 Braces, Screen Door 197, 237 Braces, Table Leg 178, 190, 221, 261 Brackets, Bi-fold Door 113, 115 Brackets, Closet Bar 117-120, 249, 251 Brackets, Folding 180, 225, 226 Brackets, Hand Rail 174, 217, 250	Decimal Equivalents
Braces, Garage Door 139 Braces, Screen 197, 218 Braces, Screen Door 197, 237 Braces, Table Leg 178, 190, 221, 261 Brackets, Bi-fold Door 113, 115 Brackets, Closet Bar 117-120, 249, 251 Brackets, Folding 180, 225, 226 Brackets, Hand Rail 174, 217, 250 Brackets, Shelf 180-182, 202-204, 225, 226	Decimal Equivalents
Braces, Garage Door 139 Braces, Screen 197, 218 Braces, Screen Door 197, 237 Braces, Table Leg 178, 190, 221, 261 Brackets, Bi-fold Door 113, 115 Brackets, Closet Bar 117-120, 249, 251 Brackets, Folding 180, 225, 226 Brackets, Hand Rail 174, 217, 250 Brackets, Shelf 180-182, 202-204, 225, 226 Brackets, Track 131, 135, 137	D Decimal Equivalents
Braces, Garage Door 139 Braces, Screen 197, 218 Braces, Screen Door 197, 237 Braces, Table Leg 178, 190, 221, 261 Brackets, Bi-fold Door 113, 115 Brackets, Closet Bar 117-120, 249, 251 Brackets, Folding 180, 225, 226 Brackets, Hand Rail 174, 217, 250 Brackets, Shelf 180-182, 202-204, 225, 226 Brackets, Track 131, 135, 137 Bright Wire Goods 159-162, 253-255	Decimal Equivalents 40 Deluxe Bolt Guard 242, 256 Deluxe Chain Guard 242, 256 Deluxe Door Chain, Locking 243, 257 Desk Hinges, Brass 244, 264 Dispensa-Pac 217 Door Aligner, Bi-fold Doors 111B, 113, 115 Door Bolt, Locking 243, 257 Door Bottoms 211, 212, 215 Door Chain, Locking 243, 257 Door Closers, Screen and Storm 194, 195, 235, 236
Braces, Garage Door 139 Braces, Screen 197, 218 Braces, Screen Door 197, 237 Braces, Table Leg 178, 190, 221, 261 Brackets, Bi-fold Door 113, 115 Brackets, Closet Bar 117-120, 249, 251 Brackets, Folding 180, 225, 226 Brackets, Hand Rail 174, 217, 250 Brackets, Shelf 180-182, 202-204, 225, 226 Brackets, Track 131, 135, 137 Bright Wire Goods 159-162, 253-255 Broad Hinges, Brass 244, 263	Decimal Equivalents
Braces, Garage Door 139 Braces, Screen 197, 218 Braces, Screen Door 197, 237 Braces, Table Leg 178, 190, 221, 261 Brackets, Bi-fold Door 113, 115 Brackets, Closet Bar 117-120, 249, 251 Brackets, Folding 180, 225, 226 Brackets, Hand Rail 174, 217, 250 Brackets, Shelf 180-182, 202-204, 225, 226 Brackets, Track 131, 135, 137 Bright Wire Goods 159-162, 253-255 Broad Hinges, Brass 244, 263 Bullet Catch, Brass 247, 267	Decimal Equivalents
Braces, Garage Door 139 Braces, Screen 197, 218 Braces, Screen Door 197, 237 Braces, Table Leg 178, 190, 221, 261 Brackets, Bi-fold Door 113, 115 Brackets, Closet Bar 117-120, 249, 251 Brackets, Folding 180, 225, 226 Brackets, Hand Rail 174, 217, 250 Brackets, Shelf 180-182, 202-204, 225, 226 Brackets, Track 131, 135, 137 Bright Wire Goods 159-162, 253-255 Broad Hinges, Brass 244, 263 Bullet Catch, Brass 247, 267 Bumper, Door 107, 110	Decimal Equivalents
Braces, Garage Door 139 Braces, Screen 197, 218 Braces, Screen Door 197, 237 Braces, Table Leg 178, 190, 221, 261 Brackets, Bi-fold Door 113, 115 Brackets, Closet Bar 117-120, 249, 251 Brackets, Folding 180, 225, 226 Brackets, Hand Rail 174, 217, 250 Brackets, Shelf 180-182, 202-204, 225, 226 Brackets, Track 131, 135, 137 Bright Wire Goods 159-162, 253-255 Broad Hinges, Brass 244, 263 Bullet Catch, Brass 247, 267 Bumper, Door 107, 110 Bumper Shoes 138	Decimal Equivalents
Braces, Garage Door 139 Braces, Screen 197, 218 Braces, Screen Door 197, 237 Braces, Table Leg 178, 190, 221, 261 Brackets, Bi-fold Door 113, 115 Brackets, Closet Bar 117-120, 249, 251 Brackets, Folding 180, 225, 226 Brackets, Hand Rail 174, 217, 250 Brackets, Shelf 180-182, 202-204, 225, 226 Brackets, Track 131, 135, 137 Bright Wire Goods 159-162, 253-255 Broad Hinges, Brass 244, 263 Bullet Catch, Brass 247, 267 Bumper, Door 107, 110 Bumper Shoes 138 Butler Tray Hinges 189 Butt Hinges — see Hinges	Decimal Equivalents
Braces, Garage Door 139 Braces, Screen 197, 218 Braces, Screen Door 197, 237 Braces, Table Leg 178, 190, 221, 261 Brackets, Bi-fold Door 113, 115 Brackets, Closet Bar 117-120, 249, 251 Brackets, Folding 180, 225, 226 Brackets, Hand Rail 174, 217, 250 Brackets, Shelf 180-182, 202-204, 225, 226 Brackets, Track 131, 135, 137 Bright Wire Goods 159-162, 253-255 Broad Hinges, Brass 244, 263 Bullet Catch, Brass 247, 267 Bumper, Door 107, 110 Bumper Shoes 138 Butler Tray Hinges 189 Butt Hinges – see Hinges 244, 264	Decimal Equivalents
Braces, Garage Door 139 Braces, Screen 197, 218 Braces, Screen Door 197, 237 Braces, Table Leg 178, 190, 221, 261 Brackets, Bi-fold Door 113, 115 Brackets, Closet Bar 117-120, 249, 251 Brackets, Folding 180, 225, 226 Brackets, Hand Rail 174, 217, 250 Brackets, Shelf 180-182, 202-204, 225, 226 Brackets, Track 131, 135, 137 Bright Wire Goods 159-162, 253-255 Broad Hinges, Brass 244, 263 Bullet Catch, Brass 247, 267 Bumper, Door 107, 110 Bumper Shoes 138 Butler Tray Hinges 189 Butt Hinges – see Hinges 244, 264 Button Tip Hinges, Brass 244, 264 Buttons, Turn 197, 218	Decimal Equivalents
Braces, Garage Door 139 Braces, Screen 197, 218 Braces, Screen Door 197, 237 Braces, Table Leg 178, 190, 221, 261 Brackets, Bi-fold Door 113, 115 Brackets, Closet Bar 117-120, 249, 251 Brackets, Folding 180, 225, 226 Brackets, Hand Rail 174, 217, 250 Brackets, Shelf 180-182, 202-204, 225, 226 Brackets, Track 131, 135, 137 Bright Wire Goods 159-162, 253-255 Broad Hinges, Brass 244, 263 Bullet Catch, Brass 247, 267 Bumper, Door 107, 110 Bumper Shoes 138 Butler Tray Hinges 189 Butt Hinges – see Hinges 244, 264	Decimal Equivalents
Braces, Garage Door 139 Braces, Screen 197, 218 Braces, Screen Door 197, 237 Braces, Table Leg 178, 190, 221, 261 Brackets, Bi-fold Door 113, 115 Brackets, Closet Bar 117-120, 249, 251 Brackets, Folding 180, 225, 226 Brackets, Hand Rail 174, 217, 250 Brackets, Shelf 180-182, 202-204, 225, 226 Brackets, Track 131, 135, 137 Bright Wire Goods 159-162, 253-255 Broad Hinges, Brass 244, 263 Bullet Catch, Brass 247, 267 Bumper, Door 107, 110 Bumper Shoes 138 Butler Tray Hinges 189 Butt Hinges – see Hinges 244, 264 Button Tip Hinges, Brass 244, 264 Buttons, Turn 197, 218	Decimal Equivalents
Braces, Garage Door 139 Braces, Screen 197, 218 Braces, Screen Door 197, 237 Braces, Table Leg 178, 190, 221, 261 Brackets, Bi-fold Door 113, 115 Brackets, Closet Bar 117-120, 249, 251 Brackets, Folding 180, 225, 226 Brackets, Hand Rail 174, 217, 250 Brackets, Shelf 180-182, 202-204, 225, 226 Brackets, Track 131, 135, 137 Bright Wire Goods 159-162, 253-255 Broad Hinges, Brass 244, 263 Bullet Catch, Brass 247, 267 Bumper, Door 107, 110 Bumper Shoes 138 Butler Tray Hinges 189 Butt Hinges – see Hinges 180 Button Tip Hinges, Brass 244, 264 Buttons, Turn 197, 218 By-passing Sliding Door Hardware 93-101, 123-127	Decimal Equivalents
Braces, Garage Door 139 Braces, Screen 197, 218 Braces, Screen Door 197, 237 Braces, Table Leg 178, 190, 221, 261 Brackets, Bi-fold Door 113, 115 Brackets, Closet Bar 117-120, 249, 251 Brackets, Folding 180, 225, 226 Brackets, Hand Rail 174, 217, 250 Brackets, Shelf 180-182, 202-204, 225, 226 Brackets, Track 131, 135, 137 Bright Wire Goods 159-162, 253-255 Broad Hinges, Brass 244, 263 Bullet Catch, Brass 247, 267 Bumper, Door 107, 110 Bumper Shoes 138 Butler Tray Hinges 189 Butt Hinges – see Hinges 189 Button Tip Hinges, Brass 244, 264 Buttons, Turn 197, 218 By-passing Sliding Door Hardware 93-101, 123-127 C Cabinet Catches 87, 88, 217-219	Decimal Equivalents
Braces, Garage Door 139 Braces, Screen 197, 218 Braces, Screen Door 197, 237 Braces, Table Leg 178, 190, 221, 261 Brackets, Bi-fold Door 113, 115 Brackets, Closet Bar 117-120, 249, 251 Brackets, Folding 180, 225, 226 Brackets, Hand Rail 174, 217, 250 Brackets, Shelf 180-182, 202-204, 225, 226 Brackets, Track 131, 135, 137 Bright Wire Goods 159-162, 253-255 Broad Hinges, Brass 244, 263 Bullet Catch, Brass 247, 267 Bumper, Door 107, 110 Bumper Shoes 138 Butler Tray Hinges 189 Butt Hinges – see Hinges 189 Button Tip Hinges, Brass 244, 264 Buttons, Turn 197, 218 By-passing Sliding Door Hardware 93-101, 123-127 C Cabinet Catches 87, 88, 217-219 Cabinet Hardware 80-88, 217-220, 234, 235, 241, 261	Decimal Equivalents
Braces, Garage Door 139 Braces, Screen 197, 218 Braces, Screen Door 197, 237 Braces, Table Leg 178, 190, 221, 261 Brackets, Bi-fold Door 113, 115 Brackets, Closet Bar 117-120, 249, 251 Brackets, Folding 180, 225, 226 Brackets, Hand Rail 174, 217, 250 Brackets, Shelf 180-182, 202-204, 225, 226 Brackets, Track 131, 135, 137 Bright Wire Goods 159-162, 253-255 Broad Hinges, Brass 244, 263 Bullet Catch, Brass 247, 267 Bumper, Door 107, 110 Bumper Shoes 138 Butter Tray Hinges 189 Butt Hinges — see Hinges Button Tip Hinges, Brass 244, 264 Buttons, Turn 197, 218 By-passing Sliding Door Hardware 93-101, 123-127 C Cabinet Catches 87, 88, 217-219 Cabinet Hardware 80-88, 217-220, 234, 235, 241, 261 Cabinet Hinges 80-84, 220, 234, 235	Decimal Equivalents
Braces, Garage Door 139 Braces, Screen 197, 218 Braces, Screen Door 197, 237 Braces, Table Leg 178, 190, 221, 261 Brackets, Bi-fold Door 113, 115 Brackets, Closet Bar 117-120, 249, 251 Brackets, Folding 180, 225, 226 Brackets, Hand Rail 174, 217, 250 Brackets, Shelf 180-182, 202-204, 225, 226 Brackets, Track 131, 135, 137 Bright Wire Goods 159-162, 253-255 Broad Hinges, Brass 244, 263 Bullet Catch, Brass 247, 267 Bumper, Door 107, 110 Bumper Shoes 138 Butler Tray Hinges 189 Butt Hinges — see Hinges Button Tip Hinges, Brass 244, 264 Buttons, Turn 197, 218 By-passing Sliding Door Hardware 93-101, 123-127 C Cabinet Catches 87, 88, 217-219 Cabinet Hardware 80-84, 220, 234, 235 Cabinet Pulls 85, 86, 241, 263 Carded Hardware 218-255	Decimal Equivalents
Braces, Garage Door 139 Braces, Screen 197, 218 Braces, Screen Door 197, 237 Braces, Table Leg 178, 190, 221, 261 Brackets, Bi-fold Door 113, 115 Brackets, Closet Bar 117-120, 249, 251 Brackets, Folding 180, 225, 226 Brackets, Hand Rail 174, 217, 250 Brackets, Shelf 180-182, 202-204, 225, 226 Brackets, Track 131, 135, 137 Bright Wire Goods 159-162, 253-255 Broad Hinges, Brass 244, 263 Bullet Catch, Brass 247, 267 Bumper, Door 107, 110 Bumper Shoes 138 Butler Tray Hinges 189 Butt Hinges — see Hinges Button Tip Hinges, Brass 244, 264 Buttons, Turn 197, 218 By-passing Sliding Door Hardware 93-101, 123-127 C Cabinet Catches 87, 88, 217-219 Cabinet Hinges 80-84, 220, 234, 235 Cabinet Pulls 85, 86, 241, 263 Carded Hardware 218-255 Catches, Cabinet 87, 88, 217-219	Decimal Equivalents
Braces, Garage Door 139 Braces, Screen 197, 218 Braces, Screen Door 197, 237 Braces, Table Leg 178, 190, 221, 261 Brackets, Bi-fold Door 113, 115 Brackets, Closet Bar 117-120, 249, 251 Brackets, Folding 180, 225, 226 Brackets, Hand Rail 174, 217, 250 Brackets, Shelf 180-182, 202-204, 225, 226 Brackets, Track 131, 135, 137 Bright Wire Goods 159-162, 253-255 Broad Hinges, Brass 244, 263 Bullet Catch, Brass 247, 267 Bumper, Door 107, 110 Bumper Shoes 138 Butter Tray Hinges 189 Butt Hinges — see Hinges 189 Button Tip Hinges, Brass 244, 264 Buttons, Turn 197, 218 By-passing Sliding Door Hardware 93-101, 123-127 C Cabinet Hardware 80-88, 217-220, 234, 235, 241, 261 Cabinet Hinges 80-84, 220, 234, 235 Cabinet Pulls 85, 86, 241, 263 Carded Hardware 218-255 Catches, Cabinet 87, 88, 217-219	Decimal Equivalents
Braces, Garage Door 139 Braces, Screen 197, 218 Braces, Screen Door 197, 237 Braces, Table Leg 178, 190, 221, 261 Brackets, Bi-fold Door 113, 115 Brackets, Closet Bar 117-120, 249, 251 Brackets, Folding 180, 225, 226 Brackets, Hand Rail 174, 217, 250 Brackets, Shelf 180-182, 202-204, 225, 226 Brackets, Track 131, 135, 137 Bright Wire Goods 159-162, 253-255 Broad Hinges, Brass 244, 263 Bullet Catch, Brass 247, 267 Bumper, Door 107, 110 Bumper Shoes 138 Butler Tray Hinges 189 Butt Hinges — see Hinges Button Tip Hinges, Brass 244, 264 Buttons, Turn 197, 218 By-passing Sliding Door Hardware 93-101, 123-127 C Cabinet Hardware 80-88, 217-220, 234, 235, 241, 261 Cabinet Hinges 85, 86, 241, 263 Carded Hardware 218-255 Catches, Cabinet 87, 88, 217-219 Catches, Cabinet 87, 88, 217-219 Catc	Decimal Equivalents
Braces, Garage Door 139 Braces, Screen 197, 218 Braces, Screen Door 197, 237 Braces, Table Leg 178, 190, 221, 261 Brackets, Bi-fold Door 113, 115 Brackets, Closet Bar 117-120, 249, 251 Brackets, Folding 180, 225, 226 Brackets, Hand Rail 174, 217, 250 Brackets, Shelf 180-182, 202-204, 225, 226 Brackets, Track 131, 135, 137 Bright Wire Goods 159-162, 253-255 Broad Hinges, Brass 244, 263 Bullet Catch, Brass 247, 267 Bumper, Door 107, 110 Bumper Shoes 138 Butter Tray Hinges 189 Butt Hinges — see Hinges 189 Button Tip Hinges, Brass 244, 264 Buttons, Turn 197, 218 By-passing Sliding Door Hardware 93-101, 123-127 C Cabinet Hardware 80-88, 217-220, 234, 235, 241, 261 Cabinet Hinges 80-84, 220, 234, 235 Cabinet Pulls 85, 86, 241, 263 Carded Hardware 218-255 Catches, Cabinet 87, 88, 217-219	Decimal Equivalents

ALPHABETICAL INDEX (cont.)

ALITIADETIOAL	HADEX (COIIC.)
E Page Number	H Page Number
Energy Saving Products	Hasps, Safety
Extension Adapter, Pocket Frame Set 104, 106B	Hasps and Staples 144-148, 220, 227, 228
Eye Bolts	Heavy Duty Storage Hook
F	Hinge Hasps
	Hinge Pin Door Stop
Fasteners, Chain Door	Hinges, 741
Fasteners, Table Top	Hinges, Anti-friction Bearing . 41-46, 48-52, 54-62, 67-72
	Hinges, Application
Features of LifeStan Bearing Hinges	Hinges, Back Flap
Finials	Hinges, Ball Bearing 48-52, 54-62, 67-72
Finishes	Hinges, Ball Bearing, Full Surface . 51, 52, 58-60, 68-70
Flaire®	Hinges, Ball Bearing, Half Mortise . 50, 52, 57, 60, 68-70
Flaire® "Idea Center"	Hinges, Ball Bearing, Half Surface . 49, 52, 56, 60, 68-70
Flaire® Merchandisers	Hinges, Bi-fold Doors
Floor Door Guides	Hinges, Blind 200
Floor Guides, Residential Sliding Door 110, 238	Hinges, Bolt Hook and Strap
Floor Hinges	Hinges, Broad
Flush Pulls	Hinges, Butler Tray
Folding Brackets	Hinges, Cabinet 80-84, 220, 234, 235
Folding Door Hardware	Hinges, Concealed
Folding Door Hinges	Hinges, Concealed Bearing
Folding Legs	Hinges, Continuous
Folding Screen Hinge, Double Acting 176, 227	Hinges, Double Weight
Foot Bolts	Hinges, Electric
Frequency of Door Operation	Hinges, Fast Pin 84, 183-185, 226, 227
Friction Catches	Hinges, Floor
G	Hinges, Folding Door
Garage and Industrial Door Hardware 123-139	Hinges, Folding Screen
Garage Door Bolts	60, 61, 63, 67-70, 89-92
Garage Door Braces	Hinges, Full Surface 44, 45, 51, 52, 58-60, 68-70
Garage Door Hardware	Hinges, Garage
Garage Door Hardware, By-passing Sliding 126	Hinges, Gate
Garage Door Hardware, Rolling	Hinges, Half Mortise 43, 45, 50, 52, 57, 60, 64, 68-70
Garage Door Hardware, Straight Sliding 125	Hinges, Half Surface 42, 45, 49, 52, 56, 60, 63, 68-70, 89
Garage Door Mending Plates	Hinges, Hand of Loose Joint
Garage Door Set, Straight Sliding	Hinges, Hospital Type
Gate Hinges	Hinges, Intermediate Pivot
Gate Latches	Hinges, LifeStan Bearing
General Hardware	Hinges, Loose Joint 71, 72, 183, 189
Gravity Pivots	Hinges, Loose Pin
Guard, Chain Door	89-92, 184, 185 Hinges, Narrow 84, 185, 220, 226, 243
Guide, Hinge Specification	
Guides, Floor Door	Hinges, Olive Knuckle
Guides, Residential Sliding Door 110, 238	Hinges, Painted, Description of
Guide Track, Bi-fold Door	Hinges, Parliament
Guardware	Hinges, Paumelle
H manufacture Manufacture M	Hinges, Pins, Non-removable, Description of 32
Hammered Shelf Brackets	Hinges, Pins, Non-rising, Description of32
Hand of Loose Joint Hinges	Hinges, Pintles
Hand Rail Brackets	Hinges, Pivot Reinforcing
Handles, Chest	Hinges, Plain
Hangers, Barn Door	Hinges, Plain Bearing
Hanger Hooks 159-162, 216, 253-255	Hinges, Plain Steel
Hangers, Picture	Hinges, Prison
Hangers, Plant 205-210, 222-225	Hinges, Raised Barrel 41, 48, 54, 55
Hangers, Residential Sliding Door . 95, 97, 99, 101, 104,	Hinges, Round Corner
106, 106B, 108, 108A	Hinges, Rules for Sizes
Hangers, Rolling Door	Hinges, Screen Door 191, 192, 219, 237, 238
Hangers, Screen and Storm Sash	Hinges, Screw Hooks
Hangers, Straight Sliding Door 128, 129, 130, 132, 134, 136	Hinges, Screw Hooks and Eyes 143, 229, 259 Hinges, Screw Hooks and Straps 143, 167, 229, 234, 259
Hardware "Idea Center" 270-272	Hinges, Screw Packing
Hasps, Basket	Hinges, "Slip-In"
Hasps, Brass	Hinges, Specification Guide
Hasps, Hinge	Hinges, Spring 65, 65B, 66, 83, 191, 192,
Hasps, Latching Safety	219, 220, 238, 261

Revised 1-79

ALPHABETICAL INDEX (cont.)

STANLEY

H Page Number	M Page Number
Hinges, Strap 141, 167, 227, 234, 259, 260	Home Storage Hardware 340-345
Hinges, Swaging	Uni-Bin™
Hinges, "Swing-clear"	Uni-Panel TM 320-327
Hinges, T 142, 143, 167, 169, 227, 233, 234, 259, 260	Uni-Rack II TM 273-302
Hinges, Table	Utility Shelf Brackets
Hinges, Template Description	Metal Pin Strip
Hinges, Three to a Door	Metals
Hinges, Tip	Metal Shelving
Hinges, Triple Weight	Middle Hinges
Hinges, Underwriters' Requirements 16	Mini Bolt
Hinges, U. S. Government Type Numbers	Mini Bolt Guard
Hinges, Wardrobe Pivot 77-79	Mini-Storage System
Hinges, Wide Throw	Mirror Holders
Holdbacks, Blind	N
Holders, Bar	Nails, Corrugated
Holders, Door	Narrow Hinges 84, 185, 220, 226, 243
Holders, Stake	Numbers, House
"Hold-fast" Track Clamp	
Home Storage Hardware	011/ 11.11.
Hook Bolts	Olive Knuckle Hinges
Hooks, Clothesline	Ornamental Gate Hardware
Hooks, Coat and Hat	Ornamental Hinges 83, 234, 235, 244, 245
Hooks, Cup	P P
Hooks, Screw	Padlock
Hooks, Shoulder 160, 253 Hooks and Eyes 160, 254	Padlock Eyes
Hooks and Staples	Painted Hinge Description
Hospital Hardware	Panel Tracks
House Numbers	Paper Templates
110000 110110010 1111111111111111111111	Parliament Hinges
STORE AT A STORE OF THE STORE O	Parts Kits
Idea Center – Energy Saving	Patio Door Bolt, Locking
Idea Center Flaire® 328-330	Patio Door Guard
Idea Center – Hardware 270-272	Paumelle Hinges
Idea Center – Plant	Picture Hangers
Industrial Door Hardware	Picture Frame Holders
Irons, Corner	Picture Wire
Justill administration administration	Pins, Non-removable, Description of
Jamb Floor Guide	Pins, Non-rising, Description of
Jamb Mounted Pivot Bracket	Pintle Hinges
Junction Box and Mortar Shield	Pipe Insulating Tape
	Pivot Bracket, Bi-fold Doors
Keylocking Latch	Pivot, Double Acting
Knob Pulls	Pivot, Gravity
Knobs, Brass	Pivot, Intermediate
741055, 51433	Pivot Reinforcing Hinge
Missing Parliament Land Institute August 1	Pivot Rope Hook
Lag Eye Bolts	Pivot Socket, Bi-fold Doors 111B, 113, 115
Latches, Bar	Pivot, Wardrobe Hinge
Latches, Gate	Plain Bearing Hinges
Latches, Roller	Plain Hinges
Latches, Screen and Storm Door 194-196, 233, 235, 236	Plant Hangers 205-210, 222-225
Latches, Thumb	Pocket Frame Set, Residential Sliding Door 103-106B
Latching Safety Hasp	Pole, Brackets or Sockets 118-120, 217, 249
Lid Supports	Prison Hinges
Lifts, Screen	Pulleys, Clothesline
Line Clamp	Pulls, Cabinet
Lock, Sash	Pulls, Drawer 25, 86, 113, 115, 156, 193, 221, 222, 241, 263
Look Out Guard	Pulls, Drawer
Loose Joint Hinges	Pulls, Flush
	Pulls, Screen Door 193, 221 Pulls, Sliding Door 109, 238, 239
M M	Push Pins
Magnetic Catches	Pushbutton Latch
Mending Plates Press	
Mending Plates, Brass	R A1 40 54 55
Merchandisers Flaire®	Raised Barrel Hinge
Fiaile* 331-33/	Residential Sliding Door Hardware 93-115

ALPHABETICAL INDEX (cont.)

B	
R Page Number Ring, Trap Door	S Page Number
Roller Latches	Storm Sash Hangers
Pollors Stay 120	Straight Sliding Door Hangers 128, 129, 130,
Rolling Door Hangers	Straight Sliding Door Hardware 135, 134, 136
Rolling Door Hangers	Straight Sliding Door Hardware 125, 128
Rolling Door Hardware	Strap Hinges
Rolling Door Track	Supports, Lid 179, 221, 261 Supports, Table, Drop Leaf 176, 238
Rope Binding Hook	Surface Bolt Guard
Rope Hardware	Swaging of Hinges
"Round-the-Corner" Hardware	"Swing-Clear" Hinges
Router Bits for Round Corner Hinges	Swing-clear Tilliges
Rubber Door Stops	T
Rust-resisting Base	T-hinges 142, 143, 167, 169, 227, 233, 234, 259, 260
	T-plates
S	Table Hinges
"S" Blind Holdbacks	Table Leg Braces 178, 190, 221, 261
Safety Hasps	Table Supports, Drop Leaf
Sash Lifts	Tape Caulk Weather Strip
Sash Lock	Tarp Rope Hook
Sawtooth Hanger	Template Hinges, Description of
Screen and Storm Sash Hardware 191-199, 218, 219,	Template Hinges, Screw Packing
221, 233, 235-238	Templates, Paper
221, 233, 235-238 Screen Bolt	Tension Rod
Screen Braces	Thumb Latches
Screen Door Catches	Tips, Hinge
Screen Door Closers	Track Brackets
Screen Door Guards	Track, By-passing Panel
Screen Door Hinges 191, 192, 219, 237, 238	Track, Clamp "Hold-fast"
Screen Door Latches 194-196, 233, 235, 236	Track, Curved Trolley
Screen Door Pulls 193, 221 Screen Door Sets 192, 193, 237	Track, Residential Sliding Door 95, 97, 99, 101, 106, 108
Screen Hangers	Track, Trolley 129, 130, 133, 135, 137
Screen Lifts	Transom Catches
Screw Eyes	Trap Door Ring 157, 232
Screw Hooks	Triple Corner Brace
Screw Hook and Eye Hinges 143, 229, 259	Triple Weight Hinges
Screw Hook and Strap Hinges 143, 167, 229, 234, 259	Trucks, Trolley
Shelf Brackets 180-182, 202-204, 225, 226	Turnbuckles 162, 254 Turn Buttons 197, 218
Shelf Brackets, Folding 180, 225, 226	Tuni Buttons
Shelf Brackets, Hammered	U
Shelf Standards	Underwriters' Hinge Requirements
Shelves, Metal 121, 122 Shelves, Wood 201	Uni-Bin
Shock Arrester	Uni-Panel
Shoes, Bumper	Uni-Rack II TM
Shoulder Hooks	Unit Header 101 U. S. Government Type Numbers 38
Sliding Door Sets, Residential 93-108A	Utility Holder
Sliding Window Bolt, Locking 243, 258	Utility Hooks
Slip-in Hinges	Utility Shelf Bracket Merchandisers 346-347
"Snappy" Catch 193, 219	Utility Shelf Brackets
"Snubber," Bi-fold Doors 111B, 113	V
Sockets, Bi-fold Doors	Visual Pack Hardware
Special Purpose Hardware	
Specification Guide	
Stainless Steel Ball Bearing Hinges 48-51, 54-59, 62, 63	Wall Pillars
Stake Holders	Washers 166, 229 Weather Station 211-215
Staples	Weather Station
Stay Rollers	Wide-throw Hinges
Steeple Tips	Window and Door Weather Strip Tape
Stop, Emergency Release	Window Spring Bolts
Stops, Door	Window Lock
194, 217, 236, 249, 251	Window Lock Guard
Storage System	Window Vent Guard 242, 257
Storage System Hook	Wire Coat and Hat Hook 118, 250
Storm Door Closers	Wire Hardware
Storm Door Latch	Wood Shelves
Storm Sash Adjusters	Work 'n Horse
Pavisod 1 70	CTANLEY 7

STANLEY

NUMERICAL INDEX

SEE PAGES 15, 15A, 15B FOR MERCHANDISER NUMERICAL INDEX

Class No.	Product	Page	Class No.	Product	Page
BP-1	Back Plate	. 32	152	Screen Door Hinge	191
DLS-1	Double Lipped Strike	. 74	154	Screen Door Hinge	
DLS-2	Double Lipped Strike	. 74	BB157	Floor Hinge	173
ES-1	Emergency Door Stop		158	Screen Door Spring Hinge	
JB-1	Junction Box		CD158	Screen Door Spring Hinge	
DAP-3	Door Pivot		SP158	Screen Door Spring Hinge	
CD4	Turn Button		FBB163	Half Surface Hinge, Heavy Weigh	
Sc4	Turn Button		164	Half Surface Hinge	
SP4 SC5	Turn Button		CD164 F167	Half Surface Hinge	,
23	Turn Button		FBB167	Half Mortise Hinge, Standard We Half Mortise Hinge, Standard We	0
CD26	Roller Latch		FBB168	Full Mortise Hinge, Heavy Weigh	-
SP26	Roller Latch		FBB169	Full Surface Hinge, Heavy Weigh	
CD27	Screen Corner Brace 19		FBB169½	Full Surface Hinge, Heavy Weigh	
CD34	Cabinet Catch		FBB171	Full Surface Hinge, Standard We	
SP34	Cabinet Catch		F173	Half Surface Hinge	
CD35	Cabinet Catch		FBB173	Half Surface Hinge, Standard We	
DP35	Cabinet Catch		F179	Full Mortise Hinge	
SP35	Cabinet Catch			I) Full Mortise Hinge	
CD37 SP37	Cabinet Catch	. 218	FBB179	Full Mortise Hinge, Standard We	
38	Cabinet Catch	. 88	FBB179 F191	"Slip-in" Hinge	
CD41 (US28)	Magnetic Catch	218		Full Mortise Hinge Full Mortise Hinge	
DP41 (US28)	Magnetic Catch	. 217)) Full Mortise Hinge	
SP41 (US28)	Magnetic Catch	. 87	FBB191	Full Mortise Hinge, Standard We	
CD42	Magnetic Catch		FBB191 (US32)	Full Mortise Hinge, Standard We	
DP42	Magnetic Catch		FBB191 (US32D))Full Mortise Hinge, Standard We	ight 54
SP42	Magnetic Catch		FBB191	"Slip-in" Hinge	67
448	Roller Latch		FBB193	Full Mortise Hinge, Standard We	
C44S DP45(US28)	Roller Latch			Full Mortise Hinge, Standard We	
	Magnetic Catch	. 217))Full Mortise Hinge, Standard We	
CD46 (US28)	Magnetic Catch	219	FBB199	Full Mortise Hinge, Heavy Weigh Full Mortise Hinge, Heavy Weigh	
DP46 (US28)	Magnetic Catch		FBB199(US32D	Full Mortise Hinge, Heavy Weigh	it 55
SP46 (US28)	Magnetic Catch	. 87	CD205	Utility Holder	
57	Jamb Plate		CD210	Screen Door Holder	
BB93	Heavy Paumelle Hinge		SP210	Screen Door Holder	
BB95 FBB98	Average Frequency Olive Knuckle Hing		FBB211	Pivot-reinforced Hinge, Heavy We	
FBB98 (US32)	Half Mortise Hinge, Heavy Weight Half Mortise Hinge, Heavy Weight	. 57	FBB212	Pivot-reinforced Hinge, Heavy We	
	Half Mortise Hinge, Heavy Weight	. 57	FBB213 FBB221	Pivot-reinforced Hinge, Heavy We	
FBB108	Half Mortise Hinge, Standard Weight		FBB222	Pivot-reinforced Hinge, Heavy We Pivot-reinforced Hinge, Heavy We	
FBB108(US32)	Half Mortise Hinge, Standard Weight .) Pivot-reinforced Hinge, Heavy We	
FBB108(US32D)	Half Mortise Hinge, Standard Weight .		FBB223	Pivot-reinforced Hinge, Heavy We	
FBB109	Full Surface Hinge, Heavy Weight		FBB223(US32D) Pivot-reinforced Hinge, Heavy We	ight 62
FBB109 (US32)	Full Surface Hinge, Heavy Weight		225	Shock Arrester	73
FBB109 (US32D)	Full Surface Hinge, Heavy Weight		241	Full Mortise Hinge	89
FBB109½ (US32)	Full Surface Hinge, Heavy Weight Full Surface Hinge, Heavy Weight		241BP	Full Mortise Hinge	89
	Full Surface Hinge, Heavy Weight		RD241 F248	Round Corner Hinge	89
FBB110	Full Surface Hinge, Standard Weight		F240	Full Mortise Swing-Clear Hinge, Standard	61
FBB110 (US32)	Full Surface Hinge, Standard Weight .		FBB248	Full Mortise Swing-Clear	61
FBB110 (US32D)	Full Surface Hinge, Standard Weight .			Hinge, Standard	61
FBB112	Half Surface Hinge, Standard Weight .		FBB258	Full Mortise Swing-Clear	
	Half Surface Hinge, Standard Weight .		982	Hinge, Standard	
	Half Surface Hinge, Standard Weight .		FBB264	Half Mortise Swing-Clear Hinge, H	Heavy . 60
FBB113	Half Surface Hinge, Heavy Weight		FBB266	Full Surface Swing-Clear Hinge, F	leavy . 60
	Half Surface Hinge, Heavy Weight Half Surface Hinge, Heavy Weight		FBB268	Full Mortise Swing-Clear Hinge, H	Heavy . 60
FBB138	Half Mortise Hinge, Heavy Weight		FBB269	Half Surface Swing-Clear Hinge, H	
BB140	Average Frequency Paumelle Hinge		FBB274 FBB278	Half Mortise Swing-Clear Hinge, Full Mortise Swing-Clear Hinge, I	
BB143	Heavy Paumelle Hinge		284	Full Mortise Swing-Clear Hinge, F Cabinet Hinge	
150	Gravity Pivot Hinge		289	Cabinet Hinge	
CD150	Gravity Pivot Hinge 172		295	Cabinet Hinge	
SP150	Gravity Pivot Hinge		CD295	Cabinet Hinge	

	NUMERICAL	INDEY (C	ont.)
Class No.	Product Page	Class No.	Product Page
	Continuous Hinge	BB649	Full Mortise Hinge, Swing-Clear, Heavy . 52
311		BB651	Full Surface Hinge, Swing-Clear, Heavy 52
NH311	Continuous Hinge	BB659	Half Surface Hinge, Swing-Clear, Heavy 52
SC311	Continuous Hinge 186, 220		
3111/4	Continuous Hinge	660	9.7
AL3111/4	Continuous Hinge	BB660	Full Mortise Hinge, Standard Weight 48
SC3111/4	Continuous Hinge 186, 220) Full Mortise Hinge, Standard Weight 48
STS3111/4	Continuous Hinge 187		D) Full Mortise Hinge, Standard Weight 48
NHAL3111/4	Continuous Hinge 187	BB661	Full Mortise Hinge, Heavy Weight 48
SCAL3111/4	Continuous Hinge 186, 220) Full Mortise Hinge, Heavy Weight 48
NHSTS3111/4	Continuous Hinge	BB661 (US32	D) Full Mortise Hinge, Heavy Weight 48
314	Continuous Hinge	BB670	Half Surface Hinge, Standard Weight 49
NH314	Continuous Hinge 188	BB670(US32) Half Surface Hinge, Standard Weight 49
3141/4	Continuous Hinge 188	BB670(US32	D) Half Surface Hinge, Standard Weight 49
AL3141/4	Continuous Hinge 188	BB671	Half Surface Hinge, Heavy Weight 49
STS3141/4	Continuous Hinge 188	BB671 (US32) Half Surface Hinge, Heavy Weight 49
NHSTS3141/4	Continuous Hinge 188	BB671 (US32	D) Half Surface Hinge, Heavy Weight 49
321	Intermediate Pivot Hinge 79	BB680	Half Mortise Hinge, Standard Weight 50
327	Wardrobe Pivot Hinge 77	BB680(US32) Half Mortise Hinge, Standard Weight 50
331	Pivot Cabinet Hinge 82		D) Half Mortise Hinge, Standard Weight 50
332	Pivot Cabinet Hinge 82	BB681	Half Mortise Hinge, Heavy Weight 50
335	Pivot Cabinet Hinge 82) Half Mortise Hinge, Heavy Weight 50
340	Wardrobe Pivot Hinge 78		D) Half Mortise Hinge, Heavy Weight 50
341	Wardrobe Pivot Hinge	BB690	Full Surface Hinge, Standard Weight 51
342	Wardrobe Pivot Hinge 79) Full Surface Hinge, Standard Weight 51
343	Cabinet Spring Hinge		D) Full Surface Hinge, Standard Weight 51
CD343	Cabinet Spring Hinge	BB691	Full Surface Hinge, Heavy Weight 51
345	Hinge Hasp 147		Full Surface Hinge, Heavy Weight 51
CD345	Hinge Hasp 147		D) Full Surface Hinge, Heavy Weight 51
CD345	Safety Hasp	702	Corrugated Nails 166, 222
SP346	Safety Hasp	CD703	Corrugated Nail Set 166, 222
379	Surface Bolt	711	Corrugated Nails
CD379	Surface Bolt	716	Corrugated Nails
393½	Flush Bolt	719	Corrugated Nails
430	Lid Support 179	V720	Outdoor Plant Hanger 205, 222
CD430	Lid Support	721	Plant Wall Track System
CD432	Lid Support	CD722	Wire Swivel Plant Hanger 205, 222
SP432	Lid Support	SP722	Wire Swivel Plant Hanger 205, 222
441	Table Leg Brace	CD725	Decorative Ceiling Hook 205, 223
	Table Leg Brace 178, 136	SP725	Decorative Ceiling Hook 205
CD441	Table Leg Brace	CD726	Rotating Ceiling Hook 206, 223
446 446 ¹ / ₄	Table Leg Brace	CD727	Plant Swivel Attachment 206, 223
4461/2	Table Leg Brace	CD728	Decorative Chain Kit 206, 223
CD450	Bar Latch	CD729	Adjustable Pot Hanger 207, 223
SP450	Bar Latch	CD730	Decorative Chain Extender 207, 223
	Door Holder	V731	Adjustable Plant Hanger Track 207, 224
456 458	Door Holder	V731	Decorative Plant Hanger Bracket . 208, 224
479	Pull	CD733	Universal Plant Hook 208, 224
CD479	Pull	CD734	Universal Plant Hook with Swivel . 208, 224
SP479	Pull	CD735	Overhead Plant Swivel 208, 224
CD482	Door Pull	CD736	Plant "S" Hooks 209, 224
SP482	Door Pull	CD737	Plant Hook 209, 225
NH482	Door Pull	CD737	Swivel Ceiling Hook 209, 225
	Sash Lifts	741	Square Corner Hinge 90
CD486	Full Mortise Hinge 53	CD741	Square Corner Hinge
600 BB600	Full Mortise Hinge, Standard Weight 48		
BB600		RD741	Round Corner Hinge 91
BB601	Full Mortise Hinge, Heavy Weight 48	RD758	%" Radius Hinge 92
BB601-8"	Heavy Hinge	760	Wood Screws for 741, RD741, RD758
BB610	Half Surface Hinge, Standard Weight 49		Bulk — Assembled Hinges and Unassembled
BB611	Half Surface Hinge, Heavy Weight 49	761	Wood Screws for 741, RD741, RD758
BB620	Half Mortise Hinge, Standard Weight 50	701	Bulk — Assembled Hinges and
BB621	Half Mortise Hinge, Heavy Weight 50		Unassembled
BB630	Full Surface Hinge, Standard Weight 51	762	Wood Screws for 741, RD741, RD758
BB631	Full Surface Hinge, Heavy Weight 51		Bulk — Assembled Hinges and
BB641	Half Mortise Hinge, Swing-Clear, Heavy 52	2017	Unassembled
BB642	Half Mortise Hinge, Swing-Clear, Heavy . 52	763	Wood Screws for 741, RD741,
			RD758 Assembled Hinges
BB648	Full Mortise Hinge, Swing-Clear, Heavy 52		and Unassembled 91, 92
Davised 1 70			STANLEY

Revised 1-79

[STANLEY]

NUMERICAL INDEX (cont.)

SC008BP		ITOMERIOAE	110 111 (0	Oliti)
Bulk	Class No.	Product Page	Class No.	Product Page
Bulk	764	Wood Screws for 741, RD741, RD758	SC908BP	Extra Heavy T-Hinge 143
Unassembled 19,1 20 20 20 20 20 20 20 2	704	Bulk — Assembled Hinges and		
766 Wood Screws for 741, RD748, RD788 91, 92				
Total	765	Wood Screws for 741, RD741, RD758		
760		Bulk — Assembled Hinges 91, 92		
767-2 Wood Screws for 741, RD741, RD741, RD741, RD758 Assembled Hinges RD758 Assembled Hinges Assembled Hing	766			
Septiment Safety Hasp 144		Bulk — Assembled Hinges 91, 92		
14	767-2	Wood Screws for 741, RD741,		
RD758 Assembled Hinges and Unassembled 91,92				
A	768			
## SP912 Hinge Hasp			CD912	Hinge Hasp 146, 228
V7/2 Prolong Shelf Paracket			SP912	Hinge Hasp
Plant Track Ceiling System 210 313 Sately Hasp 144			913	Staples
Plant Track Celling System 210 915 Safety Hasp 1.44 2782 Plant Bracket with Chain 2.10 2.10 2.0015 Safety Hasp 1.45 2.22 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25 2.25			NH913	Staple, No Hole
R82 Flant Bracket with Chain 210 CD915 Safety Hasp 145, 228 CR			915	
Plant Hanger with Chain	782	Plant Bracket with Chain 210	CD915	
V791 Hammered Shelf Bracket 181, 225 SC915BP Safety Hasp 1.45 V794 Folding Shelf Bracket 180, 226 917 Safety Hasp 1.45 796 Rigid Shelf Bracket 181 CD917 Safety Hasp 1.45 797 Utility Shelf Bracket 182 SC917 Safety Hasp 1.45 802 Loose Joint Hinge 183 SP917 Safety Hasp 1.46 804 Broad, Loose Pin Hinge 184 SP918 Latching Safety Hasp 1.46 804 Broad, Loose Pin Hinge 184 CD85 SP918 Latching Safety Hasp 1.46 CD804 Broad, Loose Pin Hinge 184 CD85 Safety Hasp 1.47 R084 Broad Fast Pin Hinge 184 CD825 Safety Hasp 1.47 R085 Broad, Fast Pin Hinge (US2H) 1.84 CD84 CD84 Hinge Hasp 1.47 R086 Broad, Fast Pin Hinge (US2H) 1.84 CD84 CD84 Hinge Hasp 1.47	783	Plant Hanger with Chain 210		
794 Folding Shelf Bracket 180 SP915 Safety Hasp 145 796 Rigid Shelf Bracket 181 CD917 Safety Hasp 145 796 Rigid Shelf Bracket 182 CS917 Safety Hasp 145 222 802 Loose Joint Hinge 183 CS917 Safety Hasp 145 222 802 Loose Joint Hinge 183 CD918 Latching Safety Hasp 146 228 804 Broad, Loose Pin Hinge 184 925 Safety Hasp 146 228 804 Broad, Loose Pin Hinge 184 925 Safety Hasp 147 228 NH804 Broad, Loose Pin Hinge 184 925 Safety Hasp 147 228 NH804 Broad Loose Pin Hinge 184 925 Safety Hasp 147 228 NH804 Broad Loose Pin Hinge 184 925 Safety Hasp 147 228 808 Broad, Fast Pin Hinge 184 SC941BP Hinge Hasp	V791			
V794 Folding Shelf Bracket 180, 226 917 Safety Hasp 145, 279 1111 158 158 159 159 158 159 159 159 158 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 159 15	794	Folding Shelf Bracket 180		
796 Rigid Shelf Bracket 181 CD917 Safety Hasp 1.45, 226 V979 Utility Shelf Bracket 182, 226 S021 Safety Hasp 1.45, 226 S021 Loose Joint Hinge 1.83 CD918 Latching Safety Hasp 1.45, 226 S021 Safety Hasp 1.45, 226 S021 Safety Hasp 1.45, 226 S021 Safety Hasp 1.46, 228 S021 Safety Hasp 1.46, 228 S021	V794			
797 Utility Shelf Bracket 182 226 802 Loose Joint Hinge 183 C9917 Safety Hasp 145 802 Loose Joint Hinge No Hole 189 804 Broad, Loose Pin Hinge (US2H) 184 805 Broad, Loose Pin Hinge (US2H) 184 806BP Broad, East Pin Hinge (US2H) 184 806BP Broad, Fast Pin Hinge (US2H) 184 806BP Broad, Fast Pin Hinge (US2H) 184 810 Drop Leaf Hinge (US2H) 184 8110 Drop Leaf Hinge 183, 189 812 Guide 76A, 76B 952 Bolt Hook and Strap Hinge 143, 229 812 Guide 76A, 76B 952 Bolt Hook and Strap Hinge 143, 289 813 Loose Pin Back Flap Hinge 185 814 Fast Spun Back Flap Hinge 185 815 CD814 Fast Spun Back Flap Hinge 185 827 Blind Hinge 185 827 Blind Hinge 185 827 Blind Hinge 185 828 Narrow, Fast Pin Hinge 185, 226 827 Blind Hinge 185 828 Narrow, Fast Pin Hinge 185, 226 827 Blind Hinge 185 838 Narrow, Fast Pin Hinge 185, 226 840 Narrow, Loose Pin Hinge 185 840 Narrow, Loose Pin Hinge 185 850 Full Surface Hinge 186 850 Full Surface Hinge 185 850 Full Surface Hinge 186 850 Full Surface Hinge 187 850 Oobbel Acting Hinge 187 870 Oobbel Acting Hinge 186 870 Oobbel Height Hinge 69 870 Ugith Strap Hinge 187 870 Oobbel Heavy Strap Hinge 141 8700 Heavy Strap Hinge 144 8700 Heavy Str	796			
V797	797			
NH802				
NH802				
804				
804BP Broad, Loose Pin Hinge (US2H) 1.84 (DD25 Safety Hasp 1.47 (22E) CD804 Broad, Loose Pin Hinge, No Hole 184, 226 941 Hinge Hasp 1.47, 22E NH804 Broad, Fast Pin Hinge 1.84 SC941BP Hinge Hasp 1.47, 22B 808 Broad, Fast Pin Hinge (US2H) 1.84 SC941BP Hinge Hasp 1.47, 22B 810 Drop Leaf Hinge 1.83, 189 V951 Screw Hook and Strap Hinge 1.43 810 Drop Leaf Hinge 1.83, 189 V951 Screw Hook and Strap Hinge 1.43 812 Guide 76A, 76B 953 Screw Hook and Strap Hinge 1.43 813 Loose Pin Back Flap Hinge 1.85 952 Bolt Hook and Strap Hinge 1.43 814 Fast Spun Back Flap Hinge 1.85 974 Hook and Staple 1.48 827 Blind Hinge 2.00 838 Narrow, Fast Pin Hinge 1.85 974 Hook and Staple 1.48 CD838 Narrow, Fast Pin Hinge 1.85 974 Hook and Staple 1.48 1.48 SP838 Narrow, Fast Pin Hinge <td< td=""><td></td><td></td><td></td><td></td></td<>				
CD804 Broad, Loose Pin Hinge 184, 226 941 Hinge Hasp 147, 228 808 Broad, Fast Pin Hinge 184 808BP Broad, Fast Pin Hinge 184 808BP Broad, Fast Pin Hinge 184 808BP Broad, Fast Pin Hinge 184 810 Drop Leaf Hinge 183 189 812 Guide 76A, 76B 812 Guide 76A, 76B 813 Loose Pin Back Flap Hinge 185 952 Bolt Hook and Strap Hinge 143 813 Loose Pin Back Flap Hinge 185 953 Screw Hook and Strap Hinge 144 814 Fast Spun Back Flap Hinge 185 974 Hook and Strap Hinge 143 229 259 814 Fast Spun Back Flap Hinge 185 276 814 Fast Spun Back Flap Hinge 185 974 Hook and Staple 148 229 827 Blind Hinge 185 276 838 Narrow, Fast Pin Hinge 185 226 227 8183 Narrow, Fast Pin Hinge 185 287 840 Narrow, Loose Pin Hinge 185 993 838 Narrow, Fast Pin Hinge 185 840 Narrow, Loose Pin Hinge 185 993 840 Narrow, Loose Pin Hinge 185 993 8838 Narrow, Fast Pin Hinge 185 840 Narrow, Loose Pin Hinge 185 993 883 8840 Narrow, Fast Pin Hinge 185 885 Full Sturface Hinge 185 993 883 885 883 884 884 885 884 885 884 885 885 884 885 884 885 885 884 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885 885				Safety Hasp
NH804 Broad Loose Pin Hinge, No Hole 184 808BP Broad, Fast Pin Hinge 184 808BP Broad, Fast Pin Hinge 184 808BP Broad, Fast Pin Hinge 184 810 Drop Leaf Hinge 183, 189 812 Guide 76A, 76B 952 Bolt Hook and Strap Hinge 143, 229 813 Loose Pin Back Flap Hinge 185 608 952 Bolt Hook and Strap Hinge 143, 229 814 Fast Spun Back Flap Hinge 185 609 814 Fast Spun Back Flap Hinge 185 609 814 Fast Spun Back Flap Hinge 185 609 818 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 609 6			CD925	Safety Hasp 147, 228
808 Broad, Fast Pin Hinge (US2H) 184 SC941BP Hinge Hasp 147, 228 SP04 SP04 SP04 SP04 SP04 SP04 SP04 SP04			941	Hinge Hasp
Score			CD941	Hinge Hasp 147, 228
Substract Street			SC941BP	
Stroke Stroke Stroke Stroke Stroke Stroke Hook and Strap Hinge 143 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148 148			SP941	
State			951	
State			V951	
812 Guide 76A, 76B 813 Loose Pin Back Flap Hinge 185 814 Fast Spun Back Flap Hinge 185 CDB14 Fast Spun Back Flap Hinge 185 827 Blind Hinge 200 827 Blind Hinge 200 838 Narrow, Fast Pin Hinge 185 CD838 Narrow, Fast Pin Hinge 185 SP838 Narrow, Fast Pin Hinge 185 SP838 Narrow, Fast Pin Hinge 185 SP838 Narrow, Fast Pin Hinge 185 840 Narrow, Loose Pin Hinge 185 840 Narrow, Loose Pin Hinge 185 840 Narrow, Loose Pin Hinge 189 850 Full Surface Hinge 183 8B852 Triple Weight Prison Hinge 69 BB855 Special Double Weight Hinge 69 BB8554/4 Special Double Weight Hinge 69 BB8555/4 Special Double Meight Hinge 16 CD900 Light Strap Hinge 176	TS810	Drop Leaf Hinge 189		
813 Loose Pin Back Flap Hinge 185 814 Fast Spun Back Flap Hinge 185 CD814 Fast Spun Back Flap Hinge 185 827 Blind Hinge 200 838 Narrow, Fast Pin Hinge 185 CD838 Narrow, Fast Pin Hinge 185 CD838 Narrow, Fast Pin Hinge 185 SP838 Narrow, Fast Pin Hinge 185 SP838 Narrow, Fast Pin Hinge 185 840 Narrow, Loose Pin Hinge 185 850 Full Surface Hinge 189 850 Full Surface Hinge 189 855 Full Surface Hinge 189 855 Full Surface Hinge 189 855 Full Surface Hinge 189 885 Special Double Weight Hinge 69 995½ T-Plate 164 CD87 Double Acting				the state of the s
814 Fast Spun Back Flap Hinge 185, 226 827 Blind Hinge 200 838 Narrow, Fast Pin Hinge 185, 226 828 Narrow, Fast Pin Hinge 185, 226 829 NH838 Narrow, Fast Pin Hinge 185, 226, 262 820 NH838 Narrow, Fast Pin Hinge 185, 226, 262 821 NH838 Narrow, Fast Pin Hinge 185, 226, 262 822 NH838 Narrow, Fast Pin Hinge 185 823 Narrow, Fast Pin Hinge 185 824 Narrow, Loose Pin Hinge 185 825 NH840 Narrow, Loose Pin Hinge 185 826 NH840 Narrow, Loose Pin Hinge 185 827 NH840 Narrow, Loose Pin Hinge 183 828 NB852 Triple Weight Prison Hinge 70 828 NB855 Special Double Weight Hinge 69 827 Special Double Weight Hinge 69 828 Special Double Weight Hinge 69 827 Special Double Acting Hinge 176, 227 900 Light Strap Hinge 176, 227 900 Light Strap Hinge 141, 227 \$2900 Light Strap Hinge 141 \$2900 Split Strap Hinge 141 \$2900 Split Ring Lock Washers 166, 229 \$2904 Mashers 166, 229 \$2904 Washers 166, 229 \$2904 Mashers 166, 229 \$2905 Mending Plate 164 \$2905 Mending Plate 164 \$2905 Mending Plate 164 \$2905 Mending Plate 164 \$2906 Corner Iron Brace 164, 230, 262 \$2906 Corner Iron Brace 165, 190 \$2906 Corner Iron Brace 165, 190 \$2906 Corner Iron Brace 165, 230 \$2907 Corner Brace 163, 230, 262 \$2900 Light Strap Hinge 141 \$2900 Heavy Strap Hinge 142 \$2900 Light T-Hinge 142 \$2	813	Loose Pin Back Flap Hinge 185		
Rest Spun Back Flap Hinge 185, 226 827 Blind Hinge 200 976 Staple 148, 229 838 Narrow, Fast Pin Hinge 185 226, 262 V990 Split Ring Lock Washers 166, 229 SP838 Narrow, Fast Pin Hinge 185 SP838 Narrow, Fast Pin Hinge 185 SP838 Narrow, Fast Pin Hinge 185 SP838 Narrow, Loose Pin Hinge 189 SP839 Mending Plate 164, 230, 262 Mending Plate	814	Fast Spun Back Flap Hinge 185		
827 Blind Hinge 200 838 Narrow, Fast Pin Hinge 185 CD838 Narrow, Fast Pin Hinge 185 NH838 Narrow, Fast Pin Hinge 185 SP838 Narrow, Fast Pin Hinge 185 SP838 Narrow, Fast Pin Hinge 185 840 Narrow, Loose Pin Hinge 185 NH840 Narrow, Loose Pin Hinge 185 850 Full Surface Hinge 183 8B852 Triple Weight Prison Hinge 70 8B855 Special Double Weight Hinge 69 95½ T-Plate 164, 230, 262 875 Double Acting Hinge 69 875 Double Acting Hinge 176 CD875 Double Acting Hinge 176 CD975 Corner Iron Brace 165, 230 900 Light Strap Hinge 141 CD900 Light Strap Hinge 141 SC900 Light Strap Hinge 141 SP900 Light Strap Hinge 141 SP900 <	CD814	Fast Spun Back Flap Hinge 185, 226		
Staple	827	Blind Hinge 200		
CD838 Narrow, Fast Pin Hinge 185, 226, 262 V990 Split Ring Lock Washers 166, 229 NH838 Narrow, Fast Pin Hinge 185 993½ Stake Holder 138 840 Narrow, Loose Pin Hinge 185 V994 Washers 166, 229 NH840 Narrow, Loose Pin Hinge 185 995 Mending Plate 164, 230, 262 850 Full Surface Hinge 183 SP995 Mending Plate 164, 230, 262 BB852 Triple Weight Prison Hinge 70 Poppic Mending Plate 164, 230, 262 BB855 Special Double Weight Hinge 69 Mending Plate 164, 230, 262 BB855 Special Double Weight Hinge 69 Mending Plate 164, 230 BB855 Special Double Weight Hinge 69 CD995½ T-Plate 164, 230 BB855 Special Double Acting Hinge 176 CD976½ Corner Iron Brace 165, 190 BB855 Double Acting Hinge 176 CD996½ Corner Brace 163 230, 262	838			
NH838 Narrow, Fast Pin Hinge, No Hole 189 993½ Stake Holder 138 SP838 Narrow, Fast Pin Hinge 185 V994 Washers 166, 229 NH840 Narrow, Loose Pin Hinge 185 995 Mending Plate 164, 230, 262 850 Full Surface Hinge 183 SP995 Mending Plate 164, 230, 262 850 Full Surface Hinge 183 SP995 Mending Plate 164, 230, 262 850 Full Surface Hinge 183 SP995 Mending Plate 164, 230, 262 850 Full Surface Hinge 183 SP995 Mending Plate 164, 230, 262 850 Full Surface Hinge 69 CD995½ T-Plate 164 230, 262 8B855 Special Double Weight Hinge 69 CD995½ T-Plate 164, 230 262 875 Double Acting Hinge 176, 227 996½ Corner Iron Brace 165, 230 202 202 202 Light Strap Hinge 141 CD997 Corner Brace 163	CD838	Narrow, Fast Pin Hinge 185, 226, 262		
SP838 Narrow, Fast Pin Hinge 185 V994 Washers 186 299 840 Narrow, Loose Pin Hinge 185 V994 Washers 166, 229 NH840 Narrow, Loose Pin Hinge 183 995 Mending Plate 164, 230, 262 BB850 Full Surface Hinge 183 Sp995 Mending Plate 164, 230, 262 BB852 Triple Weight Prison Hinge 70 995½ T-Plate 164 BB855 Special Double Weight Hinge 69 CD995½ T-Plate 164, 230 BB855¼ Special Double Weight Hinge 69 996½ Corner Iron Brace 165, 190 BB855¼ Special Double Weight Hinge 176 CD995½ T-Plate 164, 230 BB855¼ Special Double Meight Hinge 176 CD996½ Corner Iron Brace 165, 230 BB855½ Special Double Meight Hinge 176 CD996½ Corner Iron Brace 165, 230 BB855½ Special Double Meight Hinge 141 CD997 Corner Brace 163, 230, 262	NH838	Narrow, Fast Pin Hinge, No Hole 189		
840 Narrow, Loose Pin Hinge 185 995 Mending Plate 164, 230, 262 850 Full Surface Hinge 183 CD995 Mending Plate 164, 230, 262 BB852 Triple Weight Prison Hinge 70 995½ T-Plate 164 BB855 Special Double Weight Hinge 69 995½ T-Plate 164 BB855¼ Special Double Weight Hinge 69 995½ T-Plate 164 CD875 Double Acting Hinge 176 CD996½ Corner Iron Brace 165, 290 900 Light Strap Hinge 141 CD997 Corner Brace 163, 230, 262 CD900 Light Strap Hinge 141 CD997 Corner Brace 163, 230, 262 SC900 Light Strap Hinge 141 SP997 Corner Brace 163 SC900 Light Strap Hinge 141 SP997 Corner Brace 163 SC900 Light Strap Hinge 141 SP998 Triple Corner Brace 163 SC902 Heavy Strap Hinge 141 SP998 Triple Cor	SP838			
NH840				
Section				
BB852				
BB855 Special Double Weight Hinge 69 CD995½ T-Plate 164, 230 BB855¼ Special Double Weight Hinge 69 996½ Corner Iron Brace 165, 190 875 Double Acting Hinge 176 CD975 Corner Iron Brace 165, 190 CD875 Double Acting Hinge 176, 227 997 Corner Brace 163, 230, 262 900 Light Strap Hinge 141 CD997 Corner Brace 163, 230, 262 SC900 Light Strap Hinge 141 SP997 Corner Brace 163, 230, 262 SC900BP Light Strap Hinge 141 998 Triple Corner Brace 163 SC900BP Light Strap Hinge 141 SP998 Triple Corner Brace 163 902 Heavy Strap Hinge 141 SP998 Triple Corner Brace 163 SC902BP Heavy Strap Hinge 141 SP998 Flat Corner Iron 164 SC902BP Heavy Strap Hinge 141 SP999 Flat Corner Iron 164, 230, 262 SP902			SP995	Mending Plate 164
BB855¼ Special Double Weight Hinge 69 875 Double Acting Hinge 176 176 CD875 Double Acting Hinge 176 227 997 Corner Iron Brace 165, 190 200 Light Strap Hinge 141 CD997 Corner Brace 163, 230, 262 CORNER Brace			995½	T-Plate 164
S75		Special Double Weight Hinge 69	CD995½	T-Plate 164, 230
CD875 Double Acting Hinge 176, 227 997 Corner Brace 163, 230, 262 900 Light Strap Hinge 141 CD997 Corner Brace 163, 230, 262 SC900 Light Strap Hinge 141 SP997 Corner Brace 163 SC900BP Light Strap Hinge 141 998 Triple Corner Brace 163 SC900BP Light Strap Hinge 141 CD998 Triple Corner Brace 163 SP900 Light Strap Hinge 141 SP998 Triple Corner Brace 163 SP900 Heavy Strap Hinge 141 SP998 Triple Corner Brace 163 SC902 Heavy Strap Hinge 141 SP998 Triple Corner Brace 163 SC902BP Heavy Strap Hinge 141 SP998 Triple Corner Brace 163 SC902BP Heavy Strap Hinge 141 SP999 Flat Corner Iron 164 SC902BP Heavy Strap Hinge 141 SP999 Flat Corner Iron 164 SC902BP Heavy Strap Hinge		Double Acting Lings	996½	Corner Iron Brace 165, 190
900 Light Strap Hinge 141 CD997 Corner Brace 163, 230, 262 CD900 Light Strap Hinge 141, 227 SP997 Corner Brace 163, 230, 262 SC900 Light Strap Hinge 141 998 Triple Corner Brace 163 SC900BP Light Strap Hinge 141 SP998 Triple Corner Brace 163 SP900 Light Strap Hinge 141 SP998 Triple Corner Brace 163 902 Heavy Strap Hinge 141 SP998 Triple Corner Brace 163 SC902BP Heavy Strap Hinge 141 SP999 Flat Corner Iron 164, 230, 262 SC902BP Heavy Strap Hinge 141 SP999 Flat Corner Iron 164, 230, 262 SC902BP Heavy Strap Hinge 141 SP999 Flat Corner Iron 164, 230, 262 SC902BP Heavy Strap Hinge 141 SP999 Flat Corner Iron 164, 230, 262 SC902BP Heavy Strap Hinge 141 SP999 Flat Corner Iron 164, 230, 262 SC904 Light T-Hinge 142 ToD100 Cane Bolt 153, 168, 231, 259 904 Light T-Hinge 142 ToD100 Cane Bolt 153, 168, 231, 259 SC904BP Light T-Hinge 142 CD1055 Chain Bolt 149, 231 SC904BP Light T-Hinge 142 SP1055 Chain Bolt 149, 231 SC904BP Light T-Hinge 142 SP1055 Chain Bolt 149, 231 SC904BP Light T-Hinge 142 SP1055 Chain Bolt 149, 231 SC904BP Light T-Hinge 142 SP1055 Chain Bolt 149, 231 SC904BP Light T-Hinge 142 SP1055 Chain Bolt 149, 231 SC904BP Light T-Hinge 142 SP1055 Chain Bolt 149, 231 SC904BP Light T-Hinge 142 SP1055 Chain Bolt 149, 231			CD996½	Corner Iron Brace 165, 230
CD900 Light Strap Hinge 141, 227 SP997 Corner Brace 163, 230, 2602 SC900 Light Strap Hinge 141 998 Triple Corner Brace 163 SC900BP Light Strap Hinge 141 SP998 Triple Corner Brace 163 SP900 Light Strap Hinge 141 SP998 Triple Corner Brace 163 902 Heavy Strap Hinge 141 SP998 Triple Corner Brace 163 SC902 Heavy Strap Hinge 141 999 Flat Corner Iron 164 SC902BP Heavy Strap Hinge 141 SP999 Flat Corner Iron 164, 230, 262 SC902BP Heavy Strap Hinge 141 SP999 Flat Corner Iron 164, 230, 262 SC902BP Heavy Strap Hinge 141 SP999 Flat Corner Iron 164 SP902 Heavy Strap Hinge 141 1009 Cane Bolt 153, 168, 231, 259 904 Light T-Hinge 142 1010 Cane Bolt 153, 168, 231, 259 CD904 Light T-Hi			997	Corner Brace
SC900 Light Strap Hinge 141 998 Triple Corner Brace 163 SC900BP Light Strap Hinge 141 CD998 Triple Corner Brace 163 SP900 Light Strap Hinge 141 SP998 Triple Corner Brace 163 902 Heavy Strap Hinge 141 SP998 Triple Corner Brace 163 SC902 Heavy Strap Hinge 141 SP999 Flat Corner Iron 164 SC902BP Heavy Strap Hinge 141 SP999 Flat Corner Iron 164, 230, 262 SC902BP Heavy Strap Hinge 141 SP999 Flat Corner Iron 164 SP902 Heavy Strap Hinge 141 1009 Cane Bolt 153, 168 V902 Heavy Strap Hinge 141, 227 CD1009 Cane Bolt 153, 168, 231, 259 904 Light T-Hinge 142 1010 Cane Bolt 153, 168, 231, 259 CD904 Light T-Hinge 142, 227 1055 Chain Bolt 149 SC904BP Light T-Hinge 14			CD997	Corner Brace 163, 230, 262
SC900BP Light Strap Hinge 141 CD998 Triple Corner Brace 163 SP900 Light Strap Hinge 141 SP998 Triple Corner Brace 163 902 Heavy Strap Hinge 141 SP998 Triple Corner Brace 163 SC902 Heavy Strap Hinge 141 SP998 Flat Corner Iron 164 SC902BP Heavy Strap Hinge 141 SP999 Flat Corner Iron 164, 230, 262 SC902BP Heavy Strap Hinge 141 SP999 Flat Corner Iron 164, 230, 262 SC902BP Heavy Strap Hinge 141 1009 Cane Bolt 153, 168, 231, 259 SP902 Heavy Strap Hinge 142, 227 CD1009 Cane Bolt 153, 168, 231, 259 904 Light T-Hinge 142, 227 1055 Chain Bolt 149 SC904 Light T-Hinge 142 CD1055 Chain Bolt 149, 231 SC904BP Light T-Hinge 142 SP1055 Chain Bolt 149 SP904 Light T-Hinge			SP997	Corner Brace
SC900Br Light Strap Hinge 141 CD998 Triple Corner Brace 163 SP900 Light Strap Hinge 141 SP998 Triple Corner Brace 163 902 Heavy Strap Hinge 141 SP998 Triple Corner Brace 163 SC902 Heavy Strap Hinge 141 999 Flat Corner Iron 164 SC902BP Heavy Strap Hinge 141 SP999 Flat Corner Iron 164, 230, 262 SP902 Heavy Strap Hinge 141 SP999 Flat Corner Iron 164 V902 Heavy Strap Hinge 141 1009 Cane Bolt 153, 168 V902 Heavy Strap Hinge 142 1010 Cane Bolt 153, 168, 231, 259 904 Light T-Hinge 142 1010 Cane Bolt 153, 168, 231, 259 904 Light T-Hinge 142, 227 1055 Chain Bolt 149 SC904 Light T-Hinge 142 CD1055 Chain Bolt 149, 231 SC904BP Light T-Hinge 142			998	Triple Corner Brace 163
SP900 Light Strap Hinge 141 SP998 Triple Corner Brace 163 902 Heavy Strap Hinge 141 999 Flat Corner Iron 164 SC902 Heavy Strap Hinge 141 CD999 Flat Corner Iron 164, 230, 262 SC902BP Heavy Strap Hinge 141 SP999 Flat Corner Iron 164, 230, 262 SP902 Heavy Strap Hinge 141 1009 Cane Bolt 153, 168 V902 Heavy Strap Hinge 141, 227 CD1009 Cane Bolt 153, 168, 231, 259 904 Light T-Hinge 142 1010 Cane Bolt 153 CD904 Light T-Hinge 142, 227 1055 Chain Bolt 149 SC904BP Light T-Hinge 142 CD1055 Chain Bolt 149, 231 SC904BP Light T-Hinge 142 SP1055 Chain Bolt 149 SP904 Light T-Hinge 142 To56 Foot Bolt 149 SP904 Light T-Hinge 142 To56			CD998	
902 Heavy Strap Hinge 141 999 Flat Corner Iron 164 SC902 Heavy Strap Hinge 141 CD999 Flat Corner Iron 164, 230, 262 SC902BP Heavy Strap Hinge 141 SP999 Flat Corner Iron 164, 230, 262 SP902 Heavy Strap Hinge 141 1009 Cane Bolt 153, 168 V902 Heavy Strap Hinge 141, 227 CD1009 Cane Bolt 153, 168, 231, 259 904 Light T-Hinge 142 1010 Cane Bolt 153 CD904 Light T-Hinge 142, 227 1055 Chain Bolt 149 SC904 Light T-Hinge 142 CD1055 Chain Bolt 149, 231 SC904BP Light T-Hinge 142 SP1055 Chain Bolt 149 SP904 Light T-Hinge 142 1056 Foot Bolt 149 908 Extra Heavy T-Hinge 143 CD1056 Foot Bolt 149, 231			SP998	
SC902 Heavy Strap Hinge 141 CD999 Flat Corner Iron 164, 230, 262 SC902BP Heavy Strap Hinge 141 SP999 Flat Corner Iron 164, 230, 262 SP902 Heavy Strap Hinge 141 1009 Cane Bolt 153, 168 V902 Heavy Strap Hinge 141, 227 CD1009 Cane Bolt 153, 168, 231, 259 904 Light T-Hinge 142 1010 Cane Bolt 153 CD904 Light T-Hinge 142, 227 1055 Chain Bolt 149 SC904 Light T-Hinge 142 CD1055 Chain Bolt 149, 231 SC904BP Light T-Hinge 142 SP1055 Chain Bolt 149 SP904 Light T-Hinge 142 1056 Foot Bolt 149 908 Extra Heavy T-Hinge 143 CD1056 Foot Bolt 149, 231		Heavy Strap Hinge		
SC902BP Heavy Strap Hinge 141 SP999 Flat Corner Iron 164 SP902 Heavy Strap Hinge 141 1009 Cane Bolt 153, 168 V902 Heavy Strap Hinge 141, 227 CD1009 Cane Bolt 153, 168, 231, 259 904 Light T-Hinge 142 1010 Cane Bolt 153 CD904 Light T-Hinge 142, 227 1055 Chain Bolt 149 SC904 Light T-Hinge 142 CD1055 Chain Bolt 149, 231 SC904BP Light T-Hinge 142 SP1055 Chain Bolt 149 SP904 Light T-Hinge 142 1056 Foot Bolt 149 908 Extra Heavy T-Hinge 143 CD1056 Foot Bolt 149, 231	SC902	Heavy Strap Hinge		
SP902 Heavy Strap Hinge 141 1009 Cane Bolt 153, 168 V902 Heavy Strap Hinge 141, 227 CD1009 Cane Bolt 153, 168, 231, 259 904 Light T-Hinge 142 1010 Cane Bolt 153, 168, 231, 259 CD904 Light T-Hinge 142, 227 1055 Chain Bolt 149 SC904 Light T-Hinge 142 CD1055 Chain Bolt 149, 231 SC904BP Light T-Hinge 142 SP1055 Chain Bolt 149 SP904 Light T-Hinge 142 1056 Foot Bolt 149 908 Extra Heavy T-Hinge 143 CD1056 Foot Bolt 149, 231	SC902BP	Heavy Strap Hinge 141		
V902 Heavy Strap Hinge 141, 227 CD1009 Cane Bolt 153, 168, 231, 259 904 Light T-Hinge 142 1010 Cane Bolt 153 CD904 Light T-Hinge 142, 227 1055 Chain Bolt 149 SC904 Light T-Hinge 142 CD1055 Chain Bolt 149, 231 SC904BP Light T-Hinge 142 SP1055 Chain Bolt 149 SP904 Light T-Hinge 142 1056 Foot Bolt 149 908 Extra Heavy T-Hinge 143 CD1056 Foot Bolt 149, 231	SP902			
904 Light T-Hinge 142 1010 Cane Bolt 153 CD904 Light T-Hinge 142, 227 1055 Chain Bolt 149 SC904 Light T-Hinge 142 CD1055 Chain Bolt 149, 231 SC904BP Light T-Hinge 142 SP1055 Chain Bolt 149 SP904 Light T-Hinge 142 1056 Foot Bolt 149 908 Extra Heavy T-Hinge 143 CD1056 Foot Bolt 149, 231	V902			
CD904 Light T-Hinge 142, 227 1055 Chain Bolt 149 SC904 Light T-Hinge 142 CD1055 Chain Bolt 149, 231 SC904BP Light T-Hinge 142 SP1055 Chain Bolt 149 SP904 Light T-Hinge 142 1056 Foot Bolt 149 908 Extra Heavy T-Hinge 143 CD1056 Foot Bolt 149, 231				
SC904 Light T-Hinge 142 CD1055 Chain Bolt 149, 231 SC904BP Light T-Hinge 142 SP1055 Chain Bolt 149 SP904 Light T-Hinge 142 1056 Foot Bolt 149 908 Extra Heavy T-Hinge 143 CD1056 Foot Bolt 149, 231				
SC904BP Light T-Hinge 142 SP1055 Chain Bolt 149 SP904 Light T-Hinge 142 1056 Foot Bolt 149 908 Extra Heavy T-Hinge 143 CD1056 Foot Bolt 149, 231				
SP904 Light T-Hinge 142 1056 Foot Bolt 149 908 Extra Heavy T-Hinge 143 CD1056 Foot Bolt 149, 231				
908 Extra Heavy T-Hinge				
, 0				
SUPUR Extra Heavy I-Hinge				
	50908	Extra Heavy 1-Hinge	SP1056	Foot Bolt

	NOWERICAL	INDEY (CO	nu)
Class No.	Product Page	Class No.	Product Page
CD1076	Barrel Bolt	SP1332	Tape Caulk Weather Strip 214
1078	Barrel Bolt	1475	Ornamental Cabinet Hinge
CD1078	Barrel Bolt	CD1475	Ornamental Cabinet Hinge
CD1078M	Mini Bolt	1478	Ornamental Cabinet Hinge
SC1078	Barrel Bolt	CD1478	Ornamental Cabinet Hinge 235
SP1078	Barrel Bolt	CD1484	Ornamental Cabinet Hinge 235
1084	Heavy Barrel Bolt	1500-2	Concealed Casework Hinge 76A
CD1084	Heavy Barrel Bolt	1500-9X	Concealed Casework Hinge 76A
SP1084	Heavy Barrel Bolt	1501-2	Concealed Casework Hinge 76A
1088	Heavy Square Spring Bolt 151	1501-9X	Concealed Casework Hinge 76A
CD1088	Heavy Square Spring Bolt 151, 232	1502-2	Concealed Casework Hinge 76A
SP1088	Heavy Square Spring Bolt 151	1502-9X	Concealed Casework Hinge 76A
1158	Screen Door Set	1503-2	Concealed Casework Hinge 76A
1165	Transom Catch	1503-9X	Concealed Casework Hinge 76A
1172	Screen Door Set	1510-2	Concealed Casework Hinge 76B
1174	Screen Door Set	1510-5	Concealed Casework Hinge 76B
1205	Chest Handle	1510-9X	Concealed Casework Hinge 76B
CD1205	Chest Handle	1510-12X	Concealed Casework Hinge 76B
NH1205	Chest Handle, No Hole 158	1511-2	Concealed Casework Hinge 76B
SP1205	Chest Handle	1511-5	Concealed Casework Hinge 76B
1207	Chest Handle 158	1511-9X	Concealed Casework Hinge 76B
1215	Trap Door Ring 157	1511-12X	Concealed Casework Hinge 76B
CD1215	Trap Door Ring 157, 232	1527	Semi-Concealed Cabinet Hinge 82
1226	Chest Handle 157	1535	Concealed Cabinet Hinge 82
NH1226	Chest Handle, No Hole	1584	Concealed Cabinet Hinge 81
1231	Door Stop	1585	Concealed Cabinet Hinge 81
1245	Padlock Eye	1586	Concealed Cabinet Hinge 81
CD1245	Padlock Eye	1587	Concealed Cabinet Hinge
1257	Door Pull	1588	Cabinet Hinge, Overlay Door 80
1258	Pull	1589	Cabinet Hinge, Overlay Door 80
1260	Thumb Latch	1590	Cabinet Hinge, Lipped Door 80
CD1260	Thumb Latch	HT1590 1592	Cabinet Hinge, Lipped Door 80 Cabinet Hinge, Overlay Door 80
CD1261 SP1261	Gate Latch	HT1592	Cabinet Hinge, Overlay Door 80 Cabinet Hinge, Overlay Door 80
12611/2	Gate Latch	SC1620x1666	Blind Hinge
CD1261½	Gate Latch		Blind Hinge
1267	Gate Latch		Blind Hinge
CD1267	Gate Latch	1664	Bolt Hook
1280	Screen Door Latch	1665	Screw Hook
CD1280	Screen Door Latch 196, 233	1685	Blind Hold Back
CD1290	Gate Thumb Latch 168, 233, 259	16851/2	Blind Hold Back 199
CD1291	Ornamental "T" Hinge 167, 233, 259	1697	Window Spring Bolt
CD1292	Ornamental Strap Hinge 167, 234, 259	16971/4	Window Spring Bolt
CD1293	Screw Hook & Ornamental	1700AL	Screen or Storm Door Closer 194
OD1005	Strap Hinge 167, 234, 260	CD1700AL	Screen or Storm Door Closer 194, 235
CD1295	Gate Spring	CD1701	Adjustable Door Spring 194, 235
CD1296 1297	Ornamental Masonry Hinge 169	CD1702	Hydraulic Door Closer 195, 235
CD1298	Gate Pull	1703AL	Screen or Storm Door Latch
SP1300	Wood and Vinyl Door Bottom	CD1703AL CD1704	Screen or Storm Door Latch 194, 235
01 1000	Weather Strip	CD1704 CD1705	Pushbutton Latch
SP1301	Aluminum and Vinyl Door Bottom	CD1703 CD1706	Tulip Knob Latch
	Weather Strip	CD1707	Chain Door Stop
V1302	Door Bottom Weather Seal 215	CD1708	Pneumatic Door Closer 195, 236
SP1305	Automatic Door Bottom Weather Strip . 212	CD1711	Flexible Strike Plate 196, 236
V1310	Aluminum and Vinyl Door Weather Strip Set 212	V1712	Clips and Screws 196, 237
V1312	Wood and Vinyl Door Weather Strip Set. 212	1716	Screen or Storm Sash Hanger 198
V1312	Self-Stick Door Weather Seal 215	SP1724	Screen or Storm Sash Hanger 198
SP1316	Window and Door Weather Strip Tape 213	1727	Sash Adjuster
SP1318	Window and Door Weather Strip Tape 213	CD1727	Sash Adjuster 199, 237
SP1325	Transparent Weatherproof Tape 213	1734	Screen or Storm Sash Hanger 198
SP1326	Multi-Use Cloth Duct Tape 214	CD1734	Screen or Storm Sash Hanger 198, 237
SP1328	Pipe Insulating Tape 214	1736	Door Guard
V1330	Storm Window Replacement	CD1736	Door Guard
SIT SPAN	Weather Seal	1739	Screen Door Brace
V1331	Self-Stick Hinged Window	CD1739	Screen Door Brace
	Weather Seal 215	1750	Screen Door Set



			•		
Class No.	Product Pag	e	Class No.	Product	Page
CD1750	Screen Door Set 193, 237	7	SP2154	Screen Door Spring Hinge	. 191
SP1750	Screen Door Set	3	2550	Single Door Guide	
1751	Screen Door Hinge 192	2	2551	Double Door Guide	. 138
CD1751	Screen Door Hinge 192, 237	7	2554	Stay Roller	. 138
SP1751	Screen Door Hinge 192	2	2556	Bumper Shoes	. 138
18141/2	Butler Tray Hinge 189	9	2558	Stay Roller	
1900	Full Mortise Hinge 47		2559½	Stay Roller	
CB1900	Full Mortise Hinge, Standard Weight 41	1	WT2600	Trolley Truck	
CB1901	Full Mortise Hinge, Heavy Weight 41	1	BBWT2600	Trolley Truck	
CB1907	Pivot Reinforced Hinge, Heavy Weight . 46		XT2600	Trolley Truck	
CB1908	Pivot Reinforced Hinge, Heavy Weight . 46	_	BBXT2600	Trolley Truck	
CB1909	Pivot Reinforced Hinge, Heavy Weight . 46		BBXT2600½	Trolley Truck	
1910	Table Top Fastener		YT2600	Trolley Truck	
CB1910	Half Surface Hinge, Standard Weight 42		BBYT2600	Trolley Truck	
1910½ CB1911	Table Top Fastener		BBX2605½	Hanger, Round the Corner	
1912	Half Surface Hinge, Heavy Weight 42 Table Top Fastener		W2610-C	Single Side Track Bracket	
CB1920	Half Mortise Hinge, Standard Weight 43	_	W2610-CS	Center Stop Track Bracket	
CB1920 CB1921	Half Mortise Hinge, Heavy Weight 43		Y2610-C Y2610-CS	Single Side Track Bracket Center Stop Track Bracket	
CB1930	Full Surface Hinge, Standard Weight 4		2640	Garage Door Brace	
CB1931	Full Surface Hinge, Heavy Weight 44		W2641	Trolley Track	
CB1941	Half Mortise Swing-Clear Hinge 45	_	X2641	Trolley Track	
CB1942	Half Mortise Swing-Clear Hinge 45	_	X2641-CT	Curved Trolley Track	
CB1948	Full Mortise Swing-Clear Hinge 45	_	X2641-EC	End Cap	
CB1949	Full Mortise Swing-Clear Hinge 45	_	XY2641	Trolley Track	
CB1951	Full Surface Swing-Clear Hinge 45	_	Y2641	Trolley Track	
1956	Drop Leaf Support	6	Y2641-EC	End Cap	
CD1956	Drop Leaf Support 176, 238		X2642	Weatherproof Trolley Track	
CB1959	Half Surface Swing-Clear Hinge 45	5	X2646	Hanger (125 lb. door)	. 132
1960	Full Mortise Hinge 47	7	W2650	Hanger (1,000 lb. door)	. 136
CB1960	Full Mortise Hinge, Standard Weight 41	1	BBW2650	Hanger (1,000 lb. door)	. 136
	32) Full Mortise Hinge, Standard Weight 4:	1	X2650	Hanger (350 lb. door)	. 128
	32D)Full Mortise Hinge, Standard Weight 4:		BBX2650	Hanger (350 lb. door)	
CB1961	Full Mortise Hinge, Heavy Weight 41		X2650-C	Single Side Track Bracket	
	32) Full Mortise Hinge, Heavy Weight 4:	- 1	X2650-CS	Center Stop Track Bracket	
	22D)Full Mortise Hinge, Heavy Weight 4:		SX2650	Hanger and Bracket Set	
CB1967	Pivot Reinforced Hinge, Heavy Weight . 46		XY2650	Hanger (450 lb. door)	
CB1968 CB1969	Pivot Reinforced Hinge, Heavy Weight . 46 Pivot Reinforced Hinge, Heavy Weight . 46		BBXY2650	Hanger (450 lb. door)	
CB1970	Half Surface Hinge, Standard Weight 42		Y2650 BBY2650	Hanger (700 lb. door)	
	32) Half Surface Hinge, Standard Weight 42		X2650½	Hanger (350 lb. door)	
	2D)Half Surface Hinge, Standard Weight 42		W2651	Track Bracket	
CB1971	Half Surface Hinge, Heavy Weight 42		W2651-D	Double Track Bracket	
CB1971 (US3	32) Half Surface Hinge, Heavy Weight 42	- 1	X2651	Track Bracket	
	2D)Half Surface Hinge, Heavy Weight 42	2	X2651-D	Double Track Bracket	
CB1980	Half Mortise Hinge, Standard Weight 43	3	X2651-T	Triple Track Bracket	. 131
CB1980 (US3	32) Half Mortise Hinge, Standard Weight 43	3	Y2651	Track Bracket	. 135
CB1980 (US3	2D)Half Mortise Hinge, Standard Weight 43	3	Y2651-D	Double Track Bracket	. 135
CB1981	Half Mortise Hinge, Heavy Weight 43	3	X2652	Track Bracket	. 131
	32) Half Mortise Hinge, Heavy Weight 43	3	X2652-D	Double Track Bracket	. 131
	2D)Half Mortise Hinge, Heavy Weight 43		X2652½	Track Bracket	
CB1990	Full Surface Hinge, Standard Weight 44		X2653	Hanger	
	32) Full Surface Hinge, Standard Weight 44		2683	Edge Pull	
	2D)Full Surface Hinge, Standard Weight 44		CD2683	Edge Pull 109	
CB1991	Full Surface Hinge, Heavy Weight 44		2688	Round Finger Pull	
	32) Full Surface Hinge, Heavy Weight 44		CD2688	Round Finger Pull 109	
2010	Concealed Door Hings		2689	Oval Flush Pull	
2060	Concealed Door Hinge	-	2692-11 2800	Bumper Stop	
CD2060	Residential Spring Hinge 211, 238		2800-1	Door Hanger	
RD2060	Round Corner Spring Hinge 65E		2801	Hanger and Guide Set	
2061	Architectural Spring Hinge Set 65	- 1	T2814	By-passing Door Track	
2062	Architectural Spring Hinge Set 65	_	2820	Pocket Sliding Door Hardware	
2063	Half Surface Spring Hinge 66		T2820	Pocket Sliding Door Track	
RD2068	Round Corner Spring Hinge 65E		2820-1	Pocket Sliding Door Hanger	
2152	Screen Door Spring Hinge 193		2820-5	Adjusting Wrench	
CD2154	Screen Door Spring Hinge 191, 238		2825	Pocket Frame Hardware 103	

12

HOMENICAL INDEX (COIL.)				
Class No.	Product Page	Class No.	Product Page	
2825-1	Hanger	2917-22	Snubber 113	
2825-5	Bi-parting Door Coupling 104	2917-30	Surface Mount Hinge	
2825-6	Extension Adapter	2917PK	Replacement Parts Kit	
2826	Heavy Duty Pocket Frame Set . 106A, 106B	2980-15	Wood Knob	
2840	Heavy Duty By-passing Door Hardware . 108	2987-12	Bottom Door Socket	
T2840	Heavy Duty By-passing Door Track 108	2987-13	Top Door Pivot	
2841	Heavy Duty By-Passing Door Hardware 108A	2987-18	Wood Pull	
2841-1	Hanger Assembly	2989	Bi-fold Door Hardware 114, 115	
2841-2	Hanger Plate 108A, 111B	2989-14	Bottom Jamb Pivot	
2842	Pocket and Bi-parting Door Hardware 107	2989-17	Top Track Socket	
2842-10	Bumper Stop 107	2989-19	Guide	
T2842	Heavy Duty Single Door Track 107, 108	2989-21	Snugger and Stop	
2844-1	Trolley Assembly with Link Bolt 108	V3014	Plastic Door Panel Track 102	
2844-2	Heavy Duty Hanger Assembly 108	V3018	Plastic Door Panel Track 102	
2846	Adjustable Floor Guide 110	V3034	Plastic Door Panel Track 102	
2850	By-passing Door Hardware 94	V3112	Aluminum Door Panel Track 102	
T2850	By-passing Door Track	V3114	Aluminum Door Panel Track 102	
V2850	By-passing Door Hardware 94	V3134	Aluminum Door Panel Track 102	
2850-1	By-passing Door Hanger 95	CD4060	Surface Bolt 152, 239, 256, 263	
2850-2	By-passing Door Hanger 95	4100	Clothesline Pulley	
2850-3	By-passing Door Hanger 97	4106	Clothesline Pulley	
2850PK	Replacement Parts Kit 95, 345	CD4106	Clothesline Pulley	
2851	Hanger and Guide Set 95	CD4109	Pulley Hook	
T2854	Fascia By-passing Door Track 97	SP4109	Pulley Hook	
2857	By-passing Door Hardware 94	4111	Clothesline Pulley	
T2857	Fascia By-passing Door Track 95	CD4111	Clothesline Pulley	
V2857	By-passing Door Hardware 94	4112	Utility Hook	
2858	Fascia By-passing Door Hardware 96	CD4112	Utility Hook	
CD2860	Floor Guide	SP4112	Utility Hook	
SP2860	Floor Guide	4113	Pivot Rope Hook with Plate 170A	
PB2862	Floor Guide	CD4113	Pivot Rope Hook with Plate 170A, 240	
2865	Door Guide	SP4113	Pivot Rope Hook with Plate 170A	
PB2866	Guide Riser	4114	Pivot Rope Hook with Lag Eye 170A	
PB2867	Guide Riser and Guide 110	CD4114	Pivot Rope Hook with Lag Eye 170A, 240	
2870	By-passing Door Hardware 100	SP4114	Pivot Rope Hook with Lag Eye 170A	
V2870	By-passing Door Hardware 100	4120	Tarp Rope Hook 170B	
2870-1	By-passing Door Hanger 101	CD4120	Tarp Rope Hook 170B, 240	
2870-2	By-passing Door Hanger 101	SP4120	Tarp Rope Hook 170B	
2870PK	Replacement Parts Kit 101, 345	4122	Rope Binding Hook 170B	
T2887	Unit Header 101	CD4122	Rope Binding Hook 170B, 240	
2891	Rubber Bumper Stop 110	SP4122	Rope Binding Hook 170B	
2910	Round Flush Pull 109	4124	Hook Bolt	
CD2910	Round Flush Pull 109, 239	CD4124	Hook Bolt	
2914	Oblong Flush Pull 109	4126	Rope Cleat	
CD2914	Oblong Flush Pull 109, 239	CD4126	Rope Cleat 170B, 241	
CD2915-20	Non-Mortise Hinges	SP4126	Rope Cleat	
2916	Heavy Duty Bi-folding Door Hardware 111A, 111B	CD4471	Round Cabinet Knob 241, 263	
T2916	Track	4477	Solid Brass Cabinet Pull 85	
2916-1	Guide Assembly		Aluminum Cabinet Pull 85	
2916-3	Plate Assembly	4478	Solid Brass Cabinet Pull	
2916-4	Plate Assembly		Aluminum Cabinet Pull 85	
2916-5	Socket Assembly	CD4478	Solid Brass Cabinet Pull 241, 263	
2916-6	Top Socket Assembly	4479	Solid Brass Cabinet Pull	
2916-7	Snubber Spring	CD44 7 9	Aluminum Cabinet Pull	
2916-8	Door Aligner	4482	Solid Brass Cabinet Pull 241, 263	
2917	Bi-folding Door Hardware 112, 113		Solid Brass Cabinet Knob	
T2917ST	Track with Socket	4483	Aluminum Cabinet Knob	
V2917	Bi-folding Door Hardware		Pull, Door or Drawer 86 Pull, Door or Drawer 86	
2917-12	Bottom Pivot	44831/2	Pull Door or Drawer	
2917-13	Top Pivot		Pull, Door or Drawer 86 B)Pull, Door or Drawer 86	
2917-14	Bottom Jamb Bracket	4484	D.II D D	
2917-15	Wrench		D.II D. D.	
2917-18	Guide	4485	Pull, Door or Drawer	
2917-19	Door Aligner		Pull, Door or Drawer	
2917-20	Hinge	4486	Pull, Door or Drawer	
2917-21	Bumper		Pull, Door or Drawer	
		1100(0020)	CTANLEY	

Revised 1-79

STANLEY

	NOMEKICAE .		
Class No.	Product Page	Class No.	Product Page
4487	Bases for Pulls	7047	Closet Bar and Shelf Support 120
4490	Cabinet Pull 85	V7050	Closet Bar
4491	Cabinet Pull	7056	Plastic Pole Sockets
	Double Guard Door Chain 241	CD7056	Plastic Pole Sockets
CD4530	Chain Knob Guard 242, 256	DP7056	Plastic Pole Sockets
CD4531		SP7056	Plastic Pole Sockets
CD4532	Deluxe Chain Guard		
CD4533	Deluxe Bolt Guard 242, 256	7057	Metal Pin Strip
CD4536	Window Vent Guard 242, 257	7070	Line Tightener Clamp 171
CD4537	Patio Door Guard 242, 257	CD7070	Line Tightener Clamp 171, 249
CD4538	Look Out Guard 242, 257	SP7070	Line Tightener Clamp 171
CD4539	Window Lock Guard 242, 257	CD7071	Door Stop 175, 249
CD4543	Locking Door Bolt 243, 257	DP7071	Door Stop 175, 217
CD4544	Locking Deluxe Door Chain 243, 257	SP7071	Door Stop
CD4545	Locking Door Chain 243, 257	CD7072	Floor Door Stop 175, 249
CD4546	Locking Sliding Window Bolt 243, 258	SP7072	Floor Door Stop
CD4547	Locking Patio Door Bolt 243, 258	CD7073	Sash Lock 177, 250
5297	Brassware Chest Kit 268	DP7073	Sash Lock 177, 217
5298	Brassware Mini-Hutch Kit 268	SP7073	Sash Lock
CD5300	Solid Brass Narrow Hinge 243, 263	CD7074	Bar Sash Lift
CD5300	Solid Brass Middle Hinge 244, 263	SP7074	Bar Sash Lift
CD5301	Solid Brass Broad Hinge 244, 263	CD7080	Cupboard Catch
	Solid Brass Button Tip Hinge 244, 264	SP7080	Cupboard Catch
CD5303	Solid Brass Button rip ringe 244, 264	CD7081	Hand Rail Bracket 174, 250
CD5304	Solid Brass Desk Hinge 244, 264	DP7081	
CD5310	Solid Brass Ornamental Hinge 244, 264	SP7081	Hand Rail Bracket 174, 217
CD5311	Solid Brass Ornamental Hinge 244, 264		Hand Rail Bracket 174
CD5312	Solid Brass Ornamental Hinge 245, 264	CD7082	Coat and Hat Hook
CD5313	Solid Brass Ornamental Hinge 245, 264	DP7082	Coat and Hat Hook
CD5314	Solid Brass Ornamental Hinge 245, 264	SP7082	Coat and Hat Hook
CD5315	Solid Brass Ornamental Hinge 245, 265	7083	Wire Coat and Hat Hook
CD5316	Solid Brass Ornamental Hinge 245, 265	CD7083	Wire Coat and Hat Hook 118, 250
CD5317	Solid Brass Ornamental Hinge 245, 265	7088	Chain Door Guard
CD5325	Solid Brass Hasp 245, 265	CD7088	Chain Door Guard 151, 251, 258
CD5326	Solid Brass Hasp 246, 265	70881/4	Chain Door Guard
CD5327	Solid Brass Hasp 246, 265	CD70881/4	Chain Door Guard 151, 251
CD5328	Solid Brass Hasp 246, 265	CD7089	Closet Bar Bracket 118, 251
CD5329	Solid Brass Hasp 246, 265	CD7090	Hinge Pin Door Stop 174, 251
CD5336	Solid Brass Chest Handle 246, 266	DP7090	Hinge Pin Door Stop 174, 217
CD5339	Solid Brass Hook and Staple 246, 266	SP7090	Hinge Pin Door Stop
CD5342	Solid Brass Knob 246, 266	CD7092	Spring Door Stop 174, 251
CD5345	Solid Brass Box Catch 247, 266	DP7092	Spring Door Stop 174, 217
CD5347	Solid Brass Corner 247, 266	SP7092	Spring Door Stop
CD5348	Solid Brass Corner 247, 266	7095	Door Stop and Holder
CD5350	Solid Brass Mending Plate 247, 267	CD7095	Door Stop and Holder 175, 251
CD5350	Solid Brass Corner Brace 247, 267		Utility Folding Legs
	Solid Brass Flat Corner Iron 247, 267	7100	
CD5352	Solid Brass Bullet Catch 247, 267	7101	Utility Folding Leg Unit
CD5357		CD7130	House Numbers 177, 252
CD5365	Steel Chest Latch	7300-1	Wall Support
CD5366	Steel Chest Latch	7300-2	Bar End Support
CD5400	Solid Brass Padlock 248, 267	7300-3	Back Wall Clip
CD5410	Solid Brass Mini Bolt 248, 267	7300-4	Center Shelf Support for 12"
6731	Shelf Bracket	7000 6	depth shelf
6733	Shelf Standard	7300-6	Center Rod Support
6740	Trim Line Wall Pillar 203	7300-7	Fastener Packet for sizes 24", 36" and 48" of No. 7312, 7312R 121
6750	Trim Line Shelf Bracket 203	7200.0	
6760	Finial 203	7300-8	Fastener Packet for sizes 60", 72" and 84" of No. 7312R
6783	Shelf Standard 202	7300-9	Fastener Packet for sizes 60", 72"
6785	Shelf Bracket	7500-5	and 84" of No. 7312 121
7024	Wood Shelf 201	7300-10	Fastener Packet for 7314L 18" or 30" . 122
V7031	Tension Rod 172, 248	7301	Rod only for 7312R
V7036	Closet Bar	7302	Shelf only for 7312 or 7312R 121
7037	Bar Center Support	7302 7304L	Shelf only for 7314L
V7039	Nylon Hanger Glide 118, 248	V7312	Metal Storage Shelves
7040	Shelf and Pole Support 120	V7312 V7312R	Metal Closet Shelves with Rods 121
7045	Shelf and Closet Pole Bracket 119	7313	Comb. End and Coupler Bracket for
V7045	Shelf and Closet Pole Bracket 119, 249	/515	Metal Shelves
	Shelf and Pole Support	7313-1	Off-Wall Bracket Anchor
7046			
V7046	Shelf and Pole Support 119, 249	7313-2	Off-Wall Bracket

Class No.	Product Page	Class No.	Product	Page
7313-3	Fastener Packet for Off-Wall Bracket 122	8470	"S" Hooks	161
7314L	Metal Linen Closet Shelves 122	V8470	"S" Hooks	161, 255
SP8300	Storage System 216	8481	Cup Hooks	160
SP8306	Storage System Hook	V8481	Cup Hooks	160, 255
SP8309	Heavy Duty Storage Hook 216	8515	Hollow Wall Anchors for Flaire	
SP8312	Mini-Storage System 216	TRE	Standards	
8412	Shoulder Hook	8516	Solid Wall Anchors for Flaire Standa	
V8412	Shoulder Hook 160, 253	85130	Router Bit For Round Corner Hinge	
8413	Eye Bolt 161	85159	Router Bit For Round Corner Hinge	
CD8413	Eye Bolt 161, 253	85238	Router Bit For Round Corner Hinge	s 92
8414	Lag Eye Bolts 161	85249	Router Bit For Round Corner Hinge	s 91
V8414	Lag Eye Bolts 161, 253	85815	Bit	76A
8415	"U" Bolts	92839	Arbor for Routers	92
V8415	"U" Bolts	92840	Arbor for Routers	92
8416	Eye-with-Eye Turnbuckle 162	CD83-4002	5 lb. Picture Hanger	
CD8416	Eye-with-Eye Turnbuckle 162, 254	CD83-4004	10 lb. Picture Hanger	
8417	Eye-with-Hook Turnbuckle 162	CD83-4006	20 lb. Picture Hanger	354
CD8417	Eye-with-Hook Turnbuckle 162, 254	CD83-4008	30 lb. Picture Hanger	
8440	Hooks and Eyes	CD83-4010	50 lb. Picture Hanger	354
V8440	Hooks and Eyes	CD83-4012	100 lb. Picture Hanger	
8441	Safety Gate Hook	CD83-4014	Picture Hanging Set	354
V8441	Safety Gate Hook 161, 254	CD83-4016	Picture Hanging Set	354
8450	Screw Eyes	CD83-4018	Cloth Picture Hanger	354
V8450	Screw Eyes 159, 254	CD83-4020	Saw Tooth Hanger	354
8460	Round Screw Hooks	CD83-4022	Picture Wire	354
V8460	Round Screw Hooks 159, 255	CD83-4024	Plastic Mirror Holders	355
8465	Square Screw Hooks 160	CD83-4026	Picture Frame Holders	355
V8465	Square Screw Hooks 160, 255	CD83-4028	Push Pins	

MERCHANDISER NUMERICAL INDEX

	UNI-RACK II(TM)		UNI-RACK II(TM) (Cont.)
Class No.	Product Page	Class No.	Product Page
1-A	Special and Safety Hasps 279	39-A	Square Bend Screw Hooks 294
2-A	Large Hasps, Handles, Hinges 279	40-A	Small and Medium Screw Eyes 294
3-A	Barrel Bolts, Brass Plated 273	41-A	Large Screw Eyes
4-A	Barrel Bolts, Zinc Plated 273	42-A	Lag Thread Eye Bolts and S-Hooks 295
5-A	Heavy Bolts 273	43-A	"U" Bolts
6-A	Light Strap and T-Hinges 279	44-A	Eye Bolts
7-A	Heavy Strap and T-Hinges 280	45-A	Hook and Eye/Eye and Eye Turnbuckles 296
8-A	Utility Gate Hinges and Latches 278	46-A	Solid Brass Cup and Shoulder Hooks 296
9-A	Household and Utility Door Hinges 280	9300-A	Home Protection Hardware –
10-A	Small Household Hinges 280		Guardware I 290
11-A	30" Continuous Hinges — Steel 281	9301-A	Home Protection Hardware — Guardware II
12-A	30" Continuous Hinges — Brass 281	9402-A	Self-Stick Hinged Window Weather Seal 302
13-A	30" Continuous Hinges — Aluminum 281	9402-A 9403-A	Plant Wall Track System 302
17-A	Cabinet Catches 274	9403-A 9404-A	Utility Shelf Brackets
18-A	Clothesline Hardware 277	9447-A	Brass Plated Hinges, Supports,
19-A	Flat Corner Irons 288	3447-A	& Latches
20-A	Corner Braces and Mending Plates 288	9448-A	Brass Plated Reinforcement Hardware . 274
21-A	Door Stops and Misc. Home Hardware . 283	9449-A	Solid Brass Hinges
22-A	Furniture Hardware	9450-A	Solid Brass Handles & Specialty Hinges 275
23-A	Sliding Door Pulls and Guide 276	9451-A	Solid Brass Ornamental Hardware 275
24-A	Closet Hardware	9452-A	Solid Brass Reinforcement Hardware 276
25-A	Door Pulls and Latch	9453-A	Ornamental Gate Hardware - Black I 278
26-A	Corrugated Nail Set	9454-A	Ornamental Gate Hardware - Black II 278
30-A	Hammered Shelf Brackets – Black 291	9456-A	30" Metal Sawhorse Assortment 289
31-A	Hammered Shelf Brackets – Gold 292	9460-A	Plant Hangers 284
32-A 33-A	Hammered Shelf Brackets – Copper 292	9461-A	48" Continuous Hinges - Steel 282
33-A 34-A	Hammered Shelf Brackets – Silver 292	9462-A	48" Continuous Hinges — Brass 282
35-A	House Numbers — Black	9463-A	Outdoor Plant Hangers with Swivel 285
36-A	House Numbers – Brass	9465-A	Ceiling Hooks and Wire Plant Hangers . 285
37-A		9466-A	Antique Door Hinges 282
37-A 38-A	Hooks and Eyes	9467-A	
30-A	Nound belld screw mooks 294	9407-A	Antique Finish Decorative Plant Hangers 286

MERCHANDISER NUMERICAL INDEX (cont.)

	MERCHANDISER	INOINI	LINIOAL	INDEX (COIL.)	
Class No.	Product	Page	Class No.	Product	Page
	UNI-RACK II(TM) (Cont.)	BEAR		UNI-BIN(TM) (Cont.)	
		206	14-B	Round Corner Door Hinges	307
9468-A	Decorative Chain Plant Hangers Universal and Swivel Plant Hooks		15-B	Cabinet Catches	
9469-A	Hanging Plant Accessories		16-B	Pulls & Handles	
9470-A	Decorative Plant Brackets and	207	17-B	Flat Corner Irons & Mending	
9471-A	Ceiling Hooks	287	18-B	Corner Braces	
9472-A	Plant Hanger Track	287	19-B	Miscellaneous Home Hardwar	
9473-A	Antique Miscellaneous Home Hard		21-B	Closet Hardware	
9474-A	Staples and Hooks and Staples		22-B	Clothesline Hardware	
9476-A	Screen and Storm Door Latches	GOHOO .	23-B	Screen Door Hardware	313
	and Closers — Aluminum	289	29-B	Eye Bolts	313
9477-A	Screen and Storm Door Latches	200	30-B	Lag Eye Bolts	
0.470.4	and Closers – Black	290	31-B	"U" Bolts	
9478-A	Screen and Storm Door Hinges and Accessories	290	32-B	Eye-with-Eye Turnbuckle	315
9479-A	Large Hooks and Eyes	297	33-B	Eye-with-Hook Turnbuckle .	315
9482-A	Classic Brassware Chest Kits™ .	276	34-B	Hook and Eyes	
9483-A	Heavy Duty Reinforcement Hardwa		35-B	Screw Eyes	
9484-A	The Storage System		37-B	Cup Hooks & Shoulder Hooks	317
9485-A	30" Folding Legs		38-B	"S" Hooks	
9486-A	Adjustable Tension Rods – Alumir		47-B	Screw Hook & Strap Hinges	
9487-A	Rope Hooks and Cleats		54-B	Pulls, Brass Plated	
9488-A	Rope Hooks and Hook Bolts		55-B	Pulls, Zinc Plated	
9489-A	Plant Hanger Track with Chains .		57-B	Door Pulls, Solid Brass	
9490-A	Plant Hanger Kits		59-B	Large & Specialty Hasps	
9491-A	Automatic Door Closing Hinges		63-B	Utility Hinge	
9492-A	Door Bottom Weather Strips	299	64-B	Barrel Bolts, Brass Plated	
9493-A	Window and Door Weather Strip .	299	66-B	Decorative Ceiling Hooks	
9494-A	Window and Door Weather Strip Ta	apes . 300	70-B	Eye Bolts — Bulk	
9495-A	Multi-Use Cloth Duct Tape		71-B	Lag Eye Bolts – Bulk	
9496-A	Weather Stripping Tapes	300	72-B	"U" Bolts – Bulk	
949 7- A	Door Weather Strip Sets		74-B	Small Screw Eyes - Bulk	
9498-A	Door Bottoms and Door Weather S	eals . 301	75-B	Medium Screw Eyes – Bulk	
9499-A	Storm Window Replacement	200	76-B	Large Screw Eyes — Bulk	
00 0000	Weather Seal		77-B	Round Bend Screw Hooks — I "S" Hooks — Bulk	
83-0030-	A Picture Hangers	330	81-B 82-B	Heavy Duty Mending Plates	
		0.0	02-D	T-Plates — Bulk	311
	TIBLE TO A DIFFL (TM)	10	84-B	Cabinet Hinges	
	UNI-PANEL(TM)	50	86-B	Bolt Hook and Strap Hinges	– Bulk 308
9321-A	4' Uni-Panel Assortment		105-B	Utility Hinges	
9322-A	4' Uni-Panel Assortment		106-B	Mending Plates	312
9323-A	4' Uni-Panel Assortment 321		107-B	Corner Braces	
9324-A	4' Uni-Panel Assortment		108-B	Corner Irons	312
9326-A	Gate Hardware Assortment		109-B	Rope Hooks and Cleats	
9327-A	Plant Hardware Assortment		110-B	Chain Bolts and Foot Bolts .	
9328-A	Plant Hardware Assortment	325	111-B	Rope Hooks and Cleats — Bu	
9329-A	Screen and Storm Door Hardware Assortment	325	112-B	Rope Hooks and Hook Bolts	
9342-A	Storage System Assortment		113-B	Rope Hooks and Hook Bolts	– Bulk 319
9346-A	Weather Stripping Tapes Assortm		FI-:® OUEL	VINO CYCTEM	
9347-A	Door Bottoms and Door Weather S			VING SYSTEM	
3347-A	Sets Assortment	326	48" Wide As		
9348-A	"Our Best" Weather Stripping			idards and Brackets	221
	Assortment	327	9530-A	All Walnut	
			9531-A	All Gold	
			9532-A	Aluminum, Black and White	
	UNI-BIN(TM)		9533-A	Walnut, Gold, Aluminum, Bla	
1-B	Safety Hasps	305	9534-A	and White	332, 333
2-B	Safety Hasps		The passes		Police Control
3-B	Barrel Bolts, Zinc Finish		36" Wide As		
4-B	Barrel Bolts		Regular Star	ndards and Brackets	
7-B	Heavy Barrel Bolts		9535-A	All Walnut	
9-B	Light Strap & Tee Hinges		9536-A	All Gold	
10-B	Light Strap & Tee Hinges		9537-A	Walnut and Gold	
11-B	Heavy Strap & Tees		9538-A	Aluminum and Black	
12-B	Heavy Strap & Tees		9539-A	Walnut, Gold, Aluminum and	Black 334, 335
13-B	Square Corner Door Hinges		9544-A	Plant Shelving System Assor	tment 337

MERCHANDISER NUMERICAL INDEX (cont.)

Class No. Product P.	age Class No. Product	Page
Flaire® SHELVING SYSTEM (Cont.)	HOME STORAGE HARDWAR	
Trim Line Standards and Brackets 9540-A Black W/Walnut 3 9541-A Gold W/Walnut 3 9542-A Black W/Walnut and Gold W/Walnut 3	9606-A Sliding Door Hardware . 9607-A Sliding Door Hardware . 9610-A Metal Closet Shelves	
UTILITY	UTILITY SHELF BRACK	ETS
9543-A Aluminum	9798-A Shelf Brackets	346
9560-A Walnut 3	MISCELLANEOUS ASSORT	
36" Wide Assortments Shelves 9565-A Walnut	9701-A Plant Hangers	349
IDEA CENTERS 9555-R Shelving Idea Center Merchandiser 3	9703-A Home Hardware 9704-A Home Hardware	
9556-R Hardware Idea Center 2 9557-R Plant Hanger Idea Center 2 9558-R Energy Saving Idea Center 2	72 9711-A The Weather Station	
HOME STORAGE HARDWARE	9713-A The Weather Station 9714-A The Weather Station	
9600-A Closet Bars 3 9601-A Closet Bars 3 9602-A Sliding Door Hardware 3 9603-A Bi-folding Door Hardware 3 9604-A Aluminum Panel Track 3 9605-A Plastic Panel Track 3	9715-A The Weather Station 9720-A Window and Door Weath 9721-A Window and Door Weath 9722-A Transparent Weather Pro-	

HINGE REQUIREMENTS FOR FIRE DOORS

National Fire Protection Association, pamphlet no. 80 (NFPA-80) lists the guidelines for hinge uses with fire doors. Please consult the most recent edition of NFPA-80 for your specific application.

HINGE SPECIFICATION GUIDE -

FACTORS DETERMINING SELECTION OF THE PROPER HINGE

- A. Material of door and frame
- B. Size, thickness and weight of door with all hardware accessories
- C. Clearance required
- D. Use exterior or interior, frequency
- E. Exposure (sea air, dust, corrosive atmosphere, etc.)
- F. Quality desired
- G. Special application or use (e.g. schools)
- H. Door accessories (overhead holders, closers, stops, kick plates, etc.) which affect hinge performance
- I. Hinge edge of door beveled or square

REQUIREMENTS FOR SELECTION OF PROPER HINGE SPECIFICATION

1. Kind of hinge

see pages 18-24

Primary consideration is given to the type of door and jamb for selection of a definite kind of hinge

2. Type of hinge - antifriction* bearing, plain, etc.

The weight of the door and frequency used determine whether a heavy weight, standard weight antifriction* bearing or plain bearing hinge should be used • Heavy weight hinges should always be used on heavy doors and doors where high frequency service is expected • Use antifriction* bearing hinges on doors equipped with closers

3. Size of hinge

see page 17

Determine by width, thickness and weight of door and trim to clear

4. Kind of metal

see page 33

Determined by considerations such as atmospheric conditions, location of doors, or special conditions as in chemical laboratories, sewage disposal plants, etc.

• While ferrous metal can be given a good rust-resisting base, it cannot be given the same absolute guarantee against rust as nonferrous metals and should not be used for extreme exposure

5. Quality of finish

see pages 33-34

Finish on hinges can be furnished to our standard or United States standard finishes • When an exact match of another manufacturer's finish is desired, submit sample

6. Hand of door

see page 35

Loose joint hinges, paumelle, olive knuckle hinges, etc. are handed and should be specified right or left hand

7. Special type application

see pages 22-24

Special hinges can be made on order to suit special needs

Submit details and quantity required

8. Type of tip

see page 31

Institutions, etc. often require hospital type tips (barrel ends rounded) making it impossible to attach rope, wearing apparel, etc. • Flat button tip is universally used as standard • Ball tips and steeple tips are available on certain hinges for decorative effect • Flush tip is standard for the latest design

^{*}Antifriction bearings include ball bearings and LifeStan bearings



HINGES SHOULD BE SELECTED appropriate to door width and weight. Hinge Height table shows hinge sizes recommended for doors of various sizes. Weights of Doors table shows how the weight of doors of similar dimensions can vary depending on material. Use the larger size hinges in this of Doors table for hospital tables for hospital tables for hospital tables. in Hinge Height table for heavier than average doors from Weights of Doors table.

HINGE HEIGHT

Determined by the width and thickness of the door

Thickness (inches)	Width of Doors (inches)	Height of Hinges (inches)
Doors		
3/4" to 11/8" cabinet	to 24	21/2
7/8" and 11/8" screen or combination	to 36	3
13/8"	{ to 32 over 32	3½-4 4-4½
13/4"	(to 36 over 36 to 48 over 48	*4½ *5 *6
2", 21/4" and 21/2"	{ to 42 over 42	5) heavy 6) weight
Transoms 11/4" and 11/8" 11/4" 2", 21/4" and 21/2"	J	3 3½ 4

^{*}Heavy weight hinges should be specified for heavy doors and for doors where high frequency service is expected • the heavy weight hinges should be of 4½", 5" and 6" sizes as shown

Note: Height of hinge is always first dimension not including

FREQUENCY OF DOOR OPERATION

	Hinge			
Type of Building and Door	Daily	Yearly		Type
Large dept. store entr. Large office bldg. entr. School entrance School toilet door Store or bank entr. Office bldg. toilet door	5,000 4,000 1,250 1,250 500 400	1,500,000 1,200,000 225,000 225,000 150,000 118,000	High frequency	⟩ Heavy Weight
School corridor door Office bldg. corridor door Store toilet door Dwelling entrance	80 75 60 40	15,000 22,000 18,000 15,000	Av. frequency	Standard Weight Antifriction Bearing (except on heavy doors)
Dwelling toilet door Dwelling corridor door Dwelling closet door	25 10 6	9,000 3,600 2,200	Low frequency	Plain Bearing Hinges may be used on light doors

NUMBER OF HINGES REQUIRED ON DOORS

Use three hinges on doors up to and including 7½ feet and one additional hinge for each additional 21/2 feet or fraction thereof

HINGE WIDTH

Determined by the thickness of door and clearance required

Thickness of Door (inches)	†Clearance Required (inches)	Open Width of Hinge (inches)
13/8	1½ 1¾ 1¾	3½ 4
13/4	1 1½ 2 3	4 4½ 5 6
2	1 1½ 2½	4½ 5 6
21/4	1 2	5 6
2½	3/4 13/4	5 6
3	3/4 23/4 43/4	6 8 10

†Clearance is computed for door flush with casing, fig. "A" page 18

Formula to determine hinge width under normal conditions

- Known factors: (1) Door thickness
 - (2) Backset
 - (3) Clearance required
 - (4) Inset

[door thickness minus backset] times 2 plus

clearance required plus inset (if any) EQUALS hinge width (if not standard width use next larger standard hinge width)

WEIGHT OF DOORS

The approximate door weights in pounds per square foot listed below are based on flush doors made by recognized quality manufacturers. Due to many variances, this chart is to be used for rough estimating only.

Door			Lbs. Per Sq. Ft.	
Material	Skin	Core	13/4" Thick	13/8" Thick
Wood	Hard wood	Hollow	2.5	2.2
Wood	Hard wood	Mineral	4.0	3.5
Wood	Hard wood	Lumber	4.5	4.0
Wood	Hard wood	Particle	5.0	4.0
Wood	Plastic	Particle	5.5	4.5
Metal	16 ga.	Hollow	5.8	5.7
Metal	16 ga.	Mineral	6.2	6.1

The weight of the proposed hardware to be mounted should be added to the above weights. Special hinge consideration should be given to doors over 42" wide.




USE THREE HINGES TO A DOOR . USE ANTIFRICTION BEARING HINGES ON DOORS EQUIPPED WITH CLOSERS

APPLICATION DETERMINES KIND OF HINGE


Full mortise

Wood Doors, Wood Jamb




Half mortise

Hollow Metal Doors, Channel Iron Jamb




Full surface

Mineral Core Doors, Channel Iron Jamb




"Swing Clear" half mortise Wood Doors, Channel Iron Jamb




Full mortise

Wood Doors, Hollow Metal Jamb




Half surface

Wood Doors, Wood Jamb




Full surface

Hollow Metal Doors, Channel Iron Jamb




"Swing Clear" half surface Mineral Core Doors, Hollow Metal Jamb




Full mortise

Hollow Metal Doors, Hollow Metal Jamb




Half surface

Mineral Core Doors, Hollow Metal Jamb




"Swing Clear" full mortise

Wood Doors, Hollow Metal Jamb



"Swing Clear" full surface

Mineral Core Doors, Channel Iron Jamb





FOR **APPLICATIONS** SEE PAGE 18

MODERN PAUMELLE AND OLIVE KNUCKLE HINGES

Fig. A

Fig. B

Fig. C

Average frequency, full mortise, modern paumelle, ball bearing, heavy weight

	Class Numbers
Metal	Template
Bronze only (bronze forging) Steel (forging)	BB93 BB143

Sizes, in.	Gauge of Metal
5 x 4½ (BB93) 6 x 4½ (BB143)	.225

Steel hinges regularly furnished with all machine screws and all wood screws. Non-ferrous hinges regularly furnished with all machine screws and one-half wood screws ullet template location holes for all applications ullet must specify hand



Average frequency, full mortise, modern paumelle, standard weight

Fig. A

Fig. B Fig. C

	Class Number	
Metal	Template	
Steel	BB140	

Hinges are packed with all wood screws and all machine screws • template location holes for all applications • must specify hand

Specification for Ordering	Size	Gauge of Metal
BB140	4½ x 3½	.203



Average frequency, olive knuckle, ball bearing, standard weight

Fig. A


Fig. B

Fig. C

	Class Number
Metal	Template
Bronze only (bronze forging)	BB95

Gauge of Metal Sizes, in. 6 x 3 1/8 .203

Hinges are packed with one-half wood screws and all machine screws ● template location holes for all applications ● must specify hand



Always specify at least three hinges to a door . . . because the third hinge shares the load with the other two hinges and increases the life of the installation.

Doors with closers, holders and stops are subjected to forces and stresses not encountered in free hanging and free swinging doors. These doors require a hinge with particularly good lateral load capacities to be able to take such stresses. The top hinge suffers severe abuse, and to the extent that it loosens, the center hinge takes up the load.

Wood doors and frames are subject to warpage. The third hinge prevents the door from warping and binding, helps keep the door aligned, and helps to insure a long, trouble-free life. Metal doors are usually heavier than wood doors, and this compounds normal hanging problems. In addition, metal doors are more rigidly constructed than wood doors. This means that shock is transmitted directly to the hinges, in contrast to wood doors which tend to cushion the shock. The third hinge shares this abuse with the other two hinges, increasing the life of the installation installation.



USE THREE HINGES TO A DOOR . USE ANTIFRICTION BEARING HINGES ON DOORS EQUIPPED WITH CLOSERS

HIGH FREQUENCY HINGES

FOR **APPLICATIONS** SEE PAGE 18

> Fig. A Fig. B Fig. C



Full mortise, antifriction bearing, heavy weight

	Style					
Metal	"F" Line Class No.	BB600 Class No.	LifeSpan CB1900 Class No.			
Brass or bronze Steel Stainless steel Stainless steel	FBB199 FBB168 FBB199(US32) FBB199(US32D)	BB661 BB601 BB661(US32) BB661(US32D)	CB1961 CB1901 CB1961(US32) CB1961(US32D			

"F" Line Sizes, in.	BB600 Sizes, in.	LifeSpan CB1900 Sizes, in.	Gauge of Metal
4½ x 4½ 5 x 4½ 5 x 5 *6 x 4½ *6 x 5 *6 x 6 *8 x 6 *8 x 8	4½ x 4½ 5 x 4½ 5 x 5 *6 x 4½ *6 x 5 *6 x 6 †8 x 6 †8 x 8	4½ x 4½ 5 x 4½ 5 x 5 *6 x 4½ *6 x 5 *6 x 6	.180 .190 .190 .203 .203 .203 **.203 **.203

*Not furnished in stainless steel **.225 in BB601

†Steel only BB601

Half surface, antifriction bearing, heavy weight

		01,10	
Metal	"F" Line Class No.	BB600 Class No.	LifeSpan CB1900 Class No.
Brass or bronze Steel Stainless Steel Stainless Steel	FBB113 FBB163 FBB113(US32) FBB113(US32D)	BB671 BB611 BB671(US32) BB671(US32D)	CB1971 CB1911 CB1971(US32) CB1971(US32D)

Fig. E Fig. F

*Not furnished in stainless steel

			"F" Line	BB600 and LifeSpan CB1900				
	Gauge of Metal	Width		Offset	Width		Offset	
Size Length of Joint (inches)		Jamb Leaf (inches) (A)	Door Leaf (inches) (B)	Jamb Leaf (inches) (C)	Jamb Leaf (inches) (A)	Door Leaf (inches) (B)	Jamb Leaf (inches) (C)	
4½ 5 *6	.180 .190 .203	2½ 2½ 2½ 2½	2% 27/8 31/4	5/8 5/8 5/8	2½6 2¾2 2½8	2% 27/8 31/4	9/16 19/32 5/8	



Half mortise, antifriction bearing, heavy weight

	Metal	"F" Line Class No.	BB600 Class No.	LifeSpan CB1900 Class No
	Brass or bronze Steel Stainless Steel Stainless Steel	FBB98 FBB138 FBB98(US32) FBB98(US32D)	BB681 BB621 BB681(US32) BB681(US32D)	CB1981 CB1921 CB1981(US32) CB1981(US32D)
_		"F" Line	BB600 and LifeS	Span CB1900

Fig. D




*Not furnished in stainless steel

			"F" Line			BB600 and LifeSpan CB1900		
		Width		ith Offset	Width		Offset	
Size Length of Joint (inches)	Gauge of Metal	Jamb Leaf (inches) (A)	Door Leaf (inches) (B)	Jamb Leaf (inches) (C)	Jamb Leaf (inches) (A)	Door Leaf (inches) (B)	Jamb Leaf (inches) (C)	
4½ 5 *6	.180 .190 .203	1½ 1½ 1½ 1½	2½8 2½8 2½8	1/2 1/2 1/2 1/2	1½ 1½ 1½ 1½	2½6 2¾2 2½8	7/16 15/32 1/2	

Full surface, antifriction bearing, heavy weight

J		Style					
	Metal	"F" Line Class No.	BB600 Class No.	LifeSpan CB1900 Class No.			
	Brass or bronze Steel Stainless Steel Stainless Steel	FBB109 FBB169 FBB109(US32) FBB109(US32D)	BB691 BB631 BB691(US32) BB691(US32D)	CB1991 CB1931 CB1991(US32) CB1991(US32D)			

Fig. G Fig. H*



		"F" Line				BB600 and LifeSpan CB1900			
		Width		Offset		Width		Offset	
Size Length of Joint (inches)	Gauge of Metal	Jamb Leaf (inches) (A)	Door Leaf (inches) (B)	Door Leaf (inches) (C)	Jamb Leaf (inches) (D)	Jamb Leaf (inches) (A)	Door Leaf (inches) (B)	Door Leaf (inches) (C)	Jamb Leaf (inches) (D)
4½ 5 **6	.180 .190 .203	1½ 1½ 1½ 1½	2% ₆ (2*) 2% ₈ (25/ ₆ *) 3½ (23/ ₈ *)	5/8 (%16*) 5/8 (%16*) 5/8 (%16*)	1/2 (7/16*) 1/2 (7/16*) 1/2 (7/16*)	1½ 1½ 1½ 1½	2% 2% 31/4	9/16 19/32 5/8	7/16 15/32 1/2

**Not furnished in stainless steel

*For application to tubular steel door with channel iron jamb, specify FBB109½ or FBB169½ - Not Illustrated

For your convenience . . . Stanley Contract Grade Hinges are made available through Qualified Contract Hardware Distributors and Architectural Hardware Consultants located in principal cities throughout the country. There's one in your area, ready to

assist you in writing builders' hardware specifications and to supply Stanley Quality Hardware to meet your needs best. Factory-trained Stanley Hardware Representatives are also available on request to answer your technical questions on hinging.

SPECIFICATION

FOR APPLICATIONS SEE PAGE 18

AVERAGE FREQUENCY HINGES

Full mortise, antifriction bearing, standard weight

Fig. A Fig. B

Fig. C

	Style*				
Metal	"F" Line Class No.	BB600 Class No.	LifeSpan CB1900 Class No.		
Brass or bronze	FBB193 FBB191	BB660	CB1960		
Steel*	FBB179	BB600	CB1900		
Stainless steel Stainless steel	FBB191(US32) FBB191(US32D)				
Stainless steel Stainless steel	FBB193(US32) FBB193(US32D)	BB660(US32) BB660(US32D)	CB1960(US32) CB1960(US32D)		

"F" Line Sizes, in.	BB600 Sizes, in.	LifeSpan CB1900 Sizes, in.	Spring Hinge	Gauge of Metal
3½ x 3 3½ x 3½ 4 x 3½ 4 x 4 4½ x 4 4½ x 4 4½ x 4 5 x 4 5 x 4½ *6 x 5 *6 x 6	3½ x 3½ 4 x 4 4½ x 4 4½ x 4 5 x 4 5 x 4½ 5 x 5	31/2 x 31/2 4 x 4 41/2 x 4 41/2 x 4 41/2 x 41/2 5 x 4 5 x 41/2 5 x 5	4½ x 4 4½ x 4½	.123 .123 .130 .130 .134 .134 .146 .146 .146 .160 .160



*Spring hinge available class No. 2060

*Not regularly furnished in stainless steel

Fig. E

_			_
r	ı	g	r

	Style				
Metal	"F" Line Class No.	BB600 Class No.	LifeSpan CB1900 Class No.	Spring Hinge	
Brass or bronze Steel Stainless Steel Stainless Steel	FBB112 FBB173 FBB112(US32) FBB112(US32D)	BB670 BB610 BB670(US32) BB670(US32D)	CB1970 CB1910 CB1970(US32) CB1970(US32D)	2063	

Half surface, antifriction bearing, standard weight

			"F" Line			BB600 and LifeSpan CB1900			Spring Hinge		
		Wid	dth	Offset	Wi	dth	Offset	Wi	dth	Offset	
Size Length of Joint (inches)	Gauge of Metal	Jamb Leaf (inches) (A)	Door Leaf (inches) (B)	Door Leaf (inches) (C)	Jamb Leaf (inches) (A)	Door Leaf (inches) (B)	Door Leaf (inches) (C)	Jamb Leaf (inches) (A)	Door Leaf (inches) (B)	Door Leaf (inches) (C)	
4 4½ 5	.130 .134 .146	113/16 21/16 21/16	2½ 2½ 2½ 2½	1/2 %16 %16	2 21/32	2% 2% 27/8	1/2 17/32	21/16	23/64	%6	





Fig. D

	Style				
Metal	"F" Line Class No.	BB600 Class No.	LifeSpan CB1900 Class No.		
Brass or bronze Steel Stainless Steel Stainless Steel	FBB108 FBB167 FBB108(US32) FBB108(US32D)	BB680 BB620 BB680(US32) BB680(US32D)	CB1980 CB1920 CB1980(US32) CB1980(US32D)		

Half mortise, antifriction bearing, standard weight

			"F" Line		BB600 and LifeSpan CB1900			
		Wi	dth	Offset	Wi	Width		
Size Length of Joint (inches)	Gauge of Metal	Jamb Leaf (inches) (A)	Door Leaf (inches) (B)	Jamb Leaf (inches) (C)	Jamb Leaf (inches) (A)	Door Leaf (inches) (B)	Jamb Leaf (inches) (C)	
4½ 5	.134 .146	1½ 1½	2½6 2½6	7/16 7/16	1½ 1½	2 2½ ₂	3/8 13/ ₃₂	





Fig. G Fig. H

		Style	
Metal	"F" Line Class No.	BB600 Class No.	LifeSpan CB1900 Class No.
Brass or bronze Steel Stainless Steel Stainless Steel	FBB110 FBB171 FBB110(US32) FBB110(US32D)	BB690 BB630 BB690(US32) BB690(US32D)	CB1990 CB1930 CB1990(US32) CB1990(US32D)

Full surface, antifriction bearing, standard weight

		"F" Line				BB600 and LifeSpan CB1900			
		Width		Offset		Width		Offset	
Size Length of Joint (inches)	Gauge of Metal	Jamb Leaf (inches) (A)	Door Leaf (inches) (B)	Door Leaf (inches) (C)	Jamb Leaf (inches) (D)	Jamb Leaf (inches) (A)	Door Leaf (inches) (B)	Door Leaf (inches) (C)	Jamb Leaf (inches) (D)
4½ 5	.134 .146	1½ 1½	2% 2% 27/8	%16 %16	7/16 7/16	1½ 1½	2% 2% 2%	1/2 17/ ₃₂	3/8 13/32







USE THREE HINGES TO A DOOR - USE ANTIFRICTION BEARING HINGES ON DOORS EQUIPPED WITH CLOSERS

LOW FREQUENCY HINGES

Full mortise



	Style					
Metal	"F" Line Class No.	600 Class No.	1900 Class No.			
Steel Brass or bronze Stainless Steel Stainless Steel	F179 F191 F191(US32) F191(US32D)	600 660	1900 1960			

Siz	Sizes, in.		
"F" Line	600 and 1900	Gauge of Metal	
3 x 3 †3½ x 3½ 3½ x 3½ †4 x 3½ 4 x 4 4½ x 4 4½ x 4½ 5 x 4½ 5 x 4½ 5 x 5 †6 x 4½ †6 x 5 †6 x 6	3½ x 3 3½ x 3½ 4 x 3½ 4 x 4 4½ x 4 4½ x 4½ 5 x 4½ 5 x 4½ 5 x 5	.080 .123 .123 .130 .134 .134 .146 .146 .146 .160 .160	

†Not furnished in stainless steel

FOR **APPLICATIONS** SEE PAGE 18

> Fig. A Fig. B


Fig. C

SPECIAL SITUATION PRODUCTS / PIVOT REINFORCED HINGES*

Designed to reduce door maintenance

THEY'RE SHOCKPROOF

The Stanley pivot reinforced hinge is recommended for use on doors that get hard usage, especially those equipped with overhead door holders that bring doors to sudden, jarring stops • combines a pivot and a butt hinge in one compact, interlocked unit, in which they share the same pin to assure perfect alignment • important that both pivot and hinge share the same center and will not damage each other by rotating on separate centers which do not line up precisely.



			Internation		0	Jamb	Plate	††Dooi	Plate
Set Number	Metal	Top Hinge**	Intermediate and Bottom Hinge**	Size (inches)	Gauge of Metal	Length (inches)	Width (inches)	Length (inches)	Width (inches)
FBB211 or CB1907	Steel	Type of FBB168NRP or CB1901NRP x jamb plate only	FBB168NRP or CB1901NRP	5 x 4½	.190	5.00	1.25		
FBB212 or CB1908	Steel	Type of FBB168NRP or CB1901NRP x jamb and door plate	FBB168NRP or CB1901NRP	5 x 4½	.190	5.00	1.25	7.78	1.25
†FBB213 or †CB1909	Steel	Type of FBB168NRP or CB1901NRP x jamb and door plate	FBB168NRP or CB1901NRP	5 x 4½	.190	5.00	1.25	7.64	1.25
FBB221 or CB1967	Bronze	Type of FBB199NRP or CB1961NRP x jamb plate only	FBB199NRP or CB1961NRP	5 x 4½	.190	5.00	1.25		
FBB222 or CB1968	Bronze or Stainless Steel	Type of FBB199NRP or CB1961NRP x jamb and door plate	FBB199NRP or CB1961NRP	5 x 4½	.190	5.00	1.25	7.78	1.25
†FBB223 or †CB1969	Bronze or Stainless Steel	Type of FBB199NRP or CB1961NRP x jamb and door plate	FBB199NRP or CB1961NRP	5 x 4½	.190	5.00	1.25	7.64	1.25

^{*}U. S. patent no. 2,989,772

**Note: Hinges supplied with set screw in barrel, non-removable pin ††Short door plate available (approx. 4" long) when conditions do not permit use of standard plate

Example: Set FBB212 consists of: 1 special type FBB168NRP x pivot plates and 1 pr. FBB168NRP - 5 x $4\frac{1}{2}$ - specify hand

SPECIFICATION

SPECIAL SITUATION PRODUCTS

APPLICATIONS

HOSPITAL EMERGENCY RESCUE HARDWARE

SPECIAL

For application to doors from private patient rooms to private baths. Permits doors to normally swing into the bath, thus saving space, yet swing out into the bedroom in case of emergency when a patient is trapped inside Specify in conjunction with a plain frame with no stop. The recommended positioning of the door is $\chi_6^{\prime\prime}$ from the

bathroom side of the frame. Consult your local hardware supplier for his recommendation as to the lock to use

Each set of Stanley Hospital Emergency Rescue Hardware to be composed of a Stanley DAP-3 Double Acting Pivot, and a Stanley ES-1 Emergency Stop


DAP-3 Solid brass top and bottom jamb plates Malleable iron top and bottom

finely finished Double acting door pivot



Header plate
Top door plate
Bottom jamb plate
Bottom door plate

- Packed with all machine and one-half wood screws
- Bottom pivot assembly provides $\frac{1}{4}$ " vertical adjustment of door. Standard clearance is $\frac{3}{4}$ "





SPECIAL


Emergency door stop

ES-1 Extruded and forged bronze -Standard finishes

Specifications:

Surface plate 4½" x 15/8" 21/8" x 15/6"

Packed with machine screws








Fig. I

Fig. J

Fig. K

Fig. L

Wherever doors are required to meet barrier-free codes or are required to swing completely clear of the openings so that wide equipment can pass through without damaging doors and frames.

CB1900 line:

The Stanley CB1900 (Life-Span**) three-knuckle hinge line has a slim contemporary design that requires no maintenance. It is guaranteed to last for the life of the building. Available in 5" heavy weight.

*BB600 line:

The Stanley BB600 threeknuckle hinge line combines a unique bearing construction with superior styling and durability. Available in 5" heavy weight.

FBB179 line:

The Stanley FBB five-knucklehinge line emphasizes rugged dependability. Full mortise available in 3½", 4", and 4½" Std. Wgt. and 4½" and 5" Hvy. Wgt. Other types in 5" Hvy. Wgt. size only.





BB648, †BB649

FBB248Std., †FBB258 Std.

FBB268Hvy., †FBB278 Hvy.

F248 Std.



Half Mortise







CB1951

Full Surface



Half Surface

CB1959






FBB264, †FBB274 **FBB266**



USE THREE HINGES TO A DOOR . USE ANTIFRICTION BEARING HINGES ON DOORS EQUIPPED WITH CLOSERS

SPECIAL SITUATION PRODUCTS

APPLICATIONS



HEAVY WEIGHT HINGES

FOR DOORS UP TO 600 LBS.
FULL MORTISE*, BALL BEARING


SPECIAL

Wrought steel — Polished and plated or bonderized and prime coated for painting $$BB601-8^{\prime\prime}$$

■ For lead lined and other heavy doors weighing up to 600 lbs. where a finished appearance is required

Length of Joint	Width Open	Gauge of
(inches)	(inches)	Metal
8 8	6 8	.225 .225

*Regularly made for full mortise application, but can be made and assembled at the factory to take care of most conditions — submit detail. Other typical conditions shown on page 68



Wrought steel — With removable pin, *without holes —
Bonderized and prime coated for painting

BB855

Wrought steel — With welded pin, *without holes — Bonderized and prime coated for painting BB8551/4


- For lead-lined doors to x-ray rooms and other exceptionally heavy doors
- Made of double weight wrought steel capable of carrying doors weighing up to 800 lbs.

Length of Joint	Width Open	Gauge of	Diameter of Pin	Weight per Pair
(inches)	(inches)	Metal	(inches)	Average (lbs.)
5	6	.281	1/2	

*Regularly made not swaged for surface application, but can be made and assembled at the factory to take care of most conditions — submit detail. Typical conditions shown on page 69



SPECIAL



TRIPLE WEIGHT HINGES


FULL SURFACE*, BALL BEARING

Wrought steel — With welded pin, *without holes — Bonderized and prime coated for painting BB852

- For lead-lined doors to x-ray rooms and extremely heavy doors and gates of all descriptions
- Made of triple weight wrought steel capable of carrying doors or gates weighing up to 2000 pounds

Length of Joint	Width Open	Gauge of	Diameter of Pin	Average Net Weight
(inches)	(inches)	Metal	(inches)	Per Pair (lbs.)
5	6	.375	3/4	

*Regularly made not swaged for surface application, but can be made and assembled at the factory to take care of most conditions — submit detail. Typical conditions shown on page 70



HINGES FOR CUSTOM ALUMINUM DOORS AND FRAMES

Round corners - use prefix "RD" and specify radius desired


 $\frac{1}{4}$ " radius (,250) is available on all sizes $\frac{1}{6}$ " radius (.187) is available on all sizes Other types and sizes — on application

Slip-in hinges - prefix "Slip-In"

FBB179 and FBB191 - 4" x 4", $4\frac{1}{2}$ " x 4" and $4\frac{1}{2}$ " x $4\frac{1}{2}$ " are available for "slip-in" application for aluminum doors and frames - see page 67




FEATURES OF THE CB LINE LIPS PAIN STANDARD AND HEAVY WEIGHT CONCEALED BEARING HINGE WITH LIPSTAN BEARINGS



The Stanley LifeSpan hinge* is unique in the industry. It offers the cleanest, most architecturally correct design available and the slimness which architects prefer. In addition, the LifeSpan hinge boasts the revolutionary LifeStan bearing — developed through Stanley research using modern materials technology. The LifeStan bearing will outperform any bearing in any comparable size hinge marketed today. In fact, it not only performs better but, by its very construction, allows Stanley to offer the slimmest concealed bearing hinge — LifeSpan

STANLEY'S LIFESPUL HINGE* WITH LIFESTUL BEARINGS ARE GUARANTEED TO LAST FOR THE LIFE OF THE BUILDING**

- Slimmest barrel which architects prefer
- Flush tips and pins for clean lines
- Only two horizontal lines better aesthetics
- Concealed LifeStan bearing for trouble free, long life
- Stainless steel non-rising pin resists rust or corrosion
- Plain and LifeStan bearing hinges have identical barrels for complete style continuity
- Not handed, for flexibility in ordering, application and stocking
- LifeSpan lasts for the life of the building**



THE Lifestum BEARING developed by the Hardware Division of The Stanley Works, is a revolutionary concept in bearing construction and materials. It combines a space-age material with standard materials of the highest quality. Extremely close tolerances and high manufacturing precision are required. The LifeStan bearing makes it possible for Stanley's LifeSpan hinge to require no maintenance, no oils, no grease — to offer smoother, more quiet operation and to last for the life of the building

^{*}Patent number 3,499,183. **Hinges for replacement guaranteed if originally specified and applied in accordance with Stanley's General Catalog




USE THREE HINGES TO A DOOR · USE ANTIFRICTION BEARING HINGES ON DOORS EQUIPPED WITH CLOSERS


FEATURES OF THE BB600 STANDARD WEIGHT AND HEAVY WEIGHT FULL-JEWELED 3-KNUCKLE RADIAL THRUST BALL BEARING HINGE



BB601 Heavy weight



BB600 Standard weight



REDUCED LATERAL WEAR

In most hinges lateral wear is accommodated by the pin's rubbing against the surface it touches inside the knuckle of the hinge. By contrast, the BB600 is virtually friction free. Lateral load is accommodated through radial thrust bearings. The BB600 design provides clearance between pin and the center knuckle, so the latter floats freely on the radial thrust ball bearings. Thus the usual pin wear is avoided and hinge life is substantially increased.

THE THREE-KNUCKLE CONCEPT

While the BB600 is an entirely new hinge, the three-knuckle concept has been widely used, particularly for heavy doors. Stanley's most rugged hinges — in terms of weight-carrying capacity — have been three-knuckle types. Double and triple weight hinges for heavy X-ray, prison and safe doors, and heavy commercial strap hinges for garage, warehouse and industrial doors all employ the three-knuckle design concept

SUPERIOR VERTICAL LOAD CAPACITY INCREASED

The vertical load of the door is supported by streamlined, radial thrust ball bearing assemblies. The vertical load bearing capacity of the BB600 hinge is substantially increased through the use of through-hard-ened chrome alloy balls. Each ball can withstand at least 3500 pounds of crushing force. Unlike carbon steel balls which commonly fracture under ordinary conditions, chrome alloy balls insure much greater hinge life.

NEW PIN DESIGN

The heavy BB600 pin is more truly in shear than other pins because of the way the radial thrust bearings transfer loads from door leaf to jamb leaf. The smallest BB600 pin is capable of withstanding nearly $1\frac{1}{2}$ tons of shear load at each juncture of ball bearing with two-knuckle leaf.

SEALED RACEWAYS


Once impurities find their way into the ball bearing raceways, they start to damage and ultimately pulverize the bearing balls, ending their useful life. Stanley permanently lubricates and seals the inside of each raceway on heavy weight hinges. Lubrication is sealed in — impurities are sealed out. This ensures that the balls within the raceway will continue to roll freely and smoothly throughout the life of the hinge

POSITIVE NON-RISING PIN

Furnished with standard weight only.

Friction often causes a hinge pin to rise. This is unsightly and, more important, the pin becomes disengaged from the bottom knuckle, reducing the operating efficiency of the hinge. Since the BB600 is virtually frictionless, its pin is unlikely to rise. However, as added insurance, the non-rising feature built into the BB600 pin positively prevents its disengagement.

NRP feature (non-removable pin) furnished with BB600 line heavy weight hinges.






FEATURES OF THE FBB LINE STANDARD WEIGHT AND HEAVY WEIGHT 5-KNUCKLE BALL BEARING HINGE



FBB168 Heavy weight




FBB179 Standard weight

VERTICAL LOAD CAPACITY

The vertical load of the door is supported by streamlined, vertical-thrust ball bearing assemblies. The vertical load-bearing capacity of the FBB hinge line has been substantially increased by the use of through-hardened chrome alloy ball bearings. The use of chrome alloy balls in these hinges ensures much longer hinge life.

LARGE PIN DIAMETER

The lateral load of the door is supported by the pin bearing on the inside of the hinge knuckles. The pin in the FBB179 hinge is made from cold headed, drawn stock and in the popular $4\frac{1}{2}$ " size, for example, has a large diameter. As a result, wear is distributed over a greater area, wear is reduced, and operation of the pin in the knuckle is smoother.




LONGER KNUCKLE BEARING

In five-knuckle hinges, the pin usually rotates with the three-knuckle leaf and rubs against the two-knuckle leaf. In the $4\frac{1}{2}$ " size FBB179 hinge, for example, the unusual length of the bearing area within the two-knuckle leaf distributes lateral wear over a much greater area. This reduces wear at any one spot and results in increased hinge life.

MORE LATERAL BEARING CAPACITY

The combined effect of the increase in pin diameter and the increase in bearing knuckle length is a large increase in the area supporting lateral wear. Since lateral wear contributes significantly to hinge failure, this factor significantly reduces the possibility of the door's sagging and binding in the frame.



ELECTRIC HINGES

"CE" TYPE — FOUR OR EIGHT CONCEALED WIRES CONDUCTS CURRENT REGARDLESS OF DOOR POSITION (NO ELECTRICAL PARTS EXPOSED WHEN HINGE IS INSTALLED)

5 - Knuckle **Exposed Bearing CEFBB** Line

CEFBB168, CEFBB179 CEFBB191, CEFBB199

3 - Knuckle **Concealed Bearing CECB** Line

CECB1900, CECB1901 CECB1960, CECB1961

- Uses: To conduct power to electric locks, panic bolts, or hold-open devices where tamperproof hinge is required. Also to transmit signals from code readers on doors to remote computers for access control
- "CE" hinges are listed by UL at the following rat-

Volts (AC or DC) 6, 12, & 24 48

4 wire hinges - 54 1 amp/wire 5 milliamp/wire


8 wire hinges - 58 .5 amp/wire 5 milliamp/wire

- Steel or bronze hinge
- Standard weight sizes: 4½"x4", 4½"x4½", 5"x4½"
- Heavy weight sizes: 4½"x4½", 5"x4½"





Front view



Rear view

+ +

Front view

- Permanent fast pin
- Hinge may be equipped with both concealed wires and a concealed switch as described on page 29. When both are desired use prefix "CECS"

When ordering specify:

- Class number
- Size and finish
- Hand of door (CECB line only)
- Number of wires desired For four wires use suffix - 54 For eight wires use suffix - 58

JB-1 JUNCTION BOX AND MORTAR SHIELD

For use with Stanley Type Electric Hinges

- Meets National electric code
- Serves as both a junction box and a mortar shield
- Knockouts top and bottom for standard conduit fit-
- Fits hinge reinforcements for either 4½" or 5" ARCHITECTURAL GRADE hinges
- Steel (.077 gauge) US2C finish. Furnished with selftapping mounting screws
- Can be installed by hollow metal manufacturers or installed on the job before frame is set

NOTE: For use with Stanley hinges only. Electric hinges should always be installed in the center position (not in either top or bottom position)






Revised 4-79


ELECTRIC HINGES

"CS" TYPE CONCEALED SWITCH

SWITCH OPERATES WHEN DOOR IS EITHER OPENED OR CLOSED (NO ELECTRICAL PARTS EXPOSED WHEN HINGE IS INSTALLED)



Front view




Rear view

Exposed Bearing CSFBB Line


5 - Knuckle

CSFBB168 CSFBB179 CSFBB191 CSFBB199

PATENT NO. 3,806,852



Front view



Rear view

3 - Knuckle Concealed Bearing CSCB Line

> CSCB1900 CSCB1901 CSCB1960 CSCB1961

- Uses: To activate alarms, monitoring devices, or other sophisticated high security equipment where tamperproof hinge is required
- Single pole double throw switch. Use black and red wires to make circuit when door is open. Use black and white wires to break circuit when door is open
- "CS" hinges are listed by UL at the following ratings:

Volts (AC or DC)	Current (Resistive)	Current (Inductive)
6	.30 A	.30 A
12	.25 A	.25 A
24	.20 A	.15 A
48	.15 A	.12 A

- Standard weight sizes: 4½"x4", 4½"x4½", 5"x4½" Heavy weight sizes: 4½"x4½", 5"x4½"
- Can be used with JB-1 junction box and mortar shield, see page 28

- Steel or bronze hinge
- Non-removable pin feature available. Specify: "NRP"
- Hinge may be equipped with both a concealed switch and concealed wires as described on page 28. When both are desired use prefix "CECS"

When ordering specify:

- Class number
- Size and finish
- Hand of door

ELECTRIC HINGES

"ES" TYPE EXPOSED SWITCH


SWITCH FUNCTIONS WHEN DOOR IS OPERATED ECONOMICAL — SUITABLE FOR LIMITED ELECTRICAL SECURITY NEEDS

5 - Knuckle Exposed Bearing ESFBB Line

ESFBB168 ESFBB179 ESFBB191 ESFBB199



ESFBB line




Front view

3 - Knuckle Concealed Bearing ESCB Line

ESCB1900 ESCB1901 ESCB1960 ESCB1961



Rear view



Front view

- Uses: To operate lights, buzzers, or other devices intended to give a warning when door is opened
- Single pole double throw switch. Use terminals B & C to make circuit when door is open. Use terminals A & C to break circuit when door is open
- Ratings:

Volts (AC or DC)	Current (Resistive)	Current (Inductive)
6	.20 A	.10 A
12	.20 A	.10 A
24	.20 A	.10 A
48	.20 A	10 A

■ Can be used with JB-1 junction box and mortar shield, see page 28 ■ Steel or bronze hinge

ESCB line

- Standard weight sizes: 4½"x4", 4½"x4½", 5"x4½" Heavy weight sizes: 4½"x4½", 5"x4½"
- Non-removable pin feature available. Specify: "NRP"

When ordering specify:

■ Class number ■ Size and finish ■ Hand of door




Template hinges

- Stanley template hinges are made to close tolerances and conform to American National Standards Institute (ANSI) wherever applicable
- They will exactly fit the cutout and screw hole location in hollow metal doors and hollow metal frames made to similar template
- Each individual hinge is carefully inspected and held within close commercial limits, which have been established through long experience and close attention to the requirements of manufacturers of metal doors and frames
- Each template hinge is stamped with the class number on the back
- When physical sample of a template hinge is not required, we recommend the use of blueprint templates which are available on all sizes. These are drawings showing actual measurements, gauge of metal, location and size of machine screws
- Do not use physical samples to make cut outs on metal doors or frames

TEMPLATE HINGES

Screw hole locations



Size 41/2" x 4" Template hinge

Screw packing — full mortise template hinges

- Steel hinges regularly furnished with all machine screws and all wood screws. Non-ferrous hinges regularly furnished with all machine screws and one-half wood screws.
- When ordering extra machine or wood screws, specify the class number, finish and size of hinge
- Button tips are standard for all hinges
- Button tip pins in standard weight steel hinges are made in one piece of steel
- Solid brass steeple tips furnished on order at an extra cost by specifying "steeple tips" as a suffix to the class number. Available only on the "F" line heavy weight in $4\frac{1}{2}$ " and 5" sizes only and standard weight in 31/2", 4" and 41/2" sizes
- Ball tips are furnished on order at an extra cost by specifying "ball tips" as a suffix to the class number. Available only on the "F" line heavy weight in 41/2" and 5" sizes only and standard weight in 31/2", 4" and 41/2" sizes







HINGE TIPS

Steeple tip

Ball tip


HOSPITAL TYPE

Hospital type barrel ends are rounded, making cleaning easier, and making it impossible to attach rope, wearing apparel, etc. The pin is held in place by a cross pin for increased security. Prefix "HT" to class number

Round corner butt hinges save considerable time in application, especially when installed with the use of a Stanley hinge mortiser with a door and jamb template, or similar

■ Round corners (1/4" or 5/8" radius) may be obtained at an extra cost, except where listed, on any butt hinge by prefixing "RD" to the class number and specifying radius desired


Round corner hinges for use on custom aluminum doors and frames - see page 24



ROUND CORNER HINGES



Hospital type





Radius of corners 5/8"




USE THREE HINGES TO A DOOR · USE ANTIFRICTION BEARING HINGES ON DOORS EQUIPPED WITH CLOSERS

SECURITY STUD



This feature is available on all Stanley full mortise hinges to provide additional security. A stud is attached to one leaf of the hinge, and projects into a hole in the matching leaf when the door is closed. Even if the hinge pin is removed, the door cannot be moved because the stud keeps the leaves from sliding apart. Specify: "with security stud"

LOCATION OF HINGES ON DOORS




Top hinge 5" from jamb rabbet to top edge of barrel

Bottom hinge 10" from bottom edge of barrel to finished floor


Third hinge centered between top and bottom hinges


The above is U.S. Standards procedure



*Certain western states use as standard 7" from top and 11" from the bottom

PIN DESIGN





Non-rising pin construction

- Easily seated pin that will not rise
- Pin is removed by tapping out through hole in bottom tip of hinge

Hole in bottom tip

- For easy pin removal, on button and flush tip full mortise hinges, a hole is provided in the bottom tip for insertion of a nail, thus preventing the marring of the hinge or finish (this applies to size 3" x 3" and larger)
- Not furnished on all FTP and NRP hinges in "F" line series, but furnished on all CB1900 flush tip line

HALF AND FULL SURFACE HINGE FASTENINGS



Machine screw and sleeve nut




Machine screw and grommet nut



BP-1 Hinge Back Plate (4½" size shown)

Application of machine screw and sleeve nut and machine screw and grommet nut.

- Thru bolts and grommet nuts regularly furnished with half surface and full surface hinges
- Thru bolts and sleeve nuts available on special order
- Hinge back plates, BP-1, available on special order for hinge sizes 4½" and 5". Holes accommodate either sleeve nuts or grommet nuts



*Conforms to U.S. Government specifications for exterior doors opening out

NON-REMOVABLE PINS

- Hinges can be obtained with non-removable pins under the following symbols:
 - *NRP loose pin, set screw in barrel intercepts grooved pin (as shown). Non-removable when door is closed. Not available on sizes 3" and smaller
 - **FSP** spun pin, without tips on five knuckle hinge only
 - FTP floating pin, tips driven in both ends

^{**}The suggested location for olive knuckle and paumelle hinges is $\frac{1}{4}$ " from knuckle side of door to edge of hinge leaf



HINGE METALS AND FINISHES

Metals obtainable

Wrought steel
Wrought brass
Wrought bronze
Wrought stainless steel

The metals used in making Stanley wrought hinges are cold rolled, which toughens and hardens the metal For brass or bronze hinges, finished other than natural, we reserve the option to use either brass or bronze metal

Wrought brass or bronze hinges

- Polished and finely finished
- Ideal for exterior doors
- Pins are made of stainless steel

Wrought stainless steel hinges

- Furnished in polished or satin finish
- Tips and pins are stainless steel

Polished and Plated

- The steel is first polished, then plated in desired finish
- For use where a fine steel hinge is desired and a polished surface will meet the requirements

Planished and Plated

- The steel has a fine cold rolled finish, although not wheel polished
- For use where a good practical steel hinge is desired and a planished surface will meet the requirements



Showing the tip and paint clearance between the inner edges of the leaves and the barrel of the hinge

Prime coated for painting

- Bonderized then prime coated
- The bonderizing forms a strong bond between the metal and the prime coat
- Ample paint clearance is provided between the barrel and the inner edges of the leaves

Chromium plating

- On brass or bronze metals chromium plating is applied over a heavy plating of nickel
- On steel hinges it is applied over a plating of nickel on top of a plate of copper
- This method conforms strictly to government requirements as listed in Federal specifications
- Chromium does not tarnish. The copper and nickel underneath the chromium affords considerable rust protection but for absolute assurance against rusting, only nonferrous metals should be used



USE THREE HINGES TO A DOOR · USE ANTIFRICTION BEARING HINGES ON DOORS EQUIPPED WITH CLOSERS

FINISHES (Cont'd.)

RUST-RESISTING BASE (Not guaranteed against rust)

- A "K" prefix to the class number of steel hinges (except chromium, see above) indicates a heavy coating of copper in addition to the final finish
- On prime coated and dead black hinges, "K" prefix indicates zinc plate, bonderized and final finish symbol: i.e., FK179(USP) FBBK179(USP)
- On steel hinges when a rust-resisting coating is desired in addition to the decorative final plating, we will furnish what is considered to be the best protective undercoating
- Our laboratory tests and field experience indicate that a heavy plating of copper is a most effective and practical base plate, however, we intend to keep pace with plating and anti-corrosive developments and should some other finish prove more effective such finish will be used on Stanley hinges
- When ordering this extra rust-resisting base plating, insert the letter "K" as a prefix to the class number and suffix the final finish symbol: i.e., FK179(US10), FBBK179(US10), K600(US10)
- For absolute assurance against rust nonferrous metals should be used

LABELS AND PACKING

LABELING

- Stanley products are generally identified by the chipboard box and yellow label. Architectural hardware is packed in distinctive black box with yellow label
- All nonferrous hinges can be distinguished by the red block in the yellow label

PACKING

- All architectural hardware products are packed in heavy poly bags with separate poly screw packs
- Consumer hardware products are packed in any one of the following:

SP - SUPER PACTM

Super Pac™ is a new 3-color printed poly bag featuring:

- Full product identification
- English and metric sizes
- · Complete materials listing
- Complete list of finishes available
- Full installation instructions
- Product illustrations

OTHER PACKAGING SYMBOLS:

CD - Carded

V — Visually packaged other than CD

DP - Poly bag items in Dispensa Pac cartons

- Poly bag

SC - Item packed with screws

PC - Plastic container

IDENTIFICATION OF STANLEY HINGES

- Stanley hinges are plainly stamped with this trade **STANLEY** mark
- The class number is marked on the back of antifriction bearing hinges, nonferrous metal hinges, template hinges and plain bearing polished steel hinges. Concealed bearing hinges also have letters CB stamped under trade mark on face of hinge

PHOTOGRAPHS, ART WORK OR ELECTROTYPES

■ We can furnish our customers with photographic prints, art work prints or electrotypes of any article shown in our catalog



HOW TO DETERMINE HAND OF HINGES

- The hand of a butt hinge is determined from the outside of the door to which it is applied
- The outside of a cupboard, bookcase or closet door is the room side. For other doors, the outside is usually the "push" or jamb side
- If standing outside of a door which opens **from** you, to the right, it takes right hand butt hinges. If to the left, it takes left hand butt hinges
- If standing outside of a door which opens **toward** you, to the right, it takes left hand butt hinges. If to the left, it takes right hand butt hinges
- Reversed bevel doors are doors opening out
- It will be observed that this method of determining the hand of loose joint cabinet hinges is exactly the opposite from the furniture manufacturers' standard rule
- To determine the hand of a loose joint hinge: open the hinge with its face toward you. If the knuckle of the right leaf is at the bottom, it is a right hand hinge. If the knuckle of the left leaf is at the bottom, it is a left hand hinge

In ordering butt hinges that are not reversible, the hand must always be specified

Doors opening in



Left hand door takes left hand hinges



Right hand door takes right hand hinges

Doors opening out


Including closet, cupboard and bookcase doors




Right hand reverse door takes left hand hinges



Left hand reverse door takes right hand hinges



Left hand Two-knuckle hinge



Right hand Two-knuckle hinge





USE THREE HINGES TO A DOOR • USE ANTIFRICTION BEARING HINGES ON DOORS EQUIPPED WITH CLOSERS

RAISED BARREL HINGES

Specify hand of door when ordering

Specify whether hinges are for square edge or beveled edge doors

For application where doors are set deep on a wide jamb. Jamb leaf may be either surface mounted or mortised as illustrated in sketches below

Available special for doors that must open 180 degrees. Supply detail of door and frame condition


For other hinge types or sizes than listed above, consult factory

CLASS NUMBERS


Can be furnished in sizes $4\frac{1}{2}$ " x $4\frac{1}{2}$ " and 5" x $4\frac{1}{2}$ " on the following class numbers:


RB-FBB179	RB-FBB168
RB-FBB191	RB-FBB199
RB-BB600	RB-BB601
RB-BB660	RB-BB661
RB-CB1900	RB-CB1901
RB-CB1960	RB-CB1961






SQUARE EDGE









HINGE SWAGING



Hinge not swaged — figure 1 (see note "A")




Hinge swaged (standard) - figure 4



Hinge not swaged – figure 2 (see note "A")








*Hinge with one leaf swaged — figure 5 *Hinge with one leaf swaged flat — figure 6 (see note "B") (see note "C")

*Hinges are handed - when ordering specify hand desired

- Swaging is a slight offset of the hinge leaf at the barrel which permits the leaves to come closer together
- Standard swaging of standard weight and heavy weight full mortise hinges when closed to the parallel position provides a 1/6" clearance between leaves, except on BB601-8" which has a clearance of 3/32"
- Triple weight hinges have a standard clearance of ½" when assembled for full mortise application

- Note "A" When both leaves not swaged, hinges are slightly less in width
- Note "B" When one leaf only is swaged, not swaged leaf is approximately \(\frac{\epsilon}{6} \)" shorter. EXCEPTION On template hinges for metal door and metal frame (furnished all machine screws) both leaves must be same width specify on order: "Leaves must be equal."
- Note "C" When one leaf only is swaged flat with 1/16" clearance between leaves when closed to the parallel position, not swaged leaf is approximately 3/2" shorter. EXCEPTION On template hinges for metal door and metal frame (furnished all machine screws) both leaves must be same width specify on order: "Leaves must be equal."

SCREWS AND BOLTS



- Various types of regular and special screws and bolts furnished only with Stanley products. (Orders for screws or bolts only are not solicited)
 - 1. Flat recessed head wood screw
 - 2. Oval recessed head wood screw
 - 3. Pan recessed head wood screw
 - 4. Lag screw
 - 5. Flat recessed head paint clearing machine screw (1/2x12-24 size only).
 - 6. Oval recessed head machine screw
 - 7. Oval recessed head machine screw with grommet nut
 - 8. Carriage bolt and nut
 - *9. Flat Spanner head machine screw. For application of Spanner head screws, driver handle and bits are available (state screw size)
- *10. Slotted twin head machine screw (slotted head is twisted off after installation)
- **11. Sleeve nut and machine screw
- *Not carried in stock and furnished only on special order
- **Not carried in stock and furnished only on special order (Standard pack on number 225 Shock Arrester)



U. S. GOVERNMENT TYPE NUMBERS LISTED IN FEDERAL SPECIFICATIONS FF-H-00116d WITH COMPARATIVE ANSI, B.H.M.A. AND STANLEY NUMBERS

U.S. Number FF-H-00116d	ANSI A156.1 (B.H.M.A.) Number*	Item	Stanley Number	U.S. Number FF-H-00116d	ANSI A156.1 (B.H.M.A.) Number*	Item	Stanley Number
2102	A2112	Hinge	FBB193	T2142	A2212	Hinge	FBB108
T2102	A2112	Hinge	FBB193	TH2142	A2212	Hinge	HTFBB108
TH2102	A2112	Hinge	HTFBB193	T2143	A8212	Hinge	FBB167
2105	A8112	Hinge	FBB179	TH2143	A8212	Hinge	HTFBB167
T2105	A8112	Hinge	FBB179	T2145	A8212	Hinge	FBB167
TH2105	A8112	Hinge	HTFBB179	TH2145	A8212	Hinge	HTFBB167
2106	A2112	Hinge	FBB191	T2146	A2211	Hinge	FBB98
T2106	A2112	Hinge	FBB191	TH2146	A2211	Hinge	HTFBB98
2107	A8112	Hinge	FBB179	T2147	A8211	Hinge	FBB138
T2107	A8112	Hinge	FBB179	TH2147	A8211	Hinge	HTFBB138
TH2107	A8112	Hinge	HTFBB179	T2149	A8211	Hinge	FBB138
2112	A2111	Hinge	FBB199	TH2149	A8211	Hinge	HTFBB138
T2112	A2111	Hinge	FBB199	T2152	A2312	Hinge	FBB110
TH2112	A2111	Hinge	HTFBB199	TH2152	A2312	Hinge	HTFBB110
2115	A8111	Hinge	FBB168	T2153	A8312	Hinge	FBB171
T2115	A8111	Hinge	FBB168	TH2153	A8312	Hinge	HTFBB171
TH2115	A8111	Hinge	HTFBB168	T2155	A8312	Hinge	FBB171
2117	A8111	Hinge	FBB168	TH2155	A8312	Hinge	HTFBB171
T2117	A8111	Hinge	FBB168	T2156	A2311	Hinge	FBB109
TH2117	A8111	Hinge	HTFBB168	TH2156	A2311	Hinge	HTFBB109
2122	A2133	Hinge	F191	T2157	A8311	Hinge	FBB169
T2122	A2133	Hinge	F191	TH2157	A8311	Hinge	HTFBB169
2125	A8133	Hinge	F179	T2159	A8311	Hinge	FBB169
T2125	A8133	Hinge	F179	TH2159	A8311	Hinge	HTFBB169
2126	A2133	Hinge	F191	T2160	A8221	Hinge	FBB264
2127	A8133	Hinge	F179AWS	T2161	A8221	Hinge	FBB264
T2127	A8133	Hinge	F179	T2163	A8321	Hinge	FBB266
2127H	A8133	Hinge	F179BP(US2H)AWS	T2164	A8321	Hinge	FBB266
2132	A2412	Hinge	FBB112AWS	2165	A8381	Hinge	**BB8551/4(USP)
T2132	A2412	Hinge	FBB112				w/Screw Holes
TH2132	A2412	Hinge	HTFBB112	2165A	A8381	Hinge	**BB8551/4(USP) w/o Screw Holes
2133	A8412	Hinge	FBB173AWS	2167	A8391	Hinge	**BB852(USP
T2133	A8412	Hinge	FBB173	2107	W0331	ninge	w/Screw Holes
TH2133	A8412	Hinge	HTFBB173	2167A	A8391	Hinge	**BB852(USP)
2135	A8412	Hinge	FBB173AWS			8-	w/o Screw Holes
T2135	A8412	Hinge	FBB173	2171H		Hinge	F179BP(US2H)FSP
TH2135	A8412	Hinge	HTFBB173				
T2136	A2411	Hinge	FBB113				
TH2136	A2411	Hinge	HTFBB113				
T2137	A8411						
		Hinge	FBB163				
TH2137	A8411	Hinge	HTFBB163				
T2139	A8411	Hinge	FBB163	1 2 2 1			
TH2139	A8411	Hinge	HTFBB163				

^{*}The design descriptions herein are for type descriptions only and do not limit design options available such as three knuckle hinges, concealed bearings and other modifications

ANSI AND B.H.M.A. NUMBERS WITH COMPARATIVE STANLEY NUMBERS, NOT LISTED ABOVE

ANSI 156.1 (B.H.M.A.) Number*	Item	Stanley Number	ANSI 156.1 (B.H.M.A.) Number*	Item	Stanley Number
A1612	Hinge	BB95	A8121	Hinge	FBB268
A1711	Hinge	BB93	A8142	Hinge	FBB179 Slip-in
A1882	Emergency	ES-1			Application B
	Door Stop		A8152	Hinge	FBB179 Slip-in
A2142	Hinge	FBB191 Slip-in			Application A
		Application B	A8361	Hinge	FBB169½
A2152	Hinge	FBB191 Slip-in	A8421	Hinge	FBB269
10001	III mana	Application A	A8433	Hinge	F173
A2361	Hinge	FBB1091/2	A8541	Hinge	FBB211
A2541	Hinge	FBB221	A8541	Hinge	FBB212
A2541	Hinge	FBB222	A8541	Hinge	FBB213
A2541	Hinge	FBB223			
A2742	Double Acting	DAP-3	A8711	Hinge	BB143
	Door Pivot		A8712	Hinge	BB140

^{*}The design descriptions herein are for type descriptions only and do not limit design options available such as three knuckle hinges, concealed hinges and other modifications

^{**}When ordering specify as listed




COMPARATIVE LIST OF FINISH SYMBOLS

The following list represents a fair comparison of the United States Standard and different manufacturers' finishes. When an exact match is desired submit sample

B.H.M.A. FINISH STANDARDS*** and STANLEY FINISH STANDARDS DACE MATERIAL

		ministres. When				a cabiii	т ошр				BASE N	MATERIA	L	
New Stanley Hardware	United States Standard	General Description	P. & F. Corbin Div. Emhart Corp.	Lockwood Hardware Mfg, Co.	Russwin Div. Emhart Corp.	Sargent & Company	Schlage Lock Co.	Faton Yale & Towne Inc.	Steel	Brass	Bronze	Stainless Steel	Alumi- num	Zinc
US1B	US1B	Bright japanned	J	J		BJ		US1B	601	_	-	_		_
*US1D	US1D	Dead black	. D	JF			622		100	150			-	180
US2C	US2C	Zinc plated (commercial)				ZD			602	_	_	_	_	_
US2G	US2G	Zinc plated (government	. US2G		US2G				603					
US2H	US2H	specifications)			0320				101				_	_
US3	US3	Bright brass		3	US3	3	605	US3	632	605		_		677
US3A	US3A	Bright brass, no lacquer, on												
		brass metal only		13½NL	US3A	NLB	499			151	_	-	_	
US4	US4	Satin brass		4	US4	4	606	US4	633	606	010	_	_	678
US10 **US10A	US10 US10A	Satin bronze	. US10	10	US10	10	612	US10	639	152	612	_	_	_
0310A	0310A	Satin bronze, oxidized, lacquered			13	10BL			641	_	614	_		
**US10B	US10B	Satin bronze, oxidized and oil			10	TODE			041		014			
		rubbed on solid bronze meta												
		only (for steel use 10B)		390R	US10B	10B		US10B	_	_	613	_	_	-
**10B		Satin bronze, oxidized, lacquered							C 41					
1101/	US14	on steel	US14	5	US14		618		641 645	618	618	_	_	_
US14 US15	US15	Nickel plated, bright Nickel plated, satin	HOLE	90	US15		619		646	619	619			_
US17A	US17A			• • •	0010		010		010	010	010			
		polished iron oxidized and							en.					
*****	116.5.5	relieved		92	US17A		621		648	621	621	-	_	_
**US20	US20	Statuary bronze				000			649	_	623	_	-	-
**US20A	US20A US26	Statuary bronze, dark		26	US26	20D	COF	ileae	650	COE	624	-		CO1
US26 US26D	US26D	Chromium plated, bright Chromium plated, satin		26D	US26D	26 26D	625 626	US26 US26D	651 652	625 626	625 626	_	-	681
US28	US28	Aluminum metal, satin, anodized		28	US28	28	628	US28	032	020	020	_	628	
US32	US32	Stainless steel metal		35	US32	32	629	US32			_	629		
US32D	US32D	Stainless steel metal, satin	US32D	36	US32D	32D	630	US32D	_	_	_	630	_	_
*USP	USP	Primed for painting or staining.	USP	Р	USP	PC			600	163	163	_	_	
**A2		Statuary bronze, dark (bronze									101			
A6		metal only)							102	_	161	_	_	_
AL		Aluminum clear coated							103	_	_	_	673	_
ALG		Satin aluminum gold anodized									_		688	
AL2		English walnut							_	_	_	_	170	_
AL3		French gold							_	_	_	_	171	_
AL4 AL5		Satin aluminum							_		_	-	172	
AL6		Ebony black	• • • •						_	_	_	_	173 174	_
**B2		Statuary bronze, dark (steel only							104		_	_	1/4	
B44		Statuary bronze							134		-	_		-
BC		Black chrome	56		56			DY80	686	684	684	_	_	_
BCD		Black chrome, satin			56D			DZ80	687	685	685	-		-
BG BL		Baked gray enamel							105	_	-	-	_	_
D3		Antique copper (on rough rolled							106		_	_	_	
A 22.5		surface)							107		_	_	-	187
D4		Satin or antique copper (on												107
		smooth surface)							108			-		186
D7		Bright copper finish							127			-	_	-
DD DL		"Dura-Lac", dark bronze "Dura-Lac", light bronze "Dura-Lac", medium bronze							145	155	155	-	_	_
DM		"Dura-Lac" medium bronze							146 147	156 157	156 157		_	_
DW		Desert white spray paint							109		137	_	_	
F3		Oxidized satin brass							110	_	_	_		_
F4		Satin brass, blackened, satin												
EC		relieved, clear coated							111	609	_		_	_
F6 F7		Dark statuary brass							111	_	-	_	_	_
		Statuary brass, dark, edges relieved, lacquered							140	-		100		
F8		Antique brass							112	_		_		_
F9		Statuary brass, dark,												
PT.		relieved, lacquered							141	_	_	-	_	_
FL J2		Goldtone lacquer							113	_		_		-
K4		Antique silver							115 117	_		_	_	
K8		Zinc, black dyed							119		-		_	_
KB		Burnished zinc							120		_	_	-	188
KD		Zinc plated, satin							121		_	-		_
KJ1		Dead black (over a bonderized							105					
KL		base)							125 122	_				_
LA		Aluminum lacquer							123	153	153			189
PS		Plain steel — unfinished							126	100	100			105
SG		Simulated gold		/					124	154	154		_	
		Plain brass — unfinished							_	162		_		_
		Plain aluminum								-		_	175	

^{***}Numbers 600 and higher are B.H.M.A. finish code





^{*}Over a bonderized base
**Our standard US10A, US10B, 10B, US20, US20A, A2 or B2 finish will
be furnished unless advised to match another manufacturer's finish.
Submit sample when exact match is desired.

METRICATION

Our country is committed to conversion to the metric system of measurements. In support of this policy, you will notice the inclusion of metric sizes on some new consumer items in this catalog. This phasing is also taking place on our consumer packaging, labels, and new product catalog pages. (To convert inches to millimeters simply multiply by 25.4 (ex. 2 inch = 50.8mm.)

PARTS OF AN INCH

Fraction	Decimal	Millimeters	Fraction	Decimal	Millimeters
1/64	.016	0.4	17/32	.531	13.5
1/32	.031	0.8	%6	.562	14.3
3/64	.047	1.2	19/32	.594	15.1
1/16	.062	1.6	5/8	.625	15.9
5/64	.078	2.0	21/32	.656	16.7
3/32	.094	2.4	11/16	.688	17.5
7/64	.109	2.8	23/32	.718	18.3
1/8	.125	3.2	3/4	.750	19.1
%4	.140	3.6	25/32	.781	19.8
5/32	.156	4.0	13/16	.812	20.6
11/64	.172	4.4	27/32	.844	21.4
3/16	.187	4.8	7/8	.875	22.2
13/64	.203	5.2	29/32	.906	23.0
7/32	.219	5.6	15/16	.937	23.8
15/64	.234	6.0	31/32	.969	24.6
1/4	.250	6.4	1	1.000	25.4
%32	.281	7.1	2	2.000	50.8
5/16	.312	7.9	3	3.000	76.2
11/32	.344	8.7	4	4.000	101.6
3/8	.375	9.5	5	5.000	127.0
13/32	.406	10.3	6	6.000	152.4
1/16	.437	11.1	7	7.000	177.8
15/32	.469	11.9	8	8.000	203.2
1/2	.500	12.7			

FULL MORTISE HINGES



STANDARD WEIGHT

3-KNUCKLE CONCEALED LAStan BEARING

Wrought steel - Polished and plated or bonderized and (template) prime coated for painting

Wrought brass or bronze — Highly polished and finely finished

(template)

Wrought stainless steel -Highly polished

(template) **CB1960**(US32)*

Wrought stainless steel -Satin finish

(template) CB1960(US32D)*

- For medium weight doors receiving average frequency service
- All hinges have template screw hole location for use on either wood or hollow metal doors and frames
- Concealed LifeStan bearing for trouble-free, long life no oil, no grease, no maintenance
- Stainless steel non-rising pin resists rust or corrosion
- Hole in bottom tip for easy pin removal
- Slim barrel with flush tips and pins
- Hinges can be furnished as follows: with raised barrel - see page 36 with electric wires and/or switches-see pages 28, 29, 30 with hospital tips - see page 31



HEAVY WEIGHT

3-KNUCKLE

CONCEALED LISTUM BEARING

Wrought steel - Highly polished and plated or bonderized (template) and prime coated for painting

Wrought brass or bronze -Highly polished and (template) finely finished

Wrought stainless steel -Highly polished

(template)

CB1961 (US32)*

Wrought stainless steel -Satin finish

(template) **CB1961**(US32D)*

- For heavy doors or doors where high frequency service is expected, such as entrance doors to office buildings, stores, public buildings and corridor entrance doors to offices
- All hinges have template screw hole location for use on either wood or hollow metal doors and frames
- Steel hinges are highly polished and buffed, then plated to insure a fine durable finish
- Concealed LifeStan bearing for trouble-free, long life no oil, no grease, no maintenance
- Stainless steel non-rising pin resists rust or corrosion
- Hole in bottom tip for easy pin removal
- Slim barrel with flush tips and pins
- Hinges can be furnished as follows: with raised barrel - see page 36 with electric wires and/or switches-see pages 28, 29, 30 with hospital tips - see page 31

CB1900 CB1960

Size Open	Cours	Quantity and Siz Flat Head Screws P	ze of Recessed acked per Pair***	Pair in Box	Pair	Case Weight Average (lbs.)		
(inches)	Gauge of Metal	Machine	Wood	With Screws	in Case	Bronze	Steel	
3½ x 3½	.123	12 - ½ x 10-24	6-1 x 10	11/2	45	61	59	
4 x 4	.130	$16 - \frac{1}{2} \times 12-24$	$8 - 1\frac{1}{4} \times 12$	11/2	24	45	43	
4½ x 4	.134	$16 - \frac{1}{2} \times 12-24$	$8 - 1\frac{1}{4} \times 12$	11/2	24	52	49	
$4\frac{1}{2} \times 4\frac{1}{2}$.134	$16 - \frac{1}{2} \times 12-24$	$8 - 1\frac{1}{4} \times 12$	11/2	24	56	52	
5 x 4	.146	$16 - \frac{1}{2} \times 12-24$	$8 - 1\frac{1}{4} \times 12$	11/2	15	39	37	
5 x 4½	.146	$16 - \frac{1}{2} \times 12-24$	$8 - 1\frac{1}{4} \times 12$	11/2	15	43	40	
5 x 5	.146	$16 - \frac{1}{2} \times 12-24$	$8 - 1\frac{1}{4} \times 12$	11/2	15	48	44	

CB1901 CB1961

4½ x 4½ 5 x 4½ 5 x 5 **6 x 4½ **6 x 5	.180 .190 .190 .203 .203	16 - ½ x 12-24 16 - ½ x 12-24 16 - ½ x 12-24 20 - ½ x 12-24 20 - ½ x ¼-20 20 - ½ x ¼-20	$\begin{array}{c} 8-1\frac{1}{4}\times12\\ 8-1\frac{1}{2}\times12\\ 8-1\frac{1}{2}\times12\\ 10-1\frac{1}{2}\times14\\ 10-1\frac{1}{2}\times14 \end{array}$	1½ 1½ 1½ 1½ 1½ 1½	15 12 12 12 12 12	49 46 49 60 62	44 42 46 53 55
**6 x 6	.203	$20 - \frac{1}{2} \times \frac{1}{4} - 20$	$10 - 1\frac{1}{2} \times 14$ $10 - 1\frac{1}{2} \times 14$	1½	12	72	61



***Screw quantities listed apply to non-ferrous hinges only Steel hinges are furnished with same quantity of wood screws as machine screws Finishes described on page 39

*Pat. number 3,499,183

STANLEY

HALF SURFACE HINGES

LifeSpan

STANDARD WEIGHT 3-KNUCKLE CONCEALED LifeStan BEARING REVERSIBLE PINS AND THREADED TIPS



Wrought steel - Polished and plated or bonderized and prime coated for painting

(template)

Wrought brass or bronze - Highly polished and finely finished

*CB1970(US32) (template)


Wrought stainless steel -Highly polished

*CB1970(US32D) (template)

Wrought stainless steel -

- For medium weight mineral core or wood doors with hollow metal frames receiving average frequency service
- Concealed LifeStan bearing for trouble-free, long life no oil, no grease, no maintenance
- Stainless steel pin resists rust or corrosion
- Slim barrel with flush tips and pins
- Can be furnished with hospital tips see page 31

HEAVY WEIGHT 3-KNUCKLE CONCEALED LifeStan BEARING REVERSIBLE PINS AND THREADED TIPS



(template)

Wrought steel - Highly polished and plated or bonderized and prime coated for painting

(template)

Wrought brass or bronze - Highly polished and finely finished

*CB1971(US32)

Wrought stainless steel -Highly polished

*CB1971(US32D) (template)

Wrought stainless steel -Satin finish

- For heavy or high frequency mineral core or wood doors with hollow metal frames
- Size 6" also recommended for lead lined doors not exceeding 250 pounds
- Concealed LifeStan bearing for trouble-free, long life no oil, no grease, no maintenance
- Stainless steel pin resists rust or corrosion
- Steel hinges are highly polished and buffed, then plated to insure a fine durable finish
- Slim barrel with flush tips and pins
- Can be furnished with hospital tips see page 31

CB1910 CB1970

Size,	Wi	dth			Quantity a Recessed Head S		Pair		Case V	/aiaht
Length of Joint	Jamb Leaf (inches)	Door Leaf (inches)	Offset (inches)	Gauge	F.H. Machine	Oval Head Machine	in Box with	Pair	Average	
(inches)	(A)	(B)	(C)	of Metal	Jamb Leaf	Door Leaf	Screws	in Case	Bronze	Steel
41/2	2	21/16	1/2	.134	8 – ½ x 12-24	6 - 2 x ½-20	11/2	15	42	38
5	21/32	21/8	17/32	.146	8 - ½ x 12-24	$8 - 2 \times \frac{1}{4} - 20$	1½	12	46	42

CB1911 CB1971

41/2	21/16	21/16	%16	.180	8 – ½ x 12-24	6 – 2 x ½-20	1½	15	56	52
5	23/32	27/8	19/32	.190	8 - ½ x 12-24	$8 - 2 \times \frac{1}{4} - 20$	11/2	12	55	51
**6	21/8	31/4	5/8	.203	10 − ½ x ¼-20	10 − 2 x ¼-20	1½	12	85	78

Packed with machine screws and grommet nuts for 134" doors, see page 32 When used on wood jambs specify wood screws for jamb leaf Finishes described on page 39 *Pat. number 3,499,183

HALF MORTISE HINGES



STANDARD WEIGHT 3-KNUCKLE CONCEALED LifeStan BEARING REVERSIBLE PINS AND THREADED TIPS

Wrought steel - Polished and plated or bonderized and prime (template) coated for painting

Wrought brass or bronze -Highly polished and (template) finely finished

Stainless steel -Highly polished

(template)

CB1980(US32)*

Stainless steel -Satin finish

(template) **CB1980**(US32D)*

- For medium weight hollow metal doors with channel iron jambs receiving average frequency service
- Concealed LifeStan bearing for trouble-free, long life no oil, no grease, no maintenance
- Stainless steel pin resists rust or corrosion
- Slim barrel with flush tips and pins
- Can be furnished with hospital tips see page 31



HEAVY WEIGHT 3-KNUCKLE CONCEALED LifeStan BEARING REVERSIBLE PINS AND THREADED TIPS

Wrought steel - Highly polished and plated or bonderized and (template) prime coated for painting

Wrought brass or bronze — Highly polished and finely finished

(template)

Wrought stainless steel -Highly polished (template)

CB1981(US32)*

Wrought stainless steel -Satin finish

(template) **CB1981**(US32D)*

- For heavy or high frequency hollow metal doors with channel iron jambs
- Concealed LifeStan bearing for trouble-free, long life no oil, no grease, no maintenance
- Stainless steel pin resists rust or corrosion
- Steel hinges are highly polished and buffed, then plated to insure a fine durable finish
- Slim barrel with flush tips and pins
- Can be furnished with hospital tips see page 31

CB1920 CB1980

Size,	Wie	dth			Quantity a Recessed Head	nd Size of Screws per Pair	Pair		Case W	Weight	
Length of Joint	Jamb Leaf	Door Leaf	Offset (inches)	Cours	Oval Head Machine F.H. Machine	in Box with	Pair	Average			
(inches)	(inches) (A)	(inches) (B)	(C)	Gauge of Metal	Jamb Leaf	Door Leaf	Screws	in Case	Bronze	Steel	
41/2	11/2	2	3/8	.134	6 - ½ x 12-24	8 - ½ x 12-24	11/2	15	34	30	
5	11/2	21/32	13/32	.146	8 - ½ x 12-24	8 – ½ x 12-24	1½	12	35	31	

CB1921 CB1981

41/2	11/2	21/16	7/16	.180	6 - ½ x 12-24	8 – ½ x 12-24	11/2	15	44	39
5	11/2	23/32	15/32	.190	8 - ½ x 12-24	8 - ½ x 12-24	11/2	12	45	40
**6	11/2	21/8	1/2	.203	8 - ½ x ¼-20	10 − ½ x ¼-20	11/2	12	61	56



FULL SURFACE HINGES

LifeSpan

STANDARD WEIGHT 3-KNUCKLE CONCEALED LifeStan BEARING REVERSIBLE PINS AND THREADED TIPS



(template)

Wrought steel - Polished and plated or bonderized and prime coated for painting

(template)

Wrought brass or bronze - Highly polished and finely finished

*CB1990(US32) (template)

Wrought stainless steel -Highly polished

*CB1990(US32D) (template)

Wrought stainless steel -Satin finish

- For medium weight mineral core or wood doors with channel iron jambs receiving average frequency service
- Concealed LifeStan bearing for trouble-free, long life no oil, no grease, no maintenance
- Stainless steel pin resists rust or corrosion
- Slim barrel with flush tips and pins
- Can be furnished with hospital tips see page 31

HEAVY WEIGHT 3-KNUCKLE CONCEALED LifeStan BEARING REVERSIBLE PINS AND THREADED TIPS



(template)

Wrought steel - Highly polished and plated or bonderized and prime coated for painting

(template)

Wrought brass or bronze - Highly polished and finely finished

*CB1991(US32) (template)

Wrought stainless steel -Highly polished

*CB1991 (US32D) (template)

Wrought stainless steel -Satin finish

- For heavy or high frequency mineral core or wood doors with channel iron jambs
- Size 6" also recommended for lead lined doors not exceeding 250 pounds
- Concealed LifeStan bearing for trouble-free, long life no oil, no grease, no maintenance
- Stainless steel pin resists rust or corrosion
- Steel hinges are highly polished and buffed, then plated to insure a fine durable finish
- Slim barrel with flush tips and pins
- Can be furnished with hospital tips see page 31

CB1930 CB1990

Size,	Wi	dth	Off	fset	Quantity and Size of Recessed Oval Pair		Case V	Valabt			
Length of Joint	Jamb Leaf (inches)	Door Leaf (inches)	Door Leaf	Jamb Leaf (inches)	Gauge	Head Machine S		Pair in Box With	Pair	Averag	
(inches)	(A)	(B)	(C)	(D)	of Metal	Jamb Leaf	Door Leaf	Screws	in Case	Bronze	Steel
41/2	11/2	21/16	1/2	3/8	.134	6 - ½ x 12-24	6 - 2 x ½-20	1½	15	40	38
5	11/2	27/8	17/32	13/32	.146	8 − ½ x 12-24	8 – 2 x ½-20	1½	12	43	39

CB1931 CB1991


1	41/2	11/2	21/16	%16	7/16	.180	6 - ½ x 12-24	6 - 2 x ½-20	11/2	15	53	48
	5	11/2	21/8	19/32	15/32	.190	8 – ½ x 12-24	8 - 2 x ½-20	1½	12	54	48
**	6	1½	31/4	5/8	1/2	.203	8 - ½ x ¼-20	10 − 2 x ½-20	11/2	12	76	70

Packed with machine screws and grommet nuts for 134" doors, see page 32 Finishes described on page 39



*Pat. number 3,499,183






CB1948

(For square edge doors)


CB1949†

(For doors beveled 1/8" in 2" on hinge side)

FULL MORTISE



CB1959 HALF SURFACE




CB1941 (For square edge doors)

CB1942†

(For doors beveled 1/8" in 2" on hinge side)

HALF MORTISE

For channel iron jambs



CB1951 FULL SURFACE

For channel iron jambs

3 Knuckle "Swing Clear" Concealed Lieston Bearing Reversible Pins and Threaded Tips

CB1948*

CB1959*

CB1941*

†CB1942*

CB1951*

†CB1949*

Wrought steel — Highly polished and plated or bonderized and prime coated for painting (template)

- For corridor doors to patients' rooms, operating rooms, emergency rooms, or wherever conditions require a completely clear opening in hospitals, institutions or public buildings
- Designed to swing doors completely clear of the opening when door is opened 95°
- Concealed LifeStan bearing for trouble-free, long life no oil, no grease, no maintenance
- Stainless steel pin resists rust or corrosion
- Steel hinges are highly polished and buffed, then plated to insure a fine durable finish
- Slim barrel with flush tips and pins
- Can be furnished with hospital tips see page 31
- CB1959 and CB1951 packed with oval head machine screws and grommet nuts for door leaf. Specify door thickness

	Size, Clearance Length Required of Joint Dimension ", (inches)		Gauge	Quantity Head	and Size of Recessed 1 Screws per Pair	Pair in Box With	Pair	Case Weight Average
Number	(inches)	(inches)	of Metal	Jamb Leaf — Machine	Door Leaf	Screws	in Case	(lbs.)
CB1948	5	21/8	.190	8-1/2x12-24 F.H.	8-1½x12 F.H. W.S.	11/2	12	45
CB1949†	5	21/8	.190	8-1/2x12-24 F.H.	8-1½x12 F.H. W.S.	11/2	12	45
CB1959	5	21/8	.190	8-1/2x12-24 F.H.	10-2x ¹ / ₄ -20 O.H. M.S.**	11/2	12	56
CB1941	5	21/8	.190	8-1/2x1/4-20 F.H.	10−1½x14 F.H. W.S.	11/2	12	45
CB1942†	5	21/8	.190	8-1/2x1/4-20 F.H.	10−1½x14 F.H. W.S.	11/2	12	45
CB1951	5	21/8	.190	8-1/2x1/4-20 F.H.	10-2x1 ¹ / ₄ -20 O.H. M.S.**	11/2	12	59

**Furnished with grommet nuts

†For doors beveled 1/8" in 2" on hinge side

For jamb and door leaf dimensions refer to template furnished on request

If door closers, friction or overhead door holders are to be used in conjunction with these

hinges, consult manufacturer of the device to be used for application details

Finishes described on page 39

*Pat. Number 3,499,183



PIVOT REINFORCED HINGES**

HEAVY WEIGHT

LifeSpan

SHOCKPROOF!

3-Knuckle

Concealed lifeStan Bearing

Wrought steel -Highly polished and plated or bonderized and prime coated for painting

CB1969

Wrought bronze -Highly polished and finely finished

CB1968 (US32D) † CB1969 (US32D) Satin finish


Wrought stainless steel -





SHOCKPROOF! BOYPROOF!

Ideal for any door that is subject to jarring or abusive handling



■ In such installations, stresses are transferred to the top hinge

■ A pivot and butt hinge are combined in one compact interlocked unit and share same pin to assure perfect alignment. Interlocked corners prevent sidewise motion of pivot or butt leaves

■ NRP pin in top hinge has head with threaded shank for easy removal

■ Short door plate (4" min.) available for use with most concealed holders and closers - specify on order

	and Indiana	Contents of Set		
Set		ae iso bas ecerso a "	Intermediate and Bottom Hinge*	
Number	Metal	Top Hinge*	Number	Size
CB1907	steel	1 - type of CB1901NRP x jamb plate only	2-CB1901NRP	5x4½
CB1908	steel	1 - type of CB1901NRP x jamb and door plate	2-CB1901NRP	5x4½
CB1909†	steel	1 - type of CB1901NRP x jamb and door plate	2-CB1901NRP	5x4½
CB1967	bronze	1 - type of CB1961NRP x jamb plate only	2-CB1961NRP	5x4½
CB1968	bronze	1 - type of CB1961NRP x jamb and door plate	2-CB1961NRP	5x4½
CB1968(US32D)	stainless steel	1 - type of CB1961(US32D)-NRP x jamb and door plate	2-CB1961(US32D)-NRP	5x4½
CB1969†	bronze	1 - type of CB1961NRP x jamb and door plate	2-CB1961NRP	5x4½
CB1969(US32D)†	stainless steel	1 - type of CB1961(US32D)-NRP x jamb and door plate	2-CB1961(US32D)-NRP	5x4½

		Jamb	Plate	Door	Plate	Quantity and S	ize of Recessed	Sets	Walaha
Set Number	Gauge of Metal	Length (inches)	Width (inches)	Length (inches)	Width (inches)	Wood	Machine	in Case With Screws	Weight Per Set (lbs.)
CB1907	.190	5.00	1.25			28 – 1½ x 12	28 - ½ x 12-24	1	6
CB1908	.190	5.00	1.25	7.78	1.25	$32 - 1\frac{1}{2} \times 12$	32 - ½ x 12-24	1	7
CB1909†	.190	5.00	1.25	7.64	1.25	32 – 1½ x 12	32 - ½ x 12-24	1	7
CB1967	.190	5.00	1.25			12 - 1½ x 12	28 - ½ x 12-24	1	6
CB1968	.190	5.00	1.25	7.78	1.25	16 – 1½ x 12	32 - ½ x 12-24	1	7
CB1968(US32D)	.190	5.00	1.25	7.78	1.25	16 – 1½ x 12	32 - ½ x 12-24	1	7
CB1969†	.190	5.00	1.25	7.64	1.25	16 − 1½ x 12	32 - ½ x 12-24	1	7
CB1969(US32D)†	.190	5.00	1.25	7.64	1.25	16 − 1½ x 12	32 - ½ x 12-24	1	7

To order: specify set number, finish and hand

*Hinges supplied with set screw in barrel, non-removable pin

†For doors beveled 1/8" in 2"

Finishes described on page 39

FULL MORTISE HINGES

3-Knuckle Plain Bearing Standard Weight

Wrought steel — Polished and plated or bonderized and prime coated for painting

(template)

1900

Wrought brass or bronze — Polished and plated

(template)

1960

- For doors of residences, apartment houses and other medium weight doors receiving low frequency service
- All hinges have template screw hole location for use on either wood or hollow metal doors and frames
- Equipped with easily seated, non-rising pins
- With Stanlube bushings
- Hole in bottom tip for easy pin removal
- Slim barrel with flush tips and pins
- Use antifriction bearing hinges on high and average frequency doors and all doors equipped with door closers
- Hinges can be furnished with hospital tips see page 31



		Quantity and Size Flat Head Screws P	e of Recessed acked per Pair*	Pair	Pala	Ones Weight
Size Open (inches)	Gauge of Metal	Machine	Wood	in Box With Screws	Pair in Case	Case Weight Average (lbs.)
3½ x 3	.123	12 – ½ x 10-24	6-1 x 10	1	20	24
3½ x 3½	.123	12 - ½ x 10-24	6-1 x 10	1	20	27
4 x 3½	.130	16 − ½ x 12-24	8 – 1¼ x 12	11/2	24	41
4 x 4	.130	16 − ½ x 12-24	8 – 1¼ x 12	11/2	24	43
4½ x 4	.134	16 - ½ x 12-24	8 – 1½ x 12	11/2	24	49
4½ x 4½	.134	16 − ½ x 12-24	8 – 1½ x 12	11/2	24	52
5 x 4	.146	16 − ½ x 12-24	8 – 1½ x 12	11/2	15	37
5 x 4½	.146	16 − ½ x 12-24	8 – 1½ x 12	11/2	15	40
5 x 5	.146	16 − ½ x 12-24	8 – 1½ x 12	11/2	15	44

*Screw quantities listed apply to non-ferrous hinges only Steel hinges are furnished with same quantity of wood screws as machine screws Finishes described on page 39

FULL MORTISE HINGES

Slimline Design

STANDARD WEIGHT

3-KNUCKLE

FULL JEWELED BALL BEARING



BRAND

(template)

Wrought steel - Polished and plated or bonderized and prime coated for painting

BB660

(template)

Wrought brass or bronze - Highly polished and finely finished

BB660(US32)

(template)

Wrought stainless steel -Highly polished

BB660(US32D) (template)

Wrought stainless steel -Satin finish

- For medium weight doors receiving average frequency service
- All hinges have template screw hole location for use on either wood or hollow metal doors and frames
- Equipped with two Stanley permanently lubricated nondetachable full jeweled radial/thrust steel ball bearings
- Easily seated, non-rising pins
- Pins in nonferrous butt hinges are stainless steel
- Hinges can be furnished as follows: with raised barrel — see page 36 with hospital tips — see page 31

HEAVY WEIGHT

3-KNUCKLE

FULL JEWELED BALL BEARINGS



BB601

(template)

Wrought steel - Highly polished and plated or bonderized and prime coated for painting

8866

(template)

Wrought brass or bronze - Highly polished and finely finished

*BB661(US32)

(template)

Wrought stainless steel -Highly polished

*BB661(US32D)

(template)

Wrought stainless steel -Satin finish

- For heavy doors or doors where high frequency service is expected, such as entrance doors to office buildings, stores, public buildings and corridor entrance doors to
- All hinges have template screw hole location for use on either wood or hollow metal doors and frames
- Steel hinges are highly polished and buffed, then plated to insure a fine durable finish
- With two Stanley permanently lubricated non-detachable full jeweled radial/thrust ball bearings
- Furnished with NRP feature
- Hole in bottom tip for easy pin removal
- Pins in nonferrous butt hinges are stainless steel
- Hinges can be furnished as follows: with raised barrel - see page 36 with hospital tips - see page 31

BB600 **BB660**

Cina Onen	Cours	Quantity and Si Flat Head Screws P	ze of Recessed acked per Pair***	Pair in Box	Pair	Case Weight Average (lbs.)		
Size Open (inches)	Gauge of Metal	Machine	Wood	With Screws	in Case	Bronze	Steel	
3½ x 3½ 4 x 4 4½ x 4 4½ x 4½ 5 x 4 5 x 4½	.123 .130 .134 .134 .146	12 - ½ x 10-24 16 - ½ x 12-24 16 - ½ x 12-24 16 - ½ x 12-24 16 - ½ x 12-24 16 - ½ x 12-24	$6-1 \times 10$ $8-1\frac{1}{4} \times 12$	1½ 1½ 1½ 1½ 1½ 1½	45 24 24 24 15	64 47 55 59 41 45	62 45 51 55 39 42	

BB601 BB661

4½ x 4½ 5 x 4½ 5 x 5 **6 x 4½ **6 x 5 **6 x 6	.180 .190 .190 .203 .203 .203	16 - ½ x 12-24 16 - ½ x 12-24 16 - ½ x 12-24 20 - ½ x 14-20 20 - ½ x ¼-20 20 - ½ x ¼-20 20 - ½ x ¼-20	$\begin{array}{c} 8 - 1\frac{1}{4} \times 12 \\ 8 - 1\frac{1}{2} \times 12 \\ 8 - 1\frac{1}{2} \times 12 \\ 10 - 1\frac{1}{2} \times 14 \\ 10 - 1\frac{1}{2} \times 14 \\ 10 - 1\frac{1}{2} \times 14 \end{array}$	1½ 1½ 1½ 1½ 1½ 1½ 1½	15 12 12 12 12 12	51 48 51 63 65 76	47 44 48 56 58 64
8 x 6 8 x 8	.225 .225		steel only. For full desteel only. For full desteel only.				

**Not available in stainless steel



^{***}Screw quantities listed apply to non-ferrous hinges only Steel hinges are furnished with same quantity of wood screws as machine screws Finishes described on page 39 *Pat. Numbers 3,152,356 and 3,118,171

HALF SURFACE HINGES





STANDARD WEIGHT 3-KNUCKLE

> **FULL JEWELED** BALL BEARING

REVERSIBLE PINS AND THREADED TIPS

Wrought steel - Polished and plated or bonderized and prime coated for painting

(template)

BB610

Wrought brass or bronze -Highly polished and finely finished

(template)

BB670

Wrought stainless steel -Highly polished

(template)

BB670(US32)

Wrought stainless steel -Satin finish

(template)

BB670(US32D)

- For medium weight mineral core or wood doors with hollow metal frames receiving average frequency service
- With two Stanley permanently lubricated non-detachable full jeweled radial/thrust ball bearings
- Pins in nonferrous and stainless steel butt hinges are stainless steel
- Can be furnished with hospital tips see page 31



HEAVY WEIGHT 3-KNUCKLE **FULL JEWELED** BALL BEARING

Wrought steel - Highly polished and plated or bonderized and prime coated for painting

(template)

Wrought brass or bronze — Highly polished and finely finished

(template)

Stainless steel — Highly polished (template) BB671 (US32)*

Stainless steel - Satin finish (template) BB671 (US32D)*

- For heavy or high frequency mineral core or wood doors with hollow metal frames
- Size 6" also recommended for lead lined doors not exceeding 250 pounds
- With two Stanley permanently lubricated non-detachable full jeweled radial/thrust ball bearings
- Specify hand when ordering
- Furnished with NRP feature
- Pins in nonferrous and stainless steel butt hinges are made of stainless steel
- Steel hinges are highly polished and buffed, then plated to insure a fine durable finish
- Can be furnished with hospital tips see page 31

BB670 BB610

Size,	Wi	Width		Quantity and Size of Recessed Head Screws per Pair		Pair		Case Weight		
Length of Joint	Jamb Leaf (inches)	Door Leaf (inches)	Offset (inches)	Gauge	Flat Head Machine	Oval Head Machine	in Box With	Pair	Average (lbs.)	
(inches)	(A)	(B)	(C)	of Metal	Jamb Leaf	Door Leaf	Screws	in Case	Bronze	Steel
4½ 5	2 2½2	21/16 27/8	1/2 17/ ₃₂	.134	$8 - \frac{1}{2} \times 12-24$ $8 - \frac{1}{2} \times 12-24$	6 - 2 x ½-20 8 - 2 x ½-20	$1\frac{1}{2}$ $1\frac{1}{2}$	15 12	44 48	40 44

BB611 BB671

4½	21/16	2%	%16	.180	8 – ½ x 12-24	6 – 2 x ½-20	1½	15	59	55
5 **6	2 ³ / ₃₂ 2 ¹ / ₈	27/8 31/4	19 ₃₂ 5/8	.190 .203	8 - ½ x 12-24 10 - ½ x ¼-20	$ 8 - 2 \times \frac{1}{4} - 20 \\ 10 - 2 \times \frac{1}{4} - 20 $	$1\frac{1}{2}$ $1\frac{1}{2}$	12 12	58 90	54 82

Packed with machine screws and grommet nuts for 134" doors, see page 32 When used on wood jambs specify wood screws for jamb leaf Finishes described on page 39

**Not available in stainless steel

*Pat. Number 3,118,171

HALF MORTISE HINGES

Pimline Design

STANDARD WEIGHT 3-KNUCKLE **FULL JEWELED** BALL BEARING REVERSIBLE PINS AND THREADED TIPS



Measurements below For application



HEAVY WEIGHT 3-KNUCKLE **FULL JEWELED** BALL BEARING



Measurements below For application see index



BB620

(template)

Wrought steel - Polished and plated or bonderized and prime coated for painting

BB680

(template)

Wrought brass or bronze - Highly polished and finely finished

BB680(US32) (template)

Stainless steel -Highly polished

BB680(US32D) (template)

Stainless steel -Satin finish

- For medium weight hollow metal doors with channel iron jambs receiving average frequency service
- With two Stanley permanently lubricated non-detachable full jeweled radial/thrust ball bearings
- Pins in stainless steel and nonferrous butt hinges are
- Can be furnished with hospital tips see page 31

(template)

Wrought steel - Highly polished and plated or bonderized and prime coated for painting

(template)

Wrought brass or bronze - Highly polished and finely finished

*BB681(US32) (template)

Wrought stainless steel -Highly polished

*BB681(US32D)

(template)

Wrought stainless steel -Satin finish

- For heavy or high frequency hollow metal doors with channel iron jambs
- With two Stanley permanently lubricated non-detachable full jeweled radial/thrust ball bearings
- Specify hand when ordering
- Furnished with NRP feature
- Pins in stainless steel and nonferrous butt hinges are stainless steel
- Steel hinges are highly polished and buffed, then plated to insure a fine durable finish
- Can be furnished with hospital tips see page 31

BB620 BB680

Size,	Width				Quantity a Recessed Head		Pair	600	Case Weight	
Length of Joint	Jamb Leaf (inches)	Door Leaf (inches)	Offset (inches)	Gauge	Oval Head Machine	F.H. Machine	in Box with	Pair	Average	
(inches)	(A)	(B)	(C)	of Metal	Jamb Leaf	Door Leaf	Screws	in Case	Bronze	Steel
4½ 5	1½ 1½	2 2½2	3/8 13/ ₃₂	.134	6 - ½ x 12-24 8 - ½ x 12-24	$8 - \frac{1}{2} \times 12-24$ $8 - \frac{1}{2} \times 12-24$	1½ 1½	15 12	36 37	32 33

BB621 **BB681**

	41/2	11/2	21/16	7/16	.180	6 – ½ x 12-24	8 – ½ x 12-24	11/2	15	46	41
d	5	1½	23/32	15/32	.190	8 – ½ x 12-24	8 - ½ x 12-24	11/2	12	47	42
	**6	11/2	21/8	1/2	.203	8 - ½ x ¼-20	10 − ½ x ¼-20	11/2	12	64	59

Finishes described on page 39 **Not available in stainless steel *Pat. Number 3,118,171



FULL SURFACE HINGES

Slimline Design



STANDARD WEIGHT
3-KNUCKLE

FULL JEWELED BALL BEARING

REVERSIBLE PINS AND THREADED TIPS

Wrought steel — Polished and plated or bonderized and prime coated for painting

(template)

BB630

Wrought brass or bronze — Highly polished and finely finished

(template)

BB690

Wrought stainless steel — Highly polished

(template)

BB690(US32)

Wrought stainless steel — Satin finish

nish (template)

BB690(US32D)

- For medium weight mineral core or wood doors with channel iron jambs receiving average frequency service
- With two Stanley permanently lubricated non-detachable full jeweled radial/thrust ball bearings
- Pins in stainless steel and nonferrous butt hinges are stainless steel
- Can be furnished with hospital tips see page 31



HEAVY WEIGHT 3-KNUCKLE FULL JEWELED BALL BEARING

Wrought steel — Highly polished and plated or bonderized and prime coated for painting

(template)

BB631*

Wrought brass or bronze — Highly polished and finely finished

(template)

BB691*

Wrought stainless steel — Highly polished

(template)

BB691(US32)*

Wrought stainless steel — Satin finish

(template)

BB691(US32D)*

- For heavy or high frequency mineral core or wood doors with channel iron jambs
- Size 6" also recommended for lead lined doors not exceeding 250 pounds
- With two Stanley permanently lubricated non-detachable full jeweled radial/thrust ball bearings
- Specify hand when ordering
- Furnished with NRP feature
- Pins in stainless steel and nonferrous butt hinges are stainless steel
- Steel hinges are highly polished and buffed, then plated to insure a fine durable finish
- Can be furnished with hospital tips see page 31

BB630 BB690

Size,	Wi	dth	Off	set		Quantity and Size	of Recessed Oval	Pair		Case V	/eight
Length Ja of Joint (Jamb Leaf (inches)	Door Leaf (inches)	Door Leaf (inches)	Jamb Leaf (inches)	Gauge	Head Machine S	in Box with	Pair	Average (lbs.)		
(inches)	(A)	(B)	(C)	(D)	of Metal	Jamb Leaf	Door Leaf	Screws	in Case	Bronze	Steel
41/2	11/2	21/16	1/2	3/8	.134	6 – ½ x 12-24	6 - 2 x ½-20	11/2	15	42	40
5	11/2	27/8	17/32	13/32	.146	8 − ½ x 12-24	$8 - 2 \times \frac{1}{4} - 20$	11/2	12	45	41

BB631 BB691

41/2	11/2	2%	9/16	7/16	.180	6 - ½ x 12-24	6 - 2 x ½-20	11/2	15	56	51
5	11/2	27/8	19/32	15/32	.190	8 - ½ x 12-24	8 – 2 x ½-20	1½	12	57	51
**6	11/2	31/4	5/8	1/2	.203	8 - ½ x ¼-20	10 − 2 x ½-20	1½	12	80	74



"SWING CLEAR" HINGES

HEAVY WEIGHT

3-Knuckle "Swing Clear" **Full Jeweled Ball Bearing**

*BB648

*BB649+

*BB659

*BB641

(template)

Wrought steel - Highly polished and plated or bonderized and prime coated for painting

*BB642†

*BB651

- Designed to swing doors completely clear of the opening when door is opened 95°
- For corridor doors to patients' rooms, operating rooms, emergency rooms, or wherever conditions require a completely clear opening in hospitals, institutions or public buildings
- With two Stanley permanently lubricated nondetachable full jeweled radial/thrust ball bearings. Bearing assemblies contain 3/2" chrome alloy balls
- Steel hinges are highly polished and buffed, then plated to insure a fine durable finish
- Specify hand when ordering
- Furnished with NRP feature
- Can be furnished with hospital tips see page 31
- BB659 and BB651 packed with oval head machine screws and grommet nuts for door leaf. Specify door thickness



BB648


(For square edge doors)

BB649†

(For doors beveled 1/8" in 2" on hinge side)

FULL MORTISE






BB659

HALF

SURFACE



BB641

(For square edge doors)


BB642†

(For doors beveled 1/8" in 2" on hinge side)

HALF MORTISE

For Channel Iron Jambs






BB651 FULL

SURFACE





For Channel Iron Jambs

Per E	Size, Length	Length Required of Joint Dimension "A"		Quantity a Head	and Size of Recessed Screws per Pair	Pair in Box With	Pair	Case Weight Average
Number	(inches)	(inches)	Gauge of Metal	Jamb Leaf — Machine	Door Leaf	Screws	in Case	(lbs.)
BB648	5	21/8	.190	8-1/2×12-24 F.H.	8-1½x12 F.H. W.S.	1½	12	47
BB649†	5	21/8	.190	8-1/2x12-24 F.H.	8-1½x12 F.H. W.S.	11/2	12	47
BB659	5	21/8	.190	8-1/2×12-24 F.H.	10-2x ¹ / ₄ 20 O.H. M.S.**	11/2	12	59
BB641	5	21/8	.190	8-1/2x1/4-20 F.H.	10−1½x14 F.H. W.S.	11/2	12	47
BB642†	5	21/8	.190	8-\frac{1}{2}x\frac{1}{4}-20 F.H.	10−1½x14 F.H. W.S.	11/2	12	47
BB651	5	21/8	.190	8-1/2x1/4-20 F.H.	10-2x ¹ / ₄ -20 O.H. M.S.**	11/2	12	59

**Furnished with grommet nuts

Finishes described on page 39

†For doors beveled 1/8" in 2" on hinge side

For jamb and door leaf dimensions refer to template furnished on request If door closers, friction or overhead door holders, are to be used in conjunction with this hinge, consult manufacturer of the device to be used for application details



*Pat. Number 3,118,171

+

Slimline Design

FULL MORTISE HINGES

3-Knuckle Plain Bearing Standard Weight

Wrought steel — Polished and plated or bonderized and prime coated for painting

(template)

600



(template)

660

- For doors of residences, apartment houses and other medium weight doors receiving low frequency service
- All hinges have template screw hole location for use on either wood or hollow metal doors and frames
- With Stanlube bushings
- Equipped with easily seated, non-rising pins
- Hole in bottom tip for easy pin removal
- Use ball bearing hinges on high and average frequency doors and all doors equipped with door closers
- Hinges can be furnished with hospital tips see page 31



0: 0		Quantity and Size Flat Head Screws P		Pair		
Size Open (inches)	Gauge of Metal	Machine	Wood	in Box With Screws	Pair in Case	Case Weight Average (lbs.)
3½ x 3	.123	12 - ½ x 10-24	6-1 x 10	1	20	24
3½ x 3½	.123	12 - ½ x 10-24	6-1 x 10	1	20	27
4 x 3½	.130	16 − ½ x 12-24	8 – 1½ x 12	1½	24	41
4 x 4	.130	16 – ½ x 12-24	8 – 1½ x 12	11/2	24	43
4½ x 4	.134	16 – ½ x 12-24	8 – 1½ x 12	1½	24	49
4½ x 4½	.134	16 − ½ x 12-24	8 - 11/4 x 12	11/2	24	52
5 x 4	.146	16 – ½ x 12-24	8 - 1½ x 12	1½	15	37
5 x 4½	.146	16 − ½ x 12-24	8 – 1½ x 12	11/2	15	40
5 x 5	.146	16 − ½ x 12-24	8 – 1½ x 12	11/2	15	44

^{*}Screw quantities listed apply to non-ferrous hinges only Steel hinges are furnished with same quantity of wood screws as machine screws Finishes described on page 39

FULL MORTISE HINGES

Ball Bearing Standard Weight

FBB179

(template)

Wrought steel - Polished and plated or bonderized and prime coated for painting

FBB191

(template)

Wrought brass or bronze -Polished and plated

FBB191(US32)

(template)

Wrought stainless steel -Polished

FBB191 (US32D) (template) Wrought stainless steel - Satin finish

FBB193

(template)

Wrought brass or bronze -Highly polished and finely finished


FBB193(US32) (template)

Wrought stainless steel -Highly polished

FBB193 (US32D) (template) Highly polished and satin finish

Wrought stainless steel -

- For medium weight doors receiving average frequency service
- All hinges have template screw hole location for use on either wood or hollow metal doors and frames
- Equipped with two Stanley permanently lubricated non-detachable ball bearings
- Steel hinges are polished and plated to insure a fine durable finish



- Equipped with easily seated, non-rising pins
- Pins in nonferrous butt hinges are stainless steel
- Available with brass steeple tips or brass ball tips in $3\frac{1}{2}$ ", 4" and $4\frac{1}{2}$ " sizes — see page 31
- Available with hospital tips see page 31
- FBB179 and FBB191 can be furnished as follows: with raised barrel - see page 36 with electric wires and/or switches - see pages 28, 29, 30

STAINLESS STEEL BUTT HINGES

- For doors receiving average frequency service where corrosion resistant butt hinges are advisable
- Stainless steel butt hinges have stainless steel tips pins and bearings
- Ball bearing hinges of all types available in wrought stainless steel

Siza Onon	Oower	Quantity and Si Flat Head Screws	ze of Recessed Packed per Pair**	Pair	Daire		Weight ge (l b s.)
Size Open (inches)	Gauge of Metal	Machine	Wood	in Box with Screws	Pair in Case	Steel	Bronze
3½ x 3	.123	12 − ½ x 10-24	6-1 x 10	11/2	45	54	58
3½ x 3½	.123	12 − ½ x 10-24	6-1 x 10	1½	45	61	65
4 x 3½	.130	16 - ½ x 12-24	8 – 1¼ x 12	11/2	24	39	43
4 x 4	.130	16 – ½ x 12-24	8 – 1¼ x 12	11/2	24	44	45
4½ x 4	.134	16 − ½ x 12-24	8 – 1½ x 12	1½	24	52	55
4½ x 4½	.134	16 − ½ x 12-24	8 – 1¼ x 12	11/2	24	55	59
5 x 4	.146	16 − ½ x 12-24	8 – 1½ x 12	11/2	15	39	41
5 x 4½	.146	16 − ½ x 12-24	8 – 1½ x 12	11/2	15	43	45
5 x 5	.146	16 − ½ x 12-24	8 – 1½ x 12	1½	15	46	48
*6 x 4½	.160	20 - ½ x ¼-20	10 − 1½ x 14	11/2	12	36	43
*6 x 5	.160	20 - ½ x ¼-20	10 − 1½ x 14	11/2	12	40	47
*6 x 6	.160	20 - ½ x ¼-20	10 − 1½ x 14	11/2	12	61	67

^{*}These sizes not available in stainless steel

 $4\frac{1}{2} \times 5 - 4\frac{1}{2} \times 6 - 4\frac{1}{2} \times 7 - 4\frac{1}{2} \times 8 - 5 \times 7$ and 5×8 , specifications on request Finishes described on page 39



^{**}Screw quantities listed apply to non-ferrous hinges only Steel hinges are furnished with same quantity of wood screws as machine screws Note: FBB179 is available in "wide throw hinges" in sizes: $3\frac{1}{2} \times 5 - 3\frac{1}{2} \times 6 - 4 \times 5 - 4 \times 6 - 4 \times 7 - 3 \times 6 = 3\frac{1}{2} \times 6 = 3\frac{$

FULL MORTISE HINGES

Ball Bearing Heavy Weight

Wrought steel - Highly polished and plated or bonderized and prime coated for painting

(template)

FBB168

Wrought brass or bronze -Highly polished and finely finished

(template)

Wrought stainless steel -Highly polished

(template)

FBB199(US32)

Wrought stainless steel satin finish

(template) FBB199(US32D)

- For heavy doors or doors where high frequency service is expected, such as entrance doors to office buildings, stores, public buildings and corridor entrance doors to offices
- All hinges have template screw hole location for use on either wood or hollow metal doors and frames
- Equipped with four Stanley permanently lubricated non-detachable ball bearings
- Equipped with easily seated, non-rising pins
- Pins in nonferrous butt hinges are stainless steel
- Steel hinges are highly polished and buffed, then plated to insure a fine durable finish
- Brass steeple tips available in 4½" and 5" sizes only - see page 31
- Brass ball tips available in 4½" and 5" sizes only see page 31

Hinges can be furnished as follows: with raised barrel - see page 36 with electric wires and/or switches - see pages 28, 29, 30 with hospital tips - see page 31

STAINLESS STEEL BUTT HINGES

- For doors receiving high frequency service where corrosion resistant butt hinges are advisable
- Stainless steel butt hinges have stainless steel tips, pins and bearings
- Ball bearing hinges of all types available in wrought stainless steel

Size Open	Gauge	Quantity and S Flat Head Screws	ize of Recessed Packed per Pair**	Pair in Box	Pair		Weight e (lbs.)
(inches)	of Metal	Machine	Wood	With Screws	in Case	Bronze	Steel
4½ x 4½	.180	16 − ½ x 12-24	8 – 1¼ x 12	1½	15	47	43
5 x 4½	.190	16 − ½ x 12-24	8 − 1½ x 12	1½	12	46	42
5 x 5	.190	16 - ½ x 12-24	8 – 1½ x 12	1½	12	50	44
*6 x 4½	.203	20 - ½ x ¼-20	10 − 1½ x 14	1½	12	63	56
*6 x 5	.203	20 - ½ x ¼-20	10 − 1½ x 14	1½	12	65	58
*6 x 6	.203	20 - ½ x ¼-20	10 − 1½ x 14	1½	12	76	64
*8 x 6	.203	32 - ½ x ¼-20	16 - 1½ x 14	1½	6	57	51
*8 x 8	.203	32 - ½ x ¼-20	16 − 1½ x 14	11/2	6	68	61

FBB168 is available in "wide throw hinges" in sizes $4\frac{1}{2} \times 5 - 4\frac{1}{2} \times 6 - 4\frac{1}{2} \times 7 4\frac{1}{2} \times 8 - 5 \times 7$ and 5×8 . Specifications on request

*These sizes not available in stainless steel


**Screw quantities listed apply to non-ferrous hinges only Steel hinges are furnished with same quantity of wood screws as machine screws Finishes described on page 39

HALF SURFACE HINGES

BALL BEARING

STANDARD WEIGHT

REVERSIBLE PINS AND THREADED TIPS



FBB173

(template)

Wrought steel - Polished and plated or bonderized and prime coated for painting

FBB112

(template)

Wrought brass or bronze -Polished and finely finished

FBB112(US32) (template)

Wrought stainless steel -Highly polished

FBB112(US32D) (template)

Wrought stainless steel -Satin finish

- For medium weight mineral core or wood doors with hollow metal frames receiving average frequency service
- Equipped with two Stanley permanently lubricated nondetachable bearings
- Pins in nonferrous and stainless steel butt hinges are stainless steel
- Can be furnished with hospital tips see page 31
- Steel hinges are polished and plated to insure a fine durable finish

BALL BEARING

HEAVY WEIGHT

REVERSIBLE PINS AND THREADED TIPS



Measurements below For application



(template)

(template)

Wrought steel - Highly polished and plated or bonderized and prime coated for painting

Wrought brass or bronze - Highly polished and finely finished

FBB113(US32)

(template)

Stainless steel -Highly polished

FBB113(US32D)

(template)

Stainless steel -Satin finish

- For heavy or high frequency mineral core or wood doors with hollow metal frames
- Equipped with four Stanley permanently lubricated nondetachable ball bearings
- Pins in nonferrous and stainless steel butt hinges are made of stainless steel
- Steel hinges are highly polished and buffed, then plated to insure a fine durable finish
- Can be furnished with hospital tips see page 31

FBB173 FBB112

Size,	Width				Quantity a Recessed Head	Pair		Case Weight		
Length of Joint	Jamb Leaf (inches)	Door Leaf (inches)	Offset (inches)	Gauge	F.H. Machine	Oval Head Machine	in Box with	Pair	Averag	
(inches)	(A)	(B)	(C)	of Metal	Jamb Leaf	Door Leaf	Screws	in Case	Bronze	Steel
4	113/16	21/4	1/2	.130	8 − ½ x 12-24	6 - 2 x ½-20	11/2	24	56	47
41/2	21/16	21/16	%16	.134	8 − ½ x 12-24	6 - 2 x ½-20	1½	15	44	37
5	21/16	27/8	%16	.146	8 − ½ x 12-24	8 – 2 x ½-20	1½	12	48	39

FBB163 **FBB113**


41/2	21/8	2%	5/8	.180	8 – ½ x 12-24	6 – 2 x ½-20	1½	15	59	47
5	21/8	21/8	5/8	.190	8 − ½ x 12-24	8 – 2 x ½-20	1½	12	58	48
*6	21/8	31/4	5/8	.203	10 − ½ x ¼-20	10 − 2 x ½-20	1½	12	90 -	82

Packed with machine screws and grommet nuts for 134" doors, see page 32 When used with wood jambs - specify wood screws for jamb leaf Finishes described on page 39

^{*}Not available in stainless steel

HALF MORTISE HINGES





BALL BEARING STANDARD WEIGHT REVERSIBLE PINS AND

Wrought steel - Polished and plated or bonderized and prime (template) coated for painting

THREADED TIPS

Wrought brass or bronze — (template) Polished and finely finished

Stainless steel -Highly polished

(template)

(US32)FBB108

Stainless steel -Satin finish

(template)

(US32D) FBB108

- For medium weight hollow metal doors with channel iron jambs receiving average frequency service
- Equipped with two Stanley permanently lubricated nondetachable ball bearings
- Pins in stainless steel and nonferrous butt hinges are stainless steel
- Can be furnished with hospital tips see page 31
- Steel hinges are polished and plated to insure a fine durable finish



BALL BEARING **HEAVY WEIGHT**

REVERSIBLE PINS AND THREADED TIPS

Wrought steel - Highly polished and plated or bonderized and (template) prime coated for painting

Wrought brass or bronze - Highly polished and finely finished

(template)

Wrought stainless steel Highly polished

(template)

(US32)FBB98

Wrought stainless steel Satin finish

(template)

(US32D)FBB98

- For heavy or high frequency hollow metal doors with channel iron jambs
- Equipped with four Stanley permanently lubricated nondetachable ball bearings
- Pins in stainless steel and nonferrous butt hinges are stainless steel
- Steel hinges are highly polished and buffed, then plated to insure a fine durable finish
- Can be furnished with hospital tips see page 31

FBB167 FBB108

Cino	Wie	dth		6.00	Quantity a Recessed Head	nd Size of Screws per Pair	Pair		Cacal	Weight
Length	Size, Length of Joint (inches) (inches) (inches) (A) (B)	Door Leaf	Offset	Gauge	Oval Head Machine	F.H. Machine	in Box with	Pair		e (lbs.)
			(inches) (C)	of Metal	Jamb Leaf	Door Leaf	Screws	in Case	Bronze	Steel
*41/2	1½	21/16	7/16	.134	6 - ½ x 12-24	8 - ½ x 12-24	11/2	15	36	29
5	11/2	21/16	7/16	.146	8 - ½ x 12-24	8 – ½ x 12-24	1½	12	37	33

FBB138 FBB98

41/2	11/2	21/8	1/2	.180	6 - ½ x 12-24	8 - ½ x 12-24	11/2	15	36	36
5	11/2	21/8	1/2	.190	8 – ½ x 12-24	8 - ½ x 12-24	11/2	12	36	36
**6	11/2	21/8	1/2	.203	8 - ½ x ¼-20	10 - ½ x ¼-20	11/2	12	48	48



^{*}FBB167 is furnished in $4\frac{1}{2}$ " size with door leaf $2\frac{1}{16}$ " wide (formerly FBB177) Finishes described on page 39


^{**}Not available in stainless steel

FULL SURFACE HINGES

BALL BEARING

STANDARD WEIGHT

REVERSIBLE PINS AND THREADED TIPS



FBB171

(template)

Wrought steel - Polished and plated or bonderized and prime coated for painting

FBB110

(template)

Wrought brass or bronze -Polished and finely finished

FBB110(US32) (template)

Wrought stainless steel -Highly polished

FBB110(US32D) (template)


Wrought stainless steel -Satin finish

- For medium weight mineral core or wood doors with channel iron jambs receiving average frequency service
- Equipped with two Stanley permanently lubricated nondetachable ball bearings
- Pins in stainless steel and nonferrous hinges are stainless steel
- Steel hinges are polished and plated to insure a fine
- Can be furnished with hospital tips see page 31

BALL BEARING

HEAVY WEIGHT

REVERSIBLE PINS AND THREADED TIPS



Wrought steel - Highly polished FBB169 (template) and plated or bonderized and prime coated for painting

Wrought brass or bronze - Highly (template) Wrought brass of 2.5. polished and finely finished

FBB109(US32) (template)

Wrought stainless steel -Highly polished

FBB109(US32D) (template)

Wrought stainless steel -Satin finish

- For heavy or high frequency mineral core or wood doors with channel iron jambs
- Equipped with four Stanley permanently lubricated nondetachable ball bearings
- Pins in stainless steel and nonferrous hinges are stainless steel
- Steel hinges are highly polished and buffed, then plated to insure a fine durable finish
- Can be furnished with hospital tips see page 31


FBB171 FBB110

Size,	Wi	dth	Off	set		Quantity and Size	of Danassad Oval	Pair		Case V	/eight			
Length	Jamb Leaf (inches)	Door Leaf (inches)	Door Leaf	Jamb Leaf (inches)	Gauge	Quantity and Size of Recessed Oval Head Machine Screws per Pair				Head Machine Screws per Pair in Box		Pair	Average (lbs	
of Joint (inches)	(A)	(B)	(C) (Inches)		of Metal	Jamb Leaf	Door Leaf	Screws	in Case	Bronze	Steel			
41/2	11/2	2%6	%16	7/16	.134	6 - ½ x 12-24	6 - 2 x ½-20	11/2	15	41	35			
5	11/2	21/8	%16	7/16	.146	8 − ½ x 12-24	8 – 2 x ½-20	11/2	12	41	35			

FBB169 FBB109

41/2	11/2	21/16	5/8	1/2	.180	6 - ½ x 12-24	6 - 2 x ½-20	11/2	15	56	44
5	11/2	27/8	5/8	1/2	.190	8 - ½ x 12-24	8 – 2 x ½-20	11/2	12	57	44
*6	1½	31/4	5/8	1/2	.203	8 - ½ x ¼-20	10 - 2 x ½-20	11/2	12	80	74

Packed with machine screws and grommet nuts for 134" doors, see page 32 Finishes described on page 39





FULL SURFACE HINGES

Ball Bearing Heavy Weight Reversible Pins and Threaded Tips


Wrought steel — Highly polished and plated or (template) bonderized and prime coated for painting

Wrought brass or bronze -Highly polished and (template) finely finished

Wrought stainless steel — Highly polished (template) FBB109½ (US32)

Wrought stainless steel – Satin finish (template) FBB109½ (US32D)

- For tubular steel doors with channel iron jambs
- Equipped with four Stanley permanently lubricated non-detachable ball bearings
- Pins in stainless steel and nonferrous hinges are stainless steel
- Steel hinges are highly polished and buffed, then plated to insure a fine durable finish
- Can be furnished with hospital tips see page 31



Measurements below For application see index



Size,	Wi	dth	Offset			Quantity and Size o		Pair		Case Weight	
Length of Joint	Jamb Leaf	Door Leaf	Door Leaf (inches)	Jamb Leaf (inches)	Head Machine Screws per Pair in Box With		Pair		e (lbs.)		
(inches)	(inches) (A)	(B)	(C)	(D)	of Metal	Jamb Leaf	Door Leaf	Screws	in Case	Bronze	Steel
41/2	11/2	2	%16	7/16	.180	8-1/2x1/4-20	8-2x ¹ / ₄ -20	11/2	15	49	44
5	11/2	25/16	%6	7/16	.190	$8-\frac{1}{2}x^{\frac{1}{4}}-20$	8-2x ¹ / ₄ -20	11/2	12	50	44
*6	11/2	23/8	%16	7/16	.203	8-1/2x1/4-20	8-2x ¹ / ₄ -20	1½	12	57	51

Packed with machine screws and grommet nuts - see page 32

Finishes described on page 39

*Not available in stainless steel

"SWING CLEAR" HINGES

HEAVY WEIGHT

"Swing Clear" **Ball Bearing Reversible Pins and Threaded Tips**

FBB268 †FBB278 FBB269 **FBB264**

†FBB274 **FBB266**

(template)

Wrought steel - Highly polished and plated or bonderized and prime coated for painting


- For corridor doors to patients' rooms, operating rooms, emergency rooms, or wherever conditions require a completely clear opening in hospitals, institutions or public buildings
- Designed to swing doors completely clear of the opening when door is opened 95°
- Equipped with four Stanley permanently lubricated non-detachable ball bearings
- Steel hinges are highly polished and buffed, then plated to insure a fine durable finish
- Can be furnished with hospital tips see page 31
- FBB269 and FBB266 packed with oval head machine screws and grommet nuts for door leaf. Specify door thickness

FBB268 (For square edge doors) FBB278†

(For doors beveled 1/8" in 2" on hinge side)


FULL MORTISE





FBB269 HALF SURFACE






FBB264 (For square edge doors)

FBB274†

(For doors beveled 1/8" in 2" on hinge side)

HALF MORTISE






For Channel Iron Jambs

FBB266 FULL SURFACE





For Channel Iron Jambs


Size, Length of Joint		h Required		Quantity : Head	Pair in Box With	Pair	Case Weight	
Number (inches)	(inches)	of Metal	Jamb Leaf — Machine	Door Leaf	Screws	in Case	Average (lbs.)	
FBB268 FBB278† FBB278† FBB269 FBB264 FBB274† FBB266	4½ 5 4½ 5 5 5 5 5	2½8 2½8 2½8 2½8 2½8 2½8 2½8 2½8 2½8	.180 .190 .180 .190 .190 .190 .190	8-½x12-24 F.H. 8-½x12-24 F.H. 8-½x12-24 F.H. 8-½x12-24 F.H. 8-½x12-24 F.H. 8-½x14-20 F.H. 8-½x½-20 F.H. 8-½x¼-20 F.H.	8-1½x12 F.H. W.S. 8-1½x12 F.H. W.S. 8-1½x12 F.H. W.S. 8-1½x12 F.H. W.S. 10-2x¼-20 0.H. M.S.* 10-1½x14 F.H. W.S. 10-1½x14 F.H. W.S. 10-2x¼-20 0.H. M.S.*	1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½	15 12 15 12 12 12 12 12	56 57 56 57 59 47 47 59

*Furnished with grommet nuts

†For doors beveled 1/8" in 2" on hinge side

For jamb and door leaf dimensions refer to template furnished on request If door closers, friction or overhead door holders, are to be used in conjunction with this hinge, consult manufacturer of the device to be used for application details Finishes described on page 39





FULL MORTISE

■ Ideal for remodeling or new construction

in 2" on hinge side)

Specify FBB248 for full mortise application on square edge doors

"SWING CLEAR" HINGES

STANDARD WEIGHT

"Swing Clear"
Ball Bearing
Reversible Pins and Threaded Tips

Wrought steel — Polished and plated or bonderized and prime coated for painting FBB258†

- Specify FBB258 for full mortise application on bevel edge doors
- Designed to swing doors completely clear of the opening when door is opened 95°
- Steel hinges are polished and plated to insure fine durable finish
- Can be furnished with hospital tips see page 31

it at bens	Size, Length	Minimum Clearance Required	arance Flat Head Screws Per Pair		Pair		Case Weight	
Number	of Joint (inches)	Dimension "A" (inches)	Gauge of Metal	Jamb Leaf — Machine	Door Leaf — Wood	in Box With Screws	Pair in Case	Average (lbs.)
FBB248 FBB258†	4½ 4½	2½ 2½	.134 .134	8 - ½ x 12-24 8 - ½ x 12-24	8 - 1½ x 12 8 - 1¼ x 12	1½ 1½	12 12	36 36

†For doors beveled 1/8" in 2" on hinge side



F248 FULL MORTISE

- Ideal for remodeling or new construction
- Available for full mortise application on square edge doors only

STANDARD WEIGHT

"Swing Clear" Reversible Pins and Threaded Tips

Wrought steel — Polished and plated or bonderized and prime coated for painting

F248

- Designed to replace existing 3½" or 4" hinges for Swing Clear openings
- For residential use
- Designed to swing doors completely clear of the opening when door is opened 95°
- Steel hinges are polished and plated to insure a fine durable finish
- Can be furnished with hospital tips see page 31

Number	Size, Length of Joint (inches)	Gauge of Metal	Quantity and Size of Recessed Flat Head Wood Screws Per Pair	Pair in Box With Screws	Pair in Case	Case Weight Average (lbs.)
F248	3½	.123	12 - 1 x 10	1 1	10	16
F248	4	.130	16 - 1 ¹ / ₄ x 12		10	24

PIVOT REINFORCED HINGES**

Ball Bearing Heavy Weight

FBB211 FBB212 FBB213

Wrought steel — Highly polished and plated or bonderized and prime coated for painting

FBB221 FBB222 FBB223


Wrought bronze — Highly polished and finely finished

FBB222(US32D) † **FBB223**(US32D)

Wrought stainless steel — Satin finish







SHOCKPROOF! BOYPROOF!

Ideal for door that is subject to abusive handling

- The purpose of this two-in-one combination is to anchor and reinforce doors and frames exposed to damage from abuse
- In such installations, stresses are transferred to the top hinge
- A pivot and butt hinge are combined in one compact interlocked unit and share same pin to assure perfect alignment. Interlocked corners prevent sidewise motion of pivot or butt leaves
- NRP pin in top hinge has head with threaded shank for easy removal
- Short door plate (4" min.) available for use with most concealed holders and closers specify on order

		Contents of Set						
			Intermediate and Bottom Hinge*					
Set Number	Metal	Top Hinge*	Number	Size				
FBB211 FBB212 FBB213† FBB221 FBB222 FBB222(US32D) FBB223† FBB223(US32D)†	steel steel bronze bronze stainless steel bronze stainless steel	1 - type of FBB168NRP x jamb plate only 1 - type of FBB168NRP x jamb and door plate 1 - type of FBB168NRP x jamb and door plate 1 - type of FBB199NRP x jamb plate only 1 - type of FBB199NRP x jamb and door plate 1 - type of FBB199 (US32D) - NRP x jamb and door plate 1 - type of FBB199NRP x jamb and door plate 1 - type of FBB199 (US32D) - NRP x jamb and door plate 1 - type of FBB199 (US32D) - NRP x jamb and door plate	2-FBB168NRP 2-FBB168NRP 2-FBB168NRP 2-FBB199NRP 2-FBB199NRP 2-FBB199(US32D)-NRP 2-FBB199NRP 2-FBB199(US32D)-NRP	5x4½ 5x4½ 5x4½ 5x4½ 5x4½ 5x4½ 5x4½ 5x4½				

ris to mela viete	Impo E	Jamb Plate		Door Plate		Quantity and Size of Recessed Flat Head Screws Packed per Set		Sets in Case	Weight
Set Number	Gauge of Metal	Length (inches)	Width (inches)	Length (inches)	Width (inches)	Wood	Machine	with Screws	Per Set (lbs.)
FBB211	.190	5.00	1.25			28 - 1½ x 12	28 - ½ x 12-24	1	6
FBB212	.190	5.00	1.25	7.78	1.25	$32 - 1\frac{1}{2} \times 12$	$32 - \frac{1}{2} \times 12-24$	1	7
FBB213†	.190	5.00	1.25	7.64	1.25	$32 - 1\frac{1}{2} \times 12$	$32 - \frac{1}{2} \times 12-24$	1	7
FBB221	.190	5.00	1.25			$12 - 1\frac{1}{2} \times 12$	$28 - \frac{1}{2} \times 12-24$	1	6
FBB222	.190	5.00	1.25	7.78	1.25	$16 - 1\frac{1}{2} \times 12$	$32 - \frac{1}{2} \times 12-24$	1	7
FBB222(US32D)	.190	5.00	1.25	7.78	1.25	$16 - 1\frac{1}{2} \times 12$	$32 - \frac{1}{2} \times 12-24$	1	7
FBB223†	.190	5.00	1.25	7.64	1.25	16 – 1½ x 12	$32 - \frac{1}{2} \times 12-24$	1	7
FBB223(US32D)†	.190	5.00	1.25	7.64	1.25	16 − 1½ x 12	$32 - \frac{1}{2} \times 12-24$	1	7


To order: specify set number, finish and hand

*Hinges supplied with set screw in barrel, non-removable pin

†For doors beveled 1/8" in 2"

Finishes described on page 39

FULL MORTISE HINGES



	Standard	Weight
Wrought steel — Polished and plated or bonderized and prime coated for painting	(template)	F179
Steel — Galvanized with brass pins	(template) F179B	P(US2H)
Wrought brass or bronze — Polished and plated	(template)	F191
Wrought stainless steel — Polished	(template) F19	(US32)
Wrought stainless steel – Polished, satin finish	(template) F191	(US32D)

- For doors of residences, apartment houses and other medium weight low-frequency doors
- All hinges have template screw hole location for use on either wood or hollow metal doors and frames
- Use ball bearing hinges on high and average frequency doors and all doors equipped with door closers
- Equipped with easily seated non-rising pins

- Pins in non-ferrous butt hinges are stainless steel
- For transom hinge specify F179FSP
- Hinges can be furnished as follows: with hospital tips see page 31 with brass steeple tips or brass ball tips in 3½", 4" and 4½" sizes see page 31
- Steel hinges are polished and plated to insure a fine durable finish

Size Open (inches)	00000	Quantity and Si Flat Head Screws	Pair	Pain	Case Weight Average (lbs.)		
	Gauge of Metal	Machine	Wood	in Box with Screws	Pair in Case	Steel	Brass
3 x3	.080		12 - 3/4 x 9	1	50	35	44
3½ x 3	.123	12 - ½ x 10-24	$6-1 \times 10$	1	50	60	64
3½ x 3½	.123	$12 - \frac{1}{2} \times 10-24$	$6-1 \times 10$	1	50	66	72
4 x 3½	.130	$16 - \frac{1}{2} \times 12-24$	8 – 1½ x 12	1½	24	38	44
4 x 4	.130	16 - ½ x 12-24	8 – 1¼ x 12	1½	24	43	46
4½ x 4	.134	$16 - \frac{1}{2} \times 12-24$	8 – 1¼ x 12	11/2	24	51	54
4½ x 4½	.134	16 - ½ x 12-24	$8 - 1\frac{1}{4} \times 12$	11/2	24	55	60
5 x 4	.146	16 – ½ x 12-24	$8 - 1\frac{1}{4} \times 12$	11/2	15	40	43
5 x 4½	.146	16 - ½ x 12-24	8 – 1½ x 12	1½	15	43	46
5 x 5	.146	16 - ½ x 12-24	$8 - 1\frac{1}{4} \times 12$	11/2	15	46	51
*6 x 4½	.160	20 x ½ x ¼-20	$10 - 1\frac{1}{2} \times 14$	1½	12	37	
*6 x 5	.160	20 x ½ x ¼-20	$10 - 1\frac{1}{2} \times 14$	11/2	12	42	
*6 x 6	.160	20 x ½ x ¼-20	$10 - 1\frac{1}{2} \times 14$	11/2	12	57	

On sizes $3\frac{1}{2}$ " x 3" and larger, screw quantities listed apply to non-ferrous hinges only Steel hinges are furnished with same quantity of wood screws as machine screws Smaller sizes furnished with all wood screws

*These sizes not available in stainless steel

Note: F179 is available in "wide throw hinges" in sizes: $3 \times 4 - 3 \times 6 - 3\frac{1}{2} \times 5 - 3\frac{1}{2} \times 6 - 4 \times 5 - 4 \times 6 - 4 \times 7 - 4\frac{1}{2} \times 5 - 4\frac{1}{2} \times 6 - 4\frac{1}{2} \times 7 - 4\frac{1}{2} \times 8 - 5 \times 7$ and 5×8 , specifications on request Finishes described on page 39

HALF SURFACE HINGES


Standard Weight

F173

(template)

Wrought steel — Plated finishes or bonderized and prime coated for painting

- For low frequency mineral core or wood doors with hollow metal frames
- Easily applied as only the jamb leaf is mortised
- Use ball bearing hinges on all doors equipped with door closers



Size.	Wi	dth			Quantity and Size of Recessed Head		Pair		Case
Length of Joint	Jamb Leaf (inches)	Door Leaf (inches)	Offset (inches)	Gauge	Machine Scr		in Box with	Pair	Weight Average
(inches)	(A)	(B)	(C)	of Metal	F.H. for Jamb Leaf	O.H. for Door Leaf	Screws	in Case	(lbs.)
41/2	21/16	21/16	%16	.134	8 − ½ x 12-24	6 – 2 x ½-20	11/2	15	37

Packed with machine screws and grommet nuts — see page 32 Finishes described on page 39

HALF MORTISE HINGES

Standard Weight

F167

(template)

Wrought steel — Polished and plated or bonderized and prime coated for painting

- For low frequency hollow metal doors with channel iron jambs
- Easily applied as only the door leaf is mortised
- Use ball bearing hinges on all doors equipped with door closers



Size,	Wi	dth		12 - 1	Quantity and Size	of Recessed Head	Pair		Case
Length of Joint	Jamb Leaf (inches)	Door Leaf (inches)	Offset (inches)	Gauge		ews per Pair	in Box with	Pair	Weight Average
(inches)	(A)	(B)	(C)	of Metal	F.H. for Door Leaf	O.H. for Jamb Leaf	Screws	in Case	(lbs.)
41/2	11/2	21/16	7/16	.134	8 − ½ x 12-24	6 − ½ x 12-24	1½	15	31



SPRING HINGES

Wrought steel — Polished and plated or bonderized and prime coated for painting

2060*





- Sizes 4½" x 4" and 4½" x 4½"**
- Fire tested and listed by Underwriters Laboratories for use on labeled fire doors

- Ideal for apartment and condominium corridor doors, office doors, and closet, storage and service room doors or wherever self-closing doors are required
- Looks and performs like a premium concealed bearing hinge
- Anti-friction bearing takes both vertical and lateral loads
- Time proven reliable coil spring design
- Fully adjustable (up or down) to meet the needs of the job
- Easily adjusted on the job. Requires only one person to adjust
- Standard template. Fits regular butt mortises
- Packed with wrench, adjusting pin and direction sheet
- Specify hand when ordering

Cinatt	Cauca	Quantity and Siz Flat Head Scr	Quantity in Box	Quantity	Case Weight		
Size** (inches)	Gauge of Metal	Machine	Wood	With Screws	in Case	Average (lbs.)	
4½ x 4 4½ x 4½	.134 .134	16 - ½ x 12-24 16 - ½ x 12-24	16 - 1 ¹ / ₄ x 12 16 - 1 ¹ / ₄ x 12	1½ pr. 1½ pr.	24 pr. 24 pr.	50 53	

SPRING HINGE SETS

Set No. 2061 $4\frac{1}{2}$ " x $4\frac{1}{2}$ " or $4\frac{1}{2}$ " x 4" consists of one No. 2060 spring hinge and two matching springless hinges

Set No. 2062 $4\frac{1}{2}$ " x $4\frac{1}{2}$ " or $4\frac{1}{2}$ " x 4" consists of two No. 2060 spring hinges and one matching springless hinge

SPECIFICATION GUIDELINES

	For No. 2060 sizes 4	1/2" x 41/2" or 41/2" x 4"	
Door Size and Weight	Number of Spring Hinges Required	Door Size and Weight	Number of Spring Hinges Required
For doors up to 70 lbs.*** not exceeding 3'-0" x 7'-0" x 134"	1 set No. 2061 or one each No. 2060 with two each antifriction bearing hinges of same size	For doors up to 115 lbs.*** not exceeding 3'-0" x 7'-0" x 1¾"	1 set No. 2062 or two each No. 2060 with 1 each anti-friction bearing hinge of same size
For doors up to 160 lbs.*** not exceeding 3'-0" x 7'-0" x 134"	3 each No. 2060	For doors up to 160 lbs.*** not exceeding 4'-0" x 8'-0" x 134"	4 each No. 2060

^{*}Patent Nos. 3,903,567, 3,999,246

^{**}For other sizes see page 65B


^{***}Where drafts or wind conditions exist, or carpets, door bottoms, bowed or twisted doors or frames, pivot point misalignment or improper latch adjustment affect either the free swinging or latching of the door, additional spring hinges may be required.



SPRING HINGES

Wrought steel — Polished and plated or bonderized and prime coated for painting

2060* RD2060* RD2068*



- Sizes 3½" x 3½" and 4" x 4"**
 Fire tested and listed by Underwriters Laboratories for use on labeled fire doors
- Looks and performs like a premium concealed bearing hinge
- Ideally suited for residential work
- Engineered to fit 741, RD741 or RD758 mortise
- Easily adjusted on the job. Requires only one person to adjust
- Available in square (2060), ¼" radius (RD2060) or 5/8" radius (RD2068) corners
- Packed with wrench, adjusting pin and direction
- Reliable coil spring design
- Non-handed
- Anti-friction bearings take vertical and lateral loads





Size**	Quantity and Size of Recessed Flat Head Screws per Pair		Quantity		
(inches)	Machine	Wood	in Box With Screws	Quantity in Case	Case Weight Average (lbs.)
3½ x 3½ 4 x 4	12-1/2x10-24, with No. 9 head 16-1/2x12-24, with No. 9 head	12-1x9 16-1x9	1 pr. 1 pr.	25 pr. 25 pr.	32 43

SPECIFICATION GUIDELINES

For No. 2060, RD2060, RD2068, size 31/2" x 31/2"					
Door Size and Weight	Number of Spring Hinges Required	Door Size and Weight	Number of Spring Hinges Required		
For doors up to 35 lbs.*** not exceeding 2'-8" x 6'-8" x 1%"	1 each No. 2060, RD2060 or RD2068, with 2 each No. 741 type of same size	For doors up to 55 lbs.*** not exceeding 2'-8" x 6'-8" x 13%"	2 each No. 2060, RD2060 or RD2068, with 1 each No. 741 type of same size		
For doors up to 75 lbs.*** not exceeding 2'-8" x 6'-8" x 1%"	3 each No. 2060, RD2060 or RD2068				

SPECIFICATION GUIDELINES

For No. 2060, RD2060, RD2068, size 4" x 4"				
Door Size and Weight	Number of Spring Hinges Required	Door Size and Weight	Number of Spring Hinges Required	
For doors up to 55 lbs.*** not exceeding 3'-0" x 6'-8" x 134"	1 each No. 2060, RD2060 or RD2068, with 2 each No. 741 type of same size	For doors up to 75 lbs.*** not exceeding 3'-0" x 6'-8" x 134"	2 each No. 2060, RD2060 or RD2068, with 1 each No. 741 type of same size	
For doors up to 105 lbs.*** not exceeding 3'-0" x 6'-8" x 134"	3 each No.2060, RD2060, or RD2068			

^{*}Patent Nos. 3,903,567, 3,999,246, 4,043,001, and others pending

^{**}For other sizes see page 65


^{***}Where drafts or wind conditions exist, or carpets, door bottoms, bowed or twisted doors or frames, pivot point misalignment or improper latch adjustment affect either the free swinging or latching of the door, additional spring hinges may be required

SPRING HINGES HALF SURFACE

2063*

Wrought steel — Polished and plated or bonderized and prime coated for painting

- Size 4½"
- Fire tested and listed by Underwriters Laboratories for use on labeled fire doors
- Looks and performs like premium concealed bearing hinges
- Time proven reliable coil spring design
- Complies with code requirements
- Ideal for labeled mineral core or wood fire doors
- Anti-friction bearing takes both vertical and lateral loads
- Jamb leaf fits standard template butt mortise
- Packed with wrench, adjusting pin, and direction sheet
- Specify hand when ordering



		Quantity and Size of Recessed Head Screws per Pair			Quantity	Case Weight Average	
Catalog Size Gauge	Flat Head Machine	Oval Head Machine	Quantity in Box				
Number			Jamb Leaf	Door Leaf	with Screws	in Case	(lbs.)
2063	4½	.134	8 – ½ x 12-24	6 – 2 x ½-20	1½ Pr.	24 Pr.	53

Packed with machine screws and grommet nuts for 134" door, see page 32

SPECIFICATION GUIDELINES

Door Size and Weight	Number of Spring Hinges Required	Door Size and Weight	Number of Spring Hinges Required
For doors up to 70 lbs.** not exceeding 3'-0" x 7'-0" x 134"	1 each No. 2063 With 2 each anti-friction bearing hinges of same size	For doors up to 115 lbs.** not exceeding 3'-0" x 7'-0" x 134"	2 each No. 2063 With 1 each anti-friction bearing hinge of same size
For doors up to 160 lb.s** not exceeding 3'-0" x 7'-0" x 13/4"	3 each No. 2063	For doors up to 160 lbs.** not exceeding 4'-0" x 8'-0" x 1¾"	4 each No. 2063

^{*}Patent Nos. 3,903,567, 3,999,246

^{**}Where drafts or wind conditions exist, or carpets, door bottoms, bowed or twisted doors or frames, pivot point misalignment or improper latch adjustment affect either the free swinging or latching of the door, additional spring hinges may be required.

SLIP-IN FULL MORTISE HINGES



Right hand illustrated (jamb leaf with tapped holes to slip-in frame) BALL BEARING STANDARD WEIGHT



BALL BEARING STANDARD WEIGHT

Not handed

"SLIP-IN"

Wrought steel — Polished and plated (template)

(template) FBB179

APPLICATION "A"

"SLIP-IN"

Wrought brass or bronze — Polished and plated

(template)

FBB191

APPLICATION "A"

"SLIP-IN"

Wrought steel — Polished and plated

(template) FBB179

APPLICATION "B"

"SLIP-IN"

Wrought brass or bronze Polished and plated

(template)

FBB191

APPLICATION "B"

- For aluminum doors with aluminum frames
- "Slip-in" application where one leaf of hinge is inserted through a slot in door frame
- Application A specify "swaged to provide %" clearance between leaves when parallel and one leaf with standard punching and countersinking and other leaf drilled and tapped." Specify hand desired
- Round corners use prefix "RD" and specify radius desired

 $\frac{1}{4}''$ radius (.250) available on all sizes $\frac{1}{4}''$ radius (.187) also available on $\frac{4}{2}''$ size

- Other types and sizes available on request
- Pins in nonferrous butt hinges are stainless steel

- For aluminum doors with aluminum frames
- "Slip-in" application where both leaves of hinge are inserted through a slot in door and frame
- Application B specify "both leaves swaged to provide %" clearance between leaves when parallel, and both leaves drilled and tapped"
- Round corners use prefix "RD" and specify radius desired

 $\frac{1}{4}$ " radius (.250) available on all sizes $\frac{3}{6}$ " radius (.187) also available on $\frac{4}{2}$ " size

- Other types and sizes available on request
- Pins in nonferrous butt hinges are stainless steel

FBB179 FBB191

Size Open Gauge (inches) of Metal	Quantity and Size of Recessed Flat Head Machine	Pair in Box	Pair	Case Weight Average (lbs.)		
		Screws Packed per Pair	with Screws	in Case	Steel	Bronze
4 x 4	.130	16 – ½ x 12-24	11/2	24	42	45
4½ x 4	.134	16 − ½ x 12-24	1½	24	50	55
4½ x 4½	.134	16 − ½ x 12-24	11/2	24	53	59

*For application A when used on wood doors, specify wood screws for door leaf Finishes described on page 39



SPECIAL HEAVY WEIGHT HINGES

Slimline Design

Ball Bearing For Doors Weighing Up to 600 pounds


*BB601-8"

Wrought steel — Highly polished and plated or bonderized and prime coated for painting

- For lead-lined doors and other heavy doors weighing up to 600 lbs.
- With two Stanley permanently lubricated non-detachable full jeweled radial/thrust ball bearings. Bearing assemblies contain ¾6" chrome alloy throughhardened balls
- Regularly furnished with set screw in barrel non-removable 3/8" diameter pin
- Regularly furnished punched and countersunk to suitable templates for full mortise application
- Also can be made and assembled at factory to take care of full surface, half mortise, half surface applications or with no holes for welding
- Submit door and frame details and quantity required
- Furnished with NRP feature




Length of Joint (inches)	Width Open (inches)	Gauge of Metal
8	6	.225
8	8	.225



Packed to order

Typical Applications of BB601-8" size. Submit door and frame details


Regularly furnished for Full Mortise Application A with punched and countersunk holes located to Stanley template



If above details do not show your particular construction submit details and specifications For other regular sizes of BB601 see page 48 Finishes described on page 39

*Pat. Number 3,118,171

SPECIAL HINGES




Wrought steel — with removable pin, *without holes bonderized and prime coated for painting

BB855

Wrought steel — with welded pin, *without holes bonderized and prime coated for painting

BB8551/4



- Each of the two concealed hardened steel races contains sixteen ½" hardened and ground steel balls which are assembled within a jacket


BB8551/4 illustrated


- Concealed ball bearings are well lubricated insuring smooth operation and preventing wear on the joints
- Provision has been made in BB855¼ hinge for forced lubrication if further lubrication is necessary
- Rolled knuckles are welded and machined
- Regularly made not swaged for surface application, but can be made and assembled at the factory to take care of most conditions submit detail
- For lead-lined doors to x-ray rooms and other exceptionally heavy doors
- Made of double weight wrought steel capable of carrying doors weighing up to 800 lbs.




Length of Joint (inches)	Width Open (inches)	Gauge of Metal	Diameter of Pin (inches)	Weight Per Pair Average (lbs.)
5	6	.281	1/2	7

Typical Applications of BB855 and BB8551/4







For all full mortise applications the center of barrel should be set $\%_8{''}$ from door and jamb so welded joints will clear. Leaves can be swaged apart any distance between $\%_6{''}$ to $\%_6{''}$

Application G
Application F
Half mortise

Variations of half mortise or half surface types can be obtained by further bumping or swaging of mortise leaf to accommodate any required construction. Specify hand when ordering

SWAGED

Half Mortise

Packed one pair in box

*Furnished on order with holes and with machine screws, at additional cost

When screw holes are required they are accurately punched to template

If above details do not show your particular construction submit details and specifications




PRISON HINGES

Ball Bearing Triple Weight

BB852

Wrought steel — with welded pin, *without holes — bonderized and prime coated for painting

- For hinged cell-front doors and grated steel doors of penitentiaries, jails, reformatories, etc.
- For lead-lined doors to x-ray rooms and extremely heavy doors and gates of all descriptions
- For lead-lined doors and doors other than prison doors, wider leaves for the door are recommended submit detail of door and jamb section
- Made of triple weight wrought steel capable of carrying doors or gates weighing up to 2000 pounds
- Each of the two concealed hardened steel races contains sixteen 3/6" hardened and ground steel balls which are assembled within a jacket
- Concealed ball bearings are well lubricated insuring smooth operation and preventing wear
- Provision has been made in the hinges for forced lubrication if further lubrication is necessary
- Rolled knuckles are welded and machined
- Pin is constructed of one piece of steel welded at both ends, making it impossible to drive out the pin



Regularly made not swaged for surface application, but can be made and assembled at the factory to take care of most conditions — submit detail




Length of Joint (inches)	Width Open (inches)	Gauge of Metal	Diameter of Pin (inches)	Average Net Weight Per Pair (Hbs.)
5	6	.375	3/4	10

Packed one pair in box

*Furnished on order with holes and with machine screws, at additional cost

Typical Applications of BB852



If above details do not show your particular construction submit details and specifications

PAUMELLE HINGES



Heavy Weight Application

Forged steel -Highly polished and plated or (template) BB143 bonderized and prime coated for painting

- Equipped with Stanley permanently lubricated, non-detachable ball
- Perfectly suited for locations that demand hinges with the smart, cleanlined look. Ideal for offices, restaurants, hotels, hospitals and recreational buildings
- For use on hollow metal or wood doors with hollow metal frames or wood doors with wood jambs
- Template location holes for all applications
- Loose joint when ordering specify hand
- Highly polished and buffed, then plated to insure a fine durable finish
- Edge of hinge leaf closest to barrel should be 1/4" from face of door, regardless of door thickness

BB143 meets National Fire Protection Association Standard No. 80 requirements for label fire doors



Heavy Weight Application

Forged bronze -Highly polished (template) BB93 and finely finished*

- Concealed ball bearings. Lubrication sealed in, dirt sealed out
- For exterior and interior doors, a modern, clean straight line design
- For use on hollow metal or wood doors with hollow metal frames or wood doors with wood jambs
- Husky, strong shoulders . . . stainless steel pin . . . high corrosion resistance
- Template location holes for all applications
- Loose joint when ordering specify
- Edge of hinge leaf closest to barrel should be 1/4" from face of door, regardless of door thickness



Regular Weight Application

Wrought steel Polished and plated or bonderized (template) and prime coated for painting

- Equipped with chrome alloy ball bearing in hardened steel raceway and nylon bushing over pin to withstand vertical and lateral load
- Perfectly suited for locations that demand hinges with the smart, cleanlined look
- Ideal for offices, restaurants, recreational buildings and residences. They meet every requirement size, beauty, strength and moderate price
- Designed especially for use on 1¾" to 13/4" average frequency doors
- Loose joint when ordering specify
- Edge of hinge leaf closest to barrel should be 1/4" from face of door, regardless of door thickness

			Width of	Parrel	Quantity and Size of Recessed Flat Head Screws Packed per Pair		Pair in Box with	Pair	Case Weight Average
Number	Size Open (inches)	Gauge of Metal	Leaves (inches)	Barrel Diameter	Machine	Wood	Screws	in Case	(lbs.)
BB143	6 x 4½	.225	11/8	11/16	16-½x¼-20	16-1½x14	11/2	15	44
BB93	5 x 4½	.225	11/8	11/16	16-1/2x1/4-20	8-1½x14	11/2	15	46
BB140	4½ x 3½	.203	13/16	7/8	12-1/2×12-24	12-1 ¹ / ₄ x12	11/2	24	44

*Not recommended for US3A and US9A finishes How to order — class number x finish desired x hand Hand described on page 35 Finishes described on page 39

**Pat. Number 3,154,803

OLIVE KNUCKLE HINGES


REGULAR WEIGHT APPLICATION

*BB95

(template)

Forged bronze — Highly polished and finely finished

- Equipped with a Stanley permanently lubricated non-detachable ball bearing
- For wood doors with wood jambs or hollow metal frames in residences and apartment houses
- Recommended for 13/8" to 13/4" doors
- Pins are stainless steel
- Loose joint. When ordering specify hand
- Template location holes for all applications
- Butt hinges are packed with one-half wood screws and all machine screws
- Edge of hinge leaf closest to barrel should be ¼" from face of door, regardless of door thickness



Right hand

BB95

Size Open	Gauge	Width of Leaves	Rarrel	Quantity and Size of Recessed Pair Flat Head Screws Packed per Pair in Box With		Pair	Case Weight	
(inches)	of Metal	(inches)	Diameter	Machine	Wood	Screws	in Case	Average (lbs.)
6x37/8	.203	13/16	29/32	16 − ½ x 12-24	8 – 1¼ x 12	11/2	15	35



Finishes described on page 39 Specify hand (see page 35)

*Not recommended for US3A and US9A finishes



- For use in retrofit or new construction
- Surface applied
- Absorbs the shock of stops or holders

Quiet push-pull action at all times

door closed

■ For doors $1\frac{3}{4}$ " thick with either standard or heavy weight hinges, $4\frac{1}{2}$ " wide

SHOCK ARRESTER

Wrought steel — Plated finishes or bonderized and primed for painting

225

- Door edge may be either square or beveled edge 1/8" in 2"
- Brass pintle and large screws resist maximum shock loads
- Specify hand of door when ordering
- Packed with screw anchors, sleeve nuts and wrench

		Jamb	Plate	Door	Plate	Quantity and Size of Recessed Flat Head Screws Packed per Piece		THE PROPERTY.
Catalog Number	Gauge of Metal	Length (inches)	Width (inches)	Length (inches)	Width (inches)	Machine	Pieces per Box	Box Weight Average (lbs.)
225	.190	61/4	13/8	43/8	13/16	$7 - 1 \times \frac{1}{4} - 20$	1	1.25



As door closes, rubber roller engages strike and holds

DOOR LATCH AND HOLDER

ADJUSTABLE ROLLER LATCH


Forged brass — Satin bronze or satin chromium finish

(A.S.A. strike)

445

- Both throw and latching pressure adjusted by means of recessed head screws in face plate
- Replacement rubber rollers available on order
- Also available under class number C44S; same as 44S except has steel roller with nylon sleeve and adjustment from back of latch only; meets requirements of International Conference of Building Officials

Catalag	Face Plate	Strike	Quantity and Size of Recessed Flat Head Screws per Piece		Pieces	Pieces	Case Weight
Catalog Number	(inches)	(inches)	Wood Screws	Machine	in Box	in Case	Average (lbs.)
448	1 x 33/8	47/8 x 11/4	2 - 1 x 10	2 - ½ x 12-24	1	20	17



CONCEALED DOOR HINGE

Stainless steel — Satin finish (US32D) or stainless steel to match US10

2010

■ For doors of medium weight up to 36" wide and 1¼" or more in thickness

+11/6"+

Nominal Dimensions

- Tamper-proof when door is closed. Ideal for high security rooms
- Door can be flush or inset normal 1/8". Space between door and frame can be normal 1/6" or less depending on depth hinge is mortised
- Full 180° door swing (assuming no projecting trim)
- Available TMS for metal installations
- Metal parts are 18-8 (type 302) stainless steel with a tensile strength of 80,000 lbs. per square inch. Case made of tough type 66 nylon
- Not handed. Use on either right or left hand doors
- Requires no lubrication
- Easily installed



Quantity and Size of Recessed Head	Pair in Box	Pair in Case	Case Weight
Wood Screws Per Hinge	With Screws		Average (lbs.)
4.— 1¼ x 12 F.H.	1½	24	18

DOUBLE ACTING DOOR PIVOT


DAP-3


finely finished Wrought brass top and bottom jamb plates. Malleable iron top and bottom door plates


- Heavy duty pivot assembly for commercial double acting interior doors of average frequency use, weighing up to 135 lbs. and up to 3 feet wide
- For both 13/8" and 13/4" thick doors
- For use in hospitals, institutions and convalescent homes. Use with Stanley ES-1 Emergency Door Release Stop where door with emergency release factor is specified
- Top pivot has "walking beam" to simplify door installation. Oil impregnated bronze bearing in top pivot
- Heavy malleable iron bottom door plate with smooth acting ball bearing unit
- As regularly supplied the bottom pivot assembly provides clearance adjustment in 1/6" increments from 3/4" to 1". Available on special order with clearances of 11/8" to 13/8", 13/8" to 15/8", 15/8" to 11/8", 17/8" to 21/8". Bottom bracket is jamb mounted and should be floor supported
- Specifications:

Pivot point $1\frac{1}{4}$ " from jamb Header plate (brass) $4\frac{7}{8}$ " x $\frac{7}{8}$ " x $\frac{1}{4}$ " Top door plate (malleable iron) . . . $4\frac{3}{6}$ " x 1" x $\frac{1}{4}$ " Bottom jamb bracket (brass) 3" x $1\frac{1}{4}$ " x $\frac{1}{4}$ " Bottom door plate (malleable iron) $4\frac{3}{6}$ " x 1" x $\frac{1}{4}$ "

■ Packed with all machine and one-half wood screws









Quantity and Size of Recessed Flat Head Screws per Set	Set in Box	Sets in Case	Case Wt. Average (lbs.)
$4 - 1\frac{1}{2}$ x No. 14 F.H. wood screws $9 - \frac{1}{2}$ x $\frac{1}{4}$ -20 F.H. machine screws	1	25	46

DOUBLE LIPPED STRIKES

To be used with Stanley's DAP-3 Pivot and ES-1 Emergency Stop on hospital or nursing home toilet room doors. Allows center hung doors to be opened in both directions without damage to frame

- Available in two widths for use with trimmed (cased) openings 5¾ or 6¾ wide
- Available with latch bolt locations for either 1/8" inset or center hung doors
- Latch bolt cut out 1¼" x 1½" A.N.S.I. Standard for both heavy duty bored type or mortise latch bolts
- .093 brass material in US26D finish
- Order separately, packed one per box with six 1/2" x 8-32 flat head brass machine screws



DLS-1 For ½" inset hung doors




DLS-2 For center hung doors

EMERGENCY DOOR STOP*

Extruded and forged bronze - ES-1 Standard finishes

- Use for converting double acting doors, hung on center pivots, to single acting doors
- Emergency release allows door to swing open in opposite direction to reach ill patients who fall in normal path of door
- Stop release resets automatically. Spring action stop, with finger-tip release, using pullman-type latch bolt with rubber bumper insert
- Can be applied in any position on frame, no special location necessary
- Specification: Surface plate 41/2" x 15%", bolt height 2", case 21/8" x 15/6"

Quantity and Size of Recessed	Pieces	Pieces	Case Wt.
Head Screws Per Piece	in Box	in Case	(Ibs.)
$4 - \frac{1}{2} \times 12-24$ F.H. brass machine screws	1	25	14





- Holds Emergency Door Stop in depressed position
- Used with ES-1 to allow doors to become double acting
- Attaches to surface plate of ES-1 Emergency Door
- Packed one in envelope with mounting instructions To order packed with emergency door stop:


Specify ES-1 with Holdback (in finish desired)

To order holdbacks separately: Specify Holdbacks for ES-1 (in finish desired)














DOOR HOLDERS

456 Steel — Polished and plated

- Equipped with soft rubber feet with concentric rings
- Will hold doors open on any type of floor
- A spring in the plunger base assures continued pressure against the floor
- A slight pressure of the foot on the base of the plunger sets the rubber firmly against the floor and a slight pressure on the trip releases the holder
- Equipped with a rubber silencer insuring quiet operation when released
- Rubber feet are replaceable



456 Plunger type

Number	Plate (inches)	Length Overall (inches)	Maximum Throw (inches)	Quantity and Size of Wood Screws Per Piece	Pieces in Box with Screws	Pieces in Case	Case Weight Average (lbs.)
456	5 x 2	[/] 65/ ₈	15/16	4 — ¾ x 8 Pan Head	1	10	11

Finishes described on page 39

458 Cast iron — Polished and plated


- No. 458 is for use on doors equipped with closers. A wedge action holds the arm in a retracted position
- Rubber feet are replaceable



Number	Length (inches)	Quantity and Size of Wood Screws Per Piece	Pieces in Box with Screws	Pieces in Case	Case Weight Average (lbs.)
458	5	2 — 1 x 8 Flat Head	1	10	6

Finishes described on page 39

CONCEALED CASEWORK HINGES



FOR OVERLAY DOORS - 95° OPENING*

Wrought steel - Bright nickel finish

■ For overlay doors ¾" to ¾" thick

■ With or without self-closing feature

■ For flush or 5%" reveal on 34" cabinets with end or center door installations

■ Hinge is laterally adjustable in all directions

■ Recommended usage
For doors up to 24" wide
weighing up to 20 lbs. — 2 hinges
weighing 20-40 lbs. — 3 hinges
weighing 40-60 lbs. — 4 hinges

Free-swinging | 1500-2, 1500-9X | 1502-2, 1502-9X | 1501-2, 1501-9X | 1503-2, 1503-9X

■ Hinge is completely concealed when door is closed

■ Hinge requires mortising in door only — mortise is 1%" diameter hole ½" deep


■ All working parts are steel

■ Door can be readily removed from cabinet if required


Packing:

One per poly bag, 10 per box. 50 per case. Average case weight 39 lbs.

FLUSH OVERLAY CONSTRUCTION



OVERLAY WITH 5/8" REVEAL BETWEEN DOORS



INSTALLATION




No. 812 GUIDE

Available for locating mounting plate.



No. 85811 DRILL Has carbide inserts for high production use. Bores 1%" diameter flat bottom blind hole. Shank diameter ½".



Only one mortise required: $13_6'''$ diam, hole in door 1/2''' deep located as shown above. (No. 85811 and No. 85815 drills available for boring hole in door)



No. 85815 DRILL

For limited production use in soft woods. Has built-in depth stop to bore a 13/6" diameter flat bottom blind hole ½" deep.
Shank diameter %6".

CONCEALED CASEWORK HINGES

FOR OVERLAY DOORS - 175° OPENING*

Wrought steel

1510-2, 1510-9X Free-swinging 1510-5, 1510-12X 1511-2, 1511-9X Self-closing 1511-5, 1511-12X

- For overlay doors ¾" to ¾" thick
- With or without self-closing feature
- For flush or 5%" reveal on 34" cabinets with end or center door installations
- Hinge is laterally adjustable in all directions
- Recommended usage:


For doors up to 24" wide weighing up to 20 lbs. – 2 hinges weighing 20-40 lbs. – 3 hinges weighing 40-60 lbs. – 4 hinges




- Hinge is completely concealed when door is closed
- Hinge requires mortising in door only mortise is 13%" diameter hole 1/2" deep
- All working parts are steel
- Door can be readily removed from cabinet if required


One per poly bag, 10 per box, 50 per case. Average case weight 51 lbs.


FLUSH OVERLAY CONSTRUCTION





OVERLAY WITH 5/8" REVEAL BETWEEN DOORS





INSTALLATION




No. 812 GUIDE Available for locating mounting



No. 85811 DRILL

Has carbide inserts for high production use. Bores 1%" diameter flat bottom blind hole. Shank diameter ½".



Only one mortise required: 13%" diam. hole in door ½" deep located as shown above. (No. 85811 and No. 85815 drills available for boring hole in door)



No. 85815 DRILL


For limited production use in soft woods. Has built-in depth stop to bore a 136" diameter flat bottom blind hole ½" deep.
Shank diameter 36".

PIVOT HINGE


Extra Heavy Duty

Wrought steel — Plated finishes or bonderized and primed for painting


327




- For doors 13/8" to 13/4" thick
- Ideal for plastic laminated doors and wardrobe doors
- Bearings take both vertical and lateral loads
- Designed for mullion mounting
- Doors can be installed floor to ceiling
- Made from extra heavy .200 gauge steel
- Extra long screws for firm attachment
- Screw holes allow both vertical and horizontal adjustment
- Full 180° opening
- Pivot edges finely polished
- Reversible.* Use on doors of either hand




Quantity and Size of Flat Head Wood Screws Per Set	Sets in Box*	Sets in Case	Case Weight Average (lbs.)
10 – 1½ x 12	1	25	51





PIVOT HINGES


340** Wrought steel — Plated finishes or bonderized and prime coated for painting



- For flush, recessed, or overlay doors 11/8" to 13/8" thick. No door frame needed
- Only hinge of its type suitable for floor-to-ceiling doors
- Ideal for swinging wardrobe doors
- Cleaner appearance only hinge pivot shows when door is closed
- Doors can be opened 180°
- Made of heavy gauge (.131) steel
- Elongated screw hole in both the stop leaf and floor leaf makes vertical alignment simple
- Separable leaves on the top hinge permit fast installation where 180° opening is not possible
- Strong, silent operation with tough nylon bushings at the pivot point
- Edge mortise door leaves standard practice

Size (inches)	Quantity and Size of F.H. Wood Screws Per Set	Sets in Box*	Sets in Case	Case Weight Average (lbs.)
21/2	8 – 1 x 12	1	20	17

*Set consists of one top hinge and one bottom hinge Handed. Specify right or left hand Finishes described on page 39 **Pat. number 3,299,573 Wrought steel – Plated finishes or bonderized and prime coated for painting



- For flush or recessed cabinet or wardrobe doors $1\frac{1}{8}$ " to $1\frac{3}{8}$ " thick
- Top header and side jamb mounted
- Suitable for floor-to-ceiling doors
- Flush doors can be opened 180°
- Made of heavy gauge (.131) steel
- Elongated screw hole in top and bottom hinge for easy alignment
- Separable leaves on bottom hinge for easy installation
- Strong, silent operation with tough nylon bushings at the pivot point
- Edge mortise door leaves standard practice

Quantity and Size of Flat Head Wood Screws Per Set	Sets in Box*	Sets in Case	Case Weight Average (lbs.)
$7 - 1 \times 12$ 2 - 1½ x 12	1	20	14

*Set consists of one top hinge and one bottom hinge Handed. Specify right or left hand Finishes described on page 39

PIVOT HINGE

Wrought steel — Plated finishes or bonderized and primed for painting

342



- For overlay cabinet or wardrobe doors $1\frac{1}{8}$ " to $1\frac{3}{8}$ " thick
- Mullion mounted minimum 1" wide mullion-recommended
- Suitable for floor-to-ceiling doors
- Doors can be opened 180°
- Made of heavy gauge (.131) steel
- Elongated screw holes in top and bottom hinges for easy alignment
- Strong, silent operation with tough nylon bushings at the pivot point
- Edge mortise door leaves standard practice

Quantity and Size of Flat Head Wood Screws Per Set	Sets in Box*	Sets in Case	Case Weight Average (lbs.)
10 - 1 x 12	1	20	18

*Set consists of one top and bottom hinge Finishes described on page 39

$\frac{15}{16}$ $\frac{15}{16}$ $\frac{15}{16}$ $\frac{15}{16}$ $\frac{15}{16}$ $\frac{15}{16}$ $\frac{15}{16}$ Right hand illustrated

INTERMEDIATE PIVOT HINGE

AMULLION 5/16"

2-1/16"

ROOM SIDE

3/8" 3/8" SLOT CUT THROUGH
DOOR EDGE FOR PIVOT

Left hand illustrated

Quantity and Size of Flat Head Wood Screws Per Pair	Pair in Box*	Pair in Case	Case Weight Average (lbs.)
10 – 1 x 12	1	20	17

*Handed — specify right or left hand Finishes described on page 39 Wrought steel — Plated finishes or bonderized and prime coated for painting

321

- For overlay cabinet or wardrobe doors 11/8" to 13/8" thick
- For use on doors too high, too wide or too heavy to swing on only top and bottom pivots
- Use in pairs or with 342 pivot hinges
- Vertical style mounting
- Made from .131" thick steel
- Tough nylon bushings at pivot point
- Elongated holes for easy alignment
- Designed to match top and bottom pivot sets. (Pivot joint 1¾" from back of door)
- Cut into side of door
- Right or left packed separately specify hand


FOR LIPPED OR OVERLAY DOORS

Steel - Popular finishes, with screws

■ Made of heavy gauge wrought steel




Loose button tip pin 1588 steel



- 1588 has horizontal adjustment provided by slotted screw holes in jamb leaf
- 1588 for ¾" thick overlay cabinet or wardrobe doors that open up to 180° or in recessed and corner installations. Has wrap around door leaf for extra strength



Loose button tip pin 1589 steel



- 1589 has horizontal adjustment provided by slotted screw holes in jamb leaf
- 1589 for 11/8" to 13/8" thick overlay cabinet or wardrobe doors that open up to 180° or in recessed and corner installations



Flat button tips 1590 steel



- 1590 with 3/8" inset for 3/4" thick lipped door or 3/4" inset for 11/8" thick lipped door specify inset
- 1590 available with hospital type tips prefix "HT" to class number

	Number	Size, Length of Jamb Leaf (inches)	Gauge of Metal	Quantity and Size of Flat Head Wood Screws Per Pair	Pair in Box	Pair in Case	Case Weight Average (lbs.)
ſ	1588	21/2	.088	14-5/8x8	10	50	38
ı	1589	21/2	.088	12-5/8x8	10	100	72
	1590	21/2	.072	12-5/8x8	10	50	22

Finishes described on page 39




FOR OVERLAY DOORS

1592 HT1592

Steel - Popular finishes, with screws

■ Made of heavy gauge wrought steel



- For ¾" or ¾" thick overlay cabinet or wardrobe doors specify configuration number
- Has interleaf design for close door fit
- Available with hospital tips prefix "HT" to class number
- Has elongated screw holes for easy alignment, both vertically and laterally

Configuration		#1	#2	#3	#4	#5	#6	#7	#8
Door thickness	W	3/4	3/4	3/4	3/4	7/8	7/8	7/8	7/8
Frame offset #1592	Χ	3/8	1/2	5/8	3/4	3/8	1/2	5/8	3/4
Frame leaf # 1592	Υ	13/4	15/8	11/2	13/8	15/8	11/2	13/8	11/4
Reveal (without mortising)	Z	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4


Number	Size, Length of Jamb Leaf (inches)	Gauge of Metal	Quantity and Size of Flat Head Wood Screws Per Pair	Pair in Box	Pair in Case	Case Weight Average (lbs.)
1592	23/4	.088	16-5%x8	5	50	45




FOR FLUSH DOORS

Steel – Popular finishes with screws

1585 1586 1587



- Both leaves are concealed and only the barrel shows when door is closed
- 1585 and 1586 types made regularly for ¾" and 11%" thick doors



- Both leaves are concealed and only the barrel shows when door is closed
- 1587 with extended jamb leaf available for ¾" thick doors. 2" wide jamb leaf furnished with five screw holes


Number	Size, Length of Jamb Leaf (inches)	Gauge of Metal	Quantity and Size of Flat Head Wood Screws Per Pair	Pair in Box	Pair in Case	Case Weight Average (lbs.)
1585 1586 1587	2½ 2½ 2½ 2½	.072 .072 .072	14-5/8x8 14-5/8x8 18-5/8x8	10 10 10	100 50 50	55 24 33

Finishes described on page 39

PACK

FOR FLUSH DOORS

Steel - Popular finishes with screws 1584



- Both leaves are concealed and only the barrel shows when door is closed
- 1584 made for ¾" flush doors


Number	Size, Length of Jamb Leaf (inches)	Gauge of Metal	Quantity and Size of Flat Head Wood Screws Per Pair	Pair in Box	Pair in Case	Case Weight Average (lbs.)
1584	11/2	.048	12-5/8×6	10	100	21 '

FOR LIPPED DOORS

1527 1535

Steel - Plated finishes, with screws






- With raised barrel to permit door to open 180°
- 1527 furnished for ¾" lipped doors with ¾" inset







- Both leaves are concealed when door is closed, only the barrel shows
- 1535 for lipped doors with 3/8" inset only

Number	Size, Length of Jamb Leaf (inches)	Gauge of Metal	Quantity and Size of Flat Head Wood Screws Per Pair	Pair in Box	Pair in Case	Case Weight Average (lbs.)
1527	25/8	.048	10-5%x5	10	100	19
1535	2	.045	10-5%x5	10	100	24

CABINET PIVOT HINGES FOR OVERLAY DOORS


331 332

335


Steel — Plated finishes or prime coated for painting, with screws



No. 331 FOR HORIZONTAL STILE



No. 332 FOR VERTICAL STILE



No. 335 FOR VERTICAL STILE, INTERMEDIATE PLACEMENT

- For ¾" or ¾" doors that completely overlap the frame
- Weight of door always carried on nylon washer quiet operation
- Elongated screw holes on all leaves for vertical and horizontal adjustment
- Only the hinge pivot shows when door is closed
- Available in popular finishes
 No. 331 for horizontal stile
 - No. 332 for vertical stile
 - No. 335 for vertical stile also can be used as an intermediate hinge with no. 331 or no. 332

Number	Gauge of Metal	Quantity and Size of Flat Head Wood Screws Per Pair	Pair in Box	Pair in Case	Case Weight Average (lbs.)
331	.083	8–5/8×6	10	50	11
332	.083	10–5/8×6	10	50	13
335	.090	12–5/8×6	10	50	13



CABINET SPRING HINGES

Steel – Bright brass or bright nickel plated with screws

Spring hinges

343 steel

11/4" design

Spring hinges


1

343

ORNAMENTAL CABINET HINGES

Steel - Satin brass finish, with screws

1475 1478



Fast spun pin 1475



Fast spun pin 1478

- Steel, plated, highly rust resistant
- Use for flush surface application
- Spring action for self-closing doors
- For use on cabinet doors, utility closet doors, office gates, etc.

343 steel 2" design

Number	Size, Length of Joint (inches)	Width Open (inches)	Quantity and Size of Wood Screws Per Pair	Pair in Box	Pair in Case	Case Weight Average (lbs.)
343 343	1 ¹ / ₄ 2	1% 1% 1%	8–½x5 pan head 12–½x6 pan head	10 10	200 100	22 20

Finishes described on page 39



- Fancy embossed hinges for full surface application
- Steel, satin brass finish
- Embossed to give extra strength
- For use on cabinet doors, small boxes, chests, etc.

Number	Size, Length of Joint (inches)	Width Open (inches)	Quantity and Size of Wood Screws Per Pair	Pair in Box	Pair in Case	Case Weight Average (lbs.)
1475	1½	2½	12-%x5 F.H.	10	200	34
1478	1½	2½	12-%x5 F.H.	10	100	19


Finishes described on page 39



LIGHT NARROW HINGE

284 Wro

Wrought steel - Planished and plated




- With fast spun pins
- Made with five knuckles, except 1" and 1½" which have three knuckles
- For plain steel hinges see number 838 on page 185

Size, Length of Joint (inches)	Width Open (inches)	Gauge of Metal	Quantity and Size of Wood Screws Per Pair	Pair in Box with Screws	Pair in Case	Case Weight Average (lbs.)
1 1½ 2 2½ 3	1 13/8 11/6 11/6 2	.045 .045 .056 .056	8-½x3 8-5%x5 8-¾x6 12-¾x6 12-¾x7	10 10 10 10 10	300 200 200 300 100	16 20 34 70 38

Finishes described on page 39

BROAD HINGE

Wrought steel — Planished and plated or bonderized and prime coated for painting



- With loose pins
- For doors of cabinets, bookcases, china closets, etc.

Size Open (inches)	Gauge of Metal	Quantity and Size of Wood Screws Per Pair	Pair in Box with Screws	Pair in Case	Case Weight Average (lbs.)
2 x2	.056	8-¾x6	5	100	22
2½x2	.056	12-¾x6	5	100	28
2½x2½	.056	12-¾x6	5	100	33


Finishes described on page 39



LIGHT NARROW HINGES

Wrought steel — Planished and plated or bonderized and prime coated for painting

- With loose pins
- Made with five knuckles, except 1½" which has three knuckles
- For doors of cabinets, bookcases, china closets, etc.




Lof	Size, ength Joint iches)	Width Open (inches)	Gauge of Metal	Quantity and Size of Wood Screws Per Pair	Pair in Box with Screws	Pair in Case	Case Weight Average (lbs.)
1	1½	13/8	.045	8-5/8x5	5	100	12
	2	13/6	.056	8-3/4x6	5	100	19
	2½	11/16	.056	12-3/4x6	5	100	28
	3	2	.065	12-3/4x7	5	100	39

Finishes described on page 39



CABINET PULLS AND KNOBS



- Available in two sizes and two architectural finishes
- Genuine oiled teak insert
- Both sizes available in US26D and US4
- For use wherever wood will enhance the decor

Number	Size (inches)	Screw Hole Spacing (inches)	Quantity and Size of *Trimit Head Break-off Machine Screws Per Piece	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
4490	1½ x 1%	1 ¹ / ₄	2 - 1% x 5-32	25	100	11
4491	1½ x 3%	2 ¹ / ₂	2 - 1% x 5-32	25	100	17



Solid brass – Popular finishes, with screws

4477

Aluminum – Satin, anodized, with screws

4477 (US28)

Solid brass – Popular finishes, with screws

Aluminum – Satin, anodized, with screws

4478 (US28)

Solid brass - Popular finishes, with screws

4479

Aluminum - Satin, anodized, with screws

4479 (US28)

- For cabinet doors or drawers up through 13%" thick
- Made of solid brass, in popular finishes or in satin anodized aluminum

Number	Size (inches)	Screw Hole Spacing (inches)	Quantity and Size of *Trimit Head Break-off Machine Screws Per Piece	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
4477 4477 (US28) 4478	4 4 3½	3½ 3½ 3	2 - 15% x 8-32 2 - 15% x 8-32 2 - 15% x 8-32	25 25 25	100 100 100	14 6 14
4478(US28) 4479 4479(US28)	3½ 2¾ 2¾ 2¾	2½ 2½ 2½	2 - 15% x 8-32 2 - 15% x 8-32 2 - 15% x 8-32	25 25 25	100 100 100	11 5

Finishes described on page 39





	Size Diam.	Quantity and Size of *Trimit Head Break-off	Diagon	Pieces		Weight ge (lbs.)
Number	(inches)	Machine Screws Per Piece	Pieces in Box	in Case	4482	4482 (US28)
4482 4482(US28)	1½ 1¼ 1½ 1½	1-15/8x8-32 1-15/8x8-32 1-15/8x8-32	25 25 25	100 100 100	8 11 16	4 6 7

Finishes described on page 39. When ordering specify size

*Trimit head break-off machine screws to accommodate doors or drawers $\frac{1}{2}$ " through $\frac{1}{2}$ " thick

Solid brass — Popular finishes, with screws

4482

Aluminum - Satin, anodized, 4482 (US28)

- For cabinet doors or drawers up through 13%" thick
- Made of solid brass in popular finishes or in satin anodized aluminum





PULLS

4483, 44831/2, Solid brass - Popular finishes, 4484, 4485, with screws 4486

4483 (US28), 44831/2 (US28), 4484 (US28), 4485 (US28), 4486 (US28)

Aluminum -Satin, anodized, with screws

4483

44831/2

4484

■ For cabinet doors or drawers ¾" through 1¾" in thickness

■ Made of solid brass, in popular finishes or in satin anodized aluminum

■ 1" finger clearance on all items







SESTIMATE ONOTE NO.	Screw Hole	Projection	Diameter	Quantity and Size of *Trimit Head Break-off Machine Screws	Pieces	Pieces	Case V Averag	Veight e (lbs.)
Catalog Number	Spacing (inches)	Projection (inches)	Diameter (inches)	Per Piece	in Box	in Case	Brass	Aluminum
4483 and 4483 (US28)	3	15/16	5/16	2 - 15/8 x 8-32	25	100	13	6
44831/2 and 44831/2 (US28)	31/2	15/16	5/16	2 - 15/8 x 8-32	25	100	16	7
4484 and 4484 (US28)	4	15/16	5/16	2 - 15/8 x 8-32	25	100	17	8
4485 and 4485 (US28)	5	15/16	5/16	2 - 15/8 x 8-32	25	100	20	9
4486 and 4486 (US28)	6	15/16	5/16	2 - 15/8 x 8-32	25	100	22	9


^{*}Trimit head break-off machine screws to accommodate doors or drawers 1/2" through 11/4" thick Finishes described on page 39

BASES FOR PULLS

4487

Solid brass - Popular finishes

4487 (US28) Aluminum - Satin, anodized



- Bases for use with pulls number 4483, 4483½, 4484, 4485 and 4486
- Made of solid brass in popular finishes or in satin anodized aluminum
- Provide better foundation for extra stability

Shipping weight

Solid brass - 3 lbs. per thousand pair Aluminum $-1\frac{1}{4}$ lbs. per thousand pair

Packed: 25 pair per box 250 pair per carton

MAGNETIC CABINET CATCHES

Tan plastic - With screws

SP42**



Attractive polypropylene case complements cabinet appearance



- Single screw mounting speeds installation. Slotted screw hole in case provides ample adjustment
- Rugged polypropylene case has no sharp corners
- Buff color harmonizes with natural wood or painted cabinets
- "Floating" magnet assures positive contact

Aluminum - Plain finish, with screws \$P46 (US28)*▲












Lipped door Flush door Under shelf Overlay door

- For entire range of cabinet door applications
- Case now made from stronger alloy
- Impregnated rubber magnet is shatterproof
- Magnet and pole piece have floating action for perfect alignment with strike
- Slotted screw holes in case and off center hole in strike assures perfect installation


Aluminum - Plain finish, with screws \$P41 (US28)*▲



- Elongated screw holes permit easy adjustment
- Rubber magnet automatically adjusts for warping or shrinking of door
- Aluminum case with a zinc plated steel strike

Aluminum - Plain finish, with screws \$P45 (US28)*▲





- Double magnetic catch for pairs of cabinet doors or full size door
- Floating action Magnet and pole piece assemblies pivot to allow for full contact with strikes
- Impregnated rubber magnet withstands rugged use
- Slotted screw holes in case and off center hole in strike assures perfect installation
- *Patent Number 2,935,352

Number	Size of Case (inches)	Size of Strike (inches)	Quantity and Size of Screws Per Piece	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
SP41	2 x 11/4	1⅓8 x ⅓6	$2-\frac{1}{2} \times 6$ pan head $1-\frac{5}{8} \times 5$ flat head	25	250	27
SP42	1 × 11/6	½ x 1	1-5/8 x 5 flat head 1-1/2 x 5 pan head (Shakeproof washer)	25	250	18
SP45	31/4 x 13/8	11/8 X 11/16	$2-\frac{5}{8} \times 5$ flat head $2-\frac{1}{2} \times 6$ pan head	20	100	22
SP46	115/16 X 27/32	11/8 X 11/16	$2-\frac{1}{2}$ x 6 pan head $1-\frac{5}{8}$ x 5 flat head	25	250	18

Revised 7-78

CABINET CATCHES


SP37 Steel - Bright zinc plated, with screws



- Catch is made of tempered spring steel, insuring positive engagement and smooth operation
- Marking ring on screw holes for easy mounting

Catch (inches)	Strike (inches)	Quantity and Size of Pan Head Wood Screws Per Piece	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
l 3⁄8 x 1∕2	1% x 3/8	4−½ x 5	25	250	8

SP34*[▲] Steel — Bright zinc plated, with screws




- The jaws of the catch provide automatic adjustment for normal wood shrinkage
- A ball head screw is provided with this catch in addition to the regular strike
- Elongated screw holes in the catch permit easy adjustment
- Self-marking strike for quick installation

*Patent number 2,711,335

Case (inches)	Height of Case (inches)	Quantity and Size of Pan Head Wood Screws Per Piece	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
11/6 x 3/4	%6	4—½ x 5	25	250	15

▲Item now in SUPER-PAC. See page 34


SP35^{*} Steel - Bright zinc plated, with screws



- Elongated screw holes on case permit easy adjustment
- Self-aligning arms work independently assuring easy, positive action
- Polyethylene rollers absorb shock. Hold door away from cabinet, eliminating noise

	Size of Case (inches)	Size of Strike (inches)	Quantity and Size of Pan Head Wood Screws Per Piece	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
ĺ	11/6 x 3/4	11/8 x 3/8	4−½ x 5	25	250	16

38 Steel - Bright zinc plated, with screws



- Elongated screw holes permit easy adjustment
- Polyethylene roller seats in strike pocket absorbing shock. Holds door from cabinet, eliminating noise

Size of Case (inches)	Size of Strikes (inches)	Quantity and Size of Pan Head Screws Per Piece	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
13/8 x 11/8	21/6 x 5/8 15/6 x 1	4—½ x 6	25	250	18

FULL MORTISE HINGES



- For doors of residences, apartment houses and other medium weight wood doors with wood jambs
- Use ball bearing hinges on high and average frequency doors and all doors equipped with door closers

Wrought steel - Planished and plated

241

Steel — Galvanized with brass pins, with screws

(US2H) 241BP

Wrought steel - Planished and plated


RD241

- Made of wrought steel, toughened and hardened by cold rolling
- \blacksquare Available with round corners (RD241) sizes $3\frac{1}{2}^{\prime\prime}$ x $3\frac{1}{2}^{\prime\prime}$ and $4^{\prime\prime}$ x $4^{\prime\prime}$
- For wide-throw hinges see page 62

Size Open (inches)	Gauge of Metal	Quantity and Size of Screws Packed per Pair F.H. Wood Screws	Pair in Box with Screws	Pair in Case	Case Weight Average (lbs.)
*2 x 2	.075	8 - 34 x 7	5	50	16
*2½ x 2½	.075	12 - 34 x 8	5	50	25
*3 x 3	.080	12 - 34 x 9	1	50	36
3½ x 3½	.120	12 - 1 x 10	1	25	32
4 x 4	.127	16 - 11/4 x 12	1	25	42

For sizes not shown — order F179xAWS or RDF179xAWS *241BP(US2H) not available in sizes $2'' \times 2''$, $2\frac{1}{2}'' \times 2\frac{1}{2}''$ and $3'' \times 3''$

Finishes described on page 39



- For wood doors of residences
- Ideal for use where doors do not have trim to clear

HALF SURFACE HINGES

Steel — Planished and plated or bonderized and prime coated for painting

164

- Easily applied as only the jamb leaf is mortised, no gauging necessary
- Made of wrought steel, toughened and hardened by cold rolling
- Reversible for right or left hand doors by unscrewing the slotted tip, reversing the pin and applying tip to the opposite end

Size, Length of	Wid	dth	Offset		Quantity and Size of Recessed Head Screws Packed per Pair	Pair in Box	EL MEST	Case Weight
Joint (inches)	Jamb Leaf (inches) (A)	Door Leaf (inches) (B)	(inches) (C)	Gauge of Metal	F.H. Wood Screws	with Screws	Pair in Case	Average (lbs.)
2	, ,,,					1		21
31/2	1% ₂ 1% ₆	$1\frac{1}{2}$ $1\frac{5}{16}$	¹ / ₃₂ 3/ ₈	.080	12 - 5% x 8 12 - 34 x 9	1	50 50	58
4	1 47/64	15/8	27/64	.130	16 – 1 x 10	1	25	38
41/2	1 15/16	21/4	7/16	.134	16 – 1¼ x 10	1	20	42

Finishes described on page 39

Visual pack, with screws, steel - Satin brass finish

CD164

Catalog Number	Quantity in Pack	Packs in Box	Packs in Case	Case Weight (lbs.)
CD164 - 3½"	1 ea.	5	50	30

For these and other visually packed items see visual pack hardware section of catalog

SQUARE CORNER HINGES

741

Wrought steel — Planished and plated or bonderized and prime coated for painting

741BP(US2H)

Steel — Galvanized with brass pins

- For use on interior doors when hollow core or other light weight doors are used
- Use ball bearing hinges on hollow metal, high and average frequency doors and doors equipped with door closers
- Non-rising steel pin
- Hole in bottom tip for easy pin removal



STANDARD BOX PACKING

Size Open (inches)	Quantity and Size of Wood Screws per Pair	Pair in Box with Screws	Pair in Case	Case Weight Average (lbs.)
3 x3	12 - ¾ x 9	1	50	32 ·
3½x3½	12 - ¾ x 9	1	50	45
4 x4	$16 - 1 \times 9$	1	25	30

Finishes described on page 39


CD741

Visual pack, with screws, steel — Satin brass, bright nickel or antique finishes

Catalog Number	Quantity in Pack	Packs in Box	Packs in Case	Case Weight (lbs.)
CD741 (US4) - 3" x 3"	1 ea.	10	50	18
CD741 (US4) $-3\frac{1}{2}$ " x $3\frac{1}{2}$ "	1 ea.	10	50	25
CD741 (US14) - 3½" x 3½"	1 ea.	10	50	25
CD741 (A6) $-3\frac{1}{2}$ " x $3\frac{1}{2}$ "	1 ea.	10	50	25
CD741 (F8) $-3\frac{1}{2}$ " x $3\frac{1}{2}$ "	1 ea.	10	50	25
CD741 (K4) $-3\frac{1}{2}$ " x $3\frac{1}{2}$ "	1 ea.	10	50	25
CD741 (US4) - 4" x 4"	1 ea.	10	50	32
CD741 (A6) - 4" x 4"	1 ea.	10	50	32
CD741 (F8) — 4" x 4"	1 ea.	10	50	32
CD741 (K4) - 4" x 4"	1 ea.	10	50	32

For these and other visually packed items see visual pack hardware section of catalog

ROUND CORNER HINGES





Radius of corners 1/4"

STANLEY 1/2" DIAMETER ROUTER BITS The perfect teammate for RD741



85159 (formerly 2016) Router Bit — High Speed Steel 85249 (formerly T2016) Router Bit — Carbide Tipped

UNASSEMBLED HINGES — BULK

	Quantity	in Case	Calama chamas mater
Size Open (inches)	2 Knuckle Leaves	3 Knuckle Leaves	Average Shipping Weight of Hinges and Screws
3½x3½	200 pcs.	200 pcs.	88 lbs. per 100 pr.
4 x4	150 pcs.	150 pcs.	85 lbs. per 75 pr.

SCREW PACKING

Catalog Number	Screw Size	For Hinge Size	WENGE AND MENGE
760 761 762 763* 764	3/4x8 5/8x9 3/4x9 3/4x9 1 x9	3 x3 3½x3½ 3½x3½ 3½x3½ 3½x3½ 3½x3½	600 pcs. in 6000 pcs. in box (Enough case (Enough for one case of hinge cases of leaves)
765 766 768*	3/4x9 1 x9 3/4x9	4 x4 4 x4 4 x4	800 pcs. in 8000 pcs. in box (Enough for one case for ten of hinge cases of leaves)

	Catalog Number	Screw Size	For Hinge Size	
7	767-2	21/4x9	3½x3½ or 4x4	2 each in poly bag

*Type 17 fly cut

Wrought steel — Planished and plated or bonderized and prime coated for painting

RD741

Steel — Galvanized with brass pins

(US2H) **RD741BP**

- For use on interior doors when hollow core or other light weight doors are used
- The corners have a ¼" radius
- Hole in bottom tip for easy removal of non-rising steel pin
- Use ball bearing hinges on hollow metal, high and average frequency doors equipped with door closers
- Bulk assembled hinges are packed in one case and screws in a separate case
- Bulk unassembled hinges are packed:
 - 2 knuckle leaves in one case
 - 3 knuckle leaves with pins in another case screws in separate case
- When ordering bulk packed: specify either bulk assembled or bulk unassembled and size of screw
- Available with flush pin (RD741FP) bulk unassembled sizes 3½" x 3½" and 4" x 4"
- Available with non-removable pin (RD741 N.R.P.) bulk assembled or bulk unassembled size 4"x4"

STANDARD BOX PACKING

Size Open (inches)	Quantity and Size of Wood Screws per Pair	Pair in Box with Screws	Pair in Case	Case Weight Average (lbs.)
3 x3	12 - ¾ x 9	1	50	31
3½x3½	12 - 3/4 x 9	1	50	44
4 x4	$16 - 1 \times 9$	1	25	30

ASSEMBLED HINGES - BULK

Size Open (inches)	Quantity in Case	Average Shipping Weight of Hinges and Screws
3½x3½	50 Pr.	43 lbs. per 50 Pr.
4 x4	50 Pr.	56 lbs. per 50 Pr.

SCREW PACKING

Catalog Number	Screw Size	For Hinge Size		
760 761 762 763* 764	3/4x8 5/8x9 3/4x9 3/4x9 1 x9	3 x3 3½x3½ 3½x3½ 3½x3½ 3½x3½	600 pcs. in box (Enough for 50 pr. 3"x3" or 3½"x3½")	6000 pcs. in case (Enough for 500 pr. 3"x3" or 3½"x3½")
765 766 768*	³ / ₄ x9 1 x9 ³ / ₄ x9	4 x4 4 x4 4 x4	800 pcs. in box (Enough for 50 pr. 4"x4")	8000 pcs. in case (Enough for 500 pr. 4"x4")

Finishes described on page 39

ROUND CORNER HINGES

RD758

Wrought steel — Planished and plated or bonderized and prime coated for painting

- For use on interior doors when hollow core or other light weight doors are used
- The corners have a 5/8" radius
- Hole in bottom tip for easy removal of non-rising steel pin
- Use ball bearing hinges on hollow metal, high and average frequency doors equipped with door closers
- Bulk assembled hinges are packed in one case and screws in a separate case
- Bulk unassembled hinges are packed:
 - 2 knuckle leaves in one case
 - 3 knuckle leaves with pins in another case screws in a separate case
- When ordering: specify either bulk assembled or bulk unassembled and size of screw
- Available with flush pin (RD758FP) bulk unassembled sizes 3½" x 3½" and 4" x 4"
- Available with non-removable pin (RD758 N.R.P.) bulk assembled or bulk unassembled size 4"x4"

UNASSEMBLED HINGES

	Quantity in	1 Case	
Size Open (inches)	2 Knuckle Leaves	3 Knuckle Leaves	Average Shipping Weight of Hinges and Screws
3 x3	200 pcs.	200 pcs.	64 lbs. per 100 pr.
3½x3½	200 pcs.	200 pcs.	88 lbş. per 100 pr.
4 x4	150 pcs.	150 pcs.	85 lbs. per 75 pr.

SCREW PACKING

Catalog Number	Screw Size	For Hinge Size	
760 761 762 763* 764	3/4x8 5/8x9 3/4x9 3/4x9 1 x9	3 x3 3½x3½ 3½x3½ 3½x3½ 3½x3½ 3½x3½	600 pcs. in box (Enough for one case of hinge cases of leaves)
765 766 768*	³ / ₄ x9 1 x9 ³ / ₄ x9	4 x4 4 x4 4 x4	800 pcs. in 8000 pcs. in box (Enough case (Enough for one case of hinge cases of leaves)

Catalog Number	Screw Size	For Hinge Size	
767-2	21/4×9	3½x3½ or 4x4	2 each in a poly bag


*Type 17 fly cut





Assembled

Unassembled



Unassembled F. P.

Radius of corners 5/8"

STANLEY 11/4" DIAMETER ROUTER BIT The perfect teammate for the RD758!





92840



85130 (formerly 840) Cutter 85238 (formerly T840) Cutter — Carbide tipped 92839 (formerly S9926) Arbor ¼" Diameter 92840 (formerly S9927) Arbor ½" Diameter

85130 85238

ASSEMBLED HINGES

Size Open (inches)	Quantity in Case	Average Shipping Weight of Hinges and Screws
3 x3	50 Pr.	31 lbs. per 50 Pr.
3½x3½	50 Pr.	43 lbs. per 50 Pr.
4 x4	50 Pr.	56 lbs. per 50 Pr.

SCREW PACKING

Catalog	Screw	For Hinge	West In the second
Number	Size	Size	
760	3/4x8	3 x3	600 pcs. in box 6000 pcs. in case (Enough for 50 pr. 500 pr. 3"x3" or 3"x3" or 3½"x3½")
761	5/8x9	3½x3½	
762	3/4x9	3½x3½	
763*	3/4x9	3½x3½	
764	1 x9	3½x3½	
765	3/4x9	4 x4	800 pcs. in box 8000 pcs. in case (Enough for Enough for 50 pr. 500 pr. 4"x4")
766	1 x9	4 x4	
768*	3/4x9	4 x4	

Finishes described on page 39

SLIDING DOOR HARDWARE

TYPICAL SLIDING DOOR INSTALLATIONS

	Class No. Selection	Track Type	Type of Hanger	Maximum Weight Per Door	Door Thickness	Headroom Clearance	Standard Opening Widths
OUTSIDE WALL INSTALLATIONS Single Door	V2820 2842	Steel Aluminum	Top mounted — 1 wheel Top mounted — 3 wheel	60 lbs. 150 lbs.	34" to 134" 136" and 134"	1½" to 2" 2" to 25%"	2' to 4' 2' to 4'
Bi-Parting Doors	V2820 (2 sets) 2842 (2 sets)	Steel Aluminum	Top mounted — 1 wheel Top mounted — 3 wheel	60 lbs. 150 lbs.	¾" to 1¾" 1¾" and 1¾"	1½" to 2" 2" to 25%"	4' to 8' 4' to 8'
IN POCKET INSTALLATIONS Single Door	V2820 2825 2842 2826	Steel Steel Aluminum Aluminum	Top mounted — 1 wheel Top mounted — 1 wheel Top mounted — 3 wheel Top mounted — 3 wheel	60 lbs. 80 lbs. 150 lbs. 150 lbs.	34" to 134" 34" to 134" 136" and 134" 136" and 134"	1½" to 2" 2" to 25%" 2" to 25%"	2' to 4' 2' to 3' 2' to 4' 2' to 3'
Bi-Parting Doors	V2820 (2 sets) 2825 (2 sets) with 2825-5 2842 (2 sets) 2826 (2 sets) with 2825-5	Steel Steel Aluminum Aluminum	Top mounted -1 wheel Top mounted -1 wheel Top mounted -3 wheel Top mounted -3 wheel	60 lbs. 80 lbs. 150 lbs. 150 lbs.	34" to 134" 34" to 134" 136" and 134" 136" and 134"	1½" to 2" 2" to 25%" 2" to 25%"	4' to 8' 4' to 6' 4' to 8' 4' to 6'
BY-PASSING DOOR INSTALLATIONS Two Doors	V2800 2840 2840 Components 2841 V2850 V2857 2858 V2870	Steel Aluminum Aluminum Aluminum Steel Aluminum Aluminum Steel Steel	Side mounted — 1 wheel Top mounted — 3 wheel Top mounted — 3 wheel Top mounted — 4 wheel Side mounted — 1 wheel	60 lbs. 150 lbs. 150 lbs. 150 lbs. 60 lbs. 60 lbs. 60 lbs.	34" and 136" 136" and 134" 136" and 134" 136" and 136" 34" and 136" 136" 34" and 136" 136"	13%" 2" to 25%" 2" to 25%" 2" to 25%" 11/4" 11/4" 11/4"	4', 5', 6', 8' 4', 5', 6' 4' to 6' 5', 6', 8' 4', 5', 6', 8' 4', 5', 6', 8' 4', 5', 6', 8'
Three Doors	2840 Components 2841 Components	Aluminum Aluminum	Top mounted — 3 wheel Top mounted — 4 wheel	150 lbs. 150 lbs.	1%" and 1%" 1%" and 1%"	2" to 25/8" 2" to 25/8"	6' to 12' 6' to 12'
Four Doors	any 2 or 3 door set with additional hangers, guides and bumpers 2840 Components 2841 Components	(see two or three door listing above) Aluminum Aluminum	(see two or three door listing above) Top mounted — 3 wheel Top mounted — 4 wheel	60 lbs. 150 lbs. 150 lbs.	(see two or three door listing above) 1%" and 1%" 1%" and 1%"	2" to 25%" 2" to 25%"	4' to 16' 8' to 16' 10', 12', 16'


FOR BY-PASSING DOORS 3/4" AND 13/8" THICK WEIGHING UP TO 60 LBS.

FOR 4', 5', 6' AND 8' OPENINGS FOR TWO BY-PASSING DOORS


SET V2850 With STEEL track — Electro-galvanized finish


SET V2857 With extruded ALUMINUM track


- Fine tune cam provides simple visual alignment of door with jamb and a full ¼" vertical adjustment without loosening hanger installation screws
- Low headroom . . . only 11/4" required between top of door and header
- Identical hardware for both ¾" and 1¾" thick doors
- Doors lift on and off track without removing hangers from door
- Track is jump proof V shape for smooth operation and dirt clearance
- Metal parts of hanger are bright zinc plated. Nylon rollers permanently lubricated for silent operation
- Adjustable floor guide for perfect fit with any door thickness



		Door	s Required
Class No.	No. Opening Width		Thickness
V2850 or V2857	4' 5' 6' 8'	Two 2'0" Two 2'6" Two 3'0" Two 4'0"	34" or 138" 34" or 138" 34" or 138" 34" or 138"







For parts kit see page 95

\$1.at		Contents of Sets*								
				Trac	k	Floor	Sets	Sets in	Case Weigh	t Average (lbs.)
Class No.	Opening Size	2850-1 Hangers	2850-2 Hangers	In 2850 Sets Only	In 2857 Sets Only	Guide	in Pack	Case	V2850	V2857
V2850 or V2857	4' 5' 6' 8'	1 pair 1 pair 1 pair 1 pair	1 pair 1 pair 1 pair 1 pair	T-2850-47" T-2850-59" T-2850-71" T-2850-95"	T-2857-47" T-2857-59" T-2857-71" T-2857-95"	2860 2860 2860 2860	1 1 1 1	10 5 5 5	28 17 21 33	20 12 14 22

When ordering, specify number of set and width of opening

For these packaged sets or storage hardware merchandisers see merchandiser section of catalog

^{*}With $3\!4''$ finger pulls, screws and installation instructions

HANGERS AND TRACKS AS USED IN PACKED SETS

Steel – Bright zinc plated, nylon rollers and dial 2850-1* 2850-2* HANGERS

Fine

DIAL ALIGNMENT HANGER Back of hangers stamped 1 or 2 for positioning guide on 3/4" or 13/4" doors

Fine	tune	adjustmen	nt cam	pro	vides	simple	e visual
align	ment	of door w	ith jaml	b an	d a fu	111 1/4"	vertical
adjus	tmen	t without	loosen	ing	hange	er inst	tallation
screv	VS						

■ All metal parts made of wrought steel, bright zinc plated. Dial and rollers made of nylon

SHORT SET 2851 for two doors 3/4" or 13/8" thick
Consists of: one pair No. 2850-1 hangers
one pair No. 2850-2 hangers
one only No. 2860 floor guide
with screws and installation instructions

All above used with track T2850, T2857

*Pat. Number 3,142,859

Steel - Electro-galvanized finish T2850

T2850 TRACK

Aluminum – Extruded

T2857 TRACK



Track for 34" and 13%" thick bypassing doors used with hangers 2850-1 and 2850-2, or sets V2850 and V2857

■ Dimensions: 11/8" high x 13/4" wide


Standard	For Opening	Pieces	Case Weight Average (lbs.		
Lengths	Size	in Case*	T2850	T2857	
47"	4'	10	24	13	
59"	5′	10	26	15	
71"	6′	10	36	19	
95"	8′	10	48	25	

Class Number Quantity in Box* Quantity in Case Case Weight Average (lbs.) 2850-1 10 pair 100 pair 29 2850-2 10 pair 100 pair 27 2851 1 set 10 sets 6

*With screws

2850PK

REPLACEMENT PARTS KIT FOR V2850 AND V2857 SLIDING DOOR HARDWARE



SUGGESTED SPECIFICATIONS

Hardware for two by-passing doors 60 lbs. each to be with jump proof V shape track. Zinc plated hangers with nylon rollers permanently lubricated for smooth, silent operation. Hangers provided with a full ½" vertical and dial cam adjustment for aligning doors without removing hanger installation screws. Adjustable floor guide

Stanley V2850 with steel track electro-galvanized finish or Stanley V2857 with extruded aluminum track

Hardware for three by-passing doors 60 lbs. each to be with jump proof V shape track. Zinc plated hangers with nylon rollers permanently lubricated for smooth, silent operation. Hangers provided with a full $\frac{1}{4}$ " vertical and dial cam adjustment for aligning doors without removing hanger installation screws. Adjustable floor guide

Stanley V2850 with steel track electro-galvanized finish and additional hangers, guides, and bumpers for third door or Stanley V2857 with extruded aluminum track and additional hangers, guides, and bumpers for third door

FOR BY-PASSING DOORS 13/8" THICK WEIGHING UP TO 60 LBS.


FOR 4', 5' AND 6' OPENINGS


FOR TWO BY-PASSING DOORS

SET 2858 With aluminum decorative fascia track



- Decorative fascia eliminates wood fascia trim
- Decorative face is also applied to inside track for continuity of appearance
- Fine tune cam provides simple visual alignment of door with jamb and a full 1/4" vertical adjustment without loosening hanger installation screws
- Low headroom only 1¼" required between top of door and header
- Doors lift on and off track without removing hangers from door
- Track is jump-proof V shape for smooth operation and dirt clearance
- Metal parts of hanger are bright zinc plated. Nylon rollers permanently lubricated for silent operation





When installing track in jambless openings, (no wood frame) fascia of track must be set back a sufficient distance from the top edge of the header in order to insure adequate purchase of the front screws into the wood used in the rough openings. Use 1¼ x 10 wood screws (not supplied) when installing track to jambless openings


Class No.	Opening Size			Cor	ntents of Sets*				Case Weight
		Doors R	Thickness	Hangers	Track	Floor Guide	Sets in Carton	Sets in Case	Average (lbs.)
2858	4' 5' 6'	Two 2'0" Two 2'6" Two 3'0"	13/8" only 13/8" only 13/8" only	2 pair 2850-3 2 pair 2850-3 2 pair 2850-3	T-2854-48" T-2854-60" T-2854-72"	2862 2862 2862	1 1 1	10 10 10	38 37 43


When ordering, specify number of set and width of opening *With 34" finger pulls, screws and installation instructions

TRACK AND HANGERS AS USED IN PACKED SETS

Aluminum – Extruded

T2854 TRACK






■ Dimensions: track 11/8" high x 27/8" wide fascia 13/4" high

Standard Length			Case Weight Average (lbs.)		
47"	47" 4'		24		
59"			26		
71"	6′	10	33		

*With screws

Steel – Bright zinc plated, nylon rollers and dial

2850-3* HANGERS



- Fine tune adjustment cam provides simple visual alignment of door with jamb and a full 1/4" vertical adjustment without loosening hanger installation screws
- All metal parts made of wrought steel, bright zinc plated. Dial and rollers made of nylon
- Above used with track T2854 and set 2858

Class	Quantity	Quantity	Case Weight	
Number	in Box**	in Case	Average (lbs.)	
2850-3	10 pair	100 pair	28	

**With screws

*Pat. Number 3,142,859

SUGGESTED SPECIFICATIONS

Hardware for two by-passing doors 60 lbs. each to be with jump proof V shape track. Zinc plated hangers with nylon rollers permanently lubricated for smooth, silent operation. Hangers provided with a full 1/4" vertical and dial cam adjustment for aligning doors without removing hanger installation screws. Polyethylene floor guide

Stanley 2858 with extruded aluminum track having decorative header trim

Hardware for three by-passing doors 60 lbs. each to be with jump proof V shape track. Zinc plated hangers with nylon rollers permanently lubricated for smooth, silent operation. Hangers provided with a full ½" vertical and dial cam adjustment for aligning doors without removing hanger installation screws. Polyethylene floor guide

Stanley 2858 with extruded aluminum track having built-in decorative header trim and additional hangers, guides, and bumpers


STANLEY

FOR BY-PASSING DOORS 3/4" AND 13/8" THICK WEIGHING UP TO 60 LBS.


FOR 4', 5', 6' AND 8' OPENINGS

FOR TWO BY-PASSING DOORS

SET V2800 With STEEL track — Electro-galvanized finish



- Low headroom . . . only 13/8" required between top of door and header
- Hangers reversible for both ¾" and 1¾" doors
- Doors lift on and off track without removing hangers from door
- Track is jump proof V shape for smooth operation and dirt clearance. Doors cannot be derailed in vertical position
- Heavy gauge steel hanger is electro zinc plated. Nylon rollers permanently lubricated for silent operation
- Simple ¾" vertical adjustment with positive lockin-place feature. Screws in door need never be loosened for adjustment
- Adjustable floor guide for perfect fit with any door thickness



FINISHED OPENING

IS 2 X DOOR WIDTH MINUS 1"

Minimum finished opening = door height + 1 ½"

		Door	s Required	Contents of Sets*					
Class No.	Opening Size	Width	Thickness	2800-1 Hangers	Track	Floor Guide	Sets in Pack	Sets in Case	Case Weight Average (lbs.)
V2800	4'	Two 2' 0"	3/4" or 13/8"	2 pair	T-2814-47"	2860	1	10	29
	5′	Two 2' 6"	3/4" or 13/8"	2 pair	T-2814-59"	2860	1	5	20
	6'	Two 3'0"	3/4" or 13/8"	2 pair	T-2814-71"	2860	1	5	23
	8′	Two 4' 0"	3/4" or 13/8"	2 pair	T-2814-95"	2860	1	5	19

When ordering, specify width of opening *With 34" finger pulls, screws and installation instructions



Class Number and Box Quantity in Case Weight Average (lbs.) 2800-1 20 pair 200 pair 45

An extra low headroom hanger for minimum $1\frac{1}{8}$ " clearance between top of door and header

HANGERS AND TRACK AS USED WITH V2800 SERIES BY-PASSING DOOR SETS

Steel – Bright zinc plated, nylon rollers

2800-1 HANGERS

- All metal parts of wrought steel, bright zinc plated. Solid nylon rollers permanently lubricated
- 3/8" vertical adjustment possible without loosening three installation screws
- Serrations, machine screw and lockwasher insure positive locking and minute adjustment
- Same hanger can be used for both 3/4" or 13/8" doors by reversing both the bracket and roller on the rear 3/4" door

SHORT SETS

Short set for 3/4" or 13/8" doors any opening size

2801

TRACK

Class		Contents* o	Sets	Sets	Case Weight Average	
Class Number	Description	Hanger	Guide	in Box	in Case	(lbs.)
2801**	for 2 doors	2 pair 2800-1	1-2860	1	10	6

*With screws and installation instructions

**For use with track T2814



Standard	For	Pieces	Case Weight		
	Opening	in a Case*	Average (lbs.)		
Lengths	Size	T2814	T2814		
47"	4'	10	24		
59"	5'	10	30		
71"	6'	10	37		
95"	8'	10	49		

*With screws

Steel – Electro-galvanized finish T2814

- Track for ¾" and 1¾" thick by-passing doors
- Dimensions: T2814 11/8" high x 21/8" wide

 T2814 used with hanger 2800-

T2814 used with hanger 2800-1 and set V2800

SUGGESTED SPECIFICATIONS

Hardware for two by-passing doors 60 lbs. each to be with jump proof V shape track. Zinc plated hangers with nylon rollers permanently lubricated for smooth, silent operation. Hangers provided with simple 3/8" vertical adjustment (hav-

ing positive lock-in place feature) for aligning doors without removing installation screws. Adjustable floor guide

Stanley V2800 with steel track electro-galvanized finish


FOR BY-PASSING DOORS 3/4" AND 13/8" THICK WEIGHING UP TO 60 LBS.

FOR 4', 5', 6' AND 8' OPENINGS

FOR TWO BY-PASSING DOORS


With steel track -**SET V2870 Electro-galvanized finish**

- Low headroom . . . only 1¼" required between top of door and header
- Identical hardware for both ¾" and 1¾" thick doors
- Track is made of sturdy wrought steel with rust resisting electro-galvanized finish. Stanley Vshaped "runs" eliminate wheels jumping track
- Steel hanger with molded nylon wheels, lubricated for life to assure smooth, quiet operation. Doors lift on or off track without loosening hanger screws. Simple 5/16" vertical adjustment
- Adjustable floor guide that will not mark the door





Minimum finished opening = door height + 1 1/2"



					Contents of Sets*				0
Ononing	Doors Required		Hangers				Sets	Sets	Case Weight
Size	Width	Thickness	2870-1	2870-2	Track	Floor Guide	Pack	Case	Average (lbs.)
4'	Two 2'0"	3/4" or 13/8"	1 pr.	1 pr.	T2850-47"	2860	1	10	30
5'	Two 2'6"	3/4" or 13/8"	1 pr.	1 pr.	T2850-59"	2860	1	5	19
6'	Two 3'0"	3/4" or 13/8"	1 pr.	1 pr.	T2850-71"	2860	1	5	24
8'	Two 4'0"	34" or 13/8"	1 pr.	1 pr.	T2850-95"	2860	1	5	31

When ordering, specify number of set and width of opening *With 3/4" finger pulls, necessary screws and installation instructions

For these packaged sets or storage hardware merchandisers see merchandiser section of catalog

SUGGESTED SPECIFICATION

Hardware for two by-passing doors 60 lbs. each to be with jump proof V shape track. Zinc plated hangers with nylon rollers permanently lubricated for smooth, silent operation. Hangers provided with simple 1/4" adjustment for aligning doors. Adjustable floor guide Stanley V2870 with steel track electro-galvanized finish



Class	Pair*	Case Weight
Number	in Case	Average (lbs.)
2870-1	100	19
2870-2	100	18

*Ten pair in box with screws

Steel – Bright zinc plated, find nylon rollers

2870-1 2870-2

HANGERS

- Steel hangers, bright zinc plated with molded nylon wheels lubricated for life to assure smooth quiet operation
- ¾″ adjustment to properly hang doors and plumb doors to jamb
- Used with track T2850



	Standard Opening Lengths Size		Pieces in Case*	Case Weight Average (lbs.)
Г	47"	4'	10	24
	59"	5'	10	26
	71"	6′	10	36
	95"	8'	10	48

*With screws

Steel – T2850 TRACK

- For by-passing doors used with hangers 2870-1 and 2870-2 and set V2870
- Dimensions: 11/8" high x 13/4" wide



Replacement parts kit for V2870 sliding door hardware

2870PK

Consists of:

5 pr. 2870-1 hangers

5 pr. 2870-2 hangers

5 ea. SP2860 adjustable floor guides


UNIT HEADER FOR BY-PASSING DOOR

Unit-Header uses aluminum extruded track T2887

- Can be used with 2800, 2850 or 2870 hangers on front and rear 1%" doors
- Eliminates fascia creates neat appearance
- Dimensions: 11/8" high x 41/2" wide

Standard Lengths	For Opening Size	Pieces in Case	Case Weight Average (lbs.)
47"	4'	10	25
59"	5'	10	30
71"	6'	10	37

TRACK FOR BY-PASSING PANELS



SLIDING PANEL TRACKS

V3014 Plastic, tan – For 1/4" thick panels V3018 Plastic, tan - For 1/8" thick panels **V3034** Plastic, tan – For 3/4" thick panels **V3112** Aluminum, natural — For ½" thick panels

V3114 Aluminum, natural — For 1/4" thick panels

V3134 Aluminum, natural — For 3/4" thick panels

- Aluminum or plastic track for light weight by-passing panels of wood, masonite, glass, plexiglass, etc.
- Raised rail in bottom track for smooth gliding action
- Aluminum tracks have decorative face. Track for $\frac{1}{2}$ " and $\frac{3}{4}$ " panels can be reversed to show natural plain aluminum face
- Aluminum and plastic track can be easily painted
- Packed in sets of top and bottom tracks complete with two brass plated pulls. Aluminum track with wood screws - plastic track with brads
- Tracks for ¾" panels are packed with nylon glide buttons for application to bottom edge of panels to insure easy gliding action
- For these packaged sets or storage hardware merchandisers see merchandiser section of catalog

ſ	
ı	
ı	Clas
1	Nume

Class Number	Length (Feet)	For Panel Thickness (inches)	Quantity and Size of Brads or Screws Per Set	Brass Plated Pulls Packed in Sets	Sets in Case	Case Weight Average (Ibs.)
V3014 V3014	4 6	1/4 1/4	12 — ¾ x 16 Brads 16 — ¾ x 16 Brads	2 – 2688 No. 3 2 – 2688 No. 3	5 sets 5 sets	3 4
V3018 V3018	4 6	½ ½	12 — ¾ x 16 Brads 16 — ¾ x 16 Brads	2 — 2688 No. 4 2 — 2688 No. 4	5 sets 5 sets	2 4
V3034* V3034*	4 6	3/ ₄ 3/ ₄	12 — ¾ x 16 Brads 16 — ¾ x 16 Brads	2 — 2688 No. 1 2 — 2688 No. 1	5 sets 5 sets	6 8
V3112 V3112	4 6	1/ ₂ 1/ ₂	12 — ¾ x 6 F.H. Screws 16 — ¾ x 6 F.H. Screws	2 — 2688 No. 3 2 — 2688 No. 3	5 sets 5 sets	10 15
V3114 V3114	4 6	1/ ₄ 1/ ₄	12 — ¾ x 6 R.H. Screws 16 — ¾ x 6 R.H. Screws	2 — 2688 No. 3 2 — 2688 No. 3	5 sets 5 sets	9 12
V3134* V3134*	4 6	3/ ₄ 3/ ₄	12 — ¾ x 6 F.H. Screws 16 — ¾ x 6 F.H. Screws	2 – 2688 No. 1 2 – 2688 No. 1	5 sets 5 sets	14 21

^{*}Four nylon glide buttons packed in sets for 3/4" panels

POCKET FRAME SET FOR SLIDING DOOR

POCKET FRAME SET IN ONE PACKAGE FOR ALL DOOR SIZES

adjustable for all door sizes SET 2825* 2' 0" to 3' 0" wide 6' 6" to 6' 8" high 3/4" to 13/4" thick weighing up to 80 lbs.


DOOR SIZES ACCOMMODATED


	Door Width	Door Height	Door Thickness	Door Weight	Sets in Case	Case Weight Average (lbs.)
Minimum Maximum	2′ 0″ 3′ 0″	6′ 6″ 6′ 8″	3/4" 13/4"	80 lbs.	1	4i

- Fully adjustable telescopic zinc plated header-track
- Quickly adjustable for any door width from 2'0" to 3'0", the all steel zinc plated header-track is securely locked by two screws
- Two nailing strips are firmly anchored to take any type of dry or wet wall construction
- Hangers adjustable at any time
- Not necessary to remove finish trim to adjust doors
- Door adjustment is held by positive lock-in-place feature of hangers



- V-shaped jump-proof One man installation track wheels cannot bind
- Each nylon hanger wheel rides in its own jump-proof track
- Unique design of end brackets on headertrack make it easy to install





- Heavy gauge steel (U-channel design) gives maximum strength and
- Flange on jamb provides natural stop for wet or dry wall construction
- Kiln dried nailing strip permanently anchored in place
- Nails cannot go through steel jamb into door
- Adjustable for doors $6'\,6''$ to $6'\,8''$ high. For doors over $6'\,8''$ high see Extension Adapter Sets 2825-6 on following page



Adjustable nylon door guide mounted on split jamb adjusts to varying door thicknesses

SUGGESTED SPECIFICATIONS

Sliding door pocket frame set to be with all steel, telescoping, warp proof header and track, and extra rigid steel split jambs and studs. Adjustable for doors 2' to 3' wide by 6' 6" to 6' 8" high. Complete with sturdy zinc plated hangers with nylon wheels permanently lubricated for quiet,

smooth operation, and adjustable nylon floor guide

Stanley 2825 for single doors up to 80 lbs. or for bi-parting doors up to 80 lbs. each, 2 sets

Stanley 2825 wiith coupling number 2825-5

*Pat. Number 2,912,713



103

POCKET FRAME HARDWARE FOR SLIDING DOOR

SET 2825

PREPARING OPENING

- Rough opening height 7'1"
- Rough opening width equals twice door width plus $1\frac{1}{4}$ "

2825 SET CONSISTS OF:

One adjustable header unit

One split jamb


One split stud

Two No. 2825-1 hangers with screws

One No. 2865 door guide with screws

One No. 2891 rubber bumper with screw

One wrench






(1) No. 2825 Split jamb

(1) No. 2825 Split stud







(1) No. 2865 Door guide (2 pcs. with screws)



(1) No. 2891 Rubber bumper with screw



(1) Wrench

EXTENSION ADAPTERS

2825-6 Steel - Plain, for doors 6' 11" to 7' 1" high

- Set consists of four pieces that are easily attached to the split jamb and split stud to allow for these additional door heights
- Adapter set must be ordered separately

	2020-


Number	Sets	Sets	Case Weight
	in Box	in Case	Average (lbs.)
2825-6	1	10	26



BI-PARTING DOOR POCKET FRAME COUPLING

2825-5 Steel - Bright zinc plated

- Use two No. 2825 sliding door pocket frame sets with one No. 2825-5 pocket frame coupling mounted directly to rough header for door opening up to 6'0" wide
- Pocket frame coupling must be ordered separately





*With_two 2692-11 bumpers





2825-5 coupling for bi-parting pocket door installation

RESIDENTIAL SLIDING DOOR SET FOR SINGLE DOOR IN POCKET

FOR 34" TO 134" THICK DOORS WEIGHING UP TO 60 LBS.

FOR OPENING SIZE - 2'0", 2'6", 3'0", 4'0"






- Heavy gauge steel hanger is electro zinc plated. Nylon roller permanently lubricated. Screw slots for quick, easy installation
- Nylon floor guide adjustable to any door thickness. Easily applied after door is hung
- Steel track. Electro-galvanized finish for corrosion resistance
- Jump-proof track door cannot be derailed in vertical position. Track V-shaped for smooth door operation and dirt clearance
- Headroom 1½" to 2" required between top of door and header

	Contents of Set*							
Door Width	2820-1 Track** Hanger T2820				Sets in Pack	Sets in Case	Case Weight Average (lbs.)	
2' 2' 6"	1 pair 1 pair	45" 57"	2865 2865	1	5	12		
3' 4'	1 pair 1 pair	69" 93"	2865 2865	1 1	5 5	15 20		

^{*}With screws, wrench and installation instructions

SUGGESTED TYPES OF HEADER CONSTRUCTION



HEADER "A." Use with single doors sliding into a concealed pocket or double doors sliding into separate pockets.

HEADER "B." Use with single doors sliding outside the finished wall or double converging doors sliding outside the finished wall.

HEADER "C." Use with single doors sliding into a concealed pocket or double doors sliding into separate pockets.

15%

STOP

SUGGESTED SPECIFICATIONS

Hardware for single 60 lb. door sliding outside of wall (or in pocket) to be with jump proof V shape track electro-galvanized finish. Zinc plated heavy gauge hangers with nylon rollers permanently lubricated for smooth, silent operation. Hangers provided with a full 1/2" vertical adjustment with positive lock-in feature. Nylon floor guide

Stanley V2820

Hardware for two bi-parting doors 60 lbs. each sliding outside of wall (or in pocket) to be with jump proof V shape track electro-galvanized finish. Zinc plated heavy gauge hangers with nylon rollers permanently lubricated for smooth, silent operation. Hangers provided with a full 1/2" vertical adjustment with positive lock-in feature. Nylon floor guide

Stanley V2820 - (2 sets for each opening)

OUTSIDE

TRIM

^{**}Required track length equals two times door width minus 3"

PARTS FOR V2820 SLIDING DOOR SETS

T2820 Steel — Electro-galvanized finish TRACK



- For single door in pocket used with hanger 2820-1 and set V2820
- Dimensions: 11/16" high x 1" wide

Length	For	Pieces	Case Weight
	Door Size	in Case*	Average (lbs.)
45" 57" 69" 93"	2' 2' 6" 3' 4'	20 20 20 20 20	24 30 34 44

*With screws

2820-1 Steel — Bright zinc plated, nylon roller


- All metal parts made of wrought steel, bright zinc plated. Rollers made of solid nylon permanently lubricated
- Specially designed top-mounted hanger permits ½" vertical adjustment. Serrations adjust to ¼" with machine screw and washer to insure positive locking
- Elongated hex head machine screw allows vertical door adjustment even after trim is in place
- Screw slots for mounting hanger on door make installation easy
- Used in set V2820 with track T2820



Pair	Case Weight	
in Case	Average (lbs.)	
20	10	

With screws, wrench and installation instructions

POCKET FRAME SET FOR SLIDING DOOR




HEAVY DUTY POCKET FRAME SET


For all door sizes **SET 2826**2' 0" to 3' 0" wide
6' 6" to 6' 8" high
138" and 134" thick
weighing up to 150 lbs.


FEATURES

- Easy cutting aluminum track and nailing strip for precise fit
- Three-wheel top hanger unit, with proven tri-point suspension and floating ball socket, rolls effortlessly in V-groove track
- Hangers have positive locking and quick disconnect mechanism
- Up to 5/8" vertical adjustment that does not require boring of doors
- Extruded aluminum track with positive jump-proof construction
- Extra rigid, non-warp split jamb and stud
- Heavy gauge steel (U-channel design) gives maximum strength and rigidity
- Adjustable for doors 6' 6" to 6' 8" high. For doors over 6' 8" high see Extension Adapter Sets 2825-6



	Door Width	Door Height	Door Thickness	Door Weight	Sets in Case	Case Weight Average (lbs.)
Minimum Maximum	2′ 0″ 3′ 0″	6′ 6″ 6′ 8″	13/8" 13/4"	150 lbs.	1	41







Adjustable nylon door guide mounted on split jamb adjusts to varying door thicknesses

SUGGESTED SPECIFICATIONS

Sliding door pocket frame set with aluminum extruded track and extra rigid steel split jambs and studs. For doors 2' to 3' wide by 6' 6" to 6' 8" high. Complete with sturdy zinc plated hangers with 3 nylon wheels permanently lubricated for quiet, smooth operation, and adjustable nylon

floor guide

Stanley 2826 for single doors up to 150 lbs. or for bi-parting doors up to 150 lbs. each, 2 sets. Stanley 2826 with coupling number 2825-5

POCKET FRAME HARDWARE FOR SLIDING DOOR

SET 2826

PREPARING OPENING

- Rough opening height 7' 1"
- Rough opening width equals twice door width plus 11/4"

2826 SET CONSISTS OF:

One track header assembly

One split jamb

One split stud


Two No. 2844-1 trolley assembly with bolt

Two No. 2844-2 hanger bracket assembly with screws

One No. 2865 door guide with screws


One No. 2891 rubber bumper with screw


One wrench





(1) No. 2826-2 Track header assembly







(2) No. 2844-2 hanger bracket assembly with screws

(1) No. 2865 Door guide (2 pcs. with screws)



(1) No. 2891 Rubber bumper with screw



(1) No. 2844-5 Wrench

EXTENSION ADAPTERS

Steel - Plain, for doors 6' 11" to 7' 1" high 2825-6

- Set consists of four pieces that are easily attached to the split jamb and split stud to allow for these additional door heights
- Adapter set must be ordered separately




2825-6


Number	Sets	Sets	Case Weight
	in Box	in Case	Average (lbs.)
2825-6	1	10	26

BI-PARTING DOOR POCKET FRAME COUPLING

2825-5 Steel - Bright zinc plated

- Use two No. 2826 sliding door pocket frame sets with one No. 2825-5 pocket frame coupling mounted directly to rough header for door opening up to 6' 0" wide
- Pocket frame coupling must be ordered separately






*With two 2692-11 bumpers




2825-5 coupling for bi-parting pocket door installation



HEAVY DUTY FOR POCKET AND BI-PARTING INSTALLATIONS FOR 13/8" AND 13/4" THICK DOORS WEIGHING UP TO 150 LBS.

2842* HARDWARE



- Three-wheel top hanger unit, with proven tri-point suspension and floating ball socket, rolls effortlessly in V-groove track
- Hangers have positive locking and quick disconnect mechanism
- Up to 5%" vertical adjustment that does not require boring of doors
- Extruded aluminum track with positive jumpproof construction
- Nylon floor guide fits 13/8" and 13/4" doors

3.1

DESIGN DATA for 2840 and 2842

Track: .078 extruded aluminum | Roller: 7/8" diameter nylon (Zytel)

Carrier: .080 zinc plated cold rolled steel

Hanger Assembly: .083 zinc plated cold rolled steel

Link bolt: 36 thread

Floor guide: metal and nylon Headroom: 2" min. to 25%" maximum

Bi-parting

Door thickness: 1%" or 1%"

Door weight: up to 150 lbs. per
door

Adjustment: up to 5%" vertical Mounting: top of door

3-wheel top hanger
unit with proven
tri-point suspen-
sion; floating ball
socket; positive
locking, quick re-
lease mechanism
MANAGEMENT AND ADDRESS AND ADD

2 whool too home


		Contents	of 2842 Sets*					
Door	Door Trolley Hanger Assemblies		Track	Floor Guide	Sets	Sets	Case Weight	
Width	2844-1	2844-2	T2842	2865	Carton	In Case	Average (lbs.)	
2'	1 pair	1 pair	1 piece 48"	1 set	1	10	30	
2'6"	1 pair	1 pair	1 piece 60"	1 set	1	10	35	
3'	1 pair	1 pair	1 piece 72"	1 set	1	10	44	
4'	1 pair	1 pair	1 piece 96"	1 set	1	6	33	

*With necessary screws, wrench, installation instructions and one bumper stop No. 2891

2842-10 BUMPER STOP FOR BI-PARTING DOORS


- Heavy duty bumper stop for use with T2842 track
- Attaches to track and tops of doors to stop doors in desired closed position

One set with screws and installation instructions in poly bag. Six sets in case — case weight 2 lbs.



SUGGESTED SPECIFICATION

Stanley No. 2842 heavy duty sliding door hardware as manufactured by Stanley Hardware, New Britain, Conn. shall be used on all 1%" and 1%" single or bi-parting doors not exceeding 150 lbs. in weight per door. Track to be extruded aluminum with V-grooved rails. Hangers to incorporate 3-wheel design to provide positive contact and floating action of ball socket. Hanger to incorporate positive locking — quick release mechanism. Vertical adjustment must not require boring of door



COMPONENTS: NO. 2842 SINGLE OR BI-PARTING DOORS


Class Number	Description	Quantity and Size of Screws Per Piece	Quantity in Case	Case Weight Average (lbs.)	Parts Required Per Door
T2842-48" 60" 72" 96"	Track Track Track Track	7-1½x10 9-1½x10 11-1½x10 13-1½x10	10 pcs. 10 pcs. 10 pcs. 10 pcs.	16 22 26 35	1 piece (Twice door width)
2844-1	Trolley Assembly with Link Bolt	None	20 pair	6	1 pair
2844-2	Hanger Bracket Assembly	2-1 x10	20 pair	4	1 pair
2844-5	Wrench		To order		
2865	Door Guide	2-1 x 8	100 sets	8	1 set
2891	Bumper Stop	1—1 x 8	20 pcs.	1	1 piece


*When ordering — specify individual components as required for door size

HEAVY DUTY FOR BY-PASSING INSTALLATIONS FOR 13/8" AND 13/4" THICK DOORS WEIGHING UP TO 150 LBS.

HARDWARE 2840

- For use in commercial and fine residential construction
- Three-wheel top hanger unit, with proven tri-point suspension and floating ball socket, rolls effortlessly in V-groove track
- Hangers have positive locking and quick disconnect mechanism
- Up to 5%" vertical adjustment that does not require boring of doors
- Extruded aluminum track with positive jump-proof construction
- Adjustable nylon floor guide fits 1%" and 1%" by-passing doors. Beveled nylon face prevents marring of doors





BY-PASSING DOORS

PACKAGED SETS

No. of the last of				C	ontents of Sets*	miserali (Ma)			Case
Opening	Doors	Doors Required		er Assemblies	Track	Floor Guide	Sets in	Sets in	Weight Average
Size	Width	Thickness	2844-1	2844-2	T2840	2846	Carton	Case	(lbs.)
4' 5' 6'	Two 2' Two 2'6" Two 3'	13/8" or 13/4" 13/8" or 13/4" 13/8" or 13/4"	2 pair 2 pair 2 pair	2 pair 2 pair 2 pair	1 piece 48" 1 piece 60" 1 piece 72"	1 set 1 set 1 set	1 1 1	10 10 6	52 60 42

^{*}With necessary screws and installation instructions.


COMPONENTS FOR NO. 2840 BY-PASSING DOORS

Class Number	Description	Quantity and Size of Screws Per Piece	Quantity in Case	Case Weight Average (Ibs.)
T2840— 48" 60" 72" 96" 144"	Track Track Track Track Track Track	14-1 ¹ / ₄ x 10 18-1 ¹ / ₄ x 10 22-1 ¹ / ₄ x 10 26-1 ¹ / ₄ x 10 42-1 ¹ / ₄ x 10	10 pcs. 10 pcs. 10 pcs. 6 pcs. 6 pcs.	32 37 44 38 58
2844-1	Trolley Assembly with Link Bolt	None	20 pair	6
2844-2 2844-5 2846	Hanger Bracket Assembly Wrench Adj. Door Guide	2—1 x 10 2—1 x 10	20 pair To order 20 sets	4 4

SUGGESTED SPECIFICATION

Stanley No. 2840 heavy duty sliding door hardware as manufactured by Stanley Hardware, New Britain, Conn. shall be used on all 1¾" and 1¾" by-passing doors not exceeding 150 lbs. in weight per door. Track to be extruded aluminum with V-grooved rails. Hangers to incorporate 3-wheel design to provide positive contact and floating action of ball socket. Hanger to incorporate positive locking — quick release mechanism. Vertical adjustment must not require boring of door


2840 AND 2842 COMPONENTS



BALL BEARING HEAVY DUTY FOR BY-PASSING INSTALLATIONS FOR 13/8" AND 13/4" THICK DOORS WEIGHING UP TO 150 LBS.

HARDWARE 2841**

- For use in commercial and fine residential construction
- Four-wheel ball bearing hanger unit, rolls effortlessly in V-groove track
- Up to 5%" vertical adjustment that does not require boring of doors
- Extruded aluminum track with positive jump-proof construction
- Adjustable nylon floor guide fits 1%" and 1¾" by-passing doors. Beveled nylon face prevents marring of doors





PACKAGED SETS

	Doors Required		HI SHIP	Contents of Sets*					
Opening			Trolley Hanger Assemblies						Case Weight
Size	Width	Thickness	2841-1	2841-1 2841-2 Track T2840		Floor Guide 2846	Sets in Carton	Sets in Case	Average (lbs.)
5′ 6′ 8′	Two 2' 6" Two 3' Two 4'	13/8" or 13/4" 13/8" or 13/4" 13/8" or 13/4"	2 pair 2 pair 2 pair	2 pair 2 pair 2 pair	1 piece 60" 1 piece 72" 1 piece 96"	1 set 1 set 1 set	1 1 1	6 6 6	36 42 60

*With necessary screws and installation instructions.

COMPONENTS FOR NO. 2841 BY-PASSING DOORS


Class Number	Description	Quantity and Size of Screws Per Piece	Quantity in Case	Case Weight Average (lbs.)
T2840—60" 72" 96"	Track Track Track	18-11/4 x 10 22-11/4 x 10 26-11/4 x 10	10 pcs. 10 pcs. 6 pcs.	37 44 38
2841-1	Hanger Assembly	None	20 pair	6
2841-2 2844-5	Hanger Plate Wrench	3—1¼ x 12	20 pair To order	4
2846	Adj. Door Guide	2—1 x 10	20 sets	4

SUGGESTED SPECIFICATION


Stanley No. 2841 heavy duty sliding door hardware as manufactured by Stanley Hardware, New Britain, Conn. shall be used on all 1%" and 1%" by-passing doors not exceeding 150 lbs. in weight per door. Track to be extruded aluminum with V-grooved rails. Hangers to incorporate 4-wheel ball bearing design and positive locking feature. Vertical adjustment must not require boring of door

2841 COMPONENTS





T2840 Aluminum track for by-passing doors up to 150 lbs. each



2841-2 Hanger plate



2846*
Adjustable guide for 1% and 1% doors
*Pat. No. 3,298,056

STANLEY

helps you do things right

SLIDING DOOR FLUSH PULLS











	Quantity and Size of Screws	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
2689* MORTISE 4" 3½"x1½6" ½" Deep Brass	2—1∕2x6 0.H.	10	100	9
2914* WORTISE 234" 236" 135" Deep Brass	2—‰x4 0.H.	10	100	4
2683* (Plated Steel) 27/32" MORTISE 7/9" Diam. 7/6" Deep Steel	2—5∕ex8 F.H.	10	100	5
2688 #1 MORTISE 34" Diam. %" Deep US3 - Brass US28 - Aluminum	9.45 80	100	1000	6
2910 2 ¹⁵ / ₃₂ "MORTISE 2 ¹ / ₃₂ " Diam. 3/ ₈ " Deep Brass		10	100	5

^{*}screws included

VISUAL PACKS WITH SCREWS


Revised 7-78

Catalog Number	Quantity in Pack	Packs in Box	Packs in Case	Case Weight (lbs.)
CD2683(US3)	1 ea.	5	50	5
CD2688(US3) #1	4 ea.	10	100	4
CD2688(US28) #1	4 ea.	10	100	4
CD2910(US3)	2 ea.	10	100	13
CD2910(US26)	2 ea.	10	100	13
CD2914(US3)	2 ea.	10	100	13
CD2914(US26)	2 ea.	10	100	13

For these and other visually packed items see visual pack hardware section of catalog

ACCESSORIES FOR RESIDENTIAL SLIDING DOORS


- Furnished with a rubber bumper for quiet action
- Limits sliding action of doors so that rear door will always be accessible
- A safety device that eliminates the possibility of fingers being caught in pull when doors are in



Size (inches)	Quantity and Size of Wood Screws	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
1% x ¾	3-3/4 x 7	10	100	6

2891 Rubber BUMPER STOP

- For single doors sliding in a pocket
- Mounted on stud at rear of pocket



*With screws

FLOOR GUIDES FOR BY-PASSING DOORS

2846* Nylon and steel

- For by-passing doors. Adjustable for doors 13/8" or 13/4" in thickness
- Dimensions: 13/16" x 4"



2891

Class	Quantity	Case Weight
Number	in Case	Average (lbs.)
2846	20 sets	4

FLOOR GUIDES FOR SINGLE DOOR IN POCKET

2865 Nylon DOOR GUIDE

- For single doors sliding in a pocket.

 Mounted on jamb
- Adjustable for varying door thicknesses from 3/4" to 13/4"



Class Number	Quantity in Box*	Quantity in Case	Case Weight Average (lbs.)
2865	10 sets	100 sets	8

*With screws

▲ Item now in SUPER-PAC. See page 34

SP2860^{*} Tan polyethylene

- For by-passing doors. Adjustable for doors from 3/4" to 13/8" in thickness
- Dimensions: 13/6" x 3" to 4"



Class	Quantity	Case Weight
Number	in Case	Average (lbs.)
SP2860	50 pieces	2

CD2860 Visual pack, with screws, tan polyethylene

For these and other visually packed items see visual pack hard-ware section of catalog

Catalog	Quantity	Packs	Packs	Case Weight (lbs.)
Number	in Pack	in Box	in Case	
CD2860	1	10	50	4 .

PB2862 Tan polyethylene

- For 13/8" by-passing doors
- Dimensions: 13/8" x 41/4"



Class	Quantity	Case Weight
Number	in Case	Average (lbs.)
PB2862	50 pieces	2



*With screws

PB2866 For installations with Stanley 2860 Guide GUIDE RISER

PB2867 For any sliding door $3\!4''$ and $13\!8''$ thick GUIDE RISER & GUIDE

- Elevates door guide to clear carpeting
- Avoids cutting carpets
- Eliminates wood block
- Use for any sliding door ¾" and 1¾" thick



PB2866 Riser




PB2867 Guide & Riser

Number	Description	Case Qty.	Case Wt.
PB2866 PB2867	Guide Riser Guide Riser & Guide (2860)	50 50	6 lbs. 8 lbs.

FOLDING DOOR HARDWARE

TYPICAL FOLDING DOOR INSTALLATIONS


TWO BI-FOLDING DOORS



SELECTIONS FOR RESIDENTIAL USE

Class Number	For Door	For Door	Standard
	Thickness	Weight	Opening Widths
2916	13/8" to 13/4"	up to 75 lbs.	2' 6", 3' or 4'
V2917	11/8" to 13/8"	up to 30 lbs.	2', 2' 6" or 3'
V2989	1" to 13/8"	up to 30 lbs.	2', 2' 6" or 3'

FOUR BI-FOLDING DOORS



SELECTIONS FOR RESIDENTIAL USE

Class Number	For Door	For Door	Standard
	Thickness	Weight	Opening Widths
2916	13/8" to 13/4"	up to 75 lbs.	5', 6' or 8'
V2917	11/8" to 13/8"	up to 30 lbs.	4', 5' or 6'
V2989	1" to 13/8"	up to 30 lbs.	4', 5' or 6'


FLOOR PIVOT

HEAVY DUTY PIVOT BI-FOLDING DOOR HARDWARE


For two and four doors weighing *2916 up to 75 lbs. per door

- For 13/8" and 13/4" thick doors
- For use in commercial and fine residential construc-
- Four-wheel ball bearing hanger unit rolls effortlessly in V-groove track
- Up to 5/8" vertical adjustment
- Extruded aluminum track with positive jump-proof construction
- Floating pivot
- Ball thrust bearing
- Smooth dependable performance


TYPICAL FOLDING DOOR LAYOUT AND COMPONENTS



TWO BI-FOLDING DOORS



FOUR BI-FOLDING DOORS



TRACK MOUNTING SURFACE OF HEADER MUST BE LEVEL

TWO DOOR INSTALLATION



FOUR DOOR INSTALLATION



SELECTIONS FOR RESIDENTIAL USE

Class Number	For Door Thickness	For Door Weight	Standard Opening Widths
2916	13/8" to 13/4"	up to 75 lbs.	2' 6", 3' or 4'

Class Number	For Door	For Door	Standard
	Thickness	Weight	Opening Widths
2916	13/8" to 13/4"	up to 75 lbs.	5′, 6′ or 8′


HOW TO FIGURE DOOR HEIGHT

FOR EXISTING FINISHED **OPENINGS** 2 OR 4 DOORS **FINISH HEADER 2 DOOR** UNIT equals fi pening h minus 2 FINISH FLOOR.

HOW TO FIGURE DOOR WIDTHS

door width for 4 doors	DIVIDE finished opening width by 4 and SUBTRACT 36"
door width for 2 doors	DIVIDE finished opening width by 2 and SUBTRACT 1/4"

HOW TO FIGURE HEAD ROOM



NOTE: Allow additional clearance for carpeting.

*Available 7-1-79

FOLDING DOOR HARDWARE 2916

COMPONENT PARTS FOR 2916 HEAVY DUTY PIVOT BI-FOLDING DOOR HARDWARE

	NUMBER	OF PAR	TS PACK
		IN 2 DOOR SET*	IN 4 DOOR SET*
	T2916 Track — size as required	1	1
	2916-1 Guide Assy. — top door	1	2
Co Te	2841-2 Plate-Door Hanger	1	2
	2916-6 Top Socket Assembly	1	2
	2916-3 Plate Assy. Top Pivot Door	DO N TO ZHOOD AS TELL	2

	NUMBER	OF PART IN 2 DOOR SET*	S PACKED IN 4 DOOR SET*
	2916-5 Socket Assy. — Bottom Pivot	1	2
	≥ 2916-4 Plate Assy. — Bottom Door Pivot	1	2
	2916-7 Snubber Spring	1	2
O H O H	11 US4 3½"x3½" inges (Satin Brass nish)	3	6
	2916-8 **Door Aligner Set	COMBANA COMBANA COMBANA COMBANA	1
	2844-5 Wrench	1	1
*With screws and i	nstallation instruction	ons	

**Patent number 2,839,776

SUGGESTED SPECIFICATIONS

Stanley No. 2916 heavy duty folding door hardware as manufactured by Stanley Hardware, New Britain, Conn., shall be used on all 1%" and 1%" bi-folding doors not exceeding 75 lbs. in weight per door. Track to be extruded aluminum with V-grooved rails. Hanger to incorporate 4-wheel ball bearing design to provide positive contact and floating action. Hanger to incorporate positive locking. Floor mounted pivot with steel ball thrust bearing for smooth long lasting operation

V2917 FOLDING DOOR HARDWARE

PIVOT BI-FOLDING DOOR HARDWARE FOR TWO AND FOUR DOORS WEIGHING UP TO 30 LBS. PER DOOR

V2917 Edge mounted hardware for passageway or closet bi-fold doors 11/8" to 13/8" in thickness

- Doors easily hung with exclusive track ramp socket
- Non-mortise hinges easy to install
- Steel track with baked, bonderized paint finish that allows the guide wheel to roll freely and easily

Opening Size	No. of Doors	Sets in Pack*	Sets in Case	Case Weight Average (lbs.)
2'	2	1	5	8
2'6"	2	1	5	8
3′	2	1	5	9
4'	4	1	5	15
5'	4	1	5	17
6'	4	1	5	20

^{*}Includes all parts, screws and installation instructions Specify set number and opening width


HOW TO FIGURE DOOR WIDTHS


FOR EXISTING FINISHED OPENINGS

FOR 4 DOOR SET . . . DIVIDE finished opening width by 4 and subtract 1/4"

FOR 2 DOOR SET . . . DIVIDE finished opening width

by 2 and subtract 1/4"






Door hanging simple - easy

With bottom pivot inserted into bottom jamb bracket, line up top pivot and guide in center of track and then slide doors until top pivot "snaps" into top socket

HOW TO FIGURE DOOR HEIGHT

FOR EXISTING FINISHED OPENINGS



NOTE: Allow additional clearance for carpeting


OPENING: Check finish opening for PROPER WIDTH and HEIGHT as shown (see Special Note)

To obtain proper finish opening WIDTH:

2 Door Unit . . . add ½" to total width of 2 doors 4 Door Unit . . . add ¾" to total width of 4 doors To obtain proper finish of opening HEIGHT:

2 or 4 Door Unit . . . add 1%" to total height of doors (plus additional for carpet thickness)

TRACK MOUNTING SURFACE OF HEADER MUST BE LEVEL




SPECIAL NOTE

If trimming of door WIDTH is necessary:
a. Slight trimming — trim along pivot edge
b. Major trimming — trim along hinge edge
If trimming of door HEIGHT is necessary:
Trim at top of doors

FOLDING DOOR HARDWARE V2917

COMPONENT PARTS FOR V2917 PIVOT BI-FOLDING DOOR HARDWARE

NUMBER OF PARTS PACKED



	IN 2 DOOR SET*	IN 4 DOOR SET*
T2917S WITH TRACK SOCKET(S) AS REQUIRED	1	2
2917-13 TOP PIVOT	1	2
2917-18 ROLLER GUIDE	1	2
2917-12 BOTTOM PIVOT	1	2
2917-14 BOTTOM JAMB BRACKET	1	2
— 2917-21 SNUBBER FOR 2 DOOR	1	-0 a
2917-22 SNUBBER FOR 4 DOOR	00 200 1	1
——— 2917-30 SURFACE MOUNT HINGE (Satin Brass Finish)	3	6
2980-15 WOOD KNOB	1.	2
2917-19 **DOOR ALIGNER SET	900 <u>u</u> lani	1
2917-15 WRENCH	1	1
**Patent number 2,839,776 *With screws and	installation	instructions

SUGGESTED SPECIFICATIONS

Hardware for bi-fold doors shall be as manufactured by The Stanley Works, New Britain, Connecticut for doors $1\frac{1}{8}$ " to $1\frac{3}{8}$ " thick weighing up to 30 lbs. each door. To include a jamb mounted pivot and a spring loaded non-binding guide sliding in a steel track having bonderized baked enamel finish for smooth, long lasting operation. Stanley V2917

Replacement parts kit for V2917 folding door hardware

2917PK



Consists of:

5 each 2917-12 bottom pivot 5 each 2917-13 top pivot

5 each 2917-14 jamb bracket

10 each 2917-15 wrench

10 each 2917-18 roller guide

5 sets 2917-19 aligner 10 each 2917-21 snubber 2 door 10 each 2917-22 snubber 4 door 10 each 2917-30 hinge



V2989 FOLDING DOOR HARDWARE

PIVOT BI-FOLDING DOOR HARDWARE FOR TWO AND FOUR DOORS WEIGHING UP TO 30 LBS.

V2989

Edge mounted hardware for passageway or closet doors. For bi-fold doors 1" to 1%" in thickness

- Door mounting, adjusting and removing a simple one man operation performed in seconds
- Doors will operate smoothly even if out of alignment. Suspended guide pivot holds doors in track even if out of square as much as one inch
- Doors quickly aligned in closed or open position with simple one-nut, one-wrench adjustment system
- For odd size openings it is only necessary to cut aluminum guide track
- Minimum clearance between door and jamb
- Nylon pivots for smooth, quiet operation

Set 2989 includes all parts except pull



Opening Width	No. of Doors	Sets in Pack*	Sets in Case	Case Weight Average (lbs.)
2′ 0″	. 2	1	5	9
2′ 6″	2	1	5	10
3′ 0″	2	1	5	11
4′ 0″	4	between all ad trate at	5	16
5′ 0″	4	2 "Will and 1 and tooking a	5	18
6′ 0″	4	miom de 1	5	20

^{*}With screws and installation instructions. Specify opening width

2989 PARTS AVAILABLE SEPARATELY


Class Number	Material — Finish — Part Description	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
2820-5	steel — bright zinc plated — wrench	10	100	6
2917-19	steel — bright zinc plated — door aligner		100 (sets)**	11
2917-20	steel — satin brass plated — non-mortise hinge	60	600**	67

^{**}Packed with screws

FOLDING DOOR HARDWARE V2989


THE OPENING FOR V2989

Check finished opening dimensions and trim doors to allow clearances shown



HOW TO FIGURE DOOR WIDTHS


When bottom jamb	door width for 4 doors	DIVIDE finished opening width by 4 and SUB- TRACT %"
pivot is surface mounted	door width for 2 doors	DIVIDE finished opening width by 2 and SUB- TRACT 1/4"




For a minimum clearance between jamb and edge of door — MORTISE bottom jamb pivot and ADD \mathcal{Y}_{l_0} " to door widths given for "surface mounted pivots" (above)

DOOR HEIGHT

FOUR OR TWO DOOR



TYPICAL METHODS OF INSTALLATION FOR V2989 HARDWARE



TRACK FLUSH WITH FRONT OF OPENING

CROSS-SECTION OF TRACK

COMPONENT PARTS FOR V2989 PIVOT BI-FOLDING DOOR HARDWARE





guide





bottom door socket

2917-20 non-mortise hinge

Parts Number	Number of Par	ts Packed
(illustrated above) and Description	2 Door Set	4 Door Set
2820-5 wrench	1	1
2917-19 door aligner	_	1
2989-14 bottom jamb pivot	1	2
2989-17 top track socket	1	2
2989-21 snugger and stop	2	4
T2989 {24" for 2' or 4' opening 30" for 2'6" or 5' opening 36" for 3' or 6' opening	1	2
2987-12 bottom door socket	1	2
2987-13 top door pivot	1	2
2989-19 guide	1	2
2917-20 non-mortise hinge	3	6

With screws and installation instructions

ACCESSORY PARTS AVAILABLE

2980-15 wood knob



SUGGESTED SPECIFICATIONS


V2989

Hardware for bi-fold doors shall be as manufactured by The Stanley Works, New Britain, Connecticut for doors 1" to 13%" thick weighing up to 30 lbs. each door. To include edge mounted or concealed pivot type hardware with a spring loaded non-binding guide sliding in an aluminum track. To pivot scaled binding guide sliding in an aluminum track. Top pivot socket and bottom jamb pivot with one nut adjustment to align doors. All moving parts having nylon to metal bearing surfaces for smooth, quiet operation. Stanley V2989

STANLEY helps you do things right

ADJUSTABLE CLOSET BAR

Steel – Bright finish, visual pack, with screws V7036



■ Escutcheon designed for fast, simple installation. Simply extend bar to width of closet. Press or hammer projections into top of shelf support strip and drive screws in escutcheons



Fast, simple installation
Designed for extra strength . . . economically priced

Pat. Number 3,051,318

Pin strip tab is scored so that it may be easily knocked off for non-standard installations

Catalog Number	For Closet Widths	Gauge of Metal	Quantity and Size of Pan Head Wood Screws Per Piece	Quantity in Pack	Packs in Case	Case Weight Average (lbs.)
V7036	18" to 30"	.025	4 - 3/4 x 8	1	10	10
V7036	30 " to 48"	.025	$4 - \frac{3}{4} \times 8$	1	10	16
V7036	48" to 72"*	.025	$5 - \frac{3}{4} \times 8$	1	10	26
V7036	72 " to 96"*	.025	$5 - \frac{3}{4} \times 8$	1	10	30
V7036	96" to 144"**	.025	$6 - \frac{3}{4} \times 8$	1	10	45

*48" and 72" sizes packed with one center support No. 7037

**96" size packed with two center supports No. 7037

For these and other visually packed items see visual pack hardware section of catalog

For storage hardware merchandisers see merchandiser section of catalog

EASY TO INSTALL Pin strip tab pre-positions bar for easy fastening. It is scored so that it may be easily knocked off


ADJUSTABLE ROUND CLOSET BAR

Visual pack, with screws, steel — Bright finish

■ Ideal for closets

Adjustable telescopic tubing

1. Extend bar width of closet. Press or hammer projection into top of shelf support strip



2. Drive screws through escutcheon at each end

Catalog Number	For Closet Widths	Gauge of Metal	Quantity and Size of Pan Head Wood Screws per Piece	Quantity in Pack	Packs in Case	Case Weight Average (lbs.)
V7050	18" to 30"	.028	4 — ¾ x 8	1 ea.	10	11
V7050	30" to 48"	.028	4 — ¾ x 8	1 ea.	10	17
V7050	48" to 72"*	.028	5 — ¾ x 8	1 ea.	10	27
V7050	72" to 120"*	.028	5 — ¾ x 8	1 ea.	10	31

*48" and 72" sizes packed with center support no. 7037 For storage hardware merchandisers see merchandiser section of catalog

Other I. Drieta Smith Smith

Order separately for greater support

Quantity and Size of Pan Head Screws Per Piece	Pieces in Box	Weight Per Box (lbs.)
1 – ¾ x 8	10	1



Steel - Bright finish, with screws 7037

CENTER SUPPORTING BRACKET

- Support permits closet bar to be mounted either under or in front of shelf edge
- Packed with 48", 72" and 96" bars (No. 7036) and 48" and 72" bars (No. 7050)

METAL PIN STRIP

POLE AND SHELF SUPPORT

7057 Steel — Painted desert white

- Provides support for shelf and pole
- Easy secure attachment



Catalog	Quantity	Case Weight
Number	in Case	Average (lbs.)
7057	10 sets*	


*Each set consists of:

2 ea. pin strips 1 set 7056

1 bag screws

NYLON HANGER GLIDES **V7039** Nylon anchor-type

"Snap-In" smooth riding nylon hanger glides. Easily snapped into the inner bar section - glides can be added even after bar is mounted in place. Double



For these and other visually packed items see visual pack hardware section of catalog

PLASTIC POLE SOCKETS

SP7056 White plastic, with screws

7056 White plastic, without screws

- Accommodates wooden clothes poles up to 1%" in diameter
- White, plastic, reinforced-design needs no paint or satin finish





Single screw mounting

Outside Diameter (inches)	Packs in Case	Case Weight Average (lbs.)
21/4	100	6

DP7056 Dispensa-Pac, with screws, white plastic

Catalog	Quantity	Packs	Case Weight
Number	in Pack	in Case	Average (lbs.)
DP7056	1	40	3

CD7056 Visual pack, with screws, white plastic

Catalog	Quantity	Packs	Packs	Case.
Number	in Pack	in Box	in Case	Weight (lbs.)
CD7056	1 ea.	10	100	10

COAT AND HAT HOOKS

SP7082 Cast metal — Satin brass finishes, with screws

- Generously formed. A variety of uses
- Projection 3 inches

Quantity and Size of Flat Head Wood Screws Per Piece	Packs in Box	Packs in Case	Case Weight Av. (lbs.)
$2 - \frac{3}{4} \times 7$	20	200	19

Dispensa-Pac, with screws. DP7082 cast metal, satin brass finish

Catalog Number	Quantity in Pack	Packs in Case	Case Weight Average (lbs.)
DP7082	1	100	9

For these and other Dispensa-Pac items see Dispensa-Pac section of catalog

Visual pack, with screws, cast metal -CD7082 Satin brass or antique finishes

Catalog	Quantity	Packs	Packs	Case
Number	Per Pack	Per Box	Per Case	Weight
CD7082	2 ea.	10	100	23

For these and other visually packed items see visual pack hardware section of catalog

7083 Steel — Bright zinc plated

- One piece wire coat and hat hook that easily screws into wall
- To hang coats, hats, towels, etc.

Catalog Number	Quantity	Packs	Packs	Case Weight
	in Pack	in Box	in Case	Average (lbs.)
7083	2	10	100	15

CD7083 Visual pack, steel - Bright zinc plated

	Catalog	Quantity	Packs	Packs	Case Weight
	Number	in Pack	in Box	in Case	(lbs.)
I	CD7083	2	10	100	16

For these and other visually packed items see visual pack hardware section of catalog


CLOSET BAR BRACKETS

Visual pack, with screws, steel, satin brass finish

- For mounting wood closet poles, 1 inch in diameter
- Projection 1 inch

▲Item now in SUPER-PAC. See page 34





Catalog	Quantity	Packs	Packs	Case
Number	Per Pack	Per Box	Per Case	Weight
CD7089	1 pr.	5	50	

For these and other visually packed items see visual pack hardware section of catalog

COMBINATION SHELF AND CLOSET POLE BRACKETS

Application

7045
SHELF WITH
HOOK STRIP

7045
SHELF
WITHOUT
HOOK STRIP

Steel - Bright zinc plated, with screws 7045

- Combination brackets to give necessary support to shelves and closet poles in residential, commercial, and educational buildings
- For poles up to 13/8" in diameter
- Made of heavy gauge steel for extra strength. Shelf bracket mounts to wall with or without hook strips
- Recommend one bracket at each end of shelves 4' or less. Add one 7040 bracket for each additional 2' of shelving

Catalog Number	Quantity and Size of Pan Head Wood Screws	Quantity in Case	Case Weight Average (lbs.)
7045	2-1¾ x 12 2- ¾ x 10	10 pcs.	9

Catalog Number	Quantity in Pack	Packs in Box	Packs in Case	Case Weight (lbs.)
V7045	1 ea.	5	50	46

Visual pack, with screws, steel - V7045


For these and other visually packed items see visual pack hardware section of catalog

COMBINATION SHELF AND CLOSET POLE BRACKETS

Steel – Painted desert white 7046

- Ideal for supporting shelves and closet poles where hook strip is not installed
- For poles up to 13/8" in diameter
- Convenient one-piece construction





Catalog Number	Quantity and Size of Pan Head Wood Screws	Quantity in Case	Case Weight Average (lbs.)
7046	2 - 1 ³ / ₄ x 12 2 - ³ / ₄ x 10	20	24

Catalog	Quantity	Packs	Packs	Case Weight (lbs.)
Number	in Pack	in Box	in Case	
V7046	1	5	30	37

Visual pack, with screws, steel – Painted desert white


For these and other visually packed items see visual pack hardware section of catalog

SHELF AND CLOSET POLE SUPPORT

7040 Steel - Bright zinc plated, with screws


- Provides necessary support to shelves and closet poles
- For poles up to 13/8" in diameter
- Pole support allows pole to be used with 1 x 4 hook strip

Catalog Number	Quantity and Size of Pan Head Wood Screws	Quantity in Case	Case Weight Average (lbs.)
7040	1-1¾ x 12 1- ¾ x 10	10 pcs.	6




CLOSET BAR AND SHELF SUPPORT

7047 Steel — Painted desert white








- For metal adjustable closet bars 7036 and 7050
- Back wall hook strip is not required

Catalog	Quantity and	Quantity	Case
Number	Size of Screws	in Case	Weight (lbs.)
7047	2 - 1 ³ / ₄ x 12 2 - ³ / ₄ x 10	20	24

METAL SHELVING



- Adjustable closet or storage shelving 12" deep seven widths adjustable from 24" to 108"
- Reversible non-handed wall supports are punched for standard or non-standard framing
- Burr free precision steel stampings
- Oyster white low sheen enamel is baked on bonderized steel
- No. V7312R has bright finish jump-proof closet rod that stays in place permanently. Bar accepts No. V7039 nylon anchor glides. See page 118
- For these packaged sets or storage hardware merchandisers see merchandiser section of catalog



*Included	with	60"	to	72"	and	larger	sizes.
-----------	------	-----	----	-----	-----	--------	--------

	Class Number	Shelf Extension Range (inches)	Quantity Per Carton	Approx. Wt. Per Carton (lbs.)
12" DEPTH SHELF SETS	V7312-24 V7312-36 V7312-48 V7312-60 V7312-72 V7312-84 V7312-96	24 to 36 36 to 48 48 to 60 60 to 72 72 to 84 84 to 96 96 to 108	5 5 5 3 3 3 3	23 29 36 28 30 34 37

COMPLETE SET (All Fas	teners Included)		Wall
7312R - 12" DEPTH	Shelf only		Support 7300-1
	7302 (12" dept	h) x width	7300-1
		/	/A 7
dinning Williams		/	11 600 111
ammin Salar	/	//	Bar End
winner 60	- /	//	Support ///
	Back -	//	7300-2 ///
	/all Clip /	//	AD ///
	7300-3	//	// ///
For Sizes: 24", 36", 48"			
		// //	4//
750 750		_// //	///
		// //	///
Company of Contract		Center	///
C minima	/	Shelf	/// Center
7300-8	//	Support*	/// Rod Support
For Sizes:		7300-4 for /	7300-6
60", 72", 84"	V	12" depth ///	
Wall		1 ///	01. 1.0
Support		3 ///73	Closet Bar (01 (by length)
7300-1 Bar End		6/13	or (b) length)

*Included with 60" to 72" and larger sizes.

teleum line	Class Number	Shelf Extension Range (inches)	Quantity Per Carton	Approx. Wt. Per Carton (lbs.)
12" DEPTH SHELF SETS	V7312R-24 V7312R-36 V7312R-48 V7312R-60 V7312R-72 V7312R-84 V7312R-96	24 to 36 36 to 48 48 to 60 60 to 72 72 to 84 84 to 96 96 to 108	5 5 5 5 3 3 3 3	30 38 46 34 38 42 46

^{*}Patent number 3,051,318, other pending

^{**}Patent pending


METAL SHELVING

ADJUSTABLE LINEN CLOSET SHELVES

7314L* Steel — Bonderized and baked white enamel finish, with fasteners



- Reversible non-handed wall supports are punched for standard or non-standard framing
- Burr free precision steel stampings
- Oyster white low sheen enamel is baked on bonderized steel
- Linen closet adjustable shelves 14" depth two widths adjustable from 18" to 42"




14" DEPTH SHELF	Class Number	Shelf Extension Range (inches)	Quantity Per Carton	Approx. Wt. Per Carton (lbs.)
SETS	7314L-18	18 to 30	5	22
	7314L-30	30 to 42	5	29


Note: Each carton contains items illustrated above — enough for 5 shelf installations

COMBINATION END AND COUPLER BRACKET

7313* Steel – Bonderized and baked white enamel finish, with screws




- Non-handed off-wall bracket used on ends of closet or storage shelves
- Used as coupler of two or more shelves for widths over 108"
- Burr free precision steel stampings
- Oyster white low sheen enamel is baked on bonderized steel



Class Number	Number Carton	
7313	10	10

Note: Each carton contains items illustrated above



SUGGESTED SPECIFICATIONS FOR COMMERCIAL OR INDUSTRIAL INSTALLATIONS

- FOR SINGLE SLIDING DOOR -

Hardware for single straight sliding doors weighing up to 350 lbs. each to be equipped with box type 16 gauge track in galvanized finish (Stanley X2641). Zinc plated heavy gauge trolley hangers with nylon bearings in the wheels; and having both vertical and lateral adjustment (Stanley X2650). Zinc plated brackets, spaced not over 2 feet apart for mounting track, to have clamping feature to prevent rattling of track (Stanley X2650-C)

(Note: For high frequency doors substitute hanger with ball bearings in wheels — Stanley BBX2650)

Hardware for single straight sliding doors weighing up to 450 lbs. each to be equipped with box type 14 gauge track in galvanized finish (Stanley XY2641). Zinc plated heavy gauge trolley hangers with nylon bearings in the wheels; and having both vertical and lateral adjustment (Stanley XY2650). Zinc plated brackets, spaced not over 2 feet apart for mounting track, to have clamping feature to prevent rattling of track (Stanley X2650-C)

(Note: For high frequency doors substitute hanger with ball bearings in wheels — Stanley BBXY2650)

Hardware for single straight sliding doors weighing up to 700 lbs. each to be equipped with box type 14 gauge track (Stanley Y2641). Heavy gauge trolley hangers must have 3 inch diameter wheels with roller bearings and ball bearing on swivel; and having both vertical and lateral adjustment (Stanley Y2650). Heavy brackets, spaced not over 2 feet apart for mounting track, to have "Hold-Fast" clamping feature to prevent rattling of track (Stanley Y2610-C)

(Note: For high frequency doors substitute hanger with ball bearings in wheels — Stanley BBY2650)

Hardware for single straight sliding doors weighing up to 1,000 lbs. each to be equipped with box type 13 gauge track (Stanley W2641). Heavy gauge trolley hangers must have 3 inch diameter wheels with roller bearings and ball bearing on swivel; and having both vertical and lateral adjustment (Stanley W2650). Heavy brackets, spaced not over 2 feet apart for mounting track, to have "Hold-Fast" clamping feature to prevent rattling of track (Stanley W2610-C)

(Note: For high frequency doors substitute hanger with ball bearings in wheels — Stanley BBW2650)

- FOR TWO BI-PARTING DOORS -

Hardware for two bi-parting straight sliding doors weighing up to 350 lbs. each to be equipped with box type 16 gauge track in galvanized finish (Stanley X2641). Zinc plated heavy gauge trolley hangers with nylon bearings in the wheels; and having both vertical and lateral adjustment (Stanley X2650). Zinc plated brackets, spaced not over 2 feet apart for mounting track, to have clamping feature to prevent rattling of track (Stanley X2650-C) and one center stop bracket No. X2650-CS

(Note: For high frequency doors substitute hanger with ball bearings in wheels — Stanley BBX2650)

Hardware for two bi-parting straight sliding doors weighing up to 450 lbs. each to be equipped with box type 14 gauge track in galvanized finish (Stanley XY2641). Zinc plated heavy gauge trolley hangers with nylon bearings in the wheels; and having both vertical and lateral adjustment (Stanley XY2650). Zinc plated brackets, spaced not over 2 feet apart for mounting track, to have clamping feature to prevent rattling of track (Stanley X2650-C), and one center stop bracket No. X2650-CS

(Note: For high frequency doors substitute hanger with ball bearings in wheels — Stanley BBXY2650) $\,$

Hardware for two bi-parting straight sliding doors weighing up to 700 lbs. each to be equipped with box type 14 gauge track (Stanley Y2641). Heavy gauge trolley hangers must have 3 inch diameter wheels with roller bearings and ball bearing on swivel; and having both vertical and lateral adjustment (Stanley Y2650). Heavy brackets, spaced not over 2 feet apart for mounting track, to have "Hold-Fast" clamping feature to prevent rattling of track (Stanley Y2610-C), and one center stop bracket No. Y2610-CS

(Note: For high frequency doors substitute hanger with ball bearings in wheels — Stanley BBY2650)

Hardware for two bi-parting straight sliding doors weighing up to 1,000 lbs. each to be equipped with box type 13 gauge track (Stanley W2641). Heavy gauge trolley hangers must have 3 inch diameter wheels with roller bearings and ball bearing on swivel; and having both vertical and lateral adjustment (Stanley W2650). Heavy brackets, spaced not over 2 feet apart for mounting track, to have "Hold-Fast" clamping feature to prevent rattling of track (Stanley W2610-C), and one center stop bracket No. W2610-CS

(Note: For high frequency doors substitute hanger with ball bearings in wheels — Stanley BBW2650) $\,$

FOR TWO BY-PASSING DOORS -

Hardware for two by-passing straight sliding doors weighing up to 350 lbs. each to be equipped with box type 16 gauge track in galvanized finish (Stanley X2641). Zinc plated heavy gauge trolley hangers with nylon bearings in the wheels; and having both vertical and lateral adjustment (Stanley X2650). Zinc plated brackets, spaced not over 2 feet apart for mounting track, to have clamping feature to prevent rattling of track (Stanley X2651-D)

(Note: For high frequency doors substitute hanger with ball bearings in wheels — Stanley BBX2650)

Hardware for two by-passing straight sliding doors weighing up to 450 lbs. each to be equipped with box type 14 gauge track in galvanized finish (Stanley XY2641). Zinc plated heavy gauge trolley hangers with nylon bearings in the wheels; and having both vertical and lateral adjustment (Stanley XY2650). Zinc plated brackets, spaced not over 2 feet apart for mounting track, to have clamping feature to prevent rattling of track (Stanley X2651-D)

(Note: For high frequency doors substitute hanger with ball bearings in wheels — Stanley BBXY2650) $\,$

Hardware for two by-passing straight sliding doors weighing up to 700 lbs. each to be equipped with box type 14 gauge track (Stanley Y2641). Heavy gauge trolley hangers must have 3 inch diameter wheels with roller bearings and ball bearing on swivel; and having both vertical and lateral adjustment (Stanley Y2650). Heavy brackets, spaced not over 2 feet apart for mounting track, to have "Hold-Fast" clamping feature to prevent rattling of track (Stanley Y2651-D)

(Note: For high frequency doors substitute hanger with ball bearings in wheels — Stanley BBY2650) $\,$

Hardware for two by-passing straight sliding doors weighing up to 1,000 lbs. each to be equipped with box type 13 gauge track (Stanley W2641). Heavy gauge trolley hangers must have 3 inch diameter wheels with roller bearings and ball bearing on swivel; and having both vertical and lateral adjustment (Stanley W2650). Heavy brackets, spaced not over 2 feet apart for mounting track, to have "Hold-Fast" clamping feature to prevent rattling of track (Stanley W2651-D)

(Note: For high frequency doors substitute hanger with ball bearings in wheels — Stanley BBW265<u>0</u>)

SUGGESTED SPECIFICATIONS FOR COMMERCIAL OR INDUSTRIAL INSTALLATIONS

FOR TWO BY-PASSING DOORS

Hardware for two by-passing straight sliding doors weighing up to 125 lbs. each to be equipped with a single run of box type 16 gauge track in galvanized finish (Stanley X2641). Zinc plated trolley hangers with roller bearings in the wheels (Stanley X2646). Zinc plated brackets, spaced not over 2 feet apart for mounting track, to have clamping feature to prevent rattling of track (Stanley X2650-C)

- FOR THREE BY-PASSING DOORS -

Hardware for three by-passing straight sliding doors weighing up to 350 lbs. each to be equipped with box type 16 gauge track in galvanized finish (Stanley X2641). Zinc plated heavy gauge trolley hangers with nylon bearings in the wheels; and having both vertical and lateral adjustment (Stanley X2650). Zinc plated brackets, spaced not over 2 feet apart for mounting track, to have clamping feature to prevent rattling of track (Stanley X2651-T)

(Note: For high frequency doors substitute hanger with ball bearings in wheels — Stanley BBX2650)

Hardware for three by-passing straight sliding doors weighing up to 450 lbs. each to be equipped with box type 14 gauge track in galvanized finish (Stanley XY2641). Zinc plated heavy gauge trolley hangers with nylon bearings in the wheels; and having both vertical and lateral adjustment (Stanley XY2650). Zinc plated brackets, spaced not over 2 feet apart for mounting track, to have clamping feature to prevent rattling of track (Stanley X2651-T)

(Note: For high frequency doors substitute hanger with ball bearings in wheels — Stanley BBXY2650)

Hardware for three (or more) by-passing straight sliding doors weighing up to 700 lbs. each to be equipped with two runs of box type 14 gauge track (Stanley Y2641). Heavy gauge trolley hangers must have 3 inch diameter wheels with roller bearings and ball bearing on swivel; and having both vertical and lateral adjustment (Stanley Y2650). Heavy brackets, spaced not over 2 feet apart for mounting track, to have "Hold-Fast" clamping feature to prevent rattling of track (Stanley Y2651-D)

(Note: For high frequency doors substitute hanger with ball bearings in wheels — Stanley BBY2650)

Hardware for three (or more) by-passing straight sliding doors weighing up to 1,000 lbs. each to be equipped with two runs of box type 13 gauge track (Stanley W2641). Heavy gauge trolley hangers must have 3 inch diameter wheels with roller bearings and ball bearing on swivel; and having both vertical and lateral adjustment (Stanley W2650). Heavy brackets, spaced not over 2 feet apart for mounting track, to have "Hold-Fast" clamping feature to prevent rattling of track (Stanley W2651-D)

(Note: For high frequency doors substitute hanger with ball bearings in wheels — Stanley BBW2650)


— FOR DOORS ROLLING "ROUND-THE-CORNER" –

Doors rolling around the corner shall be equipped with Rolling Door Hardware as manufactured by The Stanley Works, New Britain, Connecticut. Straight tracks shall be box type 16 gauge galvanized steel No. X2641. 90 degree curved track shall be one piece with 24 inch radius. Zinc plated trolley hangers with ball bearings on the swivel and ball bearings in the wheels; having both vertical and lateral adjustment No. BBX2605½. Zinc plated brackets,

spaced not over 2 feet apart for mounting track, to have clamping feature to prevent rattling of track No. X2650-C. Door panels shall be hinged together with Stanley hinges No. F179 or FBB179 providing proper clearances for door to clear opening. Doors must be equal in width and not exceed 3 feet in width, 2 inches in thickness, or 150 lbs. in weight

SLIDING DOOR HARDWARE

FOR GARAGE OR INDUSTRIAL DOORS



- *Dimensions shown are for X weight hardware. For dimensions using Y and W weight hardware see pages 134-137
- The following table is for guidance in selecting hardware for typical straight sliding door installations
- Hardware listed for the various installations is not packed in sets. Each item must be ordered separately
- Refer to catalog pages in this section for detailed information or substitutions for items in table below

HARDWARE SELECTOR GUIDE FOR SINGLE STRAIGHT SLIDING DOORS WEIGHING UP TO 350 LBS. EACH** - *** (FOR BY-PASSING DOORS - SEE NEXT PAGE)

S. EACH		THE PROPERTY	Number of Doo	ors, Opening Size and	Quantity of Hardwa	re Required	TRAIN .
Number and T	ype of Hardware	1 Door 1 Door 2 Bi-parting 2 Bi-parting 8' Opening 10' Opening 12' Opening 8' Opening 10' Opening			2 Bi-parting 12' Opening		
X2641 X2650-C 3%" x 2"	Track Bracket Lag screws for	2 pieces 8' 9 only	2 pieces 10' 11 only	2 pieces 12' 13 only	2 pieces 8' 9 only	2 pieces 10' 11 only	2 pieces 12' 13 only
X2641-EC X2650 1231 2556 2550 1257 no. 3 2559½ 925-3"	brackets End cap Hanger Door stop Bumper shoes Floor guide Pull †Flush pull Stay roller Hasp (optional)	9 only 2 only 1 pair 2 only 2 pair 1 only 1 only 1 only	11 only 2 only 1 pair 2 only 2 pair 1 only 1 only 1 only	13 only 2 only 1 pair 2 only 2 pair 1 only 1 only 1 only	9 only 2 only 2 pair 2 only 4 pair 1 set 2 only 2 only 2 only 2 only	11 only 2 only 2 pair 2 only 4 pair 1 set 2 only 2 only 2 only 2 only	13 only 2 only 2 pair 2 only 4 pair 1 set 2 only 2 only 2 only 2 only

^{**}FOR DOORS WEIGHING UP TO 700 LBS. EACH substitute: Y weight hardware for X weight hardware in the table; 2554 stay roller for 2559½


^{***}FOR DOORS WEIGHING UP TO 1000 LBS. EACH substitute: W weight hardware for X weight hardware in the table; 2554 stay roller for 2559½

[†]Not furnished by Stanley

SLIDING DOOR HARDWARE

FOR GARAGE OR INDUSTRIAL DOORS





HARDWARE SELECTOR GUIDE FOR BY-PASSING SLIDING DOORS WEIGHING UP TO 350 LBS. EACH** - ***
(WITH TROLLEY TRACK FOR EACH DOOR)

		Number of Doors	, Opening Size and Quantity of Hard	ware Required
Numb	per and Type of Hardware	2 By-passing Doors 8' Opening	2 By-passing Doors 16' Opening	3 By-passing Doors 16' Opening
X2641	Track	2 pieces 8'	4 pieces 8'	6 pieces 8'
X2651-D	Double bracket	5 only	9 only	
X2651-T	Triple bracket			9 only
3/8" x 2"	Lag screws for brackets	10 only	18 only	18 only
X2641-EC	End cap	4 only	4 only	6 only
X2650	Hanger	2 pair	2 pair	3 pair
1231	Door stop	2 only	2 only	2 only
2556	Bumper shoes	4 pair	4 pair	6 pair
2551 no. 2	Floor guide	1 set	1 set	2 sets
1257 no. 3	Pull	2 only	2 only	2 only
2207 .101 0	†Flush pull	2 only	2 only	4 only
1010 – 18"	Cane bolt			2 only

^{**}FOR DOORS WEIGHING UP TO 700 LBS. EACH substitute: Y weight hardware for X weight hardware in table
***FOR DOORS WEIGHING UP TO 1000 LBS. EACH substitute: W weight hardware for X weight hardware in table
†Not furnished by Stanley

HARDWARE SELECTOR GUIDE FOR BY-PASSING SLIDING DOORS WEIGHING UP TO 125 LBS. EACH (WITH SINGLE RUN OF TROLLEY TRACK)

128 128 118 118		Number of Doors, Opening Size a	and Quantity of Hardware Required
Number and Type of Hardware		2 By-passing Doors 8' Opening	2 By-passing Doors 16' Opening
X2641	Track	1 piece 8'	2 pieces 8'
X2650-C	Bracket	5 only	9 only
3/8" x 2"	Lag screws for brackets	5 only	9 only
X2641-EC	End cap	2 only	2 only
X2646	Hanger	2 pair	2 pair
1231	Door stop	2 only	2 only
2556	Bumper shoes	4 pair	4 pair
2551 no. 2	Floor guide	1 set	1 set
1257 no. 3	Pull	2 only	2 only
THE PERSON NAMED AND ADDRESS OF THE PERSON NAMED AND ADDRESS O	†Flush pull	2 only	2 only


When using single run of track hardware available in X weight only as shown in table †Not furnished by Stanley


Suggested specifications are listed on pages 123 and 124

ROLLING DOOR HARDWARE

FOR GARAGE OR INDUSTRIAL DOORS

ROLLING DOOR "ROUND-THE-CORNER"





- The following table is for guidance in selecting hardware required for typical rolling door "round-the-corner" installations
- Hardware listed for the various installations is not packed in sets as such. Each item must be ordered separately
- Refer to catalog pages in this section for detailed information or possible substitutions for items shown in the table

HARDWARE SELECTOR GUIDE FOR ROLLING DOORS "ROUND-THE-CORNER" WEIGHING UP TO 150 LBS. (NOT EXCEEDING *8' IN HEIGHT OR 3' IN WIDTH)

			Number of Do	oors, Opening Size a	and Quantity of Har	dware Required	
Numb	er and Type of Hardware	3 Doors 8' Opening	4 Doors 8' Opening	4 Doors 10' Opening	4 Doors 12' Opening	5 Doors 14' Opening	6 Doors 3 Each Side 16' Opening
X2641	Track	1 piece 8'	1 piece 8'	1 piece 10'	2 pieces 6'	1 piece 8'	4 pieces 8'
/ Vi mad Vi		1 piece 6'	1 piece 6'	1 piece 8'	1 piece 10'	3 pieces 6'	
X2641-CT	Track-24" radius curve	1 piece	1 piece	1 piece	1 piece	1 piece	2 pieces
X2650-C	Bracket	10 only	10 only	12 only	14 only	16 only	21 only
3/8" x 2"	Lag screws for X2650-C	10 only	10 only	12 only	14 only	16 only	21 only
BBX26051/2	Hanger	3 only	4 only	4 only	4 only	5 only	7 only
1260 no. 3	Thumb latch	1 only	1 only	1 only	1 only	1 only	1 only
1257 no. 3	Pull	1 only	1 only	1 only	1 only	1 only	2 only
Sc912-41/2"	Hasp	1 only	1 only	1 only	1 only	1 only	1 only
2556	Bumper shoes	1 pair	1 pair	1 pair	1 pair	1 pair	2 pair
1231	Stop and binder	1 only	1 only	1 only	1 only	1 only	
2550	Floor guide	1 set	1 set	1 set	1 set	2 sets	2 sets
F179 or FBB179	Hinge**	3 pair	4½ pair	4½ pair	4½ pair	6 pair	6 pair
1010-18"	Cane bolt						1 only

^{*}For doors over 8' high, one additional hinge per door is required for each 21/2 feet or fraction thereof in height

^{**}For proper size of hinge refer to hinge specification guide - page 17

DOOR HANGERS


FOR STRAIGHT SLIDING DOORS UP TO 350 LBS. HANGER AND BRACKET SET

SX2650* Steel — Bright zinc plated

SET CONSISTS OF: 1 pair hangers X2650


3 brackets X2650-C

2 end caps X2641-EC with bolts and lag screws



Applied to barn

- For doors up to 350 lbs. in weight: used with trolley track X2641
- The X2650 hanger has nylon bearings in the wheels for longer life
- Hanger is made with both vertical and lateral adjustment, which can be set at any position
- Aprons provide bearing surface on each side of the door



With adjustable hangers for doors 15%" to 21/4" in thickness

- Brackets are so designed that tightening the lag screws, when mounting, draws them tightly around the track, holding the track firmly in place
- Brackets should be spaced 2' on centers

One complete set in a box: five sets in a case. Case weight, 30 lbs.

Order track separately. Furnished in 6', 8', 10' and 12' lengths. Order additional brackets separately to provide 2' *Pat. No. 3,304,135


HANGERS FOR STRAIGHT SLIDING DOORS UP TO 350 LBS.

Steel - Bright zinc plated

■ For single or by-passing sliding doors

- Aprons provide bearing surface on both sides of the
- X2650 equipped with nylon bearings in the wheels for normal low frequency use
- BBX2650 equipped with ball bearings in the wheels for high frequency use
- Made with both vertical and lateral adjustment which can be set in any position
- Templates are available on request showing apron hole locations





Hanger X2650 bracket X2650-C and trolley track X2641

STATISTICS

Door thickness: 15/8" to 21/4"

Door weight per pair: 350 lbs. maximum

Wheel diameter : X2650, 21/8"; BBX2650, 17/8" Long apron : 51/2" x 3"

Short apron: 23/8" x 3" Gauge of metal: 12


Track: use X2641

One pair in a box with stove bolts and screws. Four pair in a case. Case weight X2650-16 lbs. BBX2650-20 lbs.

*Pat. No. 3,304,135

Suggested specifications are listed on pages 123 and 124

HANGERS AND TROLLEY TRACKS



HANGERS FOR DOORS UP TO 350 LBS.

Steel - Bright zinc plated X26501/2*

- For single or by-passing doors
- Aprons provide bearing surface on both sides of the door
- Made with one-piece saddle for the double truck, insuring added strength
- Aprons are hinged, allowing a swing-out feature
- Equipped with nylon bearing wheels without adjustment

STATISTICS

Door thickness: 134" to 2" Short apron: 238" x 314"

Door weight per pair: 350 lbs. max. Gauge of metal: 12
Wheel diameter: 2½8" Track: use X2641

Long apron : $5\frac{1}{2}$ " x $3\frac{1}{4}$ "

*Pat. No. 3,304,135

One pair in a box with stove and carriage bolts. Ten pair in a case. Case weight 38 lbs.

TROLLEY TRUCKS FOR OVERHEAD CARRIER SYSTEMS

Steel - Bright zinc plated

XT2600* BBXT2600



XT2600

Illustrated

Trolley trucks without aprons carry same specification as hangers X2650 or BBX2650

- For use with trolley track X2641 (16 gauge) or XY2641 (14 gauge)
- Will carry loads up to 175 pounds per trolley

One pair in a box. Ten pair in a case Case weight XT2600-19 lbs. BBXT2600-30 lbs.


*Pat. No. 3,304,135

Steel — Bright zinc plated BBXT26001/2



- Trolley trucks without aprons
- For use with trolley track X2641 (16 gauge)
- Will carry loads up to 150 pounds per trolley
- BBXT26001/2
- Equipped with ball bearings in the wheels. Wheel diameter 17/8"
- Made with vertical adjustment, which can be set in any position

One pair in a box. 10 pair in a case. Case weight 17 lbs.





MEDIUM TROLLEY TRACKS

Steel — Galvanized finish

(16 gauge) **X2641** (14 gauge) **XY2641**

- Made of prefinished hot dipped galvanized steel
- XY2641 will fit any hanger or bracket indicated for use with track X2641
- X2641 For doors up to 350 pounds
- XY2641 For doors up to 450 pounds


Stock	Lengths	Pieces	in Bundle	Net Weight Per B	undle Average (lbs.)
X2641	XY2641	X2641	XY2641	X2641	XY2641
6'		4		38	
8′	8'	4	2	52	33
10'	10'	4	2	65	41
12'		4		78	

WEATHERPROOF TROLLEY TRACK

X2642 Steel - Galvanized finish

- Compatible with all Stanley X series hangers
- Weather protection
- available 6', 8', 10' 12'
- For doors weighing up to 400 pounds

Catalog	Pieces	Weight per Bundle
Number	in Bundle	Average (lbs.)
X2642— 6'	2	37
X2642— 8'	2	50
X2642—10'	2	62
X2642—12'	2	75



HANGER

X2653 Steel - Zinc plated

- For wooden frame metal clad doors
- Flexible joint swing out feature
- Lateral and vertical adjustment
- Bolt accommodates 2 x 4 and 2 x 6 door frames
- For doors weighing up to 400 pounds

Catalog Number	Pair in Case	Case Weight Average (lbs.)
X2653	5	9





TRACK BRACKETS

FOR TROLLEY TRACK X2641 (16 GAUGE) OR XY2641 (14 GAUGE)


Steel - Zinc plated or galvanized

Recommend spacing brackets 2' on centers and at all track joints






- X2650-C bracket is designed to prevent rattling by its vise-like action
- In tightening the lag screw the sides of the bracket are drawn tightly around the track, holding it rigidly in place
- A flat, straight surface is thus assured for the hanger, which rolls smoothly along the track without hitching or binding
- Bright zinc finish furnished on track brackets





Fits into the brackets at end of track, thereby making the track bird-proof. Order separately



"Hold-fast" clamp

- Tightening of the nut causes ends of clamping plate to press down on the track insuring a rigid, perfectly
- Any number of sections can be joined together into one continuous piece of non-rattling track, allowing the wheels to roll smoothly and noiselessly
- The joints are virtually locked together

aligned surface for the trolley wheels

X26521/2

Catalog No.	Style of Bracket	Pieces in Case	Case Weight Average (lbs.)
*X2650-C	Side mounted	25	16
*X2650-CS	Center stop	10	11
*X2651	Overhead mounted	25	25
*X2651-D	Side mounted, double	10	32
*X2651-T	Side mounted, triple	10	51
†*X2652	Overhead mounted, parallel	10	12
*X2652-D	Overhead mounted, double parallel	10	23
*X2652½	Overhead mounted, parallel	10	13
X2641-EC	End cap	25	1

Packed without screws

*Same brackets used at ends of track with end caps X2641-EC †When desired, attaching plate can be turned lengthwise; put in a vise and turn into position

HANGERS

FOR STRAIGHT SLIDING DOORS UP TO 450 LBS.

*XY2650 | Steel — Bright zinc plated

For Doors Up To 450 Pounds

- For single or by-passing sliding doors
- Aprons provide bearing surface on both sides of the door
- XY2650 equipped with nylon bearings in the wheels for normal low frequency use
- BBXY2650 equipped with ball bearings in the wheels for high frequency use
- Made with both vertical and lateral adjustment, which can be set in any position



Door thickness: 15/8" to 21/4"

Door weight per pair: XY2650, 350 lbs. maximum

BBXY2650, 450 lbs. maximum

Wheel diameter: XY2650, 21/8"; BBXY2650, 17/8"


Long apron : $5\frac{1}{2}$ " x 3" Short apron : $2\frac{3}{8}$ " x 3"

Gauge of metal: 12

Track: use XY2641 *Pat. No. 3,304,135



BBXY2650 shown with adjustable feature




Hanger BBXY2650 bracket X2650-C and trolley track XY2641

One pair in a box with bolts and screws

Five pair in a case

Case weight 35 lbs.



FOR DOORS UP TO 125 POUNDS

X2646 Steel - Aprons bright zinc plated

- An inexpensive hanger for light by-passing sliding doors
- For use on one run of trolley track X2641 (16 gauge)
- Simple in design, trouble-proof and easy to install
- Cast iron wheels are equipped with roller bearings
- Apron made with a lug which accurately locates position on door

STATISTICS


Door weight per pair: 125 lbs. maximum

Wheel diameter: 21/8"

Apron : 5" x 31/2"

Gauge of metal: 11

Track: use X2641




One pair in a box with F.H. wood screws

Twenty pair in a case

Case weight 42 lbs.

Flat head bolts and nuts furnished on order — specify

door thickness



HANGERS AND TRACK


FOR "ROUND-THE-CORNER" ROLLING DOORS UP TO 150 LBS.


HANGERS

Steel - Bright zinc plated BBX26051/2



- For rolling doors not over 2" in thickness, 3' in width, or 150 pounds in weight. Doors should be of equal
- BBX2605½ equipped with a ball bearing on the swivel and ball bearings in the wheels
- Made with both vertical and lateral adjustment, which can be set in any position





STATISTICS

Door thickness: Up to 2"

Door weight per hanger: 150 lbs. maximum

Wheel diameter: 11/8"

Apron : 51/2" x 31/4"

Gauge of metal: 12

Headroom: 53/4" minimum; 67/8" maximum


Track: use X2641

One pair in a box with carriage bolts Ten pair in a case Case weight BBX2605 $\frac{1}{2}$ - 47 lbs.

*Pat. No. 3,304,135

CURVED TROLLEY TRACK

Steel - Galvanized X2641-CT





- Made of wrought steel in one piece with 90° curve
- X2641-CT 16 gauge, made with 24" radius

Radius	Weight Per Piece (lbs.)
24"	5

HANGERS


FOR HEAVY-STRAIGHT-SLIDING DOORS UP TO 700 LBS.

Y2650

Steel - Bright zinc plated

- For heavy single or by-passing sliding doors of warehouses, industrial buildings, etc.
- Y2650 equipped with a ball bearing on the swivel and roller bearings in the wheels for low frequency use
- Saddle is made of heavy malleable iron
- Aprons provide bearing surface on both sides of the door
- BBY2650 made the same as Y2650 except wheels have ball bearings for high frequency use
- Made with vertical and lateral adjustment which can be set in any position

One pair in case with stove and carriage bolts and nuts. Weight per case 13 lbs.



STATISTICS

Door thickness: Y2650-BBY2650

1¾" to 2¾"

Door weight per pair: 700 lbs. maximum

Wheel diameter: 3"

Long apron : 711/6" x 4"

Short apron : 215/6" x 4"

Gauge of metal: 10


Track: use Y2641

■ YT2600 for low frequency use is equipped with

■ BBYT2600 for high frequency use is equipped

with ball bearings on the swivel and in the

a ball bearing on the swivel and roller bearings



in the wheels

wheels

TROLLEY TRUCKS FOR OVERHEAD CARRIER SYSTEMS

YT2600

Steel - Bright zinc plated

- Wheel diameter 3". For use with trolley track Y2641 (14 gauge)
- Will carry loads up to 350 pounds per trolley
- Made with vertical adjustment which can be set in any position

One pair in case

Weight per case YT2600 - 9 lbs.

BBYT2600 - 10 lbs.

Suggested specifications are listed on pages 123 and 124

HEAVY TRACKS AND BRACKETS

HEAVY TROLLEY TRACK FOR DOORS UP TO 700 LBS.



31/4"	
~ 9/ ₁₆ → -7/ ₈ → 5/ ₁₆	
	Net Weight



Steel - Galvanized finish (14 gauge) Y2641


Stock Lengths (feet) Per Bundle Average (lbs.) Pieces in a Bundle 2 6 36 47 8 2 10 58

■ Made of heavy gauge wrought steel in galvanized


HEAVY TRACK BRACKETS FOR TROLLEY TRACK Y2641 (14 GAUGE)

Steel - Bright zinc plated

Recommend spacing brackets 2' on centers and at all track joints




Y2610-C



Y2610-CS



Y2651



Y2651-D



	Catalog No.	Style	Pieces in Case	Case Weight Average (lbs.)
	*Y2610-C Y2610-CS	Side mounted Center stop	10 10	33 43
ı	*Y2651	Overhead mounted	10	25
ı	*Y2651-D Y2641-EC	Side mounted, double End Cap	10	73 29 (100 pcs.)

Packed without screws

- *Same brackets used at ends of track with end caps Y2641-EC
- A "hold-fast" clamp is furnished with brackets Y2610-C, Y2610-CS, Y2651, and Y2651-D. It consists of a clamping plate with bolt and nut, which fits into the track bracket
- Tightening of the nut causes ends of clamping plate to press down on the track insuring a rigid, perfectly aligned surface for the trolley wheels.
- Any number of sections can be joined together into one continuous piece of non-rattling track, allowing the wheels to roll smoothly and noiselessly
- The joints are virtually locked together

HANGERS


FOR HEAVY-STRAIGHT-SLIDING DOORS UP TO 1000 LBS.

W2650 BBW2650

Steel - Bright zinc plated

- For heavy single or by-passing sliding doors of warehouses, industrial buildings, etc.
- W2650 equipped with a ball bearing BBW2650 on the swivel and roller bearings in the wheels for low frequency use
- Saddle is made of heavy malleable iron
- Aprons provide bearing surface on both sides of the door
- BBW2650 made the same as W2650 except wheels have ball bearings for high frequency use
- Made with vertical and lateral adjustment which can be set in any position

One pair in a case with carriage bolts Case weight 18 lbs.



STATISTICS

Door thickness: 13/4" to 23/4"


Door weight per pair: 1,000 lbs. maximum

Wheel diameter: 3"

Long apron : $7^{1}\%'' \times 4''$ Short apron : $2^{1}\%'' \times 4''$

Gauge of metal: 10

Track: use W2641



TROLLEY TRUCKS FOR OVERHEAD CARRIER SYSTEMS

WT2600 BBWT2600


 $Steel-Bright\ zinc\ plated$

- Wheel diameter 3"; for use with trolley track W2641 (13 gauge)
- Will carry loads up to 500 pounds per trolley
- Made with vertical adjustment which can be set in any position
- WT2600 for low frequency use is equipped with a ball bearing on the swivel and roller bearings in the wheels
- BBWT2600 for high frequency use is equipped with ball bearings on the swivel and in the wheels

One pair in a case Case weight 12 lbs.

HEAVY TRACKS AND BRACKETS

HEAVY TROLLEY TRACK FOR DOORS UP TO 1,000 LBS.



Stock Lengths (feet)	Pieces in a Bundle	Net Weight Per Bundle Average (lbs.)
6	2	44
8	2	60
10	2	70

Steel - Galvanized finish (13 gauge) W2641




■ Made of heavy gauge wrought steel in galvanized finish

EXTRA-HEAVY TRACK BRACKETS FOR TROLLEY TRACK W2641 (13 GAUGE)

Steel - Bright zinc plated

Recommend spacing brackets 2' on centers and at all track joints



Catalog No.	Style	Pieces in Case	Case Weight Average (lbs.)
*W2610-C	Side mounted	10	35
	Center stop	10	49
*W2651	Overhead mounted	10	27
*W2651-D	Side mounted, double	5	44
**Y2641-EC	End cap		29 (100 pcs.)

Packed without screws

- *Same brackets used at ends of track with end caps Y2641-EC
- **Y2641-EC can be used with both Y and W components
- A "hold-fast" clamp is furnished with brackets W2610-C. W2610-CS, W2651, and W2651-D. It consists of a clamping plate with bolt and nut, which fits into the track bracket
- Tightening of the nut causes ends of clamping plate to press down on the track insuring a rigid, perfectly aligned surface for the trolley wheels
- Any number of sections can be joined together into one continuous piece of non-rattling track, allowing the wheels to roll smoothly and noiselessly
- The joints are virtually locked together

Suggested specifications are listed on pages 123 and 124

STAY ROLLERS-DOOR GUIDES AND STOPS

DOOR STOPS FOR SLIDING DOORS

1231 Steel - Bright zinc plated, without screws

For doors up to 2" in thickness



Number	Size (inches)	Quantity and Size of Screws	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
1231	41/4 x 11/4	2 - 3/8 x 2	2	20	17

STAKE HOLDERS

9931/2 Steel - Plain



Stake holder

For Stakes (inches)	Length Overall (inches)	Width (inches)	Number of Holes in Each	Gauge of Metal	Pieces in Case	Case Weight Average (lbs.)
13/4 x 3	7	21/2	4	.180	30	42

FLOOR DOOR GUIDES AND BUMPER SHOES FOR SLIDING DOORS

Wrought steel - Bright zinc plated



Single door guide 2550 . . . bumper shoes 2556



Double door guide 2551 No. 2 . . . bumper shoes 2556 . . . adjustable for doors up to 3" in thickness



Bumper shoes 2556

Number	Size (inches)	Quantity and Size of Screws	Sets in Box	Sets in Case	Case Weight Average (lbs.)
2550	4½x1½x1⅓	4-3/8x 2*	1	20	33
2551 No. 2	8¾x4½	4-3/8x 2*	1	10	38
2556	3½x3½x 5⁄8	10-3/4x10 FH	5 (pr.)	100 (pr.)	51

^{*}Lag screws and expansion shields

STAY ROLLERS FOR SLIDING DOORS

Steel - Bright zinc finish



2554 Extra-heavy for warehouse doors



2559½ Adjustable and reversible for doors up to 2¾" in thickness




Number	Size (inches)	Diameter of Wheel (inches)	Quantity and Size of Screws	Pieces in Case	Case Weight Average (lbs.)
2554 2558 2559½	7 x 2 ³ / ₄ x 5 ¹ / ₂ 4 ¹ / ₄ x ¹ / ₆ 4 ¹ / ₂ x 3 ¹ / ₂ x 1 ¹ / ₄	3½ 2 2	3 - 3% x 2* 2 - 1½ x 14 FH	10 10 10	57 6 10

^{*}Lag screws and expansion shields

GARAGE DOOR HARDWARE

GARAGE DOOR BRACES

Steel - Bright zinc plated, with screws 2640



- Applied on the inside of the door, one end being fastened to the hinge stile and the other diagonally across the door to the outside corner
- Made of heavy steel rod, ½" diameter



Applied (inside view)

Size, Length (feet)	Size of Pan Head Wood Screws Per Brace	Braces in Case	Case Weight Average (lbs.)	
6	4 - 1¼ x 10	10	15	
8	4 - 1¼ x 10	10	20	



STRAP HINGES

LIGHT STRAP HINGES

Steel - Bright zinc plated, with screws SP900*

Steel - Bright zinc plated, with screws Sc900

Steel — Galvanized with brass pin, with screws Sc900BP

Steel – Plain or bright zinc plated, without screws 900

■ Made of wrought steel

Size, Length of	Length	Quantity and Size of	Packs in Box	C 19/1 C	Pair in Box	1	Packs in Case		Pair in Case		Case W	eight Average	(lbs.)
Each Leaf (inches)	of Joint (inches)	Wood Screws Per Pair	SP900	Sc900	Sc900BP	900	SP900	Sc900	Sc900BP	900	SP900 SC900	Sc900BP	900
2 3 4 5 6	1 1¾2 1¾6 1¼6 1¼6	12 - 5% x 5 12 - 34 x 7 12 - 34 x 7 12 - 5% x 8 12 - 34 x 9	10 10 10	i o	i0 10 10	10 10 10 5 5	100 100 100 50	100	100 100 50	200 200 100 100 50	14 22 32 41 38	26 36 38	22 39 28 41 35

POLY

On Sc900 5", and Sc900BP 3", 4", 6"

Catalog Number	Quantity in Pack	Packs in Box	Packs in Case	Case Weight (lbs.)
CD900 - 2"	1 pair	10	100	14
CD900 - 3"	1 pair	10	100	26
CD900 - 4"	1 pair	10	100	35
CD900 - 6"	1 pair	5	50	38

Visual pack, with screws, steel - CD900

For these and other visually packed items see visual pack hardware section of catalog

HEAVY STRAP HINGES

Steel - Bright zinc plated, with screws \$P902

Steel - Bright zinc plated, with screws Sc902

Steel — Galvanized with brass pin, with screws Sc902BP

Steel – Plain or bright zinc plated, without screws 902



On Sc902 5", and Sc902BP 4", 5", 6", 8"

■ Made of wrought steel


Size, Quantity and Length Flat F		Quantity and Size of Flat Head	Packs in Box Pair in Box			Packs in Case		Pair in Case		Case Weight Average (lbs.)			
Each Leaf (inches)	of Joint (inches)	Wood Screws Per Pair	SP902	Sc902	Sc902BP	902	SP902	Sc902	Sc902BP	902	SP902 Sc902	Sc902BP	902
4 5 6 8 10 12	1½ 1¾ 2½ 3 3¾ 3½ 3²½	12- 34x 9 16-1 x10 16-11/4x10 16-11/4x12 16-11/2x14 20-11/2x14	5 2 2 	5 2 1	5 5 2 2 2	5555	50 20 10	50 10 5	50 50 20 10 10	100 50 30 20 5	27 38 34 28 43 37	29 42 34 29 50	47 35 42 51 22 34

0

Catalog Number	Quantity in Pack	Packs in Box	Packs in Case	Case Weight (lbs.)
V902 - 4"	1 pair	2	20	11
V902 - 5"	1 pair	2	20	16
V902 - 6"	1 pair	2	20	34
V902 - 8"	1 pair	2	10	28
V902 - 10"	1 pair	2	10	40

Visual pack, with screws, steel - Bright zinc plated V902

For these and other visually packed items see visual pack hardware section of catalog



T-HINGES


LIGHT T-HINGES

SP904 Steel - Bright zinc plated, with screws

Sc904 Steel — Bright zinc plated, with screws

Sc904BP Steel - Galvanized, with brass pin, with screws

904 Steel – Plain or bright zinc plated, without screws



■ Made of wrought steel

Size,	Width	Quantity and Size	Quantity and Size Packs in Box			Pair in Box		Packs in Case Pair in Case			Case Weight Average (lbs.)				
Length of Strap (inches)	Length of Pad (inches)	Width of Pad (inches)	of Strap at Joint (inches)	of Flat Head Wood Screws Per Pair	SP904	Sc904	Sc904BP	904	SP904	Sc904	Sc904BP	904	SP904 Sc904	Sc904BP	904
2 3 4 5 6 8	1 ¹ % ₆ 2 ¹ / ₄ 2% ₆ 27/ ₈ 3 ¹ / ₄ 3% ₆	21/ ₃₂ 27/ ₃₂ 27/ ₃₂ 1 11/ ₁₆ 13/ ₁₆	7/8 13/32 13/16 17/16 15/8 13/4	12-5/8×5 12-3/4×6 12-3/4×7 12-5/8×8 12-5/8×8 14-3/4×9	10 10 10 5	i i i i i i i i i i i i i i i i i i i	10 10 10	10 10 10 5 5	100 100 100 50	100	100 100 50	200 200 100 50 50 50	15 26 31 41 25 26	28 34 32	24 42 26 19 24 40


On Sc904 5", 8" and Sc904BP 3", 4", 6"

CD904 Visual pack, with screws, steel - Bright zinc plated

For these and other visually packed items see visual pack hardware section of catalog

Catalog Number	Quantity	Packs	Packs	Case Weight
	in Pack	in Box	in Case	(lbs.)
CD904 - 2"	1 pair	10	100	16
CD904 - 3"	1 pair	10	100	28
CD904 - 4"	1 pair	10	100	34
CD904 - 6"	1 pair	5	50	28

SCREW HOOK AND T-HINGES



EXTRA-HEAVY T-HINGES

Steel - Bright zinc plated, with screws \$P908

Steel - Bright zinc plated, with screws Sc908

Steel - Galvanized, with brass pin, with screws Sc908BP

Steel - Plain or bright zinc plated, with screws 908

POLY

On Sc908 - 5" and Sc908BP 4", 5", 6", 8"

Size, Length Length Width	Width of Strap	Quantity and Size of Flat Head	Packs in Box		Pair in Box		Packs in Case		Pair in Case		Case W	eight Averag	ge (lbs.)		
of Strap (inches)	of Pad (inches)	of Pad (inches)	at Joint (inches)	Wood Screws Per Pair	SP908	Sc908	Sc908BP	908	SP908	Sc908	Sc908BP	908	SP908 Sc908	Sc908BP	908
4 5 6 8 10 12	3½ 3% 4¼ 5½ 65/8 7¾	13/8 15/8 113/6 25/6 25/8 31/8	13/4 13/4 23/32 21/1/6 313/6 41/6	12- ¾x 9 14-1 x10 14-1¼x10 18-1½x12 18-1½x14 20-1½x14	5 2 1	5 1 1	5 2 1 1	5 5 5	50 20 10	20 5 5	50 20 20 10 5	50 50 25 5 5	37 23 40 30 23 33	34 24 40 31 24 33	30 48 44 14 22 31

Catalog Number	Quantity	Packs	Packs	Case Weight
	in Pack	in Box	in Case	(lbs.)
V908 – 4" V908 – 5" V908 – 6" V908 – 8" V908 – 10"	1 pair 1 pair 1 pair 1 pair 1 pair	2 2 2 2 2	20 20 20 10	11 23 38 30 46

Visual pack, with screws, steel – Bright zinc plated V908

For these and other visually packed items see visual pack hardware section of catalog

Size, Length of Strap (inches)	Hook (inches)	Width of Strap (inches)	Quantity and Diameter of Bolts or Lag Screws Per Pair	Pair in Box	Pair in Case	Case Weight Average (lbs.)
6 8 10 12 14 16 18 24	½ x 4 ½ x 4 ½ x 5 % x 5 % x 5 ¾ x 6 ¾ x 6 ¾ x 6 ¾ x 7	11/4 11/4 11/4 11/4 11/2 11/2 13/4	4 — 1/4 4 — 1/4 6 — 1/4 6 — 3/8 6 — 3/8 8 — 3/8	1 1 1 1 1	10 10 10 10 5 5 5	19 22 31 34 32 33 39 13

SCREW HOOK AND STRAP HINGES

Wrought steel – Plain or bright zinc plated, without screws

951



Catalog Number	Quantity	Packs	Packs	Case Weight
	in Pack	in Box	in Case	(lbs.)
V951 - 6"	1 pr.	2 2	20	41
V951 - 8"	1 pr.		20	46

Visual pack, with screws, steel — Bright zinc plated

V951

For these and other visually packed items see visual pack hardware section of catalog

SCREW HOOK AND EYE HINGES

Malleable iron – 95

■ Made of malleable iron


One pair consists of two hooks and two eyes

Size of Hook	Eye	Pair in Case	Case Weight
(inches)	(inches)		Average (lbs.)
½ x 4	½ x 4	5	5

Malleable iron — dead black finish (KJI) CD953

Catalog	Quantity	Packs	Case Weight (lbs.)
Number	in Pack	in Case	
CD953	1 pr.	5	6

For these and other visually packed items see visual pack hardware section of catalog





SCREW HOOKS

Malleable iron — Plain or bright zinc plated 1665

■ Made of malleable iron

BOLT HOOKS, HINGES AND HASPS

BOLT HOOK AND STRAP HINGES

Steel - Plain or bright zinc plated, without screws



Bolt hook and strap hinge

Made of wrought steel


■ Bolt hooks have projections to prevent washer from moving toward the pintle

■ Furnished with two washers and a nut

Size, Length of Strap (inches)	Bolt (inches)	Width of Strap (inches)	Quantity and Diameter of Bolts or Lag Screws Per Pair	Pair in Box	Pair in Case	Case Weight Average (lbs.)
6 8 10 12 14 16	1/2 x 6 1/2 x 6 5/8 x 7 5/8 x 7 3/4 x 9 3/4 x 9	1½ 1½ 1½ 1¼ 1½ 1½ 1½ 1½	4 — %6 4 — %6 6 — %6 6 — %6 6 — 3% 6 — 3% 8 — 3%	1 1 1 1 	10 10 10 10 5 5	24 27 38 41 39 40 47

BOLT HOOKS

Malleable iron - Plain or 1664 bright zinc plated



■ Furnished with two washers and a nut

Size	For Hinges	Pieces	Case Weight
(inches)	(inches)	in Case	Average (lbs.)
½ x 6	6, 8	10	6
5/8 x 7	10, 12	10	10
3/4 x 9	14 to 18	10	18

SAFETY HASPS, FIXED STAPLE

SP911 Steel - Bright zinc plated, with screws

Sc911 Steel - Plain, with screws

Steel - Plain or bright zinc plated, without screws



Made of wrought steel

■ When fastened, all screws are concealed



On Sc911 - plain 21/2", 31/2", 41/2"

Size,	100311	piani = /	2,3/2,4/2	N.	Quantity and Size	Packs in Box	Pieces	in Box	Packs in Case	Pieces	in Case	Case W Average	
Length of Slotted Part (inches)	Length of Pad (inches)	Width (inches)	Staple (inches)	Staple Projection	of Flat Head Wood Screws Per Hasp	SP911	Sc911	911	SP911	Sc911	911	SP911 Sc911	911
2½ 3½ 4½ 6	11/8 11/6 11/6 3	1 1½ 1½ 1½ 178	1 x 1/1/6 13/8×11/6 13/8×11/6 13/8×11/6	11/6 11/6 11/6 11/6	5-5/8x5 7-3/4x7 7-3/4x7 8-3/4x9	10 10 10 5	10 10 10	10 10 10 5	100 100 100 50	100 100 100	200 100 100 50	13 26 41 36	20 24 37 33

Visual pack, with screws, steel -CD911 Bright zinc or bright brass plated*

*Available in 21/2" size only

For these and other visually packed items see visual pack hardware section of catalog

Catalog Number	Quantity in Pack	Packs in Box	Packs in Case	Case Weight (lbs.)
CD911 - 2½"	1 ea.	10	100	14
CD911 - 3½"	1 ea.	10	100	30
CD911 - 4½"	1 ea.	10	50	22
CD911 - 6"	1 ea.	5	50	40

SAFETY HASP, NO STAPLE

NH911 Steel - Plain

Made of wrought steel

Without holes, hasp only

▲Item now in SUPER-PAC. See page 34

Size, Length of Slotted Part (inches)	Length of Pad (inches)	Width (inches)	Pieces in Case	Case Weight Average (lbs.)
2½	1½	1	100	11
3½	1½	1½	100	25

SAFETY HASPS



- The adjustable staple compensates for shrinking or sagging of the door
- The staple is in a vertical position, permitting the padlock to lie flat
- Made of wrought steel

SAFETY HASPS, ADJUSTABLE STAPLE

Steel - Bright zinc plated, with screws SP915*

Steel - Plain, with screws Sc915

Steel - Galvanized, with brass pin, Sc915BP with screws

> Steel - Plain or bright zinc plated, 915 without screws

■ When fastened, all screws are concealed

Size, Length of					Quantity and Size	Packs in Box	Pieces	in Box	Packs in Case	Pieces i	n Case	Case W	eight Averag	ge (lbs.)
Slotted Part (inches)	Length of Pad (inches)	Width (inches)	Staple Plate (inches)	Staple Projection	of Flat Head Wood Screws Per Piece	SP915	Sc915 Sc915BP	915	SP915	Sc915 Sc915BP	915	SP915 Sc915	Sc915BP	915
3½ 4½ 6	1% 1% 3	1½ 1½ 1½ 1%	1 ¹³ / ₆ x1 ¹ / ₂ 1 ¹³ / ₆ x1 ¹ / ₂ 2 ³ / ₆ x1 ⁷ / ₈	1½ 1½ 1½ 1¾	7—¾x7 7—¾x7 8—¾x9	10 10 5	10 10 5	10 10 5	100 100 50	100 100 50	100 100 50	29 39 37	31 41 40	26 36 35



On Sc915 plain and Sc915BP

Catalog Number	Quantity in Pack	Packs in Box	Packs in Case	Case Weight (lbs.)
CD915 - 3½"	1 ea.	10	100	31
CD915 - 4½"	1 ea.	10	100	43
CD915 - 6"	1 ea.	5	50	42

Visual pack, with screws, steel -CD915 Bright zinc plated

For these and other visually packed items see visual pack hardware section of catalog



- Staple locks into position with each quarter turn
- When fastened, all screws are concealed
- The staple is in a vertical position permitting the padlock to lie flat

SAFETY HASPS, CLICK-LOCK STAPLE

Steel - Bright zinc plated, with screws \$P917

Steel - Plain, with screws

Steel - Plain or bright zinc plated, without screws

■ Made of wrought steel

Size, Length of				9 799-52	Quantity and Size	Packs in Box	Pieces	in Box	Packs in Case	Pieces i	n Case	Case W Average	
Slotted Part (inches)	Length of Pad (inches)	Width (inches)	Staple Plate (inches)	Staple Projection	of Flat Head Wood Screws Per Piece	SP917	Sc917	917	SP917	Sc917	917	SP917 Sc917	917
3½ 4½ 6	1%6 1%6 3	1½ 1½ 1½ 1%	17/8×11/2 17/8×11/2 17/8×11/2	13/6 13/6 13/6	7— ³ / ₄ x7 7— ³ / ₄ x7 8—1 x8	10 5	10 10	10 10 5	100	100	100 100 50	28 36 31	25 33 27



On Sc917 plain

Catalog Number	Quantity	Packs	Packs	Case Weight	
	in Pack	in Box	in Case	(lbs.)	
CD917 - 3½"	1 ea.	10	100	31	
CD917 - 4½"	1 ea.	10	100	40	

Visual pack, with screws, steel -CD917 Bright zinc plated

For these and other visually packed items see visual pack hardware section of catalog

HASPS AND STAPLES

LATCHING SAFETY HASPS

SP918 Steel — Bright zinc plated, with screws

- The design and construction permits use of the hasp as a positive door latch as well as a locking device
- When hasp is pushed over staple it is automatically latched to prevent movement of door
- Unique design allows one hand to unlatch and open hasp



- Delrin thumb piece and stainless steel spring
- Staple has eye for attaching padlock
- When fastened, all screws are concealed

Size, Length of Slotted Part (inches)	Length of Pad (inches)	Width (inches)	Staple (inches)	Staple Projection	Quantity and Size of Flat Head Wood Screws Per Piece	Packs in Box	Packs in Case	Case Weight Average (lbs.)
31/2	17/16	1½	13/8×11/6	11/16	7 — ¾ x 7	10	100	25

CD918 Visual pack, with screws, steel — Bright zinc plated

For these and other visually packed items see visual pack hardware section of catalog

Catalog Number	Quantity in Pack	Packs in Box	Packs in Case	Case Weight (lbs.)
CD918 - 3½"	1 ea.	10	100	27

HINGE HASPS

912 Steel – Plain or bright zinc plated, without screws

SP912 Steel — Bright zinc plated* with screws



- Made of wrought steel
- Sizes 3" and 4½" made with the end turned up

Size, Length of Strap	Length of Slotted Part	Length of Joint	Staple	Staple	Quantity and Size of Flat Head Wood Screws	Packs in Box	Pieces in Box	Packs in Case	Pieces in Case	Case V Averag	
(inches)	(inches)	(inches)	(inches)	Projection	Per Hasp	SP912	912	SP912	912	SP912	912
3	31/8	11/8	13/8 x 11/6	11/16	7 – ¾ x 7	10	10	100	200	18	33
4½ 6	3 % 4 1/4	1½ 1½	1% x 1% 1% x 1%	1½6 1½6	7 — ¾ x 7 7 — ¾ x 9		10 10		200 100		42 44

*Available in size 3" only

CD912 Visual pack, with screws, steel –
Bright zinc plated

For these and other visually packed items see visual pack hardware section of catalog

Catalog Number	Quantity	Packs	Packs	Case Weight
	in Pack	in Box	in Case	Average (lbs.)
CD912 - 3"	1 ea.	10	100	20
CD912 - 4½"	1 ea.	10	100	23

STAPLES

913 Steel – Plain or bright zinc plated, without screws





No. 2 Staple used with hasps #345, 346 and $911\text{-}2\frac{1}{2}$ " No. 3 Staple used with hasps $\#911\text{-}3\frac{1}{2}$ ", $911\text{-}4\frac{1}{2}$ ", 912-6" and 925-3"

Size	Staple (inches)	Projection of Staple (inches)	Quantity and Size of Flat Head Wood Screws Per Piece	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
No. 2	1 x 11/16	11/16	2 - ½ x 5		To order	
No. 3	13/8 x 11/6	11/16	$4 - \frac{3}{4} \times 7$	25	500	27

STAPLES

NH913 Steel - Plain

- Made of wrought steel
- Without holes



Size	Staple (inches)	Projection of Staple (inches)	Pieces in Case	Case Weight Average (lbs.)
No. 2 No. 3	1 x 11/6 13/8 x 11/6	1½6 1½6	100 100	4 5

HASPS AND STAPLES



■ A heavy duty hasp made of wrought steel for general utility service

■ The square hole permits the use of a carriage bolt 5/6" diameter for security against removal

Made with the end turned up

Available on order with a case hardened staple

HINGE HASPS

Steel - Plain, without screws

Steel - Bright zinc plated, with screws \$P941

Steel - Galvanized, with brass pin, with screws Sc941BP



on Sc941BP

Size, Length	Length of Slotted	Length	Length	Staple		Quantity and Size of Flat Head Staple Wood Screws Projection Per Hasp	Packs in Box	Piec in B		Packs in Case	Piec in Ca			Case Weight verage (lbs.	
Overall (inches)	Part (inches)	of Pad (inches)	Joint (inches)	Plate (inches)	Staple Projection		SP941	Sc941BP	941	SP941	Sc941BP	941	SP941	Sc941BP	941
71/2	313/16	43/8	13/4	2½x1¾	11/4	8-1½x2	5	5	5	25	25	50	28	28	48

Catalog Number	Quantity in Pack	Packs in Box	Packs in Case	Case Weight (lbs.)
CD941-7½"	1 ea.	5	25	29

Visual pack, with screws, CD941 steel - Bright zinc plated

For these and other visually packed items see visual pack hardware section of catalog



Wrought steel - Plain, without screws

- Made with the end turned up. For chests, sliding doors, etc.
- When fastened, all screws are concealed

Size, Length of Slotted Part (inches)	Pad (inches)	Staple (inches)	Staple Projection	Distance Between Center of Hinges (inches)	Quantity and Size of Flat Head Wood Screws Per Hasp	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
3	1½ x 1¼	13/8 x 11/6	11/16	111/16	$7 - \frac{3}{4} \times 7$	10	100	19

Catalog Number	Quantity in Pack	Packs in Box	Packs in Case	Case Weight (lbs.)
CD925 - 3"	1 ea.	10	100	24

Visual pack, with screws, steel -CD925 Bright zinc plated

For these and other visually packed items see visual pack hardware section of catalog

HINGE HASPS

Steel - Bright brass plated, with screws 345

For baskets, boxes, chests, cabinets, etc. ■ Made of wrought steel

Available in bright brass (US3)

Length of Slotted Part (inches)	Length of Joint (inches)	Pad (inches)	Staple (inches)	Staple Projection	Quantity and Size of Flat Head Wood Screws Per Hasp	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
111/16	1	1¾ x 1½	1 x 11/16	11/16	4 - 5/8 x 5	10	300	23





Catalog Number	Quantity in Pack	Packs in Box	Packs in Case	Case Weight (lbs.)
CD345	1 ea.	10	100	10

Visual pack, with screws, steel - Bright zinc plated

CD345

For these and other visually packed items see visual pack hardware section of catalog

HASPS AND STAPLES

SAFETY HASP

SP346 Steel – Planished and plated, with screws

- Made of wrought steel
- Available in bright brass (US3), bright zinc (US2C)
- For baskets, boxes, chests, cabinets, etc.



Size, Length of Slotted Part (inches)	Length of Pad (inches)	Width (inches)	Staple (inches)	Staple Projection	Quantity and Size of Flat Head Wood Screws Per Hasp	Packs in Box	Packs in Case	Case Weight Average (lbs.)
23/4	11/8	15/16	1 x 11/6	11/16	5 − 5⁄8 x 5	10	200	17

CD346 Visual pack, with screws, steel - Satin brass plated

For these and other visually packed items see visual pack hardware section of catalog

Catalog Number	Quantity in Pack	Packs in Box	Packs in Case	Case Weight (lbs.)
CD346	1 ea.	10	100	10

HOOKS AND STAPLES

974 Steel — Plain or bright zinc plated

■ Made of wrought steel



Size, Length of Strap or Hook (inches)	Length of Staple (inches)	Hook Wire (inches)	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
4 5 6	2 2½ 2½ 2½	1/4 5/16 5/16	10 10 10	200 200 100	26 46 26

V974 Visual pack, steel — Bright zinc plated

For these and other visually packed items see visual pack hardware section of catalog

Catalog	Quantity	Packs	Packs	Case Weight
Number	in Pack	in Box	in Case	Average (lbs.)
V974–4"	1	10	100	14
V974–5"	1	10	100	25
V974–6"	1	10	100	28

STAPLES

976 Steel – Plain or bright zinc plated

■ Made of wrought steel



Diamond	noint
Diamona	POTITIE

Size, Length (inches)	Pieces in Box	Pieces in Case	Case Weight Average (Ibs.)
1	100	3000	18
1½	100	2000	22
2	100	2000	35
2½	100	1000	30
3	50	1000	44

V976 Visual pack, steel — Bright zinc plated

For these and other visually packed items see visual pack hardware section of catalog

Catalog	Quantity	Packs	Packs	Case Weight
Number	in Pack	in Box	in Case	Average (lbs.)
V976-1"	8	10	100	6
V976-1½"	6	10	100	8
V976-2"	4	10	100	9
V976-2½"	2	10	100	8
V976-3"	2	10	100	10

FOOT AND CHAIN BOLTS

CHAIN BOLTS

Wrought steel — Japanned or plated finishes, with screws


SP1055*

Wrought steel – Japanned or plated finishes, with screws

1055

■ For doors of garages and industrial buildings

- Can be used on doors opening in by reversing the bolt. Smaller sizes, in plated finishes, are for cabinets or double screen doors
- Equipped with a strong hard-drawn wire spring which throws the bolt automatically when chain is released. Chain 24" long
- Chain bolts furnished in japanned finish have zinc plated bolts and chain.





On 5"

Finishes described on page 39

Length		Size	nine.	Strikes	(inches)	Quantity and Size of	Quantity and Size of	Packs in Box	Pieces in Box	Packs in Case	Pieces in Case	Case Wt.
of Bolt (inches)	(inches)	of Bolt (inches)	(inches)	Angle	Surface	F.H. Wood Screws (Per Piece)	Pan Head Wood Screws (Per Piece)	SP1055	1055	SP1055	1055	Average (lbs.)
3 4 5 6	2½ x1½ 3¾ x1¼ 4½ x1¾ 4⅓ x1¾ 4¼6x2	3/8 7/16 7/16 9/16	1/2 5/8 11/16 11/16	7/8 x 1 1/2 x 3/8 7/8 x 1 1/2 x 3/8 7/8 x 1 1/2 x 3/8 1 1/4 x 2 x 1/2	15/8 x 5/8 x 11/6 17/8 x 3/4 x 27/32 17/8 x 3/4 x 27/32 21/2 x 11/32 x 13/32	4- ³ / ₄ x6 4- ³ / ₄ x7 4- ³ / ₄ x7 4-1 x9	4- 3/4x 6 4- 3/4x 7 4- 3/4x 7 4-1 x 8	5 5 .5	5	50 50 50	50	17 28 31 48
8	7 x2 ²³ / ₃₂	5/8	13/16	1½x2 x½	2½x1½x1¾2	2- ³ / ₄ x6 4-1 x9 2- ³ / ₄ x6	4-1½x10	no:	1		10	17

Catalog Number	Quantity	Packs	Packs	Case
	Per Pack	Per Box	Per Case	Weight (lbs.)
CD1055-(US4)-4"	1 ea.	5	50	29
CD1055-(US2C)-6"	1 ea.	5	50	51

1056

Spring action

Visual pack, with screws, steel — Satin brass or bright zinc finish CD1055

For these and other visually packed items see visual pack hardware section of catalog

FOOT BOLTS

Wrought steel — Japanned or plated finishes, wiith screws

SP1056*

Wrought steel — Japanned or plated finishes, with screws

1056

- For garages and industrial buildings. Smaller sizes, in plated finishes, are for cabinets or double screen doors
- Operated by pressure of the foot on the cap and released by pressure on the trip
- When released, the bolt is retracted by a heavy hard drawn wire spring

		-					
Japanned	finish	foot	bolts	have	zinc	plated	bolts

Length of Bolt (inches)	Case (inches)	Diameter of Bolt (inches)	Throw (inches)	Strike (inches)	Quantity and Size of Flat Head Wood Screws Per Piece	Quantity and Size of Pan Head Wood Screws Per Piece	Packs in Box SP1056	Pieces in Box 1056	Packs in Case SP1056	Pieces in Case	Case Wt. Average (lbs.)
3 4 5 6 8	2½x1½ 3¾x1½ 4½x1¼ 5 x2 7 x2¾	1/2 39/64 39/64 23/32 13/16	1/ ₂ 1 1 1 13/ ₃₂ 11/ ₄	12 ¹ / ₂ ×1 ³ / ₃₂ 12 ¹ / ₃₂ ×1 ³ / ₃₂ 12 ¹ / ₃₂ ×1 ³ / ₃₂ 2 ¹ / ₃₂ ×1 ⁵ / ₆ 2 ¹ / ₃₂ ×1 ⁵ / ₆	2- 5/8x8 2- 5/8x8 2-1 x8 2-1 x9 2-1 x9	4- 3/4x 6 4- 3/4x 7 4- 3/4x 7 4-1 x 8 4-11/4x10	5 5 .5	5 1	100 50 	50 10	22 21 23 39 16



On 5"

Finishes described on page 39

Catalog Number	Quantity	Packs	Packs	Case
	Per Pack	Per Box	Per Case	Weight (lbs.)
CD1056-(US4)-4"	1 ea.	5 5	50	24
CD1056-(US2C)-6"	1 ea.		50	44

Visual pack, with screws, steel – Satin brass or bright zinc finish CD1056

For these and other visually packed items see visual pack hardware section of catalog

BARREL BOLTS

Steel — Japanned, or bright zinc plated, with zinc plated bolt, without screws 1078

Steel - Japanned, with zinc plated bolt SP1078* or plated finishes, with screws

Steel - Japanned, with zinc plated bolt or Sc1078 plated finishes, with screws

- Multi-purpose barrel bolt for average weight doors, etc.
- Heavy gauge steel cases and tempered steel bolt rods
- Long throw for maximum security
- Reversible strike engages at either end of bolt
- Surface strike furnished with bolt as illustrated



Size, Length		Diameter	Strikes (inches)	Quantity and Size	Packs in Box	Pie in I	ces Box	Packs in Case		ces case		Weight e (lbs.)
of Bolt (inches)	Plate (inches)	of Bolt (inches)	Surface	Wood Screws Per Piece	SP1078	Sc1078	1078	SP1078	Sc1078	1078	1078	SP1078 Sc1078
2½ 3 4 5 6	1 ²⁵ / ₃₂ ×1½ ₆ 2 ⁵ / ₃₂ ×1½ ₆ 3½ ₂ ×1½ ₆ 3 ² / ₃₂ ×1½ ₆ 4 ² / ₃₂ ×1½ ₆	5/16 5/16 5/16 5/16 5/16	1%6X%6 1%6X%6 1%6X%6 1%6X%6 1%6X%6	6-34x7 6-34x7 6-34x7 6-34x7 6-34x7	10 10 10 10	i o	10 10 10 10 10	100 100 100 100	100	100 100 100 100 100	15 16 23 28 32	17 19 25 30 35



On Sc1078 5"

Finishes described on page 39

Visual pack, with screws, steel -CD1078 Satin brass or bright zinc plated

For these and other visually packed items see visual pack hardware section of catalog

Catalog Number	Quantity	Packs	Packs	Case
	Per Pack	Per Box	Per Case	Weight (lbs.)
CD1078-2½"	1 ea.	10	100	18
CD1078-3"	1 ea.	10	100	21
CD1078-4"	1 ea.	10	100	26
CD1078-5"	1 ea.	10	100	32
CD1078-6"	1 ea.	10	50	19

Visual pack, with screws, steel -CD1076 satin brass plated

- Decorative bolt for windows and average weight
- Surface strike furnished with size 2½"
- Universal strike furnished with sizes 3" and 4"







Surface

Universal strike

Size, Length of Bolt (inches)	Plate (inches)	Diameter of Bolt (inches)	Strikes Surface	(inches) Universal	Quantity and Size of Flat Head Wood Screws Per Piece	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight (Ibs.)
2½ 3 4	$\begin{array}{c} 1^{25}_{32} \times 1\%_{6} \\ 2^{5}_{32} \times 1\%_{6} \\ 3\%_{32} \times 1\%_{6} \end{array}$	5/16 5/16 5/16	11/16 x 1/16	1 x 1¾6 1 x 1¾6	6 - ³ / ₄ x 7 6 - ³ / ₄ x 7 6 - ³ / ₄ x 7	1 ea. 1 ea. 1 ea.	10 10 10	100 100 100	17 20 24

For these and other visually packed items see visual pack hardware section of catalog

▲Item now in SUPER-PAC. See page 34

BOLTS AND FASTENERS



Surface and universal strikes furnished with sizes 4" and 6" Surface strike only furnished with 8" size

HEAVY BARREL BOLTS

Steel - Japanned or bright zinc plated, 1084 with zinc plated bolt, without screws

Steel — Japanned or bright zinc plated, with zinc plated bolt, with screws SP1084*

Size, Length		Diameter	Strikes	(inches)	Quantity and Size of Flat Head	Packs in Box	Pieces in Box	Packs in Case	Pieces in Case		Weight ge (lbs.)
of Bolt (inches)	Case (inches)	of Bolt (inches)	Universal	Surface	Wood Screws Per Piece	SP1084	1084	SP1084	1084	1084	SP1084
4	3 x15/8	13/32	15/8×11/6	15/8×5/8	{ 4−1x8, 2−1½x8 } 2−1x6	10	10	100	100	34	36
6	41%2×15%	13/32	15/8×11/6	15/8×5/8	6-1x8, 21½x8 2-1x6	5	5	50	50	29	30
8	8 x13/4	%16		17/8×3/4	8-1x8	5	5	25	25	31	32

Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight (lbs.)
CD1084-4"	1 1	5	50	20
CD1084-6"		5	50	36

Visual pack, with screws, steel -CD1084 Bright zinc plated

For these and other visually packed items see visual pack hardware section of catalog

HEAVY SQUARE SPRING BOLTS

Steel — Japanned or bright zinc plated, 1088 bolt zinc plated, without screws

Steel – Japanned or bright zinc plated, bolt zinc plated, with screws SP1088*

Equipped with a heavy spring which holds the bolt in position



			Strikes	Strikes (inches) of	Quantity and Size of Flat Head	Packs in Box	Pieces in Box	Packs in Case	Pieces in Case	Case Weight
Size (inches)	Plate (inches)	Bolt (inches)	Flat	Surface	Wood Screws Per Piece	SP1088	1088	SP1088	1088	Average (lbs.)
6 8	61/6×13/4 77/8×2	½ 5/8	1 ² / ₃₂ ×1 ³ / ₃₂ 2 ¹ / ₃₂ ×1 ⁵ / ₁₆	17/8x 3/4 21/2x11/32	8–1x8 12–1x9	10 5	10 5	50 25	50 25	42 41

Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight (lbs.)
CD1088-6"	1 ea.	5	50	48

Visual pack, with screws, steel -CD1088 Bright zinc plated

For these and other visually packed items see visual pack hardware section of catalog



Catalog Number	Quantity and Size of Flat Head Wood Screws	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
7088	{ 3-1 x6	10	100	21
7088¼	{ 2-13/4x6	10	100	22

CHAIN DOOR FASTENERS

Steel - Satin brass finish, 7088 with screws

Brass - Bright finish, 70881/4 with screws

- Used on entrance doors in residences or apartments
- Sturdy steel chain door guard with modern design
- Door plate $-1\frac{1}{32}$ " x $3\frac{1}{2}$ " jamb plate $1\frac{1}{8}$ " x $1\frac{1}{6}$ "

On numbers 7088 and 70881/4

Catalog	Quantity	Packs	Packs	Case Weight (lbs.)
Number	in Pack	in Box	in Case	
CD7088(US4)	1 ea.	10	100	25
CD7088 ¹ / ₄	1 ea.	5	50	12

▲ Item now in SUPER-PAC. See page 34

Visual pack, with screws, steel - Satin CD7088 brass finish

Visual pack, with screws, brass -CD70881/4 **Bright finish**

For these and other visually packed items see visual pack hardware section of catalog



SURFACE BOLTS

CD4060 Visual pack, with screws - Solid brass

- Solid brass bolt for vertical or horizontal application
- For doors or windows opening in or out
- Slim-line appearance with concealed screws
- Operation of bolt does not mar the finish
- Both strikes furnished with bolt





Universal strike

Catalog	Width	Quantity and Size of Wood	Quantity	Packs	Packs	Case Weight
Number	(inches)	Screws Per Piece	in Pack	in Box	in Case	Average (lbs.)
CD4060-2½" CD4060-4"	% 6 %	4 - ¾ x 6 4 - ¾ x 6	1 1	10 5	100 50	9 13

For these and other visually packed items see visual pack hardware section of catalog

SURFACE BOLTS

379 Steel - Plated finishes with screws

- For pairs of french doors, casement windows, etc.
- Bolt rods are half round. Friction element holds the bolt securely in any position
- 379 has back plates under the guides to prevent rod from marring the wood. Guides are designed to prevent marring of the rod when bolt is operated
- Universal strike furnished with bolt





Universal strike

Number	Length (inches)	Width (inches)	Guides (inches)	Quantity and Size of Wood Screws Per Piece	Bolts in Box	Bolts in Case	Case Weight Average (lbs.)
379	4 6	3/ ₈ 3/ ₈	15/6 x 5/8 15/6 x 5/8	6 - ³ / ₄ x 6 6 - ³ / ₄ x 6	10 10	100 100	14 20



Finishes described on page 39

CD379 Visual pack, with screws — Satin brass plated

For these and other visually packed items see visual pack hardware section of catalog

Catalog	Quantity	Packs	Packs	Case
Number	in Pack	in Box	in Case	Weight (lbs.)
CD379 - 4"	1 ea.	5	50	10
CD379 - 6"	1 ea.	5	50	12

WINDOW SPRING BOLTS

Steel - Bright zinc plated 1697

Brass - Plain 16971/4

For	windows	and	for	stationary	or	hinged
scre	ens					

■ 1697¼ made of brass with stainless steel

For	windows	and	for	stationary	or	hinged
scre	ens					

spring

CANE BOLTS

Steel - Bright zinc plated, with screws 1010

- A strong, positive bolt for locking heavy doors. Also holds door open
- The lip at top prevents bolt from slipping out of guide
- Throw is almost unlimited . . . bolt drops by gravity
- Furnished with a flat strike

Size, Length (inches)	Diameter of Bolt (inches)	Quantity and Size of F.H. Wood Screws Per Piece	Bolts in Box	Bolts , in Case	Case Weight Average (lbs.)
12	1/2	6-1 ¹ / ₄ x12 2-1 x8	2	20	27
18	19/32	$ \left\{ \begin{array}{l} 6-1\frac{1}{4}x12 \\ 2-1 & x \ 8 \end{array} \right. $	2	10	23
24	19/32	6-1 ¹ / ₄ x12 2-1 x 8	2	10	30

CANE BOLTS

Visual pack, with screws, steel -CD1009 Dead black (KJ1) finish

- A positive bolt for locking gates. Also holds gates open Maximum throw 2¾" bolt drops by gravity

Case Weight Average (lbs.)

1697

26

16971/4

31

- Projections allow bolt to be held in raised position when desired and also act as a non-removable feature after applied
- Dead black bolts are zinc plated before final finish for durability

Size, Length (inches)	Diameter of Bolt (inches)	Quantity and Size of Round Head Wood Screws Per Piece	Quantity in Pack	Packs in Case	Case Weight Average (lbs.)
12	1/2	4 – 1 × 10	1	5	7

For these and other visually packed items see visual pack hardware section of catalog



Diameter of Hole to Bore (inches)

3/8

Pieces in Box

25

Pieces in Case

500

Size, Length of Bolt (inches)

31/4

Length of Case (inches)

17/8

STANLEY

FLUSH BOLTS AND ROLLER LATCHES

FLUSH BOLTS

3931/2 Wrought steel — Planished and plated, with screws


Number	Size, Length of Plate (inches)	Width of Plate (inches)	Lip Extension (inches)	Diameter of Bolt (inches)	Quantity and Size of Flat Head Wood Screws (plate) Per Piece	Bolts in Box	Bolts in Case	Case Weight Average (lbs.)
3931/2	6	3/4	13/8	1/4	4 – ¾ x 6	10	100	26



Finishes described on page 39

ROLLER LATCHES

23* Steel - Planished and plated, with screws




■ All operate silently with a push-pull action

■ Tension is adjustable on all numbers by turning roller

■ For doors 13/8" thick

Cases are wrought steel, zinc plated



Number	Face Plate (inches)	Strike (inches)	Strike Lip to Center (inches)	Size and Depth of Bore (inches)	Quantity and Size of Flat Head Wood Screws Per Piece	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
23	21/4 x 1	21/4 x 1%	11/8	7/8 x 23/8	4 - 5/8 x 8	10	100	23




Finishes described on page 39

*Patent No. 2,541,720

ROLLER LATCHES

SP26*** Steel - Bright brass plated, with screws

- Long life nylon rollers that operate silently with a push-pull action
- Tension is adjustable by turning roller
- For doors 11/8" to 13/8" thick
- Integral face plate prevents the catch from turning in its mortise
- Cases are wrought steel, zinc plated



Number	Face Plate (inches)	Strike (inches)	Strike Lip to Center (inches)	Size and Depth of Bore (inches)	Quantity and Size of Flat Head Wood Screws Per Piece	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
26	13/4 x 15/16	1¾ x 1¼	11/16	3/4 x 1½	3 - 5/8 x 5	25	250	17

Finishes described on page 39

**Patent No. 3,031,220

CD26 Visual pack, with screws, steel –
Bright brass finish

For these and other visually packed items see visual pack hardware section of catalog

▲ Item now in SUPER-PAC. See page 34

Catalog	Quantity	Packs	Packs	Case
Number	in Pack	in Box	in Case	Weight (lbs.)
CD26	1 ea.	5	50	5

LATCHES



THUMB LATCHES

Steel - Japanned or bright zinc plated, 1260 with screws

- For doors of residences, garages, barns, etc.
- See table for door thickness
- Made of wrought steel
- Latch bar is furnished with a special flanged bushing which prevents the bar from binding, regardless of how tightly the screw is driven
- Strike and guide furnished with eyes through which padlock shackle may be placed
- When door is closed, screws are concealed


Size	Length of Handle (inches)	For Door Thickness (inches)	Length of Grip (inches)	Length of Latch Bar (inches)	Sets in Box	Sets in Case	Case Weight Average (lbs.)
No. 2	6%	5% to 13/4	4	4½	1	20	10
No. 3	7%	3/4 to 17/8	4	5½	1	20	14
No. 4	81%	11/4 to 25/8	5	5½	1	10	12

Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight (lbs.)	
CD1260 No. 2	1 set	5	50	24	

Visual pack, with screws, steel — Bright zinc plated CD1260 NO. 2

For these and other visually packed items see visual pack hardware section of catalog

Size Bar (inches)	Plate (inches)	Quantity and Size of Flat Head Wood Screws Per Piece	Packs in Box	Packs in Case	Case Weight Average (lbs.)
13/4x1/2	1½x5/8	4-5/8x5	10	100	7



BAR LATCHES

Steel - Satin brass SP450* finish with screws

Visual pack, with screws, wrought steel -CD450 Satin brass or antique finishes

Catalog Number	Quantity	Packs	Packs	Case Weight	
	Per Pack	Per Box	Per Case	(lbs.)	
CD450 - 13/4"	1 ea.	10	100	8	

For these and other visually packed items see visual pack hardware section of catalog

■ When doors are closed the screws are concealed and the padlock shackle can be slipped through both eyes

Size	Overall Size (inches)	Quantity and Size of Flat Head Wood Screws Per Pair	Pair in ·Box	Pair in Case	Case Weight Average (lbs.)
No. 2	21/8×17/8	6-3/4x10	10	300	56

PADLOCK EYES

Wrought steel — Bright zinc plated, with screws 1245

Dimensions: a. ¹³/₁₆" wide b. ⁵/₈" wide

c. 3/4" deep

Attached in pairs, to edge of door and jamb

Case Weight (lbs.) Quantity Per Pack Packs Per Box Packs Per Case **Catalog Number** 20 10 100 CD1245 - No. 2 1 pr.

Visual pack, with screws, steel -CD1245 Bright zinc plated

For these and other visually packed items see visual pack hardware section of catalog

▲Item now in SUPER-PAC. See page 34

Revised 4-79

STANLEY

CATCHES AND PULLS

TRANSOM CATCHES

1165 Steel - Bright zinc plated, with screws

- Ring handle is of sufficient size for operating with a window pole
- The spring is made of strong music wire
- Furnished on order with bolt reversed for transoms opening outward





Surface strike

Size	Case (inches)	Diameter of Ring Inside (inches)	Strikes (inches) Surface	Quantity and Size of Flat Head Wood Screws Per Piece	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
No. 2	2 x 15/8	%6	15/8 x 5/8	6 – ¾ x 7	10	100	40

DOOR PULLS

SP482 Steel — Japanned, bright zinc plated, or plated finishes, with screws

1257 Wrought steel – Bright zinc plated, with screws

- Made of wrought steel
- For screen door pulls see page 193

Catalog		Overall Size	Length of Grip	Quan. and Size of Flat Head Wood	Packs in Box	Pieces in Box	Packs in Case	Pieces in Case	Case Weight Average
Number	Size	(inches)	(inches)	Screws Per Piece	SP482	1257	SP482	1257	(lbs.)
SP482	No. 1	5 x1½	33/8	4- ³ / ₄ x 7	10		100		12
SP482	No. 2	53/4×11/2	4	4- 5/8x 8	10		100		16
SP482	No. 3	6½x1¾	41/2	4-1 x 9	10		50		12
SP482	No. 4	71/8×21/4	5 %	4-11/4x12	5		50		26
1257	No. 2	6½x1¾6	4	2- 5/8x 8		10		100	12
1257	No. 3	7½x1½6	41/8	4- 3/4x 9		10		100	24





482

1257

Finishes described on page 39

CD482 Visual pack, with screws, steel — Satin brass or bright zinc finish

For these and other visually packed items see visual pack hardware section of catalog

Catalog Number	Quantity	Packs	Packs	Case Weight
	Per Pack	Per Box	Per Case	Average (lbs.)
CD482 No. 2	1 ea.	5	50	10
CD482 No. 3	1 ea.	5	50	14

NH482 Steel - Plain

- Made of wrought steel
- No holes, flat ends for welding

Catalog Number	Size	Overall Size (inches)	Length of Grip (inches)	Pieces in Case	Case Weight Average (lbs.)
NH482	No. 2	5¾ x 1½	4	100	15
NH482	No. 3	6½ x 1¾	4½	100	22



[▲] Item now in SUPER-PAC. See page 34

PULLS AND HANDLES



TRAP DOOR RINGS

Steel - Japanned or bright 1215 zinc plated, with screws

■ Sets flush with the floor, eliminating the danger of tripping

Size	Plate (inches) Outside Inside 3 x 31/2 21/8 11/2		Depth Overall (inches)	Wire (inches)	Quantity and Size of Flat Head Wood Screws Per Piece	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)	
No. 1	3 x 3½	21/8	1½	1/2	5/16	4 - 3/4 x 9	5	50	22

Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight (lbs.)
CD1215 No. 1	1 ea.	5	25	12

Visual pack, with screws, steel -Bright zinc plated CD1215

For these and other visually packed items see visual pack hardware section of catalog

CHEST HANDLES



Steel - Bright zinc plated, with screws 1226

- For chests, boxes, etc.
- Made of wrought steel
- A sturdy, heavy duty flush type handle with large roomy bail allows for a firm comfortable grip

Plate (inches)	Width of Bail Inside (inches)	Wire (inches)	Depth of Mortise (inches)	Quantity and Size of Flat Head Wood Screws	Pair in Box	Pair in Case	Case Weight Average (Ibs.)
51/4 x 41/4	27/8	3/8	1/2	12 - ¾ x 10	5	25	41

■ Bail lies flat out of the way when not in use with no portion projecting

Steel - Plain NH1226



■ No holes, for welding

Plate (inches)	Width of Bail Inside (inches)	Wire (inches)	Depth of Mortise (inches)	Pair in Box	Pair in Case	Case Weight Average (lbs.)
51/4 x 41/4	27/8	3/8	1/2	5	25	39

CHEST HANDLES

CHEST HANDLES

SP1205 Steel - Japanned or bright zinc plated, with screws

1205 Steel – Japanned or bright zinc plated, with screws

- For chest or boxes where a sturdy handle is required
- Made of wrought steel
- Vertical corrugations reinforce the stop
- A strong, heavy duty handle with large roomy bail allows for a firm, comfortable grip
- Screws can be driven on all sizes without raising the bail

pail									
Size	Plate (inches)	Width of Bail Inside (inches)	Wire (inches)	Quantity and Size of Flat Head Wood Screws Per Pair	Packs in Box SP1205	Pair in Box 1205	Packs in Case SP1205	Pair in Case	Case Weight Average (Ibs.)
No. 2¾ No. 3¼ No. 3½ No. 4	2 ¹ 1/ ₆ x2 3 ³ / ₈ x2 ³ / ₄ 3 ⁵ / ₈ x2 ¹ / ₆ 41/ ₆ x3	2 ³ / ₄ 3 ³ / ₈ 3 ⁵ / ₈ 4 ¹ / ₈	1/4 5/16 11/ ₃₂ 3/8	6- 3/4x 6 8- 5/8x 8 8- 3/4x10 8- 3/4x10	5 5 5	5 5 5 5	50 50 50	50 50 50 25	24 40 48 32
No. 43/4	47/6×3%	11/2	7/8	10_1 v12		5		25	5

CD1205 Visual pack, with screws, steel - Bright zinc plated

For these and other visually packed items see visual pack hardware section of catalog

Catalog Number	Quantity	Packs	Packs	Case
	Per Pack	Per Box	Per Case	Weight (lbs.)
CD1205 - No. 2 ³ / ₄	1 ea.	10	100	26
CD1205 - No. 3 ¹ / ₂	1 ea.	5	50	28

NH1205 Steel - Plain

■ No holes, for welding

Size	Plate (inches)	Width of Bail Inside (inches)	Wire (inches)	Pair in Case	Case Weight Average (lbs.)
No. 4	41/16 x 3	41/8	3/8	25	30



CHEST HANDLES

1207 Steel – Japanned or bright zinc plated, with screws

- For chests or boxes having a surface for applying only a narrow plate
- Made of wrought steel
- Corrugations reinforce the stop
- A narrow plate with a large bail allows for a firm comfortable grip

Plate (inches)	Width of Bail Inside (inches)	Wire (inches)	Quantity and Size of Flat Head Wood Screws Per Pair	Pair in Box	Pair in Case	Case Weight Average (lbs.)
31/6 x 13/4	3%	5/16	10 − % x 8	5	50	36



WIRE GOODS

Large screw eye







SCREW EYES

Bulk pack 8450 Steel - Bright zinc plated Visual pack V8450

- Eyes formed with true circular bends tightly closed
- Clean die-rolled threads
- Sharp points bite into wood quickly, easily


LARGE EYE

Number	Wire Size	Inside Diameter Eye (inches)	Length Thread (inches)	Length Overall (inches)	Bulk Quantity in Box	Bulk Quantity in Case	Bulk Case Weight	V-Pack Quantity in Pack	V-Pack Packs in Box	V-Pack Packs in Case	V-Pack Case Weight
8450-000	000	11/8	13/4	37/8	10	100	20	1 ea.	20	200	42
8450-0	0	13/16	1 13/16	21/8	50	500	55	1 ea.	20	200	23
8450-2	2	23/32	11/16	25/8	50	500	35	2 ea.	20	200	29
8450-4	4	39/64	7/8	23/16	50	500	21	3 ea.	20	200	27
8450-6	6	17/32	3/4	115/16	100	1000	28	5 ea.	20	200	29
8450-8	8	15/32	23/32	15/8	100	1000	17	8 ea.	20	200	29
8450-10	10	13/32	5/8	13/8	100	1000	10	8 ea.	20	200	17
8450-12	12	3/8	7/16	13/16	100	1000	6	12 ea.	20	200	15
8450-14	14	11/32	5/16	11/16	100	1000	3	14 ea.	20	200	11

8450-104	4	31/64	7/8	21/16	50	500	19	3 ea.	20	200	24
8450-106	6	7/16	3/4	1 13/16	100	1000	24	5 ea.	20	200	25
8450-108	8	25/64	5/8	1%	100	1000	14	8 ea.	20	200	25
8450-110	10	21/64	17/32	15/16	100	1000	8	10 ea.	20	200	18
8450-112	12	%32	7/16	11/8	100	1000	4	12 ea.	20	200	13
8450-114	14	1/4	5/16	15/16	100	1000	2	14 ea.	20	200	8

SMALL EYE

8450-204	4	19/64	7/8	115/16	50	100	5	3 ea.	20	200	31
8450-206	6	17/64	3/4	15/8	100	1000	22	5 ea.	20	200	23
8450-208	8	15/64	5/8	13/8	100	1000	20	8 ea.	20	200	33
8450-210	10	13/64	5/8	13/16	100	1000	12	10 ea.	20	200	26
8450-2121/2	12	3/16	5/16	13/16	100	1000	14	12 ea.	20	200	37
8450-2141/2	14	5/32	1/4	21/32	100	1000	9	12 ea.	20	200	25
8450-216	16	%4	5/16	11/16	100	1000	6	12 ea.	20	200	16
8450-2161/2	16	%4	3/16	1/2	100	1000	4	12 ea.	20	200	11





SCREW HOOKS

Steel — Bright zinc plated Visual pack V8460 Bulk pack 8460

- Clean die-rolled threads
- Sharp points bite into wood quickly, easily


Number	Wire Size	Length Thread (inches)	Length Overall (inches)	Bulk Quantity in Box	Bulk Quantity in Case	Bulk Case Weight	V-Pack Quantity in Pack	V-Pack Packs in Box	V-Pack Packs in Case	V-Pack Case Weight
8460-800	0	1½	415/16	50	250	37	1 ea.	20	200	31
8460 802	2	11/4	47/16	50	500	56	1 ea.	20	200	23
8460-803	3	11/4	41/8	50	500	40	2 ea.	20	200	33
8460-804	4	11/4	37/8	50	500	31	2 ea.	20	200	26
8460-806	6	11/8	33/8	100	1000	45	4 ea.	20	200	37
8460-808	8	13/16	2%6	100	1000	24	5 ea.	20	200	25
8460-810	10	11/16	21/16	100	1000	12	6 ea.	20	200	16
8460-812	12	%6	111/16	100	1000	6	8 ea.	20	200	11

STANLEY

WIRE GOODS







8465 Bulk pack VOACE Visual nack

Steel - Bright zinc plated

Clean die-rolled threads


Sharp points hite into wood - quickly easily

V0405 1150	iai paon)			= Silai	larp points bite into wood – quickly, easily							
Number	Wire Size	Length Thread (inches)	Length Overall (inches)	Bulk Quantity in Box	Bulk Quantity in Case	Bulk Case Weight	V-Pack Quantity in Pack	V-Pack Packs in Box	V-Pack Packs in Case	V-Pack Case Weight		
8465-904 8465-906 8465-908 8465-910 8465-912	4 6 8 10 12	1 13/16 3/4 5/8 1/2	31/6 25/8 21/4 113/6 13/8	50 100 100 100 100	500 1000 1000 1000 1000	22 30 18 11 5	2 ea. 3 ea. 5 ea. 6 ea. 8 ea.	20 20 20 20 20 20	200 200 200 200 200 200	19 19 19 14 10		

CUP HOOKS

8481 Bulk pack V8481 Visual pack

Solid brass









- True circular bends
- Clean die-rolled bends
- Sharp points bite into wood - quickly, easily

SHOULDER HOOKS

8412 Bulk pack

Solid brass










- Clean die-rolled threads
- Sharp points bite into wood - quickly, easily
- Collars tightly fitted to straight, smooth shanks

HOOKS AND EYES


8440 **Bulk pack** V8440 Visual pack

Steel - Bright zinc plated





- Eyes formed with true circular bends tightly closed Straight, smooth shanks
- Sharp points bite into wood quickly, easily







WIRE GOODS

■ Straight shank of solid steel

■ Clean die-rolled threads

■ Eyes formed with true circular bends for greater strength

Precise locking of thread and nut

■ For bulk pack order 8413 plus suffix, i.e. 8413-2

■ For visual pack order CD8413 plus suffix, i.e. CD8413—2


Steel - Bright zinc finish

EYE BOLTS

Bulk pack 8413

Visual pack CD8413

Class No. Suffix (Size)	Wire Length Diam. Overall	Shank Length (inches)	Thread Length (inches)	Inside Diam. Eye (inches)	Bulk Quantity in Box	Bulk Quantity in Case	Bulk Case Weight	V-Pack Quantity in Pack	V-Pack Packs in Box	V-Pack Packs in Case	V-Pack Case Weight
- 0 - 2 - 4 - 6 - 8 -10 -12 -14 -16 -18 -20 -22 -24 -26 -28 -30 -32 -34	%" × 134" %" × 2½" ½" × 2½" ½" × 258" ¼" × 3" ¼" × 4" ¼" × 5" ¼" × 6" %" × 5" ¾" × 5" ¾" × 5" ¾" × 5" ¾" × 5" ¾" × 5" ¾" × 6" ¾8" × 5" ¾8" × 6" ¾8" × 6" ¾8" × 6" ¾8" × 8" ½" × 6"	1 1½ 15% 1 178 2½ 3 4 5 2½ 3¾ 4¾ 2½ 3¾ 4½ 6¼ 3¾ 4½ 3¾	3/4 11/6 11/2 3/4 11/2 2 2 33/8 4 17/8 2 31/4 4 2 31/4 4 2 3 31/4 4 2 31/4	3/8 3/8 1/2 1/2 1/2 1/6 1/6 1/6 1/4 3/4 3/4 3/4 1 1 1 1 1 1/4	50 50 20 20 20 20 20 20 20 20 10 10 10 10	500 500 200 200 200 200 200 200 200 200	14 14 5 8 9 11 13 19 21 21 23 14 15 18 22 23 45	2 2 2 2 2 1 1 2 2 1 1 1 1 1 1 1 1	10 10 10 10 10 10 10 10 10 10 10 10 10 1	100 100 100 100 100 100 100 100 100 100	6 8 11 12 13 16 10 11 23 26 17 16 39 25 14 16 47



■ Eyes formed with true circular bends — tightly closed


■ Sharp points bite into wood — quickly, easily

■ For bulk pack order 8414 plus suffix, i.e. 8414—2

■ For visual pack order V8414 plus suffix, i.e. V8414—2

Steel — Bright zinc finish

Bulk pack 8414 Visual pack V8414





"S" HOOKS

Steel - Bright zinc plated {

Bulk pack 8470 Visual pack V8470

Size Length Overall (inches)	Wire Size	Inside Diameter Eye (inches)	Bulk Quantity in Box	Bulk Quantity in Case	Bulk Case Weight	V-Pack Quantity in Pack	V-Pack Packs in Box	V-Pack Packs in Case	V-Pack Case Wt.
3/ ₄ 1 1 ¹ / ₂ 2 2 ¹ / ₂	14 13 8 6 2	1/4 5/16 7/16 17/32 3/4	100 100 100 50 50	1000 1000 1000 500 500	3 13 23 25 46	8 6 4 2 1	20 20 20 20 20 20	200 200 200 200 200 200	6 17 19 21 19





■ Long wearing springs

■ Eyes formed with true circular bends — tightly closed

Clean die-rolled threads

■ True form circular bends

Steel — Bright zinc plated

Bulk pack Visual pack

SAFETY GATE HOOK

8441 V8441

Number and Length	Wire Size Hook	Wire Size Screw Eye (Number)	Bulk Quantity in Box	Bulk Quantity in Case	Bulk Case Weight	V-Pack Quantity in Pack	V-Pack Packs in Box	V-Pack Packs in Case	V-Pack Case Weight
8441-2"(51mm)	9 8	10 (210)	50	500	45	1 ea.	20	200	19
8441-2½"(64mm)		10 (210)	50	500	55	1 ea.	20	200	24



STANLEY

WIRE GOODS

TURNBUCKLES - EYE WITH EYE

8416 Bulk pack CD8416 Visual pack Bright zinc finish

■ Turnbuckle with eyes at both ends

Strong aluminum body with steel, bright zinc plated eyes

■ Ideally suited for permanent installations





Size Length Closed	Length Open (inches)	Bulk Qty in Box	Bulk Qty in Case	Bulk Case Wt.	V-Pack Qty. in Pack	V-Pack Packs in Box	V-Pack Packs in Case	V-Pack Case Wt.
3½"	43/4	10	250	13	2	10	100	13
3½"	51/2	10	250	19	2	10	100	17
4½"	63/8	10	200	23	2	10	100	26
5½"	75/8	10	200	35	2	10	100	38
6½"	93/8	5	100	29	1	5	50	17
7¾"	103/4	5	100	44	1	5	50	24

TURNBUCKLES - EYE WITH HOOK

8417 Bulk pack Bright zinc finish

- Turnbuckle with eye on one end and hook on other
- Strong aluminum body with steel hook and eye bright zinc plated





Size Length Closed	Length Open (inches)	Bulk Qty in Box	Bulk Qty in Case	Bulk Case Wt.	V-Pack Qty. in Pack	V-Pack Packs in Box	V-Pack Packs in Case	V-Pack Case Wt.
3½"	43/4	10	250	13	2	10	100	12
37'8"	51/2	10	250	21	2	10	100	17
43'8"	63/8	10	200	24	2	10	100	27
5½4"	75/8	10	200	33	2	10	100	36
6½"	93/8	5	100	29	1	5	50	17
7¾"	103/4	5	100	44	1	5	50	24

"U" BOLTS

 $\left.\begin{array}{ll} \textbf{8415} & \textbf{Bulk pack} \\ \textbf{V8415} & \textbf{Visual pack} \end{array}\right\} \quad \textbf{Steel} - \textbf{Bright zinc plated}$

- Furnished with straps and hex nuts
- For bulk pack order 8415 plus suffix, i.e. 8415–2
- For visual pack order V8415 plus suffix, i.e. V8415—2





Class No. Suffix (Size)	Width Between Overall Thread Legs Length	Thread Length (inches)	For Pipe Size (inches)	Bulk Quantity in Box	Bulk Quantity in Case	Bulk Case Weight	V-Pack Quantity in Pack	V-Pack Packs in Box	V-Pack Packs in Case	V-Pack Case Weight
- 0 - 2 - 4 - 6 - 8 - 10 - 12 - 14 - 16 - 18 - 20 - 22	1/4" x 3/4" x 21/2" 1/4" x 11/8" x 21/4" 1/4" x 11/8" x 31/2" 1/4" x 13/8" x 4" %6" x 13/8" x 21/2" %6" x 13/8" x 33/4" %6" x 13/4" x 3" %6" x 13/4" x 41/4" %6" x 2" x 31/4" %6" x 2" x 31/4" %6" x 2" x 31/2" %6" x 21/2" x 31/2" %6" x 21/2" x 5"	1½ 1 2½ 2½ 1½ 2½ 1½ 2¼ 1½ 2½ 1½ 2½ 1½ 2½	3/8 1/2-3/4 1/2-3/4 1 1 1 1/4 11/4 11/2 11/2 2 2	20 20 20 20 20 20 20 20 20 20 20 20	200 200 200 200 200 200 200 200 200 200	17 19 25 29 31 39 35 45 38 46 47 54	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	10 10 10 10 10 10 10 10 10 10 10	100 100 100 100 100 100 100 100 100 100	18 20 26 30 32 40 36 46 39 47 48 55



CORNER BRACES

Steel - Bright zinc plated, with screws SP997

Steel — Bright zinc plated, without screws

997



■ Screw holes are staggered in 5" and larger

Size, Length of Sides	Width	Quantity and Size Quantity Packs Pieces Packs of Flat Head Per Pack in Box in Box in Case Width Wood Screws			Pieces in Case	Case V Average	/eight e (lbs.)		
(inches)	(inches)	Per Piece	SP997	SP997	997	SP997	997	SP997	997
1	1/2	2- ³ / ₄ x 6	2	10	25	100	750	5	17
11/2	1/2	$4 - \frac{3}{4} \times 6$	2	10	25	100	500	10	19
2	5/8	4- ³ / ₄ x 6	2	10	25	100	500	13	26
21/2	5/8	$4-3/4 \times 6$	2	10	25	100	500	20	41
3	3/ ₄ 3/ ₄	4- 5/8x 8	2	10	25	50	250	16	32
31/2	3/4	4- 5/8x 8			25		250		47
4	7/8	4- ³ / ₄ ×10	2	5	10	25	100	15	27
5	1	6-1 ¹ / ₄ ×10			10		100		51
6	11/8	$6-1\frac{1}{4}\times12$			5		50	0 . 1000	35
8	11/4	6-1 ¹ / ₄ x12			5		20	in a second	24

Catalog Number	Quantity in Pack	Packs in Box	Packs in Case	Case Weight (lbs.)
CD997 - 1"	2 ea.	10	100	7
CD997 - 1½"	2 ea.	10	100	11
CD997 - 2"	2 ea.	10	100	17
$CD997 - 2\frac{1}{2}''$	2 ea.	10	100	23
CD997 - 3"	2 ea.	10	50	17
CD997 - 4"	2 ea.	5	25	16

Visual pack, with screws, steel —
Bright zinc plated
or bright brass plated*.

*Sizes 1½", 2" and 3" available bright brass plated



For these and other visually packed items see visual pack hardware section of catalog

Size, Length of Sides (inches) Width Width (inches) Quantity and Size of Flat Head Wood Screws Per Pieces in Box in Case Pieces in Case Weight Average (lbs.) 7—3/4x6 10 100 12

Catalog Number	Quantity	Packs	Packs	Case
	in Pack	in Box	in Case	Weight (lbs.)
SP998-2"(51mm)	2	10	100	26

TRIPLE CORNER BRACE

Steel – Bright zinc plated, without screws 998

- Strong, triple inside corner brace
- To reinforce boxes, chests and furniture

Steel — Bright zinc plated with screws $$P998^*$

Catalog Number	Quantity	Packs	Packs	Case
	in Pack	in Box	in Case	Weight (lbs.)
CD998-2"(51mm)	2	10	100	30

Visual pack, with screws, steel — Bright zinc plated CD998

For these and other visually packed items see visual pack hardware section of catalog

▲Item now in SUPER-PAC. See page 34

T-PLATES

9951/2 Steel — Bright zinc plated, without screws



Size (inches)	Width (inches)	Quantity and Size of Flat Head Wood Screws per Piece	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
2½ x 2½ 3 x 3 4 x 4 5 x 5	1/2 5/8 3/4 1	5 - 34 x 7 5 - 58 x 8 5 - 58 x 8 5 - 34 x 9	25 25 25 25 25	500 500 250 250	25 36 30 51

CD995½ Visual pack, with screws, steel — Bright zinc plated

Catalog Number	Quantity in Pack	Packs in Box	Packs in Case	Case Weight (lbs.)
CD995½ - 3"x3"	2 ea.	10	100	21

For these and other visually packed items see visual pack hardware section of catalog

FLAT CORNER IRONS

SP999 Steel – Bright zinc plated, with screws

999 Steel – Bright zinc plated, without screws

-	Size Length of Sides Width	Quantity and Size of Flat Head Wood Screws	Quantity Per Pack	Packs in Box	Pieces in Box	Packs in Case	Pieces in Case	Case V Averag	Veight e (lbs.)
1	(inches) (inches)	Per Piece	SP999	SP999	999	37999	999	37333	222
ſ	1½ x 3/8	4-5/8x5	2	10	25	100	750	4	15
1	2 x 3/8	4-5/8x5	2	10	25	100	500	7	14
١	$2\frac{1}{2} \times \frac{1}{2}$	4-3/4x6	2	10	25	100	500	8	23
١	3 x ½	4-3/4x6	2	10	25	100	500	13	28
1	3½ x 5/8	4-5/8x8			25		500		44
۱	4 x 5/8	4-5/8x8	2	10	25	100	250	18	24
1	5 x 7/8	45/8x8			25		250		44
1	6 x 1	6-3/4x9			25		100		27

CD999 Visual pack, with screws, steel —
Bright zinc plated, or bright
brass plated*

*Sizes %'' x 2'' and $\frac{1}{2}''$ x $2\frac{1}{2}''$ available bright brass plated

For these and other visually packed items see visual pack hardware section of catalog

Catalog Number	Quantity	Packs	Packs	Case
	in Pack	in Box	in Case	Weight (lbs.)
CD999 - 36"x1½"	2 ea.	10	100	7
CD999 - 36"x2"	2 ea.	10	100	9
CD999 - ½"x2½"	2 ea.	10	100	14
CD999 - ½"x3"	2 ea.	10	100	16
CD999 - 56"x4"	2 ea.	10	100	26

MENDING PLATES

SP995 Steel — Bright zinc plated, with screws

995 Steel - Bright zinc plated, without screws



Size,	trains inst	Quantity and Size of Flat Head	Quantity Per Pack	Packs in Box	Pieces in Box	Packs in Case	Pieces in Case	Case V Averag	Veight e (I b s.)
Length (inches)	Width (inches)	Wood Screws Per Piece	SP995	SP995	995	SP995	995	SP995	995
2 3 4	5/8 3/4 7/8	2- ³ / ₄ x 6 4- ³ / ₄ x 6 4- ⁵ / ₈ x 8	2 2 2	10 10 10	25 25 25	100 100 100	750 750 500	5 10 22	16 35 46
5 6 8	1 1½ 1½ 1½	4- 5/8x 8 4- 3/4x 9 4-11/4x10	2	io 	25 20 10	100	250 200 100	24	36 41 34
10 12	1 1½8	6-1 ¹ / ₄ x10 6-1 ¹ / ₄ x12	::		10 10		100 50		50 32

CD995

Visual pack, with screws, steel — Bright zinc plated, or bright brass plated*

*Sizes 3" and 4" available bright brass plated

1	Catalog Number	Quantity in Pack	Packs in Box	Packs in Case	Case Weight (lbs.)
	CD995 - 2"	2 ea.	10	100	7
	CD995 - 3"	2 ea.	10	100	14
	CD995 - 4"	2 ea.	10	100	25
	CD995 - 6"	2 ea.	10	100	49

For these and other visually packed items see visual pack hardware section of catalog



Size (inches)	Width (inches)	Quantity and Size of Flat Head Wood Screws Per Piece	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
1 x 1	3/ ₄	2-1x8	25	500	16
2 x 2	3/ ₄	2-1x9	25	250	16

CORNER IRON BRACES

Steel - Copper finish without screws 9961/2

- For bracing tables, chairs and church pews
- Available bulk packed . . . see page 190

Catalog Number	Quantity	Packs	Packs	Case
	in Pack	in Box	in Case	Weight (lbs.)
CD996½ - 1"x1"	4 ea.	10	100	20

Visual pack, with screws, steel - CD996½

For these and other visually packed items see visual pack hardware section of catalog



7100 legs only

Open

Closed

ALL-PURPOSE FOLDING LEGS*
INDIVIDUAL LEG SETS, OR METAL SAWHORSE

Steel – Bright zinc plated, with screws 7100

Metal sawhorse 7101

■ For benches, sawhorses, tables and many other uses

- Legs are U-formed and made of steel will support up to 500 pounds per pair of legs
- No. 7100 is easily mounted with four screws
- 7101 furnished with bolts, lock washers and nuts for easy assembly of the legs and metal top
- 7101 has a large hole in top for hanging on wall when not in use
- Lock securely in open or closed position
- When folded, legs lie flat for ease in storage

Non-skid white plastic tips on legs prevent slipping or





*U. S. Pat. Number 3,233,701. Others pending

Class Number	Leg Size (inches)	Metal Top Size (inches)	Quantity and Size of Flat Head Wood Screws Per Set	Sets in Case	Case Weight (lbs.)
7100 7101	30 30	4½ x 36	8 – 1 x 12	1 (2 leg assemblies) 1 (2 legs with metal top)	7 12

WROUGHT STEEL CORRUGATED NAILS

711 Steel - Plain, 100 pieces per box

716 Steel - Plain, 10 lbs. bulk per case

719 Steel - Plain, 50 lbs. bulk per case

Steel — Plain, visual pack, 20 pieces per pack (in sizes 06-05, 08-05, 10-05) see visual pack 702 hardware section of catalog

- Used for making strong, tight joints in box shooks, cabinet work, screen doors, window screens, broken furniture, built-up work, columns, and in all kinds of repair work in wood
- Divergent corrugations are set at an angle to draw together the two parts that are being fastened, thus providing a tight fit
- Continuous cutting edges. Bottom and sides of throats and points are razor sharp
- Class number indicates style of nail, finish and packing. Suffix number indicates size and number of corrugations



Saw edge divergent corrugations

711 - Order by pieces

Suffix Number	Size	Packing	Case Weight Average (lbs.)
06 - 05 08 - 05 10 - 05	3/8" x 5 1/2" x 5 5/8" x 5	100 pcs. in box 10 boxes in ctn. 10 ctn. in case (10,000 pieces)	29 37 46

- Order by pounds 719

Suffix		Pieces Per Pound	Pa	cking
Number	Size	(Approx.)	716 (PS)	719 (PS)
06-05 08-05 10-05	3/8"x5 1/2"x5 5/8"x5	464 313 233	10 lbs. bulk in case	50 lbs. bulk in case

702 - Order by packs

Catalog	Quantity	Packs	Packs	Case
Number	Per Pack	Per Box	Per Case	Weight
702-06-05	20 ea.	20	200	12
702-08-05	20 ea.	20	200	16
702-10-05	20 ea.	20	200	19

Order in full box or case quantities only To order specify class number and suffix number

Example: for plain steel saw edge divergent nails packed 100 pieces per box, size $\frac{3}{8}$ " x 5 – order number 711-06-05

Sure-Drive

Quantity Per Pack

CORRUGATED NAIL SET

CD703AL Visual Pack, aluminum

- Positions and drives corrugated nails quickly, accurately, and safely
- Perfect and flush every time
- Guide sights for quick alignment
- Easy to load

10

Will accept most popular size corrugated nails

			visually hardware	
of c	atalog			







1 10 50

WASHERS **V994** Visual pack, steel — Zinc plated

- Accurately sized washers are free of burrs
- Rust resistant

For these and other visually packed items see visual pack hardware section of catalog



Catalog Number	Quantity in Pack	Packs in Box	Packs in Case	Case Weight (lbs.)
V994 - 3/6"	25 ea.	20	400	28
V994 - 1/4"	20 ea.	10	200	29
V994 – ¾″	15 ea.	10	200	35
V994 - 3/8"	10 ea.	10	200	32
$V994 - \frac{1}{2}''$	5 ea.	10	200	39
V994 —Assorted	18 ea.	10	200	40

V990 Visual pack, steel — Zinc plated


- Sure-lock spring tension
- Durable steel construction
- Rust resistant

For these and other visually packed items see visual pack hardware section of catalog



Catalog Number	Quantity in Pack	Packs in Box	Packs in Case	Case Weight (lbs.)
V990 - 3/6" (5mm)	25	20	400	28
$V990 - \frac{1}{4}''(6mm)$	20	10	200	29
V990 - ½″ (8mm)	15	10	200	35
$V990 - \frac{3}{8}''(10\text{mm})$	10	10	200	32
$V990 - \frac{1}{2}''(13\text{mm})$	5	10	200	39
V990 — Assorted	18	10	200	40

ORNAMENTAL GATE HARDWARE



ORNAMENTAL TEE HINGE

Visual pack, with screws, steel - CD1291

Dead black finish (KJ1)


- For ornamental gates from gardens, patios, swimming pools, etc.
- Made of heavy gauge steel for long wearing service
- Dead black tee hinges are zinc plated before final finish for durability
- Loose pin reversible for right or left hand applications

Size Length of Strap (inches)	Length of Pad (inches)	Width of Pad (inches)	Width of Strap at Joint (inches)	Quantity and Size of Lag Screws Per Pair	Packs in Case	Case Weight Average (lbs.)
75/16	71/8	2	17/8	10 − ¾ x 1½	5	14



Visual pack, with screws, steel - CD1292

Dead black finish (KJ1)




■ Made of heavy gauge steel for long wearing service

- Dead black strap hinges are zinc plated before final finish for durability
- Loose pin reversible for right or left hand applications

Size, Length Overall (inches)	Length of Post Leaf (inches)	Length of Gate Leaf (inches)	Length of Joint (inches)	Quantity and Size of Lag Screws Per Pair	Packs in Case	Case Weight Average (lbs.)
12	4	8	21/8	10 − ½ x 1½	5	13

000



ORNAMENTAL SCREW HOOK AND STRAP HINGE

Visual pack, with screws, steel - CD1293

Dead black finish (KJ1)

- For ornamental gates from gardens, patios, swimming pools, etc.
- Made of heavy gauge steel for long wearing service
- Dead black hook and strap hinges are zinc plated before final finish for durability
- For right hand or left hand applications


Size, Length of Strap (inches)	Hook (inches)	Width of Strap (inches)	Quantity and Size of Lag Screws Per Pair	Packs in Case	Case Weight Average (lbs.)
8	½ x 4	17/8	6 - ½ x 1½	5	11


ORNAMENTAL GATE HARDWARE

ORNAMENTAL THUMB LATCH

CD1290 Visual pack, with screws, steel — Dead black finish (KJ1)

- For ornamental gates from gardens, patios, swimming pools, etc.
- For gates up to 25/8" thick
- Made of heavy gauge steel for long-wearing service
- Dead black thumb latch set is zinc plated before final finish for durability
- Reversible for right hand or left hand applications on in-swinging or out-swinging gates
- Equipped with easily operated locking feature






Length of Handle (inches)	Length of Grip (inches)	Length of Latch Bar (inches)	For Gate Thickness (inches)	Packs in Case	Case Weight Average (lbs.)
10½	61/8	311/16	Up to 25/8	5	8

GATE SPRING

Visual pack, with screws, steel — Dead black finish (KJ1) CD1295

- For ornamental gates from gardens, patios, swimming pools, etc.
- Spring is made of best tempered steel wire of ample proportions, permitting tension adjustment for heavy gate requirements
- Dead black gate spring assembly is zinc plated before final finish for durability



Length Overall (inches)	Quantity and Size of Flat Head Wood Screws Per Piece	Packs in Case	Case Weight Average (lbs.)
11	2 – 1¼ x 12	5	4

CANE BOLTS

CD1009 Visual pack, with screws, steel — Dead black (KJ1) finish


- A positive bolt for locking gates. Also holds gates open Maximum throw 2¾" bolt drops by gravity
- Projections allow bolt to be held in raised position when desired and also act as a non-removable feature after applied
- Dead black bolts are zinc plated before final finish for durability

Size, Length (inches)	Diameter of Bolt (inches)	Quantity and Size of Round Head Wood Screws Per Piece	Quantity in Pack	Packs in Case	Case Weight Average (lbs.)
12	1/2	4 – 1 x 10	1	5	7

For these and other visually packed items see visual pack hardware section of catalog



ORNAMENTAL GATE HARDWARE




ORNAMENTAL SPRING TEE HINGE

Visual pack, with screws, steel - CD1296

Dead black finish (KJ1)

- For self-closing ornamental gates from gardens, patios, swimming pools etc.
- Made of heavy gauge steel for long wearing service
- Dead black tee hinges are zinc plated before final finish for durability
- Spring is made of the best tempered steel wire of ample proportions, permitting tension adjustment to make gates self-closing
- Non-handed can be used on right or left hand swinging gates

Size, Length of Strap (inches)	Length of Pad (inches)	Width of Pad (inches)	Width of Strap at Joint (inches)	Quantity and Size of Lag Screws Per Pair	Packs in Case	Case Weight Average (lbs.)
8	71/8	2	17/8	10 − 5/16 x 11/2	5	13



MASONRY HINGE

Steel - Dead black finish (KJ1), with screws 1297

- For use with masonry walls and ornamental gates from gardens, patios, swimming pools etc.
- Made of heavy gauge steel for long wearing service
- Dead black hinges are zinc plated before final finish for durability
- For right hand or left hand application

Size, Length of Strap (inches)	Size, Length of Wall Leaf (inches)	Width of Strap (inches)	Quantity and Size of Lag Screws Per Pair	Pair in Box	Pair in Case	Case Weight Average (lbs.)
8	71/2	17/8	6 − 5/6 x 1½	1	5	14



ORNAMENTAL PULL

Visual pack, with screws, steel - CD1298

- For pairs of ornamental gates from gardens, patios, swimming pools etc.
- Made of heavy gauge steel for long wearing service
- Dead black pull is zinc plated before final finish for durability


Length of Handle (inches)	Length of Grip (inches)	Quantity and Size of Lag Screws Per Pair	Packs in Case	Case Weight Average (lbs.)
10½	61/8	2 - ½ x 1½	5	2


GATE LATCHES


SP1261 Steel — Bright zinc plated, with screws

12611/2 Steel - Bright zinc plated, with screws

- For latching single acting gates, cellar doors and animal coops
- Self-latching; released by simply raising trip. 1261 strike on post for outswinging gates, on gate for inswinging gates
- 1261½ for outswinging gates
- Gate and post must be flush
- Made of extra heavy wrought steel
- Padlock eye provided for security
- Hole is provided in the trip for cord or wire release when required







1261 applied

12611/2 applied

Para	Length of Latch Bar	Projection		nd Size of Pan crews Per Piece	Packs in Box	Pieces in Box	Packs in Case	Pieces in Case		Weight e (lbs.)
Base (inches)	(inches)	(inches)	Base	Latch Bar	SP1261	12611/2	SP1261	12611/2	SP1261	12611/2
13/4×2	41/2	2	4-1x8	2-11/4x10	10	10	100	100	42	37

Visual pack, with screws, steel - Bright zinc CD1261 plated (US2C) or dead black (KJ1) finishes

Visual pack, with screws, steel - Bright CD12611/2 zinc plated (US2C)

For these and other visually packed items see visual pack hardware section of catalog

Catalog	Quantity	Packs	Packs	Case
Number	in Pack	in Box	in Case	Weight (lbs.)
CD1261US2C CD1261KJ1 CD1261½US2C	1 ea. 1 ea. 1 ea.	10 10	100 5 100	43 3 38

1267 Steel - Bright zinc plated, with screws

- For latching gates swinging in, out or both ways
- Mounted on top of gate
- Made of extra heavy wrought steel with brass spring and brass rivet
- Furnished with both strikes



Gate latch

Universal strike

Ove	igth erall hes)	Length of Base (inches)	Width of Base (inches)	Quantity and Size of Pan Head Wood Screws Per Piece	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
	5	3¾	1%	6 - 1½ x 10	5	50	40

Visual pack, with screws, steel -CD1267 Bright zinc plated

For these and other visually packed items see visual pack hardware section of catalog

Catalog	Quantity	Packs	Packs	Case
Number	in Pack	in Box	in Case	Weight (lbs.)
CD1267	1 ea.	5	50	

UTILITY HOOKS

SP4109^{*} Steel — Bright zinc plated

CD4109 Visual pack, steel - Bright zinc plated

Heavy duty hook for use with clotheslines, storing heavy equipment, etc.

Wire	Length	Length
Size	Thread	Overall
(inches)	(inches)	(inches)
1/4	1½	41/4

▲ Item now in SUPER-PAC. See page 34





Catalog	Quantity	Packs	Packs	Case
Number	Per Pack	Per Box	Per Case	Weight (lbs.)
CD4109	2 ea.	10	100	20
SP4109	2 ea.	10	100	19

For these and other visually packed items see visual pack hardware section of catalog



UTILITY HOOK

Steel - Bright zinc plated, without screws

4112

Size (inches)	Quantity and Size of Pan Head Wood Screws Per Piece	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
2 (51mm)	4 - 1½ x 10	10	100	16

■ Has many uses, including: clothesline hook, hammock hook

■ Zinc plated to resist rust

Catalog	Pieces	Packs	Packs	Case Weight
Number	in Pack	in Box	in Case	Average (lbs.)
SP4112	1	10	100	23

Steel - Bright zinc plated SP4112⁴ with screws

Catalog	Pieces	Packs	Packs	Case Weight
Number	in Pack	in Box	in Case	Average (lbs.)
CD4112	1	5	50	13

Visual Pack, steel - Bright CD4112 zinc plated

For these and other visually packed items see visual pack hardware section of catalog



ROPE HARDWARE

PIVOT ROPE HOOK WITH PLATE

Steel - Bright zinc plated, without screws

4113

Size (inches)	Quantity and Size of Pan Head Wood Screws Per Piece	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
4(102mm)	4 – 1¼ x 10	10	100	26

						othesline	
hook tions	gen	eral	rope	tie-dov	vn	applica-	

■ Zinc plated to resist rust

Catalog	Pieces	Packs	Packs	Case Weight
Number	in Pack	in Box	in Case	Average (lbs.)
SP4113	1	5	50	16

Steel -	Bright	zinc	nlated	
Steel -	Dilgiit		ecrowe	SP4113*

Catalog	Pieces	Packs	Pieces	Case Weight
Number	in Pack	in Box	in Case	Average (lbs.)
CD4113	1	5	50	19

Visual pack, steel - Bright CD4113 zinc plated

For these and other visually packed items see visual pack hardware section of catalog



PIVOT ROPE HOOK WITH LAG EYE

Steel - Bright zinc plated 4114

- Case Weight Average (lbs.) Size (inches) Pieces in Box Pieces in Case 10 100 27 6 (152mm)
- Uses include hammock hook, clothesline hook and general rope tie-down applications
- Zinc plated to resist rust

Catalog	Pieces	Packs	Packs	Case Weight	
Number	in Pack	in Box	in Case	Average (lbs.)	
SP4114	1	5	50	14	

SP4114* Steel — Bright zinc plated

Case Weight Average (lbs.) Packs in Box Catalog Number Pieces in Pack 5 50 18 CD4114 1

Visual pack, steel - Bright CD4114 Zinc plated

For these and other visually packed items see visual pack hardware section of catalog

▲ Item now in SUPER-PAC. See page 34



170A

ROPE HARDWARE

TARP ROPE HOOK

4120 Steel — Bright zinc plated, without screws

- For tying down tarpaulins and securing ropes and other uses
- Zinc plated to resist rust



Size (inches)	Quantity and Size of Pan Head Wood Screws Per Piece	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
2½ (64mm) 3½ (89mm) 4¾ (121mm)	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10 10 10	100 100 100	9 14 23

SP4120 Steel - Bright zinc plated, with screws

Catalog	Pieces	Packs	Packs	Case Weight		
Number	in Pack	in Box	in Case	Average (lbs.)		
SP4120-2½	1	10	100	12		
SP4120-3½	1	10	100	20		
SP4120-4¾	1	10	100	28		

CD4120 Visual pack, steel - Bright zinc plated

Catalog	Pieces	Packs	Packs	Case Weight
Number	in Pack	in Box	in Case	Average (lbs.)
CD4120-2½	1	10	100	13
CD4120-3½	1	10	100	20
CD4120-4¾	1	10	100	30

For these and other visually packed items see visual pack hardware section of catalog

ROPE BINDING HOOK

4122 Steel - Bright zinc plated, without screws

- Closed eyelet allows fast rope tie downs
- Zinc plated to resist rust

Quantity and Size of Pan Head Wood Screws Per Piece	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
2- 1½ x 14	10	100	21

SP4122 Steel — Bright zinc plated, with screws

	Catalog	Pieces	Packs	Packs	Case Weight
	Number	in Pack	in Box	in Case	Average (lbs.)
1	SP4122	1	10	100	27

CD4122 Visual Pack, steel - Bright zinc plated

0011111		·		
Catalog Number	Pieces in Pack	Packs in Box	Packs in Case	Case Weight Average (lbs.)
CD4122	1	10	100	30

For these and other visually packed items see visual pack hardware section of catalog

ROPE CLEAT

4126 Steel — Bright zinc plated, without screws

- For use on boats, trailers, flag poles, etc.
- Zinc plated to resist rust

Size (inches)	Quantity and Size of Wood Screws Per Piece	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
2½ (64mm)	2-34x6 flat head $2-14$ x6 flat head $2-14$ x8 pan head	10	100	2
4½ (114mm)		10	100	5
6 (152mm)		10	100	15

SP4126 Steel — Bright zinc plated, with screws

Catalog	Pieces	Packs	Packs	Case Weight
Number	in Pack	in Box	in Case	Average (lbs.)
SP4126-2½	1	10	100	4
SP4126-4½	1	10	100	7
SP4126-6	1	10	100	18

CD4126 Visual Pack, steel — Bright zinc plated

Catalog	Pieces	Packs	Packs	Case Weight
Number	in Pack	in Box	in Case	Average (lbs.)
CD4126 - 2½	1	10	100	5
CD4126 - 4½	1	10	100	10
CD4126 - 6	1	10	100	20

For these and other visually packed items see visual pack hardware section of catalog

HOOK BOLTS

4124 Steel – Bright zinc plated

- Uses include hanging ropes and tie downs
- Zinc plated to resist rust

Size	Pieces	Pieces	Case Weight
(inches)	in Box	in Case	Average (lbs.)
%x6 (8mmx152mm)	20	200	38
%x7¼ (10mmx184mm)	20	200	51

CD4124 Visual Pack — Steel, Bright zinc plated

-1110 P	iutou

-	Catalog	Pieces	Packs	Packs	Case Weight
	Number	in Pack	Per Box	Per Case	Average (lbs.)
	CD4124-%x6 (8mmx152mm) CD4124-%x7¼ (10mmx184mm)	1 1	10 10	100 100	20 31

▲Item now in SUPER-PAC. See page 34

170B

CLOTHESLINE HARDWARE

- Deep groove prevents the line from jumping wheel
- A specially designed bushing and stainless steel axle insures easy, noiseless turning, long wear
- A deluxe item for long trouble-free service

Wheel Diameter (inches)	Pieces in Case	Case Weight Average (lbs.)
7	10	12



PULLEY

Steel - Bright zinc plated 4100

Pι	٠Т	0
T.	ш	ıе١

Brass bushing and stainless steel axle insure easy turning and long wear. Outstanding value

Wheel Diameter	Pieces	Pieces	Case Weight
(inches)	in Box	in Case	Average (lbs.)
5	5	50	28



PULLEY

Steel - Bright zinc plated 4106

-	Catalog	Quantity	Packs	Packs	Case
	Number	in Pack	in Box	in Case	Weight (lbs.)
	CD4106	1	5	50	34

Visual pack, steel -CD4106 Bright zinc plated

For these and other visually packed items see visual pack hardware section of catalog

- Strong weatherproof poly-propolene wheel, stainless steel axle and zinc coated bail provides long wear
- Deep groove prevents line from jumping wheel

Wheel Diameter	Pieces	Pieces	Case Weight
(inches)	in Box	in Case	Average (lbs.)
5	5	50	



PULLEY

Steel bail - Bright zinc plated 4111 with plastic wheel

Pulley

■ Furnished with number 4109 rust resistant utility hook

Catalog	Quantity	Packs	Packs	Case
Number	in Pack	in Box	in Case	Weight (lbs.)
CD4111	1	5	50	

For these and other visually packed items see visual pack hardware section of catalog



Visual pack, steel bail -Bright zinc plated CD4111 with plastic wheel

Line tightener clamp

Length (inches)	Packs in Box SP7070	Pieces in Box 7070	Packs in Case SP7070	Pieces in Case 7070	Case Weight Average (lbs.)
31/4	10	10	100	100	17

LINE TIGHTENER CLAMP


Non-ferrous metals - Sprayed brass finish 7070

SP7070* Non-ferrous metals — Sprayed brass finish

- For tightening clotheslines, tennis nets or tent lines. Accommodates standard No. 8 or No. 10 line
- The line cannot slip through until the flared grip of the plunger is pulled out
- All parts made of nonferrous metals

Visual pack -**CD7070** Sprayed brass finish

For these and other visually packed items see visual pack hardware section of catalog




GRAVITY PIVOT HINGES


*150 Steel - Zinc plated, with screws

SP150⁴ Steel – Satin brass plated, with screws


- Designed for quiet, carefree operation of louver or dwarf doors ¾" to 1¾" thick for low frequency light cafe doors
- Hinge has adjustment feature to align doors
- Returns door to center of opening automatically by gravity
- Holds door open at 90° on either side of opening







*U.S. patent number 3,378,881



Quantity and Size of	Packs in Box	Sets in Box	Packs in Case	Sets in Case	Casa Waight
Wood Screws Per Set	SP150	150	SP150	150	Case Weight Average (lbs.)
$2 - \frac{3}{4} \times 10$ Pan head $4 - \frac{3}{4} \times 10$ Flat head					
2 – ¾ x 8 Pan head 1 #8 slotted external	10	10	50	50	15
	2 - 3/4 x 10 Pan head 4 - 3/4 x 10 Flat head 2 - 3/4 x 8 Pan head	Quantity and Size of Wood Screws Per Set in Box 2 - 3/4 x 10 Pan head 4 - 3/4 x 10 Flat head 2 - 3/4 x 8 Pan head 10 1 #8 slotted external 10	Quantity and Size of Wood Screws Per Set in Box SP150 in Box SP150 2 - 3/4 x 10 Pan head 4 - 3/4 x 10 Flat head 2 - 3/4 x 8 Pan head 1 #8 slotted external 10 10	Quantity and Size of Wood Screws Per Set in Box in Box in Case 2 - 3/4 x 10 Pan head 4 - 3/4 x 10 Flat head 4 - 3/4 x 8 Pan head 10 10 50 1 #8 slotted external 1 - 3/4 x 8 Pan head 10 10 50	Quantity and Size of Wood Screws Per Set in Box in Box in Case in Case

Visual pack, with screws, steel — Satin brass finish CD150

Catalog	Packs	Packs	Case Weight
Number	in Box	in Case	Average (lbs.)
CD150	5	50	

TENSION ROD

V7031 Aluminum - Polished

- Adjustable
- No drilling
- No screws
- Easy to install
- Easy to adjust
- Non-slip rubber tips ■ Will not mar walls
- Designed for use in:
- Bathrooms
- Closets
- Kitchens
- Bedrooms ■ Between doorways
- Automobiles
- Campers


Catalog Number	Finish	Size	Quantity in Pack	Packs in Case	Case Weight Average (lbs.)
V7031 V7031	AL AL	28"-44" 42"-66"	1 1	5 5	6 8

For these and other visually packed items see visual pack hardware section of catalog


DOUBLE ACTING FLOOR HINGES




Applied



Top pivot







Top-pivot socket

CONSTRUCTION

Frame — Heavy hot rolled steel Cam — Drop-forged and accurately machined and hardened

Fork — Hot rolled steel, hardened Roller — Hardened high manganese steel Spring — Oil tempered steel


Steel plates - Polished and plated,

BB157

- For double acting wood doors, 13%" to 134" in thickness, in residences. Will hold doors open at an angle of 90° in either direction
- The ball bearing located at the top of the hinge carries the weight of door and takes the thrust of spring
- The hardened tool steel roller, working with the cam, insures easy and noiseless operation
- Alignment of the door can be adjusted with a screw driver after the door is in place
- Tension of the spring can be adjusted to suit requirements. Side plates are reversible
- 57 jamb plate (ordered separately) used to adapt hinge for tile or concrete floors - packed with machine screws for floor plate

Cido Distan	Floor Bloto	57 Jamb Plate	Size of Mortise	Quantity in Box		Quantity in Case			Weight ge (lbs.)
Side Plates (inches)	Floor Plate (inches)	(inches)	(inches)	BB157	57	BB157	57	BB157	57
9¾ x 2%	3 x 3¾	315/6 x 3/16 x 3	8½ x 1½	1 set	5 pcs.	10 sets	50 pcs.	41	47

When split finishes are desired, the first finish indicates the finish of all plated parts, except one door plate Finishes described on page 39



GENERAL HARDWARE

CUPBOARD CATCH

Steel — Satin brass plated, with screws \$P7080^

- For full surface application
- Neat appearance, turn type positive action

Overall Size (inches)	Case Size (inches)	Strike Size (inches)	Quantity and Size of Oval Head Screws Per Piece	Packs Per Box	Packs Per Case	Case Weight Average (lbs.)
13/4x13/4 (45x45mm)	13/4x11/4 (45x32mm)	1 ³ / ₄ x ¹ / ₂ (45x13mm)	6 - ½ x 4	10	100	21

Catalog	Quantity	Packs	Packs	Case Weight
Number	Per Pack	Per Box	Per Case	Average (lbs.)
CD7080	1	10	100	23

For these and other visually packed items see visual pack hardware section of catalog

▲ Item now in SUPER-PAC. See page 34


Visual Pac, with screws, Steel - Satin brass plated CD7080

HAND RAIL BRACKET

SP7081 Die cast – Satin brass or antique brass finishes with screws

■ For supporting wood hand rails at any required angle of stairway

Size of Base (inches)	Projection, Base to Center of Rail (inches)	Quantity and Size of Wood Pan Head Screws, Per Piece	Packs in Box	Packs in Case	Case Weight Average (lbs.)
13/8×21/4	21/16	3-1½x8 2- ¾x6	10	100	17



CD7081 Visual pack, with screws, die cast — Satin brass or antique brass finishes

	Quantity	Packs	Packs	Case
	Per Pack	Per Box	Per Case	Weight
Г	1 ea.	10	100	25

For these and other visually packed items see visual pack hardware section of catalog

DP7081 Dispensa-Pac, with screws, die cast — Brass finish

Catalog Number	Quantity	Packs	Case Weight
	in Pack	in Case	Average (lbs.)
DP7081	1	50	8

For these and other Dispensa-Pac items see Dispensa-Pac section of catalog

DOOR STOPS



■ Die cast base ¼″ O.D. with sharply pointed drive screw

Case Weight Average (lbs.)

10

- Projection, 3"
- Flexible spring action non marring tip

Packs in Case

200

SPRING TYPE DOOR STOP

SP7092 Die cast base — Satin brass or antique brass finishes

CD7002	Visual	pack,	satin	brass	or	antique
CD7092	brass	finishe	S			

Catalog Number	Quantity in Pack	Packs in Box	Packs in Case	Case Weight (lbs.)
CD7092	2	10	100	12

For these and other visually packed items see visual pack hardware section of catalog

DP7092 Dispensa-Pac, satin brass finish

20

Quantity in Pack

1


Catalog Number	Quantity	Packs	Case Weight	
	in Pack	in Case	Average (lbs.)	
DP7092	1	100	5	

For these and other Dispensa-Pac items see Dispensa-Pac section of catalog

HINGE PIN DOOR STOP

*SP7090 Die cast – Satin brass or antique brass finishes

- Adjustable door stop can be set to stop door at any desired angle. Fits pin of any average room door hinge
- Large flat self adjusting shoe makes full safe contact with door
- Oversize wall bumper mounted on adjusting screw *Patent number 3,187,372



Packs	Packs	Case Weight
in Box	in Case	Average lbs.)
10	100	11

CD7090 Visual pack, die cast – Satin brass or antique brass finishes


Catalog	Quantity	Packs	Packs	Case
Number	in Pack	in Box	in Case	Weight (lbs.)
CD7090	1 ea.	10	100	

For these and other visually packed items see visual pack hardware section of catalog

DP7090 Dispensa-Pac, die cast – Satin brass finish

	Catalog Number	Quantity in Pack	Packs in Case	Case Weight Average (lbs.)	
Ì	DP7090	1	50	5	

For these and other Dispensa-Pac items see Dispensa-Pac section of catalog



Size of Strike (inches)	Strike Projection (inches)	Quantity and Size of Pan Head Screws Per Piece	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
1½ x 1	11/8	2 – 3/4 x 7	20	100	11

 Catalog Number
 Quantity in Pack
 Packs in Box
 Packs in Case
 Case Weight Average (lbs.)

 CD7095
 1
 10
 100
 14

DOOR STOP AND HOLDER

Die cast – 7095

- Die-cast 3" stop with resilient plastic tip for silent operation
- Spring cushioned receiving clip reduces shock and holds door open

Visual pack, with brass	screws, d	ie cast - Satin	CDZOOE
brass	or antique	brass finishes	607095

For these and other visually packed items see visual pack hardware section of catalog



Quantity in Pack Packs in Box Packs in Case Case Weight Average (lbs.) 1 20 200 12

SOLID TYPE DOOR STOP

Die cast – Satin brass or antique brass finishes SP7071

- Die cast body with white rubber tip
- Solid type stop 3" projection

Dispensa-Pac, die cast – DP7071

Catalog	Quantity	Packs	Case Weight	
Number	in Pack	in Case	Average (lbs.)	
DP7071	1	75		

For these and other Dispensa-Pac items see Dispensa-Pac section of catalog

Visual pack, die cast – Satin brass or antique brass finishes CD7071

Catalog	Quantity			Case Weight
Number	in Pack			Average (lbs.)
CD7071	2	10	100	16

For these and other visually packed items see visual pack hardware section of catalog

Quantity and Size of F.H. Screws Packs in Box in Case Weight Average (lbs.) 1 - 2 x 8 10 100 7



FLOOR DOOR STOP

Die cast – Satin brass or antique brass finishes SP7072

- Die cast angle door stop with white rubber tip
- 11/8" projection from floor

Catalog Number Guantity in Packs in Box in Case Weight Average (Ibs.)

CD7072 1 10 100 9

For these and other visually packed items see visual pack hardware section of catalog

Visual pack, die cast — Satin brass or antique brass finishes CD7072

DOUBLE ACTING HINGE

875 Steel - Bright brass plated, with screws

■ For folding screens. Made of wrought steel





Applied

Size, for Wood Thickness (inches)	Length of Joint (inches)	Quantity and Size of Flat Head Wood Screws Per Pair	Pair in Box	Pair in Case	Case Weight Average (lbs.)
³ / ₄	1¾	8 - 5/8 x 6	10	200	30
	1%	8 - 5/8 x 6	10	200	42



On all sizes

CD875 Visual pack, with screws, steel - Satin brass plated

For these and other visually packed items see visual pack hardware section of catalog

Catalog Number	Quantity	Packs	Packs	Case
	in Pack	in Box	in Case	Weight (lbs.)
CD875 - 3/4"	1 pr.	5	100	18

UTILITY HOLDER

CD205 Visual pack, with screws, steel — Bright zinc plated

- A thousand uses: for hats, papers, charts, towels, mittens, instruction sheets, work orders, bulletin boards in residences, hospitals, shops, offices
- Wrought steel with a rubber gripping surface

-
M
8
V

Catalog Number	Quantity	Packs	Packs	Case
	in Pack	in Box	in Case	Weight (lbs.)
CD205	1 ea.	5	100	12

For these and other visually packed items see visual pack hardware section of catalog

DROP LEAF SUPPORTS

1956 Steel - Brown lacquer finish, with screws

- A versatile item with many uses. Ideal for drop leafs on tables or folding shelves in laundry, family room or kitchen
- When correctly applied, support cannot "jackknife" accidentally because leaf is held securely in place by spring tension. Spring also holds leaf in dropped position
- Can be used with regular hinges or special drop leaf hinges No. 810 as illustrated. Refer to page 183

	Œ	
	AA V	30
-A-	SHOR	ARM
В	SHOW SHOW	
	IONE ARM Applied	
ا لنظا	Applied	

Size (inches)	Quantity and Size of Flat Head Wood Screws Per Pair	Pair in Box	Pair in Case	Case Weight Average (lbs.)
8	8 – 5% x 8	1 1	20	12
10	8 – 5% x 8		20	15

Dimension	Dimension B (inches) when No. 810 Hinge is used			
(inches)	8" Size	10" Size		
11/2	2 1/6	3½		
2	111/16	31/4		
21/2	1 3/8	213/16		

CD1956 Visual pack, with screws, steel — Brown lacquer finish

For these and other visually packed items see visual pack hardware section of catalog

Catalog Number	Quantity	Packs	Packs	Case
	in Pack	in Box	in Case	Weight (lbs.)
CD1956 - 10"	1 ea.	5	50	20

SASH LOCK



Die cast — Satin brass or antique brass finishes, with screws SP7073*

Sash lock and strike for double hung windows

Overall Size Including Strike (inches)	Quantity and Size of Screws Per Piece	Pieces in Pack	Packs in Box	Packs in Case	Case Weight Average (lbs.)
2% x 15/8	4 – ¾ x 6 F.H.	1	20	200	29

Dispensa-Pac, with screws, die cast -Satin brass finish

DP7073


Catalog	Quantity	Packs	Case Weight
Number	in Pack	in Case	Average (lbs.)
DP7073	1	50	7

For these and other Dispensa-Pac items see Dispensa-Pac section of catalog

Visual pack, with screws, die cast — Satin brass or antique brass finishes **CD7073**

Catalog Number	Quantity	Packs	Packs	Case
	in Pack	in Box	in Case	Weight (lbs.)
CD7073	1 ea.	10	100	13

For these and other visually packed items see visual pack hardware section of catalog



HOUSE NUMBERS

Visual Pack, with fastening pins, bright brass or dead black finishes

CD7130

- Nonferrous, rust proof metal
- Full 4" size for greater visibility
- Modern script styling

Catalog Number	Quantity Per Pack*	Packs Per Box	Packs Per Case	Case Weight (lbs.)
CD7130 - #0	1 ea.	10	100	11
CD7130 - #1	1 ea.	10	100	8
CD7130 - #2	1 ea.	10	100	10
CD7130 - #3	1 ea.	10	100	9
CD7130 - #4	1 ea.	10	100	10
CD7130 - #5	1 ea.	10	100	9
CD7130 - #6	1 ea.	10	100	9
CD7130 - #7	1 ea.	10	100	8
CD7130 - #8	1 ea.	10	100	11
CD7130 - #9	1 ea.	10	100	10

*With fastening pins

For these and other visually packed items see visual pack hardware section of catalog

STANLEY


GENERAL HARDWARE

TABLE LEG BRACES

4461/4 Steel - Bright zinc plated, with screws

4461/2 Steel - Bright zinc plated, with screws

- For table-tennis tables
- Made with a positive, easily operated locking feature
- The braces insure rigid, sturdy legs when open, and when closed, permit the legs to be folded flat against the table
- 446½ is made without a base, for tables with reinforcing rails along the edges
- For bulk packing . . . see page 190



4461/4-4461/2 applied

Number	Length Overall (inches)	Width (inches)	Quantity and Size of Wood Screws Per Pair	Pair* in Box	Pair in Case	Case Weight Average (lbs.)
4461/4	13½	5/8	12 - 34 x 10 pan head (arm) 14 - 34 x 7 flat head (base)	5	50	41
4461/2	131/4	5/8	4 – 3/4 x 10 pan head	5	50	36

*Taped in pairs (one-half right hand)

TABLE LEG BRACES

446 Steel - Bright zinc plated, with screws

- For banquet tables, folding counters, folding wall racks, roadside stands, etc.
- Made with a positive, easily operated locking feature
- When folded, the legs lie flat against the table
- Hand identified on leg of brace
- For bulk packing . . . see page 190

Left hand Extra heavy for banquet tables



(RH) applied (LH)

Length Overall (inches)	Width (inches)			Pair in Case	Case Weight Average (lbs.)
16%	11/4	10 – 1 x 12	2	10	36

TABLE LEG BRACES

441 Steel – Bright brass or bright nickel finishes, with screws

For bulk packing, plain steel, see page 190

Length Overall (inches)	Width (inches)	Quantity and Size of Pan Head Wood Screws Per Piece	Pieces in Box	Pieces in Case	Case Weight Av. (Ibs.)
91/2	1/2	2-1x10	25	250	29

CD441 Visual pack, with screws, steel — Bright brass plated

Catalog Quantity		Packs	Packs	Case Wt.	
Number in Pack		in Box	in Case	(lbs.)	
CD441	2 ea.	5	50	15	

For these and other visually packed items see visual pack hardware section of catalog

Visual pack, with screws, steel - Bright brass plated

CD430

Catalog Number	Quantity in Pack	Packs in Box	Packs in Case	Case Weight (lbs.)
CD430-7½"	½ pr. (1 ea.)	10	100	17

For these and other visually packed items see visual pack hardware section of catalog

Visual pack, with screws, steel — Bright brass plated CD432

	Catalog Quantity		Packs	Packs	Case	
	Number in Pack		in Box	in Case	Wt. (lbs.)	
ſ	CD432	2 ea.	10	100	30	

For these and other visually packed items see visual pack hardware section of catalog

On 7½" size

LID SUPPORTS

Steel - Bright brass plated, with screws

430


■ Reversible

■ Made of wrought steel

Size, Length (inches)	Quantity a Wood Scre	Pair	Pair	Case Weight	
	Base (Flat Head)	Slide (Pan Head)	in Box	in Case	Average (lbs.)
7½ 10	4-3/4x7 4-3/4x7	2-3/4x10 2-3/4x10	10 10	100 100	24 28

■ Not reversible; when ordered singly specify hand

Steel - Bright brass plated, SP432* with screws



(R. H. illustrated)

One pair (one-half right hand) in poly bag

Plate	Quantity and Size of Flat Head		
(inches)	Wood Screws Per Piece		
15/8 x ¹³ / ₁₆	2 - 5/8 x 8		

Catalog	Quantity	Packs	Packs	Case	
Number	in Pack	in Box	in Case	Weight (lbs.)	
CD486	2 ea.	10	100		



SASH LIFTS


Visual pack, with screws, steel - Satin brass or CD486 antique brass finishes

For these and other visually packed items see visual pack hardware section of catalog

Visual pack, with screws, die cast - Satin brass or CD7074 antique brass finishes

Catalog	Quantity	Packs	Packs	Case
Number	in Pack	in Box	in Case	Wt. (lbs.)
CD7074	1 ea.	10	100	

For these and other visually packed items see visual pack hardware section of catalog



BAR SASH LIFT

Die cast - Satin brass or antique brass finishes, with screws

SP7074*

Overall Size (inches)	Projection (inches)	Quantity and Size of Screws Per Piece	Packs in Box	Packs in Case	Case Wt. Av. (lbs.)				
37/8×11/6	11/8	4-3/4x6 F.H.	20	200	23				


FOLDING SHELF BRACKET HEAVY DUTY

V772 Steel - Zinc plated, with screws

- Heavy duty folding bracket for large folding tables or shelves
- Use with plywood or flush door to create folding counter
- Furnished in zinc plated finish


Size	Quantity and Size of Pan Head Wood Screws Per Piece	Pair in Case	Case Weight Average (Ibs.)
Shelf Leg 23¾" Wall Leg 21"	4- 3/4x10 4-13/4x12	1	6

For these and other visually packed items see visual pack hardware section of catalog



FOLDING SHELF BRACKETS

794 Steel – Prime coat, without screws



	Dimension (inches)			Quantity or	Quantity and Size of			and Shared to
	Distance from Center Line of	Distance from Face of Wall to		Pan Head Wood Screws Per Pair			Same and the same of	1 (08) (00)
Size (inches)	Hinge Pin to Back of Vertical Leg	Face of Bracket When Closed	Width of Bracket Legs	Shelf Plate	Wall Plate	Pair in Box	Pair in Case	Case Weight Average (lbs.)
8 x 8 12 x 12 16 x 16	1¾6 1¼6 1¾	1½ 1¾ 2	1 1½ 1½ 1½	6 - 3/4 x 7 6 - 3/4 x 7 6 - 3/4 x 7	6 - 1½ x 8 6 - 1¼ x 8 6 - 1¼ x 8	1 1 1	10 10 4	12 25 15

V794 Visual pack, with screws, steel — Prime coat


For these and other visually packed items see visual pack hardware section of catalog

Catalog Number	Quantity	Quantity	Case	
	in Box	in Case	Weight (lbs.)	
V794 – 12" x 12"	1 pr.	10 pr.	25	

SHELF BRACKETS

HAMMERED SHELF BRACKETS





For these and other visually packed items see visual pack hardware section of catalog

*Patent Number des. 202,354 Others pending




Visual pack, with screws, steel — Black (J2),
Brass (US3), antique silver (K4) or
antique copper (D3) finishes

- Can be used above or below the shelf
- Either arm of bracket can be attached to wall
- Brackets act as bookends when installed above shelf
- Can also be used for supporting signs, mail boxes, window flower boxes, and hanging bird cages, outdoor lanterns, flower pots, etc.
- Sizes designed for use with standard lumber widths

Catalog Number	Size (inches)	Quantity and Size of Pan Head Wood Screws Per Pack	Quantity in Pack	Packs in Box	Packs in Case	Case Weight (lbs.)
V791 V791 V791	3 x 4 5 x 7 9 x 11	$4-\frac{1}{2}$ x 8 and $4-1$ x 8 $4-\frac{1}{2}$ x10 and $4-\frac{1}{4}$ x10 $4-\frac{1}{2}$ x10 and $4-\frac{1}{4}$ x10	1 pair 1 pair 1 pair	5 5	20 25 5	6 19 10

RIGID SHELF BRACKET

Steel - Prime coat, without screws 796



■ The first measurement is the shelf size

Size	Pan Head	and Size of Wood Screws Piece	Pieces	Case Weight
(inches)	Shelf Plate	Wall Plate		Average (lbs.)
16 x 18	2 - 1 x 10	3 – 1¼ x 10	2	4

SHELF BRACKETS

UTILITY SHELF BRACKETS

797 Steel - Gray enamel, without screws

- The first measurement is the shelf size
- Bracket is stamped with corresponding shelf size
- Fits standard wall stud widths
- Fits standard lumber widths



	Quanti Pan Head Wo	ty and Size of od Screws Per Piece	Pieces	Pieces	Case Weight Average (lbs.)	
Size	Size Shelf Plate	Wall Plate	in Box	in Case		
4X5	$3 - \frac{1}{2} \times 7$	3 – 1¼ x 7	20	100	7	
5X6	$3 - \frac{1}{2} \times 7$	$3 - 1\frac{1}{4} \times 7$	20	100	9	
6X8	$3 - \frac{1}{2} \times 7$	$3 - 1\frac{1}{4} \times 7$	20	100	16	
8X10	$3 - \frac{1}{2} \times 7$	$3 - 1\frac{1}{4} \times 7$		20	5	
10X12	$3 - \frac{1}{2} \times 7$	$3 - 1\frac{1}{4} \times 7$		20	7	
12X14	$3 - \frac{1}{2} \times 7$	$3 - 1\frac{1}{4} \times 7$		20	12	

V797 Visual pack, with screws, steel — Gray enamel


For these and other visually packed items see visual pack hardware section of catalog

Size	Quantity in Pack	Packs in Box	Packs in Case	Case Weight (lbs.)
4X5	1 pr.	5	25	5
5X6	1 pr.	5	25	7
6X8	1 pr.	5	25	12
8X10	1 pr.	5	25	17
10X12	1 pr.	5	25	21
12X14	1 pr.	2	10	14

PLAIN STEEL HINGES

EXTRA HEAVY FULL SURFACE HINGES

Steel - Plain 850




■ Made of extra heavy wrought steel, not swaged, for surface application, with fast spun pins

■ Furnished on order, at additional cost, swaged for full mortise application, with screw holes

■ Hinges as regularly furnished (not swaged) measure slightly less in width - approximately 1/8"

All sizes have five knuckles



Fast spun pin

Ordering Size (inches)	Pair in Box	Pair in Case	Case Weight Average (lbs.)
2 x 2 2½ x 2½ 3 x 3 3½ x 3½ 4 x 4 4½ x 4½ 5 x 5 6 x 6	5 5 1 1 1 1	100 100 30 25 20 20 20	37 57 36 30 40 55 69 57



Not swaged • For full surface application See page 37 for swaging



DROP LEAF HINGES

Wrought steel - Plain, without screws 810

- Hinges are swaged and the countersinking is on the outside of each leaf
- For drop leaf supports, see 1956 on page 176
- For bulk packing . . . see page 189

Size, Length	Width	Width ea (inch		Quantity and Size of Flat Head Wood Screws	Pair	Pair	Case Weight Average
of Joint (inches)	Open (inches)	Long	Short	Per Pair	in Box		
1 1½ 1½ 1½ 1½	25/8 23/4 27/8 31/8	1½ 1% 15/8 13/4	1½ 1¾ 1¼ 1¼ 1¾	12 - ¾ x 6 12 - ¾ x 7 12 - ¾ x 7 12 - ¾ x 8	10 10 10 10	200 200 200 200 200	26 30 35 43


LOOSE JOINT HINGES

Wrought steel - Plain, without screws 802

- Right hand or left hand packed separately
- Specify hand (see page 35)
- Furnished on order at additional cost, without holes, not swaged for metal work, see page 189

Size, Length of Joint (inches)	Width Open (inches)	Quantity and Size of Flat Head Wood Screws Per Pair	Pair in Box	Pair in Case	Case Weight Average (lbs.)
2	111/6	8 - ³ / ₄ x 7	10	200	38





BROAD HINGES

BROAD HINGES

804 808

Steel - Plain, without screws

804BP(US2H) Steel - Galvanized,

with brass pin, with screws 808BP(US2H)

- For general utility work . . . not recommended for use on regular weight doors
- Furnished on order, at additional cost, without holes; swaged or not swaged for metal work
- Made of wrought steel; all sizes have five knuckles



804 Loose pin



808 Fast spun pin

	Quantity and Size of Flat Head		Pair in Box			Pair in Case	Case Wt.	Case Wt. Avge. (lbs.)	
Size Open (inches)	Wood Screws Per Pair	804PS 808PS	804BP(US2H)	808BP(US2H)	804PS 808PS	804BP(US2H)	808BP(US2H)	804 808	804BP(US2H) 808BP(US2H)
2 x 2	8 - 3/4 x 7	10	5	5	100	50	50	26	16
2½ x 2½	12 - 3/4 x 8	10	- 5	5	100	50	50	38	23
3 x3	12 - 3/4 x 9	5	1	1	50	50	50	29	33
3½ x 3½	12 - 34 x 9	5	1	1	50	50	50	45	47
4 x 4	$16 - 1 \times 9$	1	1	1	25	25	25	26	32
4½ x 4½	16 – 1¼ x 12	1			20			39	
5 x 5	16 - 1½ x 12	1			20			48	
6 x 6	$20 - 1\frac{1}{2} \times 14$	1			10			42	

CD804 Visual pack, with screws, steel — Bright zinc plated

For these and other visually packed items see visual pack hardware section of catalog

Class	Quantity	Packs	Packs	Case
No. Size	in Pack	in Box	in Case	Weight (lbs.)
CD804-2½"x2½"	1 ea.	10	100	27
CD804-3"x3"	1 ea.	5	50	15
CD804-3½"x3½"	1 ea.	5	50	24
CD804-4"x4"	1 ea.	5	50	32

NH804 NH808

Steel - Plain, without holes


- Wrought steel
- Without holes, not swaged
- Not swaged hinges are slightly less in width

Size Open (inches)	Pair in Case	Case Weight Average (lbs.)
2 x2	100	25
2½ x 2½	100	41
3 x 3	50	30
$3\frac{1}{2} \times 3\frac{1}{2}$	50	43
4 x 4	25	27





NARROW & BACK FLAP HINGES



838 Fast spun pin



840 Loose pin

LIGHT NARROW HINGES

Steel - Plain or bright zinc plated, with fast pin, without screws

838

Steel - Bright zinc plated, with screws SP838*

Steel - Plain, with loose pin, without screws

840

- Made of wrought steel . . . size 2" and larger have five knuckles, small sizes have three
- For planished and plated hinges, see 284 on page 84
- Furnished on order, at additional cost, without holes; swaged or not swaged for metal work, see page 189

Size, Length	Width	Quantity and Size	Quantity in Pack	Packs in Box	Pair in Box	Packs in Case	Pair in Case	Case V Averag	Veight e (I b s.)
of Joint (inches)	Open (inches)	of Flat Head Wood Screws Per Pair	SP838	SP838	838 840	SP838	838 840	SP838	838 840
1 1½ 2 2½ 3 4	1 13/8 11/6 11/1/6 2 27/8	8 - ½ x 3 8 - 56 x 5 8 - 34 x 6 12 - 34 x 6 12 - 34 x 7 16 - 34 x 9	1 Pr. 1 Pr. 1 Pr. 1 Pr. 1 Pr. 1 Pr.	10 10 10 10 10 10	10 10 10 10 10 10	100 100 100 100 100 50	300 300 200 200 100 50	5 10 17 23 38 38	12 25 30 38 35 36

Case Weight (lbs.)

17

Case Weight Average (lbs.)

48

42

Packs in Case

50

Pair

in Case

200

100

Class Number	Size, Length of Joint (inches)	Quantity in Pack	Packs in Box	Packs in Case	Case Weight (lbs.)
CD838 CD838 CD838 CD838 CD838 CD838	1 1½ 2 2½ 3 4	1 pr. 1 pr. 1 pr. 1 pr. 1 pr. 1 pr.	10 10 10 10 10	100 100 100 100 100 50	6 11 19 26 42 40

Visual pack, with screws, steel -**CD838** Bright brass or bright zinc plated

For these and other visually packed items see visual pack hardware section of catalog

Size, Length of Joint (inches)	Width Open (inches)	Quantity and Size of Flat Head Wood Screws Per Pair	Pair in Box	Pair in Case	Case Weight Average (lbs.)
1½	31/16	12 - ¾ x 8	10	200	50
2	43/8	12 - ¾ x 8	10	100	43

Quantity in Pack

1 pr.

Quantity and Size of Flat Head

 $12 - \frac{3}{4} \times 8$

 $12 - \frac{3}{4} \times 8$

5

Pair

in Box

10



Fast spun pin

■ Made of wrought steel

BACK FLAP HINGES

Steel - Bright zinc plated, swaged, without screws

814

Visual pack, with screws, steel -Satin brass or bright zinc plated

CD814

For these and other visually packed items see visual pack hardware section of catalog


BACK FLAP HINGES

Steel - Plain, swaged, without screws

Made of wrought steel

Bent loose pin





Size

11/2

Width

Open (inches)


31/16


Length of Joint (inches)

Class Number

CD814

CONTINUOUS HINGES





Sc311

Steel — Bright brass or bright nickel, with screws

Sc3111/4

Brass — Bright brass or bright chrome, with screws

ScAL3111/4

Aluminum alloy — Plain or color anodized (English walnut or French gold), with screws

- Screws in poly bag attached to each hinge
- Wrought steel; brass or aluminum alloy
- Holes spaced 2" apart and countersunk for No. 4 flat head wood screws
- When ordering: specify class number, finish, width and length; example, SC311(US14) 11/6" x 30"



Medium gauge

SIZES AND FINISHES PACKED AS SHOWN ABOVE

Class	Size (inches)	Stock	Pieces	Case Weight
Number	Width x Length	Finishes	in Case	Average (lbs.)
SC311	1½ x 30	(US3)-(US14)	5	5
	1½ x 48	(US3)-(US14)	5	6
	1½ x 72	(US3)-(US14)	5	9
	1½ x 30	(US3)-(US14)	5555	9 5
	1½ x 48	(US3)-(US14)	5	7
	1½ x 72	(US3)-(US14)	5	11
SC3111/4	11/4 x 30	(US3)-(US26)	5	5
	1½ x 48	(US3)-(US26)	5	6
	1½ x 30	(US3)-(US26)	5	6 5
	1½ x.48	(US3)-(US26)	5	8
SCAL3111/4	11/16 x 30	plain finish,	5	2
		AL2, AL3		
	11/ ₆ x 48	plain finish	5	3
	1½ x 30	AL2, AL3	5	3

For these and other visually packed items see visual pack hardware section of catalog

Finishes described on page 39



On numbers Sc311, Sc311 $\frac{1}{4}$ and ScAL311 $\frac{1}{4}$ AL2 and AL3 finishes

CONTINUOUS HINGES

Steel - Plated finishes, without screws

Medium gauge

Brass - Popular finishes, without screws 3111/4

Aluminum alloy - Plain, without screws AL3111/4

■ Plain unfinished hinges available without holes: prefix NH to class number, example NHAL311¼

■ Sizes available:

 $\begin{array}{c} 311 \\ 311 \frac{1}{4} \end{array} \} \begin{array}{c} 1\frac{1}{6}", \ 1\frac{1}{4}", \ 1\frac{1}{2}", \ \text{and} \ 2" \ \text{wide} \ \text{by} \\ \text{up to} \ 72" \ \text{long} \\ \\ \text{AL311}\frac{1}{4} \end{array} \begin{array}{c} 1\frac{1}{6}", \ 1\frac{1}{4}" \ \text{and} \ 1\frac{1}{2}" \ \text{wide} \ \text{by} \ \text{up} \\ \text{to} \ 72" \ \text{long} \\ \\ \text{STS311}\frac{1}{4} \end{array} \begin{array}{c} 1\frac{1}{6}" \ \text{and} \ 1\frac{1}{2}" \ \text{wide} \ \text{by} \ \text{up} \ \text{to} \ 72" \\ \text{long} \end{array}$

■ When ordering: specify class number, finish, width and length. Example, 311¼(US14) 1¼6" x 72"

■ Stock sizes and finishes listed below

Plain, without screws

Stainless steel -

STS3111/4

■ Wrought steel, brass, stainless steel or aluminum alloy


Holes spaced 2" apart and countersunk for No. 4 flat head wood screws

■ Stainless steel hinges, made of type 302 stainless steel

Size (inches)		Stock Finishes					Case Weight Average (lbs.)			
Width x Length	311	3111/4	AL3111/4	STS3111/4	Pieces in Case	311	3111/4	AL3111/4	STS3111/4	
11/ ₆ x 72	*PS-(US3-(US14)	(US3)-(US14)-(US26)	Plain finish		10	15	15	6	15	
1½ x 48 1¼ x 72	(US3)-(US14) *PS-(US3)-(US14)	(US3)-(US14)	*Plain finish		10 10	12 17	17	7		
1½ x 72	*PS-(US3)-(US14)-(US26)	(US3)-(US14)-(US26)	*Plain finish	Plain finish	10	20	20	8	17	
2 x 48 2 x 72	US14 *PS-(US3)-(US14)	(US3)			10 10	16 24	26			

^{*}This size and finish in stock without screw holes; prefix NH to class number

CONTINUOUS HINGES



Heavy gauge

314 Steel - Plated finishes, without screws

3141/4 Brass — Popular finishes, without screws

AL3141/4 Aluminum alloy - Plain, without screws

STS3141/4 Stainless steel - Plain, without screws

- Wrought steel, brass, stainless steel, or aluminum
- Holes spaced 2" apart and countersunk for No. 6 flat head wood screws
- Steel unfinished hinges available without holes: prefix NH to class number; example NH314
- Sizes available:

 $314 - 1\frac{1}{4}$ ", $1\frac{1}{2}$ ", 2", $2\frac{1}{2}$ ", and 3" wide by up to 72" long


 $314\frac{1}{4} - 2''$ and $2\frac{1}{2}''$ wide by up to 72" long AL314 $\frac{1}{4} - 2''$ wide only by up to 72" long STS314 $\frac{1}{4} - 2''$ wide only by up to 72" long

- When ordering: specify class number, finish, width and length; example 314 PS 2" x 72"
- Stainless steel hinges, made of type 302 stainless steel
- Stock sizes and finishes listed below

Size (inches)	Stock Finishes		Diogos	Case Weight Average (lbs.)					
Width x Length	314	3141/4	STS3141/4	AL3141/4	Pieces in Case	314	3141/4	STS3141/4	AL3141/4
1½ x 72 1½ x 72 2 x 48 2 x 72 2½ x 72 3 x 72	*PS-(US3)-(US14) *PS-(US14) *PS-(US3)-(US14)	(US3)-(US14) (US3)	Plain *Plain	Plain Plain Plain	10 10 10 10 10 10	24 27 35 41 47	36 44	22 33	9 14


^{*}This size and finish in stock without screw holes; prefix NH to class number

FURNITURE HARDWARE



Steel - Plain, with fast spun pin NH838

NH840*






Size, Length of Joint (inches)	Width Open (inches)	Pair in Case	Case Weight Average (lbs.)
1	15/16	500	20
11/2	15/16	250	18
2	1½	250	38
21/2	15/8	100	20
3	115/16	100	33

Made of	of	wrought	steel .			size	2"	and	larger
have five	ve	knuckles,	small	size	es	have	thr	ee	

- Furnished not swaged (flat on back) for metal work
- Available with holes, swaged, box packed . . . see page 185
- *NH840 available in sizes 2" and 3" only



Size, Length of Joint (inches)	Width Open (inches)	Pair in Case	Case Weight Average (lbs.)
2	15/8	100	18

LOOSE JOINT HINGES

Steel - Plain NH802

- Hinges are handed. Right hand or left hand packed separately
- Specify hand . . . see page 35
- Furnished not swaged (flat on back) for metal work
- Available with holes, swaged, box packed . . . see page 183



810 - TS810

Steel - Tempered, without screws TS810

■ Used with bull-nose table edges

■ Hinges are swaged, with flush spun pins

DROP LEAF TABLE HINGES Steel - Plain, without screws 810

- Countersink is on the outside of each leaf
- For drop leaf table supports see 1956, page 176
- 810 available box packed . . . see page 183

Catalan	Size, Length of Joint	Width (inches)				Pieces	Weight Average	
Catalog Number			Long	Short	Screws Per Piece	in Case	(lbs.)	
810	1 1½ 1¼ 1½ 1½	25/8 23/4 27/8 31/8	1½ 1% 15/8 13/4	1½ 1¾ 1¼ 1¼ 1¾	6 - 34 x 6 6 - 34 x 7 6 - 34 x 7 6 - 34 x 8	1,000 1,000 500 500	63 72 42 53	
TS810	11/8	23/4	1%6	13/16	6 – ¾ x 7	1,000	72	



Size, Length of Joint (inches)	Width Open (inches)	Quantity and Size of Flat Head Wood Screws Per Piece	Pieces in Case	Case Weight Average (lbs.)
17/16	31/16	6 – 5/8 x 6	200	36

BUTLER TRAY HINGES

Steel - Plated, without screws 18141/2

- For use on tray tables with leaves that fold up
- With a friction element that is easily adjusted by means of a set screw


FURNITURE HARDWARE

TABLE LEG BRACES

446 Steel - Zinc plated, without screws

- For banquet tables, folding counters, folding wall racks, etc.
- Made with a positive, easily operated locking feature
- When folded, the legs lie flat against the table
- Available box pack . . . see page 178





■ Specify hand when ordering



R.H. applied L.H.

Length Overall (inches)	Width (inches)	Quantity and Size of Flat Head Wood Screws Per Piece	Pieces in Case	Case Weight Average (lbs.)
165/8	11/4	5 – 1 x 12	50 pcs. L.H. or 50 pcs. R.H.	88

TABLE LEG BRACES

4461/4 Steel - zinc plated, without screws

4461/2 Steel - zinc plated, without screws

- For table-tennis tables
- Made with a positive, easily operated locking feature
- The braces insure rigid, sturdy legs when open, and when closed permit the legs to be folded flat against the table



446½ L.H.

- Available box pack . . . see page 178
- Specify hand when ordering
- 446½ is made without a base for tables with reinforcing rails along the edges

Catalog Number	Length Overall (inches)		Quantity and Size of Wood Screws Per Piece	Pieces in Case	Case Weight Average (lbs.)
446¼ 446½	13½ 13¼	5/8 5/8	(1-34x10 pan head) (2-34x 7 flat head) 2-34x10 pan head		79 67

TABLE LEG BRACES

441 Steel - Plain, without screws

■ Available box pack . . . see page 178



Length Overall (inches)	Width (inches)	Quantity and Size of Pan Head Wood Screws Per Piece	Pieces in Case	Case Weight Average (lbs.)
9½	1/2	2-1 x 10	1,000	99

CORNER IRON BRACES

9961/2 Steel - Plain or plated, without screws

- For bracing tables, chairs and church pews
- Available box pack . . . see page 165



Size (inches)	Width (inches)	Quantity and Size of Flat Head Wood Screws Per Piece	Pieces in Case	Case Weight Average (lbs.)
1 x 1	3/ ₄	$2 - 1 \times 8$	2,000	56
2 x 2	3/ ₄	2 - 1 x 9	1,000	59

Standard finishes: PS, D7

TABLE TOP FASTENERS

1910 Steel – Plain, without screws

1910½ Steel – Plain, without screws

1912 Steel – Plain, without screws

Used to secure tops of tables to the bases, and for similar applications







Catalog Number	Size (inches)	Offset (inches)	Quantity and Size of Wood Screws Per Piece	Pieces in Case	Case Weight Average (lbs.)
1910	3/4	3/8	1 — ¾ x 9 R.H.	2,500	58
1910½	3/4	3/8	1 — ¾ x 9 R.H.	2,500	58
1912	3/4		2 — ¾ x 9 F.H.	2,500	50

SCREEN DOOR HINGES

Adjustable tension

Half surface



Full surface

Fast pin

152

152

154

Length of Joint (inches)	Width of Each Leaf (inches)	Quantity and Size of Flat Head Wood Screws Per Pair	Pair in Box	Pair in Case	Case Weight Average (lbs.)
3	13/8	12 - 5/8 x 8	5	25	27

154

Size Open (inches)	Quantity and Size of Flat Head Wood Screws Per Pair	Pair in Box	Pair in Case	Case Weight Average (lbs.)
3 x 3	12 - 5/8 x 8	5	20	21

Finishes described on page 39



On numbers 152 and 154

HEAVY SCREEN DOOR SPRING HINGES

Steel - Planished and plated, with screws 152

Steel - Planished and plated, with screws 154

- For heavy wood screen doors, toilet partitions, etc.
- Made of wrought steel, toughened and hardened by cold rolling
- Constructed with two vertical bearings to sustain the weight of either a right or left hand door appli-
- The barrel and one leaf of the hinge are made in one piece, making an extremely strong hinge
- Spring is made of the best tempered steel wire of ample proportions, permitting tension adjustment sufficient for the heaviest requirements
- Tension can be regulated to close the door quickly or slowly

SCREEN DOOR SPRING HINGES

Steel - Plated finishes, with screws 2152

Adjustable tension

Half surface





Fast pin

Steel - Plated finishes, with screws

2152

2152

2154

Length of Joint (inches)	Width of Jamb Leaf (inches)	Quantity and Size of F.H. Wood Screws Per Pair	Pair in Box	Pair in Case	Case Weight Average (lbs.)
23/4	1%	12-3/4 x 7	5	20	15

SP2154

Size Open (inches)	Quantity and Size of Flat Head Wood Screws Per Pair	Packs in Box	Packs in Case	Case Weight Average (lbs.)
2¾ x 3	12 - 3/4 x 7	5	20	14

Finishes described on page 39



On 2152

For wood screen doors

- Made of wrought steel, toughened and hardened by cold rolling
- The barrel and one leaf of the hinge are made in one piece, for strength and durability
- Tension of the spring can be regulated to close the door quickly or slowly
- For complete screen door sets see page 193

Quantity Per Pack Packs Per Box Packs Per Case Case Weight (lbs.) CD2154 1 ea. 10 100 37

Visual pack, with screws, steel - CD2154

For these and other visually packed items see visual pack hardware section of catalog



SCREEN DOOR HINGES AND SETS

SCREEN DOOR HINGES

1751 Steel — Satin brass plated

SP1751 Steel – Zinc plated, with screws

- Made of wrought steel, toughened and hardened by cold rolling
- One leaf countersunk on both sides, permitting application of either full surface or half surface. Will also accommodate door thicker or thinner than
- For screen door sets, see page 193

Finishes described on page 39



Visual pack, with screws, steel -CD1751 Bright zinc plated

For these and other visually packed items see visual pack hardware section of catalog

Full surface	8	*
	*	8
1751 Loose pin	(*)	*







Half surface

Door thicker than jamb

Door thinner than jamb

Size	Quantity and Size of Flat Head	Packs in Box	Pair in Box	Packs in Case	Pair in Case	Case Weight Average
(inches)	Open Wood Screws nches) Per Pair	SP1751	1751	SP1751	1751	(lbs.)
3 x 3	12 - 3/4 x 9	5	5	50	50	31

Catalog		Quantity	Packs	Packs	Case	
Number		Per Pack	Per Box	Per Case	Weight (lbs.)	
CD	1751 — 3"x3"	1 ea.	10	100	35	

Full surface

Fast pin

SCREEN DOOR SPRING HINGES

Steel - Japanned, bright zinc or 158 satin brass plated, with screws

Steel - Japanned, bright zinc or satin brass plated, with screws

- For screen doors of residences
- Made of wrought steel
- Springs are enclosed in barrels of attractive proportions
- Barrels are of substantial construction and are a part of one of the hinge leaves
- For complete screen door sets see below

Size Open	Quantity and Size of Flat Head Wood Screws	Packs in Box	Pair in Box	Packs in Case	Pair in Case	Case Weight Average
(inches)	Per Pair	SP158	158	SP158	158	(lbs.)
3 x 2½	12-3/4 x 7	5	5	50	50	25

Visual pack, with screws, steel -CD158 Bright zinc plated

For these and other visually packed items see visual pack hardware section of catalog

Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight (lbs.)
CD158	1 ea.	10	100	29

SCREEN DOOR SETS

Steel - Bright zinc or satin 1158 brass plated, with screws

A set consists of:

One pair of spring hinges (No. 158) One door pull 43/4" (No. 1258) One hook and eye 21/2"

Full surface - fast pin

Spring hinge sets


Size Open (inches)	Quantity and Size of Flat Head Wood Screws Per Set	Sets in Box	Sets in Case	Case Weight Average (lbs.)
3 x 2½	14-3/4 x 7	5	25	15



▲ Item now in SUPER-PAC. See page 34

SCREEN DOOR HARDWARE

Spring hinge sets - adjustable tension



SCREEN DOOR SETS

Steel - Satin brass finish, with screws 1172 A set consists of: one pair of spring hinges (No. 2152), one door pull 43/4" (No. 1258), one hook and eye 21/2"

Steel - Satin brass finish, with screws 1174

A set consists of: one pair of spring hinges (No. 2154), one door pull $4\frac{3}{4}$ " (No. 1258), one hook and eye $2\frac{1}{2}$

Catalog Number	Length of Joint (inches)	Width of Each Leaf (inches)	Size Open (inches)	Quantity and Size of Flat Head Wood Screws Per Set	Sets in Box	Sets in Case	Case Weight Average (lbs.)
1172 1174	2¾ 2¾	2 2	2¾x3	14-3/4x7 14-3/4x7	5 5	25 25	20 18

On numbers 1172 and 1174

Finishes described on page 39

A set consists of: one pair of hinges - (1751) 3" x 3" one door pull $4\frac{3}{4}$ " (No. 1258), one hook and eye $2\frac{1}{2}$ " one coil spring No. 3

Quantity and Size of Flat Head	Packs in Box	Sets in Box	Packs in Case	Sets in Case	Case W Average	
Wood Screws Per Set	SP1750	1750	SP1750	1750	SP1750	1750
14-3/4x9	5	5	25	20	21	17

Catalog	Quantity	Packs	Packs	Case
Number	Per Pack	Per Box	Per Case	Weight (lbs.)
CD1750	1 set	5	25	25



Half surface

Visual pack, with screws, steel -CD1750 Bright zinc plated

For these and other visually packed items see visual pack hardware section of catalog



	Quantity and Size of Pan Head Wood Screws Per Piece	Packs in Box	Packs in Case	Case Weight Average (lbs.)
Ī	2 - 3/4 x 8	10	100	15



Case Weight verage (lbs.)	
15	

"SNAPPY" CATCH

than jamb

Wrought steel - Bright zinc plated, with screws

than jamb

- Clean-cut modern design
- For holding screen and storm doors shut; also for a broom or paper holder
- Easy positive action works as follows: the door in closing strikes the inside rubber roller, which acts as a trigger, releasing the spring; the outer rubber roller catches the door, closes it and holds it shut
- New heavy duty spring assures long life

Catalog	Quantity	Packs	Packs	Case
Number	Per Pack	Per Box	Per Case	Weight (lbs.)
CD210	1 ea.	10	50	9

Visual pack, with screws, steel -CD210 Bright zinc plated

For these and other visually packed items see visual pack hardware section of catalog

Catalog Number	Length (inches)	Width (inches)	Quantity and Size of Wood Screws Per Piece	Packs in Box	Pieces in Box	Packs in Case	Pieces in Case	Case Weight Average (lbs.)
479 SP479 1258	47/8 47/8 43/4	5/8 5/8 5/8	2-34x6 F.H. 2-34x6 F.H. 2-34x7 F.H.	i	25 25	100	250 250	13 7 14

1258 479

Steel - Japanned, bright zinc or 479 plated finishes, with screws

Steel - Bright zinc or satin brass finishes, with screws

Steel - Japanned or bright zinc finish, with screws

Finishes described on page 39

Catalog	Quantity	Packs	Packs	Case
Number	Per Pack	Per Box	Per Case	Weight (lbs.)
CD479	1 ea.	10	100	8

Visual pack, with screws, steel -CD479 Satin brass or bright zinc finish


For these and other visually packed items see visual pack hardware section of catalog

PULLS

SCREEN AND STORM DOOR CLOSER

1700AL Steel — Aluminum spray finish, with screws

- For screen, storm or combination doors
- Ruggedly constructed at all points
- Pneumatic operation with non-collapsing, full-floating leather piston
- Spring minimizes shockloads applied to door and closer by heavy winds and abuse
- Closing speed is easily adjusted by a simple turn of the valve screw



Pieces	Pieces	Case
in Box	in Case	Weight (lbs.)
1	30	53

CD1700AL Visual pack, with screws, steel - Aluminum spray finish

For these and other visually packed items see visual pack hardware section of catalog

Catalog	Quantity	Packs	Case
Number	Per Pack	Per Case	Weight (lbs.)
CD1700AL	1	5	

SCREEN AND STORM DOOR LATCH

1703AL Die cast zinc alloy — Sprayed aluminum baked enamel finish, with screws

- For screen, storm or combination doors from 3/4'' to 11/8'' in thickness
- Simple to install requires only 3 holes. No mortising necessary
- Floating bolt in the handle gives the necessary flexible action to provide easy latching with any door closer
- Equipped with a simple, positive, safety slide
- All springs are rust proof

Sets	Sets	Case
in Box	in Case	Weight (lbs.)
1	30	25

CD1703AL Visual pack, with screws, zinc die-cast — Sprayed aluminum baked enamel finish

For these and other visually packed items see visual pack hardware section of catalog

Catalog	Quantity	Packs	Packs	Case
Number	Per Pack	Per Box	Per Case	Weight (lbs.)
CD1703AL	1	5	20	18

CHAIN DOOR STOP

CD1707 Visual pack, with screws, steel — Bright zinc plated

- For screen, storm or combination doors, wood or aluminum
- Spring minimizes shockloads applied to door and closer by heavy winds and abuse

For these and other visually packed items see visual pack hardware section of catalog

	S)

Catalog	Quantity	Packs	Packs	Case
Number	Per Pack	Per Box	Per Case	Weight (lbs.)
CD1707	1	5	25	11

ADJUSTABLE DOOR SPRING

CD1701 Visual pack, steel – Bright zinc plated

■ Easily adjusts for heavy duty and light weight doors



Catalog	Quantity	Packs	Packs	Case
Number	Per Pack	Per Box	Per Case	Weight (lbs.)
CD1701	1	5	50	30



Catalog	Quantity	Packs	Case Weight
Number	Per Pack	Per Case	(lbs.)
CD1702	1	5	10

HYDRAULIC DOOR CLOSER

Aluminum – (AL) aluminum or (KJ1) satin black finishes CD1702

- Featuring a smooth-glide operation
- Closing speed is easily adjustable by turning cylinder
- For aluminum and wood doors up to 1\%" thick
- Original installation holes can be covered with adapter plates (provided in package)


PNEUMATIC DOOR CLOSER

Steel – (AL) aluminum or (KJ1) satin black finishes CD1708

- Original replacement part for the most popular aluminum screen and storm door closer
- Adjustable closing speed
- Weather and wear resistant
- Silent closing
- Original holes can be covered with adapter plates (provided in package)



Catalog	Quantity	Packs	Case Weight
Number	Per Pack	Per Case	(lbs.)
CD1708	1	5	10



PUSHBUTTON LATCH

Die cast zinc — (AL) aluminum enamel or (KJ1) satin black enamel

- Weather and wear resistant
- Modern styling
- For aluminum and wood doors up to 1¼" thick
- Easily installed with only 3 holes



KEYLOCKING LATCH

Die cast zinc — (AL) aluminum enamel or (KJ1) satin black enamel

- The same fine latch as our CD1704, but with the protective advantage of a key lock
- For use where greater security is needed


 Catalog Number
 Quantity Per Pack
 Packs Per Box
 Packs Per Case
 Case Weight (lbs.)

 CD1705
 1
 5
 20
 15

TULIP KNOB LATCH

Die cast zinc — (AL) aluminum or (KJ1) satin black finishes CD1706

- Original replacement part for more than 10 million latches now in use
- Weather and wear resistant
- For aluminum and wood doors up to 11/4" thick
- Easily installed with only 3 holes



Catalog Number

CD1704

Quantity Per Pack

1

FLEXIBLE STRIKE PLATE

Aluminum - (AL) aluminum or CD1711 (KJ1) satin black finishes

- Positive spring action
- Adjustable to replace original strike plates
- Heavy duty design for long lasting use
- For use with latches with solid or flexible strikes



Catalog	Quantity	Packs	Packs	Case Weight
Number	Per Pack	Per Box	Per Case	(lbs.)
CD1711	1	10	100	10

CLIPS AND SCREWS

V1712 Aluminum – (AL) aluminum finish

- Made of heavy gauge aluminum
- The perfect replacement for worn clips and screws
- Thumb screws provide easy application and removal

60	

Catalog	Quantity	Packs	Packs	Case Weight
Number	Per Pack	Per Box	Per Case	(lbs.)
V1712	8	10	100	10

DOOR LATCHES

Aluminum - Sprayed brass or sprayed aluminum 1280 baked epoxy enamel finish, with screws

- For screen, storm or combination doors from 5%" to 11/8" in thickness
- Simple to install by boring a 1" hole in the door stile. No mortising necessary
- Latch operates with an easy, positive push, pull or turn action
- Equipped with an easily operated safety lock on push side



Dimensio	ns (inches)			
Inside Case	Outside Case	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
37/8 x 11/4	27/8 x 11/4	1	10	5

Finishes described on page 39

Visual pack, with screws, aluminum -CD1280 Sprayed brass or sprayed aluminum baked epoxy enamel finish


For these and other visually packed items see visual pack hardware section of catalog

Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight (lbs.)
CD1280	1	5	30	17

ADJUSTABLE DOOR GUARDS

1736 Steel – Bright zinc plated, with screws

- Guards mounted on the door protect the wire cloth or glass, reinforce the door and serve as a push bar
- Made of wrought steel, in two pieces of strong Ushaped construction
- Adjustable from 21" to 32"




Suggested application for appearance and protection

Length Closed (inches)	Width (inches)	Projec- tion (inches)	Quantity and Size of Pan Head Wood Screws Per Piece	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
21	1	3/4	2-3/4x7	5	25	21

Visual pack, with screws, steel -CD1736 Bright zinc plated

For these and other visually packed items see visual pack hardware section of catalog

Catalog	Quantity	Packs	Packs	Case
Number	Per Pack	Per Box	Per Case	Weight (lbs.)
CD1736	1 ea.	5	25	





Length Overall (inches)	Diameter of Rod (inches)	Adjust- ment (inches)	Quantity and Size of Pan Head Wood Screws Per Piece	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
42	1/4	13/4	4-3/4x8	10	50	26

SCREEN DOOR BRACES

Steel - Bright zinc plated, with screws 1739

- For taking up the sag in a screen or storm door
- Applied on the inside of the door
- Heavy duty model for quality construction
- Steel rods are zinc plated
- Serrated ends make a firm contact
- Equipped with an aluminum turnbuckle
- Desired tension can be secured by using a wrench
- Offset ends on rods provide clearance permitting turnbuckle to turn freely

Catalog	Quantity	Packs	Packs	Case
Number	Per Pack	Per Box	Per Case	Weight (lbs.)
CD1739	1	5	25	

Visual pack, with screws, steel — Bright zinc plated CD1739

For these and other visually packed items see visual pack hardware section of catalog

CORNER BRACES

Length of Sides (inches)	Width (inches)	Quantity and Size of Pan Head Wood Screws Per Piece
21/2	1	4-5/8x6



Catalog	Quantity	Packs	Packs	Case
Number	Per Pack	Per Box	Per Case	Weight (lbs.)
CD27	4 ea. (1 set)	10	100	

Visual pack, with screws, steel — Bright zinc plated CD27

- For reinforcing door or window screens
- Can be used on screens with metal channels
- Made of wrought steel
- Flanges on the sides square the corners and brace the joints
- Easily applied and prolong the life of the screen
- A set consists of four braces

For these and other visually packed items see visual pack hardware section of catalog



Size, Length,	Quantity and Size of Flat Head Wood Screws	Quantity Per Pack		Pieces in Box	Packs Per Case	Pieces in Case	Wei	se ight rage is.)
(inches)		SP4	SP4	SC4	SP4	SC4	SP4	SC4
13/4	1-1x8	4	10	150	100	1500	10	28

Catalog Number	Quantity	Packs	Packs	Case
	Per Pack	Per Box	Per Case	Weight (lbs.)
CD4 - 13/4"	4 ea.	10	100	10

TURN BUTTONS

Steel - Bright zinc plated, with screws

Sc4

Steel - Bright zinc plated, with screws

SP4⁴

- Made of wrought steel
- A basic piece of hardware for simple fastening of screens, storm sash, battens, etc.

Visual pack, with screws, steel – Bright zinc plated CD4

For these and other visually packed items see visual pack hardware section of catalog

■ Made of wrought steel

L	Size, ength, nches)	Quantity and Size of Flat Head Wood Screws Per Piece	Pieces in Box	Pieces in Case	Case Weight Average (Ibs.)
	11/4	1-1x8	150	1500	21

TURN BUTTONS

Steel — Bright zinc plated, with screws

Sc5


SCREEN AND STORM SASH HANGERS

HANGERS

1716 Steel — Bright zinc plated, with screws

- For screens or storm sash hung flush with casing
- Will hold screens or sash snugly to the window frame preventing rattling





1716

Applied

Class Number	Eye (inches)	Hook (inches)	Quantity and Size of Wood Screws Per Pair	Pair in Box	Pair in Case	Case Weight Average (lbs.)
1716	23/4 x 1	111/16 x 7/8	10 – ¾ x 7 F.H.	10	100	18



HANGERS

SP1724 Steel – Bright zinc plated, with screws

1734 Steel – Bright zinc plated, with screws

- For full length screens and storm sash
- 1734 set consists of one pair of 1724 hangers and one 11/2" hook and eye



1734 1724



Applied



On 1734

		Quantity and Size	Quantity in Pack	Packs in Box	Sets in Box	Packs in Case	Sets in Case	Case Weight A	verage (ibs.)
Eye (inches)	Hook (inches)	Wood Screws Per Pair	SP1724	SP1724	1734	SP1724	1734	SP1724	1734
2 x 17/8	17/8 x 3/4	8 – ¾ x 6 F.H.	1 pr.	10	10	100	100	17	20

Visual pack, with screws, steel -CD1734 Bright zinc plated


For these and other visually packed items see visual pack hardware section of catalog

Catalog	Quantity	Packs	Packs	Case
Number	Per Pack	Per Box	Per Case	Weight (lbs.)
CD1734	1 set	10	100	22

STORM SASH ADJUSTERS

1727 Non-rattling

Dotted line indicates locked position



Applied sash closed



Applied sash open

ADJUSTERS

Steel - Bright zinc plated, with screws 1727

- A set consists of one pair of adjusters and one pull
- An adjuster is applied to each side of the sash and permits opening to any position
- Adjustable friction unit, of special construction and material, provides positive holding with no danger of deterioration from the weather
- In taking off storm sash, the arm can be quickly disengaged by sliding back the stainless steel clip

L	ength (inches)	Quantity and Size of Flat Head Wood Screws			Case Weight Average (lbs.)	
Adjuster	Pull	Per Set	Sets in Box	Sets in Case		
9	4¾ x 5⁄8	10-34 x 7	5	50	26	



Visual pack, with screws, steel — Bright zinc plated


CD1727

Catalog	Quantity	Paçks	Packs	Case Weight
Number	Per Pack	Per Box	Per Case	Average (lbs.)
CD1727	1 set	5	50	29

For these and other visually packed items see visual pack hardware section of catalog

Length 6¾"

Non-ferrous Non-rattling spring




Showing application of non-rattling spring which requires a minimum space of 13%" between house and blind

BLIND HARDWARE

BLIND HOLDBACKS FOR 11/8" BLINDS

WITHOUT NON-RATTLING SPRING

With lag screw 1685





Lag screw

Length 4"

Pair in Box	Pair	Case Weight Average (Ibs.)		
	in Case	1685	16851/2	
1	10	7	8	


- Made of wrought steel
- Dead black holdbacks are zinc plated before final finish


BLIND HINGES

OFFSET BLIND HINGES FOR 11/8" BLINDS OR SHUTTERS SET IN A REVEAL

827 Steel - Plain, without screws

- Bent leaves provide full opening for hanging screen or storm sash without interfering with the hinges
- For other hinges suitable where a wide throw or clearance is required, see class number F179 on page 62







Loose pin Reversible

Size Widt Oper (inche	Length of Joint	Width between Flanges (clearance) (inches)	Offset (inches)	Flange (inches)	Quantity and Size of Flat Head Wood Screws Per Pair	Pair in Box	Pair in Case	Case Weight Average (Ibs.)
6	2	315/16	7/16	27/8 x 1	12 – 1¼ x 10	2	20	21

FOR 11/8" BLINDS HUNG FLUSH WITH CASING


FOR FRAME CONSTRUCTION

SC1640 (US2H) Steel - Galvanized, with screws

FOR BRICK CONSTRUCTION

SC1644 (US2H) Steel - Galvanized, with screws

- Hinges measure 4¾6″ on the vertical, 5″ on the horizontal, width 1″
- Two blinds (usually for one opening) require two pair of hinges




						Frame cons Sc164		Brick construction Sc1644	
Plate Offset (inches)		Throw (inches)		Quantity and Size			Case Weight Average (lbs.)		
Pintle	Frame	Brick	Frame	Brick	Wood Screws Per Pair	Pair in Box	Pair in Case	1640(US2H)	1644(US2H)
3½ x 1½	11/16	21/8	2	41/8	14 – 1 x 8	2	20	18	24

FOR 11/8" BLINDS HUNG FLUSH WITH CASING FOR FRAME CONSTRUCTION

SC1620 x 1666 Steel — Galvanized, with screws

- If used on masonry construction use 3/8" malleable iron shields in 3/4" diameter hole
- A set consists of four hinge straps and four screw pintles; the equipment for one pair of blinds (one opening)



Size of Hinge Strap (inches)	Length of Screw Pintle (inches)	Maximum Throw (inches)	Quantity and Size of Flat Head Wood Screws Per Set	Sets in Box	Sets in Case	Case Weight Average (lbs.)
4 x 1	21/2	13/32	12-1 x 8	1	25	21

WALNUT SHELVES

Flaire SHELVES

Walnut 7024

- Durable laminated surface
- Never needs polishing
- Resists warping
- Stain and scratch resistant
- Nominal 5%" thick in wide range of sizes

Number	Size (inches)	Quantity Per Case	Weight Per Case (lbs.)	
7024	8" x 24"	5	17	
7024	8" x 36"	5	22	
7024	8" x 48"	5	32	
7024	10" x 36"	5	30	
7024	10" x 48"	5	40	
7024	12" x 36"	5	35	
7024	12" x 48"	5	47	

For merchandiser displays and assortments see merchandiser section of catalog

SHELF STANDARDS AND BRACKETS


ALUMINUM SHELF STANDARDS

Aluminum - In 5 attractive 6783 colors, with screws

- Wall standards used with shelf brackets no. 6785 (shown below) to create book shelves, wall storage, display areas and other installations
- Made of sturdy structural aluminum in wide choice of sizes and colors
- Furnished in attractive colors:

English Walnut — Anodized (AL2) French Gold - Anodized (AL3) Satin Aluminum — Anodized (AL4) Ebony Black - Anodized (AL5) Alpine White - Vinyl Paint (AL6)

No. 6783




For matching anchors to fasten Flaire standards to hollow or solid walls see No. 8515 and 8516 on page 204


Size Nominal Length (inches)	Width (inches)	Depth (inches)	Quantity and Size of Flat Head Wood Screws Per Piece	Pieces in Case	Case Weight Average (lbs.)
12 24 36 48 60 72	5/8 5/8 5/8 5/8 5/8 5/8 5/8	1/2 1/2 1/2 1/2 1/2 1/2 1/2	$ \begin{array}{r} 2 - 1\frac{1}{2} \times 6 \\ 3 - 1\frac{1}{2} \times 6 \\ 4 - 1\frac{1}{2} \times 6 \\ 5 - 1\frac{1}{2} \times 6 \\ 6 - 1\frac{1}{2} \times 6 \\ 7 - 1\frac{1}{2} \times 6 \end{array} $	10 10 10 10 10 10	2 3 5 6 7 8

For Floor Merchandiser Displays and Assortments see Merchandiser section of catalog

ALUMINUM SHELF BRACKETS

6785 Aluminum — In 5 attractive colors






- Shelf brackets used with wall standards no. 6783 (shown above) to create book shelves, wall storage, display areas and other installations
- Made of sturdy aluminum in wide choice of sizes and colors
- Furnished in attractive colors: English Walnut — Anodized (AL2) French Gold - Anodized (AL3) Satin Aluminum — Anodized (AL4) Ebony Black — Anodized (AL5) Alpine White - Vinyl Paint (AL6)

Size (inches)	Accommodates Shelf Widths (inches)	Pieces in Box	Pieces in Case	Case Weight Average (lbs.)
6 8 10 12 14 16	6 8 10 12 14 16	10 10 10 10 10	40 40 40 40 40 40	3 4 5 6 8 11

For Floor Merchandiser Displays and Assortments see Merchandiser section of catalog

flaire SHELVING SYSTEMS





Flaire ALUMINUM TRIM-LINE

Aluminum — Gold with walnut vinyl inlays, 6740 or black with walnut inlays

- Contoured 1½" wide strong aluminum
- Anodized for color permanence, trimmed with walnut wood grain vinyl inlays

Size Length	Width	Quantity and Size of Flat Head Screws Per Piece	Pieces	Case Weight
(inches)	(inches)		Per Case	Average (lbs.)
12 24 36 48 60	1½ 1½ 1½ 1½ 1½ 1½	2 - 1½ x 6 3 - 1½ x 6 4 - 1½ x 6 5 - 1½ x 6 6 - 1½ x 6	10 10 10 10 10	1 3 4 5 6

For Floor Merchandiser Displays and Assortments see Merchandiser section of catalog

Haire ALUMINUM TRIM-LINE SHELF BRACKETS



Size (inches)

6

8

10 12



Accommodates Shelf Width (inches) Case Weight Average (lbs.) in Box 6 10 40 4 8 10 40 5 10 12 10 40 6

10

Aluminum - Gold with walnut vinyl overlays, 6750 or black with walnut vinyl overlays

- Graceful anodized aluminum
- Trimmed with walnut wood grain vinyl overlays

For Floor Merchandiser Displays and Assortments see Merchandiser section of catalog

40

6





Visual pack — Gold or black 6760


- Case Weight Average (lbs.) Pieces Per Pack Packs Per Case 2 10 1
- Furnished in gold or black to match wall pillars no. 6740

ALL PURPOSE SHELF STANDARDS, and BRACKETS

ALUMINUM SHELF STANDARDS

6733 Aluminum - Unfinished

- Provides extra shelf space in basements, tool rooms, laundry rooms, attics, closets, garages and living areas
- Can be painted if desired



10

For Floor Merchandiser Displays and Assortments see Merchandiser section of catalog

ALUMINUM SHELF BRACKETS

6731 Aluminum – Unfinished

- Shelf brackets used with wall standards no. 6733
- Can be painted if desired

Size (inches)	Accommodates Shelf Widths (inches)	Pieces in Case	Case Weight Average (lbs.)		
8	8	50	5		


50

For Floor Merchandiser Displays and Assortments see Merchandiser section of catalog

HOLLOW WALL ANCHORS FOR FLAIRE

8515 Steel — In five finishes to match Flaire

- For fastening Flaire shelving systems to 3/8" 5/8" plasterboard, 1/4" plywood or hardboard walls
- Furnished in five finishes (AL2, AL3, AL4, AL5, AL6) to match Flaire standards no. 6783 - specify finish when ordering



8516


WALL ANCHORS FOR FLAIRE	Catalog Number	Quantity Per Pack*	Packs Per Box	Packs Per Case	Case Weight (lbs.)	
Plastic	8515 8516	4 ea. 10 ea.	10 20	100 200	7 4	

10

SOLID 8516 F

■ For fastening Flaire shelving systems to solid walls such as tile, brick or similar materials

^{*}In poly bag with saddle for hanging on displays



OUTDOOR PLANT HANGER

Steel — Black (KJ1) finish with screws, with swivel

V720

- Heavy-duty design
- Protective zinc plating underneath for weatherresistant outdoor use
- Swivel allows uniform plant growth indoors and outdoors

Catalog	Quantity	Packs	Case Weight
Number	Per Pack	Per Case	(lbs.)
V720	1	5	




PLANT WALL TRACK SYSTEM

Steel - Black (J2) finish, with screws 721

- Four decorative, free-sliding, plant hanger brackets
- Swivel hooks that allow for complete rotation
- 32" mounting track

Catalog	Quantity	Packs	Case
Number	Per Pack	in Case	Weight (lbs.)
721	1	5	15



WIRE SWIVEL PLANT HANGER

Steel — Black (J2) or brass (US4) finishes, with screws

■ 180° swivel allows you to move plants in front of window in daytime and swing out of way of curtains at night

Catalog Number	Quantity in Pack	Packs in Box	Packs in Case	Case Weight (lbs.)
SP722	1	10	100	24

Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight (lbs.)
CD722	1	10	100	30

Visual pack, with screws, steel — Black (J2) or brass (US4) finishes

CD722



Steel – White, black (J2), brass (US4), antique (F4), (F8) finishes SP725⁴

Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight (lbs.)
SP725	2	10	100	22

Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight (lbs.)
CD725	2	10	100	26

Visual pack, steel — White, black (J2), brass (US4), antique (F4), (F8) finishes

CD725

ROTATING CEILING HOOK

CD726 Steel - Black (KJ1) or brass (US4) finishes

- Swivel feature allows plants to be rotated towards light
- Promotes uniform growth
- Makes watering easier

Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight (lbs.)
CD726	2	10	100	19



PLANT SWIVEL ATTACHMENT

CD727 Steel — Black (KJ1) or brass (US4) finishes

- Can be used with all Stanley plant hangers
- Swivel allows plants to be rotated for uniform light exposure
- Promotes even growth of foliage

Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight (lbs.)
CD727	2	10	100	10



DECORATIVE CHAIN KIT

CD728 Steel - Black (J2) or brass (US4) finishes

- Consists of three pieces of 18" decorative chain, three "S" hooks and one "C" hook
- Converts any common hanging pot with three holes in rim into decorative hanging planter

Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight (Ibs.)
CD728	1	10	100	20





ADJUSTABLE POT HANGER

Steel – Black (J2) or brass (US4) finishes CD729

- Consists of four 18" lengths of decorative chain, "C" hook and metal saddle
- Converts any pot up to 8" in diameter into a decorative hanger planter quickly and easily

Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight (lbs.)
CD729	1	10	100	35

DECORATIVE CHAIN EXTENDER

Steel – Black (J2) or brass (US4) finishes CD730

- Consists of 24" of decorative chain and two "C" hooks
- May be used to vary hanging height of hanging planters, hanging birdcages, pictures and other decorative items

Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight (lbs.)
CD730	1	10	100	16

ADJUSTABLE PLANT HANGER TRACK

Steel - White finish, with screws V731

- Adjustable plant hanging system that allows for infinite variation in decorating with plants
- Features four swivel hooks that slide to any desired position on a ceiling mounted track
- Swivel hooks allow plants to be rotated toward the light to promote uniform growth

Catalog Number	Length Inches	Quantity Per Pack	Packs Per Case	Case Weight (lbs.)
V731	36	1	5	6

DECORATIVE PLANT HANGER BRACKET

V732 Steel - Black (J2) finish, with screws

Swivel feature allows plant to be turned toward light to promote uniform growth

	Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight (lbs.)
1	V732	1	5	25	12



UNIVERSAL PLANT HOOK

CD733 Steel — Black (KJ1) or brass (US4) finishes

- Can be used to hang plants almost anywhere drapery rods, curtain rods, rain gutters, etc.
- Can also be used as an all purpose connector to join lengths of chain, macrame and rope

Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight (Ibs.)
CD733	2	10	100	13



UNIVERSAL PLANT HOOK WITH SWIVEL

CD734 Steel - Black (KJ1) or brass (US4) finishes

■ Swivel hook allows plant to be turned toward light to promote uniform growth

Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight (lbs.)
CD734	2	10	100	18



OVERHEAD PLANT SWIVEL

CD735 Steel - Black (KJ1) or brass (US4) finishes

Swivel allows plant to be turned toward light, promotes uniform growth and makes watering easier

Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight (Ibs.)
CD735	2	10	100	13



0

	Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight (Ibs.)
Г	CD736	4	10	100	5

PLANT "S" HOOKS

Steel - Black (KJ1) or brass (US4) finishes CD736

■ All purpose connector for joining lengths of chain, macrame and rope



Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight (lbs.)
CD737	3	10	100	10

PLANT HOOK

Steel — Black (KJ1) or brass (US4) finishes CD737

■ Versatile plant hook




Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight (lbs.)
CD738	1	10	100	16

SWIVEL CEILING HOOK

Steel – Black (J2), brass (US3) or antique brass (F8) finishes CD738

- Swivel allows plant to be rotated toward light
- Promotes uniform growth
- Makes watering easier



DECORATIVE PLANT HANGER

Steel — Black (J2), brass (US3), antique copper (D3) or antique silver (K4) finishes V780

- Decorative hammered finish
- Heavy duty design
- Holds up to 16" pots

		-				
-	Catalog Number	Size (inches)	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight (lbs.)
	V780 V780	5 x 7 9 x 11	1 1	5	25 5	10 5


PLANT HANGER KITS

PLANT TRACK CEILING SYSTEM

781 Steel — White finish track, with brass plated (US4) chain

- Consists of one 731 track, with four 728 chains
- Features four swivel hooks that slide to any desired position on a ceiling mounted track
- Swivel hooks allow plants to be rotated toward the light to promote uniform growth

Catalog	Quantity	Packs in Case	Case Weight
Number	Per Pack		Average (lbs.)
781	1	5	8



PLANT BRACKET WITH CHAIN

782 Steel — Black finish (J2) bracket and chain

■ Consists of one 732 bracket with one 728 chain

Catalog	Quantity	Packs in Case	Case Weight
Number	Per Pack		Average (lbs.)
782	1	5	5



PLANT HANGER WITH CHAIN

783 Steel — Brass plated (US3) plant hanger, with brass plated (US4) chain

■ Consists of one 780 5" x 7" hanger with one 728 chain

Catalog	Quantity	Packs in Case	Case Weight
Number	Per Pack		Average (lbs.)
783	1	5	4






Catalog Number	Size	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight Average (lbs.)
CD2060 R.H. or L.H.	3½"x3½" 4" x4"	1 ea. 1 ea.	5 5	50 50	34 45

ADJUSTABLE SPRING HINGE

Steel - Satin brass finish CD2060

- A stylish self-closing adjustable spring hinge
- Available for both right or left-hand doors
- Comes in two popular sizes 3½" and 4"
- Fits most residential doors
- Comes complete with adjusting wrench, locking pin and screws



Catalog	Size	Quantity	Packs	Case Weight
Number		Per Pack	Per Case	Average (lbs.)
SP1300	36"	1 ea.	10	4

WOOD AND VINYL DOOR BOTTOM WEATHER STRIP

SP1300⁴

- Provides a positive seal against drafts, cold, heat and dust
- Can be painted or stained to match any color door
- Features patented T-lock construction that prevents vinyl sweep from being pulled out of wood when installed
- A 36" wood strip with durable, flexible virgin vinyl sweep
- Can be applied on either inside or outside of door



Catalog	Size	Quantity	Packs	Case Weight
Number		Per Pack	Per Case	Average (lbs.)
SP1301	36"	1 ea.	10	3

ALUMINUM AND VINYL DOOR BOTTOM WEATHER STRIP

SP1301⁴

- A 36" anodized aluminum strip with a flexible virgin vinyl sweep
- Vinyl sweep stays flexible even in extreme cold weather
- Helps stop drafts and cold underneath doors
- Installs quickly and easily
- Can be applied on either side of door



AUTOMATIC DOOR BOTTOM WEATHER STRIP

SP1305⁴

- Helps prevent draft, cold, heat and dust from passing underneath door
- Features a spring action that reduces wear to both carpeting and vinyl sweep
- A 36" aluminum strip with a flexible vinyl sweep and tough nylon roller
- Vinyl sweep stays pliable in extreme cold weather
- For exterior use only




Catalog	Size	Quantity	Packs	Case Weight
Number		Per Pack	Per Case	Average (lbs.)
SP1305	36"	1 ea.	10	7

ALUMINUM AND VINYL DOOR WEATHER STRIP SET

V1310

- Provides an airtight seal against drafts and cold
- Easily fits to any wood or metal door frame
- Two 7' and one 3' aluminum sections with virgin vinyl beaded insets
- Fits one average door
- Installs quickly and easily




Catalog	Size	Quantity	Packs	Case Weight
Number		Per Pack	Per Case	Average (lbs.)
V1310	2–7′ section 1–3′ section	1 set	10	11

WOOD AND VINYL DOOR WEATHER STRIP SET

V1312

- Stops drafts and cold around one average door
- Can be painted or stained to match any color door
- Features patented T-lock construction that prevents vinyl insert from being pulled out of wood when installed
- Two 7' and one 3' wooden sections with virgin vinyl beaded inserts



Catalog	Size	Quantity	Packs	Case Weight
Number		Per Pack	Per Case	Average (lbs.)
V1312	2—7' section 1—3' section	1 set	10	13

[▲]Item now in SUPER-PAC. See page 34





Catalog	Size	Quantity	Packs	Case Weight
Number		Per Pack	Per Case	Average (lbs.)
SP1316 no. 1 SP1316 no. 2	½"x¾"x17' ¼"x¾"x17'	1 roll	10 10	2 2

WINDOW AND DOOR WEATHER STRIP TAPE SP1316*

- Helps cut heating costs and saves energy around windows, doors and air conditioners
- Available in two popular sizes
- Weatherproofs one average window or door
- Open cell polyurethane foam with self-adhesive backing
- Installs quickly and easily
- Comes in a white finish





Catalog Number	Size	Quantity Per Pack	Packs Per Case	Case Weight Average (lbs.)
SP1318 no. 1 SP1318 no. 2	½"x¼"x17' %"x¾"x17'	1 roll	10 10	1 2

WINDOW AND DOOR WEATHER STRIP TAPE SP1318*

- Closed cell vinyl foam with self-adhesive backing
- Stops drafts and cold around windows, doors and air conditioners
- Available in two popular sizes in a gray finish
- Weatherproofs one average window or door
- Installs quickly and easily





Catalog	Quantity		Packs	Case Weight	
Number	Size Per Pack		Per Case	Average (lbs.)	
SP1325	1"x45'	1 roll	10		

TRANSPARENT WEATHERPROOF TAPE SP1325*

- Stops drafts and cold from cracks around windows and air conditioners
- Can be applied quickly and easily and removed easily

MULTI-USE CLOTH DUCT TAPE

SP1326*

- Seals and reinforces heating and cooling ducts, downspouts, pipes and air conditioners
- A 2" wide x 10 yd. roll of an aluminized cloth, high tensile strength tape with a strong adhesive backing





Catalog	Size	Quantity	Packs	Case Weight
Number		Per Pack	Per Case	Average (lbs.)
SP1326	2"x10 yds.	1 roll	10	5

PIPE INSULATING TAPE

SP1328*

- A self-adhesive closed cell vinyl foam with an aluminum covering
- Retards sweating from cold pipes and reduces loss from hot pipes





Catalog	Size	Quantity	Packs	Case Weight
Number		Per Pack	Per Case	Average (lbs.)
SP1328	½"x2"x15'	1 roll	10	5

TAPE CAULK WEATHER STRIP SP1332*

- Helps cut heating costs and saves energy around windows, air conditioners and anywhere else drafts are a problem
- Preformed, moldable caulk with a strong adhesive feature
- Designed for quick and easy installation





Catalog	Size	Quantity	Packs	Case Weight
Number		Per Pack	Per Case	Average (lbs.)
SP1332	30′	1 roll	10	8



Catalog Number	Size	Quantity Per Pack	Packs Per Case	Case Weight Average (lbs.)
V1302	36"	1	10	3

PREMIUM QUALITY DOOR BOTTOM WEATHER SEAL V1302

 Designed to stop drafts, cold, heat, and dust from underneath doors

Patented sealing edge combines polypropylene pile with an internal fin to provide an effective seal even on irregular surfaces

 Minimum drag insures easy door movement and extra long life

■ 36" attractive mounting strip fits closely to the surface of the door for a neat appearance

■ Installs quickly and easily

Available in both white and brown to match light and dark colored doors



Catalog Number	Size	Quantity Per Pack	Packs Per Case	Case Weight Average (lbs.)
V1313	4–42" sections 1–36" section	1 set	10	4

PREMIUM QUALITY SELF-STICK DOOR WEATHER SEAL V1313

- Long lasting premium quality weather seal designed to stop drafts, cold, heat, and dust from around doors
- Remains flexible even in temperatures ranging from -25°F to +140°F
- Self-sticking provides for easy installation with no tools other than scissors
- Not visible from either the inside or outside when the door is closed
- Four 42" sections and one 36" section to weather seal one average (7' x 3') door
- Available in both white and brown to match light and dark colored doors

PREMIUM QUALITY STORM WINDOW REPLACEMENT WEATHER SEAL V1330





Catalog	Size	Quantity	Packs	Case Weight
Number		Per Pack	Per Case	Average (lbs.)
V1330	40′	1	10	

- Designed to replace original pile, found in 90-95% of all aluminum combination storm windows, that is worn or has shrunken with age
- Reestablishes a still air space between the window and storm window which acts as a thermal barrier
- Allows for easy movement of storm windows and reduces window rattle
- 40' of 100% polypropylene yarn enough for two complete combination storm windows
- Easily installed, this long lasting replacement pile is an effective weather sealing product

PREMIUM QUALITY SELF-STICK HINGED WINDOW WEATHER SEAL V1331





Catalog	Size	Quantity	Packs	Case Weight
Number		Per Pack	Per Case	Average (lbs.)
V1331	18′	1	10	4


- Specifically designed for all types of hinged windows including casement, awning, french and basement
- Exclusive rubber/plastic compound remains flexible over a wide temperature range to provide an effective compression weather seal
- 18' of a single extruded soft sealing bead with a firm mounting base
- Self-sticking provides for easy installation with no tools, other than scissors
- Not visible from either the inside or the outside when the window is closed
- Available in both white and brown to match light and dark colored windows

THE STORAGE SYSTEM

STORAGE SYSTEM

SP8300 Steel - Bright zinc plated

- Available in 2 sizes: 4 hooks with 16" bar, 8 hooks with 32" bar
- 2" hooks
- Hooks can be added or removed with bar still attached to wall
- Hang lawn and garden tools, lawn furniture, hand and power tools, brooms, mops, sports equipment
- Holds up to 10 lbs. per hook or 40 lbs. per 16" bar



Catalog	Size	Quantity	Packs	Packs	Case Weight
Number		Per Pack	Per Box	Per Case	Average (lbs.)
SP8300 SP8300	16" 32"	1 1	10	100 10	48 10

MINI-STORAGE SYSTEM

SP8312 Steel - Bright zinc plated

- Four ¾" hooks with 16" bar
- Use for lightweight storage in garage, sheds, basements, closets
- Hang mops, brooms, dustpans, small tools, work-
- Holds up to 5 lbs. per hook or 20 lbs. per bar



Catalog	Size	Quantity	Packs	Packs	Case Weight
Number		Per Pack	Per Box	Per Case	Average (lbs.)
SP8312	16"	1	10	100	26

STORAGE SYSTEM HOOK

SP8306 Steel - Bright zinc plated

- Slide to any position on bar
- Curved to prevent product from falling off
- Have safety feature which prevents hooks from accidentally being knocked off




Catalog	Size	Quantity	Packs	Packs	Case Weight
Number		Per Pack	Per Box	Per Case	Average (lbs.)
SP8306	2"	4	10	100	20

HEAVY DUTY STORAGE HOOK

SP8309 Steel - Bright zinc plated

- Supports up to 50 lbs.
- Can be used to store tires, ladders, and lawn furniture



Catalog	Size	Quantity	Packs	Packs	Case Weight
Number		Per Pack	Per Box	Per Case	Average (lbs.)
SP8309	5"	2	10	100	64

[▲]Item now in SUPER-PAC. See page 34




STANLEY DISPENSA-PAC SYSTEM

YOU HAVE 12 DIFFERENT PACKAGED PRODUCTS TO SELECT FROM FEATURES OF DISPENSA-PAC CARTONS

- All Dispensa-Pac items in identified SUPER-PACS, with screws where required
- Dispensa-Pac cartons clearly labeled with picture of product, class number and finish
- New Dispensa-Pac carton size and shape makes stocking easier

DISPENSA-PAC PRODUCTS



ROLLER CABINET CATCH

Dispensa-Pac, with screws, placed — Bright zinc plated DP35

Shock-absorbing, self-aligning rubber rollers provide quiet, positive action

1 ea. in Pack | 100 Packs in Case Case Wt. Av. 6 lbs.



SOLID DOOR STOP


Dispensa-Pac, die cast – Satin brass finish DP7071

Solid type door stop, 3" projection, with white rubber tip

1 ea. in Pack

75 Packs in Case

Case Wt. Av. 5 lbs.



MAGNETIC CATCH

Dispensa-Pac, with screws, aluminum — Plain finish **DP41***

Magnet automatically adjusts for warpage or shrink age of door. Aluminum case with a zinc plated steel strike *U.S. Pat. No. 2,935,352

1 ea. in Pack | 100 Packs in Case | Case Wt. Av. 11 lbs.



SASH LOCK

Dispensa-Pac, with screws, die cast. Satin brass finish

DP7073

Conventional crescent type sash lock and strike for double hung sash

50 Packs in Case | Case Wt. Av. 7 lbs.



MAGNETIC CATCH

Dispensa-Pac, with screws, tan plastic

Tan color polypropylene case with floating magnet. Single screw mounting. Zinc plated steel strike *U.S. Pat. No. 2,935,352

1 ea. in Pack | 100 Packs in Case

Case Wt. Av. 7 lbs.



HAND RAIL BRACKET

Dispensa-Pac, with screws, die cast — Satin brass finish

DP7081

For supporting wood hand rail at any required angle on stairways. Sturdy die cast with steel keeper

1 ea. in Pack

50 Packs in Case

Case Wt. Av. 8 lbs.



MAGNETIC CATCH

Dispensa-Pac, with screws, aluminum - Plain finish

Double magnetic catch for pairs of cabinet doors or full size doors. Floating action magnet and pole assemblies pivot for full contact with strikes *U.S. Pat. No. 2.935.352

1 ea. in Pack 50 Packs in Case

Case Wt. Av. 10 lbs.



Dispensa-Pac, with screws, cast metal — Satin brass finish

DP7082

COAT HOOK

Die cast coat and hat hook for closets. Foot has two screw holes for fastening

1 ea. in Pack | 100 Packs in Case | Case Wt. Av. 9 lbs.



MAGNETIC CATCH

Dispensa-Pac, with screws, aluminum — Plain finish **DP46***

Shatter-proof magnet has floating action. Designed to accommodate entire range of cabinet door applications. Zinc plated steel strike

*U.S. Pat. No. 2.935.352

1 ea. in Pack 100 Packs in Case

Case Wt. Av. 7 lbs.




HINGE PIN DOOR STOP

Dispensa-Pac, die cast – DP7090*

Adjustable, can be set to desired door opening. Large flat self adjusting shoe makes full safe contact with door. Fits pin of average room door hinge *U.S. Pat. No. 3,187,372

1 ea. in Pack | 50 Packs in Case

Case Wt. Av. 5 lbs.



PLASTIC POLE SOCKET

Dispensa-Pac, with screws, DP7056 white plastic

Accommodates wooden clothes poles up to 13/8" in diameter. Mounted with single screw

40 Packs in Case Case Wt. Av. 3 lbs.



FLEXIBLE DOOR STOP

Dispensa-Pac, die cast DP7092 base - Satin brass finish

Spring type stop, 3" projection, with white rubber tip and die cast base

1 ea. in Pack 100 Packs in Case

Case Wt. Av. 5 lbs.

CD4(US2C) 13/4" TURN BUTTONS

Zinc plated wrought steel for storm sash, screens, and storage cupboards



ADJUSTABLE OLLER CATCH

Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
4 ea.	10	100	10	9478-A

CD35(US2C) CABINET CATCH

Steel, zinc finish, double rubber rollers insure a smooth operation — tight fit. Elongated screw holes for easy installation



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	100	8	17-A

*CD26(US3) ADJUSTABLE ROLLER CATCH

Steel, brass plated, nylon roller for long life. For use on interior doors and cabinets



Pat. Number 3,031,220				CD26 US3
Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight	In Uni-Rack II™ Assortment Number
1 ea.	5	50	5	17-A

CD37(US2C) CABINET CATCH

Tempered steel strike. Marking rings on strike locate screw holes automatically. Bright zinc plated



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	100	8	17-A

CD27 (US2C) SCREEN CORNER BRACES

Wrought steel, zinc plated for reinforcing screens. Can be used on screens with metal channels



STANLEY

CABINET CATCH

Quantity		Packs	Case	In Uni-Rack II™
Per Pack		Per Case	Weight	Assortment Number
4 ea.	10	100	23	9478-A

*CD41(US28) MAGNETIC CATCH

Shatterproof impregnated rubber magnet. Automatically adjusts for warping or shrinking of door. Minimum protrusion from shelf or frame. Aluminum case with zinc plated steel strike




Quantity	Packs	Packs	Case	In Uni-Rack II [™]
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	100	14	17-A

*Pat. Number 2,935,352

*CD34(US2C) CABINET CATCH

Steel, zinc plated, for all cabinet doors. Elongated screw holes in catch for easy adjustment. Jaws adjust automatically for normal wood shrinkage

*Pat. Number 2,711,335



*CD42 MAGNETIC CATCH

For lipped or flush doors, plastic case blends well with most finishes



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	100	10	17-A

*Pat. Number 2,935,352

*CD46(US28) MAGNETIC CATCH

Accommodates entire range of cabinet door applications. Impregnated rubber magnet is shatterproof and withstands rugged use. Floating action of magnet and pole piece assures perfect alignment with strike



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	100	10	

*Pat. Number 2,935,352

CD150(US4) GRAVITY PIVOTS*

Designed for carefree operation of louver or dwarf doors 34" to 13%" thick. Doors automatically return to closed position. When desired doors can be held open at 90° on either side



Quantity	Packs	Packs	Case	In Uni-Rack II [™]
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 set	5	50	17	22-A

^{*}Pat. Number 3,378,881

CD164(US4) 31/2" HALF SURFACE HINGE

Wrought steel, satin brass finish. For all interior doors



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	5	50	30	22-A

CD205 (US2C) UTILITY HOLDER

Wrought steel with rubber grip. Mounted on wall, will hold papers, charts, towels, hats, etc. Zinc plated, rust resistant



Quantity	Packs	Packs	Case	In Uni-Rack II [™]
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	5	100	12	21-A

CD158(US2C) SCREEN DOOR SPRING HINGE

Wrought steel, bright zinc plated for light residential screen doors — full surface application



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	100	29	9478-A

CD210(US2C) "SNAPPY CATCH"

Wrought steel, zinc plated. Holds screen and storm doors shut and rattle tight



Quantity	Packs	Packs	Case	In Uni-Rack II [™]
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	50	9	9478-A

Items packed with screws where required

CD295 (US4) CABINET HINGE

Wrought steel, narrow loose pin hinges for cabinets, book cases, small closets, etc. Three sizes to fit any job, satin brass finish



Size	Quantity	Packs	Packs	Case	In Uni-Rack II [™]
	Per Pack	Per Box	Per Case	Weight	Assortment Number
1½"	1 pr.	10	100	13	} 10-A
2"	1 pr.	10	100	20	
2½"	1 pr.	10	100	26	
3"	1 pr.	10	100	42	

SC311(US3) 11/6" x 30", 11/6" x 48", 11/2" x 30" or 11/2" x 48"

SC311(US14) 11/6" x 30", 11/6" x 48", 11/2" x 30" or 11/2" x 48"

CONTINUOUS HINGES — Plated Steel

Plated steel continuous hinges in two widths and two finishes, with screw holes spaced 2" apart. Can be cut easily to any desired length. Ideal for cabinet, chest, boating or furniture work. Precision made of wrought steel, bright brass or bright nickel finishes



Size	Quantity	Packs	Case	In Uni-Rack II [™]
	Per Pack	Per Case	Weight	Assortment Number
11/6" x 30"	1	5	3	11-A
11/6" x 48"	1	5	6	9461-A
11/2" x 30"	1	5	5	11-A
11/2" x 48"	1	5	7	9461-A

SC311 $\frac{1}{4}$ (US3) $- \frac{1}{6}$ " x 30", $\frac{1}{6}$ " x 48", $\frac{1}{2}$ " x 30" or $\frac{1}{2}$ " x 48"

SC3111/4(US26) - 11/6" x 30", 11/6" x 48", 11/2" x 30" or 11/2" x 48"

CONTINUOUS HINGES — Solid Brass

Solid brass continuous hinges in two popular widths and finishes, with screw holes spaced 2" apart. Can be cut to any desired length. Ideal for boating work or where a solid brass hinge is desirable. Bright brass or bright chrome finishes



Size	Quantity	Packs	Case	In Uni-Rack II™
	Per Pack	Per Case	Weight	Assortment Number
1½" x 30"	1	5	4	12-A
1½" x 48"	1	5	6	9462-A
1½" x 30"	1	5	5	12-A
1½" x 48"	1	5	8	9462-A

SCAL3111/4 AL2 - 11/6" x 30" or 11/2" x 30" SCAL3111/4 AL3 - 11/6" x 30" or 11/2" x 30"




CONTINUOUS HINGES — Aluminum

Rustproof aluminum hinges in two widths and two finishes, with screw holes spaced 2" apart. Can be cut easily to any desired length. Ideal for cabinets, marine specifications, furniture work or paneled offices. English Walnut (AL2) or French Gold (AL3) finishes available

Size	Quantity	Packs	Case	In Uni-Rack II [™]
	Per Pack	Per Case	Weight	Assortment Number
1½" x 30" 1½" x 30"	1 ea. 1 ea.	5 5	2 3	} 13-A

CD343(US3) BRASS PLATED CABINET HINGE

Finely finished brass plated spring hinges. Perfect for self closing small doors and cabinets



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ¹ / ₄	2 2	10	100	14	9447-A
2		10	100	24	9447-A

CD346(US4) LIGHT SAFETY HASP

Wrought steel, satin brass plated. Closed length 25%". Cannot be unscrewed from door when locked



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	100	10	1-A

Items packed with screws where required


CD379(US4) SURFACE BOLT

Wrought steel, finished in satin brass. These half round surface bolts have non-marring guides to insure easy operation and lasting beauty. For use on pairs of doors



CD441 (US3) FOLDING LEG BRACES


Length over all $9\frac{1}{2}$ ", width $\frac{1}{2}$ ". Wrought steel, bright brass finish



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
	Per Pack	Per Box	Per Case	Weight	Assortment Number
4"	1 ea.	5	50	10	} 5-A
6"	1 ea.	5	50	12	

CD430 (US3) 71/2" LID SUPPORT

Reversible, can be used either right or left hand. Length 7½". Wrought steel, bright brass finish



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	100	17	9447-A

CD450(US4) or (F8) **13**/4"

Packs Per Box

5

50

15

Quantity Per Pack

1 pr.

BAR LATCH

This smartly designed latch ideal for cabinets and chests. Steel finely finished in satin brass or antique brass




In Uni-Rack II™ Assortment Number

9447-A

Quantity	Packs	Packs	Case	In Uni-Rack II TM
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	100	8	US4 — 21-A F8 — 9473-A

CD432(US3) BRASS PLATED LID SUPPORT

Brass plated lid support. Non reversible, locks into position. Perfect for holding up lids on boxes, chests, etc.



Size Quantity Packs Packs Case In Uni-Rack II™ (inches) Per Pack Per Box Per Case Weight Assortment Number

10 2 10 100 30 9447-A

CD479(US4) or (US2C) PULL

Satin brass or bright zinc finish on wrought steel. This 41/8" long pull ideally suited for screen doors, storm doors and drawers



Quantity	Packs	Packs	Case	In Uni-Rack II [™]
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	100	8	25-A

Items packed with screws where required

CD482 DOOR PULL

Wrought steel pull. Bright zinc finish. No. 2 also in satin brass finish. This pull designed for heavy service



Size	Quantity	Packs	Packs	Case	In Uni-Rack II T.M.
	Per Pack	Per Box	Per Case	Weight	Assortment Number
No. 2	1 ea.	5	50	10	25-A
No. 3	1 ea.	5	50	14	25-A

CD486 (US4) of (F8) SASH LIFTS

Smartly designed and finished in satin brass or antique brass. This sash lift has ample protection for maximum leverage



Quantity	Packs	Packs	Case	In Uni-Rack II T.M.
Per Pack	Per Box	Per Case	Weight	Assortment Number
2 ea.	10	100	11	US4 – 21-A F8 – 9473-A

CORRUGATED NAILS

702-06-05, 702-08-05, 702-10-05



These razor sharp, high grade steel fasteners ideally suited for all types of repair work on screens, furniture, etc.

Catalog	Quantity	Packs	Packs	Case	In Uni-Rack II [™]
Number	Per Pack	Per Box	Per Case	Weight	Assortment Number
702-06-05 702-08-05 702-10-05	20 ea.	20 20 20	200 200 200	12 16 19	} 26-A

CD703AL CORRUGATED NAIL SET

Positions and drives corrugated nails quickly, accurately and safely



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1	10	50	10	26-A

V720(KJ1) PLANT HANGER

Black finish with protective zinc plating underneath for weatherresistant outdoor use. Heavy duty design



Quantity	Packs	Case	In Uni-Rack II T.M.
Per Pack	Per Case	Weight	Assortment Number
1	5	7	9463-A

CD722(J2) or (US4) SWIVEL PLANT HANGER


Black or satin brass finish on wrought steel. Swivel allows you to move plants in front of window in daytime and swing out of way of curtains at night

Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight	In Uni-Rack II T.M. Assortment Number
1	10	100	30	9465-A

Items packed with screws where required

CD725 (white), (J2), (US4), (F4) or (F8) DECORATIVE CEILING HOOKS

Offered in five attractive finishes, white, black, brass and antique brass. For mounting to solid or hollow gypsum wallboard or plaster ceilings



CD728(J2) or (US4) DECORATIVE CHAIN KIT

Black or satin brass finish. Converts any common hanging pot with three holes in rim into decorative hanging planter. Kit consists of three pieces of 18" decorative chain, "S" and "C" hook connections




Quantity	Packs	Packs	Case	In Uni-Rack II T.M.
Per Pack	Per Box	Per Case	Weight	Assortment Number
1	10	100	20	9468-A

Quantity Per Pack Packs Per Box Packs Per Case Case Weight In Uni-Rack IIT.M. Assortment Number 2 10 100 26 White — 9471-A J2, US4, F4, F8 — 9465-A

CD726(KJ1) or (US4) ROTATING CEILING HOOK

Black or satin brass finish on wrought steel. Swivel feature allows plants to be rotated toward light, promotes uniform growth, makes watering easier



CD729(J2) or (US4) ADJUSTABLE POT HANGER

Black or satin brass finish. Consists of four 18" lengths of decorative chain, "C" hook connector and metal saddle. Converts any pot up to 8" in diameter into a decorative hanging planter quickly and easily




Quantity	Packs	Packs	Case	In Uni-Rack II ^{T.M.}
Per Pack	Per Box	Per Case	Weight	Assortment Number
2	10	100	19	9470-A

Quantity	Packs	Packs	Case	In Uni-Rack II T.M.
Per Pack	Per Box	Per Case	Weight	Assortment Number
1	10	100	35	9468-A

CD727(KJ1) or (US4) PLANT SWIVEL ATTACHMENT

Black or satin brass finish on wrought steel. Can be used with all plant hangers. Swivel allows plants to be rotated for uniform light exposure and promotes even growth of foliage



CD730(J2) or (US4) DECORATIVE CHAIN EXTENDER

Black or satin brass finish may be used to vary hanging height of hanging planters, hanging birdcages, pictures and other decorative items. Consists of 24" of decorative chain and connecting "C" hooks



Quantity	Packs	Packs	Case	In Uni-Rack II T.M.
Per Pack	Per Box	Per Case	Weight	Assortment Number
2	10	100	10	9469-A

Quantity	Packs	Packs	Case	In Uni-Rack II T.M.
Per Pack	Per Box	Per Case	Weight	Assortment Number
1	10	100	16	9468-A

Items packed with screws where required


V731 (white)
ADJUSTABLE PLANT
HANGER TRACK

Attractive white finish track is three feet in length. An adjustable plant hanging system that allows for infinite variation in decorating with plants. Has four swivel hooks that slide to any desired position



CD734(KJ1) or (US4) UNIVERSAL PLANT HOOK WITH SWIVEL

Black or satin brass finish. May be used to hang plants almost anywhere. Swivel hook allows plant to be turned toward light to promote uniform growth



Quantity	Packs	Case	In Uni-Rack II T.M.
Per Pack	Per Case	Weight	Assortment Number
1	5	6	9472-A

Quantity	Packs	Packs	Case	In Uni-Rack II T.M.
Per Pack	Per Box	Per Case	Weight	Assortment Number
2	10	100	18	9469-A


V732(J2) DECORATIVE PLANT BRACKET

Attractive black finish. Swivel feature allows plant to be turned toward light to promote uniform growth



CD735(KJ1)	or (US4)
OVERHEAD	PLANT
SWIVEL	

Black or satin brass finish. Swivel feature allows plant to be turned toward light, promotes uniform growth, and makes watering easier




Quantity	Packs	Packs	Case	In Uni-Rack II ^{T.M.}
Per Pack	Per Box	Per Case	Weight	Assortment Number
1	5	25	12	9471-A

Quantity	Packs	Packs	Case	In Uni-Rack II T.M.
Per Pack	Per Box	Per Case	Weight	Assortment Number
2	10	100	13	9470-A

CD733(KJ1) or (US4) UNIVERSAL PLANT HOOK

Black or satin brass finish. Can be used to hang plants on drapery and curtain rods, rain gutters, and as an all purpose connector to join lengths of chain, macrame and rope



CD736(KJ1) or (US4) PLANT "S" HOOK

Black or satin brass finish. All purpose connector for joining lengths of chain, macrame and rope. "S" hooks are 1" size



Quantity	Packs	Packs	Case	In Uni-Rack II ^{T.M.}
Per Pack	Per Box	Per Case	Weight	Assortment Number
2	10	100	13	9469-A


Quantity	Packs	Packs	Case	In Uni-Rack II T.M.
Per Pack	Per Box	Per Case	Weight	Assortment Number
4	10	100	5	9470-A



CD737(KJ1) or (US4) **PLANT HOOK**

Black or satin brass finish. Versatile plant hook

Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
3	10	100	10	9470-A



CD738(J2), (US3) or (F8) SWIVEL CEILING HOOK

Black, bright brass or antique brass finish. Swivel feature allows plant to be rotated toward light, promotes uniform growth, makes watering easier


Quantity	Packs	Packs	Case	In Uni-Rack II [™]
Per Pack	Per Box	Per Case	Weight	Assortment Number
1	10	100	16	9471-A



CD741 (US4), (US14), (A6), (F8) or (K4) **DOOR HINGE**

Wrought steel hinge. Size 3" x 3" in satin brass finish. Size $3\frac{1}{2}$ " x $3\frac{1}{2}$ " in satin brass, bright nickel, antique bronze, antique brass or antique silver. Size 4" x 4" in satin brass, antique bronze, antique brass or antique silver. For all wood doors $1\frac{3}{8}$ " to $1\frac{3}{4}$ ". Use three hinges to a door

Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment Number
3 x3 3½x3½ 4 x4	1 ea. 1 ea. 1 ea.	10 10 10	50 50 50	18 25 32	(US4) (US14) 9-A (A6) (F8) (K4) 9466-A





V780 (US3), (J2), (D3) or (K4) HAMMERED PLANT HANGER

Bright brass, black, antique copper or antique silver finish. Heavy duty. Decorative hammered finish. Holds up to 16" planter

Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment Number
5x 7	1 ea.	5	25	10	(US3) (J2) 9460-A
9x11	1 ea.		5	5	(D3) (K4) 9467-A



V791 (US3), (J2), (D3), or (K4) HAMMERED SI:ELF BRACKET

Bright brass, black, antique copper or antique silver finish. For installation above or below the shelf. Either arm of bracket can be attached to wall. Brackets act as book ends when installed above shelf. Can also be used for supporting mail boxes, window flower boxes, and hanging bird cages, outdoor lanterns, flower pots, etc.


Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment Number
3x 4 5x 7 9x11	1 pr. 1 pr. 1 pr.	5 5	20 25 5	6 19 10	

Items packed with screws where required

V794USP 12" x 12" FOLDING SHELF BRACKET

This steel bracket is finished in durable prime coat. Self-locking, bracket will fold out of the

will fold out of the way against the wall



Quantity Per Box Quantity Per Case Case Weight In Uni-Rack II™ Assortment Number 1 pr. 10 pr. 25 9404-A

V797BG SHELF BRACKET

Heavy gauge steel, deep channels for maximum strength. Wide size range. This bracket furnished in gray enamel finish



Size	Quantity	Packs	Packs	Case	In Uni-Rack II T.M.
	Per Pack	Per Box	Per Case	Weight	Assortment Number
4X 5 5X 6 6X 8 8X10 10X12 12X14	1 pr. 1 pr. 1 pr. 1 pr. 1 pr. 1 pr.	5 5 5 5 5 5 2	25 25 25 25 25 25 10	5 7 12 17 21 14	9404-A

CD804(US2C) UTILITY HINGE

A tough wrought steel hinge, five knuckles, loose pin, finished in rust resisting zinc. For doors, casements and general use



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Wt.	Assortment Number
2½x2½	1 ea.	10	100	27	} 9-A
3 x3	1 ea.	5	50	15	
3½x3½	1 ea.	5	50	24	
4 x4	1 ea.	5	50	32	

CD814 11/2" (US4) or (US2C) EXTRA WIDE HINGES

Wrought steel, extra wide leaves for added strength. This satin brass or zinc plated hinge opens to 3%". Suited for heavy cabinet work and folding shelves



Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Wt.	In Uni-Rack II™ Assortment Number
CD814(US4)-1½" CD814(US2C)-1½"	1 pr. 1 pr.	5 5	50 50	17 17	} 22-A

CD838(US2C) or (US3) UTILITY HINGE

Wrought steel, fast pin, narrow hinges for light cabinet and general work. Bright brass or bright zinc finish. Size 4" bright zinc only



Size (inches)	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Wt.	In Uni-Rack II™ Assortment Number
1 1½ 2 2½ 3 4	1 pr. 1 pr. 1 pr. 1 pr. 1 pr. 1 pr.	10 10 10 10 10 10	100 100 100 100 100 50	6 11 19 26 42 40	US2C, 10-A US3, 9447-A

Items packed with screws where required

CD875(US4) - 3/4" FOLDING SCREEN HINGES

Wrought steel, double acting hinge for two-way 3/4" folding screens. Satin brass plated



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 pr.	5	100	18	22-A

CD900(US2C) LIGHT STRAP HINGES

Wrought steel, zinc plated. For basement cupboards, tool boxes, many exterior uses



Size	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Wt.	In Uni-Rack II™ Assortment Number
2" 3" 4"	1 pr. 1 pr.	10 10	100 100	14 26 35	} 6-A
6"	1 pr. 1 pr.	10 5	100 50	38	2-A

V902 (US2C) HEAVY STRAP HINGES

Heavy wrought steel — these hinges offered in a wide range of sizes. Rust resistant ideally suited for exterior work — for storage and barn doors



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
	Per Pack	Per Box	Per Case	Wt.	Assortment Number
4" 5" 6" 8" 10"	1 pr. 1 pr. 1 pr. 1 pr. 1 pr.	2 2 2 2 2 2	20 20 20 10 10	11 16 34 28 40	7-A

CD904(US2C) LIGHT TEE HINGES

Rust resistant zinc finish on high grade wrought steel. These light weight hinges have many uses both outside and inside the home



Size	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Wt.	In Uni-Rack II™ Assortment Number
2"	1 pr.	10	100	16	
3"	1 pr.	10	100	28	6-A
4"	1 pr.	10	100	34)
6"	1 pr.	5	50	28	2-A

V908 (US2C) HEAVY TEE HINGES

Heavy wrought steel, zinc plated. These heavy duty tee hinges suited for all types of exterior work — barn doors, large gates, etc.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
	Per Pack	Per Box	Per Case	Weight	Assortment Number
4"	1 pr.	2	20	11	7-A
5"	1 pr.	2	20	23	
6"	1 pr.	2	20	38	
8"	1 pr.	2	10	30	
10"	1 pr.	2	10	46	

CD911(US2C) or (US3)* SAFETY HASP

Steel, bright zinc or bright brass* finish, suited for light cabinets, tool and tackle boxes.

*Available in 21/2" size only



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
	Per Pack	Per Box	Per Case	Weight	Assortment Number
2½"	1 ea.	10	100	14	US2C-2½", 1-A
3½"	1 ea.	10	100	30	US3-2½", 9448-A
4½"	1 ea.	10	50	22	US2C-3½" & 4½", 1-A
6"	1 ea.	5	50	40	US2C-6", 2-A

Items packed with screws where required

CD912 (US2C) HINGE HASP

Wrought steel hasp, full surface application. Pad may be bent to fit installation



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment Number
3	1 ea.	10	100	15	1-A
4½	1 ea.	10	100	23	2-A

CD915(US2C) SAFETY HASP

Heavy wrought steel safety hasp. Screws are concealed when locked. Adjustable staple to compensate for wood shrinkage or sagging door. Vertical staple allows lock to hang flat. Bright zinc plated



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
	Per Pack	Per Box	Per Case	Wt.	Assortment Number
3½"	1 ea.	10	100	31	1-A
4½"	1 ea.	10	100	43	1-A
6"	1 ea.	5	50	42	2-A

CD917 (US2C) "CLICK-LOCK" SAFETY HASP

Bright zinc finish on heavy wrought steel, staple "click-locks" into place with a quarter turn. Lock hangs flat. Rust resistant



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment Number
3½	1 ea.	10	100	31	1-A
4½	1 ea.	10	100	40	2-A

CD918(US2C) - 31/2" LATCHING SAFETY HASP

Use as a positive door latch as well as locking device, with eye for insertion of padlock. Unique design allows one hand to unlatch and open hasp. All screws concealed for safety. Delrin thumb piece and stainless steel spring. Furnished in rust resistant finish



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	100	27	1-A

CD925(US2C) 3" DOUBLE HINGED SAFETY HASP

Heavy duty steel finished in bright zinc. Especially designed for chests, tool and tackle boxes, sliding doors, etc. Screws are hidden when locked. Made with end turned up



Quantity	Packs	Packs	Case	In Uni-Rack II [™]
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	100	24	1-A

CD941(US2C) HEAVY DUTY HINGE HASP

Heavy duty steel finished in bright zinc. For general utility service. The square hole permits the use of a carriage bolt for security against removal



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	5	25	29	2-A

Items packed with screws where required

V951(US2C) SCREW HOOK AND STRAP HINGE


Heavy duty zinc plated steel. Suited for gates, etc. Especially designed for use with cedar posts



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
	Per Pack	Per Box	Per Case	Weight	Assortment Number
6" 8"	1 pr. 1 pr.	2 2	20 20	41 46	} 8-A

CD953(KJ1) SCREW HOOK AND EYE HINGE

Made of malleable iron. One pair consists of two hooks and two eyes. Dead black finish



Size	Quantity	Packs	Case	In Uni-Rack II™
	Per Pack	Per Case	Weight	Assortment No.
½" x 4"	1 pr.	5	6	9454-A

V974(US2C) HOOKS AND STAPLES

Made of wrought steel, zinc plated. Heavy duty construction. Three popular sizes



-	Size (inches)	Quantity Per Pack	Packs Per Box			In Uni-Rack II™ Assortment Number
	4 5 6	1 1 1	10 10 10	100 100 100	14 25 28	9474-A

V976 (US2C) STAPLES

Made of wrought steel, zinc plated. Heavy duty construction. Sharp diamond points. Five popular sizes



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment Number
1 1½ 2 2½ 3	8 6 4 2	10 10 10 10 10	100 100 100 100 100	6 8 9 8 10	9474-A

V990(US2C) SPLIT RING LOCK WASHERS

Sure-lock spring tension. Durable steel construction. Quality rust resistant finish



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment Number
3/6 1/4 5/16 3/8 1/2 ass'td.	25 20 15 10 5	20 10 10 10 10 10	400 200 200 200 200 200 200	28 29 35 32 39 40	36-A

V994(US2C) STEEL WASHERS

Wrought steel, zinc plated, these accurately sized washers are free of burrs, rust resistant



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment Number
3/6 1/4 5/6 3/8 1/2 Assorted	25 ea. 20 ea. 15 ea. 10 ea. 5 ea. 18 ea.	20 10 10 10 10 10	400 200 200 200 200 200 200	28 29 35 32 39 40	36-A

Items packed with screws where required

CD995(US2C) or (US3)* MENDING PLATES

Wrought steel, zinc or bright brass* finish. Many uses for these handy mending plates. Repairing furniture, screens and storm sash,



*Sizes 3" and 4" only, available bright brass finish

Size	Quantity	Packs	Packs	Case	In Uni-Rack II [™]
	Per Pack	Per Box	Per Case	Weight	Assortment Number
2" 3" 4" 6"	2 ea. 2 ea. 2 ea. 2 ea.	10 10 10 10	100 100 100 100	7 14 25 49	US2C-2", 3", 4", 20-A US2C-6", 2-A US3-3", 4", 9448-A

CD9951/2 (US2C) 3" x 3" FLAT TEE PLATES

Heavy wrought steel, zinc plated. These rust resistant tee plates are ideally suited for mending screens at cross rail, many other uses



Quantity	Packs	Packs	Case	In Uni-Rack II [™]
Per Pack	Per Box	Per Case	Weight	Assortment Number
2 ea.	10	100	21	

CD9961/2(BL) 1" x 1" CHAIR LEG BRACES


Wrought steel. The size and clean lines of this brace make it ideally suited for strengthening and repairing chair and table legs. Brown lacquer finish blends well with furniture finishes



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
4 ea.	10	100	20	22-A

CD997(US2C) or (US3)* CORNER BRACES

Sturdy zinc or bright brass* plated steel accurately formed right angle. This brace has many uses throughout the home and workshop



*Sizes 11/2", 2" and 3" available bright brass finish

Size	Quantity	Packs	Packs	Case	In Uni-Rack II [™]
	Per Pack	Per Box	Per Case	Weight	Assortment Number
1" 1½" 2" 2½" 3" 4"	2 ea. 2 ea. 2 ea. 2 ea. 2 ea. 2 ea.	10 10 10 10 10 5	100 100 100 100 50 25	7 11 17 23 17 16	US2C, 20-A US3, 9448-A

CD998 (US2C) 2" TRIPLE CORNER BRACE

Wrought steel, zinc plated. Strong, triple inside corner brace to reinforce boxes, chests and furniture



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
2	10	100	30	

CD999(US2C) or (US3)* FLAT CORNER IRONS

Tough, accurately sized, zinc or bright brass* plated, steel corner irons are offered in a wide range of sizes



*Sizes $\frac{3}{8}$ " x 2" and $\frac{1}{2}$ " x $\frac{21}{2}$ " available bright brass finish

Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
	Per Pack	Per Box	Per Case	Weight	Assortment Number
3/8"x1½" 3/8"x2" ½"x2½" ½"x3" 5/8"x4"	2 ea. 2 ea. 2 ea. 2 ea. 2 ea.	10 10 10 10 10	100 100 100 100 100	7 9 14 16 26	US2C, 19-A US3, 9448-A

Items packed with screws where required

CD1009(KJ1) CANE BOLT

Positive bolt for locking gates. Also holds gates open. Dead black finish



Size	Quantity	Packs	Case	In Uni-Rack II [™]
	Per Pack	Per Case	Weight	Asscrtment No.
12"	1	5	7	9454-A

CD1076(US4) BARREL BOLT

Steel, finished in satin brass. This small decorative bolt for windows and average weight doors



Catalog	Quantity	Packs	Packs	Case	In Uni-Rack II™
Number	Per Pack	Per Box	Per Case	Weight	Assortment Number
CD1076-2½"	1 ea.	10	100	17	} 3-A
CD1076-3"	1 ea.	10	100	20	
CD1076-4"	1 ea.	10	100	24	

CD1055 CHAIN DOOR BOLT

Heavy duty wrought steel with strong hard drawn wire spring for automatic latching. Furnished with surface strike and angle strike. Chain 24" long, bolt is reversible. Satin brass or bright zinc finish



Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Wt.	In Uni-Rack II ^{T.M.} Assortment Number
CD1055(US4)-4" CD1055(US2C)-6"	1 ea. 1 ea.	5 5	50 50	29 51	} 5-A

CD1078(US4), (US2C) or (B44)* BARREL BOLT

Multi purpose door bolt for average weight doors etc. Accurately sized wrought steel finished in satin brass or bright zinc




*B44 finish furnished on size 4" only

Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
	Per Pack	Per Box	Per Case	Weight	Assortment Number
2½" 3" 4" 5" 6"	1 ea. 1 ea. 1 ea. 1 ea. 1 ea.	10 10 10 10 10	100 100 100 100 50	18 21 26 32 19	US2C, 4-A US4, 3-A B44, 9300-A

CD1056 FOOT DOOR BOLT

Weather resistant — satin brass or bright zinc finish on wrought steel. Release is easily operated by simple touch of foot. Heavy spring retracts bolt



Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Wt.	In Uni-Rack II™ Assortment Number
CD1056(US4)-4" CD1056(US2C)-6"	1 ea. 1 ea.	5 5	50 50	24 44	} 5-A

CD1078M(B44) MINI BOLT GUARD

Solid brass. For cabinet doors, windows or wherever a small bolt is required. Surface strike and eyelet strike included. Walnut finish




Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	100	10	9300-A

Items packed with screws where required

CD1084(US2C) or (US4) HEAVY BARREL BOLT


Door bolt for heavy weight doors. Steel bright zinc or satin brass finish



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
	Per Pack	Per Box	Per Case	Weight	Assortment Number
4" 6"	1 1	5 5	50 50	20 36	} 5-A

CD1088(US2C) 6" HEAVY SQUARE SPRING BOLT

Equipped with a spring which holds the bolt in position. Steel bright zinc finish



Quantity		Packs	Case	In Uni-Rack II [™]
Per Pack		Per Case	Weight	Assortment Number
1 ea.	5	50	48	5-A

CD1205 (US2C) CHEST HANDLE

A strong, roomy handle for heavy duty chests, etc. Zinc plated on strong wrought steel



Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Wt.	In Uni-Rack II™ Assortment Number
CD1205(US2C)—No. 2¾	1 ea.	10	100	26	} 2-A
CD1205(US2C)—No. 3½	1 ea.	5	50	28	

CD1215(US2C) No. 1 FLUSH TRAP DOOR RING PULL

Heavy duty ring pull sets flush in trap or storage door, no projection into room or above floor level. Bright zinc plated



Quantity	Packs	Packs	Case	In Uni-Rack II [™]
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	5	25	12	25-A

CD1245 (US2C) - No. 2 PADLOCK EYES


Wrought steel, zinc plated. Attached in pairs, to edge of door and jamb. When doors are closed the screws are concealed and the padlock shackle can be slipped through both eyes. Size over all $2\frac{1}{8}$ " x $1\frac{7}{8}$ "



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 pr.	10	100	20	2-A

CD1260(US2C) No. 2 THUMB LATCH

Heavy duty steel, bright zinc plated, this thumb latch for all doors from $\frac{1}{2}$ " to $\frac{1}{2}$ ". Non-binding latch bar



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 set	5	50	24	25-A

Items packed with screws where required

CD1261(US2C) or (KJ1) GATE LATCH

Finely finished zinc or dead black on sturdy wrought steel. This latch is designed for use on flush gates. Rust and weather resistant



Finish	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight	In Uni-Rack II™ Assortment Number
US2C KJ1	1 ea. 1 ea.	10	100 5	43 3	8-A 9454-A

CD12611/2 (US2C) GATE LATCH


Made of wrought steel, zinc finish. For outswinging gates. Hole is provided in the trip for cord or wire release when required.



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1	10	100	38	8-A

CD1267 (US2C) GATE LATCH

Strong, sturdy steel, finished in weather resistant zinc. This double or single acting gate latch is designed for use on top of the gate. Brass spring and rivet insures longer life



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	5	50	42	8-A

CD1280(AL) or (FL) SCREEN AND STORM DOOR LATCH

Easily installed, no mortising required. Operates with an easy, positive push, pull or turn action. Offered in both sprayed aluminum or sprayed brass baked epoxy enamel finishes



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1	5	30	17	AL — 9476-A FL — 9478-A

CD1290(KJ1) ORNAMENTAL THUMB LATCH

For ornamental gates from gardens, patios, swimming pools, etc. Reversible for right hand or left hand application. Dead black finish



Size	Quantity	Packs	Case	In Uni-Rack II™
	Per Pack	Per Case	Weight	Assortment No.
101/2"	1	5	8	9453-A

CD1291(KJ1) ORNAMENTAL TEE HINGE

For ornamental gates from gardens, patios, swimming pools etc. Loose pins reversible for right hand or left hand application. Dead black finish



Size	Quantity	Packs	Case	In Uni-Rack II™
	Per Pack	Per Case	Weight	Assortment No.
75/6"	1 pr.	5	14	9453-A

Items packed with screws where required

CD1292(KJ1) ORNAMENTAL STRAP HINGE

For ornamental gates from gardens, patios, swimming pools etc. Loose pin — reversible for right hand or left hand application. Dead black finish



Size	Quantity	Packs	Case	In Uni-Rack II™
	Per Pack	Per Case	Weight	Assortment No.
12"	1 pr.	5	13	9454-A

CD1293(KJ1) ORNAMENTAL SCREW HOOK AND STRAP HINGE

For ornamental gates from gardens, patios, swimming pools, etc. For right hand or left hand application. Dead black finish



Size	Quantity Per Pack	Packs Per Case	Case Weight	In Uni-Rack II™ Assortment No.
8"	1 pr.	5	11	9454-A

CD1295(KJ1) GATE SPRING

For ornamental gates from gardens, patios, swimming pools, etc. Spring is made of best tempered steel wire of ample proportions, permitting tension adjustment for heavy gate requirements. Dead black finish



Size	Quantity	Packs	Case	In Uni-Rack II [™]
	Per Pack	Per Case	Weight	Assortment No.
11"	1 ea.	5	4	9453-A

CD1296(KJ1) ORNAMENTAL SPRING TEE HINGE

For self-closing ornamental gates from gardens, patios, swimming pools etc. For right hand or left hand application. Dead black finish



Size	Quantity	Packs	Case	In Uni-Rack II [™]
	Per Pack	Per Case	Weight	Assortment No.
8"	1 pr.	5	13	9453-A

CD1298(KJ1) ORNAMENTAL PULL

For pairs of ornamental gates from gardens, patios, swimming pools, etc. Dead black finish



Size	Quantity	Packs	Case	In Uni-Rack II™
	Per Pack	Per Case	Weight	Assortment No.
101/2"	1 ea.	5	2	9453-A

CD1475 (US4) 11/2" BUTTERFLY HINGES

Satin brass finish on wrought steel. This embossed cabinet hinge is designed for full surface application



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 pr.	10	100	18	22-A

Items packed with screws where required

CD1478(US4) BUTTERFLY HINGES

Fancy embossed steel, finely finished in satin brass. Full surface application



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 pr.	10	100	17	22-A

CD1701 (US2C) ADJUSTABLE SCREEN DOOR SPRING

Rust resistant zinc finish. Easily adjusts for heavy duty and light weight



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1	5	50	30	9478-A

CD1484(US4) BUTTERFLY HINGES

Small accurately made hinges for chests, and small cupboard doors. Satin brass plated



Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight	In Uni-Rack II [™] Assortment Number
1 pr.	10	100	9	22-A

CD1702(AL) or (KJ1) HYDRAULIC DOOR CLOSER

Available in aluminum or black finish. Closing speed is easily adjustable by turning cylinder. For aluminum and wood doors up to 1%" thick



Quantity	Packs	Case	In Uni-Rack II™
Per Pack	Per Case	Weight	Assortment Number
1	5	10	AL — 9476-A KJ1 — 9477-A

CD1700(AL) SCREEN AND STORM DOOR CLOSER

Ruggedly constructed closer for wood or aluminum screen and storm doors. Closing speed easily adjusted. Aluminum spray finish



Quantity	Packs	Case	In Uni-Rack II™
Per Pack	Per Case	Weight	Assortment Number
1 ea.	5	10	9476-A

CD1703(AL) SCREEN AND STORM DOOR LATCH

For aluminum or wood screen and storm doors 34" to 11/8" thick. Requires only 3 holes to install. Has positive safety slide. Zinc alloy die cast with baked aluminum enamel finish



Quantity	Packs	Packs	Case	In Uni-Rack II [™]
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 set	5	20	18	9476-A

Items packed with screws where required

CD1704(AL) or (KJ1) PUSHBUTTON LATCH

Available in aluminum or black finish. Weather and wear resistant. For aluminum and wood doors up to $1\frac{1}{4}$ " thick. Easily installed with only 3 holes



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1	5	20	15	

CD1707(US2C) CHAIN DOOR STOP

A heavy chain stop with compression spring that prevents damage to door. For wood or aluminum screen or storm doors. Zinc plated



Quantity	Packs	Packs	Case	In Uni-Rack II [™]
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	5	25	11	9478-A

CD1705(AL) or (KJ1) KEYLOCKING LATCH

Available in aluminum or black finish. For use where greater security is needed



Quantity	Packs	Packs	Case	In Uni-Rack II ™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1	5	20	15	AL — 9476-A KJ1 — 9477-A

CD1708(AL) or (KJ1) PNEUMATIC CLOSER

Available in aluminum or black finish. Adjustable closing speed. Weather and wear resistant. Silent closing



Quantity	Packs	Case	In Uni-Rack II ™
Per Pack	Per Case	Weight	Assortment Number
1	5	10	AL — 9476-A KJ1 — 9477-A

CD1706(AL) or (KJ1) TULIP KNOB LATCH

Available in aluminum or black finish. Weather and wear resistant. For aluminum and wood doors up to $1\frac{1}{4}$ " thick. Easily installed with only 3 holes



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1	5	20	15	AL — 9476-A KJ1 — 9477-A

CD1711(AL) or (KJ1) REPLACEMENT STRIKE PLATE

Available in aluminum or black finish. Positive spring action. Adjustable to replace original strike plates. For use with latches with solid or flexible strikes



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1	10	100	10	AL — 9476-A KJ1 — 9477-A

Items packed with screws where required




V1712 (AL) REPLACEMENT CLIPS AND SCREWS

Aluminum finish. Made of heavy gauge aluminum. Replacement for worn clips and screws. Thumb screws provide easy application and removal

Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
8	10	100	10	9477-A

CD1727(US2C) SASH ADJUSTER SET

Adjustable friction unit gives positive, non-rattling action holding the sash in any position. Easily disengaged for sash removal. Packed with pull handle and finished in rust resistant zinc



Quantity	Packs	Packs	Case	In Uni-Rack II [™]
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 set	5	50	29	9478-A


CD1734(US2C) SCREEN HANGER SET

For full length screens and storm sash. Set contains 1 pair of sturdy hangers, 1 hook and eye. Steel zinc plated



Quantity	Packs	Packs	Case	In Uni-Rack II [™]
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 set	10	100	22	9478-A


CD1736(US2C) SCREEN DOOR GUARD



Adjustable 21" to 32". Protects wire or glass while acting as a push bar. Strong U-shaped steel, zinc plated

Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	5	25	23	9478-A

CD1739(US2C) SCREEN DOOR BRACE



Strong steel rods with offset, serrated end insuring positive holding action. Aluminum turnbuckle freely operates to take up door sag

Quantity	Packs	Packs	Case	In Uni-Rack II [™]
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	5	25	15	9478-A



CD1750(US2C) SCREEN AND STORM DOOR SET

Everything you need to hang and equip a screen door. Set includes 1 pair of full surface hinges, 1 door pull, 1 hook and eye, and 1 No. 3 coil spring. Finished in weatherproof zinc

Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 set	5	25	25	9478-A



CD1751(US2C) 3" x 3" SCREEN DOOR HINGE

A round corner, loose pin screen or storm door hinge, with one leaf countersunk on both sides permitting full or half surface application. Steel, with rust resisting zinc finish

Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	100	35	9478-A

Items packed with screws where required

CD1956(BL)
10" DROP LEAF SUPPORT

Easily operated, quick action. Spring tension holds table leaf in place. Brown lacquered finish on steel



Quantity			Case	In Uni-Rack II™
Per Pack			Weight	Assortment Number
1 ea.	5	50	20	22-A

CD2060 (US4) ADJUSTABLE SPRING HINGE

Wrought steel, satin brass finish. Available for both right or left hand doors. Comes in two popular sizes — $3\frac{1}{2}$ " and 4". Fits most residential doors. Comes complete with adjusting wrench, locking pin and screws



Catalog Number		Quantity Per Pack	Packs Per Box	Packs Per Case	Case	In Uni-Rack II™ Assortment Number
CD2060 R.H. or L.H.	3½x3½ 4 x4	1 1	5 5	50 50	34 45	9491-A 9491-A

CD2154(US4) or (US2C) ADJUSTABLE SPRING HINGE

Fully adjustable, fast pin screen hinge — may be easily set to close door quickly or slowly. Made of tough wrought steel and finished in satin brass or bright zinc



Quantity	Packs			In Uni-Rack II™
Per Pack	Per Box			Assortment Number
1 ea.	10	100	37	9478-A

CD2683(US3) SLIDING DOOR EDGE PULL

Full mortise sliding door edge pull. Steel bright brass plated



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1	5	50	5	23-A

CD2688 #1 (US3) or (US28) CUP PULLS

Hole diameter 3/4". Recessed for use in cupboard doors. Furnished solid brass (US3) or aluminum (US28)



Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Wt.	In Uni-Rack II™ Assortment Number
CD2688(US3) CD2688(US28)	4 ea. 4 ea.	10 10	100 100	4 4	} 23-A

CD2860 FLOOR GUIDE

For by-passing doors. Adjustable for doors from $3\!4''$ to $13\!6''$ in thickness. Made of tan polyethylene



Quantity	Packs	Packs	Case	In Uni-Rack II™	
Per Pack	Per Box	Per Case	Weight	Assortment Number	
1	10	50	9	23-A	

Items packed with screws where required


CD2910(US3) or (US26) SLIDING DOOR CUP PULLS

A prefinished brass pull. Cup diameter 21/8". This recessed pull designed for heavy or large sliding doors. Bright brass or chromium finish



U	U	4	U	61	U(U	5	3	5)
B	R	A	S	S		В	0	L.	T

Solid brass bolt for vertical or horizontal application. For doors opening in or out. Mounting screws concealed.



Catalog	Quantity	Packs Per	Packs Per	Case	In Uni-Rack II™ Assortment						
Number	Per Pack	Box	Case	Wt.	Number	Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
CD2910(US3)	2 ea.	10	100	13)	(inches)	Per Pack	Per Box	Per Case	Weight	Assortment Number
CD2910(US26)	2 ea.	10	100	13	} 23-A	21/2	1	10	100	9	9452-A
						4	1	5	50	13	9300-A

CD2914(US3) or (US26) SLIDING DOOR FLUSH PULLS

CC

Fully recessed prefinished brass pull 2¾" long. Bright brass or chromium finish



CD4106(US2C)	LINE PULLEY
001100(0020)	LINE OLLLI

Zinc plated steel with brass bushing and stainless steel axle. Rust and weather resistant for long life



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	5	50	34	18-A

Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Wt.	In Uni-Rack II™ Assortment Number
CD2914(US3)	2 ea.	10	100	13	23-A
CD2914(US26)	2 ea.	10	100	13	

CD2915-20(US4) NON-MORTISE HINGES


Non-mortise hinge makes door mounting simple and quick. Wrought steel, satin brass finish



Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight	In Uni-Rack II [™] Assortment Number
1 pr.	10	100	25	†

CD4109(US2C) UTILITY HOOKS

Heavy duty zinc plated steel hooks for clotheslines, etc.



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
2 ea.	10	100	20	18-A

†Not in current assortment

Items packed with screws where required

CD4111(US2C) LINE PULLEY


Strong weatherproof poly-propylene wheel, stainless steel axle and zinc coated bail provides long wear



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	5	50	26	18-A

CD4112 (US2C) UTILITY HOOK

Wrought steel, bright zinc plated. Has many uses including: clothesline hook, hammock hook



Size	Quantity	Packs	Packs	Case	In Uni-Rack II ™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment Number
2	1	5	50	13	9488-A

CD4113 (US2C) PIVOT ROPE HOOK WITH PLATE

Wrought steel, bright zinc plated. Uses include: hammock hook, clothesline hook and general rope tie-down applications



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment Number
4	1	5	50	19	9488-A

CD4114(US2C) PIVOT ROPE HOOK WITH LAG EYE

Wrought steel, bright zinc plated. Uses include: hammock hook, clothesline hook and general rope tie-down applications



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment Number
6	1	5	50	18	9488-A

CD4120(US2C) TARP ROPE HOOK

Wrought steel, bright zinc plated. For tying down tarpaulins and securing ropes and other uses



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment Number
2½	1	10	100	13	9487-A
3½	1	10	100	20	
4¾	1	10	100	30	

CD4122(US2C) ROPE BINDING HOOK


Wrought steel, bright zinc plated. Closed eyelet allows fast rope tiedowns



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1	10	100	30	9487-A

CD4124(US2C) HOOK BOLTS

Wrought steel, bright zinc plated. Uses include hanging ropes and tiedowns



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment Number
5/6 x 6 3/8 x 7 ¹ / ₄	1	10 10	100 100	20 31	

CD4126 (US2C) ROPE CLEAT

Wrought steel, bright zinc plated. For use on boats, trailers, flag poles, etc.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment Number
2½	1	10	100	5	9487-A
4½	1	10	100	10	
6	1	10	100	20	

CD4471(US3) BRASS KNOB


Architectural grade finely finished solid brass knob. For cabinet doors or drawers up through 13%" thick. One trimit head break-off machine screw provided



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment Number
11/8	1	10	100	6	9450-A

CD4478(US3) BRASS PULL


Architectural grade finely finished solid brass pull. For cabinet doors or drawers up through 13%" thick. Two trimit head break-off machine screws provided



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment Number
31/2	1	10	100	15	9450-A

CD4479(US3) BRASS PULL

Architectural grade finely finished solid brass pull. For cabinet doors or drawers up through 13%" thick. Two trimit head break-off machine screws provided



Size (inch			Packs Per Case	Case Weight	In Uni-Rack II™ Assortment Number
23/	1 1	10	100	12	9450-A

CD4530 (US4) DOUBLE GUARD DOOR CHAIN

Steel, satin brass finish. Use as a regular chain door guard to look out and see who is there. Or secure chain in tamper-proof position for added protection



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1	10	100	25	9300-A

Items packed with screws where required

CD4531(US4)
CHAIN KNOB GUARD

Solid steel chain fits over door knob. Extra long screws furnished for maximum protection. Satin brass finish



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	100	32	9300-A

CD4532 (AL2) DELUXE CHAIN GUARD

Attractive new design. Solid steel chain. Extra long screws for maximum protection. Walnut finish



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	100	44	

CD4533 (AL2) DELUXE BOLT GUARD


Attractive new design. Solid steel bolt. Extra long screws for maximum protection. Walnut finish



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	100	46	9300-A

CD4536(US4) WINDOW VENT GUARD

Solid steel, brass finish. Provides security when window is open for ventilation



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
2 ea.	5	50	10	9300-A

CD4537 PATIO DOOR GUARD

Made of aluminum in satin finish with solid steel chain. Secures metal or wood sliding patio doors



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	5	50	17	9300-A

CD4538(US4) LOOK OUT GUARD


Solid brass with wide angle lens. Easy to install — fits all standard doors from 1%" to 2" thick. Satin brass finish



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	5	50	4	9300-A

CD4539 (US3) WINDOW LOCK GUARD

Provides ventilation with key lock security. To lock windows opened or closed. Brass finish



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	5	25	11	9300-A

Items packed with screws where required

CD4543 LOCKING DOOR BOLT

Prevents opening door even if glass is broken. Operable from inside without key, but key is required to lock the strong solid steel dead bolt. Polished brass finish



CD4546	
LOCKING	SLIDING
WINDOW	BOLT

Deadlocks sliding aluminum windows. Key lock prevents entry even if glass is broken. Satin aluminum finish



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	5	25	13	9301-A

Packs Per Case In Uni-Rack II™ Assortment Number Packs Per Box Case Weight 5 25 9 1 ea. 9301-A

CD4544 LOCKING DELUXE DOOR CHAIN

Solid steel chain can be latched or unlatched from inside without key. Polished brass finish



CD4347			
LOCKING	PATIO	DOOR	BOLT

CDAEAT

Deadlocks aluminum or wood doors with inside or outside sliding panels. Supplements lock and provides a locked ventilating position. Satin aluminum



					Per Pack	Per Box	Per Case	
Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight	In Uni-Rack II™ Assortment Number	1 ea.	5	25	
1 ea.	5	25	20	9301-A				

Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	5	25	11	9301-A

CD4545 LOCKING DOOR CHAIN

Operable from inside without key. Polished brass finish



Finely finished solid brass fast pin
hinges for use on small boxes,
chests, cabinets, etc. Narrow
leaves allow for application in
tight places. Includes solid brass
screws.



				STANLEY MARDWARE . New Britain, Com-	Size (inches)	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight	In Uni-Rack II [™] Assortment No.
					3/4 X 5/8 1 X 3/4 11/4 X 3/4	4 4 4	10 10	100 100	5 6 0	
Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight	In Uni-Rack II™ Assortment Number	1 ¹ / ₂ x ⁷ / ₈ 1 ³ / ₄ x ²⁹ / ₃₂	2	10 10 10	100 100 100	8 9 10	9449-A
1 ea.	5	25	14	9301-A	2 x 1	2	10	100	12)

Items packed with screws where required



CD5301 (US3) BRASS MIDDLE HINGE

Finely finished solid brass fast pin hinges for use on small boxes, chests, cabinets, etc. Medium size leaves for average applications. Includes solid brass screws.



Size (inches)	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight	In Uni-Rack II™ Assortment No.
3/4 X 11/16 1 X 13/16 11/4 X 7/8 11/2 X 1	4 4 4 2 2	10 10 10 10	100 100 100 100	5 6 8 9	9449-A
13/4 x 1 2 x 13/6	2	10 10	100 100	10 13	

CD5302 (US3) BRASS BROAD HINGE

Finely finished solid brass fast pin hinges for use on small boxes, chests, cabinets, etc. Wide leaves for broader application. Includes solid brass screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
3/4 x 1 1 x 1½2 1½4 x 1½6 1½2 x 1¼4 13/4 x 1¼4 2 x 13/8 2½2 x 13/4	4 4 2 2 2 2 2 2	10 10 10 10 10 10	100 100 100 100 100 100	6 8 9 13 14 22	9449-A 9450-A

CD5303 (US3) BRASS BUTTON TIP HINGE

Finely finished solid brass button tip broad leaf hinges. Decorative tips add formal look to small doors and cabinets. Includes solid brass screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
1½ x 1¼ 2 x 1¾ 2½ x 1¾ 2½ x 1¾	2 2 2	10 10 10	100 100 100	10 15 23	

CD5304 (US3) BRASS DESK HINGE

Finely finished solid brass fast pin specialty hinges. Extra wide leaf lends itself perfectly for use on desks, drop leafs, etc. Includes solid brass screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
1 x 1½ 1½ x 2 2 x 3½	2 2 2	10 10 10	100 100 100	11 13 26	

CD5310 (US3) BRASS HINGE

Finely finished solid brass fast pin ornamental hinge. For light duty use on small boxes, chests, etc. Includes solid brass nails.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II TM
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
5/8 x 1	2	10	100	3	9452-A

CD5311 (US3) BRASS HINGE

Finely finished solid brass fast pin ornamental hinge. Neutral design allows it to blend with any period. Includes solid brass screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
3/4 x 17/8	2	10	100	4	9452-A

Items packed with screws where required

CD5312 (US3) BRASS HINGE

Finely finished solid brass fast pin ornamental hinge. Decorative ball tip adds distinctive look to small doors and cabinets. Includes solid brass screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
1½ x 1¼	2	10	100	15	

CD5313 (US3) BRASS HINGE

Finely finished solid brass ornamental hinge. For light duty use on small boxes, chests, etc. Fast pin. Includes solid brass nails.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
1½ x 1¼	2	10	100	4	

CD5314 (US3) BRASS HINGE

Finely finished solid brass ornamental hinge. For light duty use on small boxes, chests, etc. Unequal leaves, fast pin. Includes solid brass nails.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
5/8 x 17/8	2	10	100	4	9451-A

CD5315 (US3) BRASS HINGE

Finely finished solid brass ornamental hinge. For light duty use on small boxes, chests, etc. Fast pin. Includes solid brass pails



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
5/8 x 211/16	2	10	100	5	9451-A

CD5316 (US3) BRASS HINGE

Finely finished solid brass ornamental hinges. Available in two sizes for use on small boxes, chests, cabinets, etc. Fast pin. Includes solid brass screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
15/16 x 21/4 111/16 x 31/16		10 10	100 100	10 17	} 9451-A

CD5317 (US3) BRASS HINGE

Finely finished solid brass ornamental hinge. Heavy gauge, rugged design for use on small boxes, chests, cabinets, etc. Fast pin. Includes solid brass screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II [™]
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
15/16 x 215/16	2	10	100	18	9451-A

CD5325 (US3) BRASS HASP

Finely finished solid brass hasp. Staple allows up to ¼" padlock shackle. Used for cabinets, boxes, chests, etc. Includes solid brass screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II TM
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
3/4 x 23/4	1	10	100	10	9451-A

Items packed with screws where required

CD5326 (US3) BRASS HASP AND HOOK

Finely finished solid brass hasp. Hook keeps hasp securely closed. Used for cabinets, boxes, chests, etc. Includes solid brass screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
³ / ₄ x 3	1	10	100	11	

CD5327 (US3) BRASS HASP

Finely finished solid brass hasp. Staple allows up to ½" padlock shackle. Used for cabinets, boxes, chests, etc. Includes solid brass screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
1 x 3	1	10	100	14	

CD5328 (US3) BRASS HASP

Finely finished solid brass hasp. Staple allows up to ½" padlock shackle. Used for cabinets, boxes, chests, etc. Includes solid brass nails.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
5/8 x 17/8	1	10	100	3	

CD5329 (US3) BRASS HASP

Finely finished solid brass hasp. Staple allows up to 1/8" padlock shackle. Used for cabinets, boxes, chests, etc. Includes solid brass nails.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
5/8 x 23/4	1	10	100	5	

CD5336 (US3) BRASS CHEST HANDLE


Finely finished solid brass chest handles. Available in two popular sizes. Includes solid brass screws.



	Size	Quantity	Packs	Packs	Case	In Uni-Rack II TM
	(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
#1 #2	1½x2 13/8x2¾	2 2	10 10	100 100	12 15	} 9450-A

CD5339 (US3) BRASS HOOK AND STAPLE

Solid brass hook and staple. Attractively designed to simply secure cabinet doors, small boxes, chests, etc. Includes solid brass screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
3/4 x 17/8	2	10	100	7	

CD5342 (US3) BRASS KNOB

Finely finished solid brass knob for cabinet doors and drawers. Easy to apply. Simply screw in.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
1/2 5/8	2 2	10 10	100 100	3 4	} 9450-A

Items packed with screws where required

CD5345 (US3) BRASS BOX CATCH

Finely finished solid brass box catch designed to add the finishing touch to small boxes, chests, etc. Includes solid brass nails.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
3/4 × 1½	2	10	100	5	9451-A

CD5347 (US3) BRASS CORNER

Finely finished solid brass corners. Flush fit holds original design and protects corners. Includes solid brass screws.



ize	Quantity	Packs	Packs	Case	In Uni-Rack II TM
:hes)	Per Pack	Per Box	Per Case	Weight	Assortment No.
%x1 ¹ / ₄ %x1 ³ / ₄	4	10 10	100 100	6 8	

CD5348 (US3) BRASS CORNER

Finely finished solid brass corners. Bull nose design adds extra protection to luggage, boxes, chests, etc. Includes solid brass screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
#1 7/8x 7/8 #2 11/4x11/4	4 4	10 10	100 100	6 11	} 9452-A

CD5350 (US3) BRASS MENDING PLATE

Finely finished solid brass mending plates. Many uses around the home. Perfect for repairing furniture, doors, etc. Includes solid brass screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
½x2 ½x3	4 4	10 10	100 100	8 13	} 9452-A

CD5351 (US3) BRASS CORNER BRACE

Finely finished solid brass corner braces. This brace has many uses throughout the home and workshop. Solid brass screws included.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
1 x½ 1½x½	4 4	10 10	100 100	10 13	} 9452-A

CD5352 (US3) BRASS FLAT CORNER IRON

Finely finished solid brass flat corner iron. This product is both functional in design and attractive in appearance. Includes solid brass screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
3⁄8x2	4	10	100	10	9452-A

CD5357 (US3) BRASS BULLET CATCH

Finely finished brass plated friction catch. This item is easy to apply and gives that finished touch to cabinet doors. Solid brass nails included.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
3/8	4	10	100	6	9452-A

Items packed with screws where required

CD5365 (US3) BRASS PLATED STEEL CHEST LATCH

Brass plated chest latch. Securely latches cases, trunks, etc. Includes brass plated screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
23/4×11/2	2	10	100	19	

CD5366 (US3) BRASS PLATED STEEL CHEST LATCH

Brass plated chest latch with padlock eye. Provides additional security to any latching cases, trunks, etc. Includes brass plated screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
31/4×13/4	1	10	100	15	9447-A

CD5400 (US3) BRASS PADLOCK


Finely finished brass plated padlock. Attractive design allows it to blend with any decor. Two keys provided.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
3/4	1	10	100	6	9451-A

CD5410 (US3) BRASS MINI BOLT

Finely finished solid brass barrel bolt. Distinctively designed, fits into tight areas. Perfect for use on cabinet doors, windows, etc.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
13/4	1	10	100	11	9452-A

†Not in current assortment

Items packed with screws where required

NOTE — Ordering Unit is "Pack". Order packs in multiples of full box or full case quantities as indicated

V7031 (AL) ADJUSTABLE TENSION ROD

No drilling. No screws. Easy to install. Non-slip rubber tips. Will not mar walls



Size	Quantity	Packs	Case	In Uni-Rack II
(Inches)	Per Pack	Per Case	Weight	Assortment Number
28-44 42-66	1 1	5 5	6 8	9486-A

*V7036 - 18" - 30" - 48" - 72" - 96" CLOSET BARS



New, modern, 25% stronger than round bars. Easy one man installation. "Snap in" nylon glides optional. Steel, bright chromate finish

*Pat. Number 3,051,318

For Closet	Quantity	Packs	Case	In Uni-Rack II™
Widths	Per Pack	Per Case	Weight	Assortment Number
18" to 30"	1 ea.	10	10	24-A
30" to 48"	1 ea.	10	16	24-A
48" to 72"	1 ea.	10	26	24-A
72" to 96"	1 ea.	10	30	†
96" to 144"	1 ea.	10	37	†

V7039 NYLON HANGER GLIDES

May be installed with simple snap of the thumb after the closet bar is installed to prevent "hanger-tangle." Made of nylon for smooth quiet operation



Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight	In Uni-Rack II [™] Assortment Number	
10 ea.	10	100	10	24-A	

V7045(US2C) COMBINATION SHELF AND CLOSET POLE SUPPORT



Made of heavy gauge steel for extra strength to give necessary support to shelves and closet poles

Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	5	50	46	†

CD7070 LINE TIGHTENER CLAMP


Rust resistant line tightener clamp with non slip brass ball grips. A pull on the line tightens and holds line in position until released by pulling new easy grip on plunger. Many uses around the home as well as for camping and boating enthusiasts



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	100	20	

V7046(DW) COMBINATION SHELF AND CLOSET POLE SUPPORT


Ideal for supporting shelves and closet poles where hook strip is not installed. Convenient onepiece construction.



luantity	Packs	Packs	Case	In Uni-Rack II™
er Pack	Per Box	Per Case	Weight	Assortment Number
1	5	30	37	

CD7071 (US4) or (F8) SOLID DOOR STOPS

Solid type wall stop with die cast body in satin brass or antique brass finish and white rubber tip. Projection 3"



Quantity	Packs	Packs	Case	In Uni-Rack II [™]
Per Pack	Per Box	Per Case	Weight	Assortment Number
2 ea.	10	100	16	US4 – 21-A F8 – 9473-A

CD7056 POLE SOCKETS

White reinforced plastic sockets accommodate wooden clothes poles up to 1%'' in diameter. Single screw mounting. Simply break apart



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 set	10	100	10	24-A

†Not in current assortment

Items packed with screws where required

NOTE - Ordering Unit is "Pack". Order packs in multiples of full box or full case quantities as indicated



Floor type stop with die cast body in satin brass or antique brass finish and white rubber tip. Height $1\%^{\prime\prime}$



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	100	9	US4 — 21-A F8 — 9473-A

CD7073(US4) or (F8) SASH LOCK

Sash lock for double hung windows, die cast, satin brass or antique brass plated



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	100	13	US4 – 21-A F8 – 9473-A

CD7081 (US4) or (F8) HAND RAIL BRACKET

For supporting wood hand rail at any required angle of stairways. Sturdy die cast, satin brass or antique brass finish



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	100	25	US4 — 21-A F8 — 9473-A

CD7074(US4) or (F8) BAR SASH LIFT

For double hung windows. Size over all 1%" x 3%", projection 1%". Die cast. Satin brass or antique brass finish



Quantity	Packs	Packs	Case	In Uni-Rack II [™]
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	100	15	US4 – 21-A F8 – 9473-A

CD7082 (US4) or (F8) COAT AND HAT HOOKS

Cast metal coat and hat hooks. Generously formed, satin brass or antique brass plated



Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight	In Uni-Rack II™ Assortment Number
2 ea.	10	100	23	US4 — 21-A F8 — 9473-A

CD7080(US4) CUPBOARD CATCH

Turn type cupboard catch for full surface application, neat appearing, positive action, steel, satin brass plated



Quantity	Packs	Packs	Case	In Uni-Rack II [™]
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	100	23	21-A

CD7083(US2C) WIRE COAT AND HAT HOOK

One piece coat and hat hook. Steel, bright zinc plated



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
2 ea.	10	100	16	†

†Not in current assortment

Items packed with screws where required

*CD7090(US4) or (F8) HINGE PIN DOOR STOP

CD7088(US4) CHAIN DOOR GUARD

For use on entrance doors in residences or apartments. Steel, satin brass finish



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	100	25	9300-A

CD70881/4 CHAIN DOOR GUARD - Brass

Free sliding chain door guard. Heavy steel chain. Solid brass in bright finish



Catalog	Quantity	Packs	Packs	Case	In Uni-Rack II [™]
Number	Per Pack	Per Box	Per Case	Weight	Ass o rtment Number
CD70881/4	1 ea.	5	50	12	3-A

CD7089(US4) CLOSET BAR BRACKETS

Wrought steel, brass plated for wood closet poles 1 inch diameter



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 pr.	5	50	6	24-A

Adjustable door stop can be set to stop door at any de-sired angle. Fits pin of any average room door hinge. Large flat self adjusting shoe makes full safe contact with door. Satin brass or antique brass finish



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	100	13	US4 – 21-A F8 – 9473-A

*Pat. Number 3,187,372

CD7092 (US4) or (F8) DOOR STOPS

Spring type door stops with sharply pointed drive screw and stud. Finished in satin brass or antique brass



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
2 ea.	10	100	12	US4 — 21-A F8 — 9473-A


CD7095 (US4) or (F8) DOOR STOP AND HOLDER

Three inch Die-Cast door stop and holder with resilient plastic tip for quiet operation. The spring cushioned receiving clip reduces shock and holds door in opened position. Satin brass or antique brass finish




Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	100	14	US4 — 21-A F8 — 9473-A

Items packed with screws where required



CD7130(US3) or (US1D) HOUSE NUMBERS

Nonferrous, rust proof metal, in bright brass or dead black finishes. Full 4" size numbers for greater visibility. Modern script styling



Catalog	Quantity	Packs	Packs	Case	In Assortment
Number	Per Pack*	Per Box	Per Case	Weight	Numbers
CD7130 - #0 CD7130 - #1 CD7130 - #2 CD7130 - #3 CD7130 - #4 CD7130 - #5 CD7130 - #6 CD7130 - #7 CD7130 - #8 CD7130 - #9	1 ea. 1 ea. 1 ea. 1 ea. 1 ea. 1 ea. 1 ea. 1 ea. 1 ea.	10 10 10 10 10 10 10 10 10	100 100 100 100 100 100 100 100 100	11 8 10 9 10 9 9 8 11 9	Brass(US3) 35-A Black(US1D 34-A

^{*}With fastening pins

V8412(US3) SHOULDER HOOKS

Solid brass. Sharp points bite into wood quickly, easily



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment Number
1/2 5/8 3/4 1 1 ¹ / ₂	5 ea. 5 ea. 5 ea. 3 ea. 2 ea.	20 20 20 20 20 20	200 200 200 200 200 200	4 4 5 6 8	} 46-A

CD8413 (US2C) EYE BOLT


Solid steel with straight shank having clean die rolled threads. Eyes formed with true circular bend for greater strength. Bright zinc plated.



Catalog Number	Size (inches)	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight	In Uni-Rack II™ Assortment Number
CD8413- 0 CD8413- 2 CD8413- 4 CD8413- 6 CD8413- 8 CD8413-10 CD8413-12 CD8413-14 CD8413-16 CD8413-18 CD8413-20 CD8413-22 CD8413-24 CD8413-24 CD8413-24 CD8413-25 CD8413-28 CD8413-30 CD8413-32 CD8413-34	% x1 34 % x1 11/6 % x2 1/2 1/4 x2 1/4 x2 1/4 1/4 x3 1/4 x4 1/4 x5 1/4 x6 % x3 1/4 % x5 % x6 3% x4 3% x6 3% x8 1/2 x6	2 ea. 2 ea. 2 ea. 2 ea. 2 ea. 2 ea. 1 ea.	10 10 10 10 10 10 10 10 10 10 10 10 10 1	100 100 100 100 100 100 100 100 100 100	6 6 8 11 12 13 16 10 11 23 26 17 16 39 25 14 16 47	44-A

V8414(US2C) LAG EYE BOLT

Bright zinc plated. Sharp points bite into wood quickly, easily



Catalog Number	Size (inches)	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight	In Uni-Rack II™ Assortment Number
V8414- 0	1/4 x 3 3/4	2 ea.	10	100	14	
V8414- 2	1/4 x 5	2 ea.	10	100	19	
V8414- 4	5/16×4	2 ea.	10	100	25	} 42-A
V8414- 6	5/16×6	1 ea.	10	100	18	
V8414- 8	3/8×4 ¹ / ₂	2 ea.	10	100	45	
V8414-10	3/8×8	1 ea.	10	100	32	

V8415(US2C) "U" BOLTS

Bright zinc plated. Furnished with straps and hex nuts



Catalog Number	Size (inches)	For Pipe Size (in.)	Quan. Per Pack	Packs Per Box	Packs Per Case	Case Wt.	In Uni-Rack II™ Assortment Number
V8415- 0 V8415- 2 V8415- 4 V8415- 6	1/4 x 3/4 x 2 1/2 1/4 x 1 1/8 x 2 1/4 1/4 x 1 1/8 x 3 1/2 1/4 x 1 3/8 x 4"	3/8 1/2-3/4 1/2-3/4 1	2 ea. 2 ea. 2 ea. 2 ea. 2 ea.	10 10 10 10	100 100 100 100	18 20 26 30	
V8415-10 V8415-12 V8415-14 V8415-16 V8415-18 V8415-20 V8415-22	%x13/8x21/2 %x13/8x334 %x13/4x3 %x13/4x41/4 %6x2 x31/4 %6x2 x41/2 %6x21/2x31/2 %6x21/2x5	1 1 1 1/4 1 1/4 1 1/2 1 1/2 2 2	2 ea. 2 ea. 2 ea. 2 ea. 2 ea. 2 ea. 2 ea. 2 ea. 2 ea.	10 10 10 10 10 10 10	100 100 100 100 100 100 100 100	32 40 36 46 39 47 48 55	43-A

CD8416 (US2C) TURNBUCKLES

Turnbuckles with eyes at both ends. Strong aluminum body with steel, bright zinc plated eyes



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment Number
3½	2 ea.	10	100	13	45-A
3%	2 ea.	10	100	17	
4¾	2 ea.	10	100	26	
5¼	2 ea.	10	100	38	
6½	1 ea.	5	50	17	
7¾	1 ea.	5	50	24	

V8441 (US2C) SAFETY GATE HOOK

Steel, bright zinc plated. Long-wearing springs. Eyes formed with true circular bends — tightly closed. Clean dierolled threads



Size	Quantity	Packs	Packs	Case	In Uni-Rack II ^{T.M.}
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment Number
2 2½	1 1	20 20	200 200	19 24	

CD8417 (US2C) TURNBUCKLES

Turnbuckles with eye on one end and hook on other end. Strong aluminum body with hook and eye steel, bright zinc plated



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment Number
3½ 37/8 43/8 5¼ 6½ 73/4	2 ea. 2 ea. 2 ea. 2 ea. 1 ea.	10 10 10 10 5	100 100 100 100 50	12 17 27 36 17	45-A

V8450(US2C) LARGE SCREW EYES

Sharp pointed screw eyes in bright zinc plated finish



Catalog	Quantity	Packs	Packs	Case	In Uni-Rack IIT.M.
Number	Per Pack	Per Box	Per Case	Weight	Assortment No.
V8450-000(US2C) V8450-0(US2C) V8450-2(US2C) V8450-4(US2C) V8450-6(US2C) V8450-8(US2C) V8450-10(US2C) V8450-12(US2C) V8450-14(US2C)	1 ea. 1 ea. 2 ea. 3 ea. 5 ea. 8 ea. 8 ea. 12 ea. 14 ea.	20 20 20 20 20 20 20 20 20 20	200 200 200 200 200 200 200 200 200	42 23 29 27 29 29 17 15	

V8440(US2C) GATE HOOKS AND EYES

Accurately formed hooks and eyes in rust resistant zinc plated finish



Size (inches)	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight	In Uni-Rack II ^{T.M.} Assortment Number
1 1½ 2 2½ 3	3 ea. 3 ea. 3 ea. 2 ea. 2 ea.	20 20 20 20 20 20	200 200 200 200 200 200	8 16 21 18 27	37-A
4 6 8 10 12	2 ea. 1 ea. 1 ea. 1 ea. 1 ea.	20 10 10 10 10	200 100 100 100 100	36 17 20 24 26	9479-A

V8450(US2C) MEDIUM SCREW EYES

Sharp pointed screw eyes in bright zinc plated finish



Catalog	Quantity	Packs	Packs	Case	In Uni-Rack II ^{T.M.}
Number	Per Pack	Per Box	Per Case	Weight	Assortment No.
V8450-104(US2C) V8450-106(US2C) V8450-108(US2C) V8450-110(US2C) V8450-112(US2C) V8450-114(US2C)	3 ea. 5 ea. 8 ea. 10 ea. 12 ea. 14 ea.	20 20 20 20 20 20 20	200 200 200 200 200 200 200	24 25 25 18 13 8	

V8450(US2C) SMALL SCREW EYES

Sharp pointed screw eyes in bright zinc plated finish



Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight	In Uni-Rack II™ Assortment No.
V8450-204(US2C)	3 ea.	20	200	19	
V8450-206(US2C) V8450-208(US2C)	5 ea. 8 ea.	20 20	200	20	1119111
V8450-210(US2C) V8450-212½(US2C)	10 ea. 12 ea.	20	200	17 10	40-A
V8450-214½(US2C)	12 ea.	20	200	6	
V8450-216(US2C) V8450-216½(US2C)	12 ea. 12 ea.	20	200	6	

V8470(US2C) "S" HOOKS

Bright zinc plated, true-form circular bends



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
3/ ₄ 1 1 ¹ / ₂ 2 2 ¹ / ₂	8 ea. 6 ea. 4 ea. 2 ea. 1 ea.	20 20 20 20 20 20	200 200 200 200 200 200	6 17 19 21 19	

V8460(US2C) SCREW HOOKS - ROUND BEND

Highly finished in weather resistant zinc. Sharply pointed screw ends insure easy application



Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight	In Uni-Rack II™ Assortment No.
V8460-800(US2C) V8460-802(US2C) V8460-803(US2C) V8460-804(US2C) V8460-806(US2C) V8460-808(US2C) V8460-810(US2C)	1 ea. 1 ea. 2 ea. 2 ea. 4 ea. 5 ea. 6 ea.	20 20 20 20 20 20 20 20	200 200 200 200 200 200 200	31 23 33 26 37 25 16	38-A

200

V8481(US3) CUP HOOKS

Solid brass. True circular bends



Size (inches)	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight	In Uni-Rack II™ Assortment Number
1/2 5/8 3/4 7/8 1 11/4	6 ea. 6 ea. 5 ea. 4 ea. 4 ea. 2 ea.	20 20 20 20 20 20 20	200 200 200 200 200 200 200	4 6 6 7 9	46-A
11/2	2 ea.	20	200	10)

V8465(US2C) SCREW HOOKS - SQUARE BEND

8 ea.

Square shoulder hooks with blunt ends at bend. Plated in bright zinc

V8460-812(US2C)



Catalog	Quantity	Packs	Packs	Case	In Uni-Rack II™
Number	Per Pack	Per Box	Per Case	Weight	Assortment No.
V8465-904(US2C) V8465-906(US2C) V8465-908(US2C) V8465-910(US2C) V8465-912(US2C)	2 ea. 3 ea. 5 ea. 6 ea. 8 ea.	20 20 20 20 20 20	200 200 200 200 200 200	19 19 19 14 10	39-A

PACK TYPES

Designated by letter prefix:

CD - Cardeo

Sc — Continuous Hinges (in sturdy transparent bags)

V — Combination Shelf and Closet Pole Supports,
 Closet Bars

 V — Shelf Brackets, heavy strap and T-Hinges (in special die cut visual packs)

V — All other items so designated (in sturdy transparent bags)

GUARDWARE HOME PROTECTION HARDWARE

CD1078(B44) 4"
BARREL BOLT GUARD

Solid steel. Reversible bolt slides to right or left. Walnut finish



CD4531(US4) CHAIN KNOB GUARD

Solid steel chain fits over door knob. Extra long screws furnished for maximum protection. Satin brass finish



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	100	26	

Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	100	32	9300-A

CD1078M (B44) MINI BOLT GUARD

Solid brass. For cabinet doors, windows or wherever a small bolt is required. Surface strike and eyelet strike included. Walnut finish



CD4532 (AL2) DELUXE CHAIN GUARD

Attractive new design. Solid steel chain. Extra long screws for maximum protection. Walnut finish



Quantity	Packs	Packs	Case	In Uni-Rack II™	
Per Pack	Per Box	Per Case	Weight	Assortment Number	
1 ea.	10	100	10	9300-A	

Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	50	22	9300-A

CD4060(US3) 4" SURFACE BOLT GUARD

Solid brass bolt for vertical or horizontal application. For doors opening in or out. Mounting screws concealed. Brass finish



CD4533 (AL2) DELUXE BOLT GUARD

Attractive new design. Solid steel bolt. Extra long screws for maximum protection. Walnut finish



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	5	50	13	

Quantity	Packs	Packs	Case	In Uni-Rack II [™]	
Per Pack	Per Box	Per Case	Weight	Assortment Number	
1 ea.	10	50	23	9300-A	

Items packed with screws where required

GUARDWARE HOME PROTECTION HARDWARE

CD4536(US4) WINDOW VENT GUARD

Solid steel, brass finish. Provides security when window is open for ventilation



100	-	2	
FOR STATES	19		
M N	5	=	版
N.	9.	9	STATE OF THE PARTY
	0	1	
	1	1	

CD4543 LOCKING DOOR BOLT

Prevents opening door even if glass is broken. Operable from inside without key, but key is required to lock the strong solid steel dead bolt. Polished brass finish



Quantity	Packs	Packs	Case	In Uni-Rack II™	Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number	Per Pack	Per Box	Per Case	Weight	Assortment Number
2 ea.	5	50	10	9300-A	1 ea.	5	25	13	9301-A

CD4537 PATIO DOOR GUARD

Made of aluminum in satin finish with solid steel chain. Secures metal or wood sliding patio doors



				The state of the s
Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight	In Uni-Rack II™ Assortment Number
1 ea.	5	50	17	9300-A

CD4538(US4) LOOK OUT GUARD

Solid brass with wide angle lens. Easy to install - fits all standard doors from 13/8" to 2" thick. Satin brass finish



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	5	50	4	

CD4544 LOCKING DELUXE DOOR CHAIN

Solid steel chain can be latched or unlatched from inside without key. Polished brass finish



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	5	25	20	9301-A

CD4539 (US3) WINDOW LOCK GUARD

Provides ventilation with key lock security. To lock windows opened or closed. Brass finish



CD4545 LOCKING DOOR CHAIN

Operable from inside without key. Polished brass finish



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	5	25	11	9300-A

Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	5	25	14	9301-A

Items packed with screws where required

GUARDWARE HOME PROTECTION HARDWARE

CD4546 LOCKING SLIDING WINDOW BOLT

Deadlocks sliding aluminum windows. Key lock prevents entry even if glass is broken. Satin aluminum finish



CD7088(US4) CHAIN DOOR GUARD

Free sliding chain door guard. Solid steel chain and extra long screws. Satin brass finish



Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	5	25	9	

CD4547 LOCKING PATIO DOOR BOLT

Deadlocks aluminum or wood doors with inside or outside sliding panels. Supplements lock and provides a locked ventilating position. Satin aluminum finish




Quantity	Packs	Packs	Case	In Uni-Rack II [™]
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	5	25	11	9301-A

Quantity	Packs	Packs	Case	In Uni-Rack II™
Per Pack	Per Box	Per Case	Weight	Assortment Number
1 ea.	10	100	26	9300-A

ORNAMENTAL GATE HARDWARE

CD953(KJ1) SCREW HOOK AND EYE HINGE

Made of malleable iron. One pair consists of two hooks and two eyes. Dead black finish



Size	Quantity	Packs	Case	In Uni-Rack II™
	Per Pack	Per Case	Weight	Assortment No.
½" x 4"	1 pr.	5	6	9454-A

CD1290(KJ1) ORNAMENTAL THUMB LATCH

For ornamental gates from gardens, patios, swimming pools, etc. Reversible for right hand or left hand application. Dead black finish



Size	Quantity	Packs	Case	In Uni-Rack II™
	Per Pack	Per Case	Weight	Assortment No.
10½"	1	5	8	9453-A

CD1009(KJ1) CANE BOLT

Positive bolt for locking gates. Also holds gates open. Dead black finish



7111

CD1291(KJ1)	ORNAMENTAL
TEE HINGE	

For ornamental gates from gardens, patios, swimming pools etc. Loose pins reversible for right hand or left hand application. Dead black finish



Size	Quantity	Packs	Case	In Uni-Rack II™
	Per Pack	Per Case	Weight	Assortment No.
75/16"	1 pr.	5	14	9453-A

Quantity Per Pack In Uni-Rack IIT Case Weight Size 12" 1 5 7 9454-A

CD1261(KJ1) GATE LATCH

Designed for use on flush gates. Sturdy wrought steel, dead black finish



Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight	In Uni-Rack II™ Assortment No.
1 ea.		5	3	9454-A

CD1292(KJ1) ORNAMENTAL STRAP HINGE

For ornamental gates from gardens, patios, swimming pools etc. Loose pin - reversible for right hand or left hand application. Dead black finish



Size	Quantity	Packs	Case	In Uni-Rack II™
	Per Pack	Per Case	Weight	Assortment No.
12"	1 pr.	5	13	9454-A

Items packed with screws where required

ORNAMENTAL GATE HARDWARE

CD1293(KJ1) ORNAMENTAL SCREW HOOK AND STRAP HINGE

For ornamental gates from gardens, patios, swimming pools, etc. For right hand or left hand application. Dead black finish



CD1296(KJ1) ORNAMENTAL SPRING TEE HINGE

For self-closing ornamental gates from gardens, patios, swimming pools etc. For right hand or left hand application. Dead black finish



Size	Quantity	Packs	Case	In Uni-Rack II™
	Per Pack	Per Case	Weight	Assortment No.
8"	1 pr.	5	11	9454-A

Size	Quantity	Packs	Case	In Uni-Rack II [™]
	Per Pack	Per Case	Weight	Assortment No.
8"	1 pr.	5	13	9453-A

CD1295(KJ1) GATE SPRING

For ornamental gates from gardens, patios, swimming pools, etc. Spring is made of best tempered steel wire of ample proportions, permitting tension adjustment for heavy gate requirements. Dead black finish



CD1298(KJ1) ORNAMENTAL PULL

For pairs of ornamental gates from gardens, patios, swimming pools, etc. Dead black finish




Size	Quantity	Packs	Case	In Uni-Rack II [™]
	Per Pack	Per Case	Weight	Assortment No.
11"	1 ea.	5	4	9453-A

Size	Quantity	Packs	Case	In Uni-Rack II™
	Per Pack	Per Case	Weight	Assortment No.
10½"	1 ea.	5	2	9453-A

Items packed with screws where required

CD343 (US3) BRASS PLATED CABINET HINGE


Finely finished brass plated spring hinges. Perfect for self closing small doors and cabinets.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II T.M.
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
1½ 2	2 2	10 10	100 100	14 24	} 9447-A

CD430 (US3) BRASS PLATED LID SUPPORT

Finely finished brass plated lid support. Easy to apply, reversible. Perfect for use on lids to boxes, chests, etc.



CD432 (US3) BRASS PLATED LID SUPPORT

Brass plated lid support. Non reversible, locks into position. Perfect for holding up lids on boxes, chests, etc.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II [™]
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
10	2	10	100	30	9447-A

CD441 (US3) BRASS PLATED TABLE LEG BRACE

Brass plated table leg brace. Easy to apply, reversible. Perfect for desk tops, lids to boxes, chests,



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
71/2	1	10	100	17	

Size	Quantity	Packs	Packs	Case	In Uni-Rack II TM
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
9½	2	5	50	15	

Items packed with screws where required

CD838 (US3) BRASS PLATED UTILITY HINGE


Finely finished, brass plated utility hinges. Wrought steel, fast pin, narrow hinges for light cabinet and general work. Includes brass plated screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
1 1½ 2 2½ 3	2 2 2 2 2 2	10 10 10 10 10	100 100 100 100 100	6 11 19 26 42	9447-A

CD995 (US3) BRASS PLATED MENDING PLATE

Rugged brass plated mending plates. Used for repairing furniture, screens and storm sash, etc. Includes brass plated screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
3 4	2 2	10 10	100 100	14 25	9448-A

CD997 (US3) BRASS PLATED CORNER BRACE

Sturdy brass plated corner braces accurately formed at right angle. This brace has many uses throughout the home and workshop. Includes brass plated screws.



CD911 (US3) BRASS PLATED SAFETY HASP

Sturdy brass plated safety hasp used for cabinets, tool boxes, tackle boxes, etc. Includes brass plated screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
1½	2	10	100	11	9448-A
2	2	10	100	17	
3	2	10	50	17	

CD999 (US3) BRASS PLATED FLAT CORNER IRON

Tough brass plated flat corner irons. Attractive finish repair hardware proves to be good looking as well as functional. Includes brass plated screws.




Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
21/2	1	10	100	14	9448-A

Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
2 2½	2 2	10 10	100 100	9 14	} 9448-A

Items packed with screws where required

CD4060 (US3) BRASS BOLT

Solid brass bolt for vertical or horizontal application. For doors opening in or out. Mounting screws concealed.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
21/2	1	10	100	9	

CD4471 (US3) BRASS KNOB

Architectural grade finely finished solid brass knob. For cabinet doors or drawers up through 1%" thick. One trimit head break-off machine screw provided.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
11/8	1	10	100	6	9450-A

CD4478 (US3) BRASS PULL

Architectural grade finely finished solid brass pull. For cabinet doors or drawers up through 13%" thick. Two trimit head break-off machine screws provided.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II ™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
31/2	1	10	100	15	

CD4479 (US3) BRASS PULL

Architectural grade finely finished solid brass pull. For cabinet doors or drawers up through 13%" thick. Two trimit head break-off machine screws provided.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
23/4	1	10	100	12	

CD5300 (US3) BRASS NARROW HINGE

Finely finished solid brass fast pin hinges for use on small boxes, chests, cabinets, etc. Narrow leaves allow for application in tight places. Includes solid brass screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
3/4 X 5/8	4	10	100	5	9449-A
1 X 3/4	4	10	100	6	
11/4 X 3/4	4	10	100	8	
11/2 X 7/8	2	10	100	9	
13/4 X 29/32	2	10	100	10	
2 X 1	2	10	100	12	

CD5301 (US3) BRASS MIDDLE HINGE

Finely finished solid brass fast pin hinges for use on small boxes, chests, cabinets, etc. Medium size leaves for average applications. Includes solid brass screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
3/4 x 11/16	4	10	100	5	9449-A
1 x 13/16	4	10	100	6	
11/4 x 7/8	4	10	100	8	
11/2 x 1	2	10	100	9	
13/4 x 1	2	10	100	10	
2 x 13/16	2	10	100	13	

CD5302 (US3) BRASS BROAD HINGE

Finely finished solid brass fast pin hinges for use on small boxes, chests, cabinets, etc. Wide leaves for broader application. Includes solid brass screws.




Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
34 x 1 1 x 1½2 1¼ x 1¼6 1½ x 1¼4 1¾ x 1¼ 2 x 1¾8 2½ x 1¾	4 4 2 2 2 2 2 2	10 10 10 10 10 10 10	100 100 100 100 100 100 100	6 8 9 13 14 22	9449-A 9450-A

Items packed with screws where required

CD5303 (US3) BRASS BUTTON TIP HINGE

Finely finished solid brass button tip broad leaf hinges. Decorative tips add formal look to small doors and cabinets. Includes solid brass screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
1½ x 1¼ 2 x 1¾ 2½ x 1¾ 2½ x 1¾	2 2 2	10 10 10	100 100 100	10 15 23	} 9450-A

CD5304 (US3) BRASS DESK HINGE

Finely finished solid brass fast pin specialty hinges. Extra wide leaf lends itself perfectly for use on desks, drop leafs, etc. Includes solid brass screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
1 x 1 ¹ 1 ¹ / ₂ x 2 2 x 3 ¹	2	10 10 10	100 100 100	11 13 26	} 9450-A

CD5310 (US3) BRASS HINGE

Finely finished solid brass fast pin ornamental hinge. For light duty use on small boxes, chests, etc. Includes solid brass nails.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
5/8 x 1	2	10	100	3	9452-A

CD5311 (US3) BRASS HINGE

Finely finished solid brass fast pin ornamental hinge. Neutral design allows it to blend with any period. Includes solid brass screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II [™]
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
3/4 x 17/8	2	10	100	4	9452-A

CD5312 (US3) BRASS HINGE

Finely finished solid brass fast pin ornamental hinge. Decorative ball tip adds distinctive look to small doors and cabinets. Includes solid brass screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
1½ x 1¼	2	10	100	15	

CD5313 (US3) BRASS HINGE

Finely finished solid brass ornamental hinge. For light duty use on small boxes, chests, etc. Fast pin. Includes solid brass nails.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
1½ x 1¼	2	10	100	4	9452-A

CD5314 (US3) BRASS HINGE

Finely finished solid brass ornamental hinge. For light duty use on small boxes, chests, etc. Unequal leaves, fast pin. Includes solid brass nails.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
5/8 x 17/8	2	10	100	4	

Items packed with screws where required

CD5315 (US3) BRASS HINGE

Finely finished solid brass ornamental hinge. For light duty use on small boxes, chests, etc. Fast pin. Includes solid brass nails.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II [™]
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
5/8 x 211/16	2	10	100	5	

CD5316 (US3) BRASS HINGE

Finely finished solid brass ornamental hinges. Available in two sizes for use on small boxes, chests, cabinets, etc. Fast pin. Includes solid brass screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
15/16 x 21/4 111/16 x 31/16	2 2	10 10	100 100	10 17	} 9451-A

CD5317 (US3) BRASS HINGE

Finely finished solid brass ornamental hinge. Heavy gauge, rugged design for use on small boxes, chests, cabinets, etc. Fast pin. Includes solid brass screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
15/16 x 215/16	2	10	100	18	9451-A

CD5325 (US3) BRASS HASP

Finely finished solid brass hasp. Staple allows up to ½" padlock shackle. Used for cabinets, boxes, chests, etc. Includes solid brass screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
3/4 x 23/4	1	10	100	10	

CD5326 (US3) BRASS HASP AND HOOK

Finely finished solid brass hasp. Hook keeps hasp securely closed. Used for cabinets, boxes, chests, etc. Includes solid brass screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
3/4 x 3	1	10	100	11	

CD5327 (US3) BRASS HASP

Finely finished solid brass hasp. Staple allows up to ¼" padlock shackle. Used for cabinets, boxes, chests, etc. Includes solid brass screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
1 x 3	1	10	100	14	9451-A

CD5328 (US3) BRASS HASP

Finely finished solid brass hasp. Staple allows up to ½" padlock shackle. Used for cabinets, boxes, chests, etc. Includes solid brass nails



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
5/8 x 17/8	1	10	100	3	

CD5329 (US3) BRASS HASP

Finely finished solid brass hasp. Staple allows up to \\\'s'' padlock shackle. Used for cabinets, boxes, chests, etc. Includes solid brass nails.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II TM
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
5/8 x 23/4	1	10	100	5	

Items packed with screws where required

CD5336 (US3) BRASS CHEST HANDLE

Finely finished solid brass chest handles. Available in two popular sizes. Includes solid brass screws.



CD5345	(US3)	BRASS	BOX	CATCH

Finely finished solid brass box catch designed to add the finishing touch to small boxes, chests, etc. Includes solid brass nails.




	Size	Quantity	Packs	Packs	Case	In Uni•Rack II™
	(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
#1		2 2	10 10	100 100	12 15	} 9450-A

Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
3/4 x 11/4	2	10	100	5	

CD5339 (US3) BRASS HOOK AND STAPLE

Solid brass hook and staple. Attractively designed to simply secure cabinet doors, small boxes, chests, etc. Includes solid brass screws.



CD5347 (US3) BRASS CORNER

Finely finished solid brass corners. Flush fit holds original design and protects corners. Includes solid brass screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
3/4 x 17/8	2	10	100	7	9451-A

Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
#1 %6×1¾ #2 5/8×1¾	4	10 10	100 100	6 8	} 9452-A

CD5342 (US3) BRASS KNOB

Finely finished solid brass knob for cabinet doors and drawers. Easy to apply. Simply screw in.



Finely finished solid brass corners. Bull nose design adds extra protection to luggage, boxes, chests, etc. Includes solid brass screws.

CD5348 (US3) BRASS CORNER

Solid STANLEY Brass CORNERS
rour CD5348 #1 US3
Classic Brassware

Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
1/ ₂ 5/ ₈	2 2	10 10	100 100	3 4	} 9450-A

Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
#1 7/8X 7/8 #2 11/4X11/4	4 4	10 10	100 100	6 11	} 9452-A

Items packed with screws where required

CD5350 (US3) BRASS MENDING PLATE

Finely finished solid brass mending plates. Many uses around the home. Perfect for repairing furniture, doors, etc. Includes solid brass screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
½x2 ½x3	4 4	10 10	100 100	8 13	} 9452-A

CD5351 (US3) BRASS CORNER BRACE

Finely finished solid brass corner braces. This brace has many uses throughout the home and workshop. Solid brass screws included.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
1 x ¹ / ₂ 1 ¹ / ₂ x ¹ / ₂		10 10	100 100	10 13	} 9452-A

CD5352 (US3) BRASS FLAT CORNER IRON

Finely finished solid brass flat corner iron. This product is both functional in design and attractive in appearance. Includes solid brass screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
3/8×2	4	10	100	10	

CD5357 (US3) BRASS BULLET CATCH

Finely finished brass plated friction catch. This item is easy to apply and gives that finished touch to cabinet doors. Solid brass nails included.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
3/8	4	10	100	6	9452-A

CD5365 (US3) BRASS PLATED STEEL CHEST LATCH

Brass plated chest latch. Securely latches cases, trunks, etc. Includes brass plated screws.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
23/4×11/2	2	10	100	19	

CD5366 (US3) BRASS PLATED STEEL CHEST LATCH

Brass plated chest latch with padlock eye. Provides additional security to any latching cases, trunks, etc. Includes brass plated screws



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
31/4×13/4	1	10	100	15	9447-A

CD5400 (US3) BRASS PADLOCK

Finely finished brass plated padlock. Attractive design allows it to blend with any decor. Two keys provided.



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
3/4	1	10	100	6	9451-A

CD5410 (US3) BRASS MINI BOLT

Finely finished solid brass barrel bolt. Distinctively designed, fits into tight areas. Perfect for use on cabinet doors, windows,



Size	Quantity	Packs	Packs	Case	In Uni-Rack II™
(inches)	Per Pack	Per Box	Per Case	Weight	Assortment No.
13/4	1	10	100	11	9452-A

Items packed with screws where required

CLASSIC BRASSWARE CHEST KITS

5297 BRASSWARE CHEST KIT


Top quality, pre-cut, unfinished white pine. All the Classic Brassware needed to distinctively accent the chest. Easy to follow assembly instructions



Catalog	Quantity	Case	in Uni-Rack II™
Number	Per Case	Weight	Assortment No.
5297	4	10	9482-A

5298 BRASSWARE MINI-HUTCH KIT

Top quality, pre-cut, unfinished white pine. All the Classic Brassware needed to distinctively accent the chest. Easy to follow assembly instructions



Catalog	Quantity	Case	in Uni-Rack II™
Number	Per Case	Weight	Assortment No.
5298	2	6	9482-A

STANLEY HARDWARE'S SALES PROVEN MERCHANDISING PROGRAM

PRODUCT

THE PACKAGE

AND THE WAY
TO MAKE IT SELL!

Stanley Hardware



STANLEY UNI-RACK II Plus 2

The only complete hardware merchandising system!



Featuring
UNI-BIN™ and THE HARDWARE IDEA CENTERS™

Consists of 3 Powerful Concepts:

UNI-RACK II™

Features 112 different assortments, over 900 different items

Powerful full color product illustrated header

Header allows consumer to easily locate product

- Reduces customer's need to seek sales help
- Avoids lost sales because customer can't locate product

Vinyl laminated merchandiser ensures long wear and easy upkeep

Has permanent "name and address" reorder information

UNI-PANELT

Powerful full color product illustrated headers

 Mounts easily above gondola or on pegboard wall to maximize available product space

Available through your choice of either:

- 1. Pre-planned program
 - Features 13 different assortments

2. Customized program

- We will customize to your specific needs from over 350 different items giving you
- The products you need
- On the space you need
- Customized on the merchandise you need

UNI-BIN™

Finally a way to merchandise bulk hardware

- Designed to work with our Uni-Rack II concept
- Features 56 different assortments
- Or customized to your needs from over 350 different items
- Modular 2' sections

Header allows consumer to easily locate product

- Reduces customer's need to seek sales help
- Avoids lost sales because customer can't locate product

PLUS THE HARDWARE IDEA CENTERS™

- A Stanley first to help you increase sales
- 3 different idea centers
- 15 different free take-home plans in each
- Ideas tell consumers uses and applications of hardware, weather stripping and plant hangers
- Attractive idea center fits compactly into Uni-Rack II system or stand on counter top
- Powerful full color illustrated header gets consumer's attention

Mix and match these concepts for a total merchandising system!

HOW DO YOU ADD SALES TO YOUR UNI-RACK, UNI-PANEL, OR UNI-BIN PROGRAM?

Sell it with ideas!

STANLEY HARDWARE IDEA CENTERS™

Available Free

See your price sheet for details.

- 3 different idea centers
- 15 different free take home plans in each
- Plans tell consumers uses and application of hardware, weather stripping and plant hangers
- Clear plexiglass front allows consumers to easily see plans
- Attractive idea center fits compactly into Uni-Rack II system or stands on counter top
- Addressed postage paid postcard ensures easy reorder of plans





Hardware Idea Center 9556-R



Plant Hanger Idea Center 9557-R



Energy Saving Idea Center 9558-R

STANLEY UNI-RACK II ASSORTMENTS

BARREL BOLTS AND HEAVY BOLTS


3-A BARREL BOLTS, BRASS PLATED

■ An assortment of popular size, brass plated barrel bolts, with a solid brass chain door guard

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD1076(US4) 2½" Barrel Bolts No. CD1076(US4) 3" Barrel Bolts No. CD1076(US4) 4" Barrel Bolts No. CD1078(US4) 2½" Barrel Bolts No. CD1078(US4) 3" Barrel Bolts No. CD1078(US4) 4" Barrel Bolts No. CD1078(US4) 5" Barrel Bolts No. CD1078(US4) 6" Barrel Bolts No. CD1078(US4) 6" Barrel Bolts No. CD1078(US4) 6" Barrel Bolts No. CD7088¼(US3) Solid Brass Chain Door Guard	10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks.	10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks.

Weight: 23 lbs.



8"



4-A BARREL BOLTS, ZINC PLATED

■ An assortment of popular size, zinc plated barrel bolts INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD1078(US2C) 2½" Barrel Bolts	20 pks.	10 pks.
No. CD1078(US2C) 3" Barrel Bolts	20 pks.	10 pks.
No. CD1078(US2C) 4" Barrel Bolts	20 pks.	10 pks.
No. CD1078(US2C) 5" Barrel Bolts	10 pks.	10 pks.
No. CD1078(US2C) 6" Barrel Bolts	10 pks.	10 pks.

Weight: 22 lbs.


5-A HEAVY BOLTS

■ An assortment of rugged bolts suited to large variety of applications

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD379(US4) 4" Surface Bolts No. CD379(US4) 6" Surface Bolts No. CD1055(US4) 4" Chain Bolts No. CD1055(US2C) 6" Chain Bolts No. CD1056(US4) 4" Foot Bolts No. CD1056(US2C) 6" Foot Bolts No. CD1056(US2C) 6" Foot Bolts No. CD1084(US4) 4" Heavy Barrel Bolts No. CD1084(US4) 6" Heavy Barrel Bolts No. CD1084(US2C) 4" Heavy Barrel Bolts No. CD1084(US2C) 6" Heavy Barrel Bolts No. CD1088(US2C) 6" Heavy Barrel Bolts	5 pks. 5 pks. 5 pks. 5 pks. 5 pks. 10 pks. 10 pks. 10 pks. 10 pks. 5 pks.	5 pks. 5 pks. 5 pks. 5 pks. 5 pks. 5 pks. 5 pks. 5 pks. 5 pks. 5 pks.

Weight: 36 lbs.



BRASS PLATED HARDWARE & CABINET CATCHES


BRASS PLATED HARDWARE

9447-A BRASS PLATED HINGES, SUPPORTS AND LATCHES

■ An assortment of popular small household hinges, supports and latches in steel, brass plated finish

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD343(US3) 1¼" Cabinet Hinge No. CD343(US3) 2" Cabinet Hinge No. CD430(US3) Lid Support No. CD432(US3) Lid Support No. CD441(US3) Table Leg Brace No. CD838(US3) 1" Utility Hinge No. CD838(US3) 1½" Utility Hinge No. CD838(US3) 2" Utility Hinge No. CD838(US3) 2" Utility Hinge No. CD838(US3) 3" Utility Hinge No. CD838(US3) 3" Utility Hinge No. CD838(US3) 3" Utility Hinge No. CD5365(US3) 3¾"x1½" Chest Latch No. CD5366(US3) 3¾"x1¾" Chest Latch	10 pks.	10 pks. 10 pks. 10 pks. 10 pks. 5 pks. 10 pks.




Weight: 25 lbs.

9448-A BRASS PLATED REINFORCEMENT HARDWARE

■ An assortment of reinforcement hardware, brass plated INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD345(US3) Hinge Hasp No. CD911(US3) 2½" Safety Hasp No. CD995(US3) 3" Mending Plate No. CD995(US3) 4" Mending Plate No. CD997(US3) 1½" Corner Brace No. CD997(US3) 2" Corner Brace No. CD997(US3) 3" Corner Brace No. CD997(US3) 2" Flat Corner Brace No. CD999(US3) 2" Flat Corner Brace No. CD999(US3) 2½" Flat Corner Brace	10 pks. 10 pks. 10 pks. 10 pks. 20 pks. 20 pks. 20 pks. 20 pks. 10 pks.	10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks.

Weight: 18 lbs.



CABINET CATCHES


17-A CABINET CATCHES

■ An assortment of friction, roller and magnetic catches for general cabinet use

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD26(US3) Adjustable Roller Catches	5 pks.	5 pks.
No. CD34(US2C) Cabinet Catches	10 pks.	10 pks.
No. CD35(US2C) Double Roller Catches	20 pks.	10 pks.
No. CD37(US2C) Cabinet Catches	10 pks.	10 pks.
No. CD41(US28) Magnetic Catches	20 pks.	10 pks.
No. CD42 Magnetic Catches	20 pks.	10 pks.
No. CD46(US28) Magnetic Catches	20 pks.	10 pks.

Weight: 10 lbs.



CLASSIC BRASSWARE™

9449-A SOLID BRASS HINGES

■ A full assortment of solid brass hinges for fine cabinet and all around general use

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD5300(US3) 34" Brass Narrow Hinge No. CD5300(US3) 1" Brass Narrow Hinge No. CD5300(US3) 1½" Brass Narrow Hinge No. CD5300(US3) 1½" Brass Narrow Hinge No. CD5300(US3) 1½" Brass Narrow Hinge No. CD5300(US3) 2" Brass Narrow Hinge No. CD5301(US3) 34" Brass Middle Hinge No. CD5301(US3) 1" Brass Middle Hinge No. CD5301(US3) 1½" Brass Middle Hinge No. CD5301(US3) 1½" Brass Middle Hinge No. CD5301(US3) 1¾" Brass Middle Hinge No. CD5301(US3) 2" Brass Middle Hinge No. CD5301(US3) 34" Brass Middle Hinge No. CD5302(US3) 34" Brass Broad Hinge No. CD5302(US3) 1½" Brass Broad Hinge No. CD5302(US3) 1½" Brass Broad Hinge No. CD5302(US3) 1½" Brass Broad Hinge No. CD5302(US3) 1¾" Brass Broad Hinge No. CD5302(US3) 1¾" Brass Broad Hinge No. CD5302(US3) 1¾" Brass Broad Hinge No. CD5302(US3) 134" Brass Broad Hinge No. CD5302(US3) 2" Brass Broad Hinge	10 pks.	10 pks.

Weight: 17 lbs.

9450-A SOLID BRASS HANDLES AND SPECIALTY HINGES

A solid brass assortment of popular handles, knobs, and specialty hinges

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD4471(US3) Brass Knob No. CD4478(US3) Brass Pull No. CD4479(US3) Brass Pull No. CD5302(US3) 2½" Brass Broad Hinge No. CD5303(US3) 1½" Brass Button Tip Hinge No. CD5303(US3) 2½" Brass Button Tip Hinge No. CD5303(US3) 2½" Brass Button Tip Hinge No. CD5304(US3) 1½" Brass Desk Hinge No. CD5304(US3) 1½" Brass Desk Hinge No. CD5304(US3) 2½" Brass Desk Hinge No. CD5304(US3) 2½ Brass Desk Hinge No. CD5304(US3) ½" Brass Chest Handle No. CD5336(US3) #1 2" Brass Chest Handle No. CD5342(US3) ½" Brass Knob No. CD5342(US3) ½" Brass Knob	10 pks.	10 pks.

Weight: 20 lbs.


9451-A SOLID BRASS ORNAMENTAL HARDWARE

■ An assortment of solid brass ornamental hardware that adds the finishing touch to any job

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL


Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD5314(US3) 5%" Brass Hinge No. CD5315(US3) 5%" Brass Hinge No. CD5316(US3) 11%" Brass Hinge No. CD5316(US3) 11%" Brass Hinge No. CD5317(US3) 11%" Brass Hinge No. CD5325(US3) 34" Brass Hasp No. CD5326(US3) 34" Brass Hasp and Hook No. CD5327(US3) 1" Brass Hasp No. CD5328(US3) 5%" Brass Hasp No. CD5329(US3) 5%" Brass Hasp No. CD5329(US3) 5%" Brass Hasp No. CD5339(US3) 34" Brass Hook and Staple No. CD5345(US3) 34" Brass Box Catch No. CD5400(US3) 34" Brass Plated Padlock	10 pks. 20 pks.	10 pks. 10 pks.

Weight: 13 lbs.



8"

15"



CLASSIC BRASSWARE AND CLOSET HARDWARE

CLASSIC BRASSWARE™ (Continued)

9452-A SOLID BRASS REINFORCEMENT HARDWARE

An assortment of solid brass reinforcement hardware provides strength and attractive appearance

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD4060(US3) 2½" Brass Bolt No. CD5310(US3) 5%" Brass Hinge No. CD5311(US3) 34" Brass Hinge No. CD5312(US3) 1½" Brass Hinge No. CD5313(US3) 1½" Brass Hinge No. CD5313(US3) 1½" Brass Hinge No. CD5347(US3) #1 1½" Brass Corner No. CD5347(US3) #2 1¾" Brass Corner No. CD5348(US3) #1 7%" Brass Corner No. CD5348(US3) #2 1½" Brass Corner No. CD5348(US3) #2 1½" Brass Mending Plate No. CD5350(US3) 2" Brass Mending Plate No. CD5351(US3) 1" Brass Corner Brace No. CD5351(US3) 1½" Brass Corner Brace No. CD5352(US3) 2" Brass Flat Corner Iron No. CD5357(US3) 3%" Brass Bullet Catch No. CD5410(US3) 1¾" Brass Mini Bolt	10 pks.	10 pks.



Weight: 15 lbs.

9482-A CLASSIC BRASSWARE CHEST KITS™

■ Two different easy to assemble do-it-yourself hobby kits INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL AND WIRE DISPLAY RACK

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 5297 Brassware Chest Kit No. 5298 Mini-Hutch Kit	2 1	4 2

Weight: 9 lbs.



CLOSET HARDWARE


23-A SLIDING DOOR PULLS AND GUIDE

Assorted types of sliding door pulls and a sliding door guide

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD2683(US3) Edge Pulls No. CD2688(US3) No. 1 Cup Pulls No. CD2688(US28) No. 1 Cup Pulls No. CD2860 Door Guides No. CD2910(US3) Cup Pulls No. CD2910(US26) Cup Pulls No. CD2914(US3) Flush Pulls No. CD2914(US26) Flush Pulls	10 pks. 20 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks.	5 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks.

Weight: 9 lbs.



20"

CLOSET HARDWARE, CLOTHESLINE HARDWARE AND FURNITURE HARDWARE

CLOSET HARDWARE (Continued)



24-A CLOSET HARDWARE

An assortment of closet hardware containing extension type closet bars, nylon glides, pole sockets and combination shelf and pole supports

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	For Closet Widths	Assortment Quantity	Minimum Reorder Quantity
No. V7036 Adj. Closet Bars No. V7036 Adj. Closet Bars No. V7036 Adj. Closet Bars No. V7039 Nylon Hanger Gli		10 pks. 10 pks. 10 pks. 10 pks.	10 pks. 10 pks. 10 pks. 10 pks.
No. V7046(DW) Combination Closet Supports No. CD7056 Pole Sockets No. CD7089(US4) Closet Bar		5 pks. 20 pks. 5 pks.	5 pks. 10 pks. 5 pks.

Weight: 55 lbs.

CLOTHESLINE HARDWARE

8"

15"

18-A CLOTHESLINE HARDWARE

■ Weather resistant for long outdoor life

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD4106 Metal Clothesline Pulleys	5 pks.	5 pks.
No. CD4109(US2C) Utility Hooks	20 pks.	10 pks.
No. CD4111 Clothesline Pulleys	5 pks.	5 pks.
No. CD7070 Line Tightener Clamps	10 pks.	10 pks.

Weight: 14 lbs.

FURNITURE HARDWARE


22-A FURNITURE HARDWARE

■ Selected furniture hardware in satin brass and brown lacquer finishes. Designed for dependable and decorative use in the home

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD150(US4) Cafe Door Pivot No. CD164(US4) 3½" Half Surface Hinges No. CD814(US2C) 1½" Hinges No. CD814(US4) 1½" Hinges No. CD875(US4) ¾" Folding Screen Hinges No. CD996½(BL) 1" x 1" Chair Leg Braces No. CD1475(US4) 1½" Butterfly Hinges No. CD1478(US4) 1½" Butterfly Hinges No. CD1484(US4) Hinges No. CD1956(BL) 10" Folding Supports	5 pks. 5 pks. 5 pks. 5 pks. 5 pks. 10 pks. 10 pks. 10 pks. 10 pks. 5 pks.	5 pks. 5 pks. 5 pks. 5 pks. 5 pks. 10 pks. 10 pks. 10 pks. 5 pks.

Weight: 19 lbs.



GATE HARDWARE

8-A UTILITY GATE HINGES AND LATCHES

■ For long outdoor life in zinc plated finish

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V951(US2C) 6" Screw Hook and Strap Hinges No. V951(US2C) 8" Screw Hook and Strap	4 pks.	2 pks.
Hinges No. CD1261(US2C) Gate Latches No. CD1261½(US2C) Gate Latches No. CD1267(US2C) Gate Latches	2 pks. 10 pks. 10 pks. 5 pks.	2 pks. 10 pks. 10 pks. 5 pks.

Weight: 30 lbs.



9453-A ORNAMENTAL GATE HARDWARE — BLACK I

■ An assortment of popular gate hardware items

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD1290(KJ1) Thumb Latch	5 pks.	5 pks.
No. CD1291(KJ1) Tee Hinge	5 pks.	5 pks.
No. CD1295(KJ1) Gate Spring	5 pks.	5 pks.
No. CD1296(KJ1) Spring Tee Hinge	5 pks.	5 pks.
No. CD1298(KJ1) Pull	5 pks.	5 pks.

Weight: 46 lbs.



9454-A ORNAMENTAL GATE HARDWARE — BLACK II

■ Various gate hardware items in dead black finish INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD1009(KJ1) Cane Bolt	5 pks.	5 pks.
No. CD1261(KJ1) Gate Latch	10 pks.	5 pks.
No. CD1292(KJ1) Strap Hinge	5 pks.	5 pks.
No. CD1293(KJ1) Screw Hook and Strap Hinge	5 pks.	5 pks.
No. CD953 (KJ1) Screw Hook and Eye Hinge	5 pks.	5 pks.

Weight: 49 lbs.



HASPS AND HINGES HASPS

1-A SPECIAL AND SAFETY HASPS

 Assorted sizes and types of hasps for all normal requirements

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD346(US4) Light Safety Hasps No. CD911(US2C) 2½" Safety Hasps No. CD911(US2C) 3½" Safety Hasps No. CD911(US2C) 4½" Safety Hasps No. CD912(US2C) 3" Hinge Hasps No. CD915(US2C) 3½" Safety Hasps No. CD915(US2C) 4½" Safety Hasps No. CD915(US2C) 4½" Click Lock Hasps No. CD917(US2C) 3½" Click Lock Hasps No. CD918(US2C) 3½" Latching Hasps No. CD925(US2C) 3" Double Hinge Hasps	10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks.	10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks.

Weight: 28 lbs.







2-A LARGE HASPS, HANDLES AND HINGES

■ Large sizes of popular items for big jobs

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD900(US2C) 6" Strap Hinges No. CD904(US2C) 6" Tee Hinges No. CD911(US2C) 6" Safety Hasps No. CD912(US2C) 4½" Hinge Hasps No. CD915(US2C) 6" Safety Hasps No. CD917(US2C) 4½" Safety Hasps No. CD917(US2C) 7½" Hinge Hasps No. CD941(US2C) 7½" Hinge Hasps No. CD995(US2C) 6" Mending Plates No. CD1205(US2C) No. 2¾ Chest Handles No. CD1205(US2C) No. 3½ Chest Handles No. CD1245(US2C) No. 2 Padlock Eyes	5 pks. 5 pks. 5 pks. 10 pks. 5 pks. 10 pks. 10 pks. 10 pks. 5 pks. 10 pks.	5 pks. 5 pks. 5 pks. 10 pks. 5 pks. 10 pks. 5 pks. 10 pks. 5 pks. 10 pks. 10 pks. 5 pks.

Weight: 34 lbs.

HINGES


6-A LIGHT STRAP AND T-HINGES

■ Lightweight strap and tee hinges in popular sizes for general purpose use. All in bright zinc plated finish

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD900(US2C) 2" Strap Hinges	10 pks.	10 pks.
No. CD900(US2C) 3" Strap Hinges	20 pks.	10 pks.
No. CD900(US2C) 4" Strap Hinges	10 pks.	10 pks.
No. CD904(US2C) 2" Tee Hinges	10 pks.	10 pks.
No. CD904(US2C) 3" Tee Hinges	20 pks.	10 pks.
No. CD904(US2C) 4" Tee Hinges	20 pks.	10 pks.

Weight: 25 lbs.



HINGES

HINGES (Continued)


7-A HEAVY STRAP AND T-HINGES

■ Heavy duty strap and tee hinges in assorted sizes. Rust-resisting zinc plated finish for outdoor use

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V902(US2C) 4" Strap Hinges No. V902(US2C) 5" Strap Hinges No. V902(US2C) 6" Strap Hinges No. V902(US2C) 8" Strap Hinges No. V902(US2C) 10" Strap Hinges No. V908(US2C) 4" Tee Hinges No. V908(US2C) 5" Tee Hinges No. V908(US2C) 6" Tee Hinges No. V908(US2C) 8" Tee Hinges No. V908(US2C) 10" Tee Hinges	2 pks. 2 pks.	2 pks. 2 pks.






9-A HOUSEHOLD AND UTILITY DOOR HINGES

■ An assortment of popular sizes door and utility hinges INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD741(US4) 3" x 3" Door Hinges No. CD741(US4) 3½" x 3½" Door Hinges No. CD741(US14) 3½" x 3½" Door Hinges No. CD741(US4) 4" x 4" Door Hinges No. CD804(US2C) 2½" x 2½" Utility Door	10 pks. 10 pks. 10 pks. 10 pks.	10 pks. 10 pks. 10 pks. 10 pks.
Hinges No. CD804(US2C) 3" x 3" Utility Door	10 pks.	10 pks.
Hinges No. CD804(US2C) 3½" x 3½" Utility Door	5 pks.	5 pks.
Hinges No. CD804(US2C) 4" x 4" Utility Door	5 pks.	5 pks.
Hinges	5 pks.	5 pks.

Weight: 30 lbs.




10-A SMALL HOUSEHOLD HINGES


An assortment of popular cabinet and small household hinges

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD295(US4) 1½" Cabinet Hinges No. CD295(US4) 2" Cabinet Hinges No. CD295(US4) 2½" Cabinet Hinges No. CD295(US4) 3" Cabinet Hinges No. CD838(US2C) 1" Utility Hinges No. CD838(US2C) 1½" Utility Hinges No. CD838(US2C) 2" Utility Hinges No. CD838(US2C) 2½" Utility Hinges No. CD838(US2C) 3" Utility Hinges No. CD838(US2C) 3" Utility Hinges No. CD838(US2C) 4" Utility Hinges	10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 20 pks. 20 pks. 10 pks.	10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks.

Weight: 30 lbs.





HINGES

HINGES (Continued)


11-A 30" CONTINUOUS HINGES - STEEL

■ Popular size wrought steel continuous hinges in bright brass and bright nickel finishes

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SC311(US3) 11/6" x 30" Continuous Hinges No. SC311(US3) 11/2" x 30" Continuous	5 pks.	5 pks.
Hinges No. SC311(US14) 1%" x 30" Continuous	5 pks.	5 pks.
Hinges No. SC311(US14) 1½" x 30" Continuous	5 pks.	5 pks.
Hinges	5 pks.	5 pks.

Weight: 19 lbs.



12-A 30" CONTINUOUS HINGES - BRASS

Solid brass continuous hinges with solid brass pins. In bright brass and bright chrome finishes

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SC311¼(US3) 1¾" x 30" Continuous Hinges No. SC311¼(US3) 1½" x 30" Continuous	5 pks.	5 pks.
Hinges No. SC311¼(US26) 1¼6" x 30" Continuous	5 pks.	5 pks.
Hinges No. SC311¼(US26) 1½" x 30" Continuous	5 pks.	5 pks.
Hinges	5 pks.	5 pks.

Weight: 19 lbs.

Construction 1 8"

Use with either 11-A or 12-A

10"

13-A 30" CONTINUOUS HINGES - ALUMINUM

■ Aluminum hinges with aluminum pins. English walnut AL2 and French gold AL3 color anodized finishes

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SCAL311¼(AL2) 1½" x 30" Continuous Hinges No. SCAL311¼(AL2) 1½" x 30" Continuous	5 pks.	5 pks.
Hinges No. SCAL311¼(AL3) 1¼" x 30" Continuous	5 pks.	5 pks.
Hinges No. SCAL311¼(AL3) 1½" x 30" Continuous	5 pks.	5 pks.
Hinges	5 pks.	5 pks.

Weight: 9 lbs.

HINGES

HINGES (Continued)

8"



either

11-A,

12-A,

13-A or 9462-A

30"

9461-A 48" CONTINUOUS HINGES ASSORTMENT — STEEL

■ Popular size wrought steel continuous hinges in bright brass and bright nickel finishes

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SC311(US3) 11/6"x48" Continuous Hinges	5 pks.	5 pks.
No. SC311(US14) 11/6"x48" Continuous Hinges	5 pks.	5 pks.
No. SC311(US3) 11/2"x48" Continuous Hinges	5 pks.	5 pks.
No. SC311(US14) 11/2"x48" Continuous Hinges	5 pks.	5 pks.

Weight: 27 lbs.

9462-A 48" CONTINUOUS HINGES ASSORTMENT — SOLID BRASS

 Solid brass continuous hinges with solid brass pins. In bright brass and bright chrome finishes

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SC311¼(US3) $1\frac{1}{6}$ "x48" Continuous Hinges No. SC311¼(US26) $1\frac{1}{6}$ "x48" Continuous Hinges No. SC311¼(US3) $1\frac{1}{2}$ "x48" Continuous Hinges No. SC311¼(US26) $1\frac{1}{2}$ "x48" Continuous Hinges	5 pks.	5 pks. 5 pks. 5 pks. 5 pks.

Weight: 29 lbs.

8" Use with either 11-A, 12-A, 13-A or 9461-A


9466-A ANTIQUE DOOR HINGES

An assortment of popular sized door hinges in 3 antique finishes

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD741(K4) 3½" Antique Silver Hinge	10 pks.	10 pks.
No. CD741(K4) 4" Antique Silver Hinge	10 pks.	10 pks.
No. CD741(A6) 3½" Antique Bronze Hinge	10 pks.	10 pks.
No. CD741(A6) 4" Antique Bronze Hinge	10 pks.	10 pks.
No. CD741(F8) 3½" Antique Brass Hinge	20 pks.	10 pks.
No. CD741(F8) 4" Antique Brass Hinge	20 pks.	10 pks.

Weight: 46 lbs.



HOUSE NUMBERS AND MISCELLANEOUS HARDWARE HOUSE NUMBERS

34-A HOUSE NUMBERS BLACK

■ Full 4" size house numbers for greater visibility. Made of non-ferrous, rust proof metal. Dead black (US1D) finish

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD7130(US1D) House Number 1 No. CD7130(US1D) House Number 2 No. CD7130(US1D) House Number 3 No. CD7130(US1D) House Number 4 No. CD7130(US1D) House Number 5 No. CD7130(US1D) House Number 6 No. CD7130(US1D) House Number 7 No. CD7130(US1D) House Number 8 No. CD7130(US1D) House Number 9 No. CD7130(US1D) House Number 9 No. CD7130(US1D) House Number 0	10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks.	10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks.

Weight: 12 lbs.

35-A HOUSE NUMBERS BRASS

■ Full 4" size house numbers for greater visibility. Made of non-ferrous, rust proof metal. Bright brass (US3) finish

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD7130(US3) House Number 1 No. CD7130(US3) House Number 2 No. CD7130(US3) House Number 3 No. CD7130(US3) House Number 4 No. CD7130(US3) House Number 5 No. CD7130(US3) House Number 6 No. CD7130(US3) House Number 7 No. CD7130(US3) House Number 8 No. CD7130(US3) House Number 9 No. CD7130(US3) House Number 0	10 pks.	10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks.

Weight: 12 lbs.


MISCELLANEOUS HARDWARE

21-A DOOR STOPS AND MISCELLANEOUS HOME HARDWARE

■ Popular home-fix-up hardware INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL


Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD205(US2C) Utility Holders No. CD450(US4) Bar Latches No. CD486(US4) Hook Lifts No. CD7071(US4) Solid Door Stops No. CD7072(US4) Floor Door Stops No. CD7073(US4) Sash Locks No. CD7074(US4) Bar Sash Lifts No. CD7080(US4) Cupboard Catches No. CD7081(US4) Handrail Brackets No. CD7082(US4) Coat Hooks No. CD7092(US4) Hinge Pin Door Stops No. CD7092(US4) Flexible Door Stops No. CD7095(US4) Door Stop With Holder	5 pks. 10 pks.	5 pks. 10 pks.

Weight: 18 lbs.



8"

15"




MISCELLANEOUS HARDWARE AND PLANT HANGERS MISCELLANEOUS HARDWARE (Continued)

25-A DOOR PULLS AND LATCH

■ For general use around the home INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD479(US2C) 4%" Door Pulls	10 pks.	10 pks.
No. CD479(US4) 4%" Door Pulls	10 pks.	10 pks.
No. CD482(US2C) No. 2 Door Pulls	5 pks.	5 pks.
No. CD482(US2C) No. 3 Door Pulls	5 pks.	5 pks.
No. CD482(US4) No. 2 Door Pulls	5 pks.	5 pks.
No. CD1215(US2C) No. 1 Trap Door Rings	5 pks.	5 pks.
No. CD1260(US2C) No. 2 Thumb Latches	5 pks.	5 pks.

Weight: 10 lbs.




9473-A ANTIQUE MISCELLANEOUS HOME HARDWARE

■ Popular home-fix-up hardware in antique brass INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD450(F8) Bar Latch No. CD486(F8) Hook Lift No. CD7071(F8) Solid Door Stop No. CD7072(F8) Floor Door Stop No. CD7073(F8) Sash Lock No. CD7074(F8) Utility Pull No. CD7081(F8) Handrail Bracket No. CD7082(F8) Coat Hooks No. CD7090(F8) Hinge Pin Door Stop No. CD7092(F8) Flexible Door Stop No. CD7095(F8) Door Stop with Holder	10 pks. 10 pks. 10 pks. 10 pks. 20 pks. 10 pks. 10 pks. 10 pks. 20 pks.	10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks.

Weight: 17 lbs.



PLANT HANGERS


9460-A PLANT HANGER ASSORTMENT

Decorative plant hanger brackets in popular sizes and finishes

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL


Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V780(J2) 5"x7" Plant Hanger	5 pks.	5 pks.
No. V780(J2) 9"x11" Plant Hanger	5 pks.	5 pks.
No. V780(US3) 5"x7" Plant Hanger	5 pks.	5 pks.
No. V780(US3) 9"x11" Plant Hanger	5 pks.	5 pks.

Weight: 16 lbs.



PLANT HANGERS

PLANT HANGERS (Continued)



9463-A OUTDOOR PLANT HANGERS WITH SWIVEL

■ Heavy duty weather resistant plant hangers
INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V720(KJ1) Outdoor Plant Hanger	10 pks.	5 pks.

Weight: 14 lbs.



9465-A CEILING HOOKS AND WIRE PLANT HANGERS

■ Popular plant hangers in an array of finishes

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD722(J2) Wire Plant Hanger	10 pks.	10 pks.
No. CD722(US4) Wire Plant Hanger	10 pks.	10 pks.
No. CD725(J2) Ceiling Hook	10 pks.	10 pks.
No. CD725(US4) Ceiling Hook	10 pks.	10 pks.
No. CD725(F4) Ceiling Hook	10 pks.	10 pks.
No. CD725(F8) Ceiling Hook	10 pks.	10 pks.

Weight: 15 lbs.

PLANT HANGERS

PLANT HANGERS (Continued)


9467-A ANTIQUE FINISH DECORATIVE PLANT HANGERS

■ Decorative plant hangers in antique finishes

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V780(D3) 5"x7" Antique Plant Hanger No. V780(D3) 9"x11" Antique Plant Hanger No. V780(K4) 5"x7" Antique Plant Hanger No. V780(K4) 9"x11" Antique Plant Hanger	5 pks. 5 pks. 5 pks. 5 pks.	5 pks. 5 pks.

Weight: 16 lbs.



9468-A DECORATIVE CHAIN PLANT HANGERS


■ Chain kits, chain extenders, and adjustable pot hangers in brass and black

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD728(J2) Decorative Chain Kit No. CD728(US4) Decorative Chain Kit No. CD729(J2) Hang-a-Plant ^{™*} No. CD729(US4) Hang-a-Plant ^{™*} No. CD730(J2) Decorative Chain Extender No. CD730(US4) Decorative Chain Extender	10 10 10 10 10 10	10 10 10 10 10 10

Weight: 15 lbs.

*Pat. pending




9469-A UNIVERSAL AND SWIVEL PLANT HOOKS

■ Plant hanging accessories for many uses INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD727(KJ1) Plant Swivel Attachment No. CD727(US4) Plant Swivel Attachment No. CD733(KJ1) Universal Plant Hook No. CD733(US4) Universal Plant Hook No. CD734(KJ1) Universal Plant Hook with Swivel No. CD734(US4) Universal Plant Hook with Swivel	10 10 10 10 10	10 10 10 10 10

Weight: 11 lbs.



PLANT HANGERS

PLANT HANGERS (Continued)


9470-A HANGING PLANT ACCESSORIES

■ Selection of popular plant hanger accessories

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD726(KJ1) Rotating Ceiling Hooks No. CD726(US4) Rotating Ceiling Hooks No. CD735(KJ1) Overhead Plant Swivel No. CD735(US4) Overhead Plant Swivel No. CD736(KJ1) Plant "S" Hooks No. CD736(US4) Plant "S" Hooks No. CD737(KJ1) Plant Hooks No. CD737(US4) Plant Hooks	10 10 10 10 10 10 10 10	10 10 10 10 10 10 10 10

Weight: 13 lbs.





9471-A DECORATIVE PLANT BRACKET AND CEILING HOOKS

■ Variety of ceiling hooks and plant bracket

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V732(J2) Decorative Plant Bracket	10	5
No. CD738(US3) Swivel Ceiling Hook	10	10
No. CD738(J2) Swivel Ceiling Hook	10	10
No. CD738(F8) Swivel Ceiling Hook	20	10
No. CD725(White) Ceiling Hook	10	10

Weight: 13 lbs.

STANLEY PARTACONANIE Grantity Adjustable Part Hanger Track Adjustable Track Track Adjustable Track

20"

9472-A PLANT HANGER TRACK

■ Sliding plant track for hanging plants

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V731 (White) Plant Hanger Track	20	5

Weight: 34 lbs.

REINFORCEMENT HARDWARE


19-A FLAT CORNER IRONS

 Strong steel corner irons with protective bright zinc plated finish

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD995½(US2C) 3" x 3" Flat Tee Plates	10 pks.	10 pks.
No. CD999(US2C) 1½" Flat Corner Irons	20 pks.	10 pks.
No. CD999(US2C) 2" Flat Corner Irons	20 pks.	10 pks.
No. CD999(US2C) 2½" Flat Corner Irons	20 pks.	10 pks.
No. CD999(US2C) 3" Flat Corner Irons	20 pks.	10 pks.
No. CD999(US2C) 4" Flat Corner Irons	10 pks.	10 pks.






20-A CORNER BRACES AND MENDING PLATES

 Strong steel corner braces and mending plates with protective bright zinc plated finish

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD995(US2C) 2" Mending Plates No. CD995(US2C) 3" Mending Plates No. CD995(US2C) 4" Mending Plates No. CD997(US2C) 1" Corner Braces No. CD997(US2C) 1½" Corner Braces No. CD997(US2C) 2" Corner Braces No. CD997(US2C) 2½" Corner Braces No. CD997(US2C) 3" Corner Braces No. CD997(US2C) 4" Corner Braces No. CD997(US2C) 4" Corner Braces No. CD998(US2C) 2" Triple Corner Braces	10 pks. 5 pks.	10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 5 pks. 10 pks.

Weight: 20 lbs.




9483-A HEAVY DUTY REINFORCEMENT HARDWARE

■ Heavy duty corner braces, corner irons, mending plates, and T-plates, zinc plated

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 995(US2C) 5" Mending Plate No. 995(US2C) 8" Mending Plate No. 995(US2C) 10" Mending Plate No. 995(US2C) 12" Mending Plate No. 995½(US2C) 4" T-Plate No. 995½(US2C) 5" T-Plate No. 997(US2C) 5" Corner Brace No. 997(US2C) 6" Corner Brace No. 997(US2C) 8" Corner Brace No. 997(US2C) 8" Corner Brace No. 999(US2C) 5" Corner Iron No. 999(US2C) 6" Corner Iron	25 pcs. 10 pcs. 10 pcs. 10 pcs. 25 pcs. 25 pcs. 10 pcs. 5 pcs. 5 pcs. 25 pcs. 25 pcs.	25 pcs. 10 pcs. 10 pcs. 10 pcs. 25 pcs. 25 pcs. 10 pcs. 5 pcs. 5 pcs. 25 pcs. 25 pcs.

Weight: 52 lbs.



FOLDING LEGS, SAWHORSE AND STORM DOOR HARDWARE FOLDING LEGS

STANLEY
HAPENWARE
GEOGRAPH
FOLDING LEGS ozigo
FOLDI

9485-A 30" FOLDING LEGS

■ Zinc plated, all steel construction
INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 7100(US2C) 30 ⁿ Folding Legs	6 pr.	1 pr.

Weight: 42 lbs.



9456-A 30" METAL SAWHORSE

■ Zinc plated, all steel construction


INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 7101(US2C) 30" Metal Sawhorse	9 ea.	1 ea.

Weight: 108 lbs.

STANLEY HARDWARE Coning Forlong Metal Senhores

8"



SCREEN AND STORM DOOR HARDWARE

9476-A SCREEN AND STORM DOOR LATCHES AND CLOSERS — ALUMINUM

■ An assortment of popular latches and closers in aluminum INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD1280(AL) Push-pull Latch No. CD1700(AL) Pneumatic Screen	5 pks.	5 pks.
Door Closer No. CD1702(AL) Hydraulic Screen	5 pks.	5 pks.
Door Closer	5 pks.	5 pks.
No. CD1703(AL) Screen Door Latch No. CD1704(AL) Pushbutton Latch	5 pks. 5 pks.	5 pks. 5 pks.
No. CD1705(AL) Keylocking Latch	5 pks.	5 pks.
No. CD1706(AL) Tulip Knob Latch No. CD1708(AL) Pneumatic Door Closer	5 pks. 5 pks.	5 pks. 5 pks.

Weight: 40 lbs.



SCREEN AND STORM DOOR HARDWARE AND SECURITY HARDWARE

SCREEN AND STORM DOOR HARDWARE (Continued)

9477-A SCREEN AND STORM DOOR LATCHES AND CLOSERS — BLACK

■ An assortment of popular latches and closers in black INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD1702(KJ1) Hydraulic Screen Door Closer No. CD1704(KJ1) Pushbutton Latch No. CD1705(KJ1) Keylocking Latch No. CD1706(KJ1) Tulip Knob Latch No. CD1708(KJ1) Pneumatic Door Closer No. CD1711(KJ1) Strike Plate No. V1712(AL) Clips and Screws	5 pks. 5 pks. 5 pks. 5 pks. 5 pks. 20 pks. 20 pks.	5 pks. 5 pks. 5 pks. 5 pks. 5 pks. 10 pks.

Weight: 32 lbs.

9478-A SCREEN AND STORM DOOR HINGES AND ACCESSORIES

■ An assortment of basic replacement items, rust-resistant finishes INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD4(US2C) 134" Turn Buttons No. CD27(US2C) Screen Door Braces No. CD158(US2C) Screen Door Catch No. CD158(US2C) Screen Door Catch No. CD1210(US2C) Screen Door Catch No. CD1701(US2C) Adjustable Door Spring No. CD1701(US2C) Chain Door Stop No. CD1711(AL) Strike Plate No. CD2154(US2C) Adjustable Spring Hinge No. CD1727(US2C) Friction Adjuster Set No. CD1734(US2C) Screen Hanger Set No. CD1736(US2C) Screen Door Guard No. CD1739(US2C) Screen Door Brace No. CD1750(US2C) Screen and Storm Door Set No. CD1751(US2C) Screen Door Hinge No. CD2154(US4) Adjustable Spring Hinge	10 pks. 10 pks. 10 pks. 10 pks. 5 pks. 5 pks. 10 pks. 10 pks. 10 pks. 5 pks. 10 pks. 5 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks.	10 pks. 10 pks. 10 pks. 10 pks. 5 pks. 5 pks. 10 pks. 10 pks. 10 pks. 5 pks. 10 pks. 5 pks. 10 pks. 10 pks. 10 pks. 10 pks.

Weight: 38 lbs.

8" STANLEY PARTONNAM Received and the second and

8"

30"

SECURITY HARDWARE

9300-A HOME PROTECTION HARDWARE - GUARDWARE I

■ Assortment of 15 carded security hardware items INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL


Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD1078(B44) 4" Barrel Bolt Guard No. CD1078M(B44) 134" Mini Bolt Guard No. CD4060(US3) 4" Surface Bolt Guard No. CD4530(US4) Double Guard Door Chain No. CD4531(B44) Chain Knob Guard No. CD4531(US4) Chain Knob Guard No. CD4532(AL2) Deluxe Chain Guard No. CD4533(AL2) Deluxe Bolt Guard No. CD4533(AL2) Dieluxe Bolt Guard No. CD4537(Alum.) Patio Door Guard No. CD4537(Alum.) Patio Door Guard No. CD4538(US4) Look Out Guard No. CD4539(US3) Window Lock Guard No. CD4700(US2C) Locking Hasp No. CD4700(US3) Locking Hasp No. CD7088(US4) Chain Door Guard	10 pks. 10 pks. 5 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 5 pks. 5 pks. 5 pks. 5 pks. 10 pks. 10 pks.	10 pks. 10 pks. 5 pks. 10 pks. 10 pks. 10 pks. 10 pks. 5 pks. 5 pks. 5 pks. 5 pks. 10 pks. 10 pks.

Weight: 36 lbs.



SECURITY HARDWARE AND SHELF BRACKETS

SECURITY HARDWARE (Continued)



9301-A HOME PROTECTION HARDWARE — GUARDWARE II

■ Key-locking security hardware items

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD4543(US3) Locking Door Bolt No. CD4544(US3) Locking Deluxe Door	10 pks.	5 pks.
Chain No. CD4545(US3) Locking Door Chain No. CD4546(Alum.) Locking Sliding	5 pks. 10 pks.	5 pks. 5 pks.
Window Bolt No. CD4547(Alum.) Locking Patio Door	5 pks.	5 pks.
Bolt	10 pks.	5 pks.

Weight: 23 lbs.

SHELF BRACKETS

9404-A UTILITY SHELF BRACKETS

Assorted sizes of utility brackets made of heavy gauge steel

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V772(US2C) Heavy Duty Folding Shelf Brackets No. V794(USP) 12" x 12" Folding Shelf Brackets No. V797(BG) 4X5 Shelf Brackets No. V797(BG) 5X6 Shelf Brackets No. V797(BG) 6X8 Shelf Brackets No. V797(BG) 8X10 Shelf Brackets No. V797(BG) 10X12 Shelf Brackets No. V797(BG) 12X14 Shelf Brackets	2 pr. 1 pr. 5 pks. 5 pks. 5 pks. 10 pks. 10 pks. 4 pks.	1 pr. 1 pr. 5 pks. 5 pks. 5 pks. 5 pks. 5 pks. 2 pks.

Weight: 41 lbs.

STANLEY HARDWARE District of the standard of

20"

15"

30-A HAMMERED SHELF BRACKETS - BLACK

■ Attractive new hammered design. Use for single shelf support or as a combination shelf support and book ends. Black (J2) finish

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V791(J2) 3" x 4" Hammered Shelf Brackets No. V791(J2) 5" x 7" Hammered Shelf Brackets No. V791(J2) 9" x 11" Hammered Shelf Brackets	5 pks. 5 pks. 5 pks.	5 pks. 5 pks. 5 pks.

Weight: 18 lbs.



SHELF BRACKETS

(Continued)


31-A HAMMERED SHELF BRACKETS - BRASS

■ Attractive new hammered design. Use for single shelf support or as a combination shelf support and book ends. Brass (US3) finish

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V791(US3) 3" x 4" Hammered Shelf Brackets No. V791(US3) 5" x 7" Hammered Shelf	5 pks.	5 pks.
Brackets No. V791(US3) 9" x 11" Hammered Shelf	5 pks.	5 pks.
Brackets	5 pks.	5 pks.

Weight: 18 lbs.




32-A HAMMERED SHELF BRACKETS — ANTIQUE COPPER

■ Attractive new hammered design. Use for single shelf support or as a combination shelf support and book ends. Antique copper (D3) finish

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V791(D3) 3" x 4" Hammered Shelf Brackets No. V791(D3) 5" x 7" Hammered Shelf	5 pks.	5 pks.
Brackets No. V791(D3) 9" x 11" Hammered Shelf	5 pks.	5 pks.
Brackets	5 pks.	5 pks.

Weight: 18 lbs.




33-A HAMMERED SHELF BRACKETS — ANTIQUE SILVER

■ Attractive new hammered design. Use for single shelf support or as a combination shelf support and book ends. Antique silver (K4) finish


INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V791(K4) 3" x 4" Hammered Shelf Brackets	5 pks.	5 pks.
No. V791(K4) 5" x 7" Hammered Shelf Brackets No. V791(K4) 9" x 11" Hammered Shelf	5 pks.	5 pks.
Brackets	5 pks.	5 pks.

Weight: 18 lbs.



WIRE GOODS



26-A CORRUGATED NAIL SET

■ Positions and drives corrugated nails quickly, accurately and safely. With popular sizes corrugated nails

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 702-06-05 %" Corrugated Nails	40 pks.	20 pks.
No. 702-08-05 ½" Corrugated Nails	40 pks.	20 pks.
No. 702-10-05 %" Corrugated Nails	40 pks.	20 pks.
No. CD703 Corrugated Nail Set	20 pks.	10 pks.

Weight: 15 lbs.

36-A STEEL FLAT WASHERS AND LOCK WASHERS

■ Assorted sizes of quality steel flat washers and Sure-Lock^{†M} split ring lock washers

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V994(US2C) ¾" Washers No. V994(US2C) ¼" Washers No. V994(US2C) ¾" Washers No. V994(US2C) ½" Washers No. V994(US2C) ½" Washers No. V994(US2C) ½" Washers No. V990(US2C) ¾" Sure-Lock™ Lock Washers No. V990(US2C) ½" Sure-Lock™ Lock Washers No. V990(US2C) ½" Sure-Lock™ Lock Washers No. V990(US2C) Assorted Sure-Lock™ Lock Washers	20 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 20 pks. 10 pks. 10 pks. 10 pks.	20 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 20 pks. 10 pks. 10 pks. 10 pks. 10 pks.

Weight: 20 lbs.


37-A HOOKS AND EYES AND SAFETY HOOKS AND EYES


■ Assorted sizes hooks and eyes and safety hooks and eyes in rust resistant zinc plated finish

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V8440(US2C) 1" Hooks and Eyes No. V8440(US2C) 1½" Hooks and Eyes No. V8440(US2C) 2" Hooks and Eyes No. V8440(US2C) 2½" Hooks and Eyes No. V8440(US2C) 3" Hooks and Eyes No. V8441(US2C) 2" Safety Hooks and Eyes	40 pks. 40 pks. 40 pks. 40 pks. 40 pks.	20 pks. 20 pks. 20 pks. 20 pks. 20 pks.
No. V8441(US2C) 2½" Safety Hooks and Eyes	20 pks.	20 pks.

Weight: 20 lbs.






38-A ROUND BEND SCREW HOOKS

■ Round bend screw hooks, with pointed tips INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V8460-800(US2C) Round Bend Screw Hooks No. V8460-802(US2C) Round Bend	20 pks.	20 pks.
Screw Hooks No. V8460-803(US2C) Round Bend	20 pks.	20 pks.
Screw Hooks No. V8460-804(US2C) Round Bend Screw Hooks	20 pks. 20 pks.	20 pks. 20 pks.
No. V8460-806(US2C) Round Bend Screw Hooks	20 pks.	20 pks.
No. V8460-808(US2C) Round Bend Screw Hooks No. V8460-810(US2C) Round Bend	20 pks.	20 pks.
Screw Hooks No. V8460-812(US2C) Round Bend	20 pks.	20 pks.
Screw Hooks	20 pks.	20 pks.

WIRE GOODS

(Continued)



Weight: 23 lbs.

39-A SQUARE BEND SCREW HOOKS

■ Square screw hooks with blunt ends at bend. Plated in bright zinc

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V8465-904(US2C) Square Bend Screw Hooks No. V8465-906(US2C) Square Bend	20 pks.	20 pks.
Screw Hooks No. V8465-908(US2C) Square Bend No. V8465-908(US2C) Square Bend	20 pks.	20 pks.
Screw Hooks No. V8465-910(US2C) Square Bend	40 pks.	20 pks.
Screw Hooks No. V8465-912(US2C) Square Bend	40 pks.	20 pks.
Screw Hooks	40 pks.	20 pks.

Weight: 15 lbs.

8" SIANLEY HADDWARFE Same Floods 15"


40-A SMALL AND MEDIUM SCREW EYES

Assorted sizes of small and medium screw eyes, zinc plated

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V8450-104(US2C) Screw Eyes No. V8450-106(US2C) Screw Eyes No. V8450-108(US2C) Screw Eyes No. V8450-110(US2C) Screw Eyes No. V8450-112(US2C) Screw Eyes No. V8450-114(US2C) Screw Eyes No. V8450-204(US2C) Screw Eyes No. V8450-206(US2C) Screw Eyes No. V8450-208(US2C) Screw Eyes No. V8450-210(US2C) Screw Eyes No. V8450-210(US2C) Screw Eyes No. V8450-214½(US2C) Screw Eyes No. V8450-216(US2C) Screw Eyes No. V8450-216(US2C) Screw Eyes No. V8450-216(US2C) Screw Eyes No. V8450-216½(US2C) Screw Eyes	20 pks. 20 pks. 40 pks.	20 pks. 20 pks.

Weight: 23 lbs.



WIRE GOODS

(Continued)

41-A LARGE SCREW EYES

Assorted sizes of large screw eyes, zinc plated INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL


Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V8450-000(US2C) Screw Eyes No. V8450-0(US2C) Screw Eyes No. V8450-2(US2C) Screw Eyes No. V8450-4(US2C) Screw Eyes No. V8450-6(US2C) Screw Eyes No. V8450-8(US2C) Screw Eyes No. V8450-10(US2C) Screw Eyes No. V8450-12(US2C) Screw Eyes No. V8450-12(US2C) Screw Eyes No. V8450-14(US2C) Screw Eyes	20 pks. 20 pks. 20 pks. 20 pks. 20 pks. 40 pks. 20 pks. 20 pks. 20 pks.	20 pks. 20 pks. 20 pks. 20 pks. 20 pks. 20 pks. 20 pks. 20 pks. 20 pks.

Weight: 27 lbs.



8"

15"



42-A LAG THREAD EYE BOLTS AND "S" HOOKS

■ Bright zinc plated lag eye bolts and "S" hooks INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V8414-0(US2C) ¼" x 3¾" Lag Eye Bolts No. V8414-2(US2C) ¼" x 5" Lag Eye Bolts No. V8414-4(US2C) ¾" x 4" Lag Eye Bolts No. V8414-6(US2C) ¾" x 6" Lag Eye Bolts No. V8414-8(US2C) ¾" x 4½" Lag Eye Bolts No. V8414-10(US2C) ¾" x 8" Lag Eye Bolts No. V8470(US2C) ¾" "S" Hooks No. V8470(US2C) 1" "S" Hooks No. V8470(US2C) 1½" "S" Hooks No. V8470(US2C) 2" "S" Hooks No. V8470(US2C) 2½" "S" Hooks	20 pks. 10 pks. 10 pks. 20 pks. 10 pks. 40 pks. 40 pks. 20 pks. 40 pks. 20 pks.	10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 20 pks. 20 pks. 20 pks. 20 pks. 20 pks.


Weight: 33 lbs.

43-A "U" BOLTS

■ Bright zinc plated, with straps and hex nuts INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of I	Assortment		Assortment Quantity	Minimum Reorder Quantity
	Pipe Size Application			
No. V8415-0(US2C) No. V8415-2(US2C) No. V8415-4(US2C) No. V8415-6(US2C) No. V8415-8(US2C) No. V8415-10(US2C) No. V8415-12(US2C) No. V8415-14(US2C) No. V8415-16(US2C) No. V8415-18(US2C) No. V8415-20(US2C) No. V8415-20(US2C) No. V8415-22(US2C)	3/8" 1/2"-3/4" 1/2"-3/4" 1" 1" 1" 1!/4" 1!/4" 1!/2" 2" 2"	"U" Bolts	10 pks. 20 pks. 10 pks. 10 pks. 20 pks. 20 pks. 20 pks. 10 pks. 10 pks. 10 pks.	10 pks. 10 pks.









30"



20"

44-A EYE BOLTS

■ Assorted sizes of eye bolts with bright zinc plated finish INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD8413-0(US2C) %" x 1¾" Eye Bolts No. CD8413-2(US2C) %" x 1½" Eye Bolts No. CD8413-4(US2C) %" x 2½" Eye Bolts No. CD8413-6(US2C) ¼" x 2½" Eye Bolts No. CD8413-8(US2C) ¼" x 2½" Eye Bolts No. CD8413-10(US2C) ¼" x 3" Eye Bolts No. CD8413-12(US2C) ¼" x 4" Eye Bolts No. CD8413-14(US2C) ¼" x 5" Eye Bolts No. CD8413-16(US2C) ¼" x 5" Eye Bolts No. CD8413-16(US2C) ¾" x 6" Eye Bolts No. CD8413-18(US2C) ¾" x 6" Eye Bolts No. CD8413-20(US2C) ¾" x 5" Eye Bolts No. CD8413-24(US2C) ¾" x 5" Eye Bolts No. CD8413-26(US2C) ¾" x 6" Eye Bolts No. CD8413-28(US2C) ¾" x 5" Eye Bolts No. CD8413-30(US2C) ¾" x 5" Eye Bolts No. CD8413-30(US2C) ¾" x 6" Eye Bolts No. CD8413-30(US2C) ¾" x 6" Eye Bolts No. CD8413-30(US2C) ¾" x 6" Eye Bolts No. CD8413-34(US2C) ½" x 6" Eye Bolts No. CD8413-34(US2C) ½" x 6" Eye Bolts No. CD8413-34(US2C) ½" x 6" Eye Bolts	10 pks.	10 pks.

Weight: 40 lbs.

45-A HOOK & EYE/EYE & EYE TURNBUCKLES

Assorted sizes of eye with eye and eye with hook turnbuckles. Strong aluminum bodies, with steel, zinc plated hooks and eyes

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD8416(US2C) 3½" Eye and Eye No. CD8416(US2C) 3%" Eye and Eye No. CD8416(US2C) 4%" Eye and Eye No. CD8416(US2C) 5½" Eye and Eye No. CD8416(US2C) 6½" Eye and Eye No. CD8416(US2C) 7¾" Eye and Eye No. CD8417(US2C) 3½" Eye and Hook No. CD8417(US2C) 3½" Eye and Hook No. CD8417(US2C) 4¾" Eye and Hook No. CD8417(US2C) 5½" Eye and Hook No. CD8417(US2C) 5½" Eye and Hook No. CD8417(US2C) 6½" Eye and Hook No. CD8417(US2C) 7¾" Eye and Hook No. CD8417(US2C) 7¾" Eye and Hook No. CD8417(US2C) 7¾" Eye and Hook	10 pks. 10 pks.	10 pks. 10 pks. 10 pks. 5 pks. 5 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 5 pks. 5 pks.

Weight: 40 lbs.

46-A SOLID BRASS CUP AND SHOULDER HOOKS


■ Solid brass with protecting ferrules and sharp points INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL


Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V8412 ½" Shoulder Hooks No. V8412 %" Shoulder Hooks No. V8412 34" Shoulder Hooks No. V8412 1" Shoulder Hooks No. V8412 1½" Shoulder Hooks No. V8481 ½" Cup Hooks No. V8481 ¾" Cup Hooks No. V8481 34" Cup Hooks No. V8481 76" Cup Hooks No. V8481 1" Cup Hooks No. V8481 1" Cup Hooks No. V8481 1" Cup Hooks No. V8481 1½" Cup Hooks No. V8481 1½" Cup Hooks No. V8481 1½" Cup Hooks	20 pks. 20 pks. 20 pks. 20 pks. 20 pks. 40 pks. 40 pks. 40 pks. 20 pks. 20 pks.	20 pks. 20 pks.


Weight: 11 lbs.

WIRE GOODS

(Continued)







WIRE GOODS

(Continued)

9474-A STAPLES AND HOOKS AND STAPLES

■ Assorted sizes of staples and hooks and staples, zinc plated INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V974(US2C) 4" Hooks and Staples	10 pks.	10 pks.
No. V974(US2C) 5" Hooks and Staples	10 pks.	10 pks.
No. V974(US2C) 6" Hooks and Staples	10 pks.	10 pks.
No. V976(US2C) 1" Staples	20 pks.	10 pks.
No. V976(US2C) 1½" Staples	20 pks.	10 pks.
No. V976(US2C) 2" Staples	20 pks.	10 pks.
No. V976(US2C) 2½" Staples	20 pks.	10 pks.
No. V976(US2C) 3" Staples	10 pks.	10 pks.

Assorted sizes large hooks and eyes, zinc plated


Contents of Assortment

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

9479-A LARGE HOOKS AND EYES


Assortment Quantity Minimum Reorder Quantity

Weight: 14 lbs.



STANLEY HARRANEE Comety tooks und byens





9487-A ROPE HOOKS & CLEATS - ZINC PLATED

■ Popular sized rope hooks and rope cleats in rust resistant zinc plated finishes

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD4120(US2C) 2½" Tarp Rope Hook No. CD4120(US2C) 3½" Tarp Rope Hook No. CD4120(US2C) 4¾" Tarp Rope Hook No. CD4122(US2C) 3¾" Rope Binding Hook No. CD4126(US2C) 2½" Rope Cleat No. CD4126(US2C) 4½" Rope Cleat No. CD4126(US2C) 6" Rope Cleat	10 pks. 20 pks. 10 pks. 20 pks. 10 pks. 10 pks. 20 pks.	10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks.

Weight: 19 lbs.

STANLEY HARDWARE Rose House 15"

STANLEY HARDWARE County Reper Hooks and Hooks Botts



20"

9488-A ROPE HOOKS AND HOOK BOLTS — ZINC PLATED

An assortment of utility rope hooks and hook bolts, zinc plated to resist rust

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD4112(US2C) 2" Utility Hook No. CD4113(US2C) 4" Pivot Rope Hook w/Plate No. CD4114(US2C) 6" Pivot Rope Hook	10 pks. 10 pks.	5 pks. 5 pks.
w/Lag Eye No. CD4124(US2C) 6" Hook Bolt No. CD4124(US2C) 71/4" Hook Bolt	5 pks. 10 pks. 10 pks.	5 pks. 20 pks. 10 pks.

Weight: 10 lbs.

CLOSET HARDWARE, PLANT HANGERS & HINGES

CLOSET HARDWARE

9486-A ADJUSTABLE TENSION RODS, ALUMINUM

■ An assortment of easy to install adjustable tension rods. Available in two popular sizes

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V7031(AL) Adjustable Tension Rods (28"-44")	10 pks.	5 pks.
No. V7031(AL) Adjustable Tension Rods (42"-66")	15 pks.	5 pks.

Weight: 38 lbs.



PLANT HANGERS

9489-A PLANT HANGER TRACK WITH CHAINS

 Sliding plant track for hanging plants with four decorative chain kits included

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 781 (White Track, Brass Chains) Plant Track with Four Chains	10 pks.	5 pks.

Weight: 19 lbs.

9490-A PLANT HANGER KITS

■ Decorative plant hangers with stylish chain kits included INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 782(J2) Plant Bracket with Chain	5 pks.	5 pks.
No. 783(US4) Plant Hanger with Chain	5 pks.	5 pks.

Weight: 24 lbs.

20" 30" 9489-A 9490-A 10" 10"

8"

HINGES


9491-A AUTOMATIC DOOR CLOSING HINGES - BRASS

An assortment of self-closing adjustable spring hinges in two popular sizes

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL AND FREE WORKING MODEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD2060(US4) 3½" R.H. Automatic Door Closing Hinge	5 pks.	5 pks.
No. CD2060(US4) 3½" L.H. Automatic Door Closing Hinge	5 pks.	5 pks.
No. CD2060(US4) 4" R.H. Automatic Door Closing Hinge No. CD2060(US4) 4" L.H. Automatic Door	5 pks.	5 pks.
Closing Hinge	5 pks.	5 pks.

Weight: 16 lbs.



298


THE STORAGE SYSTEM & THE WEATHER STATION

THE STORAGE SYSTEM

9484-A THE STORAGE SYSTEM

■ 5 new products designed to solve your storage problems INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL, WITH FREE TAKE-HOME GARAGE FIX-UP PLANS AND MERCHANDISER

Number	EDP Number	Finish	Description	Assortment Quantity	Minimum Reorder Quantity
SP8300	81-9020	US2C	The Storage System 4 hooks, 16" bar w/screws (406mm)	20 sets	10 sets
SP8300	81-9025	US2C	The Storage System 8 hooks, 32" w/screws (813mm)	10 sets	10 sets
SP8306	81-9200	US2C	Storage System Hooks 2" (51mm)	10 sets	10 sets
SP8309	81-9250	US2C	Heavy Duty Storage Hooks 5" (127mm)	20 sets	10 sets
SP8312	81-9300	US2C	Mini-Storage System 4¾" hooks, 16" bar w/screws (406mm)	10 sets	10 sets



THE WEATHER STATION

9492-A DOOR BOTTOM WEATHER STRIPS

An assortment of wood and vinyl, aluminum and vinyl, and automatic door bottoms

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP1300 36" Wood and Vinyl Door Bottom Weather Strip No. SP1301 36" Aluminum and Vinyl Door Bottom Weather Strip No. SP1305 36" Automatic Aluminum	10 pks. 20 pks.	10 pks.
Door Bottom Weather Strip	10 pks.	10 pks.

Weight: 19 lbs.

8" 30"



8"



20"

30"

9493-A WINDOW AND DOOR WEATHER STRIP ITEMS

An assortment of our best quality window and door weather strip tapes

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP1318-1 1/8"x1/4"x17' Window and Door Weather Strip Tape No. SP1318-2 3/4"x3/4"x17' Window	20 pks.	10 pks.
and Door Weather Strip Tape	20 pks.	10 pks.

Weight: 18 lbs.

THE WEATHER STATION

(Continued)

9494-A WINDOW AND DOOR WEATHER STRIP TAPES

■ An assortment of our good quality window and door weather strip tapes

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP1316-1 ¼"x%"x17' Window and Door Weather Strip Tape No. SP1316-2 ¼"x¾"x17' Window	20 pks.	10 pks.
and Door Weather Strip Tape	20 pks.	10 pks.

Weight: 10 lbs.



9495-A MULTI-USE CLOTH DUCT TAPE

Features multi-use duct tape

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP1326 2"x10 yds. Multi-use Duct Tape	20 pks.	10 pks.

Weight: 12 lbs.



9496-A WEATHER STRIPPING TAPES

■ An assortment of various weather stripping tapes INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL


Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP1325 1"x45' Transparent Weatherproof Tape No. SP1328 2"x15' Pipe Insulating	20 pks.	10 pks.
Tape	10 pks.	10 pks.
No. SP1332 1/6"x30' Tape Caulk Weather Strip	10 pks.	10 pks.

Weight: 18 lbs.



THE WEATHER STATION

(Continued)




An assortment of aluminum and vinyl and wood and vinyl door weather strip sets

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

	Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
5	No. V1310 17' Aluminum and Vinyl Door Weather Strip Set No. V1312 17' Wood and Vinyl Door	10 pks.	10 pks.
	Weather Strip Set	10 pks.	10 pks.

Weight: 17 lbs.





20"

9498-A DOOR BOTTOM AND DOOR WEATHER SEALS

An assortment of door bottom weather seals and self-stick door weather seals

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V1302 36" White Door Bottom Weather Seal No. V1302 36" Brown Door Bottom Weather Seal No. V1313 17' White Self-stick Door Weather Seal No. V1313 17' Brown Self-stick Door Weather Seal	10 pks. 10 pks. 10 pks. 10 pks.	10 pks. 10 pks.

THE WEATHER STATION™ AND PLANT HANGERS

THE WEATHER STATION™ (Continued)

9499-A STORM WINDOW REPLACEMENT WEATHER SEAL

■ Features replacement pile for combination storm windows INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V1330 40' Gray Storm Window Replacement Weather Seal	20 pks.	10 pks.

8"

15"



9402-A SELF-STICK HINGED WINDOW WEATHER SEAL

■ An assortment of self-stick hinged window weather seal INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V1331 18' White Hinged Window Weather Strip	10 pks.	10 pks.
No. V1331 18' Brown Hinged Window Weather Strip	10 pks.	10 pks.

8"



15"



20"

PLANT HANGERS

9403-A PLANT WALL TRACK SYSTEM

■ Featuring an assortment of free-sliding plant hanger brackets INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 721(J2) Plant Wall Track System	5 pks.	5 pks.



BARREL BOLTS AND HEAVY BOLTS



3-B BARREL BOLTS - ZINC PLATED - SUPER-PAC™

■ An assortment of popular size zinc plated barrel bolts, Super Pac, with screws

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP1078(US2C) 2½" (64mm) Barrel Bolt No. SP1078(US2C) 3" (76mm) Barrel Bolt No. SP1078(US2C) 4" (102mm) Barrel Bolt No. SP1078(US2C) 6" (152mm) Barrel Bolt		

Weight: 20 lbs.

One Bin Merchandiser



4-B BARREL BOLTS - ZINC PLATED - BULK

An assortment of popular size zinc plated barrel bolts, bulk packed, without screws


Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 1078(US2C) 2½" (64mm) Barrel Bolt No. 1078(US2C) 3" (76mm) Barrel Bolt No. 1078(US2C) 4" (102mm) Barrel Bolt No. 1078(US2C) 6" (152mm) Barrel Bolt		10 pcs. 10 pcs. 10 pcs. 10 pcs.

Weight: 18 lbs.

One Bin Merchandiser

64-B BARREL BOLTS — BRASS PLATED — SUPER PAC™

An assortment of popular size brass plated barrel bolts, Super Pac, with screws



Weight: 20 lbs.

One Bin Merchandiser



7-B HEAVY DUTY BARREL BOLTS - SUPER PAC™

An assortment of zinc plated and black finished rugged bolts, Super Pac, with screws

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP1084(US2C) 4" (102mm) Heavy Barrel Bolt No. SP1084(US1B) 4" (102mm) Heavy Barrel Bolt No. SP1084(US2C) 6" (152mm) Heavy Barrel Bolt No. SP1084(US1B) 6" (152mm) Heavy Barrel Bolt No. SP1084(US1B) 8" (203mm) Heavy Barrel Bolt No. SP1088(US2C) 6" (152mm) Heavy Square Spring Bolt No. SP1088(US1B) 6" (152mm) Heavy Square Spring Bolt No. SP1088(US1B) 8" (203mm) Heavy Square Spring Bolt	20 pks. 20 pks. 10 pks. 10 pks. 10 pks. 10 pks. 5 pks.	10 pks. 10 pks. 5 pks. 5 pks. 5 pks. 10 pks. 10 pks. 5 pks.

Weight: 68 lbs.

Two Bin Merchandiser



BARREL BOLTS AND HEAVY BOLTS, CABINET CATCHES, CLOSET HARDWARE, AND CLOTHESLINE HARDWARE

BARREL BOLTS AND HEAVY BOLTS (Continued)

110-B CHAIN BOLTS AND FOOT BOLTS -ZINC PLATED — SUPER PAC™

■ An assortment of chain bolts and foot bolts in zinc or brass plated finishes. Visually packed in Super Pac™, with screws

-	Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
	No. SP1055(US4) 4" (102mm) Chain Bolt	10 pks.	5 pks.
	No. SP1055(US2C) 6" (152mm) Chain Bolt	10 pks.	5 pks.
	No. SP1056(US4) 4" (102mm) Foot Bolt	10 pks.	5 pks.
	No. SP1056(US2C) 6" (152mm) Foot Bolt	10 pks.	5 pks.

Weight: 36 lbs.

One Bin Merchandiser


CABINET CATCHES

15-B CABINET CATCHES - SUPER PAC™

■ An assortment of friction, roller and magnetic catches for general cabinet use. Super Pac, with screws

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP26(US3) Roller Latch No. SP34(US2C) Cabinet Latch No. SP35(US2C) Cabinet Catch No. SP37(US2C) Cabinet Catch No. SP41(US28) Magnetic Catch No. SP42 Plastic Magnetic Catch No. SP45(US28) Magnetic Catch No. SP45(US28) Magnetic Catch No. SP46(US28) Magnetic Catch	50 pks. 50 pks. 50 pks. 50 pks. 50 pks. 50 pks. 50 pks. 50 pks.	25 pks. 25 pks. 25 pks. 25 pks. 25 pks. 25 pks. 25 pks. 25 pks.

Two Bin Merchandiser Weight: 48 lbs.



CLOSET HARDWARE

21-B CLOSET HARDWARE

■ An assortment of shelf and closet pole supports and pole bracket

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 7045(US2C) Shelf & Closet Pole Support	10 pcs.	10 pcs.
No. 7046 DW Shelf & Closet Pole Support	20 pcs.	20 pcs.
No. SP7056 Plastic Pole Support	40 pks.	40 pks.

Weight: 14 lbs. One Bin Merchandiser



CLOTHESLINE HARDWARE


22-B CLOTHESLINE HARDWARE

■ An assortment of tough weather resistant clothesline hardware for long outdoor life


Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 4106(US2C) Metal Clothesline Pulley	10 pcs.	5 pcs.
No. 4111(US2C) Clothesline Pulley	10 pcs.	5 pcs.
No. SP4109(US2C) Utility Hook	20 pks.	10 pks.
No. SP7070 Sprayed Brass Line Tightener	20 pks.	10 pks.

Weight: 17 lbs.

One Bin Merchandiser



HASPS




1-B SPECIAL AND SAFETY HASPS — ZINC PLATED — SUPER PAC™

■ Popular sizes and types of hasps, Super Pac, with screws

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP911(US2C) 2½" (64mm) Safety Hasp No. SP911(US2C) 3½" (89mm) Safety Hasp No. SP911(US2C) 4½" (114mm) Safety Hasp No. SP915(US2C) 3½" (89mm) Safety Hasp No. SP915(US2C) 4½" (114mm) Safety Hasp No. SP917(US2C) 3½" (89mm) Click Lock Hasp No. SP918(US2C) 3½" (89mm) Latching Hasp No. SP912(US2C) 3" (76mm) Hinge Hasp	20 pks. 20 pks. 20 pks. 20 pks. 20 pks. 20 pks. 20 pks. 20 pks.	10 pks. 10 pks.

Weight: 44 lbs.

Two Bin Merchandiser




2-B SPECIAL AND SAFETY HASPS — ZINC PLATED — BULK

■ Popular sizes and types of hasps, bulk, without screws

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 911(US2C) 2½" (64mm) Safety Hasp No. 911(US2C) 3½" (89mm) Safety Hasp No. 911(US2C) 4½" (114mm) Safety Hasp No. 915(US2C) 3½" (89mm) Safety Hasp No. 915(US2C) 4½" (114mm) Safety Hasp No. 917(US2C) 3½" (89mm) Click Lock Hasp No. SP918(US2C) 3½" (89mm) Latching Hasp No. 912(US2C) 3" (76mm) Hinge Hasp	20 pcs. 20 pcs. 20 pcs.	10 pcs. 10 pcs. 10 pcs. 10 pcs. 10 pcs. 10 pcs. 10 pks. 10 pcs.

Weight: 42 lbs.

Two Bin Merchandiser



59-B LARGE AND SPECIALTY HASPS — ZINC PLATED — SUPER PAC™

Assorted large safety hasps and a hinge hasp, zinc plated, Super Pac, with screws

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP911(US2C) 6" (152mm) Safety Hasps	20 pks.	5 pks.
No. SP915(US2C) 6" (152mm) Safety Hasps	20 pks.	5 pks.
No. SP917(US2C) 6" (152mm) Safety Hasps	20 pks.	10 pks.
No. SP941(US2C) 7½" (191mm) Hinge Hasp	10 pks.	5 pks.

Weight: 31 lbs.

One Bin Merchandiser

HINGES

9-B LIGHT STRAP AND "T" HINGES — ZINC PLATED — SUPER PAC™

■ Lightweight strap and "T" hinges in popular sizes for general use, zinc plated, Super Pac, with screws

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP900(US2C) 2" (51mm) Light Strap Hinge	20 pks.	10 pks.
No. SP900(US2C) 3" (76mm) Light Strap Hinge	20 pks.	10 pks.
No. SP900(US2C) 4" (102mm) Light Strap Hinge	20 pks.	10 pks.
No. SP900(US2C) 6" (152mm) Light Strap Hinge	10 pks.	5 pks.
No. SP904(US2C) 2" (51mm) Light "T" Hinge	20 pks.	10 pks.
No. SP904(US2C) 3" (76mm) Light "T" Hinge	10 pks.	10 pks.
No. SP904(US2C) 4" (102mm) Light "T" Hinge	10 pks.	10 pks.
No. SP904(US2C) 6" (152mm) Light "T" Hinge	5 pks.	5 pks.



Two Bin Merchandiser




10-B LIGHT STRAP AND "T" HINGES — ZINC PLATED — BULK

■ Lightweight strap and "T" hinges in popular sizes for general use, zinc plated, without screws, bulk packed

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 900(US2C) 2" (51mm) Light Strap Hinge	20 pr.	10 pr.
No. 900(US2C) 3" (76mm) Light Strap Hinge	20 pr.	10 pr.
No. 900(US2C) 4" (102mm) Light Strap Hinge	20 pr.	10 pr.
No. 900(US2C) 6" (152mm) Light Strap Hinge	20 pr.	5 pr.
No. 904(US2C) 2" (51mm) Light "T" Hinge	20 pr.	10 pr.
No. 904(US2C) 3" (76mm) Light "T" Hinge	20 pr.	10 pr.
No. 904(US2C) 4" (102mm) Light "T" Hinge	20 pr.	10 pr.
No. 904(US2C) 6" (152mm) Light "T" Hinge	20 pr.	5 pr.

Weight: 49 lbs.

Two Bin Merchandiser



11-B HEAVY STRAP AND "T" HINGES — ZINC PLATED — POLY BAGGED AND SUPER-PAC™

■ Heavy duty strap and "T" hinges in assorted sizes, zinc plated, poly bagged and Super Pac, with screws

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP902(US2C) 4" (102mm) Strap Hinge No. SP902(US2C) 6" (152mm) Strap Hinge No. SP902(US2C) 8" (203mm) Strap Hinge No. SC902(US2C) 10" (254mm) Strap Hinge No. SP908(US2C) 4" (102mm) "T" Hinge No. SP908(US2C) 6" (152mm) "T" Hinge No. SP908(US2C) 8" (203mm) "T" Hinge No. SC908(US2C) 10" (254mm) "T" Hinge	10 pks. 10 pks. 10 pks. 5 pr. 10 pks. 10 pks. 5 pr.	5 pks. 2 pks. 2 pks. 2 pr. 5 pks. 2 pks. 1 pk. 1 pr.

Weight: 162 lbs.

Two Bin Merchandiser



HINGES

(Continued)



12-B HEAVY STRAP AND "T" HINGES -ZINC PLATED - BULK

■ Heavy duty strap and "T" hinges in assorted sizes, zinc plated, without screws, bulk packed

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 902(US2C) 4" (102mm) Strap Hinge	10 pr.	5 pr.
No. 902(US2C) 6" (152mm) Strap Hinge	10 pr.	5 pr.
No. 902(US2C) 8" (203mm) Strap Hinge	10 pr.	5 pr.
No. 902(US2C) 10" (254mm) Strap Hinge	5 pr.	5 pr.
No. 908(US2C) 4" (102mm) "T" Hinge	10 pr.	5 pr.
No. 908(US2C) 6" (152mm) "T" Hinge	10 pr.	5 pr.
No. 908(US2C) 8" (203mm) "T" Hinge	10 pr.	5 pr.
No. 908(US2C) 10" (254mm) "T" Hinge	5 pr.	5 pr.

Weight: 145 lbs.

Two Bin Merchandiser



13-B SQUARE CORNER DOOR HINGES -BRASS PLATED - BOX PACK

■ An assortment of popular size door hinges, brass plated, boxed in pairs, with screws

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 741(US4) 3" (76mm) Door Hinge	25 pr.	10 pr.
No. 741(US4) 3½" (89mm) Door Hinge	50 pr.	10 pr.
No. 741(US4) 4" (102mm) Door Hinge	25 pr.	10 pr.

Weight: 98 lbs.

One Bin Merchandiser



14-B ROUND CORNER DOOR HINGES -**BRASS PLATED - BOX PACK**

■ An assortment of popular size door hinges, brass plated, boxed in pairs, with screws

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. RD741(US4) 3" (76mm) Door Hinge	25 pr.	10 pr.
No. RD741(US4) 3½" (89mm) Door Hinge	50 pr.	10 pr.
No. RD741(US4) 4" (102mm) Door Hinge	25 pr.	10 pr.

Weight: 98 lbs.

One Bin Merchandiser

47-B SCREW HOOK AND STRAP HINGES -ZINC PLATED - BULK

■ An assortment of rugged screw hook and strap hinges, zinc plated, without screws, bulk packed

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 951(US2C) 6" (152mm) Screw Hook & Strap Hinge	10 pr.	1 pr.
No. 951(US2C) 8" (203mm) Screw Hook & Strap Hinge	10 pr.	1 pr.
No. 951(US2C) 10" (254mm) Screw Hook & Strap Hinge	10 pr.	1 pr.
No. 951(US2C) 12" (305mm) Screw Hook & Strap Hinge	5 pr.	1 pr.

Weight: 89 lbs. One Bin Merchandiser




HINGES

(Continued)

63-B UTILITY HINGES - ZINC PLATED - BULK

An assortment of fixed pin utility hinges, zinc plated, in a variety of sizes for general use around the house, without screws, bulk packed

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 838(US2C) 1" (25mm) Utility Hinge	20 pr.	10 pr.
No. 838(US2C) 1½" (38mm) Utility Hinge	20 pr.	10 pr.
No. 838(US2C) 2" (51mm) Utility Hinge	20 pr.	10 pr.
No. 838(US2C) 2½" (64mm) Utility Hinge	20 pr.	10 pr.
No. 838(US2C) 3" (76mm) Utility Hinge	20 pr.	10 pr.



One Bin Merchandiser

105-B UTILITY HINGES — ZINC PLATED — SUPER PAC™

An assortment of fixed pin utility hinges, zinc plated, Super Pac, with screws. A variety of sizes for general use around the house

	Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP83 No. SP83 No. SP83 No. SP83	8(US2C) 1" (25mm) Utility Hinge 8(US2C) 1½" (38mm) Utility Hinge 8(US2C) 2" (51mm) Utility Hinge 8(US2C) 2½" (64mm) Utility Hinge 8(US2C) 3" (76mm) Utility Hinge 8(US2C) 4" (102mm) Utility Hinge	20 pks. 20 pks. 20 pks. 20 pks. 20 pks. 10 pks.	10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks.

Weight: 25 lbs.

One Bin Merchandiser

84-B CABINET HINGES — BRASS PLATED — SUPER PAC™

An assortment of popular sized cabinet hinges, satin brass finish, Super Pac, with screws

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP295(US4) 1½" (38mm) Cabinet Hinge	10 pks.	10 pks.
No. SP295(US4) 2" (51mm) Cabinet Hinge	10 pks.	10 pks.
No. SP295(US4) 2½" (64mm) Cabinet Hinge	10 pks.	10 pks.
No. SP295(US4) 3" (76mm) Cabinet Hinge	10 pks.	10 pks.

Weight: 45 lbs.

One Bin Merchandiser

86-B BOLT HOOK AND STRAP HINGES — ZINC PLATED — BULK

 An assortment of bolt hook and strap hinges, zinc plated, boxed in pairs without screws

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 952(US2C) 6" (152mm) Bolt Hook and Strap Hinge No. 952(US2C) 8" (203mm) Bolt Hook and Strap Hinge No. 952(US2C) 10" (254mm) Bolt Hook and Strap Hinge No. 952(US2C) 12" (305mm) Bolt Hook and Strap Hinge	5 pr. 5 pr. 5 pr. 5 pr. 5 pr.	1 pr. 1 pr. 1 pr. 1 pr.



One Bin Merchandiser










MISCELLANEOUS HARDWARE



16-B DOOR PULLS AND HANDLES - SUPER PAC™

■ Door pulls and handles in popular sizes and finishes for general use around the home. Super Pac with screws

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP479(US2C) Pull No. SP479(US4) Pull No. SP482(US2C) No. 2 Pull No. SP482(US4) No. 2 Pull No. SP482(US1B) No. 2 Pull No. SP482(US1B) No. 2¾ Chest Handle No. SP1205(US2C) No. 2¾ Chest Handle No. SP1205(US2C) No. 3½ Chest Handle	20 pks. 20 pks. 20 pks. 20 pks. 20 pks. 10 pks. 10 pks.	10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 5 pks. 5 pks. 5 pks.

Weight: 32 lbs.

Two Bin Merchandiser



19-B DOOR STOPS AND MISC. HOME HARDWARE — BRASS PLATED — SUPER PAC™

 Popular home fix up hardware. Packaged in Super Pac, with screws

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP7071(US4) Solid Door Stop No. SP7072(US4) Floor Door Stop No. SP7090(US4) Hinge Pin Door Stop No. SP7092(US4) Flexible Door Stop No. SP7073(US4) Sash Lock No. SP7074(US4) Bar Sash Lift No. SP7081(US4) Handrail Bracket No. SP7082(US4) Coat and Hat Hook	40 pks. 40 pks.	20 pks. 10 pks. 10 pks. 20 pks. 20 pks. 20 pks. 10 pks. 20 pks.

Weight: 33 lbs.

Two Bin Merchandiser



54-B DOOR PULLS — BRASS PLATED — SUPER PAC™

■ An assortment of strong door pulls, brass plated, Super Pac, with screws

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP482(US4) #1 Pulls	20 pks.	10 pks.
No. SP482(US4) #2 Pulls	40 pks.	10 pks.
No. SP482(US4) #3 Pulls	20 pks.	10 pks.

Weight: 14 lbs.

One Bin Merchandiser

MISCELLANEOUS HARDWARE AND PLANT HANGERS

MISCELLANEOUS HARDWARE (Continued)

55-B DOOR PULLS - ZINC PLATED - SUPER PAC™

An assortment of strong door pulls, zinc plated, Super Pac, with screws

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP482(US2C) #1 Pulls No. SP482(US2C) #2 Pulls No. SP482(US2C) #3 Pulls No. SP482(US2C) #4 Pulls	20 pks.	10 pks. 10 pks. 10 pks. 5 pks.

Weight: 16 lbs.

One Bin Merchandiser



57-B SLIDING DOOR PULLS AND GUIDES — SUPER PAC™

Assorted sliding door pulls and a plastic floor guide. Super Pac with screws

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP2688(US3) #1 Finger Pull No. SP2910(US3) Cup Pulls No. SP2914(US3) Flush Pulls No. SP2860 Plastic Door Guide	100 pks. 40 pks. 40 pks. 50 pks.	10 pks. 10 pks.

Weight: 7 lbs.

One Bin Merchandiser



PLANT HANGERS

66-B DECORATIVE CEILING HOOKS — SUPER PAC™

A wide assortment of attractive ceiling hooks, Super Pac, with screws

	Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
N	lo. SP725(J2) Decorative Ceiling Hooks lo. SP725(US4) Decorative Ceiling Hooks lo. SP725(F4) Decorative Ceiling Hooks lo. SP725(F8) Decorative Ceiling Hooks	20 pks.	10 pks. 10 pks. 10 pks. 10 pks.

Weight: 16 lbs.



REINFORCEMENT HARDWARE

17-B FLAT CORNER IRONS AND MENDING PLATES - ZINC PLATED - BULK

Strong steel corner irons and mending plates in popular sizes, zinc plated, without screws

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 999(US2C) 1½" (38mm) Flat Corner Iron No. 999(US2C) 2" (51mm) Flat Corner Iron No. 999(US2C) 2½" (64mm) Flat Corner Iron No. 999(US2C) 3" (76mm) Flat Corner Iron No. 999(US2C) 4" (102mm) Flat Corner Iron No. 999(US2C) 6" (152mm) Flat Corner Iron No. 995(US2C) 2" (51mm) Mending Plates No. 995(US2C) 3" (76mm) Mending Plates No. 995(US2C) 4" (102mm) Mending Plates No. 995(US2C) 5" (127mm) Mending Plates No. 995(US2C) 6" (152mm) Mending Plates No. 995(US2C) 6" (152mm) Mending Plates No. 995(US2C) 8" (203mm) Mending Plates	25 pcs. 50 pcs. 50 pcs. 50 pcs. 25 pcs. 25 pcs.	25 pcs.

Weight: 43 lbs.

Two Bin Merchandiser



18-B CORNER BRACES - ZINC PLATED - BULK

■ Strong steel corner braces in popular sizes, zinc plated, without screws



Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 997(US2C) 1" (25mm) Corner Braces No. 997(US2C) 1½" (38mm) Corner Braces No. 997(US2C) 2" (51mm) Corner Braces No. 997(US2C) 2½" (64mm) Corner Braces No. 997(US2C) 3½" (76mm) Corner Braces No. 997(US2C) 4" (102mm) Corner Braces No. 997(US2C) 5" (127mm) Corner Braces No. 997(US2C) 6" (152mm) Corner Braces No. 997(US2C) 8" (203mm) Corner Braces No. 997(US2C) 8" (203mm) Corner Braces No. 998(US2C) 2" (51mm) Triple Corner Braces	50 pcs. 50 pcs. 25 pcs. 25 pcs. 25 pcs. 20 pcs. 20 pcs. 10 pcs. 10 pcs. 20 pcs.	25 pcs. 25 pcs. 10 pcs. 10 pcs. 10 pcs.

Weight: 45 lbs.

Two Bin Merchandiser



82-B HEAVY DUTY MENDING PLATES AND T-PLATES - ZINC PLATED - BULK

■ Heavy-duty steel mending plates and T-plates, zinc-plated, without screws

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 995(US2C) 10" (254mm) Mending Plates No. 995(US2C) 12" (305mm) Mending Plates No. 995½(US2C) 3" (76mm) T-Plates No. 995½(US2C) 4" (102mm) T-Plates	20 pcs. 20 pcs. 25 pcs. 25 pcs.	25 pcs.

Weight: 100 lbs.

REINFORCEMENT HARDWARE

(Continued)

106-B MENDING PLATES - ZINC PLATED -SUPER PAC™

An assortment of mending plates, zinc plated, Super Pac with screws

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP995(US2C) 2" (51mm) Mending Plates No. SP995(US2C) 3" (76mm) Mending Plates No. SP995(US2C) 4" (102mm) Mending Plates No. SP995(US2C) 6" (152mm) Mending Plates	40 pks. 40 pks. 40 pks. 40 pks.	

Weight: 30 lbs.

One Bin Merchandiser



107-B CORNER BRACES — ZINC PLATED — SUPER PAC™

■ An assortment of corner braces, zinc plated, Super Pac with screws

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP997(US2C) 1" (25mm) Corner Brace No. SP997(US2C) 1½" (38mm) Corner Brace No. SP997(US2C) 2" (51mm) Corner Brace No. SP997(US2C) 2½" (64mm) Corner Brace No. SP997(US2C) 3" (76mm) Corner Brace No. SP997(US2C) 4" (102mm) Corner Brace No. SP998(US2C) 2" (51mm) Triple Corner Brace	20 pks. 20 pks. 20 pks. 20 pks. 20 pks. 20 pks. 20 pks.	10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 5 pks. 10 pks.

Weight: 31 lbs. One Bin Merchandiser



108-B CORNER IRONS - ZINC PLATED -SUPER PAC™


■ An assortment of corner irons, zinc plated, Super Pac with screws

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP999(US2C) 1½" (38mm) Corner Irons	40 pks.	10 pks.
No. SP999(US2C) 2" (51mm) Corner Irons	40 pks.	10 pks.
No. SP999(US2C) 2½" (64mm) Corner Irons	40 pks.	10 pks.
No. SP999(US2C) 3" (76mm) Corner Irons	20 pks.	10 pks.
No. SP999(US2C) 4" (102mm) Corner Irons	20 pks.	10 pks.

Weight: 15 lbs.



SCREEN AND STORM DOOR HARDWARE AND WIRE GOODS SCREEN AND STORM DOOR HARDWARE



23-B SCREEN DOOR HARDWARE —SUPER PAC™

■ An assortment for general screen and storm door use, Super Pac, with screws

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP4(US2C) Turn Buttons No. SP158(US2C) Spring Door Hinge No. SP158(US1B) Spring Door Hinge No. SP210(US2C) Screen Door Holder No. SP1724(US2C) Screen or Storm Sash Hanger No. SP1750(US2C) Screen Door Set No. SP1751(US2C) Screen Door Hinge No. SP2154(US4) Adjustable Spring Hinge	40 pks. 10 pks. 10 pks. 10 pks. 20 pks. 5 pks. 10 pks.	10 pks. 5 pks. 5 pks. 10 pks. 10 pks. 5 pks. 5 pks. 5 pks.

Weight: 36 lbs. Two Bin Merchandiser

WIRE GOODS

STANIES - STANIE

29-B EYE BOLTS - ZINC PLATED - BULK

Assorted sizes of eye bolts with bright zinc finish, bulk packed

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 8413-4(US2C) (¾"x2½") (5mmx64mm) Eye Bolt	20 pcs.	20 pcs.
No. 8413-8(US2C) (¼"x2¾") (6mmx67mm) Eye Bolt	20 pcs.	20 pcs.
No. 8413-10(US2C) (¼"x3") (6mmx76mm) Eye Bolt	20 pcs.	20 pcs.
No. 8413-18(US2C) (¾"x3") (8mmx83mm) Eye Bolt	20 pcs.	20 pcs.
No. 8413-20(US2C) (¾"x4") (8mmx102mm) Eye Bolt	20 pcs.	20 pcs.
No. 8413-26(US2C) (¾"x4") (10mmx102mm) Eye Bolt	10 pcs.	10 pcs.
No. 8413-30(US2C) (¾"x6") (10mmx152mm) Eye Bolt	10 pcs.	10 pcs.
No. 8413-32(US2C) (¾"x8") (10mmx203mm) Eye Bolt	10 pcs.	10 pcs.

Weight: 15 lbs.

One Bin Merchandiser



70-B EYE BOLTS - ZINC PLATED - BULK

■ Assorted sizes of eye bolts with bright zinc finish, bulk packed

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 8413-0(US2C) ($\frac{1}{6}$ "x1 $\frac{3}{4}$ ") (5mmx44mm) Eye Bolt No. 8413-2(US2C) ($\frac{1}{6}$ "x1 $\frac{1}{6}$ ") (5mmx49mm) Eye Bolt No. 8413-6(US2C) ($\frac{1}{4}$ "x2") (6mmx51mm) Eye Bolt No. 8413-14(US2C) ($\frac{1}{4}$ "x5") (6mmx127mm) Eye Bolt No. 8413-16(US2C) ($\frac{1}{6}$ "x6") (6mmx152mm) Eye Bolt No. 8413-22(US2C) ($\frac{1}{6}$ "x5") (8mmx127mm) Eye Bolt No. 8413-24(US2C) ($\frac{1}{6}$ "x5") (8mmx152mm) Eye Bolt No. 8413-28(US2C) ($\frac{3}{6}$ "x5") (10mmx127mm) Eye Bolt No. 8413-34(US2C) ($\frac{1}{2}$ "x6") (13mmx152mm) Eye Bolt	100 pcs. 100 pcs. 40 pcs. 40 pcs. 40 pcs. 20 pcs. 20 pcs. 20 pcs. 20 pcs.	50 pcs. 50 pcs. 20 pcs. 20 pcs. 20 pcs. 10 pcs. 10 pcs. 10 pcs. 10 pcs.

Weight: 36 lbs.

Two Bin Merchandiser

WIRE GOODS

(Continued)

30-B LAG EYE BOLTS - ZINC PLATED - VISUAL PACK

Assorted sizes of lag eye bolts, zinc plated. Visually packed

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V8414-0(US2C) (¼"x3¾") (6mmx95mm) Lag Eye Bolt No. V8414-4(US2C) (¾"x4") (8mmx102mm) Lag	20 pks.	10 pks.
Eye Bolt No. V8414-8(US2C) (3/8"x4½") (10mmx114mm) Lag	20 pks.	10 pks.
Eye Bolt No. V8414-2(US2C) (¼"x5") (6mmx127mm) Lag Eye Bolt	20 pks.	10 pks.
No. V8414-6(US2C) (¾"x6") (8mmx152mm) Lag Eye Bolt	20 pks. 20 pks.	10 pks.
No. V8414-10(US2C) (%"x8") (10mmx203mm) Lag Eye Bolt	20 pks.	10 pks.



Weight: 31 lbs. One Bin Merchandiser

71-B LAG EYE BOLTS - ZINC PLATED - BULK

Assorted sizes of lag eye bolts, zinc plated, bulk packed

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 8414-0(US2C) (¼"x3¾") (6mmx95mm) Lag Eye Bolt No. 8414-4(US2C) (¾"x4") (8mmx102mm)	20 pcs.	10 pcs.
Lag Eye Bolt No. 8414-8(US2C) (36"x4½") (10mmx114mm)	20 pcs.	10 pcs.
Lag Eye Bolt No. 8414-2(US2C) (1/4"x5") (6mmx127mm)	20 pcs.	10 pcs.
Lag Eye Bolt No. 8414-6(US2C) (%"x6") (8mmx152mm)	20 pcs.	10 pcs.
Lag Eye Bolt No. 8414-10(US2C) (%"x8") (10mmx203mm)	20 pcs.	10 pcs.
Lag Eye Bolt	20 pcs.	10 pcs.




Weight: 20 lbs. One Bin Merchandiser

31-B "U" BOLTS - ZINC PLATED - VISUAL PACK

Bright zinc plated, with straps and hex nuts. Visually packed

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V8415-0(US2C) (1/4"x3/4"x21/2") (6mmx19mmx64mm) "U" Bolts	20 pks.	10 pks.
No. V8415-2(US2C) (¼"x1½"x2¼") (6mmx29mmx57mm) "U" Bolts No. V8415-4(US2C) (¼"x1½"x3½")	20 pks.	10 pks.
(6mmx29mmx89mm) "U" Bolts No. V8415-6(US2C) (¼"x1¾"x4")	20 pks.	10 pks.
(6mmx35mmx102mm) "U" Bolts No. V8415-8(US2C) (¾6"x1¾6"x2½")	20 pks.	10 pks.
(8mmx35mmx64mm) "U" Bolts No. V8415-10(US2C) (%/"x1%/"x334")	20 pks.	10 pks.
(8mmx35mmx95mm) "U" Bolts No. V8415-12(US2C) (1/4"x13/4"x3")	20 pks.	10 pks.
(8mmx44mmx76mm) "U" Bolts No. V8415-14(US2C) (%"x1¾"x4¼")	20 pks.	10 pks.
(8mmx44mmx108mm) "U" Bolts No. V8415-16(US2C) (36"x2"x334")	20 pks.	10 pks.
(8mmx51mmx83mm) "U" Bolts No. V8415-18(US2C) (1/4/"x2"x41/2")	20 pks.	10 pks.
(8mmx51mmx114mm) "U" Bolts No. V8415-20(US2C) (¾6"x2½"x3½")	20 pks.	10 pks.
(8mmx64mmx89mm) "U" Bolts No. V8415-22(US2C) (%"x24/2"x5")	20 pks.	
(8mmx64mmx127mm) "U" Bolts	20 pks.	TO bks.



Weight: 89 lbs.


Two Bin Merchandiser

WIRE GOODS

(Continued)

72-B "U" BOLTS - ZINC PLATED - BULK

■ Bright zinc plated, with straps and hex nuts, bulk packed



Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 8415-0(US2C) (¼"x¾"x2½")		
(6mmx14mmx64mm) "U" Bolts	40 pcs.	20 pcs.
No. 8415-2(US2C) (¼"x1½"x2¼")	40 pcs.	20 pcs.
(6mmx29mmx57mm) "U" Bolts No. 8415-4(US2C) (¼"x1½"x3½")		
(6mmx29mmx89mm) "U" Bolts	40 pcs.	20 pcs.
No. 8415-6(US2C) (¼"x1¾"x4")	10 200	20 000
(6mmx35mmx102mm) "U" Bolts	40 pcs.	ZU pcs.
No. 8415-8(US2C) (¾"x1¾"x2½") (8mmx35mmx64mm) "U" Bolts	40 pcs.	20 pcs.
No. 8415-10(US2C) (%"x1%"x3¾")		00
(8mmx35mmx95mm) "U" Bolts	40 pcs.	20 pcs.
No. 8415-12(US2C) (%"x134"x3") (8mmx44mmx76mm) "U" Bolts	40 pcs.	20 pcs.
No. 8415-14(US2C) (5/6"x13/4"x41/4")		
(8mmx44mmx108mm) "U" Bolts	40 pcs.	20 pcs.
No. 8415-16(US2C) (5/6"x2"x3"/4")	40 pcs.	20 ncs
(8mmx51mmx83mm) "U" Bolts No. 8415-18(US2C) (%"x2"x4½")	40 pcs.	20 pcs.
(8mmx51mmx114mm) "U" Bolts	40 pcs.	20 pcs.
No. 8415-20(US2C) (1/6"x21/2"x31/2")	10	20 000
(8mmx64mmx89mm) "U" Bolts	40 pcs.	ZU pcs.
No. 8415-22(US2C) (¾"x2½"x5") (8mmx64mmx127mm) "U" Bolts	40 pcs.	20 pcs.
(OHIIIAOTHIIIATZ/IIIII) O BOICO		

Weight: 89 lbs.

Two Bin Merchandiser



32-B EYE-WITH-EYE TURNBUCKLES — ZINC PLATED — BULK

■ An assortment of eye-with-eye turnbuckles, zinc plated, bulk packed

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 8416(US2C) 3½" (89mm) Eye-with-Eye Turnbuckle	20 pcs.	10 pcs.
No. 8416(US2C) 3¾" (98mm) Eye-with-Eye Turnbuckle	20 pcs.	10 pcs.
No. 8416(US2C) 4¾" (111mm) Eye-with-Eye Turnbuckle	20 pcs.	10 pcs.
No. 8416(US2C) 5½" (133mm) Eye-with-Eye Turnbuckle	20 pcs.	10 pcs.
No. 8416(US2C) 6½" (165mm) Eye-with-Eye Turnbuckle	20 pcs.	5 pcs.
No. 8416(US2C) 7¾" (197mm) Eye-with-Eye Turnbuckle	20 pcs.	5 pcs.

Weight: 24 lbs.

One Bin Merchandiser

33-B EYE-WITH-HOOK TURNBUCKLES — ZINC PLATED — BULK

An assortment of eye-with-hook turnbuckles, zinc plated, bulk packed



Contents of Assortment		sortment luantity	Minimum Reorder Quantity
No. 8417(US2C) 3½" (89mm) Eye-with-H No. 8417(US2C) 3¾" (98mm) Eye-with-H No. 8417(US2C) 4¾" (111mm) Eye-with- No. 8417(US2C) 5¼" (133mm) Eye-with- No. 8417(US2C) 6½" (165mm) Eye-with- No. 8417(US2C) 7¾" (197mm) Eye-with-	ook Turnbuckle 2 Hook Turnbuckle 2 Hook Turnbuckle 2 Hook Turnbuckle 2	0 pcs. 0 pcs.	10 pcs. 10 pcs. 10 pcs. 10 pcs. 5 pcs. 5 pcs.

Weight: 24 lbs.

WIRE GOODS

(Continued)

34-B HOOKS AND EYES - ZINC PLATED - VISUAL PACK

An assortment of hooks and eyes in zinc plated finish. Visually packed

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V8440(US2C) 1" (25mm) Hooks and Eyes No. V8440(US2C) 1½" (38mm) Hooks and Eyes No. V8440(US2C) 2" (51mm) Hooks and Eyes No. V8440(US2C) 2½" (64mm) Hooks and Eyes No. V8440(US2C) 3" (76mm) Hooks and Eyes	40 pks. 40 pks. 40 pks. 40 pks. 40 pks.	20 pks. 20 pks.



One Bin Merchandiser



35-B SCREW EYES - ZINC PLATED - VISUAL PACK

An assortment of small, medium, and large screw eyes, in zinc plated finish. Visually packed

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V8450-000(US2C) Screw Eyes No. V8450-2(US2C) Screw Eyes No. V8450-6(US2C) Screw Eyes No. V8450-8(US2C) Screw Eyes No. V8450-12(US2C) Screw Eyes No. V8450-104(US2C) Screw Eyes No. V8450-104(US2C) Screw Eyes No. V8450-108(US2C) Screw Eyes No. V8450-110(US2C) Screw Eyes No. V8450-112(US2C) Screw Eyes No. V8450-204(US2C) Screw Eyes No. V8450-208(US2C) Screw Eyes No. V8450-210(US2C) Screw Eyes No. V8450-210(US2C) Screw Eyes No. V8450-210/US2C) Screw Eyes No. V8450-216/US2C) Screw Eyes	20 pks. 20 pks.	20 pks. 20 pks.



Two Bin Merchandiser



74-B SMALL SCREW EYES - ZINC PLATED - BULK

■ An assortment of small screw eyes, zinc plated, bulk packed

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 8450-216½(US2C) Small Screw Eyes No. 8450-216(US2C) Small Screw Eyes No. 8450-214½(US2C) Small Screw Eyes No. 8450-212½(US2C) Small Screw Eyes No. 8450-210(US2C) Small Screw Eyes No. 8450-208(US2C) Small Screw Eyes No. 8450-206(US2C) Small Screw Eyes No. 8450-204(US2C) Small Screw Eyes No. 8450-204(US2C) Small Screw Eyes	200 pcs. 200 pcs. 200 pcs. 200 pcs. 200 pcs. 200 pcs. 200 pcs. 100 pcs.	100 pcs 100 pcs 100 pcs 100 pcs 100 pcs 100 pcs





WIRE GOODS

(Continued)

75-B MEDIUM SCREW EYES - ZINC PLATED - BULK

■ An assortment of medium screw eyes, zinc plated, bulk packed



Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 8450-114(US2C) Medium Screw Eyes No. 8450-112(US2C) Medium Screw Eyes No. 8450-110(US2C) Medium Screw Eyes No. 8450-108(US2C) Medium Screw Eyes No. 8450-106(US2C) Medium Screw Eyes No. 8450-104(US2C) Medium Screw Eyes No. 8450-12(US2C) Large Screw Eyes No. 8450-14(US2C) Large Screw Eyes	200 pcs.	100 pcs.

Weight: 16 lbs.

One Bin Merchandiser

76-B LARGE SCREW EYES - ZINC PLATED - BULK

■ An assortment of large screw eyes, zinc plated, bulk packed



Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 8450-10(US2C) Large Screw Eyes No. 8450-8(US2C) Large Screw Eyes No. 8450-6(US2C) Large Screw Eyes No. 8450-4(US2C) Large Screw Eyes No. 8450-2(US2C) Large Screw Eyes No. 8450-0(US2C) Large Screw Eyes No. 8450-000(US2C) Large Screw Eyes		

Weight: 44 lbs.

One Bin Merchandiser

37-B CUP HOOKS AND SHOULDER HOOKS — BRIGHT BRASS — VISUAL PACK

■ An assortment of solid brass cup hooks and shoulder hooks. Visually packed



Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V8481(US3) %" (16mm) Cup Hooks No. V8481(US3) %" (22mm) Cup Hooks No. V8481(US3) 1%" (25mm) Cup Hooks No. V8481(US3) 14" (32mm) Cup Hooks No. V8412(US3) %" (16mm) Shoulder Hooks No. V8412(US3) %" (19mm) Shoulder Hooks No. V8412(US3) 1" (25mm) Shoulder Hooks No. V8412(US3) 1" (25mm) Shoulder Hooks No. V8412(US3) 1%" (38mm) Shoulder Hooks	20 pks. 20 pks. 20 pks. 20 pks. 20 pks. 20 pks. 20 pks. 20 pks.	

Weight: 6 lbs.

One Bin Merchandiser

38-B "S" HOOKS - ZINC PLATED - VISUAL PACK

■ An assortment of zinc plated "S" hooks. Visually packed



Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V8470(US2C) ¾" (19mm) "S" Hooks No. V8470(US2C) 1" (25mm) "S" Hooks No. V8470(US2C) 1½" (38mm) "S" Hooks No. V8470(US2C) 2" (51mm) "S" Hooks No. V8470(US2C) 2½" (64mm) "S" Hooks	20 pks. 20 pks.	

Weight: 10 lbs.

WIRE GOODS

(Continued)

81-B "S" HOOKS - ZINC PLATED - BULK

■ An assortment of zinc plated "S" hooks, bulk packed

	Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 8470(US2C) 1 No. 8470(US2C) 1 No. 8470(US2C) 2	4" (19mm) "S" Hooks " (25mm) "S" Hooks ½" (38mm) "S" Hooks " (51mm) "S" Hooks ½" (64mm) "S" Hooks	200 pcs.	

Weight: 22 lbs.

One Bin Merchandiser



77-B ROUND BEND SCREW HOOKS — ZINC PLATED — BULK

■ An assortment of round bend screw hooks with pointed tips, zinc plated, bulk packed

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 8460-800(US2C) Round Bend Screw Hooks No. 8460-802(US2C) Round Bend Screw Hooks No. 8460-803(US2C) Round Bend Screw Hooks No. 8460-804(US2C) Round Bend Screw Hooks No. 8460-806(US2C) Round Bend Screw Hooks No. 8460-808(US2C) Round Bend Screw Hooks No. 8460-810(US2C) Round Bend Screw Hooks No. 8460-812(US2C) Round Bend Screw Hooks	50 pcs. 50 pcs. 50 pcs. 50 pcs. 100 pcs. 100 pcs. 200 pcs. 200 pcs.	50 pcs. 100 pcs. 100 pcs. 100 pcs.

Weight: 32 lbs.

One Bin Merchandiser



109-B ROPE HOOKS AND CLEATS — ZINC PLATED — SUPER PAC™

■ An assortment of popular rope binding hardware in zinc finish, Super Pac, with screws

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP4120(US2C) 2½" (63mm) Tarp Rope Hook No. SP4120(US2C) 3½" (89mm) Tarp Rope Hook No. SP4120(US2C) 4¾" (121mm) Tarp Rope Hook No. SP4122(US2C) 3¾" (86mm) Rope Binding Hook No. SP4126(US2C) 2½" (63mm) Rope Cleats No. SP4126(US2C) 4½" (114mm) Rope Cleats No. SP4126(US2C) 6" (152mm) Rope Cleats	20 pks. 20 pks. 20 pks.	10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks.

Weight: 26 lbs.

Two Bin Merchandiser



WIRE GOODS

(Continued)



111-B ROPE HOOKS AND CLEATS — ZINC PLATED — BULK

An assortment of popular rope binding hardware in zinc finish, bulk packed

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 4120(US2C) 2½" (63mm) Tarp Rope Hook No. 4120(US2C) 3½" (89mm) Tarp Rope Hook No. 4120(US2C) 4¾" (121mm) Tarp Rope Hook No. 4122(US2C) 3¾" (86mm) Rope Binding Hook No. 4126(US2C) 2½" (63mm) Rope Cleats No. 4126(US2C) 4½" (114mm) Rope Cleats No. 4126(US2C) 6" (152mm) Rope Cleats	20 pcs. 20 pcs. 20 pcs.	10 pcs. 10 pcs. 10 pcs. 10 pcs. 10 pcs. 10 pcs. 10 pcs.

Weight: 18 lbs.

Two Bin Merchandiser



112-B ROPE HOOKS AND HOOK BOLTS — ZINC PLATED — MOSTLY SUPER PAC™

■ An assortment of popular rope binding hardware in zinc finish

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP4112(US2C) 2" (51mm) Utility Hook	20 pks.	10 pks.
No. SP4113(US2C) 4" (101mm) Rope Hook with Plate	20 pks.	5 pks.
No. SP4114(US2C) 6" (152mm) Rope Hook with Lag Eye	20 pks.	5 pks.
No. 4124(US2C) 6" (152mm) Hook Bolt	20 pcs.	20 pcs.
No. 4124(US2C) 7¼" (184mm) Hook Bolt	20 pcs.	20 pcs.

Weight: 26 lbs.

One Bin Merchandiser



113-B ROPE HOOKS AND HOOK BOLTS — ZINC PLATED — BULK

An assortment of popular rope binding hardware in zinc finish, bulk packed

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 4112(US2C) 2" (51mm) Utility Hook No. 4113(US2C) 4" (102mm) Rope Hook with Plate No. 4114(US2C) 6" (152mm) Rope Hook with Lag Eye No. 4124(US2C) 6" (152mm) Hook Bolt No. 4124(US2C) 7 ¹ / ₄ " (184mm) Hook Bolt	20 pcs. 20 pcs. 20 pcs.	10 pcs.


Weight: 20 lbs.


STANLEY UNI-PANEL™ ASSORTMENTS

9321-A ASSORTMENT

■ Basic 4' visibly packed hardware department. Featuring standard bread and butter hardware; hasps, barrel bolts, corner braces, etc


No. CD900(US2C) 4" Strap Hinges* No. CD741(US4) 3"x3" Door Hinge No. CD741(US4) 3½"x3½" Door Hinge No. CD741(US4) 4"x4" Door Hinge No. CD804(US2C) 2½"x2½" Utility Door Hinge No. CD804(US2C) 3"x3" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD295(US4) 2" Cabinet Hinges No. CD295(US4) 2½" Cabinet Hinges No. CD295(US4) 3" Cabinet Hinges No. CD295(US4) 3" Cabinet Hinges No. CD838(US2C) 1" Utility Hinges* No. CD838(US2C) 1" Utility Hinges* No. CD838(US2C) 2" Utility Hinges* No. CD838(US2C) 2" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD999(US2C) 3½"x1½" Flat				
No. CD346(US4) Light Safety Hasp* No. CD912(US2C) 3" Hinge Hasp No. CD915(US2C) 3½" Safety Hasp* No. CD915(US2C) 3½" Latching Hasp No. CD918(US2C) 3½" Latching Hasp No. CD917(US2C) 3½" Click Lock Hasp* No. CD1078(US4) 4" Barrel Bolt* No. CD1078(US4) 2½" Barrel Bolt* No. CD1078(US4) 2½" Barrel Bolt* No. CD1076(US4) 2½" Barrel Bolt* No. CD1076(US4) 2½" Barrel Bolt* No. CD904(US2C) 2" Tee Hinges No. CD904(US2C) 2" Tee Hinges No. CD904(US2C) 2" Tee Hinges No. CD900(US2C) 3" Strap Hinges* No. CD900(US2C) 3" Strap Hinges* No. CD900(US2C) 3" Strap Hinges No. CD741(US4) 3½"x3½" Door Hinge No. CD741(US4) 3½"x3½" Door Hinge No. CD741(US4) 4"x4" Door Hinge No. CD741(US4) 3½"x3½" Utility Door Hinge No. CD804(US2C) 3"x3" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD838(US2C) 1½" Utility Hinges* No. CD838(US2C) 1½" Utility Hinges* No. CD838(US2C) 1½" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 1½" Utility Hinges* No. CD838(US2C) ½"x2½" Flat Corner Irons No. CD999(US2C) ¾"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons No. CD999(US2C) ¾"x4" Flat Corner Irons No. CD999(US2C) ¾"x3" Flat Corner Irons No. CD999(US2C) ¾"x4" Flat Corner Irons No. CD999(US2C) ¾"x4" Flat Corner Irons No. CD999(US2C) ¾"x4" Flat Corner Iro		Contents of Assortment		Reorder
No. CD346(US4) Light Safety Hasp* No. CD912(US2C) 3" Hinge Hasp No. CD915(US2C) 3½" Safety Hasp* No. CD915(US2C) 3½" Latching Hasp No. CD918(US2C) 3½" Latching Hasp No. CD917(US2C) 3½" Click Lock Hasp* No. CD1078(US4) 4" Barrel Bolt* No. CD1078(US4) 2½" Barrel Bolt* No. CD1078(US4) 2½" Barrel Bolt* No. CD1076(US4) 2½" Barrel Bolt* No. CD1076(US4) 2½" Barrel Bolt* No. CD904(US2C) 2" Tee Hinges No. CD904(US2C) 2" Tee Hinges No. CD904(US2C) 2" Tee Hinges No. CD900(US2C) 3" Strap Hinges* No. CD900(US2C) 3" Strap Hinges* No. CD900(US2C) 3" Strap Hinges No. CD741(US4) 3½"x3½" Door Hinge No. CD741(US4) 3½"x3½" Door Hinge No. CD741(US4) 4"x4" Door Hinge No. CD741(US4) 3½"x3½" Utility Door Hinge No. CD804(US2C) 3"x3" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD838(US2C) 1½" Utility Hinges* No. CD838(US2C) 1½" Utility Hinges* No. CD838(US2C) 1½" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 1½" Utility Hinges* No. CD838(US2C) ½"x2½" Flat Corner Irons No. CD999(US2C) ¾"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons No. CD999(US2C) ¾"x4" Flat Corner Irons No. CD999(US2C) ¾"x3" Flat Corner Irons No. CD999(US2C) ¾"x4" Flat Corner Irons No. CD999(US2C) ¾"x4" Flat Corner Irons No. CD999(US2C) ¾"x4" Flat Corner Iro		No. CD911(US2C) 21/2" Safety Hasp*	20 pks.	10 pks.
No. CD915(US2C) 3½" Safety Hasp* No. CD915(US2C) 4½" Safety Hasp* No. CD915(US2C) 3½" Latching Hasp No. CD917(US2C) 3½" Latching Hasp No. CD917(US2C) 3½" Latching Hasp No. CD917(US2C) 3½" Click Lock Hasp* No. CD1078(US4) 4" Barrel Bolt* No. CD1078(US4) 2½" Barrel Bolt* No. CD1078(US4) 3" Barrel Bolt* No. CD1076(US4) 2½" Barrel Bolt* No. CD1076(US4) 2½" Barrel Bolt* No. CD379(US4) 4" Surface Bolt No. CD904(US2C) 2" Tee Hinges No. CD904(US2C) 2" Tee Hinges* No. CD904(US2C) 2" Tee Hinges* No. CD900(US2C) 2" Strap Hinges* No. CD900(US2C) 2" Strap Hinges* No. CD900(US2C) 3" Strap Hinges* No. CD741(US4) 3½"x3½" Door Hinge No. CD741(US4) 3½"x3½" Door Hinge No. CD741(US4) 3½"x3½" Utility Door Hinge No. CD804(US2C) 2½"x2½" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD995(US4) 2" Cabinet Hinges No. CD295(US4) 2" Cabinet Hinges No. CD295(US4) 2" Cabinet Hinges No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 1½" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons No. CD999(US2C) ½"x3" Flat Cor		No. CD346(US4) Light Safety Hasp*		
No. CD915(US2C) 4½" Safety Hasp* No. CD918(US2C) 3½" Latching Hasp No. CD925(US2C) 3" Dble. Hinge Hasp* No. CD917(US2C) 3½" Click Lock Hasp* No. CD1078(US4) 4" Barrel Bolt* No. CD1078(US4) 2½" Barrel Bolt* No. CD1078(US4) 3" Barrel Bolt* No. CD1076(US4) 2½" Barrel Bolt* No. CD1076(US4) 2½" Barrel Bolt* No. CD379(US4) 4" Surface Bolt No. CD379(US4) 4" Surface Bolt No. CD904(US2C) 2" Tee Hinges No. CD904(US2C) 3" Tee Hinges* No. CD900(US2C) 2" Strap Hinges* No. CD900(US2C) 3" Strap Hinges* No. CD900(US2C) 2" Strap Hinges No. CD741(US4) 3½"x3½" Door Hinge No. CD741(US4) 3½"x3½" Door Hinge No. CD741(US4) 3½"x3½" Door Hinge No. CD804(US2C) 3"x3" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD804(US2C) 1½" Utility Hinges* No. CD804(US2C) 1½" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD999(US2C) ½"x1½" Flat Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons No. CD995½(US2C) 3"x3" Flat Tee Plates 10 pks. 10 pks. 20 pks. 10 p		No. CD912(US2C) 3" Hinge Hasp		
No. CD915(US2C) 3½" Latching Hasp* No. CD917(US2C) 3½" Latching Hasp* No. CD917(US2C) 3½" Click Lock Hasp* No. CD1078(US4) 4" Barrel Bolt* No. CD1078(US4) 2½" Barrel Bolt* No. CD1078(US4) 3" Barrel Bolt* No. CD1076(US4) 2½" Barrel Bolt* No. CD1076(US4) 2½" Barrel Bolt* No. CD904(US2C) 2" Tee Hinges No. CD904(US2C) 2" Tee Hinges* No. CD904(US2C) 2" Tee Hinges* No. CD900(US2C) 3" Strap Hinges* No. CD900(US2C) 2" Strap Hinges* No. CD900(US2C) 3" Strap Hinges* No. CD900(US2C) 3" Strap Hinges* No. CD741(US4) 3½"x3½" Door Hinge No. CD741(US4) 3½"x3½" Door Hinge No. CD804(US2C) 2½"x2½" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD804(US2C) 1½" Cabinet Hinges No. CD805(US4) 2½" Cabinet Hinges No. CD838(US2C) 1½" Cabinet Hinges No. CD838(US2C) 1½" Utility Hinges* No. CD838(US2C) 3½" Utility Hinges* No. CD838(US2C) 3½" Utility Hinges* No. CD999(US2C) ½"x1½" Flat Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons No. CD995(US2C) ½"x3" Flat C		No. CD915(US2C) 3½" Safety Hasn*		
No. CD918(US2C) 3½" Latching Hasp No. CD925(US2C) 3" Dble. Hinge Hasp* No. CD917(US2C) 3½" Click Lock Hasp* No. CD1078(US4) 2½" Barrel Bolt* No. CD1078(US4) 3" Barrel Bolt* No. CD1076(US4) 2½" Barrel Bolt* No. CD1076(US4) 2½" Barrel Bolt* No. CD1076(US4) 2½" Barrel Bolt* No. CD379(US4) 4" Surface Bolt No. CD904(US2C) 2" Tee Hinges No. CD904(US2C) 2" Tee Hinges* No. CD900(US2C) 3" Tee Hinges* No. CD900(US2C) 3" Strap Hinges* No. CD900(US2C) 3" Strap Hinges* No. CD900(US2C) 4" Strap Hinges* No. CD900(US2C) 4" Strap Hinges* No. CD741(US4) 3½"x3½" Door Hinge No. CD741(US4) 3½"x3½" Door Hinge No. CD804(US2C) 2½"x2½" Utility Door Hinge No. CD804(US2C) 2½"x3½" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD838(US2C) 1½" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD999(US2C) ½"x1½" Flat Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons No. CD995½(US2C) 3"x3" Flat Tee Plates		No. CD915(US2C) 41/2" Safety Hasp*		
No. CD925(US2C) 3" Dble. Hinge Hasp* No. CD917(US2C) 3½" Click Lock Hasp* No. CD1078(US4) 4" Barrel Bolt* No. CD1078(US4) 2½" Barrel Bolt* No. CD1076(US4) 2½" Barrel Bolt* No. CD1076(US4) 2½" Barrel Bolt* No. CD379(US4) 4" Surface Bolt No. CD379(US4) 4" Surface Bolt No. CD904(US2C) 2" Tee Hinges No. CD904(US2C) 3" Tee Hinges* No. CD900(US2C) 3" Strap Hinges No. CD900(US2C) 2" Strap Hinges No. CD900(US2C) 3" Strap Hinges No. CD900(US2C) 4" Strap Hinges No. CD900(US2C) 4" Strap Hinges No. CD741(US4) 3½"x3½" Door Hinge No. CD741(US4) 3½"x3½" Door Hinge No. CD741(US4) 3½"x3½" Utility Door Hinge No. CD804(US2C) 3½" Utility Hinges* No. CD295(US4) 2½" Cabinet Hinges No. CD295(US4) 2½" Cabinet Hinges No. CD838(US2C) 1½" Utility Hinges* No. CD838(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x4" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD995½(US2C) 3"x3" Flat Tee Plates		No. CD918(US2C) 31/2" Latching Hash		
No. CD917(US2C) 3½" Click		No CD925(US2C) 3" Dbla Hingo Hasp*		
No. CD1078(US4) 4" Barrel Bolt* No. CD1078(US4) 2½" Barrel Bolt* No. CD1078(US4) 2½" Barrel Bolt* No. CD1076(US4) 2½" Barrel Bolt* No. CD379(US4) 4" Surface Bolt No. CD904(US2C) 2" Tee Hinges No. CD904(US2C) 3" Tee Hinges* No. CD900(US2C) 2" Strap Hinges No. CD900(US2C) 2" Strap Hinges No. CD900(US2C) 2" Strap Hinges No. CD900(US2C) 4" Strap Hinges* No. CD900(US2C) 4" Strap Hinges* No. CD741(US4) 3½"x3" Door Hinge No. CD741(US4) 3½"x3½" Door Hinge No. CD741(US4) 3½"x3½" Door Hinge No. CD804(US2C) 2½"x2½" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD838(US2C) 1½" Cabinet Hinges No. CD838(US2C) 1½" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD999(US2C) ½""x1½" Flat Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x4" Flat Corner Irons* No. CD995½(US2C) 3"x3" Flat Tee Plates		No. CD917(US2C) 31/2" Click		
No. CD1078(US4) 2½" Barrel Bolt* No. CD1076(US4) 2½" Barrel Bolt* No. CD379(US4) 4" Surface Bolt No. CD904(US2C) 2" Tee Hinges No. CD904(US2C) 3" Tee Hinges* No. CD904(US2C) 4" Tee Hinges* No. CD900(US2C) 2" Strap Hinges No. CD900(US2C) 2" Strap Hinges No. CD900(US2C) 3" Strap Hinges* No. CD900(US2C) 4" Strap Hinges* No. CD900(US2C) 4" Strap Hinges* No. CD741(US4) 3"x3" Door Hinge No. CD804(US2C) 2½"x2½" Utility Door Hinge No. CD804(US2C) 2½"x3½" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD295(US4) 2" Cabinet Hinges No. CD295(US4) 2½" Cabinet Hinges No. CD295(US4) 2½" Cabinet Hinges No. CD295(US4) 3" Cabinet Hinges No. CD838(US2C) 1½" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD999(US2C) ½""x1½" Flat Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x4" Flat Corner Irons* No. CD999(US2C) ½"x4" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x4" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD995½(US2C) 3"x3" Flat Tee Plates 10 pks. 1	1			
No. CD1078(US4) 3" Barrel Bolt* No. CD10776(US4) 2½" Barrel Bolt* No. CD379(US4) 4" Surface Bolt No. CD904(US2C) 2" Tee Hinges No. CD904(US2C) 3" Tee Hinges* No. CD9004(US2C) 4" Tee Hinges* No. CD900(US2C) 4" Tee Hinges* No. CD900(US2C) 3" Strap Hinges* No. CD900(US2C) 3" Strap Hinges* No. CD900(US2C) 4" Strap Hinges* No. CD741(US4) 3"x3" Door Hinge* No. CD741(US4) 3½"x3½" Door Hinge* No. CD741(US4) 4"x4" Door Hinge No. CD804(US2C) 2½"x2½" Utility Door Hinge No. CD804(US2C) 3"x3" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD295(US4) 2½" Cabinet Hinges No. CD295(US4) 2½" Cabinet Hinges No. CD295(US4) 3" Cabinet Hinges No. CD295(US4) 3" Cabinet Hinges No. CD838(US2C) 1½" Utility Hinges* No. CD838(US2C) 1½" Utility Hinges* No. CD838(US2C) 2" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD999(US2C) ½"x1½" Flat Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD995½(US2C) 5%"x4" Flat Corner Irons No. CD995½(US2C) 3"x3" Flat Tee Plates 20 pks. 10 pks. 1		No. CD10/8(US4) 4" Barrel Bolt"		
No. CD1076(US4) 2½" Barrel Bolt* No. CD379(US4) 4" Surface Bolt No. CD904(US2C) 2" Tee Hinges No. CD904(US2C) 3" Tee Hinges* No. CD9004(US2C) 4" Tee Hinges* No. CD900(US2C) 2" Strap Hinges No. CD900(US2C) 2" Strap Hinges No. CD900(US2C) 3" Strap Hinges* No. CD900(US2C) 4" Strap Hinges* No. CD900(US2C) 4" Strap Hinges* No. CD741(US4) 3½"x3" Door Hinge No. CD741(US4) 3½"x3" Door Hinge* No. CD741(US4) 4½"x4" Door Hinge No. CD804(US2C) 2½"x2½" Utility Door Hinge No. CD804(US2C) 3½"x3" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD295(US4) 2½" Cabinet Hinges No. CD295(US4) 2½" Cabinet Hinges No. CD295(US4) 2½" Cabinet Hinges No. CD838(US2C) 1½" Utility Hinges* No. CD838(US2C) 1½" Utility Hinges* No. CD838(US2C) 2" Utility Hinges* No. CD838(US2C) 2" Utility Hinges* No. CD838(US2C) 2" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD999(US2C) ½"x1½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons No. CD999(US2C) ½"x3" Flat Corner Irons No. CD995½(US2C) 3"x3" Flat Corner Irons			20 pks.	
No. CD379(US4) 4" Surface Bolt No. CD904(US2C) 2" Tee Hinges No. CD904(US2C) 3" Tee Hinges* No. CD904(US2C) 4" Tee Hinges* No. CD900(US2C) 2" Strap Hinges No. CD900(US2C) 3" Strap Hinges* No. CD900(US2C) 4" Strap Hinges* No. CD900(US2C) 4" Strap Hinges* No. CD741(US4) 3"x3" Door Hinge No. CD741(US4) 3½"x3½" Door Hinge No. CD741(US4) 4½"x3½" Door Hinge No. CD804(US2C) 2½"x2½" Utility Door Hinge No. CD804(US2C) 2½"x2½" Utility Door Hinge No. CD804(US2C) 3"x3" Utility Door Hinge No. CD295(US4) 2" Cabinet Hinges No. CD295(US4) 2½" Cabinet Hinges No. CD838(US2C) 1½" Utility Hinges* No. CD838(US2C) 2" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD838(US2C) 3½" Utility Hinges* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons No. CD995½(US2C) 3"x3" Flat Corner Irons No. CD995½(US2C) 3"x3" Flat Tee Plates 5 pks. 10 p		No. CD10/8(US4) 3" Barrel Bolt*		
No. CD904(US2C) 2" Tee Hinges No. CD904(US2C) 3" Tee Hinges* No. CD904(US2C) 4" Tee Hinges* No. CD900(US2C) 2" Strap Hinges No. CD900(US2C) 3" Strap Hinges* No. CD900(US2C) 4" Strap Hinges* No. CD900(US2C) 4" Strap Hinges* No. CD741(US4) 3"x3" Door Hinge No. CD741(US4) 3½"x3½" Door Hinge No. CD804(US2C) 2½"x2½" Utility Door Hinge No. CD804(US2C) 3"x3" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD295(US4) 2" Cabinet Hinges No. CD295(US4) 2" Cabinet Hinges No. CD295(US4) 3" Cabinet Hinges No. CD838(US2C) 1½" Utility Hinges* No. CD838(US2C) 1"½" Utility Hinges* No. CD838(US2C) 1"½" Utility Hinges* No. CD838(US2C) 2"Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 3"x1½" Flat Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons No. CD995½(US2C) 3"x3" Flat Tee Plates 10 pks.		No. CD10/6(US4) 2½" Barrel Bolt*		
No. CD904(US2C) 3" Tee Hinges* No. CD900(US2C) 2" Strap Hinges* No. CD900(US2C) 3" Strap Hinges* No. CD900(US2C) 3" Strap Hinges* No. CD900(US2C) 4" Strap Hinges* No. CD741(US4) 3"x3" Door Hinge No. CD741(US4) 3½"x3½" Door Hinge No. CD741(US4) 4"x4" Door Hinge No. CD804(US2C) 2½"x2½" Utility Door Hinge No. CD804(US2C) 3"x3" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD295(US4) 2" Cabinet Hinges No. CD295(US4) 2½" Cabinet Hinges No. CD295(US4) 2½" Cabinet Hinges No. CD295(US4) 2½" Cabinet Hinges No. CD838(US2C) 1" Utility Hinges* No. CD838(US2C) 1" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD999(US2C) ½"x1½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons No. CD999(US2C) ½"x3" Flat Co		No. CD3/9(US4) 4" Surface Bolt		
No. CD904(US2C) 4" Tee Hinges* No. CD900(US2C) 2" Strap Hinges* No. CD900(US2C) 3" Strap Hinges* No. CD900(US2C) 4" Strap Hinges* No. CD900(US2C) 4" Strap Hinges* No. CD741(US4) 3"x3" Door Hinge No. CD741(US4) 3½"x3½" Door Hinge* No. CD741(US4) 4"x4" Door Hinge No. CD804(US2C) 2½"x2½" Utility Door Hinge No. CD804(US2C) 3½"x3" Utility Door Hinge No. CD295(US4) 2" Cabinet Hinges No. CD295(US4) 2½" Cabinet Hinges No. CD295(US4) 2½" Cabinet Hinges No. CD295(US4) 2½" Cabinet Hinges No. CD838(US2C) 1" Utility Hinges* No. CD838(US2C) 1" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 3" utility Hinges* No. CD999(US2C) ½"x1½" Flat Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons No. CD999(US2C) 3"x3" Flat Tee Plates 10 pks. 10		No. CD904(US2C) 2" Tee Hinges		
No. CD900(US2C) 2" Strap Hinges No. CD900(US2C) 3" Strap Hinges* No. CD900(US2C) 4" Strap Hinges* No. CD741(US4) 3"x3" Door Hinge No. CD741(US4) 3½"x3½" Door Hinge* No. CD741(US4) 4"x4" Door Hinge No. CD804(US2C) 2½"x2½" Utility Door Hinge No. CD804(US2C) 3"x3" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD295(US4) 2" Cabinet Hinges No. CD295(US4) 2" Cabinet Hinges No. CD295(US4) 3" Cabinet Hinges No. CD838(US2C) 1" Utility Hinges* No. CD838(US2C) 1" Utility Hinges* No. CD838(US2C) 2" Utility Hinges* No. CD838(US2C) 2" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD999(US2C) ½"x1½" Flat Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons No. CD999(US2C) 3"x3" Flat Tee Plates 10 pks. 10		No. CD904(US2C) 3" Tee Hinges*		
No. CD900(US2C) 3" Strap Hinges* No. CD900(US2C) 4" Strap Hinges* No. CD741(US4) 3"x3" Door Hinge No. CD741(US4) 3½"x3½" Door Hinge No. CD804(US2C) 2½"x2½" Utility Door Hinge No. CD804(US2C) 3"x3" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD95(US4) 2" Cabinet Hinges No. CD295(US4) 2½" Cabinet Hinges No. CD295(US4) 3" Cabinet Hinges No. CD838(US2C) 1" Utility Hinges* No. CD838(US2C) 1" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons No. CD999(US2C) 3"x3" Flat Tee Plates 10 pks. 10		No. CD904(US2C) 4" Tee Hinges*	20 pks.	
No. CD900(US2C) 4" Strap Hinges* No. CD741(US4) 3"x3" Door Hinge No. CD741(US4) 3½"x3½" Door Hinge* No. CD741(US4) 4"x4" Door Hinge No. CD804(US2C) 2½"x2½" Utility Door Hinge No. CD804(US2C) 3"x3" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD295(US4) 2" Cabinet Hinges No. CD295(US4) 2" Cabinet Hinges No. CD295(US4) 3" Cabinet Hinges No. CD295(US4) 3" Cabinet Hinges No. CD838(US2C) 1" Utility Hinges* No. CD838(US2C) 1" Utility Hinges* No. CD838(US2C) 2" Utility Hinges* No. CD838(US2C) 2" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons No. CD999(US2C) ½"x3" Flat Corner Irons No. CD999(US2C) 3"x3" Flat Corner Irons No. CD995½(US2C) 3"x3" Flat Tee Plates 10 pks. 10 p		No. CD900(US2C) 2" Strap Hinges		10 pks.
No. CD741(US4) 3"x3" Door Hinge No. CD741(US4) 3½"x3½" Door Hinge* No. CD741(US4) 4"x4" Door Hinge No. CD804(US2C) 2½"x2½" Utility Door Hinge No. CD804(US2C) 3"x3" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD295(US4) 2" Cabinet Hinges No. CD295(US4) 2" Cabinet Hinges No. CD295(US4) 3" Cabinet Hinges No. CD295(US4) 3" Cabinet Hinges No. CD838(US2C) 1" Utility Hinges* No. CD838(US2C) 1" Utility Hinges* No. CD838(US2C) 2" Utility Hinges* No. CD838(US2C) 2" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD999(US2C) ½"x1½" Flat Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons No. CD999(US2C) ½"x4" Flat Corner Irons No. CD999(US2C) ½"x3" Flat Corner Irons No. CD999(US2C) ½"x3" Flat Corner Irons No. CD999(US2C) ½"x4" Flat Corner Irons No. CD999(US2C) ½"x3" Flat Corner Irons No. CD999½(US2C) 3"x3" Flat Tee Plates 10 pks.	1			10 pks.
No. CD741(US4) 3"x3" Door Hinge No. CD741(US4) 3½"x3½" Door Hinge* No. CD741(US4) 4"x4" Door Hinge No. CD804(US2C) 2½"x2½" Utility Door Hinge No. CD804(US2C) 3"x3" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD295(US4) 2" Cabinet Hinges No. CD295(US4) 2" Cabinet Hinges No. CD295(US4) 3" Cabinet Hinges No. CD295(US4) 3" Cabinet Hinges No. CD838(US2C) 1" Utility Hinges* No. CD838(US2C) 1" Utility Hinges* No. CD838(US2C) 2" Utility Hinges* No. CD838(US2C) 2" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons No. CD999(US2C) ½"x4" Flat Corner Irons No. CD999(US2C) ½"x3" Flat Corner Irons No. CD999(US2C) 3"x3" Flat Tee Plates 10 pks. 1	1	No. CD900(US2C) 4" Strap Hinges*	20 pks.	10 pks.
No. CD741(US4) 3½"x3½" Door Hinge* No. CD741(US4) 4"x4" Door Hinge No. CD804(US2C) 2½"x2½" Utility Door Hinge No. CD804(US2C) 3"x3" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD295(US4) 2" Cabinet Hinges No. CD295(US4) 2" Cabinet Hinges No. CD295(US4) 3" Cabinet Hinges No. CD295(US4) 3" Cabinet Hinges No. CD838(US2C) 1" Utility Hinges* No. CD838(US2C) 1" Utility Hinges* No. CD838(US2C) 2" Utility Hinges* No. CD838(US2C) 2" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD999(US2C) ½"x1½" Flat Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons No. CD999(US2C) ½"x3" Flat Corner Irons No. CD999(US2C) ½"x4" Flat Corner Irons No. CD999(US2C) ½"x3" Flat Corner Irons No. CD995½(US2C) 3"x3" Flat Tee Plates 10 pks.		No. CD741(US4) 3"x3" Door Hinge		10 pks.
No. CD741(US4) 4"x4" Door Hinge No. CD804(US2C) 2½"x2½" Utility Door Hinge No. CD804(US2C) 3"x3" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD295(US4) 2" Cabinet Hinges No. CD295(US4) 2½" Cabinet Hinges No. CD295(US4) 3" Cabinet Hinges No. CD295(US4) 3" Cabinet Hinges No. CD838(US2C) 1" Utility Hinges* No. CD838(US2C) 1" Utility Hinges* No. CD838(US2C) 2" Utility Hinges* No. CD838(US2C) 2" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD999(US2C) ½"x1½" Flat Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons No. CD999(US2C) ½"x4" Flat Corner Irons No. CD999(US2C) ½"x4" Flat Corner Irons No. CD999½(US2C) 3%"x4" Flat Corner Irons No. CD995½(US2C) 3"x3" Flat Tee Plates 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 20 pks. 10 pks.				
No. CD804(US2C) 2½"x2½" Utility Door Hinge No. CD804(US2C) 3"x3" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD295(US4) 2" Cabinet Hinges No. CD295(US4) 2½" Cabinet Hinges No. CD295(US4) 3" Cabinet Hinges No. CD295(US4) 3" Cabinet Hinges No. CD838(US2C) 1" Utility Hinges* No. CD838(US2C) 1" Utility Hinges* No. CD838(US2C) 2" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD999(US2C) 3½"x1½" Flat Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons No. CD999(US2C) ½"x4" Flat Corner Irons No. CD999(US2C) ½"x4" Flat Corner Irons No. CD999½(US2C) 3%"x4" Flat Corner Irons No. CD995½(US2C) 3"x3" Flat Tee Plates 10 pks. 10 pks. 10 pks. 20 pks. 10 pk				
Door Hinge			10 pks.	TO pros.
No. CD804(US2C) 3"x3" Utility Door Hinge No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD295(US4) 2" Cabinet Hinges No. CD295(US4) 2½" Cabinet Hinges No. CD295(US4) 3" Cabinet Hinges No. CD838(US2C) 1" Utility Hinges* No. CD838(US2C) 1½" Utility Hinges* No. CD838(US2C) 1½" Utility Hinges* No. CD838(US2C) 2" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD999(US2C) 3½"x1½" Flat Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons No. CD995½(US2C) 3"x3" Flat Tee Plates 5 pks. 5 pks. 10 pks. 10 pks. 10 pks. 10 pks. 20 pks. 10 pks. 20 pks. 10			10 pks	10 pks
Door Hinge			TO pks.	TO pks.
No. CD804(US2C) 3½"x3½" Utility Door Hinge No. CD295(US4) 2" Cabinet Hinges No. CD295(US4) 2½" Cabinet Hinges No. CD295(US4) 3" Cabinet Hinges No. CD838(US2C) 1" Utility Hinges* No. CD838(US2C) 1"½" Utility Hinges* No. CD838(US2C) 2" Utility Hinges* No. CD838(US2C) 2" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD999(US2C) ½"x1½" Flat Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons No. CD999(US2C) ½"x4" Flat Corner Irons No. CD999(US2C) ½"x3" Flat Corner Irons No. CD995½(US2C) 3"x3" Flat Tee Plates 10 pks. 10 pks. 20 pks. 10 pks. 20 pks. 10 pks. 20 pks. 10	1		E mlen	Emles
Door Hinge No. CD295(US4) 2" Cabinet Hinges No. CD295(US4) 2½" Cabinet Hinges No. CD295(US4) 3" Cabinet Hinges No. CD295(US4) 3" Cabinet Hinges No. CD838(US2C) 1" Utility Hinges* No. CD838(US2C) 1½" Utility Hinges* No. CD838(US2C) 2" Utility Hinges* No. CD838(US2C) 2" Utility Hinges* No. CD838(US2C) 2" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD999(US2C) 3"x1½" Flat Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons No. CD999(US2C) ½"x3" Flat Corner Irons No. CD999(US2C) ½"x3" Flat Corner Irons No. CD995½(US2C) 3"x3" Flat Tee Plates 5 pks. 10 pks. 10 pks. 10 pks. 20 pks. 10 pks. 20 pks. 10 pks.	1	0	o pks.	o pks.
No. CD295(US4) 2" Cabinet Hinges No. CD295(US4) 2½" Cabinet Hinges No. CD295(US4) 3" Cabinet Hinges No. CD838(US2C) 1" Utility Hinges* No. CD838(US2C) 1½" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD4109(US2C) Utility Hooks No. CD999(US2C) ½"x1½" Flat Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons No. CD999(US2C) ½"x4" Flat Corner Irons No. CD995½(US2C) 3"x3" Flat Tee Plates 10 pks. 10 pks. 20 pks. 10 pks. 20 pks. 10 pks. 20 pks. 10 pks.	I		F	F 1
No. CD295(US4) 2½" Cabinet Hinges No. CD295(US4) 3" Cabinet Hinges No. CD838(US2C) 1" Utility Hinges* No. CD838(US2C) 1½" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD4109(US2C) 3" "x1½" Flat Corner Irons* No. CD999(US2C) 3%" x2" Flat Corner Irons* No. CD999(US2C) ½" x2½" Flat Corner Irons* No. CD999(US2C) ½" x3" Flat Corner Irons* No. CD999(US2C) ½" x3" Flat Corner Irons* No. CD999(US2C) ½" x4" Flat Corner Irons No. CD995½(US2C) 3" x3" Flat Tee Plates 10 pks. 10 pks. 20 pks. 10 pks. 20 pks. 10 pks.				
No. CD295(US4) 3" Cabinet Hinges No. CD838(US2C) 1" Utility Hinges* No. CD838(US2C) 1½" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD4109(US2C) Utility Hooks No. CD999(US2C) ½"x1½" Flat	١	No. CD295(US4) 2" Cabinet Hinges		
No. CD838(US2C) 1" Utility Hinges* No. CD838(US2C) 1½" Utility Hinges* No. CD838(US2C) 2" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD999(US2C) 3"x1½" Flat Corner Irons* No. CD999(US2C) 3"x2" Flat Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x4" Flat Corner Irons No. CD999(US2C) 3"x3" Flat Tee Plates 20 pks. 10 p		No. CD295(US4) 2½" Cabinet Hinges		' -
No. CD838(US2C) 1½" Utility Hinges* No. CD838(US2C) 2" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD999(US2C) ½"x1½" Flat	ı			
No. CD838(US2C) 2" Utility Hinges* No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD4109(US2C) Utility Hooks No. CD999(US2C) 3%"x1½" Flat	1	No. CD838(US2C) 1" Utility Hinges*		10 pks.
No. CD838(US2C) 2½" Utility Hinges* No. CD838(US2C) 3" Utility Hinges* No. CD4109(US2C) Utility Hooks No. CD999(US2C) ½"x1½" Flat Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons No. CD999(US2C) ½"x4" Flat Corner Irons No. CD995½(US2C) 3"x3" Flat Tee Plates 20 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks.	1	No. CD838(US2C) 1½" Utility Hinges*		
No. CD838(US2C) 3" Utility Hinges* No. CD4109(US2C) Utility Hooks No. CD999(US2C) 3%"x1½" Flat Corner Irons* No. CD999(US2C) 3%"x2" Flat Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) 5%"x4" Flat Corner Irons No. CD9995½(US2C) 3"x3" Flat Tee Plates 20 pks. 10 pks.		No. CD838(US2C) 2" Utility Hinges*		
No. CD4109(US2C) Utility Hooks No. CD999(US2C) %"x1½" Flat Corner Irons* No. CD999(US2C) %"x2" Flat Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons No. CD999(US2C) ½"x3" Flat Corner Irons No. CD999(US2C) %"x4" Flat Corner Irons No. CD995½(US2C) 3"x3" Flat Tee Plates 10 pks. 10 pks. 10 pks. 10 pks. 10 pks.	ı	No. CD838(US2C) 2½" Utility Hinges*		
No. CD999(US2C) 3/8"x1½" Flat Corner Irons* No. CD999(US2C) 3/8"x2" Flat Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) 5/8"x4" Flat Corner Irons No. CD9995½(US2C) 3"x3" Flat Tee Plates 20 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks.	ı	No. CD838(US2C) 3" Utility Hinges*		
Corner Irons* No. CD999(US2C) 3/8"x2" Flat Corner Irons* No. CD999(US2C) 1/2"x21/2" Flat Corner Irons* No. CD999(US2C) 1/2"x3" Flat Corner Irons* No. CD999(US2C) 5/8"x4" Flat Corner Irons No. CD99951/2(US2C) 3"x3" Flat Tee Plates 20 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks.	ı	No. CD4109(US2C) Utility Hooks	10 pks.	10 pks.
No. CD999(US2C) 3/8"x2" Flat Corner Irons* No. CD999(US2C) 1/2"x21/2" Flat Corner Irons* No. CD999(US2C) 1/2"x3" Flat Corner Irons* No. CD999(US2C) 5/8"x4" Flat Corner Irons No. CD9951/2(US2C) 3"x3" Flat Tee Plates 20 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks.	1			
Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) 58"x4" Flat Corner Irons No. CD995½(US2C) 3"x3" Flat Tee Plates 20 pks. 10 pks.	1		20 pks.	10 pks.
Corner Irons* No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) 58"x4" Flat Corner Irons No. CD995½(US2C) 3"x3" Flat Tee Plates 20 pks. 10 pks.	1	No. CD999(US2C) %"x2" Flat		
No. CD999(US2C) ½"x2½" Flat Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) 58"x4" Flat Corner Irons No. CD995½(US2C) 3"x3" Flat Tee Plates 20 pks. 10 pks. 10 pks. 10 pks. 10 pks.	1	Corner Irons*	20 pks.	10 pks.
Corner Irons* No. CD999(US2C) ½"x3" Flat Corner Irons* No. CD999(US2C) 5%"x4" Flat Corner Irons No. CD995½(US2C) 3"x3" Flat Tee Plates 20 pks. 10	1	No. CD999(US2C) 1/2"x21/2" Flat		
No. CD999(US2C) ½"x3" Flat	ı		20 pks.	10 pks.
Corner Irons* No. CD999(US2C) 58"x4" Flat Corner Irons No. CD995½(US2C) 3"x3" Flat Tee Plates 20 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks.	1		, p.1.01	,5,,51
No. CD999(US2C) 5/8"x4" Flat Corner Irons No. CD995½(US2C) 3"x3" Flat Tee Plates 10 pks. 10 pks. 10 pks.			20 pks	10 pks
Corner Irons	1		20 pito.	LO PIG.
No. CD995½(US2C) 3"x3" Flat Tee Plates 10 pks. 10 pks.			10 pkg	10 pks
Tee Plates 10 pks. 10 pks.			TO pro.	TO pro.
	1		10 pkg	10 pkg
INO. GD995(USZG) Z" Mending Plates" ZU pks. 10 pks.	1		, ,	
	-	No. 60393(0326) 2" Mending Plates"	ZU pks.	TO pks.





Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD995(US2C) 3" Mending Plates No. CD995(US2C) 4" Mending Plates*	10 pks. 20 pks.	10 pks.
No. CD997(US2C) 1" Corner Braces* No. CD997(US2C) 1½" Corner Braces* No. CD997(US2C) 2" Corner Braces*	20 pks. 20 pks. 20 pks.	10 pks. 10 pks. 10 pks.
No. CD997(US2C) 2½" Corner Braces* No. CD997(US2C) 3" Corner Braces*	20 pks. 20 pks.	10 pks. 10 pks.
No. CD7082(US4) Coat Hooks* No. CD7092(US4) Flexible Door Stops	20 pks. 10 pks.	10 pks. 10 pks.
No. CD7090(US4) Hinge Pin Door Stops No. CD7071(US4) Solid Door Stop No. CD7073(US4) Sash Lock*	10 pks. 10 pks. 20 pks.	10 pks. 10 pks. 10 pks.
No. CD450(US4) Bar Latch No. CD7080(US4) Cupboard Catch*	10 pks. 20 pks.	10 pks. 10 pks.
No. CD7081(US4) Handrail Bracket No. CD1484(US4) Hinges	10 pks. 10 pks.	10 pks. 10 pks.
No. CD1478(US4) 1½" Butterfly Hinges No. CD1475(US4) 1½" Butterfly Hinges No. CD482(US4) #2 Door Pull	10 pks. 10 pks. 5 pks.	10 pks. 10 pks. 5 pks.
No. CD462(US4) #2 Door Pull No. CD479(US4) 4%" Door Pull No. CD1751(US2C) Screen Door Hinge	10 pks. 10 pks.	10 pks. 10 pks.
No. CD158(US2C) Spring Hinge No. CD4(US2C) 1¾" Turn Buttons*	10 pks. 20 pks.	10 pks. 10 pks.

STANLEY UNI-PANEL ASSORTMENTS



9322-A ASSORTMENT

■ Basic 4' visibly packed hardware department. Featuring security and shelving hardware

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD941(US2C) 7½" Hinge Hasp No. CD1084(US2C) 6" Heavy Barrel Bolt No. CD1084(US2C) 4" Heavy Barrel Bolt No. CD1261(US2C) Gate Latch No. CD7070(US4) Line Tightener Clamp No. CD4109(US2C) Utility Hooks No. CD4111 Clothesline Pulley	10 pks. 10 pks. 10 pks.	5 pks. 10 pks. 10 pks. 10 pks.

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD1956(BL) 10" Folding Support No. CD996½(BL) 1"x1" Chair	5 pks.	5 pks.
No. CD996½(BL) 1"x1" Chair Leg Braces No. CD2860 Door Guide No. CD7089(US4) Closet Bar Brackets No. CD7056 Pole Sockets* No. CD158(US2C) Spring Hinge No. CD27(US2C) Corner Braces No. CD210(US2C) Screen Door Catch No. CD2154(US4) Spring Hinge No. CD1707(US2C) Chain Door Stop No. V797(BG) 4"x5" Shelf Bracket No. V797(BG) 6"x8" Shelf Bracket No. V797(BG) 10"x12" Shelf Bracket No. V797(BG) 10"x12" Shelf Bracket No. V791(J2) 3"x4" Ham. Shelf Bracket No. V791(J2) 3"x4" Ham. Shelf Brackets No. V791(J2) 9"x11" Ham. Shelf Bckts. No. V791(US3) 3"x4" Ham. Shelf Bckts. No. V791(US3) 5"x7" Ham. Shelf Bckts. No. V791(US3) 9"x11" Ham. Shelf Bckts. No. V791(US3) 9"x11" Ham. Shelf Bckts. No. CD7130(US1D) House Number 1 No. CD7130(US1D) House Number 2 No. CD7130(US1D) House Number 3 No. CD7130(US1D) House Number 4 No. CD7130(US1D) House Number 5 No. CD7130(US1D) House Number 6 No. CD7130(US1D) House Number 7 No. CD7130(US1D) House Number 6 No. CD7130(US1D) House Number 7 No. CD7130(US1D) House Number 8 No. CD7130(US1D) House Number 9 No. CD7130(US1D) House Number 0 No. V797(BG) 5"x6" Shelf Bracket No. V797(BG) 5"x6" Shelf Bracket No. V797(BG) 12"x14" Shelf Bracket No. CD4531(US4) Chain Knob Guard No. CD4537 Patio Door Guard* No. CD4539(US4) Chain Door Guard* No. CD4538(US4) Chain Door Guard No. CD4538(US4) Chain Door Guard No. CD4538(US4) Undow Vent Guard No. CD4538(US4) Hook Out Guard No. CD1078M(B44) Mini Bolt Guard	10 pks. 10 pks. 5 pks. 20 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 5 pks. 5 pks. 5 pks. 5 pks. 5 pks. 5 pks. 10 pks.	10 pks. 5 pks. 5 pks. 5 pks. 5 pks. 5 pks. 5 pks. 10 pks.
No. CD4545(US3) Locking Chain Door* No. CD4543 Locking Door Bolt No. CD4546 Locking Sliding Window Bolt	10 pks. 5 pks.	5 pks. 5 pks. 5 pks.
No. CD4544 Locking Deluxe Door Chain No. CD4547 Locking Patio Door Bolt	5 pks. 5 pks.	5 pks. 5 pks.

One 9322-R Merchandiser

*Items displayed on two hooks

9323-A ASSORTMENT

■ Basic 4' visibly packed wire goods department. Featuring turnbuckles, lag eyes, hook and eyes, screw eyes, screw hooks, cup hooks, etc.

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 702-06-05 %" Corrugated Nails* No. 702-08-05 ½" Corrugated Nails* No. 702-10-05 %" Corrugated Nails* No. CD703(AL) Corrugated Nail Set No. V994(US2C) %" Washers	40 pks. 40 pks. 10 pks.	20 pks. 20 pks. 20 pks. 10 pks. 20 pks.


Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V994(US2C) ¼" Washers No. V994(US2C) ¾" Washers No. V994(US2C) ¾" Washers No. V994(US2C) ½" Washers No. V994(US2C) Asst. Washers No. V8440(US2C) 1" Hooks and Eyes No. V8440(US2C) 1½" Hooks and Eyes No. V8440(US2C) 2" Hooks and Eyes No. V8440(US2C) 2½" Hooks and Eyes No. V8440(US2C) 2½" Hooks and Eyes No. V8440(US2C) 3" Hooks and Eyes	20 pks. 20 pks. 20 pks. 20 pks. 20 pks. 20 pks.	

Cont. on page 322

STANLEY UNI-PANEL™ ASSORTMENTS

9323-A (Cont.)

No. V8460-812(US2C) 11/4" Round Bend Screw Hooks No. V8460-808(US2C) 23/4" Round Bend Screw Hooks No. V8460-806(US2C) 37/8" Round Bend Screw Hooks No. V8460-806(US2C) 37/8" Round Bend Screw Hooks No. V8460-804(US2C) 37/8" Round Bend Screw Hooks No. V8460-802(US2C) 44/8" Round Bend Screw Hooks No. V8460-800(US2C) 41/8" Round Bend Screw Hooks No. V8460-800(US2C) 41/8" Round Bend Screw Hooks No. V8465-910(US2C) 41/8" Round Bend Screw Hooks No. V8465-910(US2C) 11/4" Square Bend Screw Hooks No. V8465-906(US2C) 24/8" Square Bend Screw Hooks No. V8465-906(US2C) 25/4" Square Bend Screw Hooks No. V8465-906(US2C) 25/4" Square Bend Screw Hooks No. V8465-906(US2C) 25/4" Square Bend Screw Hooks No. V8450-210(US2C) 11/4" Small Screw Eyes No. V8450-210(US2C) 11/4" Small Screw Eyes No. V8450-210(US2C) 11/4" Small Screw Eyes No. V8450-104(US2C) 11/4" Small Screw Eyes No. V8450-104(US2C) 11/4" Medium Screw Eyes No. V8450-104(US2C) 11/4" Medium Screw Eyes No. V8450-10(US2C) 11/4" Round Screw Eyes No. V8450-10(US2C) 11/4" Spall Screw Eyes No. V8450-10(US2C) 11/4" Spall Screw Eyes No. V8450-10(US2C) 11/4" Spall Screw Eyes No. V8450-10(US2C) 11/4" Small Screw Eyes No. V8450-10(US2C) 11/4" Small Screw Eyes No. V8450-10(US2C) 11/4" Small Screw Eyes No. V8450-10(US2C) 11/4" Spall Screw Eyes No. V8450-10(US2C) 11/4" Lg. Sc. Eyes No. V8450-10(US2C) 11/4" Spall Screw Eyes No. V84		Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
Bend Screw Hooks No. V8460-810(US2C) 2½/s" Round Bend Screw Hooks No. V8460-806(US2C) 33/s" Round Bend Screw Hooks No. V8460-806(US2C) 33/s" Round Bend Screw Hooks No. V8460-802(US2C) 37/s" Round Bend Screw Hooks No. V8460-802(US2C) 4/s" Round Bend Screw Hooks No. V8460-802(US2C) 4/s" Round Bend Screw Hooks No. V8460-802(US2C) 4/s" Round Bend Screw Hooks No. V8465-912(US2C) 13/s" Square Bend Screw Hooks No. V8465-910(US2C) 13/s" Square Bend Screw Hooks No. V8465-908(US2C) 25/s" Square Bend Screw Hooks No. V8465-904(US2C) 25/s" Square Bend Screw Hooks No. V8465-904(US2C) 25/s" Square Bend Screw Hooks No. V8450-216/4(US2C) ½" Small Screw Eyes No. V8450-210(US2C) 13/s" Small Screw Eyes No. V8450-10(US2C) 13/s" Small Screw Eyes No. V8450-10(US2C) 13/s" Small Screw Eyes No. V8450-10(US2C) 13/s" Medium Screw Eyes No. V8450-10(US2C) 13/s" Medium Screw Eyes No. V8450-10(US2C) 13/s" Lg. Sc. Eyes No. V8450-10(US2C) 27/s" Lg. Sc. Eyes No. V8450-10(US2C) 27/s" Lg. Sc. Eyes No. V8450-10(US2C) 13/s" Special language No. V8450-10(US2C) 13/s" Lg. Sc. Eyes No. V8450-10(US2C) 13/s" Special language No. V8450-10(US2C) 13/s" Special			quartity	quantity
Bend Screw Hooks No. V8460-808(US2C) 2%" Round Bend Screw Hooks No. V8460-804(US2C) 33%" Round Bend Screw Hooks No. V8460-802(US2C) 4%" Round Bend Screw Hooks No. V8460-800(US2C) 4%" Round Bend Screw Hooks No. V8460-800(US2C) 4%" Round Bend Screw Hooks No. V8465-912(US2C) 13%" Square Bend Screw Hooks No. V8465-910(US2C) 13%" Square Bend Screw Hooks No. V8465-908(US2C) 24%" Square Bend Screw Hooks No. V8465-908(US2C) 23%" Square Bend Screw Hooks No. V8465-904(US2C) 2%" Square Bend Screw Hooks No. V8465-904(US2C) 2%" Square Bend Screw Hooks No. V8450-216½(US2C) ½" Small Screw Eyes No. V8450-210(US2C) 13%" Small Screw Eyes No. V8450-10(US2C) 13%" Medium Screw Eyes No. V8450-00(US2C) 13%" Lg. Sc. Eyes No. V8450-00(US2C) 23%" Thooks No. V8470(US2C) 23%" Small Screw Eyes No. V8450-00(US2C) 23%" Lg. Sc. Eyes No. V8450-00(US2C) 23%" Rep. Sc. Eyes No. V8470(US2C) 23%" Lg. Sc. Eyes No. V8470(US2C) 23%" Lg. Sc. Eyes No. V8470(US2C) 23%" Small Screw Eyes No. V8414-00(US2C) 23%" Specifical No. V8414-00(US2C) 23%" Specifical No. V8414-10(US2C) 23%" Specifical No. V8414-10(US2C) 23%" Specifical No. V8415-10(US2C) 3%" Specifical No. V8415-10(US2C)		Bend Screw Hooks	20 pks.	20 pks.
Bend Screw Hooks No. V8460-804(US2C) 3%" Round Bend Screw Hooks No. V8460-802(US2C) 4%" Round Bend Screw Hooks No. V8460-800(US2C) 4%" Round Bend Screw Hooks No. V8460-800(US2C) 4%" Round Bend Screw Hooks No. V8465-912(US2C) 13%" Square Bend Screw Hooks No. V8465-910(US2C) 13%" Square Bend Screw Hooks No. V8465-908(US2C) 2½" Square Bend Screw Hooks No. V8465-904(US2C) 2½" Square Bend Screw Hooks No. V8465-904(US2C) 2%" Square Bend Screw Hooks No. V8450-216½(US2C) ½" Small Screw Eyes No. V8450-210(US2C) 13%" Small Screw Eyes No. V8450-108(US2C) 13%" Small Screw Eyes No. V8450-108(US2C) 13%" Small Screw Eyes No. V8450-108(US2C) 13%" Medium Screw Eyes No. V8450-100(US2C) 13%" Medium Screw Eyes No. V8450-100(US2C) 13%" Medium Screw Eyes No. V8450-100(US2C) 13%" Lg. Sc. Eyes No. V8450-100(US2C) 13%" Bg. Sc. Eyes No. V8450-10(US2C) 2%" Lg. Sc. Eyes No. V8450-10(US2C) 2%" Lg. Sc. Eyes No. V8450-10(US2C) 2%" Bg. Sc. Eyes No. V8450-10(US2C) 3%" Hooks No. V8470(US2C) 12%" "S' Hooks No. V8470(US2C) 12%" "S' Hooks No. V8410(US2C) 3%" x4½" Lag Eye Bolt No. V8414-8(US2C) 3%"x4½" Lag Eye Bolt No. V8414-10(US2C) 3%"x8" Lag Eye Bolt No. V8415-12(US2C) 3%"x13%"x33%" 10 pks. 10 pks. 10 pks. 10 pks. No. V8415-12(US2C) 3%"x13%"x33%" 10 pks. 10 pks. No. V8415-12(US2C) 3%"x13%"x33%" 10 pks. 10 pks. No. V8415-12(US2C) 3%"x2"x4½" 10 pks. No pks. No. V8415-12(US2C) 3%"x13%"x33%" 10 pks. No. V8415-12(US2C) 3%"x13%"x33%" 10 pks. No. V8415-12(US2C) 3%"x13%"x33%" 10 pks. No pks. No. V8415-12(US2C) 3%"x13%"x33%" 10 pks. No pks. No. V8415-12(US2C) 3%"x13%"x33%" 10 pks. No pks. No. V8415-12(US2C) 3%"x2"x4½" 10 pks. No pks. No. V8415-12(US2C) 3%"x13%"x33%" 10 pks. No pks.		Bend Screw Hooks	20 pks.	20 pks.
Bend Screw Hooks No. V8460-802(US2C) 4%/" Round Bend Screw Hooks No. V8460-800(US2C) 4 4/%" Round Bend Screw Hooks No. V8465-912(US2C) 1 1/%" Square Bend Screw Hooks No. V8465-910(US2C) 1 1/%" Square Bend Screw Hooks No. V8465-908(US2C) 1 1/%" Square Bend Screw Hooks No. V8465-908(US2C) 2 1/%" Square Bend Screw Hooks No. V8465-908(US2C) 2 1/%" Square Bend Screw Hooks No. V8465-904(US2C) 3 1/%" Square Bend Screw Hooks No. V8465-904(US2C) 3 1/%" Small Screw Eyes No. V8450-2161/2(US2C) 1 1/%" Small Screw Eyes No. V8450-10(US2C) 1 1/%" Small Screw Eyes No. V8450-108(US2C) 1 1/%" Small Screw Eyes No. V8450-108(US2C) 1 1/%" Small Screw Eyes No. V8450-108(US2C) 1 1/%" Small Screw Eyes No. V8450-100(US2C) 1 1/%" Medium Screw Eyes No. V8450-10(US2C) 1 1/%" Sc. Eyes No. V8450-10(US2C) 1 1/%" Sc. Eyes No. V8470(US2C) 1 1/%" Sc. Eyes No. V8470(US2C) 1 1/%" Sc. Eyes No. V8470(US2C) 1 1/%" Sc. Eyes No. V8414-10(US2C) 1/%" Sc. Eyes No. V8415-10(US2C) 1/%" Sc. Eye		Bend Screw Hooks	20 pks.	20 pks.
Bend Screw Hooks No. V8460-802(US2C) 41/6" Round Bend Screw Hooks No. V8460-800(US2C) 11/6" Square Bend Screw Hooks No. V8465-912(US2C) 11/6" Square Bend Screw Hooks No. V8465-910(US2C) 11/6" Square Bend Screw Hooks No. V8465-908(US2C) 21/4" Square Bend Screw Hooks No. V8465-908(US2C) 25/8" Square Bend Screw Hooks No. V8465-906(US2C) 25/8" Square Bend Screw Hooks No. V8465-906(US2C) 25/8" Square Bend Screw Hooks No. V8465-906(US2C) 25/8" Square Bend Screw Hooks No. V8450-2161/2(US2C) 11/6" Small Screw Eyes No. V8450-210(US2C) 11/6" Small Screw Eyes No. V8450-210(US2C) 11/6" Small Screw Eyes No. V8450-104(US2C) 21/6" Medium Screw Eyes No. V8450-104(US2C) 21/6" Medium Screw Eyes No. V8450-104(US2C) 11/6" Medium Screw Eyes No. V8450-104(US2C) 11/6" Medium Screw Eyes No. V8450-104(US2C) 11/6" Small Screw Eyes No. V8450-104(US2C) 11/6" Medium Screw Eyes No. V8450-100(US2C) 11/6" Small Screw Eyes No. V8450-100(US2C) 11/6" Small Screw Eyes No. V8470(US2C) 11/6" Small Screw Eyes No. V8414-10(US2C) 11/6" Small Screw Eyes No. V8414-10(US2C) 11/6" Small Screw Eyes No. V8415-10(US2C) 11/6" Small Screw Eyes No. V8415-12(US2C) 11/6" Small No. V8415-12(US2C) 11/6" Sm		Bend Screw Hooks	20 pks.	20 pks.
Bend Screw Hooks No. V8460-800(US2C) 41%" Round Bend Screw Hooks No. V8465-912(US2C) 11%" Square Bend Screw Hooks No. V8465-908(US2C) 214" Square Bend Screw Hooks No. V8465-908(US2C) 24" Square Bend Screw Hooks No. V8465-906(US2C) 25%" Square Bend Screw Hooks No. V8465-906(US2C) 25%" Square Bend Screw Hooks No. V8465-906(US2C) 25%" Square Bend Screw Hooks No. V8465-904(US2C) 31%" Square Bend Screw Hooks No. V8450-2161½(US2C) 1½" Small Screw Eyes No. V8450-2110(US2C) 11%" Small Screw Eyes No. V8450-204(US2C) 11%" Small Screw Eyes No. V8450-10(US2C) 11%" Small Screw Eyes No. V8450-10(US2C) 11%" Small Screw Eyes No. V8450-10(US2C) 11%" Medium Screw Eyes No. V8450-10(US2C) 11%" Medium Screw Eyes No. V8450-10(US2C) 11%" Lg. Sc. Eyes No. V8450-00(US2C) 21%" Lg. Sc. Eyes No. V8450-00(US2C) 21%" Lg. Sc. Eyes No. V8450-00(US2C) 21%" Shooks No. V8470(US2C) 11%" Shooks No. V8470(US2C) 11%" Shooks No. V8414-0(US2C) 12%" Shooks No. V8414-0(US2C) 12%" Shooks No. V8414-10(US2C) 12%" Shooks No. V8414-10(US2C) 12%" Shooks No. V8414-10(US2C) 12%" Shooks No. V8414-10(US2C) 12%" Shooks No. V8415-12(US2C) 12%" Shooks No. V8415-12(US2C		Bend Screw Hooks	20 pks.	20 pks.
Bend Screw Hooks No. V8465-912(US2C) 13/6" Square Bend Screw Hooks No. V8465-910(US2C) 11/6" Square Bend Screw Hooks No. V8465-906(US2C) 25/6" Square Bend Screw Hooks No. V8465-906(US2C) 25/6" Square Bend Screw Hooks No. V8465-904(US2C) 3/6" Square Bend Screw Hooks No. V8450-216/2(US2C) 1/2" Small Screw Eyes No. V8450-210(US2C) 1/6" Small Screw Eyes No. V8450-210(US2C) 1/6" Small Screw Eyes No. V8450-108(US2C) 1/6" Small Screw Eyes No. V8450-104(US2C) 1/6" Medium Screw Eyes No. V8450-104(US2C) 1/6" Medium Screw Eyes No. V8450-10(US2C) 1/6" Lg. Sc. Eyes No. V8450-10(US2C) 1/6" Lg. Sc. Eyes No. V8450-000(US2C) 27/6" Lg. Sc. Eyes No. V8450-00(US2C) 27/6" Lg. Sc. Eyes No. V8450-000(US2C) 3/6" Lg. Sc. Eyes No. V8470(US2C) 27/6" Hooks No. V8414-8(US2C) 3/6"x41/6" Lag Eye Bolt No. V8414-8(US2C) 3/6"x41/6" Lag Eye Bolt No. V8415-12(US2C) 3/6"x8" Lag Eye Bolt No. V8415-12(US2C) 3/6"x8" x21/2" "U" Bolts No. V8415-12(US2C) 3/6"x13/6"x33/4" 10 pks. 1		Bend Screw Hooks	20 pks.	20 pks.
Bend Screw Hooks No. V8465-910(US2C) 11/6" Square Bend Screw Hooks No. V8465-908(US2C) 25/6" Square Bend Screw Hooks No. V8465-904(US2C) 31/6" Square Bend Screw Hooks No. V8450-2161/2(US2C) 11/6" Small Screw Eyes No. V8450-210(US2C) 11/6" Small Screw Eyes No. V8450-210(US2C) 11/6" Small Screw Eyes No. V8450-108(US2C) 11/6" Medium Screw Eyes No. V8450-104(US2C) 21/6" Medium Screw Eyes No. V8450-104(US2C) 21/6" Medium Screw Eyes No. V8450-108(US2C) 11/6" Sc. Eyes No. V8450-108(US2C) 11/6" Lg. Sc. Eyes No. V8450-4(US2C) 21/6" Lg. Sc. Eyes No. V8450-4(US2C) 21/6" Hooks No. V8450-4(US2C) 21/6" Hooks No. V8450-4(US2C) 21/6" Hooks No. V8450-4(US2C) 21/6" S' Hooks No. V8450-4(US2C) 21/6" S' Hooks No. V8470(US2C) 11/6" S' Hooks No. V8470(US2C) 11/6" S' Hooks No. V8470(US2C) 21/6" S' Hooks No. V8470(US2C) 21/6" S' Hooks No. V8470(US2C) 21/6" S' Hooks No. V8410-10(US2C) 3/6" X-1/6" Lag Eye Bolt No. V8414-4(US2C) 3/6" X-1/6" Lag Eye Bolt No. V8415-10(US2C) 3/6"X-1/6" X-1/6" No. V8415-10(US2C) 3/6"X-1/6" X-1/6" X-1/6" No. V8415-10(US2C) 3/6"X-1/6" X-1/6" X-1/		Bend Screw Hooks	20 pks.	20 pks.
Bend Screw Hooks 20 pks. 20 pks No. V8465-908(US2C) 2½" Square Bend Screw Hooks No. V8465-904(US2C) 3½" Square Bend Screw Hooks 20 pks 20 pks No. V8465-904(US2C) ½" Small Screw Eyes 20 pks 20 pks 20 pks No. V8450-216½(US2C) ½" Small Screw Eyes 20 pks 20 pks 20 pks No. V8450-210(US2C) ½" Small Screw Eyes 20 pks 20 pks 20 pks No. V8450-210(US2C) ½" Small Screw Eyes 20 pks		Bend Screw Hooks	20 pks.	20 pks.
Bend Screw Hooks 20 pks. 20 pks. No. V8465-906(US2C) 25%" Square Bend Screw Hooks 20 pks. 20 pks. No. V8450-216½(US2C) ½" Small Screw Eyes 20 pks. 20 pks. No. V8450-210(US2C) ½" Small Screw Eyes 20 pks. 20 pks. No. V8450-210(US2C) ½" Small Screw Eyes 20 pks. 20 pks. No. V8450-210(US2C) ½" Small Screw Eyes 20 pks. 20 pks. No. V8450-204(US2C) ½" Small Screw Eyes 20 pks. 20 pks. No. V8450-108(US2C) ½" Small Screw Eyes 20 pks. 20 pks. No. V8450-104(US2C) ½" Medium Screw Eyes No. V8450-104(US2C) ½" Lg. Sc. Eyes No. V8450-40(US2C) ½" Lg. Sc. Eyes No. V8450-40(US2C) ½" 1g. Sc. Eyes No. V8450-40(US2C) ½" 1g. Sc. Eyes No. V8450-40(US2C) ½" "S" Hooks No. V8470(US2C) ½" "S" Hooks No. V8414-40(US2C) ½" "S" Hooks No. V8414-6(US2C) ½" "S" Hooks No. V8414-10(US2C) ½" "S" Hooks No. V8414-10(US2C) ½" "S" Hooks No. V8414-10(US2C) ½" "S" Hooks No. V8415-10(US2C) ½" "S" Hooks No. V8415		Bend Screw Hooks	20 pks.	20 pks.
Bend Screw Hooks No. V8465-904(US2C) 31/6" Square Bend Screw Hooks No. V8450-2161/2(US2C) 1/2" Small Screw Eyes No. V8450-210(US2C) 11/6" Small Screw Eyes No. V8450-204(US2C) 11/6" Small Screw Eyes No. V8450-108(US2C) 11/6" Small Screw Eyes No. V8450-104(US2C) 11/6" Medium Screw Eyes No. V8450-10(US2C) 11/6" Lg. Sc. Eyes No. V8450-10(US2C) 11/6" Lg. Sc. Eyes No. V8450-0(US2C) 11/6" No. V8450-0(US2C) 21/6" Nooks No. V8470(US2C) 21/6" Nooks No. V8470(US2C) 11/2" "S" Hooks No. V8410-0(US2C) 11/2" "S" Hooks No. V8410-0(US2C) 11/2" "S" Hooks No. V8411-10(US2C) 11/2" "S" Hooks No. V8411-10(US		Bend Screw Hooks	20 pks.	20 pks
Bend Screw Hooks No. V8450-216½(US2C) ½" Small Screw Eyes No. V8450-210(US2C) 11%" Small Screw Eyes No. V8450-210(US2C) 11%" Small Screw Eyes No. V8450-204(US2C) 11%" Small Screw Eyes No. V8450-108(US2C) 11%" Medium Screw Eyes No. V8450-104(US2C) 21%" Medium Screw Eyes No. V8450-104(US2C) 21%" Medium Screw Eyes No. V8450-104(US2C) 21%" Lg. Sc. Eyes No. V8450-8(US2C) 15%" Lg. Sc. Eyes No. V8450-8(US2C) 21%" Lg. Sc. Eyes No. V8450-4(US2C) 22%" Lg. Sc. Eyes No. V8450-000(US2C) 37%" Lg. Sc. Eyes No. V8450-000(US2C) 37%" Lg. Sc. Eyes No. V8450-000(US2C) 37%" Lg. Sc. Eyes No. V8470(US2C) 11%" S" Hooks No. V8470(US2C) 11" S" Hooks No. V8470(US2C) 11" S" Hooks No. V8470(US2C) 21" "S" Hooks No. V8470(US2C) 21" "S" Hooks No. V8470(US2C) 24" "S" Hooks No. V8470(US2C) 24" "S" Hooks No. V8470(US2C) 36"x4½" Lag Eye Bolt No. V8414-8(US2C) 36"x4½" Lag Eye Bolt No. V8414-10(US2C) 36"x4½" Lag Eye Bolt No. V8414-10(US2C) 36"x4½" Lag Eye Bolt No. V8415-10(US2C) 36"x8" Lag Eye Bolt No. V8415-10(US2C) 36"x134"x334" "U" Bolts No. V8415-14(US2C) 36"x134"x334" "U" Bolts No. V8415-18(US2C) 36"x134"x334" "U" Bolts No. V8415-18(US2C) 36"x134"x34" "U" Bolts No. V8415-18(US2C) 36"x2134"x34" 10 pks. 10 pks. 10 pks. No. V8415-18(US2C) 36"x134"x34" "U" Bolts No. V8415-18(US2C) 36"x2134"x34" "U" Bolts No. V8415-10(US2C) 36"x2134"x34" "U" Bolts No. V8415-18(US2C) 36"x2134"x314" "U" Bolts No. V8415-18(US2C) 36"x2134"x314" "U" Bolt		Bend Screw Hooks	20 pks.	20 pks.
Screw Eyes No. V8450-210(US2C) 136" Small Screw Eyes No. V8450-204(US2C) 136" Small Screw Eyes No. V8450-108(US2C) 136" Medium Screw Eyes No. V8450-104(US2C) 136" Lg. Sc. Eyes No. V8450-10(US2C) 136" Lg. Sc. Eyes No. V8450-10(US2C) 136" Lg. Sc. Eyes No. V8450-4(US2C) 136" Lg. Sc. Eyes No. V8450-0(US2C) 276" Lg. Sc. Eyes No. V8470(US2C) 276" Lg. Sc. Eyes No. V8470(US2C) 276" Hooks No. V8414-6(US2C) 36" x41½" Lag Eye Bolt No. V8414-6(US2C) 36" x81½ Lag Eye Bolt No. V8414-10(US2C) 36" x81½ Lag Eye Bolt No. V8415-10(US2C) 36" x81½ Lag Eye Bolt No. V8415-10(US2C) 36" x81½ Lag Eye Bolt No. V8415-10(US2C) 36" x81½ x81½ No. V8415-12(US2C) 36" x134" x334" "U" Bolts No. V8415-14(US2C) 36" x134" x334" "U" Bolts No. V8415-18(US2C) 36" x134" x334" 10 pks. 10		Bend Screw Hooks	20 pks.	20 pks.
Screw Eyes No. V8450-210(US2C) 1¾6" Small Screw Eyes No. V8450-108(US2C) 1¾6" Medium Screw Eyes No. V8450-104(US2C) 1¾6" Medium Screw Eyes No. V8450-104(US2C) 2¾6" Medium Screw Eyes No. V8450-10(US2C) 1¾6" Lg. Sc. Eyes No. V8450-4(US2C) 1¾6" Lg. Sc. Eyes No. V8450-4(US2C) 1¾6" Lg. Sc. Eyes No. V8450-0(US2C) 2¾6" Lg. Sc. Eyes No. V8450-0(US2C) 2¾6" Lg. Sc. Eyes No. V8450-0(US2C) 2¾6" Lg. Sc. Eyes No. V8450-0(US2C) 1¾6" Small Screw Eyes No. V8450-0(US2C) 1¾6" Lg. Sc. Eyes No. V8450-0(US2C) 2¾6" Lg. Sc. Eyes No. V8450-0(US2C) 1¾6" Small Screw Eyes No. V8450-10(US2C) 1¾6" Lg. Sc. Eyes No. V8450-0(US2C) 2¾6" Lg. Sc. Eyes No. V8470(US2C) 1¾6" Small Screw Eyes No. V8470(US2C) 1¾6" Lg. Sc. Eyes No. V8470(US2C) 1¾6" Small Screw Eyes No. V8470(US2C) 1¾6" Lg. Sc. Eyes No. V8470(US2C) 1¾6" Small Screw Eyes No. V8470(US2C) 1¾6" Hooks No. V8470(US2C) 1½6" Small Screw Eyes No. V8470(US2C) 1¾6" Small Screw Eyes No. V8470-10(US2C) 1¾6" Hooks No. V8470(US2C) 1½6" Small Screw Eyes No. V8470(US2C) 1½6" Small Screw Eyes No. V8470-10(US2C) 1½6" Sc. Eyes No. V8470(US2C) 1½6" Small Screw Eyes No. V8470-10(US2C) 1½6" Sc. Eyes No. V8470(US2C) 1½6" Small Screw Eyes No. V8470(US2C) 1½6" Sc. Eyes No. V8470(US2C) 1½6" Small Screw Eyes No. V8470(US2C) 1½6" Sc. Eyes No. V8410-10(US2C) 1½6" Small Screw Eyes No. V8470(US2C) 1½6" Small Screw Eyes No. V8470-10(US2C) 1½6" Sc. Eyes No. V8470(US2C) 1½6" Small Screw Eyes No. V8470(US2C) 1½6" Sc. Eyes No. V8410-10(US2C) 1½6" Small Screw Eyes No. V8470(US2C) 1½6" Small Screw Eyes No. V8470(US2C) 1½6" Sc. Eyes No. V8410-10(US2C) 1½6" Small Screw Eyes No. V8410-10(US2C) 1½6" Small Scopes No. V8410-10(US2C) 1½6" Small Scopes No. V8410-10(US2C)		Screw Eyes	20 pks.	20 pks.
Screw Eyes No. V8450-204(US2C) 11%" Small Screw Eyes 20 pks. 20 pks. 20 pks. No. V8450-108(US2C) 1%" Medium Screw Eyes 20 pks. 20 pks. 20 pks. No. V8450-104(US2C) 21%" Medium Screw Eyes 20 pks. 20 pks. 20 pks. No. V8450-10(US2C) 15%" Lg. Sc. Eyes No. V8450-4(US2C) 23%" Lg. Sc. Eyes No. V8450-0(US2C) 27%" Lg. Sc. Eyes No. V8450-00(US2C) 27%" Lg. Sc. Eyes No. V8450-00(US2C) 27%" Hooks No. V8470(US2C) 11%" "S" Hooks No. V8470(US2C) 11%" "S" Hooks No. V8470(US2C) 21%" S" Hooks No. V8470(US2C) 21%" S" Hooks No. V8410-0(US2C) 24%" X334" Lag Eye Bolt No. V8414-8(US2C) 36"x412" Lag Eye Bolt No. V8414-10(US2C) 36"x812" Lag Eye Bolt No. V8414-10(US2C) 36"x812" Lag Eye Bolt No. V8415-10(US2C) 36"x812" "U" Bolts No. V8415-12(US2C) 36"x134"x33" "U" Bolts No. V8415-12(US2C) 36"x134"x33" "U" Bolts No. V8415-12(US2C) 36"x134"x31" "U" Bolts No. V8415-12(US2C) 36"x21"x21" "U" Bolts No. V8415-12(US2C) 3		Screw Eyes	20 pks.	20 pks.
Screw Eyes No. V8450-108(US2C) 1%" Medium Screw Eyes No. V8450-10(US2C) 2%" Medium Screw Eyes No. V8450-8(US2C) 15%" Lg. Sc. Eyes No. V8450-8(US2C) 15%" Lg. Sc. Eyes No. V8450-0(US2C) 2%" Lg. Sc. Eyes No. V8450-0(US2C) 2%" Lg. Sc. Eyes No. V8450-000(US2C) 3%" Lg. Sc. Eyes No. V8470(US2C) 3%" Sr. Hooks No. V8470(US2C) 1" "S" Hooks No. V8470(US2C) 11" "S" Hooks No. V8470(US2C) 11" "S" Hooks No. V8470(US2C) 2" "S" Hooks No. V8470(US2C) 2½" "S" Hooks No. V8470(US2C) 2½" "S" Hooks No. V8410-0(US2C) ½" "S" Hooks No. V8414-0(US2C) ½" "S" Hooks No. V8414-0(US2C) ½" "S" Hooks No. V8414-10(US2C) ½" "S" Hooks No. V8415-0(US2C) ½" "S" Hooks No. V8415-10(US2C) ½" "S" Hooks No. V8415-12(US2C) ½" "S" Hooks No. V8415-14(US2C) ½" "S" Hooks No. V8415-12(US2C) ½" "S" Hooks No. V8415-12(US2C) ½" "S" Hooks No. V8415-12(US2C) ½" "X1¾" "X3¾" "U" Bolts No. V8415-12(US2C) ½" "X1¾" "X3¾" "U" Bolts No. V8415-12(US2C) ½" "X1¾" "X4½" "U" Bolts No. V8415-12(US2C) ½" "X2" "X4½" "U" Bolts No. V8415-12(US2C) ½" "X1¾" "X4½" "U" Bolts No. V8415-12(US2C) ½" "X2" "X4½" "U" Bolts No. V8415-12(US2C) ½" "X2" "X5" "U" Bolts No. V8415-12(US2C) ½" "X1¾" Eye Bolts No. Upks. 10 pks. 1		Screw Eyes	20 pks.	20 pks.
Screw Eyes No. V8450-104(US2C) 21/6" Medium Screw Eyes No. V8450-10(US2C) 13/8" Lg. Sc. Eyes No. V8450-8(US2C) 15/8" Lg. Sc. Eyes No. V8450-4(US2C) 21/6" Lg. Sc. Eyes No. V8450-0(US2C) 21/8" Lg. Sc. Eyes No. V8470(US2C) 21/8" Hooks No. V8470(US2C) 21/2" "S" Hooks No. V8470(US2C) 21/2" "S" Hooks No. V8470(US2C) 21/2" "S" Hooks No. V8414-0(US2C) 21/2" "S" Hooks No. V8414-0(US2C) 21/2" "S" Hooks No. V8414-0(US2C) 21/2" "S" Hooks No. V8414-2(US2C) 21/2" "S" Hooks No. V8414-2(US2C) 21/2" "S" Lag Eye Bolt No. V8414-10(US2C) 3/8" x41/2" Lag Eye Bolt No. V8415-10(US2C) 3/8" x8" Lag Eye Bolt No. V8415-10(US2C) 3/8" x8" Lag Eye Bolt No. V8415-10(US2C) 3/8" x13/8" x33/4" "U" Bolts No. V8415-14(US2C) 3/8" x13/8" x33/4" "U" Bolts No. V8415-18(US2C) 3/8" x13/4" x41/4" "U" Bolts No. V8415-18(US2C) 3/8" x21/2" x5" 10 pks.		Screw Eyes	20 pks.	20 pks.
Screw Eyes No. V8450-10(US2C) 13/8" Lg. Sc. Eyes No. V8450-8(US2C) 15/8" Lg. Sc. Eyes No. V8450-0(US2C) 23/8" Lg. Sc. Eyes No. V8450-0(US2C) 23/8" Lg. Sc. Eyes No. V8450-000(US2C) 37/8" Lg. Sc. Eyes No. V8450-000(US2C) 37/8" Lg. Sc. Eyes No. V8450-000(US2C) 23/8" Lg. Sc. Eyes No. V8470(US2C) 3/8" Hooks No. V8470(US2C) 11/2" "S" Hooks No. V8470(US2C) 21/2" "S" Hooks No. V8414-0(US2C) 21/2" "S" Hooks No. V8414-0(US2C) 3/8" x33/4" Lag Eye Bolt No. V8414-2(US2C) 3/8" x8" Lag Eye Bolt No. V8414-0(US2C) 3/8" x8" Lag Eye Bolt No. V8415-10(US2C) 3/8" x8" Lag Eye Bolt No. V8415-10(US2C) 3/8" x8" Lag Eye Bolt No. V8415-10(US2C) 3/8" x13/8" x23/4" "U" Bolts No. V8415-12(US2C) 3/8" x13/8" x33/4" "U" Bolts No. V8415-14(US2C) 3/8" x13/4" x41/4" "U" Bolts No. V8415-18(US2C) 3/8" x2" x41/2" "U" Bolts No. V8415-12(US2C) 3/8" x2" x41/2" "U" Bolts No. V8415-12(US2C) 3/8" x21/2" x5" "U" Bolts No. V8415-10(US2C) 3/8" x21/2" x5" "U" Bolts No. V8415-10(Screw Eyes	20 pks.	20 pks.
No. V8450-8(US2C) 11/6" Lg. Sc. Eyes No. V8450-4(US2C) 2%" Lg. Sc. Eyes No. V8450-0(US2C) 27/6" Lg. Sc. Eyes No. V8450-000(US2C) 37/6" Lg. Sc. Eyes No. V8470(US2C) 37/6" Hooks No. V8470(US2C) 1" "S" Hooks No. V8470(US2C) 1" "S" Hooks No. V8470(US2C) 2" "S" Hooks No. V8470(US2C) 21/2" "S" Hooks No. V8414-0(US2C) 21/2" "S" Hooks No. V8414-8(US2C) 3/6" x41/2" Lag Eye Bolt No. V8414-6(US2C) 3/6" x8" Lag Eye Bolt No. V8414-10(US2C) 3/6" x8" Lag Eye Bolt No. V8415-0(US2C) 3/6" x8" Lag Eye Bolt No. V8415-10(US2C) 3/6" x13/6" x23/4" "U" Bolts No. V8415-12(US2C) 3/6" x13/6" x33/4" "U" Bolts No. V8415-14(US2C) 3/6" x13/6" x33/4" "U" Bolts No. V8415-18(US2C) 3/6" x13/6" x33/4" "U" Bolts No. V8415-18(US2C) 3/6" x21/2" x5" "U" Bolts No. V8415-22(US2C) 3/6" x21/2" x5" "U" Bolts No. V8415-22(US2C) 3/6" x21/2" x5" "U" Bolts No. V8415-22(US2C) 3/6" x21/2" x5" "U" Bolts No. V8415-20(US2C) 3/6" x21/2" x5"		Screw Eyes		
No. V8450-0(US2C) 2½" Lg. Sc. Eyes No. V8470(US2C) ¾" "S" Hooks No. V8470(US2C) 1" "S" Hooks No. V8470(US2C) 1½" "S" Hooks No. V8470(US2C) 1½" "S" Hooks No. V8470(US2C) 2½" "S" Hooks No. V8470(US2C) 2½" "S" Hooks No. V8470(US2C) 2½" "S" Hooks No. V8470(US2C) ½½" "S" Hooks No. V8414-0(US2C) ½½" "S" Hooks No. V8414-8(US2C) ½½" "S" Hooks No. V8414-8(US2C) ½½" "S" Hooks No. V8414-6(US2C) ½½" "S" Hooks No. V8414-6(US2C) ½½" "S" Hooks No. V8414-10(US2C) ½½" "S" Hooks No. V8414-10(US2C) ½½" "S" Hooks No. V8415-0(US2C) ½½" "X5" Lag Eye Bolt No. V8415-0(US2C) ½½" "X6" Lag Eye Bolt No. V8415-10(US2C) ½½" "X1½" "X2½" "U" Bolts No. V8415-10(US2C) ½½" "X1½" "X3½" "U" Bolts No. V8415-12(US2C) ½½" "X1¾" "X3½" "U" Bolts No. V8415-18(US2C) ½½" "X1¾" "X4½" "U" Bolts No. V8415-18(US2C) ½½" "X1¾" "X4½" "U" Bolts No. V8415-22(US2C) ½½" "X1¾" "X4½" "U" Bolts No. V8415-22(US2C) ½½" "X1½" "X5" "U" Bolts No. V8415-18(US2C) ½½" "X5" "U" Bolts No. V8415-19(US2C) ½½" "X5" "U" Bolts No. V8415-10(US2C) ½½" "X5" "U" Bolts No. V8415-10(US		No. V8450-8(US2C) 15/8" Lg. Sc. Eyes	20 pks.	20 pks.
No. V8450-000(US2C) 3%" Lg. Sc. Eyes No. V8470(US2C) 3%" "S" Hooks No. V8470(US2C) 11" "S" Hooks No. V8470(US2C) 1½" "S" Hooks No. V8470(US2C) 2" "S" Hooks No. V8470(US2C) 2" "S" Hooks No. V8470(US2C) 2½" "S" Hooks No. V8470(US2C) 2½" "S" Hooks No. V8414-0(US2C) ½½" "S" Hooks No. V8414-8(US2C) ½¼"x3¾" Lag Eye Bolt No. V8414-8(US2C) ½¼"x5" Lag Eye Bolt No. V4814-6(US2C) ½¼"x5" Lag Eye Bolt No. V8414-10(US2C) ¾½"x8" Lag Eye Bolt No. V8415-0(US2C) ½¼"x3¾"x2½" "U" Bolts No. V8415-10(US2C) ½¼"x1½"x2½" "U" Bolts No. V8415-12(US2C) ½½"x1½"x3¾" "U" Bolts No. V8415-14(US2C) ½½"x1½"x3¾" "U" Bolts No. V8415-18(US2C) ½½"x1¾"x4½" "U" Bolts No. V8415-18(US2C) ½½"x1½"x4½" "U" Bolts No. V8415-18(US2C) ½½"x1½"x5" "U" Bolts No. V8415-22(US2C) ½½"x1½"x5" "U" Bolts No. V8415-22(US2C) ½½"x1½" Eye Bolts No. V8415-20(US2C) ½½"x1½" Eye Bolts No. V8415-18(US2C) ½½"x5" "U" Bolts No. V8415-18(US2C) ½½"x5" "U" Bolts No. V8415-22(US2C) ½½"x1¾" Eye Bolts No. V8415-0(US2C) ½½"x5" "U" Bolts No. V8415-20(US2C) ½½"x5" "U" Bolts No. V8415-22(US2C) ½½"x5" "U" Bolts No. V8415-20(US2C) ½½"x1¾" Eye Bolts No. CD8413-0(US2C) ½½"x1¾" Eye Bolts		No. V8450-4(US2C) 2%" Lg. Sc. Eyes No. V8450-0(US2C) 2%" Lg. Sc. Eyes		
No. V8470(US2C) 1" "S" Hooks* No. V8470(US2C) 1½" "S" Hooks No. V8470(US2C) 2" "S" Hooks No. V8470(US2C) 2½" "S" Hooks No. V8470(US2C) ½" "S" Hooks No. V8414-0(US2C) ¼"x3¾" Lag Eye Bolt No. V8414-8(US2C) ¾"x5" Lag Eye Bolt No. V8414-6(US2C) ¼"x5" Lag Eye Bolt No. V4814-6(US2C) ½"x6" Lag Eye Bolt No. V8414-10(US2C) ¾"x8" Lag Eye Bolt No. V8415-0(US2C) ¼"x1¾"x2½" "U" Bolts No. V8415-10(US2C) ¼"x1¾"x2¾" "U" Bolts No. V8415-12(US2C) ½"x1¾"x3¾" "U" Bolts No. V8415-14(US2C) ¾"x1¾"x3¾" "U" Bolts No. V8415-18(US2C) ¾"x1¾"x4¾" "U" Bolts No. V8415-18(US2C) ¾"x1¾"x4½" "U" Bolts No. V8415-22(US2C) ¾"x1¾"x4½" "U" Bolts No. V8415-18(US2C) ¾"x1¾"x4½" "U" Bolts No. V8415-18(US2C) ¾"x1¾" Eye Bolts No. V8415-10(US2C) ¾"x1¾" Eye Bolts No. V8415-20(US2C) ¾"x1¾" Eye Bolts		No. V8450-000(US2C) 3\%" Lg. Sc. Eves	20 pks.	20 pks.
No. V8470(US2C) 1½" "S" Hooks No. V8470(US2C) 2" "S" Hooks No. V8470(US2C) 2½" "S" Hooks No. V8414-0(US2C) ½½" "S" Hooks No. V8414-8(US2C) ¾"x3¾" Lag Eye Bolt No. V8414-8(US2C) ¾"x5" Lag Eye Bolt No. V4814-6(US2C) ¼"x6" Lag Eye Bolt No. V8414-10(US2C) ¾"x8" Lag Eye Bolt No. V8415-0(US2C) ¼"x1¾"x2½" "U" Bolts No. V8415-10(US2C) ½"x1¾"x3¾" "U" Bolts No. V8415-12(US2C) ½"x1¾"x3¾" "U" Bolts No. V8415-14(US2C) ¾"x1¾"x3¾" "U" Bolts No. V8415-18(US2C) ½"x1¾"x4½" "U" Bolts No. V8415-18(US2C) ½"x1¾"x4½" "U" Bolts No. V8415-18(US2C) ½"x1¾"x4½" "U" Bolts No. V8415-12(US2C) ½"x1¾" Eye Bolts No. V8415-19(US2C) ½"x1¾" Eye Bolts		No. V8470(US2C) 34" "S" Hooks		20 pks.
No. V8470(US2C) 2" "S" Hooks No. V8470(US2C) 2½" "S" Hooks No. V8414-0(US2C) ½"x3¾" Lag Eye Bolt No. V8414-8(US2C) ¾"x4½" Lag Eye Bolt No. V8414-2(US2C) ½"x5" Lag Eye Bolt No. V4814-6(US2C) ½"x5" Lag Eye Bolt No. V8414-10(US2C) ¾"x6" Lag Eye Bolt No. V8415-0(US2C) ½"x8" Lag Eye Bolt No. V8415-0(US2C) ½"x1¾"x2½" "U" Bolts No. V8415-10(US2C) ½"x1¾"x3¾" "U" Bolts No. V8415-12(US2C) ½"x1¾"x3¾" "U" Bolts No. V8415-14(US2C) ½"x1¾"x3″ "U" Bolts No. V8415-18(US2C) ½"x1¾"x4½" "U" Bolts No. V8415-19(US2C) ½"x1¾"x4½" "U" Bolts No. V8415-19(US2C) ½"x1¾"x4½" "U" Bolts No. V8415-10(US2C) ½"x1¾"x4½" "U" Bolts No.		No. V8470(US2C) 1½" "S" Hooks		20 pks.
No. V8414-0(US2C) ¼"x3¾" Lag Eye Bolt No. V8414-8(US2C) ¾"x5" Lag Eye Bolt No. V8414-6(US2C) ¾"x6" Lag Eye Bolt No. V4814-10(US2C) ¾"x6" Lag Eye Bolt No. V8415-0(US2C) ¾"x3¾"x2½" "U" Bolts No. V8415-10(US2C) ¼"x1¾"x3¾" "U" Bolts No. V8415-12(US2C) ¾"x1¾"x3¾" "U" Bolts No. V8415-14(US2C) ¾"x1¾"x3¾" "U" Bolts No. V8415-14(US2C) ¾"x1¾"x4¾" "U" Bolts No. V8415-18(US2C) ¾"x1¾"x4¾" "U" Bolts No. V8415-18(US2C) ¾"x1¾"x4¾" "U" Bolts No. V8415-18(US2C) ¾"x1¾"x4½" "U" Bolts No. V8415-18(US2C) ¾"x1¾" Eye Bolts No. V8415-22(US2C) ¾"x1¾" Eye Bolts No. V8415-20(US2C) ¾"x1¾" Eye Bolts No. CD8413-0(US2C) ¾"x1¾" Eye Bolts No. CD8413-0(US2C) ¾"x1¾" Eye Bolts		No. V8470(US2C) 2" "S" Hooks	20 pks.	20 pks.
No. V8414-8(US2C) %"x4½" Lag Eye Bolt No. V8414-2(US2C) ¼"x5" Lag Eye Bolt No. V4814-6(US2C) %"x6" Lag Eye Bolt No. V8414-10(US2C) %"x8" Lag Eye Bolt No. V8415-0(US2C) ¼"x¾"x2½" "U" Bolts No. V8415-2(US2C) ¼"x1½"x2¼" "U" Bolts No. V8415-10(US2C) ½"x1¾"x3¾" "U" Bolts No. V8415-12(US2C) ½"x1¾"x3¾" "U" Bolts No. V8415-14(US2C) ½"x1¾"x4½" "U" Bolts No. V8415-18(US2C) ½"x1¾"x4½" "U" Bolts No. V8415-18(US2C) ½"x1¾"x4½" "U" Bolts No. V8415-18(US2C) ½"x1¾"x4½" "U" Bolts No. V8415-22(US2C) ½"x1¾"x4½" "U" Bolts No. V8415-20(US2C) ½"x1¾"x4½" "U" Bolts No. V8415-20(US2C) ½"x1¾" Eye Bolts No. V8415-20(US2C) ½"x1¾" Eye Bolts No. CD8413-0(US2C) ½"x1¾" Eye Bolts No. CD8413-0(US2C) ½"x1¾" Eye Bolts No. CD8413-0(US2C) ½"x1¾" Eye Bolts		No. V8470(US2C) 2½" "S" Hooks		20 pks.
No. V8414-2(US2C) ¼"x5" Lag Eye Bolt No. V4814-6(US2C) %"x6" Lag Eye Bolt No. V8414-10(US2C) ¾"x8" Lag Eye Bolt No. V8415-0(US2C) ¼"x¾"x2½" "U" Bolts No. V8415-10(US2C) ¼"x1½"x3¼" "U" Bolts No. V8415-10(US2C) ½"x1¾"x3¾" "U" Bolts No. V8415-12(US2C) ½"x1¾"x3¾" "U" Bolts No. V8415-14(US2C) ½"x1¾"x4½" "U" Bolts No. V8415-18(US2C) ½"x1¾"x4½" "U" Bolts No. V8415-18(US2C) ½"x1¾"x4½" "U" Bolts No. V8415-22(US2C) ½"x1¾"x4½" "U" Bolts No. V8415-22(US2C) ½"x1¾"x5" "U" Bolts No. V8415-22(US2C) ½"x1¾" Eye Bolts No. V8415-20(US2C) ½"x1¾" Eye Bolts No. CD8413-0(US2C) ½"x1¾" Eye Bolts		No. V8414-0(US2C) 3/4" X35/4" Lag Eye Bolt	10 pks.	10 pks.
No. V8414-10(US2C) %"x8" Lag Eye Bolt No. V8415-0(US2C) ¼"x34"x2½" "U" Bolts No. V8415-2(US2C) ¼"x1½"x2½" "U" Bolts No. V8415-10(US2C) ½"x1¾"x3¾" "U" Bolts No. V8415-12(US2C) ½"x1¾"x3" "U" Bolts No. V8415-14(US2C) ½"x1¾"x4½" "U" Bolts No. V8415-18(US2C) ½"x1¾"x4½" "U" Bolts No. V8415-18(US2C) ½"x2"x4½" "U" Bolts No. V8415-22(US2C) ½"x2½"x5" "U" Bolts No. V8415-22(US2C) ½"x1¾" Eye Bolts No. CD8413-0(US2C) ½"x1¾" Eye Bolts		No. V8414-2(US2C) 1/4"x5" Lag Eye Bolt	10 pks.	10 pks.
No. V8415-0(US2C) ¼"x¾"x2½" "U" Bolts No. V8415-2(US2C) ¼"x1½"x2¼" "U" Bolts No. V8415-10(US2C) ¾"x1¾"x3¾" "U" Bolts No. V8415-12(US2C) ¾"x1¾"x3" "U" Bolts No. V8415-14(US2C) ¾"x1¾"x4¼" "U" Bolts No. V8415-18(US2C) ¾"x1¾"x4½" "U" Bolts No. V8415-18(US2C) ¾"x2"x4½" "U" Bolts No. V8415-22(US2C) ¾"x2"x4½" "U" Bolts No. V8415-22(US2C) ¾"x1¾" Eye Bolts No. CD8413-0(US2C) ¾"x1¾" Eye Bolts No. CD8413-0(US2C) ¾"x1¾" Eye Bolts No. CD8413-0(US2C) ¾"x1¾" Eye Bolts		No. V4814-6(US2C) %"x6" Lag Eye Bolt		
No. V8415-2(US2C) ¼"x1½"x2¼" "U" Bolts No. V8415-10(US2C) ‰"x1¾"x3¾" "U" Bolts No. V8415-12(US2C) ‰"x1¾"x3" "U" Bolts No. V8415-14(US2C) ‰"x1¾"x4¼" "U" Bolts No. V8415-18(US2C) ‰"x2"x4½" "U" Bolts No. V8415-22(US2C) ‰"x2½"x5" "U" Bolts No. V8415-22(US2C) ‰"x1¾" Eye Bolts No. CD8413-0(US2C) ‰"x1¾" Eye Bolts No. CD8413-0(US2C) ‰"x1¾" Eye Bolts		No. V8415-0(US2C) 1/4"x3/4"x21/2"		
No. V8415-10(US2C) %"x1%"x3¾" "U" Bolts No. V8415-12(US2C) %"x1¾"x3" "U" Bolts No. V8415-14(US2C) %"x1¾"x4¼" "U" Bolts No. V8415-18(US2C) %"x2"x4½" "U" Bolts No. V8415-22(US2C) %"x2½"x5" "U" Bolts No. CD8413-0(US2C) %"x1¾" Eye Bolts No. CD8413-0(US2C) %"x1¾" Eye Bolts "U" Bolts No. CD8413-0(US2C) %"x1¾" Eye Bolts	-	No. V8415-2(US2C) 1/4"x11/8"x21/4"		
No. V8415-12(US2C) %"x1¾"x3" "U" Bolts No. V8415-14(US2C) %"x1¾"x4¼" "U" Bolts No. V8415-18(US2C) %"x2"x4½" "U" Bolts No. V8415-22(US2C) %"x2½"x5" "U" Bolts No. CD8413-0(US2C) %"x1¾" Eye Bolts No. CD8413-0(US2C) %"x1¾" Eye Bolts No. CD8413-0(US2C) %"x1¾" Eye Bolts		No. V8415-10(US2C) \(\frac{1}{6}'' \times 1 \frac{3}{8}'' \times 3 \frac{3}{4}'' \)		
No. V8415-14(US2C) %"x1¾"x4¼" "U" Bolts No. V8415-18(US2C) %"x2"x4½" "U" Bolts No. V8415-22(US2C) %"x2½"x5" "U" Bolts No. CD8413-0(US2C) %"x1¾" Eye Bolts No. CD8413-0(US2C) %"x1¾" Eye Bolts No. CD8413-0(US2C) %"x1¾" Eye Bolts	-	No. V8415-12(US2C) 1/4"x13/4"x3"		
No. V8415-18(US2C) %"x2"x4½" "U" Bolts No. V8415-22(US2C) %"x2½"x5" "U" Bolts No. CD8413-0(US2C) %"x1¾" Eye Bolts 10 pks. 10 pks. 10 pks. 10 pks.		No. V8415-14(US2C) 1/6"x13/4"x41/4"		
No. V8415-22(US2C) %"x2½"x5" "U" Bolts No. CD8413-0(US2C) %"x1¾" Eye Bolts 10 pks. 10 pks. 10 pks.		No. V8415-18(US2C) 1/6"x2"x41/2"		
No. CD8413-0(US2C) 16"x134" Eye Bolts 10 pks. 10 pks.		No. V8415-22(US2C) 1/6"x21/2"x5"		
		No. CD8413-0(US2C) 36"x134" Eye Bolts	10 pks.	10 pks.



Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD8413-4(US2C) %"x2½" Eye Bolts No. CD8413-10(US2C) ¼"x3" Eye Bolts No. CD8413-18(US2C) %"x3¼" Eye Bolts No. CD8413-20(US2C) %"x4" Eye Bolts No. CD8413-14(US2C) ¼"x5" Eye Bolts No. CD8413-22(US2C) %"x5" Eye Bolts No. CD8413-28(US2C) %"x5" Eye Bolts No. CD8413-30(US2C) %"x6" Eye Bolts No. CD8413-34(US2C) ½"x6" Eye Bolts No. CD8413-34(US2C) ½"x6" Eye Bolts No. CD8413-34(US2C) ½"x6" Eye Bolts No. CD8413-32(US2C) %"x8" Eye Bolts	10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks.	10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 5 pks. 10 pks. 5 pks.
No. CD8416(US2C) 3½" Eye/Eye Turnbuckles No. CD8416(US2C) 3%" Eye/Eye	10 pks.	10 pks.
Turnbuckles No. CD8416(US2C) 4%" Eye/Eye	10 pks.	10 pks.
Turnbuckles No. CD8416(US2C) 5¼" Eye/Eye	10 pks.	10 pks.
Turnbuckles No. CD8416(US2C) 6½" Eye/Eye Turnbuckles	10 pks.	10 pks. 5 pks.
No. CD8416(US2C) 7¾" Eye/Eye Turnbuckles	10 pks.	
No. CD8417(US2C) 3½" Hook/Eye Turnbuckles	10 pks.	10 pks.
No. CD8417(US2C) 37/8" Hook/Eye Turnbuckles	10 pks.	10 pks.
No. CD8417(US2C) 4%" Hook/Eye Turnbuckles No. CD8147(US2C) 5¼" Hook/Eye	10 pks.	10 pks.
Turnbuckles No. CD8417(US2C) 6½" Hook/Eye	10 pks.	10 pks.
Turnbuckles	10 pks.	5 pks.

Cont. on page 323


STANLEY UNI-PANEL ASSORTMENTS

9323-A (Cont.)

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD8417(US2C) 7¾" Hook/Eye Turnbuckles No. V8481 ½" Solid Brass Cup Hks.* No. V8481 ¾" Solid Brass Cup Hks.* No. V8481 ¾" Solid Brass Cup Hks.* No. V8481 ¾" Solid Brass Cup Hks.* No. V8481 1" Solid Brass Cup Hks.*	40 pks. 40 pks. 40 pks. 40 pks.	5 pks. 20 pks. 20 pks. 20 pks. 20 pks. 20 pks.

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V8481 $1\frac{1}{4}$ " Solid Brass Cup Hks. No. V8481 $1\frac{1}{2}$ " Solid Brass Cup Hks. No. V8412 $\frac{1}{2}$ " Solid Brass Shldr. Hks. No. V8412 $\frac{5}{8}$ " Solid Brass Shldr. Hks. No. V8412 $\frac{3}{4}$ " Solid Brass Shldr. Hks. No. V8412 $\frac{1}{2}$ " Solid Brass Shldr. Hks. No. V8412 $\frac{1}{2}$ " Solid Brass Shldr. Hks. No. V8412 $\frac{1}{2}$ " Solid Brass Shldr. Hks.	20 pks.	20 pks. 20 pks.

One 9323-R Merchandiser *Items displayed on two hooks



9324-A ASSORTMENT


■ Basic 4' visibly packed hardware department. Featuring heavy duty hardware, screen door hardware, closet hardware, etc.

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD1205(US2C) #2¾ Chest Handle No. CD1245(US2C) #2 Padlock Eyes No. V902(US2C) 8" Strap Hinge No. CD911(US2C) 6" Safety Hasp		

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD995(US2C) 6" Mending Plates	10 pks.	10 pks.
No. CD915(US2C) 6" Safety Hasp	5 pks.	5 pks.
No. CD904(US2C) 6" Tee Hinges No. CD900(US2C) 6" Strap Hinges	5 pks.	5 pks.
No. CD1056(US4) 4" Foot Bolt	5 pks. 5 pks.	5 pks. 5 pks.
No. CD1055(US4) 4" Chain Bolt	5 pks.	5 pks.
No. CD1088(US2C) 6" Heavy Square	o pito.	o pito.
Spring Bolt	5 pks.	5 pks.
No. V902(US2C) 4" Strap Hinges	2 pks.	2 pks.
No. V902(US2C) 5" Strap Hinges No. V902(US2C) 6" Strap Hinges	2 pks.	2 pks.
No. V908(US2C) 4" Tee Hinges	2 pks. 2 pks.	2 pks. 2 pks.
No. V908(US2C) 5" Tee Hinges	2 pks.	2 pks.
No. V908(US2C) 6" Tee Hinges	2 pks.	2 pks.
No. V951(US2C) 8" Screw Hook and		
Strap Hinge	2 pks.	2 pks.
No. V951(US2C) 6" Screw Hook and Strap Hinge	2 pks.	2 pks.
No. SC311(US3) 1½"x30" Cont. Hinges	5 pks.	5 pks.
No. SC311(US3) 11/6"x30" Cont. Hinges	5 pks.	5 pks.
No. SC311(US14) 11/2"x30" Cont. Hinges		5 pks.
No. SC311(US14) 11/6"x30" Cont. Hinges	5 pks.	5 pks.
No. CD150(US4) Cafe Door Pivot	5 pks.	5 pks.
No. CD2914(US3) Flush Pulls No. CD2688(US3) #1 Cup Pulls	10 pks. 10 pks.	10 pks. 10 pks.
No. V7036 30" Adjustable Closet Bar	10 pks.	10 pks.
No. V7036 48" Adjustable Closet Bar	10 pks.	10 pks.
No. V7046(DW) Combination Shelf and		
Closet Support	5 pks.	5 pks.
No. CD1703(AL) Screen Door Latch	5 pks.	5 pks.
No. CD1700(AL) Screen Door Closer	5 pks. 5 pks.	5 pks. 5 pks.
No. CD1736(US2C) Screen Door Guard No. CD1739(US2C) Screen Door Brace	5 pks.	5 pks.
No. CD1750(US2C) Screen and Storm	o pro.	J phs.
Door Set	5 pks.	5 pks.
No. CD1280(AL) Double Acting Latch	5 pks.	5 pks.
No. CD1280(FL) Double Acting Latch	5 pks.	5 pks.
No. CD1734(US2C) Screen Hanger Set No. V794(USP) 12"x12" Fold. Shelf Bckt.	10 pks. 1 pr.	10 pks. 1 pr.
No. V772(US2C) Heavy Duty Folding	τ μι.	T pr.
Shelf Bracket	2 pr.	1 pr.
No. V908(US2C) 8" Tee Hinge	2 pks.	2 pks.
One 9324-R Merchandiser		

One 9324-R Merchandiser

STANLEY UNI-PANEL™ ASSORTMENTS





■ Basic 4' visibly packed hardware department. Featuring gate hardware

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD953(KJ1) Screw Hook & Eye Hng.	5 pks.	5 pks.
No. CD1009(KJ1) Cane Bolt	5 pks.	5 pks.
No. CD1261(KJ1) Gate Latch	5 pks.	5 pks.
No. CD1290(KJ1) Thumb Latch*	10 pks.	5 pks.
No. CD1291(KJ1) Tee Hinge*	10 pks.	5 pks.
No. CD1292(KJ1) Strap Hinge*	10 pks.	5 pks.
No. CD1293(KJ1) Screw Hook and Strap Hinge*	10 pks.	5 pks.
No. CD1295(KJ1) Gate Spring* No. CD1296(KJ1) Spring Tee Hinge No. CD1298(KJ1) Pull*	10 pks. 10 pks. 10 pks.	5 pks. 5 pks. 5 pks.

One 9326-R Merchandiser *Items displayed on two hooks




9327-A ASSORTMENT

■ Basic 4' visibly packed hardware department. Featuring plant hardware

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V720(KJ1) Outdoor Plant Hanger No. CD722(J2) Wire Swivel Plant Hanger No. CD722(US4) Wire Swivel Plant	10 pks. 10 pks.	5 pks. 10 pks.
Hanger No. CD725(J2) Decorative Ceiling Hook* No. CD725(US4) Decorative Ceiling		10 pks. 10 pks.
Hook* No. CD725(F4)Decorative Ceiling Hook No. CD725(F8) Decorative Ceiling Hook*	20 pks. 10 pks. 20 pks.	10 pks. 10 pks. 10 pks.
No. CD725(white) Decor. Ceiling Hook No. V780(J2) 5"x7" Plant Hanger No. V780(J2) 9"x11" Plant Hanger	10 pks. 5 pks. 5 pks.	10 pks. 5 pks. 5 pks.
No. V780(US3) 5"x7" Plant Hanger No. V780(US3) 9"x11" Plant Hanger	5 pks. 5 pks.	5 pks. 5 pks.

One 9327-R Merchandiser *Items displayed on two hooks

STANLEY UNI-PANEL™ ASSORTMENTS




9328-A ASSORTMENT

■ Basic 4' visibly packed hardware department. Featuring plant hardware

11.	Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
	No. CD726(KJ1) Rotating Ceiling Hook No. CD726(US4) Rotating Ceiling Hook No. CD727(KJ1) Plant Swivel Attach. No. CD727(US4) Plant Swivel Attach. No. CD728(J2) Decorative Chain Kit No. CD728(US4) Decorative Chain Kit No. CD729(J2) Adjustable Pot Hanger No. CD729(US4) Adjustable Pot Hanger No. CD730(J2) Decor. Chain Extender No. CD730(US4) Decor. Chain Extender No. V731(white) Adjustable Plant Hanger Track No. V732(J2) Decorative Plant Bracket No. CD733(KJ1) Universal Plant Hook No. CD733(US4) Universal Plant Hook	10 pks.	10 pks. 10 pks.
	No. CD734(KJ1) Unviersal Plant Hook with Swivel No. CD734(US4) Universal Plant Hook with Swivel No. CD735(KJ1) Overhead Plant Swivel No. CD735(US4) Overhead Plant Swivel No. CD736(KJ1) Plant "S" Hook No. CD736(US4) Plant "S" Hook No. CD737(KJ1) Plant Hook No. CD737(US4) Plant Hook No. CD738(US4) Swivel Ceiling Hook No. CD738(US3) Swivel Ceiling Hook No. CD738(F8) Swivel Ceiling Hook	10 pks. 10 pks.	10 pks. 10 pks.

One 9328-R Merchandiser



9329-A ASSORTMENT

■ Basic 4' visibly packed hardware department. Featuring screen and storm door hardware

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD4(US2C) Turn Button	10 pks.	10 pks.
No. CD27(US2C) Screen Corner Brace No. CD158(US2C) Screen Door Hinge	10 pks. 10 pks.	10 pks. 10 pks.
No. CD210(US2C) Screen Door Holder	10 pks.	10 pks.
No. CD1280(AL) Screen Door Latch	5 pks.	5 pks.
No. CD1280(FL) Screen Door Latch	5 pks.	5 pks.
No. CD1700(AL) Screen or Storm Door Closer	5 pks.	5 pks.
No. CD1701(US2C) Adjustable Screen	J phs.	J pks.
Door Spring	5 pks.	5 pks.
No. CD1702(AL) Hydraulic Closer	5 pks.	5 pks.
No. CD1702(KJ1) Hydraulic Closer	5 pks.	5 pks.
No. CD1703(AL) Screen Storm Dr. Latch No. CD1704(AL) Push Button Latch	5 pks. 5 pks.	5 pks. 5 pks.
No. CD1704(AL) I dsil Button Latch	5 pks.	5 pks.
No. CD1705(AL) Keylocking Latch	5 pks.	5 pks.
No. CD1705(KJ1) Keylocking Latch	5 pks.	5 pks.
No. CD1706(AL) Tulip Knob Latch	5 pks.	5 pks.
No. CD1706(KJ1) Tulip Knob Latch No. CD1707(US2C) Chain Door Stop	5 pks. 5 pks.	5 pks. 5 pks.
No. CD1707(G32C) Chair Book Stop	5 pks.	5 pks.
No. CD1708(KJ1) Pneumatic Closer	5 pks.	5 pks.
No. CD1711(AL) Replace. Strike Plate	20 pks.	10 pks.
No. CD1711(KJ1) Replace. Strike Plate No. V1712(AL) Replacement Clips	20 pks.	10 pks.
and Screws	20 pks.	10 pks.
No. CD1727(US2C) Sash Adjuster	5 pks.	5 pks.
No. CD1734(US2C) Screen or Storm	10 1	10.
Sash Hanger	10 pks.	10 pks.
No. CD1736(US2C) Door Guard No. CD1739(US2C) Screen Door Brace	5 pks. 5 pks.	5 pks. 5 pks.
No. CD1759(US2C) Screen Door Set	5 pks.	5 pks.
No. CD1751(US2C) Screen Door Hinge	10 pks.	10 pks.
No. CD2154(US4) Screen Door	10 1	10 1
Spring Hinge No. CD2154(US2C) Screen Door	10 pks.	10 pks.
Spring Hinge	10 pks.	10 pks.

One 9329-R Merchandiser

STANLEY UNI-PANEL ASSORTMENTS

9342-A ASSORTMENT

■ Assortment features the storage system in two sizes, the mini-storage system, heavy duty storage hooks and storage hooks

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP8300 16" The Storage System No. SP8300 32" The Storage System No. SP8306 2" Storage System Hooks No. SP8309 5" Hvy. Duty Storage Hks. No. SP8312 16" Mini-Storage System	20 pks. 20 pks. 20 pks. 20 pks. 20 pks.	10 pks. 10 pks. 10 pks.

One 9342-R Merchandiser



9346-A ASSORTMENT

Assortment features weather stripping tapes plus an energy saving idea center with free take home brochures

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP1316-1(white) Window and Door Weather Strip Tape No. SP1316-2(white) Window and Door	20 pks.	10 pks.
Weather Strip Tape No. SP1318-1(gray) Window and Door	20 pks.	10 pks.
Weather Strip Tape No. SP1318-2(gray) Window and Door	20 pks.	10 pks.
Weather Strip Tape No. SP1325(clear) Transparent	20 pks.	10 pks.
Weather proof Tape No. SP1326(AL) Multi-use Cloth	20 pks.	10 pks.
Duct Tape No. SP1328(AL) Pipe Insulating Tape No. SP1332 Tape Caulk Weather Strip	10 pks. 10 pks. 10 pks.	10 pks.

One 9346-R Merchandiser



9347-A ASSORTMENT

 Assortment features door bottoms and door weather strip sets

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP1301(wood) 36" Wood and Vinyl Door Bottom Weather Strip No. SP1301(AL) 36" Aluminum and	10 pks.	10 pks.
Vinyl Door Bottom Weather Strip No. SP1305(AL) 36" Automatic Door	10 pks.	10 pks.
Bottom Weather Strip No. V1310(AL) 17' Aluminum and	10 pks.	10 pks.
Vinyl Door Weather Strip Set No. V1312(wood) 17' wood and Door	10 pks.	10 pks.
Weather Strip Set	10 pks.	10 pks.

One 9347-R Merchandiser



STANLEY UNI-PANEL™ ASSORTMENT



9348-A ASSORTMENT

■ Assortment features all of "our best" weather stripping products

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V1302 36" White Door Bottom Weather Seal No. V1302 36" Brown Door Bottom Weather Seal No. V1313 17' White Self-Stick Door Weather Seal No. V1313 17' Brown Self-Stick Door Weather Seal No. V1330 40' Gray Storm Window Replacement	10 pks. 10 pks.	10 pks. 10 pks. 10 pks. 10 pks.
Weather Seal No. V1331 18' White Hinged Window Weather Strip No. V1331 18" Brown Hinged Window Weather Strip	20 pks. 10 pks. 10 pks.	10 pks. 10 pks. 10 pks.

STANLEY

SHELVING "IDEA CENTER"

MODULAR SHELVING SYSTEM



A Shelving Idea System

That sells 3 new ways:

The Idea Center

The first display built **just** for ideas

Contains "The Idea Book" — 33 different room scenes with complete "How To" instructions

Featuring 33 **Free** take-home plans

Powerful Photo Header System

Large full color "Before and After" room scenes to stimulate impulse sales

"How To" instructions

Based on the successful Uni-Rack II™ illustrated header concept

New Merchandiser Design

All new bin system — display always looks neat — easy to load Bracket header system for easy identification

Standard system always looks neat — identifies sizes

Modular units bolt together in any combination

The Results? An Increase in Impulse Sales

The FIRST complete shelving Idea Center a breakthrough in shelving merchandising.



- A 2' wide Idea Center
- Features permanent idea book with 33 full color room scenes
- Directly below Free take-home plans
- Photo header designed to stop traffic
- Creates a self-selling shelf shop



Opens up for extra storage space

48" WIDE ASSORTMENTS

■ Regular Standards and Brackets

9530-A ALL WALNUT

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 6783(AL2) 12" Standards No. 6783(AL2) 24" Standards No. 6783(AL2) 36" Standards No. 6783(AL2) 48" Standards No. 6783(AL2) 60" Standards No. 6783(AL2) 72" Standards No. 6785(AL2) 6" Brackets No. 6785(AL2) 8" Brackets No. 6785(AL2) 10" Brackets No. 6785(AL2) 12" Brackets No. 6785(AL2) 12" Brackets No. 6785(AL2) Hollow Wall Anchors No. 8516 Solid Wall Anchors	50 ea. 50 ea. 50 ea. 50 ea. 50 ea. 100 ea. 100 ea. 100 ea. 100 ea.	10 ea. 10 pks. 20 pks.

Weight: 234 lbs.

9531-A ALL GOLD

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 6783(AL3) 12" Standards No. 6783(AL3) 24" Standards No. 6783(AL3) 36" Standards No. 6783(AL3) 48" Standards No. 6783(AL3) 60" Standards No. 6783(AL3) 72" Standards No. 6785(AL3) 6" Brackets No. 6785(AL3) 8" Brackets No. 6785(AL3) 10" Brackets No. 6785(AL3) 12" Brackets No. 8515(AL3) Hollow Wall Anchors No. 8516 Solid Wall Anchors	50 ea. 50 ea. 50 ea. 50 ea. 50 ea. 100 ea. 100 ea. 100 ea. 50 pks. 40 pks.	10 ea. 10 pks. 20 pks.

Weight: 234 lbs.

9532-A WALNUT AND GOLD

JJJZ-A WALI	OI AIII	GOLD
Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 6783(AL2) 12" Standards No. 6783(AL3) 12" Standards No. 6783(AL3) 24" Standards No. 6783(AL3) 24" Standards No. 6783(AL2) 36" Standards No. 6783(AL3) 36" Standards No. 6783(AL2) 48" Standards No. 6783(AL3) 48" Standards No. 6783(AL3) 48" Standards No. 6783(AL3) 60" Standards No. 6783(AL3) 60" Standards No. 6783(AL3) 72" Standards No. 6783(AL3) 72" Standards No. 6783(AL3) 72" Standards	30 ea. 20 ea. 30 ea. 20 ea. 30 ea. 20 ea. 30 ea. 20 ea. 30 ea. 20 ea. 20 ea.	10 ea. 10 ea.

9532-A (Continued)

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 6785(AL2) 6" Brackets	50 ea.	10 ea.
No. 6785(AL3) 6" Brackets	50 ea.	10 ea.
No. 6785(AL2) 8" Brackets	50 ea.	10 ea.
No. 6785(AL3) 8" Brackets	50 ea.	10 ea.
No. 6785(AL2) 10" Brackets	50 ea.	10 ea.
No. 6785(AL3) 10" Brackets	50 ea.	10 ea.
No. 6785(AL2) 12" Brackets	50 ea.	10 ea.
No. 6785(AL3) 12" Brackets	50 ea.	10 ea.
No. 8515(AL2) Hollow Wall Anchors	30 pks.	10 pks.
No. 8515(AL3) Hollow Wall Anchors	20 pks.	10 pks.
No. 8516 Solid Wall Anchors	40 pks.	20 pks.

Weight: 234 lbs.

48" WIDE ASSORTMENTS

Regular Standards and Brackets


9533-A ALUMINUM, BLACK AND WHITE

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 6783(AL4) 12" Standards No. 6783(AL5) 12" Standards No. 6783(AL6) 12" Standards No. 6783(AL4) 24" Standards No. 6783(AL5) 24" Standards No. 6783(AL6) 24" Standards No. 6783(AL6) 24" Standards No. 6783(AL4) 36" Standards No. 6783(AL5) 36" Standards No. 6783(AL5) 36" Standards No. 6783(AL5) 48" Standards No. 6783(AL5) 48" Standards No. 6783(AL5) 48" Standards No. 6783(AL5) 48" Standards No. 6783(AL6) 48" Standards No. 6783(AL6) 48" Standards No. 6783(AL4) 60" Standards No. 6783(AL4) 72" Standards No. 6783(AL5) 72" Standards No. 6783(AL6) 72" Standards No. 6785(AL4) 6" Brackets No. 6785(AL5) 6" Brackets No. 6785(AL6) 6" Brackets No. 6785(AL6) 8" Brackets No. 6785(AL6) 8" Brackets No. 6785(AL6) 10" Brackets No. 6785(AL6) 12" Brackets No. 8515(AL6) Hollow Wall Anchors No. 8515(AL6) Hollow Wall Anchors No. 8516 Solid Wall Anchors	20 ea. 20 ea. 10 ea. 40 ea. 20 ea. 40 ea. 40 ea. 20 ea. 20 pks. 20 pks. 10 pks. 40 pks.	10 pks. 10 pks.

Weight: 234 lbs.

9534-A WALNUT, GOLD, ALUMINUM, BLACK AND WHITE

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 6783(AL2) 12" Standards	10 ea.	10 ea.
No. 6783(AL3) 12" Standards	10 ea.	10 ea.
No. 6783(AL4) 12" Standards	10 ea.	10 ea.
No. 6783(AL5) 12" Standards	10 ea.	10 ea.
No. 6783(AL6) 12" Standards	10 ea.	10 ea.
No. 6783(AL2) 24" Standards	10 ea.	10 ea.
No. 6783(AL3) 24" Standards	10 ea.	10 ea.
No. 6783(AL4) 24" Standards	10 ea.	10 ea.
No. 6783(AL5) 24" Standards	10 ea.	10 ea.
No. 6783(AL6) 24" Standards	10 ea.	10 ea.
No. 6783(AL2) 36" Standards	10 ea.	10 ea.
No. 6783(AL3) 36" Standards	10 ea.	10 ea.
No. 6783(AL4) 36" Standards	10 ea.	10 ea.
No. 6783(AL5) 36" Standards	10 ea.	10 ea.
No. 6783(AL6) 36" Standards	10 ea.	10 ea.
No. 6783(AL2) 48" Standards	10 ea.	10 ea.
No. 6783(AL3) 48" Standards	10 ea.	10 ea.
No. 6783(AL4) 48" Standards	10 ea.	10 ea.
No. 6783(AL5) 48" Standards	10 ea.	10 ea.



9534-A (Continued)

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 6783(AL6) 48" Standards No. 6783(AL2) 60" Standards No. 6783(AL3) 60" Standards No. 6783(AL4) 60" Standards No. 6783(AL5) 60" Standards No. 6783(AL6) 60" Standards No. 6783(AL6) 60" Standards No. 6783(AL2) 72" Standards No. 6783(AL3) 72" Standards No. 6783(AL4) 72" Standards No. 6783(AL5) 72" Standards No. 6783(AL6) 72" Standards No. 6783(AL6) 72" Standards No. 6785(AL2) 6" Brackets No. 6785(AL3) 6" Brackets No. 6785(AL6) 6" Brackets No. 6785(AL6) 6" Brackets No. 6785(AL6) 8" Brackets	10 ea. 10 ea. 10 ea. 10 ea. 10 ea. 10 ea. 10 ea. 10 ea. 10 ea. 20 ea. 20 ea. 20 ea. 20 ea. 20 ea. 20 ea. 20 ea. 20 ea. 20 ea.	10 ea. 10 ea.

Continued on next page


9534-A (Continued)

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 6785(AL5) 8" Brackets No. 6785(AL6) 8" Brackets No. 6785(AL2) 10" Brackets No. 6785(AL3) 10" Brackets No. 6785(AL4) 10" Brackets No. 6785(AL5) 10" Brackets No. 6785(AL6) 10" Brackets No. 6785(AL2) 12" Brackets No. 6785(AL3) 12" Brackets	20 ea. 20 ea. 20 ea. 20 ea. 20 ea. 20 ea. 20 ea. 20 ea. 20 ea.	10 ea. 10 ea. 10 ea. 10 ea. 10 ea. 10 ea. 10 ea. 10 ea. 10 ea.

9534-A (Continued)

Contents of Assortment	Assortment Quantity	Minimum Regrder Quantity
No. 6785(AL4) 12" Brackets No. 6785(AL5) 12" Brackets No. 6785(AL6) 12" Brackets No. 8515(AL2) Hollow Wall Anchors No. 8515(AL3) Hollow Wall Anchors No. 8515(AL4) Hollow Wall Anchors No. 8515(AL5) Hollow Wall Anchors No. 8515(AL6) Hollow Wall Anchors No. 8516 Solid Wall Anchor	10 pks. 10 pks. 10 pks. 10 pks.	10 ea. 10 ea. 10 ea. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 20 pks.

Weight: 234 lbs.



36" WIDE ASSORTMENTS

■ Regular Standards and Brackets

9535-A ALL WALNUT

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 6783(AL2) 12" Standards No. 6783(AL2) 24" Standards No. 6783(AL2) 36" Standards No. 6783(AL2) 48" Standards No. 6783(AL2) 60" Standards No. 6783(AL2) 72" Standards No. 6785(AL2) 6" Brackets No. 6785(AL2) 8" Brackets No. 6785(AL2) 10" Brackets No. 6785(AL2) 10" Brackets No. 6785(AL2) 12" Brackets No. 8515(AL2) Hollow Wall Anchors No. 8516 Solid Wall Anchors	40 ea. 40 ea. 40 ea. 40 ea. 40 ea. 40 ea. 40 ea. 40 ea. 40 ea. 40 es. 20 pks.	

Weight: 164 lbs.

9536-A ALL GOLD

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 6783(AL3) 12" Standards No. 6783(AL3) 24" Standards No. 6783(AL3) 36" Standards No. 6783(AL3) 48" Standards No. 6783(AL3) 60" Standards No. 6783(AL3) 72" Standards No. 6785(AL3) 6" Brackets No. 6785(AL3) 8" Brackets No. 6785(AL3) 10" Brackets No. 6785(AL3) 12" Brackets No. 6785(AL3) Hollow Wall Anchors No. 8516 Solid Wall Anchors	40 ea. 40 ea. 40 ea. 40 ea. 40 ea. 40 ea. 40 ea. 40 ea. 40 es. 20 pks.	10 ea. 10 ea. 10 ea. 10 ea. 10 ea. 10 ea. 10 ea. 10 ea. 10 ea. 10 exs. 20 pks.

Weight: 164 lbs.

36" WIDE ASSORTMENTS

■ Regular Standards and Brackets

9537-A WALNUT AND GOLD


Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 6783(AL2) 12" Standards No. 6783(AL3) 12" Standards No. 6783(AL2) 24" Standards No. 6783(AL3) 24" Standards No. 6783(AL3) 36" Standards No. 6783(AL3) 36" Standards No. 6783(AL2) 48" Standards No. 6783(AL2) 48" Standards No. 6783(AL3) 48" Standards No. 6783(AL3) 60" Standards No. 6783(AL3) 60" Standards No. 6783(AL3) 72" Standards No. 6783(AL3) 72" Standards No. 6785(AL2) 6" Brackets No. 6785(AL3) 6" Brackets No. 6785(AL3) 8" Brackets No. 6785(AL3) 8" Brackets No. 6785(AL3) 10" Brackets No. 6785(AL3) 10" Brackets No. 6785(AL3) 10" Brackets No. 6785(AL3) 12" Brackets	20 ea. 20	
No. 8515(AL3) Hollow Wall Anchors No. 8516 Solid Wall Anchors	20 pks. 20 pks.	

Weight: 164 lbs.

9538-A ALUMINUM AND BLACK

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
Contents of Assortment No. 6783(AL4) 12" Standards No. 6783(AL5) 12" Standards No. 6783(AL5) 24" Standards No. 6783(AL5) 24" Standards No. 6783(AL4) 36" Standards No. 6783(AL5) 36" Standards No. 6783(AL5) 36" Standards No. 6783(AL4) 48" Standards No. 6783(AL5) 48" Standards No. 6783(AL5) 60" Standards No. 6783(AL5) 60" Standards No. 6783(AL5) 60" Standards No. 6783(AL5) 72" Standards No. 6783(AL5) 72" Standards No. 6785(AL4) 6" Brackets No. 6785(AL4) 8" Brackets No. 6785(AL5) 8" Brackets No. 6785(AL5) 10" Brackets No. 6785(AL5) 12" Brackets No. 6785(AL5) 12" Brackets		
No. 8515(AL4) Hollow Wall Anchors No. 8515(AL5) Hollow Wall Anchors No. 8516 Solid Wall Anchors	20 pks. 20 pks.	10 pks.

Weight: 164 lbs.



9539-A WALNUT, GOLD, ALUMINUM AND BLACK

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 6783(AL2) 12" Standards No. 6783(AL3) 12" Standards No. 6783(AL4) 12" Standards No. 6783(AL5) 12" Standards No. 6783(AL5) 12" Standards No. 6783(AL2) 24" Standards No. 6783(AL3) 24" Standards No. 6783(AL4) 24" Standards No. 6783(AL5) 24" Standards No. 6783(AL2) 36" Standards No. 6783(AL3) 36" Standards No. 6783(AL4) 36" Standards No. 6783(AL4) 36" Standards No. 6783(AL5) 36" Standards No. 6783(AL5) 48" Standards No. 6783(AL4) 48" Standards No. 6783(AL5) 48" Standards	10 ea. 10 ea.	10 ea. 10 ea.

Continued on next page

9539-A (Continued)

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 6783(AL3) 60" Standards No. 6783(AL4) 60" Standards No. 6783(AL5) 60" Standards No. 6783(AL2) 72" Standards No. 6783(AL3) 72" Standards No. 6783(AL4) 72" Standards No. 6783(AL5) 72" Standards No. 6785(AL2) 6" Brackets No. 6785(AL2) 6" Brackets No. 6785(AL3) 6" Brackets No. 6785(AL4) 6" Brackets No. 6785(AL5) 6" Brackets No. 6785(AL5) 6" Brackets No. 6785(AL5) 8" Brackets No. 6785(AL3) 8" Brackets No. 6785(AL3) 8" Brackets No. 6785(AL4) 8" Brackets	10 ea. 10 ea.	10 ea. 10 ea.

9539-A (Continued)

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 6785(AL5) 8" Brackets No. 6785(AL2) 10" Brackets No. 6785(AL3) 10" Brackets No. 6785(AL4) 10" Brackets No. 6785(AL4) 10" Brackets No. 6785(AL5) 10" Brackets No. 6785(AL2) 12" Brackets No. 6785(AL3) 12" Brackets No. 6785(AL4) 12" Brackets No. 6785(AL5) 12" Brackets No. 8515(AL5) Hollow Wall Anchors No. 8515(AL3) Hollow Wall Anchors No. 8515(AL4) Hollow Wall Anchors No. 8515(AL5) Hollow Wall Anchors No. 8515(AL5) Hollow Wall Anchors No. 8515(AL5) Hollow Wall Anchors No. 8516 Solid Wall Anchors		10 ea. 10 pks 10 pks. 10 pks. 10 pks.

Weight: 164 lbs.

36" WIDE ASSORTMENTS

■ Trim Line Standards and Brackets

9540-A WALNUT/BLACK

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 6740 Walnut/Black 12" Standards No. 6740 Walnut/Black 24" Standards No. 6740 Walnut/Black 36" Standards No. 6740 Walnut/Black 48" Standards No. 6740 Walnut/Black 60" Standards No. 6750 Walnut/Black 6" Brackets No. 6750 Walnut/Black 8" Brackets No. 6750 Walnut/Black 10" Brackets No. 6750 Walnut/Black 12" Brackets No. 6750 Walnut/Black 12" Brackets No. 6760 Walnut Black Finials No. 8515(AL5) Hollow Wall Anchors No. 8516 Solid Wall Anchors	20 ea. 20 ea. 20 ea. 20 ea. 60 ea. 100 ea. 100 ea. 60 ea. 20 pks. 20 pks. 20 pks.	10 pks.

Weight: 110 lbs.

9541-A WALNUT/GOLD

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 6740 Walnut/Gold 12" Standards No. 6740 Walnut/Gold 24" Standards No. 6740 Walnut/Gold 36" Standards No. 6740 Walnut/Gold 48" Standards No. 6740 Walnut/Gold 60" Standards No. 6750 Walnut/Gold 6" Brackets No. 6750 Walnut/Gold 8" Brackets No. 6750 Walnut/Gold 10" Brackets No. 6750 Walnut/Gold 12" Brackets No. 6760 Walnut/Gold Finials No. 8515(AL3) Hollow Wall Anchors No. 8516 Solid Wall Anchors		10 ea. 10 ea. 10 ea. 10 ea. 10 ea. 10 ea. 10 ea. 10 ea. 10 ea. 10 pks. 10 pks. 20 pks.

Weight: 110 lbs. 36" Wide Assortments Continued Next Page



9542-A WALNUT/GOLD AND WALNUT/BLACK

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 6740 Walnut/Gold 12" Standards No. 6740 Walnut/Black 12" Standards No. 6740 Walnut/Gold 24" Standards No. 6740 Walnut/Gold 24" Standards No. 6740 Walnut/Black 24" Standards No. 6740 Walnut/Gold 36" Standards No. 6740 Walnut/Gold 48" Standards No. 6740 Walnut/Gold 48" Standards No. 6740 Walnut/Gold 60" Standards No. 6740 Walnut/Gold 60" Standards No. 6740 Walnut/Gold 60" Standards No. 6750 Walnut/Gold 6" Brackets No. 6750 Walnut/Gold 8" Brackets No. 6750 Walnut/Gold 8" Brackets No. 6750 Walnut/Gold 8" Brackets No. 6750 Walnut/Gold 10" Brackets No. 6750 Walnut/Gold 10" Brackets No. 6750 Walnut/Gold 10" Brackets No. 6750 Walnut/Black 12" Brackets No. 6760 Walnut/Black Finials No. 6760 Walnut/Black Finials No. 8515(AL3) Hollow Wall Anchors No. 8515(AL5) Hollow Wall Anchors No. 8516 Solid Wall Anchors	10 pks. 10 pks. 10 pks.	10 ea. 10 ea.

Weight: 110 lbs.

36" WIDE ASSORTMENT

■ Utility Aluminum Standards and Brackets

9543-A ALUMINUM

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 6731 Unfinished Aluminum 8" Brackets No. 6731 Unfinished Aluminum	200 ea.	100 ea.
10" Brackets No. 6733 Unfinished Aluminum	200 ea.	100 ea.
36" Standards No. 8515(AL4) Hollow Wall Anchors No. 8516 Solid Wall Anchors	40 pks.	100 ea. 10 pks. 20 pks.

Weight: 179 lbs.

48" SHELF ASSORTMENT 9560-A WALNUT


Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 7024 Walnut 8"x24" Shelves No. 7024 Walnut 8"x36" Shelves No. 7024 Walnut 8"x48" Shelves No. 7024 Walnut 10"x36" Shelves No. 7024 Walnut 10"x48" Shelves No. 7024 Walnut 12"x36" Shelves No. 7024 Walnut 12"x48" Shelves No. 7024 Walnut 12"x48" Shelves	20 ea. 10 ea. 5 ea. 10 ea. 5 ea. 10 ea. 5 ea.	5 ea. 5 ea. 5 ea. 5 ea. 5 ea. 5 ea. 5 ea.

Weight: 392 lbs.

36" SHELF ASSORTMENT 9565-A WALNUT

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 7024 White 8"x24" Shelves	20 ea.	5 ea.
No. 7024 White 8"x36" Shelves	5 ea.	5 ea.
No. 7024 White 8"x48" Shelves	5 ea.	5 ea.
No. 7024 White 10"x36" Shelves	10 ea.	5 ea.
No. 7024 White 10"x48" Shelves	5 ea.	5 ea.

Weight: 250 lbs.




Flaire PLANT SHELVING SYSTEM

9544-A 36" WIDE ASSORTMENT

- An ideal way to display plants
- A complete system for displaying plants in every decor

Walnut, gold, aluminum and black 9544-A




Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 6783(AL2) 12" Standards	10 ea.	10 ea.
No. 6783(AL3) 12" Standards	10 ea.	10 ea.
No. 6783(AL4) 12" Standards	10 ea.	10 ea.
No. 6783(AL5) 12" Standards	10 ea.	10 ea.
No. 6783(AL2) 24" Standards	10 ea.	10 ea.
No. 6783(AL3) 24" Standards	10 ea.	10 ea.
No. 6783(AL4) 24" Standards	10 ea.	
No. 6783(AL5) 24" Standards	10 ea.	10 ea.
No. 6783(AL2) 36" Standards		10 ea.
No. 6783(AL2) 36" Standards	10 ea.	10 ea.
	10 ea.	10 ea.
No. 6783(AL4) 36" Standards	10 ea.	10 ea.
No. 6783(AL5) 36" Standards	10 ea.	10 ea.
No. 6783(AL2) 48" Standards	10 ea.	10 ea.
No. 6783(AL3) 48" Standards	10 ea.	10 ea.
No. 6783(AL4) 48" Standards	10 ea.	10 ea.
No. 6783(AL5) 48" Standards	10 ea.	10 ea.
No. 6783(AL2) 60" Standards	10 ea.	10 ea.
No. 6783(AL3) 60" Standards	10 ea.	10 ea.
No. 6783(AL4) 60" Standards	10 ea.	10 ea.
No. 6783(AL5) 60" Standards	10 ea.	10 ea.
No. 6783(AL2) 72" Standards	10 ea.	10 ea.
No. 6783(AL3) 72" Standards	10 ea.	10 ea.
No. 6783(AL4) 72" Standards	10 ea.	10 ea.
No. 6783(AL5) 72" Standards	10 ea.	10 ea.
No. 6785(AL2) 6" Brackets	10 ea.	10 ea.
No. 6785(AL3) 6" Brackets	10 ea.	10 ea.
No. 6785(AL4) 6" Brackets	10 ea.	10 ea.
No. 6785(AL5) 6" Brackets	10 ea.	10 ea.
No. 6785(AL2) 8" Brackets	10 ea.	10 ea.
No. 6785(AL3) 8" Brackets	10 ea.	10 ea.
No. 6785(AL4) 8" Brackets	10 ea.	10 ea.
No. 6785(AL5) 8" Brackets	10 ea.	10 ea.
No. 6785(AL2) 10" Brackets	10 ea.	10 ea.
No. 6785(AL3) 10" Brackets	10 ea.	10 ea.
No. 6785(AL4) 10" Brackets	10 ea.	10 ea.
No. 6785(AL5) 10" Brackets	10 ea.	10 ea.
No. 6785(AL2) 12" Brackets	10 ea.	10 ea.
No. 6785(AL3) 12" Brackets	10 ea.	10 ea.
No. 6785(AL4) 12" Brackets	10 ea.	
No. 6785(AL4) 12" Brackets	10 ed.	10 ea.
No. 8515(AL2) Hollow Wall Anchors	10 ea.	10 ea.
No. 8515(AL2) Hollow Wall Anchors	10 pks.	
No. 8515(AL4) Hollow Wall Anchors	10 pks.	
	10 pks.	10 pks.
No. 8515(AL5) Hollow Wall Anchors	10 pks.	10 pks.
No. 8516 Solid Wall Anchors	20 pks.	20 pks.

Weight: 164 lbs.

STANLEY

THIS STANLEY HOME STORAGE CENTER
HELPS YOU SELL IT RIGHT




YOUR CUSTOMER'S GUIDE TO SOLVE HOME STORAGE PROBLEMS

YOUR SOLUTION FOR SELLING LONG PRODUCTS

THE SUPER RACK FOR SUPER SALES

- Attractive, efficient merchandiser
- Illustrated headers identify product application
- How-to-Install brochure
- Free take-home booklet
- Two-level compartments organize long products prevent fall out!
- Easy reorder aids
- Modular units stack in any combination you need for your requirements!



Dependable Quality Hardware In A Secure Attractive Package For


Closet Bars — Adjustable, Round	9600-A
Closet Bars — Adjustable, Rolled Shape	9601-A
Sliding Door Hardware	9602-A
Folding Door Hardware	9603-A
Aluminum Panel Track	9604-A
Plastic Panel Track	9605-A
Sliding Door Hardware	9606-A
Sliding Door Hardware	9607-A
Adjustable Closet Shelves	9610-A
Adjustable Storage Shelves	9611-A

9600-A CLOSET BARS

■ An assortment of round closet bars in popular sizes

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V7050 Bright 18"-30" Closet Bar No. V7050 Bright 30"-48" Closet Bar No. V7050 Bright 48"-72" Closet Bar No. V7050 Bright 72"-120" Closet Bar	20 pks. 20 pks.	10 pks. 10 pks. 10 pks. 10 pks.

Weight: 150 lbs.





9601-A CLOSET BARS

■ The best selling sizes of exclusive channel shape closet bar

Contents of Assortment	Assortment Quantity	
No. V7036 Bright 18"-30" Closet Bar No. V7036 Bright 30"-48" Closet Bar No. V7036 Bright 48"-72" Closet Bar No. V7036 Bright 72"-96" Closet Bar	20 pks. 20 pks.	10 pks. 10 pks. 10 pks. 10 pks.

Weight: 150 lbs.





9602-A SLIDING DOOR HARDWARE

■ The finest sliding door hardware — all popular sizes — with dial adjustment!

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V2850 4' Sliding Door Hardware No. V2850 5' Sliding Door Hardware No. V2850 6' Sliding Door Hardware	20 pks. 10 pks. 10 pks.	

Weight: 180 lbs.



9603-A BI-FOLDING DOOR HARDWARE

■ The easiest bi-fold application ever — all popular sizes — tap in installation

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V2917 2' Bi-folding Door Hardware	5 pks.	5 pks.
No. V2917 2'6" Bi-folding Door Hardware	5 pks.	5 pks.
No. V2917 3' Bi-folding Door Hardware	10 pks.	5 pks.
No. V2917 4' Bi-folding Door Hardware	10 pks.	5 pks.
No. V2917 5' Bi-folding Door Hardware	5 pks.	5 pks.
No. V2917 6' Bi-folding Door Hardware	5 pks.	5 pks.


Weight: 150 lbs.

9604-A ALUMINUM PANEL TRACK

Assorted sizes of popular aluminum panel track all hardware included

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V3112 4' Aluminum Panel Track	5 pks.	5 pks.
No. V3112 6' Aluminum Panel Track	5 pks.	5 pks.
No. V3114 4' Aluminum Panel Track	10 pks.	5 pks.
No. V3114 6' Aluminum Panel Track	10 pks.	5 pks.
No. V3134 4' Aluminum Panel Track	5 pks.	5 pks.
No. V3134 6' Aluminum Panel Track	5 pks.	5 pks.

Weight: 145 lbs.




9605-A PLASTIC PANEL TRACK

■ Assorted sizes of plastic panel track — including all hardware

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V3014 4' Plastic Panel Track	10 pks.	5 pks.
No. V3014 6' Plastic Panel Track	10 pks.	5 pks.
No. V3018 4' Plastic Panel Track	10 pks.	5 pks.
No. V3018 6' Plastic Panel Track	10 pks.	5 pks.
No. V3034 4' Plastic Panel Track	5 pks.	5 pks.
No. V3034 6' Plastic Panel Track	5 pks.	5 pks.

Weight: 80 lbs.






9606-A SLIDING DOOR HARDWARE

■ An assortment of sliding door hardware — all popular sizes

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V2870 4' Sliding Door Hardwa No. V2870 5' Sliding Door Hardwa No. V2870 6' Sliding Door Hardwa	re 10 pks.	5 pks.

Weight: 180 lbs.



9607-A SLIDING DOOR HARDWARE

■ An assortment of sliding door hardware — all popular sizes

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V2857 4' Sliding Door Hardware No. V2857 5' Sliding Door Hardware No. V2857 6' Sliding Door Hardware	20 pks. 10 pks. 10 pks.	5 pks.


Weight: 130 lbs.

9610-A METAL CLOSET SHELVES

Popular assortment of metal closet shelves with accessories

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V7312R 24"-36" Metal Shelf No. V7312R 36"-48" Metal Shelf No. V7312R 48"-60" Metal Shelf No. V7312R 60"-72" Metal Shelf No. V7312R 72"-84" Metal Shelf No. V7312R 84"-96" Metal Shelf No. V7313 End and Coupler Bracket No. 7300-11 Nylon Fastener	5 pks. 5 pks. 5 pks. 3 pks. 3 pks. 3 pks. 10 pks. 2 pks.	5 pks. 5 pks. 5 pks. 3 pks. 3 pks. 3 pks. 10 pks.

Weight: 300 lbs.




9611-A METAL STORAGE SHELVES

■ Metal storage shelves in popular sizes including accessories

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V7312 24"-36" Storage Shelf No. V7312 36"-48" Storage Shelf No. V7312 48"-60" Storage Shelf No. V7312 60"-72" Storage Shelf No. V7312 72"-84" Storage Shelf No. V7312 84"-96" Storage Shelf No. V7313 End and Coupler Bracket No. 7300-11 Nylon Fastener	5 pks. 5 pks. 5 pks. 3 pks. 3 pks. 3 pks. 10 pks. 2 pks.	5 pks. 5 pks. 5 pks. 3 pks. 3 pks. 3 pks. 10 pks.

Weight: 250 lbs.





2850PK REPLACEMENT PARTS KIT FOR V2850 AND V2857 SLIDING DOOR HARDWARE ASSORTMENTS

- An organized parts inventory
- Prevent package damage
- Provide parts instantly

Contents of Kit	Kit Quantity	Minimum Reorder Quantity
No. 2850-1 Hanger	3 pr.	10 pr.
No. 2850-2 Hanger	3 pr.	10 pr.
No. SP2860 Adjustable Floor Guide	5 pks.	50 pks.

Weight: 3 lbs.



2870PK REPLACEMENT PARTS KIT FOR V2870 SLIDING DOOR HARDWARE ASSORTMENT

- An organized parts inventory
- Prevent package damage
- Provide parts instantly

Contents of Kit	Kit Quantity	Minimum Reorder Quantity
No. 2870-1 Hanger	5 pr.	10 pr.
No. 2870-2 Hanger	5 pr.	10 pr.
No. SP2860 Adjustable Floor Guide	5 pks.	50 pks.

Weight: 3 lbs.



2917PK REPLACEMENT PARTS KIT FOR V2917 BI-FOLDING DOOR HARDWARE ASSORTMENT

- An organized parts inventory
- Prevent package damage
- Provide parts instantly

Contents of Kit	Kit Quantity	Minimum Reorder Quantity
No. 2917-12 Bottom Pivot No. 2917-13 Top Pivot No. 2917-14 Jamb Bracket No. 2917-15 Wrench No. 2917-18 Roller Guide No. 2917-19 Aligner No. 2917-21 Snubber 2 Door No. 2917-22 Snubber 4 Door No. 2917-30 Hinge	5 ea. 5 ea. 10 ea. 10 ea. 5 sets 10 ea. 10 ea. 10 ea.	10 ea. 10 ea. 10 ea. 10 ea. 10 ea. 10 sets 10 ea. 10 ea. 10 ea.

Weight: 5 lbs.

UTILITY SHELF BRACKET ASSORTMENTS


9797-A SHELF BRACKETS

■ A free standing assortment that contains 460 each of utility shelf brackets

INCLUDES ONE EACH 9797-R DISPLAY RACK

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 797(BG) 4X5 Shelf Bracket No. 797(BG) 5X6 Shelf Bracket No. 797(BG) 6X8 Shelf Bracket No. 797(BG) 8X10 Shelf Bracket No. 797(BG) 10X12 Shelf Bracket No. 797(BG) 12X14 Shelf Bracket	60 ea. 100 ea. 100 ea. 100 ea.	20 ea.

Weight: 194 lbs.




9798-A SHELF BRACKETS

- For use on pegboard or as a free standing display
- Contains 180 each of utility shelf brackets


INCLUDES ONE EACH 9798-R DISPLAY RACK

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. 797(BG) 4X5 Shelf Bracket No. 797(BG) 5X6 Shelf Bracket No. 797(BG) 6X8 Shelf Bracket No. 797(BG) 8X10 Shelf Bracket No. 797(BG) 10X12 Shelf Bracket No. 797(BG) 12X14 Shelf Bracket	20 ea. 20 ea. 40 ea. 40 ea. 40 ea. 20 ea.	20 ea. 20 ea.

Weight: 75 lbs.



UTILITY SHELF BRACKET ASSORTMENT



9799-A SHELF BRACKETS

- "Twin Pack" Assortment
- For use on pegboard or as a free standing display

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V797(BG) 4X5 Utility Shelf Bracket	5 pks.	5 pks.
No. V797(BG) 5X6 Utility Shelf Bracket	5 pks.	5 pks.
No. V797(BG) 6X8 Utility Shelf Bracket	10 pks.	5 pks.
No. V797(BG) 8X10 Utility Shelf Bracket	10 pks.	5 pks.
No. V797(BG) 10X12 Utility Shelf Bracket	10 pks.	5 pks.
No. V797(BG) 12X14 Utility Shelf Bracket	4 pks.	2 pks.

9703-A HOME HARDWARE

- For use on pegboard or as a free standing display
- Compact design Ideal for small spaces

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD725(US4) Decorative Ceiling Hooks No. CD997(US2C) 1½" Corner Braces No. CD1076(US4) 2½" Barrel Bolt No. CD4530(US4) Double Guard Door Chain No. CD7082(US4) Coat and Hat Hooks No. CD7092(US4) Flexible Door Stops	10 pks. 10 pks. 10 pks. 10 pks.	10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks.

Weight: 11 lbs.





9704-A HOME HARDWARE

- For use on pegboard or as a free standing display
- Compact design Ideal for small spaces

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V8440(US2C) 1½" Hooks and Eyes No. V8441(US2C) 2½" Safety Hooks and Eyes No. V8450-210(US2C) 1¾" Screw Eyes No. V8460-808(US2C) 2¾" Screw Hooks No. V8481(US3) ¾" Cup Hooks No. V8481(US3) 1" Cup Hooks	20 pks. 20 pks. 20 pks. 20 pks.	20 pks. 20 pks. 20 pks. 20 pks. 20 pks. 20 pks.

Weight: 8 lbs.





9701-A PLANT HANGERS

- An assortment of brass plated plant hangers
- Rack can be hung from pegboard or used as a free standing counter top display
- Compact ideal for use in small spaces

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD722(US4) Swivel Plant Hanger No. CD725(US4) Decorative Ceiling Hooks No. CD728(US4) Decorative Chain Kit No. CD729(US4) Adjustable Pot Holder No. CD730(US4) Decorative Chain Extender No. CD734(US4) Universal Plant Hook with Swivel No. CD737(US4) Plant Hook No. CD738(US3) Swivel Ceiling Hook No. V780(US3) 5"x7" Decorative Plant Hanger	10 pks. 10 pks. 10 pks.	10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks.

Weight: 23 lbs.



9702-A PLANT HANGERS

- An assortment of black finish plant hangers
- Rack can be hung from pegboard or used as a free standing counter top display
- Compact ideal for use in small spaces

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD722(J2) Swivel Plant Hanger No. CD725(J2) Decorative Ceiling Hooks No. CD728(J2) Decorative Chain Kit No. CD729(J2) Adjustable Pot Holder No. CD730(J2) Decorative Chain Extender No. CD734(KJ1) Universal Plant Hook with Swivel	10 pks. 10 pks. 10 pks.	10 pks. 10 pks. 10 pks. 10 pks.
No. CD737(KJ1) Plant Hook No. CD738(J2) Swivel Ceiling Hook No. V780(J2) 5"x7" Decorative Plant Hanger	10 pks. 10 pks. 5 pks.	10 pks.

Weight: 23 lbs.


PREPACK ASSORTMENT

9710-A PLANT HANGERS

- An assortment of plant hangers in a prepacked corrugated cardboard merchandiser
- Compact can be used to create a complete plant hanger department

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V731(white) Plant Hanger Track No. CD722(J2) Swivel Plant Hanger No. CD722(US4) Swivel Plant Hanger No. CD729(J2) Hang-a-Plant No. CD729(US4) Hang-a-Plant No. V780(J2) 5"x7" Decorative Plant Hanger No. V780(US3) 5"x7" Decorative Plant Hanger No. CD725(J2) Decorative Ceiling Hooks No. CD725(US4) Decorative Ceiling Hook No. CD738(F8) Swivel Ceiling Hook No. CD738(US3) Swivel Ceiling Hook	10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks. 10 pks.	10 pks. 10 pks. 10 pks. 10 pks. 5 pks. 5 pks.

Weight: 60 lbs.



FREE STANDING CARDBOARD DISPLAY MERCHANDISERS

9720-A

■ Features good quality window and door weather strip tape

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP1316-1 (white) Window and Door Weather Strip Tape	80 pks.	10 pks.

9721-A

■ Features best quality window and door weather strip tape

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP1318-2 (gray) Window and Door Weather Strip Tape	100 pks.	10 pks.

9722-A

■ Features transparent weather proof tape

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP1325 (clear) Transparent Weather Proof Tape	100 pks.	10 pks.

9723-A

Features tape caulk weather strip

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP1332 Tape Caulk Weather Strip	80 pks.	10 pks.






9711-A THE WEATHER STATION

■ Free standing modular wire merchandiser featuring all of our weather stripping tapes

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP1316-1 (white) Window and Door Weather Strip Tape No. SP1316-2 (white) Window and Door	20 pks.	10 pks.
Weather Strip Tape No. SP1318-1 (gray) Window and Door	20 pks.	10 pks.
Weather Strip Tape No. SP1318-2 (gray) Window and Door	20 pks.	10 pks.
Weather Strip Tape No. SP1325 (clear) Transparent Weather	20 pks.	10 pks.
Proof Tape No. SP1326 (AL) Multi-use Cloth Duct Tape No. SP1328(AL) Pipe Insulating Tape No. SP1332 Tape Caulk Weather Strip	20 pks. 10 pks. 10 pks. 10 pks.	



9712-A THE WEATHER STATION

■ Free standing modular wire merchandiser featuring door bottoms and door weather strip sets

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. SP1301 (wood) 36" Wood and Vinyl Door Bottom Weather Strip No. SP1301(AL) 36" Aluminum and Vinyl	10 pks.	10 pks.
Door Bottom Weather Strip No. SP1305(AL) 36" Automatic Door Bottom	10 pks.	10 pks.
Weather Strip No. V1310(AL) 17' Aluminum and Vinyl	10 pks.	10 pks.
Door Weather Strip Set No. V1312(wood) 17' Wood and Vinyl Door	10 pks.	10 pks.
Weather Strip Set	10 pks.	10 pks.

9713-A THE WEATHER STATION

■ Free standing modular wire merchandiser featuring "our best" weather stripping products

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V1302 36" White Door Bottom Weather Seal	10 pks.	10 pks.
No. V1302 36" Brown Door Bottom Weather Seal No. V1313 17' White Self-stick Door	10 pks.	10 pks.
Weather Seal	10 pks.	10 pks.
No. V1313 17' Brown, Self-stick Door Weather Seal No. V1330 40' Gray Storm Window	10 pks.	10 pks.
Replacement Weather Seal	20 pks.	10 pks.
No. V1331 18' White Hinged Window Weather Seal	10 pks.	10 pks.
No. V1331 18' Brown Hinged Window Weather Strip	10 pks.	10 pks.



9714-A THE WEATHER STATION

■ Free standing or wall mounted modular wire merchandiser — featuring storm window replacement weather seal

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V1330 40' Gray Storm Window Replacement Weather Seal	20 pks.	10 pks.



THE WEATHER STATION 9715-A

A merchandiser featuring "our best" Door Bottom Weather Seal, Self-Stick Door Weather Seal and Self-Stick Hinged Window Weather Seal

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. V1302 (white) 36" Door Bottom Weather Seal No. V1302 (brown) 36" Door Bottom Weather Seal No. V1313 (white) 17' self stick Door Weather Seal No. V1313 (brown) 17' self-stick Door Weather Seal No. V1331 (white) 18' self-stick hinged	10 pks. 10 pks. 10 pks. 10 pks.	10 pks. 10 pks. 10 pks. 10 pks.
Window Weather Seal No. V1331 (brown) 18' self-stick hinged	10 pks.	10 pks.
Window Weather Seal	10 pks.	10 pks.



PICTURE HANGERS

PICTURE HANGERS

Steel hangers for pictures and other wall decorations. Bright zinc (US2C) plated





Catalog Number	Size	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight	In Assortment Number
CD83-4002	5 lb.	6	10	100	4)
CD83-4004	10 lb.	5	10	100	5	1
CD83-4006	20 lb.	5	10	100	4	02 0020 4
CD83-4008	30 lb.	4	10	100	5	83-0030
CD83-4010	50 lb.	3	10	100	6	
CD83-4012	100 lb.	2	10	100	8	

CLOTH PICTURE HANGER

Ideal for places where holes are not allowed





Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight	In Assortment Number
CD83-4018	6	10	100	6	83-0030-A

SAWTOOTH HANGER

Allows the picture to be adjusted after the hanger is in the wall. Steel bright zinc (US2C) plated





PICTURE HANGING SET

Everything needed to prepare and hang a picture. Steel bright zinc (US2C) plated





Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight	In Assortment Number
CD83-4014	1 set (2 pictures)	10	100	5	02,0020 4
CD83-4016	1 set (6 pictures)	10	100	13	83-0030-A

Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight	In Assortment Number
CD83-4020	3	10	100	4	83-0030-A

PICTURE WIRE

Prepares the picture for placement on a hanger. Steel zinc (US2C) plated





Catalog Number	Size	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight	In Assortment Number
CD83-4022	15′	1	10	100	7	83-0030-A

PICTURE HANGERS

MIRROR HOLDERS

Clear plastic holders for hanging mirrors and other wall decorations



Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight	In Assortment Number
CD83-4024	4	10	100	7	83-0030-A

STANLEY

Plastic Mirror Holders

PICTURE FRAME HOLDERS

For hanging small wood frames and plaques. Steel bright zinc (US2C) plated





Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight	In Assortment Number
CD83-4026	6	10	100	4	83-0030-A

PUSH PINS

Plastic pins are used on bulletin boards or wherever you would use a thumbtack





Catalog Number	Quantity Per Pack	Packs Per Box	Packs Per Case	Case Weight	In Assortment Number
CD83-4028	12	10	100	4	83-0030-A

PICTURE HANGER ASSORTMENTS

83-0030-A UNI-RACK-II™ ASSORTMENT

INCLUDES FREE FOUR COLOR MODULAR DISPLAY PANEL

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD83-4002(US2C) 5 lb. Picture Hanger	10 pks.	10 pks.
No. CD83-4004(US2C) 10 lb. Picture Hanger	10 pks.	10 pks.
No. CD83-4006(US2C) 20 lb. Picture Hanger	10 pks.	10 pks.
No. CD83-4008(US2C) 30 lb. Picture Hanger	10 pks.	10 pks.
No. CD83-4010(US2C) 50 lb. Picture Hanger	10 pks.	10 pks.
No. CD83-4012(US2C) 100 lb. Picture Hanger	10 pks.	10 pks.
No. CD83-4014(US2C) Picture Hanging Set		
(2 pictures)	10 pks.	10 pks.
No. CD83-4016(US2C) Picture Hanging Set		
(6 pictures)	10 pks.	10 pks.
No. CD83-4018 Cloth Picture Hanger	10 pks.	10 pks.
No. CD83-4020(US2C) Sawtooth Hanger	10 pks.	10 pks.
No. CD83-4022(US2C) 15' Picture Wire	10 pks.	10 pks.
No. CD83-4024 Mirror Holders	10 pks.	10 pks.
No. CD83-4026(US2C) Picture Frame Holders	10 pks.	10 pks.
No. CD83-4028 Push Pins	10 pks.	10 pks.



Weight: 10 lbs.

83-0035-A WIRE RACK ASSORTMENT

Contents of Assortment	Assortment Quantity	Minimum Reorder Quantity
No. CD83-4002(US2C) 5 lb. Picture Hanger	10 pks.	10 pks.
No. CD83-4004(US2C) 10 lb. Picture Hanger	10 pks.	10 pks.
No. CD83-4006(US2C) 20 lb. Picture Hanger	10 pks.	10 pks.
No. CD83-4008(US2C) 30 lb. Picture Hanger	10 pks.	10 pks.
No. CD83-4010(US2C) 50 lb. Picture Hanger	10 pks.	10 pks.
No. CD83-4012(US2C) 100 lb. Picture Hanger	10 pks.	10 pks.
No. CD83-4014(US2C) Picture Hanging Set (2 pictures)	10 pks.	10 pks.
No. CD83-4016(US2C) Picture Hanging Set (6 pictures)	10 pks.	10 pks.
No. CD83-4018 Cloth Picture Hanger	10 pks.	10 pks.
No. CD83-4020(US2C) Sawtooth Hanger	10 pks.	10 pks.
No. CD83-4022(US2C) 15' Picture Wire	10 pks.	10 pks.
No. CD83-4024 Mirror Holders	10 pks.	10 pks.
No. CD83-4026(US2C) Picture Frame Holders	10 pks.	10 pks.
No. CD83-4028 Push Pins	10 pks.	10 pks.

Weight: 8 lbs.



