2014

wiha
Premium Tools

Professional TorqueControl Screwdrivers



Complete TorqueControl Program





wiha Premium Tools

Wiha TorqueControl Tools

	DESCRIPTION	Page
	TorqueFix Handle	3
	TorqueVario Handle	3
	TorqueVario Handle (Newton Meter Scale)	3
	Standard Blades Slotted, Phillips, Torx®, TorxPlus®, Hex	4
	MicroBits Slotted, Phillips, Torx®, Hex, Security Torx® & Hex	7
	TorqueControl Sets	9-10

Wiha Easy Torque Handles

	DESCRIPTION	Page
	Easy Torque Handles	5

Wiha iTorque Sets

	DESCRIPTION	Page
	iTorque Sets	6

Wiha TorqueControl Accessories

	DESCRIPTION	Page
	TorqueControl Adapters	8
	Torque Cable Key	8

TorqueVario-S ESD was developed for use in anti-static environments and TorqueVario-S ESD provides safety when working with electronic components. All Wiha TorqueVario-S models have an integrated window scale that displays the torque value - a completely new design, which eliminates false readings. The torque value is continuously adjustable by using the provided adjustment tool (TorqueSetter) this prevents the setting from being altered unintentionally.

Wiha Torque *SlimLine* Insulated Tools

	DESCRIPTION	Page
	TorqueVario Handle	13
	Insulated Blade Holder	13
	Insulated SlimLine Blades Slotted, Phillips, Terminal, TORX, Square	13
	Ins. Torque SlimLine Sets	12

Wiha TorqueControl T-handle Tools

	DESCRIPTION	Page
	T-handle Torque Tools	14
	Blades	14

Wiha TorqueControl ESD Safe Tools

	DESCRIPTION	Page
	TorqueVario Handle	11-12
	ESD Safe Blades	11-12
	ESD Safe Set TorqueVario	11

Notes:

Wiha Adjustable TorqueControl Tools

Wiha TorqueControl Screwdrivers

Whether it's TorqueVario-S or TorqueFix -
Wiha has a torque screwdriver to cover almost every application

- ***TorqueFix factory preset torque***
- ***TorqueVario adjustable torque drivers***

molded cushion grip two component handles allow for maximum achievable torque to be reached with comfort.

Precise repeatability!
All TorqueFix & TorqueVario tools are tested and comply with:
- ***EN ISO 6798***
- ***BS EN 26789***
- ***ASME B107.14M***

Each tool has unique serial number and certificate of calibration



+/-6% accuracy tolerance




+/-6% accuracy tolerance
Certificate of calibration

SHOP

285 TorqueFix, With Wiha-SoftFinish® Handle

Fixed Torque value pre-set. Tested in accordance with EN ISO 6798, BS EN 26789, ASME B107.14M, tolerance +/- 6%. Audible and perceptible click when pre-set torque has been attained.
Automatically resets for next torque cycle; 50% greater reverse torque.

Item	Pre-Sets						
No.	oz.	lbs.	Nm	mm	Inch	lbs.	pkg.
28503	80	5	0.56	112	4.4	.16	1
28505	120	7.5	0.84	112	4.4	.15	1
28507	160	10	1.12	119	4.7	.28	1
28509	200	12.5	1.41	119	4.7	.27	1
28511	240	15	1.69	119	4.7	.27	1
28513	320	20	2.25	119	4.7	.28	1
28515	400	25	2.82	126	4.9	.37	1
28517	480	30	3.39	126	4.9	.37	1
28518	560	35	3.95	126	4.9	.37	1
28519	640	40	4.52	126	4.9	.37	1
28521	800	50	5.65	132	5.2	.52	1
28523	960	60	6.78	132	5.2	.52	1
28525	1120	70	7.91	132	5.2	.52	1



All TorqueVario models include Torque setting adjustment tool

Direct Reading Scale

+/-6% accuracy tolerance
Certificate of calibration



SHOP

285 Adjustable TorqueVario With Direct Reading Scale

EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle.

Item	Range					
No.	Inch lbs.	Increments	mm	lbs.	pkg.
28501*	15 - 80(in/oz)	2.5 Inch oz	122 - 127	.22	1
28502	5 - 10	.5 Inch lbs	122 - 127	.41	1
28504	7.5 - 20	.5 Inch lbs	126 - 131	.50	1
28506	10 - 50	2 Inch lbs	133 - 138	.59	1
28508	20 - 70	2 Inch lbs	137 - 142	.74	1

Above includes Micro Bit Holder 28583
See 4mm Micro Bits on Page 7
* +/- 10% (This unit only)



+/-6% accuracy tolerance
Certificate of calibration

SHOP

285 Adjustable TorqueVario-S Handle - In Newton Meter Scale

EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle.

Item	Newton				
No.	Meter Scale	Increments	mm	lbs.	pkg.
28550*	0.1 - 0.6Nm	.02 Nm	122 - 127	.35	1
28551	0.4 - 1.0Nm	.05 Nm	122 - 127	.35	1
28552	0.8 - 2.0Nm	.10 Nm	126 - 131	.45	1
28553	1.0 - 5.0Nm	.20 Nm	133 - 138	.55	1
28554	2.0 - 8.0Nm	.25 Nm	137 - 142	.70	1

* +/- 10% (This unit only)

Wiha TorqueControl Blades - For Easy Torque, TorqueFix & TorqueVario Handles



285 Slotted Interchangeable Blades For TorqueFix & TorqueVario

Slotted tip blades on narrow 5/32 Hex shafts. High alloy chrome-vanadium-molybdenum steel, hardened, satin hard chrome finish.

Item No.	mm	Inch	mm	Max. Torque lbs.	Nm	pkg.
28534	1.5	.059	175	.07	0.15	1
28535	2.0	.078	175	.07	0.4	1
28536	2.5	.098	175	.07	0.4	1
28537	3.0	.118	175	.07	0.6	1
28538	3.5	.139	175	.07	1.1	1
28539	4.0	.157	175	.07	2.5	1

SHOP



285 Phillips Interchangeable Blades For TorqueFix & TorqueVario

Phillips tip blades on narrow 5/32 Hex shafts. High alloy chrome-vanadium-molybdenum steel, hardened, satin hard chrome finish.

Item No.	Size	mm	mm	Max. Torque lbs.	Nm	pkg.
28540	000	175	4.0	.07	0.4	1
28541	00	175	4.0	.07	0.4	1
28542	0	175	4.0	.07	0.9	1
28543	1	175	4.0	.07	3.8	1
28544	2	175	4.0	.07	5.5	1

SHOP



285 TORX® Interchangeable Blades For TorqueFix & TorqueVario

TORX® tip blades on narrow 5/32 Hex shafts. High alloy chrome-vanadium-molybdenum steel, hardened, satin hard chrome finish.

Item No.	Size	mm	mm	Max. Torque lbs.	Nm	pkg.
28561	T5	175	4.0	.07	0.4	1
28562	T6	175	4.0	.07	0.6	1
28563	T7	175	4.0	.07	0.9	1
28564	T8	175	4.0	.07	1.3	1
28565	T9	175	4.0	.07	2.5	1
28566	T10	175	4.0	.07	3.5	1
28567	T15	175	4.0	.07	5.5	1
28568	T20	175	4.0	.07	8.0	1
28569	T25	175	4.0	.07	8.0	1

SHOP



285 TORXPlus® Blades For TorqueFix & TorqueVario

TORXPlus® tip blades on narrow 5/32 Hex shafts. High alloy chrome-vanadium-molybdenum steel, hardened, satin hard chrome finish.

Item No.	Size	mm	mm	Max. Torque lbs.	Nm	pkg.
28571	IP5	175	4.0	.07	0.5	1
28572	IP6	175	4.0	.07	0.8	1
28573	IP7	175	4.0	.07	1.3	1
28574	IP8	175	4.0	.07	2.0	1
28575	IP9	175	4.0	.07	3.0	1
28576	IP10	175	4.0	.07	4.5	1
28577	IP15	175	4.0	.07	6.6	1
28578	IP20	175	4.0	.07	8.0	1
28579	IP25	175	4.0	.07	8.0	1

SHOP



285 Hex Metric Interchangeable Blades For TorqueFix & TorqueVario

Hex tip blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.	mm	mm	Max. Torque lbs.	Nm	pkg.
28545	1.5	175	.07	0.9	1
28546	2.0	175	.07	1.8	1
28547	2.5	175	.07	3.8	1
28548	3.0	175	.07	5.5	1
28549	4.0	175	.07	8.0	1

SHOP



285 Hex Inch Interchangeable Blades For TorqueFix & TorqueVario

Hex tip blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.	Inch	mm	Max. Torque lbs.	Nm	pkg.
28555	.050	175	.07	.4	1
28556	1/16	175	.07	.9	1
28557	5/64	175	.07	1.8	1
28558	3/32	175	.07	1.8	1
28559	7/64	175	.07	3.8	1
28560	1/8	175	.07	3.8	1
28587	9/64	175	.07	8.0	1
28588	5/32	175	.07	8.0	1

SHOP



285 MagicSpring TORX® Interchangeable Blades For TorqueFix & TorqueVario

blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.	Size	mm	mm	Max. Torque lbs.	Nm	pkg.
28512	T6	175	4.0	.07	0.6	1
28527	T7	175	4.0	.07	0.9	1
28528	T8	175	4.0	.07	1.3	1
28529	T9	175	4.0	.07	2.5	1
28530	T10	175	4.0	.07	3.8	1
28531	T15	175	4.0	.07	5.5	1
28532	T20	175	4.0	.07	8.0	1
28533	T25	175	4.0	.07	8.0	1



Screw Holding

SHOP



286 MagicSpring TORXPlus® Interchangeable Blades For TorqueFix & TorqueVario

blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.	Size	mm	mm	Max. Torque lbs.	Nm	pkg.
28611	IP6	175	4.0	.07	0.8	1
28612	IP7	175	4.0	.07	1.3	1
28613	IP8	175	4.0	.07	2.0	1
28614	IP9	175	4.0	.07	3.0	1
28616	IP10	175	4.0	.07	4.5	1
28617	IP15	175	4.0	.07	6.6	1
28618	IP20	175	4.0	.07	8.0	1
28619	IP25	175	4.0	.07	8.0	1




Screw Holding

SHOP

*None of the blades featured on this page will function in a TorqueVario Insulated Handle

"easy" Torque

- Audible Click At Torque
- Replaceable Blades
- +/- 10% Repeatability
- Improve Productivity
- Reduces Waste
- Controls Costs
- Save Time!



Each tool factory preset

Torque accuracy of +/- 10% to 5000 cycles

Economical Torque Control for tooling assembly and repair

Uses 285 Series interchangeable blades on page 4

Reverse torque is 50% greater for easy removal using same tool

Wiha Easy Torque Handles



SHOP

292 Easy Torque Screwdriver Handle

Easy Torque value pre-set. Release accuracy +/- 10%.

SoftFinish cushion grip handle for good power transfer.

Item	Pre-Sets					
No.	Inch/lbs.	Nm	mm	Inch	lbs.	pkg.
29205	4.4	0.5	294	5.4	.20	1
29206	5.3	0.6	294	5.4	.20	1
29209	8.0	0.9	294	5.4	.20	1
29211	9.7	1.1	294	5.4	.20	1
29212	10.6	1.2	294	5.4	.20	1
29214	12.4	1.4	294	5.4	.20	1
29220	17.7	2.0	294	5.4	.20	1
29225	22.1	2.5	294	5.4	.20	1
29230	26.6	3.0	294	5.4	.20	1
29238	33.6	3.8	294	5.4	.20	1
29241	35.4	4.0	294	5.4	.20	1
29245	39.8	4.5	294	5.4	.20	1
29251	44.2	5.0	294	5.4	.20	1

* No Calibration Certificates

- Handles are larger for easier Torque application
- SoftFinish Cushion Grips for improved user Comfort
- Design has been improved to add significantly to durability and overall tool life.
- Accuracy remains at +/- 10% with NO certificate of calibration.
- Three additional Torque Handles have been added 4 Nm, 4.5 Nm, 5 Nm



SHOP

292 Easy Torque Screwdriver Handle With TORX® Blades

Easy Torque value pre-set. Release accuracy +/- 10%.

Internal mechanism clicks when torque value has been attained.

Cushion grip comfortable handle for good power transfer.

Item	Pre-Sets				
No.	Size	Inch/lbs.	Nm	lbs.	pkg.
29232	T5	4.4	0.5	.24	1
29233	T6	5.3	0.6	.24	1
29234	T7	8.0	0.9	.24	1
29236	T8	10.6	1.2	.25	1
29237	T9	12.4	1.4	.25	1
29239	T10	17.7	2.0	.26	1
29242	T15	26.6	3.0	.26	1
29243	T20	35.4	4.0	.26	1
29244	T25	44.2	5.0	.28	1

* No Calibration Certificates



SHOP

292 Easy Torque Screwdriver Handle With TORXPlus® Blades

Easy Torque value pre-set. Release accuracy +/- 10%.

Internal mechanism clicks when torque value has been attained.

Cushion grip comfortable handle for good power transfer.

Item	Pre-Sets				
No.	Size	Inch/lbs.	Nm	lbs.	pkg.
29246	IP5	4.4	0.5	.24	1
29247	IP6	5.3	0.6	.24	1
29248	IP7	8.0	0.9	.24	1
29249	IP8	10.6	1.2	.25	1
29252	IP9	12.4	1.4	.25	1
29253	IP10	17.7	2.0	.26	1
29254	IP15	26.6	3.0	.26	1
29255	IP20	35.4	4.0	.26	1
29256	IP25	44.2	5.0	.28	1

* No Calibration Certificates



Wiha Professional TorqueControl Adjustable iTorque Tools

iTorque Screwdrivers

- *Metric (Nm) & Inch (In-lbs / oz)*
- *Built in click counter*
- *Auto shut off*
- *Fast adjusting*
- *Cycle Counter*
- *Accurate +/- 6%*



With Certificate of Calibration Included

52 Piece Set



NEW

With Certificate of Calibration

SHOP

28891 **52 Piece iTorque Bit Set, In Metal Storage Box**

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M.
Set includes ergonomic multi-component adjustable iTorque handle
60-210 in/oz., 50 insert bits & 1/4" bit holder.

Item No.		
28891	**Slotted:** 4.5, 5.5, 6.5, 8.0mm	lbs.
	Phillips: #0, #1, #2, #3	2.02
	TORX®: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30	
	Hex Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	
	Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm	
	Pozidriv: #0, #1, #2, #3	
	Torq Set: #4, #5, #6, #8	
	Square: #1, #2, #3	
	Triwing: #0, #1, #2, #3, #4	
	iTorque Handle Range 60 - 210 Inch/oz.	
	28581 - 1/4" Bit Holder	



52 Piece Set



NEW

With Certificate of Calibration

SHOP

28892 **52 Piece iTorque Bit Set, In Metal Storage Box**

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M.
Set includes ergonomic multi-component adjustable iTorque handle
7-26 in/lbs., 50 insert bits & 1/4" bit holder.

Item No.		
28892	**Slotted:** 4.5, 5.5, 6.5, 8.0mm	lbs.
	Phillips: #0, #1, #2, #3	2.02
	TORX®: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30	
	Hex Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	
	Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm	
	Pozidriv: #0, #1, #2, #3	
	Torq Set: #4, #5, #6, #8	
	Square: #1, #2, #3	
	Triwing: #0, #1, #2, #3, #4	
	iTorque Handle Range 7 - 26 Inch/lbs.	
	28581 - 1/4" Bit Holder	

52 Piece Set



NEW

With Certificate of Calibration

SHOP

28893 **52 Piece iTorque Bit Set, In Metal Storage Box**

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M.
Set includes ergonomic multi-component adjustable iTorque handle
9-50 in/lbs., 50 insert bits & 1/4" bit holder.

Item No.		
28893	**Slotted:** 4.5, 5.5, 6.5, 8.0mm	lbs.
	Phillips: #0, #1, #2, #3	2.08
	TORX®: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30	
	Hex Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	
	Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm	
	Pozidriv: #0, #1, #2, #3	
	Torq Set: #4, #5, #6, #8	
	Square: #1, #2, #3	
	Triwing: #0, #1, #2, #3, #4	
	iTorque Handle Range 9 - 50 Inch/lbs.	
	28581 - 1/4" Bit Holder	

Wiha SYSTEM 4 Micro Bits



SHOP

750 SYSTEM 4 Slotted Bits High alloy CVM steel, hardened, on 4 mm hex stock.

Item No.	mm	mm	Inch	lbs.
75008	0.8	28	1.1	.01
75012	1.2	28	1.1	.01
75015	1.5	28	1.1	.01
75018	1.8	28	1.1	.01
75020	2.0	28	1.1	.01
75025	2.5	28	1.1	.01
75030	3.0	28	1.1	.01
75035	3.5	28	1.1	.01
75040	4.0	28	1.1	.01



SHOP

751 SYSTEM 4 Phillips Bits High alloy CVM steel, hardened, on 4 mm hex stock.

Item No.	Size	mm	Inch	lbs.
75105	000	28	1.1	.01
75110	00	28	1.1	.01
75115	0	28	1.1	.01
75120	1	28	1.1	.01



SHOP

753 SYSTEM 4 Hex Inch Bits High alloy CVM steel, hardened, on 4 mm hex stock.

Item No.	Inch	mm	Inch	lbs.
75307	.028	28	1.1	.01
75309	.035	28	1.1	.01
75313	.050	28	1.1	.01
75350	1/16	28	1.1	.01
75352	5/64	28	1.1	.01
75354	3/32	28	1.1	.01
75356	7/64	28	1.1	.01
75358	1/8	28	1.1	.01
75360	9/64	28	1.1	.01
75340	5/32	28	1.1	.01



SHOP

757 SYSTEM 4 TORX® Bits High alloy CVM steel, hardened, on 4 mm stock.

Item No.	Size	mm	Inch	lbs.
75703	T3	28	1.1	.01
75704	T4	28	1.1	.01
75705	T5	28	1.1	.01
75706	T6	28	1.1	.01
75707	T7	28	1.1	.01
75708	T8	28	1.1	.01
75709	T9	28	1.1	.01
75710	T10	28	1.1	.01
75715	T15	28	1.1	.01
75720	T20	28	1.1	.01



SHOP

757 SYSTEM 4 Security TORX® Bits High alloy CVM steel, hardened, on 4 mm stock.

Item No.	Size	mm	Inch	lbs.
75727	T7s	28	1.1	.01
75728	T8s	28	1.1	.01
75729	T9s	28	1.1	.01
75735	T10s	28	1.1	.01
75739	T15s	28	1.1	.01
75742	T20s	28	1.1	.01



SHOP

753 SYSTEM 4 Hex Metric Bits High alloy CVM steel, hardened, on 4 mm hex stock.

Item No.	mm	mm	Inch	lbs.
75307	0.7	28	1.1	.01
75309	0.9	28	1.1	.01
75313	1.3	28	1.1	.01
75315	1.5	28	1.1	.01
75320	2.0	28	1.1	.01
75325	2.5	28	1.1	.01
75330	3.0	28	1.1	.01
75340	4.0	28	1.1	.01



SHOP

753 SYSTEM 4 Metric Security Hex Bits CVM steel, hardened, on 4 mm hex stock.

Item No.	mm	mm	Inch	lbs.
75322	2.0	28	1.1	.01
75327	2.5	28	1.1	.01
75332	3.0	28	1.1	.01
75342	4.0	28	1.1	.01

753 SYSTEM 4 Security Hex Inch Bits

Item No.	Inch	mm	Inch	lbs.
75362	5/64	28	1.1	.01
75364	3/32	28	1.1	.01
75366	7/64	28	1.1	.01
75368	1/8	28	1.1	.01
75370	9/64	28	1.1	.01
75372	5/32	28	1.1	.01

SHOP



NEW

757 SYSTEM 4 Pentalobe IPR Bits High alloy CVM steel, hardened, on 4 mm stock.

Item No.	Size	mm	Inch	lbs.
75743	P1	28	1.1	.01
75744	P2	28	1.1	.01
75745	P3	28	1.1	.01
75746	P4	28	1.1	.01
75747	P5	28	1.1	.01
75748	P6	28	1.1	.01

SHOP



NEW

753 SYSTEM 4 Metric & Inch Nut Setters CVM steel, hardened, on 4 mm hex stock.

Item No. Metric	mm	mm	Inch	lbs.
75820	2.0	30	1.2	.01
75821	2.5	30	1.2	.01
75822	3.0	30	1.2	.01
75823	3.5	30	1.2	.01
75824	4.0	30	1.2	.01
75825	4.5	30	1.2	.01
75826	5.0	30	1.2	.01
75827	5.5	30	1.2	.01
Inch	**Inch**	**mm**	**Inch**	**lbs.**
75810	5/64	30	1.2	.01
75811	3/32	30	1.2	.01
75812	7/64	30	1.2	.01
75813	1/8	30	1.2	.01
75814	9/64	30	1.2	.01
75815	5/32	30	1.2	.01
75816	3/16	30	1.2	.01
75817	7/32	30	1.2	.01

SHOP

1/4" Drive Micro Bit Tool Adapters



SHOP

75802 Micro Bit To 1/4" Drive Insert Bit Adapter uses magnets to hold 4mm Micro Bits

Item No.	Size	mm	mm	lbs.
75802	4.0	25	4.0	.01



SHOP

75803 Long Micro Bit To 1/4" Drive Insert Bit Adapter uses spring clip non-magnetic to hold 4mm Micro Bits

Item No.	Size	mm	mm	lbs.
75803	4.0	38	4.0	.02

Wiha TorqueControl Adapters

Adapters For TorqueFix™ & TorqueVario™



SHOP

28581 **Bit Holder Adapter For 1/4" Drive Bits** Shaft CVM steel, hardened, corrosion protected. (Not for use in Insulated handles)

Item No.	Size	mm	mm	lbs.	pkg.
28581	1/4	149	4.0	.09	1



SHOP

28582 **Square Drive Adapter For 1/4" Sockets** Shaft CVM steel, hardened, corrosion protected. (Not for use in Insulated handles)

Item No.	Size	mm	mm	lbs.	pkg.
28582	1/4	145	4.0	.08	1



SHOP

28583 **Adapter Blade For Wiha 4mm MicroBits** Shaft CVM steel, hardened, corrosion protected. (Not for use in Insulated handles)

Item No.	Size	mm	mm	lbs.	pkg.
28583	4.0	149	4.0	.09	1



SHOP

28882 **ESD Safe Bit Holder Adapter For 1/4" Drive Bits** Shaft CVM steel, hardened, corrosion protected. (Not for use in Insulated handles)

Item No.	Size	mm	mm	lbs.	pkg.
28882	1/4	162	4.0	.09	1

Wiha Torque Cable Keys



Torque handles recommended
#28552 & #28504

SHOP

286 **Torque Cable Key For Threaded Hex Connectors**

For torque controlled fastening of cable plug connectors with Hex heads. Used with Wiha-TorqueControl Screwdrivers.

Item No.	Size	mm	mm	mm	Max Nm	pkg.	lbs.
28620	8mm	4.0	78	218	1.0	1	.06
28622	9mm	4.0	78	218	1.0	1	.06
28624	11mm	4.0	78	218	1.5	1	.06
28626	12mm	4.0	78	218	1.5	1	.06
28627	13mm	4.0	78	218	1.5	1	.06
28629	14mm	4.0	78	218	1.5	1	.06
28632	17mm	4.0	78	218	1.5	1	.06
28633	18mm	4.0	78	218	1.5	1	.06
28637	22mm	4.0	90	233	2.0	1	.10
28638	24mm	4.0	90	233	2.0	1	.10

28644 **Torque Cable Key For Threaded Hex Connectors** - Inch

Item No.	Size	mm	mm	mm	Max Nm	pkg.	lbs.
28644	1/2"	4.0	78	218	1.5	1	.06



Wiha Adjustable TorqueControl Tool Sets In Durable Storage Box



With Certificate of Calibration

SHOP

28590 **24 Piece TorqueVario-S Micro-Bit Set**

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 21 Micro Bits, Micro Bit holder and Torque adjustment tool. Packed in a compact durable storage box.

Item No.		lbs.
28590	**Slotted:** 1.5, 2.0, 3.0, 4.0mm **Phillips:** #00, #0, #1	
	TORX®: T6, T7, T8, T9, T10, T15	1.33
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32	
	28504 - Handle Range 7.5 - 20 Inch lbs.	



With Certificate of Calibration

SHOP

28593 **24 Piece TorqueVario-S Micro-Bit Set**

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 21 Micro Bits, Micro Bit holder and Torque adjustment tool. Packed in a compact durable storage box.

Item No.		lbs.
28593	**Slotted:** 1.5, 2.0, 3.0, 4.0mm **Phillips:** #00, #0, #1	
	TORX®: T6, T7, T8, T9, T10, T15	1.33
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32	
	28501 - Handle Range 15-80 Inch/oz (+/- 10%)	

53 Piece Set



With Certificate of Calibration

SHOP

28595 **53 Piece TorqueVario-S Bit Set, In Storage Box**

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M.
Set includes ergonomic multi-component adjustable TorqueVario-S handle, 50 Insert bits, 1/4" Bit holder and Torque adjustment tool.

Item No.		lbs.
28595	**Slotted:** 4.5, 5.5, 6.5, 8.0mm	
	Phillips: #0, #1, #2, #3	2.85
	TORX®: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30	
	Hex Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	
	Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm	
	Pozidriv: #0, #1, #2, #3	
	Torq Set: #4, #5, #6, #8	
	Square: #1, #2, #3	
	Triwing: #0, #1, #2, #3, #4	
	28506 - Handle Range 10 - 50 Inch lbs.	
	28581 - 1/4" Bit Holder	

59 Piece Set



With Certificate of Calibration

SHOP

28589 **59 Piece TorqueVario-S Bit Set, In Storage Box**

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M.
Set includes 3 ergonomic multi-component adjustable TorqueVario-S handles, 39 Insert bits, 15 Sockets, 1/4" Bit holder, 1/4" Hex to 1/4" Square adapter and Torque adjustment tool.

Item No.		lbs.
28589	**Slotted:** 4.5, 5.5, 6.5mm	
	Phillips: #0, #1, #2	2.58
	TORX®: T5, T6, T7, T8, T9, T10, T15, T20, T25, T30	
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	
	Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm	
	Pozidriv: #1, #2	
	Square: #1, #2, #3	
	Inch Sockets: 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 3/8"	
	Metric Sockets: 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0mm	
	3 Handles: 15-80 Inch/oz., 5-10 & 10-50 In/lbs.	
	1/4" Bit Holder & 1/4"Hex to 1/4" Square adapter	

Wiha TorqueControl Sets In Durable Canvas Pouch



SHOP

28596 **8 Piece TorqueControl Set With Slotted & Phillips Blades**

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 6 blades & Torque adjustment tool. Packed in a durable canvas pouch.

Item No.		lbs.
28596	**Slotted:** 2.5, 3.0, 3.5, 4.0mm	.95
	Phillips: #0, #1	
	28504 - Handle Range 7.5 - 20 Inch lbs.	

With Certificate of Calibration



SHOP

28599 **14 Piece TorqueControl Set With TORX® & TORXPlus® Blades**

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes Ergonomic multi-component adjustable TorqueVario-S handle, 12 blades & Torque adjustment tool. Packed in a durable canvas pouch.

Item No.		lbs.
28599	**TORX®:** T7, T8, T9, T10, T15, T20	1.25
	TORXPlus®: IP7, IP8, IP9, IP10, IP15, IP20	
	28506 - Handle Range 10 - 50 Inch lbs.	

With Certificate of Calibration



SHOP

28597 **8 Piece TorqueControl Set With TORX® Blades**

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M

Item No.		
28597	**TORX®:** T7, T8, T9, T10, T15, T20	lbs.
	28506 - Handle Range 10 - 50 Inch lbs.	1.01

With Certificate of Calibration





SHOP

28690 **8 Piece TorqueControl Set With MagicSpring TORXPlus® Screw Holding Blades**

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M

Item No.		
28690	**MagicSpring TORXPlus®:**	
	IP7, IP8, IP9, IP10, IP15, IP20	lbs.
	28506 - Handle Range 10 - 50 Inch lbs.	1.02

With Certificate of Calibration



SHOP

28598 **8 Piece TorqueControl Set With TORXPlus® Blades**

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M

Item No.		
28598	**TORXPlus®:** IP7, IP8, IP9, IP10, IP15, IP20	lbs.
	28506 - Handle Range 10 - 50 Inch lbs.	1.00

With Certificate of Calibration



ESD Safe Adjustable TorqueControl Tools



D

Includes Certificate

SHOP

285 ESD Safe TorqueVario-S, With Window Scale

EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6% Accuracy

Ergonomic multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when torque setting has been attained. With Certificate of accuracy.

Item No.	Range Inch lbs.	Increments	mm	lbs.	pkg.
28522*	15 - 80(in/oz)	2.5 Inch oz	122 - 127	.33	1
28524	5 - 10	.2 Inch lbs	122 - 127	.34	1
28526	7.5 - 20	.5 Inch lbs	126 - 131	.42	1

Item No.	Range Nm	mm	Inch	lbs.	pkg.
28500*	.04 - .46	124	4.875"	.30	1

* +/- 10% (This unit only)

Each TorqueVario handle has unique serial number and certificate of calibration



D

With Certificate of Calibration

SHOP

28591 24 Piece ESD Safe Adjustable TorqueVario-S Bit Set

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 21 Micro Bits, Micro Bit holder and Torque adjustment tool, packed in a compact durable storage box.

Item No.		
28591	**Slotted:** 1.5, 2.0, 3.0, 4.0mm	lbs.
	Phillips: #00, #0, #1	1.31
	TORX®: T6, T7, T8, T9, T10, T15	
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	
	28524 - Handle ESD Safe Range 5 - 10 Inch lbs.	

SHOP

28592 24 Piece ESD Safe Adjustable TorqueVario-S Bit Set

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 21 Micro Bits, Micro Bit holder and Torque adjustment tool, packed in a compact durable storage box.

Item No.		
28592	**Slotted:** 1.5, 2.0, 3.0, 4.0mm	lbs.
	Phillips: #00, #0, #1	1.31
	TORX®: T6, T7, T8, T9, T10, T15	
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	
	28526 - Handle ESD Safe Range 7.5 - 20 Inch lbs.	



D

288 ESD Safe Slotted Interchangeable Blades For TorqueVario-S

Slotted tip blades on narrow 5/32 Hex shafts. High alloy chrome-vanadium-molybdenum steel, hardened, satin hard chrome finish.

Item No.	mm	Inch	mm	lbs.	Max. Torque Nm	pkg.
28801	1.5	.059	175	.07	0.15	1
28803	2.0	.078	175	.07	0.4	1
28805	3.0	.118	175	.07	0.6	1
28807	3.5	.139	175	.07	1.1	1
28809	4.0	.157	175	.07	2.5	1

SHOP



D

288 ESD Safe Phillips Interchangeable Blades For TorqueVario-S

Phillips tip blades on narrow 5/32 Hex shafts. High alloy chrome-vanadium-molybdenum steel, hardened, satin hard chrome finish.

Item No.	Size	mm	mm	lbs.	Max. Torque Nm	pkg.
28810	000	175	4.0	.07	0.4	1
28812	00	175	4.0	.07	0.4	1
28814	0	175	4.0	.07	0.9	1
28816	1	175	4.0	.07	3.8	1

SHOP



D

288 ESD Safe TORX® Interchangeable Blades For TorqueVario-S

TORX® tip blades on narrow 5/32 Hex shafts. High alloy chrome-vanadium-molybdenum steel, hardened, hard chromed.

Item No.	Size	mm	mm	lbs.	Max. Torque Nm	pkg.
28825	T5	175	4.0	.07	0.4	1
28826	T6	175	4.0	.07	0.6	1
28827	T7	175	4.0	.07	0.9	1
28828	T8	175	4.0	.07	1.3	1
28829	T9	175	4.0	.07	2.5	1
28830	T10	175	4.0	.07	3.8	1

SHOP



D

Packed in a compact durable storage box

With Certificate of Calibration +/- 10%

SHOP

28890 24 Piece TorqueVario-S ESD Safe Micro-Bit Set

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 21 Micro Bits, Micro Bit holder and Torque adjustment tool.

Item No.		
28890	**Slotted:** 1.5, 2.0, 3.0, 4.0mm **Phillips:** #00, #0, #1	lbs.
	TORX®: T6, T7, T8, T9, T10, T15	1.33
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	
	28522 - ESD Safe Handle Range 15-80 Inch/oz.	

ESD Safe TorqueControl Tools



285 **ESD Safe TorqueVario-S Newton Meter, With Window Scale**

EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 10% Accuracy

Ergonomic multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when torque setting has been attained. With Certificate of accuracy.

Item No.	Range Nm	mm	Inch	lbs.	pkg.
28500	.04 - .46	124	4.875”	.30	1


ESD TorqueVario handle has unique serial number and certificate of calibration



288 **ESD Safe Pentalobe IPR Interchangeable Blades For TorqueVario-S Newton Meter Handle** tip blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, hard chromed.

Item No.	Size	mm	mm	lbs.	pkg.
28818	1	175	4.0	.06	1

Insulated Torque & *SlimLine* Tool Sets



28791 **8 Piece Insulated TorqueControl Set With Slotted & Phillips *SlimLine* Blades** Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes Insulated multi-component adjustable TorqueVario-S handle, 5 *SlimLine* blades, *SlimLine* blade holder & Torque adjustment tool.

Item No.		lbs.
28791	*SlimLine* Slotted: 3.0, 4.0, 5.5mm	.87
	SlimLine Phillips: #1, #2	
	28726 - Handle Range 10-50 Inch/lbs.	
	SlimLine Blade Holder	

With Certificate of Calibration



28792 **16 Piece Insulated TorqueControl Set With *SlimLine* Blades** Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes Insulated multi-component adjustable TorqueVario-S handle, 13 *SlimLine* blades, *SlimLine* blade holder & Torque adjustment tool.

Item No.		lbs.
28792	*SlimLine* Slotted: 4.0, 5.5, 6.5mm	1.27
	SlimLine Phillips: #1, #2	
	SlimLine Terminal Xeno: #1, 2	
	SlimLine TORX®: T8, T10, T15, T20	
	SlimLine Square: #1, #2	
	28727 - Handle Range 20-70 Inch/lbs.	
	SlimLine Blade Holder	

With Certificate of Calibration

Wiha Insulated TorqueControl Tools



1000V

Includes Certificate

SHOP

287 **Insulated TorqueVario-S, With Window Scale Insulation**

up to 1000 Volt. EN ISO 6798, BS EN 26789, ASME B107.14M, VDE, ASTM F-1505-01 & NFPA70E, +/- 6% Accuracy. Handle sizes proportioned to optimize torque range. Audible and perceptible click when torque setting has been attained. Includes *SlimLine* blade holder.

Item	Range				
No.	Inch lbs.	Increments	mm	lbs.	pkg.
28724	7.5 - 20	.5 Inch lbs	126 - 131	.43	1
28726	10 - 50	2 Inch lbs	133 - 138	.40	1
28727	20 - 70	2 Inch lbs	137 - 142	.69	1

Each TorqueVario handle has unique serial number and certificate of calibration

287 **Insulated TorqueVario-S Handle - In Newton Meter Scale**

Includes *SlimLine* blade holder.

Item	Range			
No.	Nm	mm	lbs.	pkg.
28734	0.6 - 2.0	131	.45	1
28736	1.0 - 5.0	138	.45	1
28737	2.0 - 8.0	142	.72	1

SHOP

Each TorqueVario handle has unique serial number and certificate of calibration

1000Volt



SHOP

28350 **Insulated *Slim*Line Torque Blade Holder**

Chrome-vanadium-molybdenum steel. Through hardened black finish. ClicFix quick release holder securely locks blades.

Item		OAL	OAL		
No.	mm	mm	Inch	lbs.	pkg.
28350	6.0	170	6.7	.02	1

Wiha Insulated *SlimLine* Blades

33% narrower insulation diameter



Wiha Insulated *SlimLine* Blades



SHOP

283 **Insulated Slotted *SlimLine* Blades**

High quality CV steel, through hardened. *SlimLine* blades have up to 33% narrower insulation diameter then standard insulated tools.

Item			Slim	Max	Inch/		
No.	mm	Inch	Dia.	Nm	lbs.	lbs.	Pkg.
28308	3.0	.118	4.1	0.6	5.3	.02	1
28309	4.0	.157	4.1	2.5	22.2	.02	1
28312	5.5	.216	6.1	3.8	33.7	.02	1
28315	6.5	.255	6.1	5.5	48.8	.02	1



SHOP

283 **Insulated Phillips *SlimLine* Blades**

High quality CV steel, through hardened. *SlimLine* blades have up to 33% narrower insulation diameter then standard insulated tools.

Item		Slim	Max	Inch/		
No.	Size	Dia.	Nm	lbs.	lbs.	Pkg.
28317	1	4.1	3.8	33.7	.02	1
28319	2	6.1	5.5	48.8	.02	1



SHOP

283 **Insulated Xeno Slotted & Phillips *SlimLine* Blades**

High quality CV steel, through hardened. *SlimLine* blades have up to 33% narrower insulation diameter then standard insulated tools.

Item		Slim	Max	Inch/		
No.	Size	Dia.	Nm	lbs.	lbs.	Pkg.
28327	1	4.1	3.8	33.7	.02	1
28329	2	6.1	5.5	48.8	.02	1



SHOP

283 **Insulated TORX® *SlimLine* Blades**

High quality CV steel, through hardened. *SlimLine* blades have up to 33% narrower insulation diameter then standard insulated tools.

Item		Slim	Max	Inch/		
No.	Size	Dia.	Nm	lbs.	lbs.	Pkg.
28339	T8	4.1	1.3	11.5	.02	1
28340	T10	4.1	3.8	33.7	.02	1
28341	T15	6.1	5.5	48.8	.02	1
28342	T20	6.1	5.5	48.8	.02	1



SHOP

283 **Insulated Square *SlimLine* Blades**

High quality CV steel, through hardened. *SlimLine* blades have up to 33% narrower insulation diameter then standard insulated tools.

Item		Slim	Max	Inch/		
No.	Size	Dia.	Nm	lbs.	lbs.	Pkg.
28346	1	4.1	3.8	33.7	.02	1
28347	2	6.1	5.5	48.8	.02	1

T-handle TorqueControl Handles



Includes Calibration Certificate

SHOP

289 TorqueFix T-handle

EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6% Accuracy
Ergonomic multi-component handle, light and compact.
With Certificate of calibration.

Item No.	Torque In-lbs.	Torque Nm	mm x mm	lbs.	pkg.
28931	53.1	6	56 x 120	.81	1
28933	70.8	8	56 x 120	.82	1
28935	88.5	10	56 x 120	.79	1
28937	106.2	12	56 x 120	.79	1
28938	110.6	12.5	56 x 120	.80	1
28939	123.9	14	56 x 120	.80	1

Each TorqueFix T-handle has unique serial number and certificate of calibration



Includes Calibration Certificate

SHOP

28940 Adjustable TorqueVario STplus T-handle

EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6% Accuracy
Ergonomic multi-component handle, light and compact.

Item No.	Torque Nm	Torque In-lbs.	mm x mm	lbs.	pkg.
28940	5-14	44.3-123.9	56 x 120	.81	1

* (1 Nm 8.8507) (Scale is shown in Nm only)

Wiha T-handle TorqueControl Adapters



SHOP

289 TorqueFix Adapter For 1/4" & 3/8" Sockets

Shaft CVM steel, hardened, corrosion protected.

Item No.	Size	mm	Inch	mm	lbs.	pkg.
28926	1/4	100	3.9	6.0	.12	1
28927	3/8	100	3.9	6.0	.15	1



SHOP

28925 TorqueFix Quick Release Bit Holder

Shaft CVM steel, hardened, corrosion protected.

Item No.	Size	mm	Inch	mm	lbs.	pkg.
28925	1/4	125	4.9	6.0	.15	1

T-handle TorqueControl Blades



SHOP

289 TORX® Interchangeable Blades For TorqueFix T-Handle

TORX® tip blades on 6mm Hex shafts. High alloy chrome-vanadium-molybdenum steel, hardened, hard chromed.

Item No.	Size	mm	Inch	mm	lbs.	pkg.
28903	T15	130	5.1	6.0	.10	1
28904	T20	130	5.1	6.0	.10	1
28905	T25	130	5.1	6.0	.11	1
28906	T27	130	5.1	6.0	.11	1
28907	T30	130	5.1	6.0	.11	1
28908	T40	130	5.1	6.0	.11	1



SHOP

289 TORXPlus® Interchangeable Blades For TorqueFix T-Handle

TORXPlus® tip blades on 6mm Hex shafts. High alloy chrome-vanadium-molybdenum steel, hardened, hard chromed.

Item No.	Size	mm	Inch	mm	lbs.	pkg.
28910	IP15	130	5.1	6.0	.10	1
28911	IP20	130	5.1	6.0	.10	1
28912	IP25	130	5.1	6.0	.11	1
28913	IP27	130	5.1	6.0	.11	1
28914	IP30	130	5.1	6.0	.11	1
28915	IP40	130	5.1	6.0	.11	1



SHOP

289 Hex Metric Interchangeable Blades For TorqueFix T-Handle

Hex tip blades on 6mm Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.	mm	mm	Inch	lbs.	pkg.
28916	3.0	130	5.1	.11	1
28917	4.0	130	5.1	.11	1
28918	5.0	130	5.1	.11	1
28919	6.0	130	5.1	.11	1



SHOP

289 Hex Inch Interchangeable Blades For TorqueFix T-Handle

Hex tip blades on 6mm Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.	Inch	mm	Inch	lbs.	pkg.
28920	1/8	130	5.1	.11	1
28921	9/64	130	5.1	.11	1
28922	5/32	130	5.1	.11	1
28923	3/16	130	5.1	.11	1
28924	7/32	130	5.1	.11	1

Numerical Index by Item Number

Item No.	Page
28308	13
28309	13
28312	13
28315	13
28317	13
28319	13
28327	13
28329	13
28339	13
28340	13
28341	13
28342	13
28346	13
28347	13
28350	13
28500	11,12
28501	3
28502	3
28503	3
28504	3
28505	3
28506	3
28507	3
28508	3
28509	3
28511	3
28512	4
28513	3
28515	3
28517	3
28518	3
28519	3
28521	3
28522	11
28523	3
28524	11
28525	3
28526	11
28527	4
28528	4
28529	4
28530	4
28531	4
28532	4
28533	4
28534	4
28535	4
28536	4
28537	4
28538	4
28539	4
28540	4
28541	4
28542	4
28543	4
28544	4
28545	4
28546	4
28547	4
28548	4

Item No.	Page
28549	4
28550	3
28551	3
28552	3
28553	3
28554	3
28555	4
28556	4
28557	4
28558	4
28559	4
28560	4
28561	4
28562	4
28563	4
28564	4
28565	4
28566	4
28567	4
28568	4
28569	4
28571	4
28572	4
28573	4
28574	4
28575	4
28576	4
28577	4
28578	4
28579	4
28581	8
28582	8
28583	8
28587	4
28588	4
28589	9
28590	9
28591	11
28592	11
28593	9
28595	9
28596	10
28597	10
28598	10
28599	10
28611	4
28612	4
28613	4
28614	4
28616	4
28617	4
28618	4
28619	4
28620	8
28622	8
28624	8
28626	8
28627	8
28629	8
28632	8

Item No.	Page
28633	8
28637	8
28638	8
28644	8
28690	10
28724	13
28726	13
28727	13
28734	13
28736	13
28737	13
28791	12
28792	12
28801	11
28803	11
28805	11
28807	11
28809	11
28810	11
28812	11
28814	11
28816	11
28818	12
28825	11
28826	11
28827	11
28828	11
28829	11
28830	11
28882	8
28890	11
28891	6
28892	6
28893	6
28903	14
28904	14
28905	14
28906	14
28907	14
28908	14
28910	14
28911	14
28912	14
28913	14
28914	14
28915	14
28916	14
28917	14
28918	14
28919	14
28920	14
28921	14
28922	14
28923	14
28924	14
28925	14
28926	14
28927	14
28931	14
28933	14

Item No.	Page
28935	14
28937	14
28938	14
28939	14
28940	14
29205	5
29206	5
29209	5
29211	5
29212	5
29214	5
29220	5
29225	5
29230	5
29232	5
29233	5
29234	5
29236	5
29237	5
29238	5
29239	5
29241	5
29242	5
29243	5
29244	5
29245	5
29246	5
29247	5
29248	5
29249	5
29251	5
29252	5
29253	5
29254	5
29255	5
29256	5
75008	7
75012	7
75015	7
75018	7
75020	7
75025	7
75030	7
75035	7
75040	7
75105	7
75110	7
75115	7
75120	7
75307	7
75309	7
75313	7
75315	7
75320	7
75322	7
75325	7
75327	7
75330	7
75332	7
75340	7

Item No.	Page
75342	7
75350	7
75352	7
75354	7
75356	7
75358	7
75360	7
75362	7
75364	7
75366	7
75368	7
75370	7
75372	7
75703	7
75704	7
75705	7
75706	7
75707	7
75708	7
75709	7
75710	7
75715	7
75720	7
75727	7
75728	7
75729	7
75735	7
75739	7
75742	7
75743	7
75744	7
75745	7
75746	7
75747	7
75748	7
75802	7
75803	7
75810	7
75811	7
75812	7
75813	7
75814	7
75815	7
75816	7
75817	7
75820	7
75821	7
75822	7
75823	7
75824	7
75825	7
75826	7
75827	7

(800) 494-6104
fax: (800) 494-7456
email: cservice@wihatools.com

SEE OUR GREAT WEB SPECIALS!

wiha Premium Tools



Wiha Quality Tools
1348 Dundas Circle
Monticello, MN 55362
tel: 763.295.6591
fax: 763.295.6598

Wiha Tools Canada Ltd.
www.wihatools.ca
Brampton, ONT L6T 4X4
tel: 866.494.0096 or 763.295.6591
fax: 763.295.6598

To:

Catalog Item No. 99001.wo
version - 5/1/14

Subject to change without notice

©2014 Willi Hahn Corporation

®Torx is a registered trademark of Acument Intellectual Properties LLC.



99977.wo - Pliers/Crimpers Catalog



99004.wo - Shop Tools Catalog



99914.wo - TORX Catalog



99951.wo - Bits Catalog



99919.wo - Insulated Catalog



99002.wo - Screwdrivers Catalog



99934.wo - Hex Tools Catalog



99006.wo - Tech Tools Catalog



99945.wo - ESD Catalog



91330.wo - Tooling Catalog

2014

wiha
Premium Tools

Professional Quality Bits



Complete Bits Program




Terminator Impact Insert & Power Bit Sets

DESCRIPTION	Page
 Terminator Impact Bits	4-5

Standard Bits

DESCRIPTION	Page
 Torx® Insert/Power Bits	6-8
 Phillips Insert/Power Bits	14-16
 Hex Metric & Inch Insert/Power Bits	17-21
 Square Insert/Power Bits	22
 Slotted Insert/Power Bits	22-23
 Pozidriv® Insert/Power Bits	24
 Nut Setters	42-43

Specialty Bits

DESCRIPTION	Page
 Xeno Phillips Terminal Block	16
 Torx® Align Bits Insert/Power Bits	9
 Ball End Torx®	13
 Security Torx® Insert/Power Bits	10-11
 TorxPlus® Insert/Power Bits	12-13
 Security Hex	18,21
 XZN Insert Triple Square Insert Bits	26
 Tri-Wing Insert/Power Bits	25
 Torq Set Insert/Power Bits	25
 Spanner	26


Cutting Tools

DESCRIPTION	Page
 Counter Sink	26
 Drill Bit	26

High Performance Bits

DESCRIPTION	Page
 Slotted Dura Insert Bits Tungsten Carbide Coated	27
 Phillips Dura Bits Insert/Power Bits - Tungsten Carbide Coated	27
 Pozidriv® Dura Bits Insert/Power Bits - Tungsten Carbide Coated	27
 Torx® Dura Insert Bits Tungsten Carbide Coated	27
 Slotted Diamond Bits	27
 Phillips Diamond Bits Insert/Power Bits	27
 Pozidriv® Diamond Bits	27
 Torx® Diamond Bits	27
 Phillips TiN Coated Insert/Power Bits - Titanium	28
 Torx® TiN Coated - Titanium	28

Insert & Power Bit Sets

DESCRIPTION	Page
 Security Bits Collector	29
 BitFlip Sets	30
 Insert Bit Selectors	31
 XSelector/XLSelector Sets	31
 6-in-1 Multi-Bit Sets	32
 Stubby Bit Holder Sets	32
 Topra Ratchet Bit Sets	33
 Power Bit Belt Packs	33
 PokitPak Sets	33

Stainless Steel Insert & Power Bits

	DESCRIPTION	Page
	Insert Bits Slotted/Phillips/ Torx®/Hex/Pozidriv®	7, 16, 17, 23, 24
	Power Bits Phillips/Torx®/Pozidriv®	7, 16, 24

TorqueControl Insert & Micro Bit Sets



DESCRIPTION	Page
TorqueControl Bit Sets	34

ESD Safe Micro Bit Handles/Bits & Sets




DESCRIPTION	Page
Micro Bits	35-37
ESD Safe Micro Bit Sets	38

ESD 1/4” Quick Release Bit Holder Blade Set



DESCRIPTION	Page
1/4” Quick Release	39


Bit Holders

	DESCRIPTION	Page
	ESD Safe Bit Holders	39
	SoftFinish® Cushion Grip	40
	MicroFinish Non-Slip Grip	40
	3K Ergo Bit Holder	40
	T-handle	40
	SoftGrip Stubby Bit Holder	40
	Flexible Shaft Bit Holder	40
	Drive-Loc VI Bit Holder	40
	Proturn Precision	40
	Multi-Bit Holders	41

Bit Holders

DESCRIPTION	Page
 Micro Bit Power Tool Adapter	36
 ClicFix Quick Release Insert Bits	41
 CentroFix Quick Release All 1/4” Drive Tools	41
 Proturn Quick Release 1/4” Drive	41
 Stainless Steel Bit Holder	42
 Magnetic Bit Holders & Retaining Ring Bit Holder	42
 Auto Lock Insert Bit Holder	42

Bit Sockets

DESCRIPTION	Page
 Torx® 1/4” Drive	44
 Torx® 3/8” Drive	44
 Torx® 3/8” - 5/16” Bits	44
 Security Torx® 3/8”	44
 Slotted Bit Sockets 1/2” Drive	44
 Phillips Bit Socket 1/2” Drive	44
 Hex Bit Sockets 1/4” Drive	45
 Hex Bit Sockets 3/8” Drive	45
 Ball End Hex Sockets	45
 Socket Adapters	46
 Impact Bit Holding Sockets	46
 6” Bit Sockets 1/4” & 3/8” Drive	46
 Socket Sets	47-48

Wiha Terminator Hex Inch & Metric Impact Bits - Insert & Power

Up To 30X Performance Over Standard Screwdriver Bits



Dual material impact absorbing torsion zone

- Impact rated bits for long life in impact applications
- Provide up to 30 times impact performance over standard bits
- Standard 1/4" drive - No special adaptor required
- Wiha enhanced bi-material torsion zone
- Precision machined exact fit tips
- Wiha exclusive CVM tool steel
- Guaranteed to out perform impact imposters



765 Phillips Terminator Impact Bits,
1/4" Insert - 10 Bit Pack

Item No.	Size	mm	pkg.	SHOP
76501	1	29	10	
76502	2	29	10	
76503	3	29	10	

768 Phillips Terminator Impact Bits,
1/4" Insert - 2 Bit Pack

Item No.	Size	mm	pkg.	SHOP
76801	1	29	2	
76802	2	29	2	
76803	3	29	2	



765 TORX® Terminator Impact Bits,
1/4" Insert - 10 Bit Pack

Item No.	Size	mm	pkg.	SHOP
76510	T10	29	10	
76511	T15	29	10	
76512	T20	29	10	
76513	T25	29	10	
76514	T27	29	10	
76516	T30	29	10	
76517	T40	29	10	

768 TORX® Terminator Impact Bits,
1/4" Insert - 2 Bit Pack

Item No.	Size	mm	pkg.	SHOP
76810	T10	29	2	
76811	T15	29	2	
76812	T20	29	2	
76813	T25	29	2	
76814	T27	29	2	
76816	T30	29	2	
76817	T40	29	2	



765 Pozidriv® Terminator Impact Bits,
1/4" Insert - 10 Bit Pack

Item No.	Size	mm	pkg.	SHOP
76506	1	29	10	
76507	2	29	10	
76508	3	29	10	

768 Pozidriv® Terminator Impact Bits,
1/4" Insert - 2 Bit Pack

Item No.	Size	mm	pkg.	SHOP
76806	1	29	2	
76807	2	29	2	
76808	3	29	2	



765 Square Terminator Impact Bits,
1/4" Insert - 10 Bit Pack

Item No.	Size	mm	pkg.	SHOP
76538	1	29	10	
76539	2	29	10	
76540	3	29	10	

768 Square Terminator Impact Bits,
1/4" Insert - 2 Bit Pack

Item No.	Size	mm	pkg.	SHOP
76838	1	29	2	
76839	2	29	2	
76840	3	29	2	



765 Hex Inch Terminator Impact Bits,
1/4" Insert - 10 Bit Pack

Item No.	Inch	mm	pkg.	SHOP
76530	1/8	29	10	
76531	9/64	29	10	
76532	5/32	29	10	
76533	3/16	29	10	
76534	7/32	29	10	
76535	1/4	29	10	

768 Hex Inch Terminator Impact Bits,
1/4" Insert - 2 Bit Pack

Item No.	Inch	mm	pkg.	SHOP
76830	1/8	29	2	
76831	9/64	29	2	
76832	5/32	29	2	
76833	3/16	29	2	
76834	7/32	29	2	
76835	1/4	29	2	




765 Hex Metric Terminator Impact Bits,
1/4" Insert - 10 Bit Pack

Item No.	mm	mm	pkg.	SHOP
76523	3.0	29	10	
76524	4.0	29	10	
76525	5.0	29	10	
76526	6.0	29	10	

768 Hex Metric Terminator Impact Bits,
1/4" Insert - 2 Bit Pack

Item No.	mm	mm	pkg.	SHOP
76823	3.0	29	2	
76824	4.0	29	2	
76825	5.0	29	2	
76826	6.0	29	2	

1/4" Drive Insert & Power Bits



Up To 30X Performance Over Standard Screwdriver Bits

Wiha Terminator Hex Inch & Metric Impact Bits



765 Phillips Terminator Impact Bits,
1/4" Power - 10 Bit Pack

Item No.	Size	mm	pkg.
76543	1	49	10
76544	2	49	10
76545	3	49	10

768 Phillips Terminator Impact Bits,
1/4" Power - 2 Bit Pack

Item No.	Size	mm	pkg.
76843	1	49	2
76844	2	49	2
76845	3	49	2



765 Pozidriv® Terminator Impact Bits,
1/4" Power - 10 Bit Pack

Item No.	Size	mm	pkg.
76548	1	49	10
76549	2	49	10
76550	3	49	10

768 Pozidriv® Terminator Impact Bits,
1/4" Power - 2 Bit Pack

Item No.	Size	mm	pkg.
76848	1	49	2
76849	2	49	2
76850	3	49	2



765 TORX® Terminator Impact Bits,
1/4" Power - 10 Bit Pack

Item No.	Size	mm	pkg.
76553	T10	49	10
76554	T15	49	10
76555	T20	49	10
76556	T25	49	10
76557	T27	49	10
76558	T30	49	10
76559	T40	49	10

768 TORX® Terminator Impact Bits,
1/4" Power - 2 Bit Pack

Item No.	Size	mm	pkg.
76853	T10	49	2
76854	T15	49	2
76855	T20	49	2
76856	T25	49	2
76857	T27	49	2
76858	T30	49	2
76859	T40	49	2



765 Square Terminator Impact Bits,
1/4" Power - 10 Bit Pack

Item No.	Size	mm	pkg.
76578	1	49	10
76579	2	49	10
76580	3	49	10

768 Square Terminator Impact Bits,
1/4" Power - 2 Bit Pack

Item No.	Size	mm	pkg.
76878	1	49	2
76879	2	49	2
76880	3	49	2



765 Hex Inch Terminator Impact Bits,
1/4" Power - 10 Bit Pack

Item No.	Inch	mm	pkg.
76570	1/8	49	10
76571	9/64	49	10
76572	5/32	49	10
76573	3/16	49	10
76574	7/32	49	10
76575	1/4	49	10

768 Hex Inch Terminator Impact Bits,
1/4" Power - 2 Bit Pack

Item No.	Inch	mm	pkg.
76870	1/8	49	2
76871	9/64	49	2
76872	5/32	49	2
76873	3/16	49	2
76874	7/32	49	2
76875	1/4	49	2



765 Hex Metric Terminator Impact Bits,
1/4" Power - 10 Bit Pack

Item No.	mm	mm	pkg.
76563	3.0	49	10
76564	4.0	49	10
76565	5.0	49	10
76566	6.0	49	10

768 Hex Metric Terminator Impact Bits,
1/4" Power - 2 Bit Pack

Item No.	mm	mm	pkg.
76863	3.0	49	2
76864	4.0	49	2
76865	5.0	49	2
76866	6.0	49	2



Includes magnetic bit holder

76891 8 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm
76891 Set includes the following bits:
- **Phillips:** 2, 3
- **Square:** 2, 3
- **Torx®:** T20, T25, T30

Includes magnetic bit holder

76893 8 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm
76893 Set includes the following bits:
- **Hex Inch:** 5/32, 3/16, 7/32, 1/4"
- **Hex Metric:** 4, 5, 6mm

Includes magnetic bit holder

76895 8 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm
76895 Set includes the following bits:
- **Torx®:** T10, T15, T20, T25, T27, T30, T40

Includes magnetic bit holder

Power Bit Buddy Sets

76892 7 Pc. Bit Buddy Set With Terminator Impact Power Bits- 49mm
76892 Set includes the following bits:
- **Phillips:** 2, 3
- **Square:** 2, 3
- **Torx®:** T20, T25, T30

76894 7 Pc. Bit Buddy Set With Terminator Impact Power Bits - 49mm
76894 Set includes the following bits:
- **Hex Inch:** 5/32, 3/16, 7/32, 1/4"
- **Hex Metric:** 4, 5, 6mm

76896 7 Pc. Bit Buddy Set With Terminator Impact Power Bits - 49mm
76896 Set includes the following bits:
- **Torx®:** T10, T15, T20, T25, T27, T30, T40



91247 Empty Bit Buddy Case Holds Terminator Impact Insert Bits
91247 Holds 7 Impact Bits

91313 Empty Bit Buddy Case Holds Terminator Impact Power Bits
91313 Holds 7 Impact Bits

TORX® Bits

Impact resistant modified CVM, tool steel, hardened

The ideal multi-purpose bits for all around quality and performance

Made in Germany - Production Quality

Suitable for all applications for both manual and machine Hardness HRC 59-61

Highly resistant to wear and tear for a long tool life



Wiha TORX® Insert Bit



SHOP

715 TORX® Bits, 1/4"

Item No.	Size	mm	pkg.	lbs.
71523	T3	25	10	.12
71524	T4	25	10	.12
71505	T5	25	10	.12
71506	T6	25	10	.12
71507	T7	25	10	.12
71508	T8	25	10	.12
71509	T9	25	10	.12
71510	T10	25	10	.12
71515	T15	25	10	.12
71520	T20	25	10	.12
71525	T25	25	10	.12
71527	T27	25	10	.13
71530	T30	25	10	.14
71540	T40	25	10	.15

30 Piece Contractor Grade Bits

725 TORX® Insert Bit Packs, 30 Pcs., 1/4"

SHOP

Item No.	Size	mm	lbs.
72572	T7	25	.36
72573	T8	25	.36
72574	T9	25	.36
72575	T10	25	.36
72576	T15	25	.36
72577	T20	25	.36
72578	T25	25	.36
72579	T27	25	.36
72580	T30	25	.36
72581	T40	25	.36

Wiha TORX® Bit Packs



2 bit pack

SHOP

715 TORX® Insert Bit Packs, 1" CVM S2

modified tool steel.

Item No.	Size	mm	lbs.
71548	T3	25	.03
71549	T4	25	.03
71550	T5	25	.03
71551	T6	25	.03
71552	T7	25	.03
71553	T8	25	.03
71554	T9	25	.03
71555	T10	25	.03
71556	T15	25	.03
71557	T20	25	.03
71558	T25	25	.03
71559	T27	25	.04
71560	T30	25	.04
71561	T40	25	.04

Wiha TORX® Bit Packs



SHOP

71571 Torx® Insert Bit Packs, 1" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

71571 Set includes the following bits:

Torx®: T15, T20, T25, T27, T30, T40 x 1" (25mm)

wt. .08

SHOP

71570 Torx® Insert Bit Packs, 1" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc bit pack.

71570 Set includes the following bits:

Torx®: T5, T6, T7, T8, T9, T10 x 1" (25mm)

wt. .07

Wiha TORX® 5/16" Bits



SHOP

725 TORX® Bits, 5/16"

Item No.	Size	mm	pkg.	lbs.
72525	T25	35	10	.27
72527	T27	35	10	.27
72530	T30	35	10	.27
72540	T40	35	10	.28
72545	T45	35	10	.31
72550	T50	35	10	.32
72555	T55	35	10	.52

2 bit pack



5/16" Insert Bits

SHOP

725 TORX® Insert Bit Packs, 5/16"

CVM S2 modified tool steel

Item No.	Size	mm	lbs.
72531	T30	35	.28
72541	T40	35	.28
72546	T45	35	.31
72551	T50	35	.32
72556	T55	35	.52

Wiha TORX® Power Bits



745 TORX® Power Bits

1/4" Hex Drive, Length 2.0"/50mm

Item No.	Size	mm	pkg.	lbs.
74511	T6	50	10	.18
74512	T7	50	10	.18
74513	T8	50	10	.18
74517	T9	50	10	.18
74519	T10	50	10	.18
74521	T15	50	10	.18
74523	T20	50	10	.18
74529	T25	50	10	.18
74531	T27	50	10	.18
74533	T30	50	10	.18
74535	T40	50	10	.18



745 TORX® Power Bits

1/4" Hex Drive, Length 3.5"/90mm

Item No.	Size	mm	pkg.	lbs.
74563	T6	90	1	.03
74565	T7	90	1	.03
74567	T8	90	1	.03
74569	T9	90	1	.03
74571	T10	90	1	.03
74573	T15	90	1	.03
74575	T20	90	1	.04
74577	T25	90	1	.04
74579	T27	90	1	.04
74581	T30	90	1	.04
74583	T40	90	1	.04



745 TORX® Power Bits

1/4" Hex Drive, Length 6.0"/150mm

Item No.	Size	mm	pkg.	lbs.
74586	T10	150	1	.04
74587	T15	150	1	.04
74588	T20	150	1	.04
74589	T25	150	1	.04
74590	T27	150	1	.04
74591	T30	150	1	.04

2 bit pack



745 TORX® Power Bit Packs, 2"

CVM S2 modified tool steel.

Item No.	Size	mm	lbs.
74501	T6	50	.05
74502	T7	50	.05
74503	T8	50	.05
74504	T9	50	.05
74506	T10	50	.05
74508	T15	50	.05
74510	T20	50	.05
74514	T25	50	.06
74515	T27	50	.06
74516	T30	50	.06
74518	T40	50	.06



745 TORX® Power Bits. 1/4" Hex Drive, Length 2.75"/70mm

Item No.	Size	mm	pkg.	lbs.
74536	T6	70	1	.02
74538	T7	70	1	.02
74542	T8	70	1	.02
74544	T9	70	1	.02
74546	T10	70	1	.02
74548	T15	70	1	.02
74551	T20	70	1	.03
74553	T25	70	1	.03
74556	T27	70	1	.04
74558	T30	70	1	.04
74561	T40	70	1	.04

Wiha TORX® Double End Bits



744 TORX® Double End Bits

1/4" Hex Drive, Length 2.56"/65mm

Item No.	Size	Size	mm	pkg.	lbs.
74411	T6	T6	65	10	.32
74413	T7	T7	65	10	.32
74415	T8	T8	65	10	.32
74417	T9	T9	65	10	.32
74419	T10	T10	65	10	.32
74421	T15	T15	65	10	.32
74423	T20	T20	65	10	.32
74429	T25	T25	65	10	.33
74431	T27	T27	65	10	.34
74433	T30	T30	65	10	.35
74435	T40	T40	65	10	.38

2 bit pack



744 TORX® Double End Bit Pack

1/4" Hex Drive, Length 2.56"/65mm

Item No.	Size	Size	mm	pkg.	lbs.
74460	T6	T6	65	10	.32
74461	T7	T7	65	10	.32
74462	T8	T8	65	10	.32
74463	T9	T9	65	10	.32
74464	T10	T10	65	10	.32
74465	T15	T15	65	10	.32
74466	T20	T20	65	10	.32
74467	T25	T25	65	10	.33
74468	T27	T27	65	10	.34
74469	T30	T30	65	10	.35
74470	T40	T40	65	10	.38

Wiha Stainless Steel Insert Bits & Power Bits



715 Stainless Steel TORX® Bits, 1/4"

Item No.	Size	mm	pkg.
71500	T8	25	1
71501	T9	25	1
71502	T10	25	1
71503	T15	25	1
71504	T20	25	1
71511	T25	25	1
71512	T30	25	1
71513	T40	25	1



745 Stainless Steel TORX® Power Bits

1/4" Hex Drive, Length 2.0"/50mm

Item No.	Size	mm	pkg.
70411	T15	50	1
70413	T20	50	1
70414	T25	50	1
70416	T30	50	1
70417	T40	50	1

Wiha TORX® Bit Sets

BitFlip Standard



38028 TORX® BitFlip Standard — SHOP

with Wiha cushion grip handle and insulated shaft.

Set includes the following 1/4" bits:	
TORX®: T8, T10, T15, T20, T25, T27, T30, T40	lbs. .44



79242 Bit-Selector With TORX® Bits — SHOP

Set Includes Universal Magnetic 1/4" Bit Holder & The Following 10 Insert Bits:	
TORX®: T5, T6, T7, T8, T9, T10, T15, T20, T25, T30	lbs. .32

79245 Bit-Selector With TORX® Bits

Set Includes Auto Lock Magnetic 1/4" Bit Holder & The Following 10 Insert Bits:	
TORX®: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40	lbs. .34



79445 XSelector Bit Set With TORX® Bits — SHOP

Set Includes Quick Release Holder and the following 10 bits:	lbs. .29
TORX®: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40	



71195 PokitPak - TORX® Insert Bits In Molded Case - SHOP

Set includes 6 - 1/4" Insert Bits & Magnetic Bit Holder	
TORX®: T8, T10, T15, T20, T25, T30	lbs. .15



38003 TORX® Multi-Bit Screwdriver with Wiha Powerhandle — SHOP

Set includes the following 1/4" bits:	
TORX®: T5, T6, T7, T8, T9, T10	lbs. .40

38004 TORX® Multi-Bit Screwdriver with Wiha Powerhandle

Set includes the following 1/4" bits:	
TORX®: T8, T9, T10, T15, T20, T25	lbs. .40

38008 TORX® Multi-Bit Screwdriver with Wiha Powerhandle

Set includes the following 1/4" bits:	
TORX®: T10, T15, T20, T25, T30, T40	lbs. .36



38045 TORX® SoftFinish® CushionGrip Stubby Bit Holder — SHOP

with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:	
TORX®: T8, T10, T15, T20, T25, T30	lbs. .20



28295 TORX® Topra Ratchet Bit Set, 12 Pcs. — SHOP

Set Includes Topra Handle, Magnetic Bit Holder & The Following Bits:	
TORX®: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40	lbs. .65



74985 Power Bit Belt Pack With TORX® Bits — SHOP

Set includes the following 10 bits:	
TORX®: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30	lbs. .28

Wiha TORX® Align Insert Bits and Power Bits

Torx® Align
Tapered For Snug Fit In Screw

Highly resistant to wear and tear for a long tool life

Impact resistant modified chrome-vanadium-molybdenum, tool steel, hardened

Made in Germany - Production Quality

Suitable for all applications for both manual and machine Hardness HRC 59-61

TORX®



SHOP

715 TORX® Align Bits, 1/4"

Item No.	Size	mm	pkg.	lbs.
71536	T6	25	10	.12
71537	T7	25	10	.12
71538	T8	25	10	.12
71539	T9	25	10	.12
71541	T10	25	10	.12
71542	T15	25	10	.12
71543	T20	25	10	.12
71544	T25	25	10	.13
71545	T27	25	10	.13
71546	T30	25	10	.14
71547	T40	25	10	.15

(Also Known As Torx Wedge Fit)



SHOP

747 TORX® Align Bits

1/4" Hex Drive, Length 2.0"/50mm

Item No.	Size	mm	pkg.	lbs.
74711	T6	50	10	.18
74714	T7	50	10	.18
74717	T8	50	10	.18
74721	T9	50	10	.18
74724	T10	50	10	.18
74728	T15	50	10	.20
74732	T20	50	10	.22
74736	T25	50	10	.22
74739	T27	50	10	.22
74742	T30	50	10	.22

(Also Known As Torx Wedge Fit)

2 bit pack



733 TORX® Align Insert Bit Packs, 1"

CVM S2 modified tool steel

Item No.	Size	mm	lbs.
73310	T6	25	.03
73311	T7	25	.03
73312	T8	25	.03
73313	T9	25	.03
73314	T10	25	.03
73315	T15	25	.03
73316	T20	25	.03
73317	T25	25	.03
73318	T27	25	.03
73319	T30	25	.03
73320	T40	25	.04

SHOP

2 bit pack



747 TORX® Align Power Bit Packs, 2"

Item No.	Size	mm	lbs.
74760	T6	50	.05
74761	T7	50	.05
74762	T8	50	.05
74763	T9	50	.05
74764	T10	50	.05
74765	T15	50	.05
74766	T20	50	.06
74767	T25	50	.06
74768	T27	50	.06
74769	T30	50	.06

SHOP

Wiha TORX® Align Coated Insert Bits PokitPak



SHOP

79283 PokitPak - TORX® Align Coated Insert Bits In Molded Case -

Set Includes 6 - 1/4" Insert Bits

TORX® Align:

T10, T15, T20, T25, T30, T40

lbs. .12



SHOP

74981 Power Bit Belt Pack With TORX® Align Bits

Set includes the following 10 bits:

TORX® Align: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30

lbs. .28

Wiha Security TORX® Insert Bits and Power Bits

Tamper Resistant Torx®

Made in Germany - Production Quality



Impact resistant modified CVM tool steel, hardened

Highly resistant to wear and tear for a long tool life

Suitable for all applications for both manual and machine Hardness HRC 59-61

Security TORX®



SHOP

701 Security TORX® Bits, 1/4"

Item No.	Size	mm	pkg.	lbs.
70127	T7s	25	10	.12
70128	T8s	25	10	.12
70129	T9s	25	10	.12
70135	T10s	25	10	.12
70139	T15s	25	10	.12
70142	T20s	25	10	.12
70148	T25s	25	10	.12
70160	T27s	25	10	.13
70163	T30s	25	10	.13
70168	T40s	25	10	.14



5/16"

SHOP

725 Security TORX® Bits, 5/16"

Item No.	Size	mm	pkg.	lbs.
72542	T40s	35	10	.28
72547	T45s	35	10	.32
72552	T50s	35	10	.34
72557	T55s	35	10	.52



SHOP

705 Security TORX® Power Bits, 1/4" Hex Drive, Length 2.0"/50mm

Item No.	Size	mm	pkg.	lbs.
70507	T7s	50	10	.18
70508	T8s	50	10	.18
70509	T9s	50	10	.18
70510	T10s	50	10	.19
70515	T15s	50	10	.19
70520	T20s	50	10	.21
70525	T25s	50	10	.23
70527	T27s	50	10	.23
70530	T30s	50	10	.23
70540	T40s	50	10	.23
70545	T45s	50	10	.33
70550	T50s	50	10	.37
70555	T55s	50	10	.37

2 bit pack



SHOP

701 Security TORX® Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item No.	Size	mm	lbs.
70150	T7s	25	.03
70151	T8s	25	.03
70152	T9s	25	.03
70153	T10s	25	.03
70154	T15s	25	.03
70155	T20s	25	.03
70156	T25s	25	.03
70157	T27s	25	.03
70158	T30s	25	.03
70159	T40s	25	.03

2 bit pack



SHOP

725 Security TORX® Bits, 5/16" 2 Bit Pk.

Item No.	Size	mm	lbs.
72562	T40s	35	.28
72563	T45s	35	.29
72564	T50s	35	.30
72567	T55s	35	.32

2 bit pack



SHOP

705 Security TORX® Power Bit Packs, 2"

Item No.	Size	mm	lbs.
70556	T7s	50	.07
70557	T8s	50	.07
70558	T9s	50	.07
70559	T10s	50	.07
70560	T15s	50	.07
70561	T20s	50	.07
70562	T25s	50	.07
70563	T27s	50	.07
70564	T30s	50	.07
70565	T40s	50	.07
70566	T45s	50	.07
70567	T50s	50	.07
70568	T55s	50	.07

Wiha Security TORX® Insert Bits/Power Bit Sets



SHOP

79247	**Bit-Selector With Security TORX® Bits**	
	Set Includes Magnetic 1/4" Bit Holder	
	& The Following 10 Bits:	lbs.
✪	**Security TORX®:**	.32
	T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s	
70190	**Bit-Selector With Security TORX® Bits**	
	Set includes the following 7 bits:	
✪	**Security TORX®:**	lbs.
	T7s, T8s, T9s, T10s, T15s, T20s, T25s	.21



SHOP

28297	**Security TORX® Topra Ratchet Bit Set, 12 Pcs.**	
	Set Includes Topra Handle, Magnetic Bit	
	Holder & The Following Bits:	lbs.
✪	**Security TORX®:**	.65
	T7s, T8s, T9s, T10s, T15s,	
	T20s, T25s, T27s, T30s, T40s	



SHOP

38009	**Security TORX® Screwdriver** with Wiha Powerhandle	
	Set includes the following 1/4" bits:	
✪	**Security TORX®:**	lbs.
	T7s, T8s, T9s, T10s, T15s, T20s	.36
38010	**Security TORX® Screwdriver** with Wiha Powerhandle	
	Set includes the following 1/4" bits:	
✪	**Security TORX®:**	lbs.
	T10s, T15s, T20s, T25s, T30s, T40s	.41



SHOP

79447	**XSelector Bit Set With Security TORX® Bits**	
	Set Includes Quick Release Holder	lbs.
	and the following 10 bits:	.27
✪	**Security TORX®:** T7s, T8s, T9s, T10s,	
	T15s, T20s, T25s, T27s, T30s, T40s	





SHOP

38047	**Security TORX® SoftFinish® CushionGrip Stubby Bit Holder**	
	with Wiha cushion grip handle and CVM tool steel shaft.	
	Set includes the following 1/4" bits:	
✪	**Security TORX®:** T8s, T10s,	lbs.
	T15s, T20s, T25s, T30s	.20





SHOP

74987	**Power Bit Belt Pack With Security TORX® Bits**	
	Set includes the following 10 bits:	
✪	**Security TORX®:** T7s, T8s, T9s,	lbs.
	T10s, T15s, T20s, T25s, T27s, T30s, T40s	.29

Wiha TORXPlus® Insert Bits and Power Bits

TORXPlus®

Made in Germany - Production Quality

Highly resistant to wear and tear for a long tool life



Impact resistant modified chrome-vanadium-molybdenum, tool steel, hardened

Suitable for all applications for both manual and machine Hardness HRC 59-61

TORXPlus®

Security TORXPlus®



SHOP

716 TORXPlus® Insert Bits, 1/4" Hex, 1" OAL

Item No.	Size	mm	pkg.	lbs.
71603	IP3	25	10	.12
71604	IP4	25	10	.12
71605	IP5	25	10	.12
71606	IP6	25	10	.12
71607	IP7	25	10	.12
71608	IP8	25	10	.12
71609	IP9	25	10	.12
71610	IP10	25	10	.12
71615	IP15	25	10	.12
71620	IP20	25	10	.12
71625	IP25	25	10	.12
71627	IP27	25	10	.13
71630	IP30	25	10	.13
71640	IP40	25	10	.15

2 bit pack



SHOP

716 TORXPlus® Insert Bit Packs, 1"

CVM S2 modified tool steel

Item No.	Size	mm	lbs.
71631	IP3	25	.03
71632	IP4	25	.03
71633	IP5	25	.03
71634	IP6	25	.03
71635	IP7	25	.03
71636	IP8	25	.03
71637	IP9	25	.03
71638	IP10	25	.03
71639	IP15	25	.03
71641	IP20	25	.03
71642	IP25	25	.03
71643	IP27	25	.03
71644	IP30	25	.03
71645	IP40	25	.04



SHOP

746 TORXPlus® Power Bits, 1/4" Hex, 2" OAL

Item No.	Size	mm	pkg.	lbs.
74601	IP5	50	10	.18
74602	IP6	50	10	.18
74603	IP7	50	10	.18
74604	IP8	50	10	.18
74608	IP9	50	10	.18
74612	IP10	50	10	.20
74616	IP15	50	10	.20
74620	IP20	50	10	.20
74624	IP25	50	10	.20
74628	IP27	50	10	.25
74632	IP30	50	10	.25
74636	IP40	50	10	.25

2 bit pack



SHOP

746 TORXPlus® Power Bit Packs, 2"

Item No.	Size	mm	lbs.
74659	IP5	50	.05
74660	IP6	50	.05
74661	IP7	50	.05
74662	IP8	50	.05
74663	IP9	50	.05
74664	IP10	50	.05
74665	IP15	50	.05
74666	IP20	50	.05
74667	IP25	50	.05
74668	IP27	50	.05
74669	IP30	50	.05
74670	IP40	50	.05

Wiha Security TORXPlus® Insert Bit




SHOP

716 Security TORXPlus® Insert Bits, 1/4" Hex, 1" OAL

Item No.	Size	mm	pkg.	lbs.
71648	IPR8	25	1	.11
71650	IPR10	25	1	.11
71652	IPR15	25	1	.11
71654	IPR20	25	1	.12
71656	IPR25	25	1	.13
71657	IPR27	25	1	.13
71658	IPR30	25	1	.14
71660	IPR40	35	1	.14

Torx® Profiles



Wiha TORXPlus® Insert Bit Selectors



SHOP

71690	**Bit-Selector With TORXPlus® Bits**	
	Set Includes Magnetic 1/4" Bit Holder	lbs.
	& The Following 10 Bits:	
	TORXPlus®:	.31
	IP7, IP8, IP9, IP10, IP15, IP20, IP25	
	IP27, IP30, IP40	
71692	**Bit-Selector With TORXPlus® Bits**	
	Set Includes Magnetic 1/4" Bit Holder	lbs.
	& The Following 10 Bits:	
	TORXPlus®:	.31
	IP3, IP4, IP5, IP6, IP7, IP8, IP9,	
	IP10, IP15, IP20	





SHOP

74982	**Power Bit Belt Pack With TORXPlus® Bits**	
	Set includes the following 10 bits:	lbs.
	TORXPlus®: IP6, IP7, IP8, IP9,	
	IP10, IP15, IP20, IP25, IP27, IP30	.28

Wiha Insert Security TORXPlus® XSelector



SHOP

79450	**XSelector Bit Set With Security TORXPlus® Bits**	
	Set Includes Quick Release Holder	lbs.
	and the following 7 bits:	.18
	TORXPlus®: IPR8, IPR10, IPR15,	
	IPR20, IPR25, IPR27, IPR30	

Wiha Ball End TORX® Bits





SHOP

745 Ball End TORX® Bits.
1/4" Hex Drive, Length 2.0"/50mm

Item No.	Size	mm	pkg.	lbs.
74524	T9	50	10	.18
74526	T10	50	10	.18
74528	T15	50	10	.18
74532	T20	50	10	.18
74534	T25	50	10	.18
74537	T27	50	10	.18
74539	T30	50	10	.18
74541	T40	50	10	.18

2 bit pack



SHOP

745 Ball End TORX® Power Bit Packs, 1"

Item No.	Size	mm	lbs.
74505	T9	50	.05
74520	T10	50	.05
74522	T15	50	.05
74543	T20	50	.05
74545	T25	50	.06
74547	T27	50	.06
74549	T30	50	.08
74550	T40	50	.08

Wiha TORX® MagicSpring Screw Holding Power Bits

Screw Holding TORX Bits

2 bit pack





Stainless rotary spring

SHOP

745 TORX® MagicSpring Screw Holding Power Bits, 1/4" Hex Drive, Length 2.0"/50mm

Item No.	Size	mm	pkg.	lbs.
74552	T10	50	2	.05
74554	T15	50	2	.05
74555	T20	50	2	.05
74557	T25	50	2	.05
74562	T30	50	2	.05
74564	T40	50	2	.05

Phillips Bits

Wiha Phillips Insert Bits



SHOP


711	Phillips Insert Bits, 1/4"			
Item				
No.	Size	mm	pkg.	lbs.
71100	0	25	10	.10
71101	1	25	10	.11
71102	2	25	10	.11
71103	3	25	10	.11

711	Phillips Insert Bit Bulk Packs, 1/4"			
No.	Size	mm	pkg.	lbs.
71125	2	25	25 pc	.29
71150	2	25	50 pc	.60
71199	2	25	100 pc	1.16

725	Phillips Insert Contractor Grade, 1/4"			
No.	Size	mm	pkg.	lbs.
72519	0	25	30 pc	.85
72521	1	25	30 pc	.85
72522	2	25	30 pc	.85
72523	3	25	30 pc	.85

The ideal multi-purpose bits for all around quality & performance

Made in Germany - Production Quality



Suitable for all applications for both manual and machine Hardness HRC 59-61

Impact resistant modified CVM, tool steel, hardened

Highly resistant to wear and tear for a long tool life

Phillips

High grade CVM steel, hardened torsion zone to prevent uneven torque distribution DIN 3126 ISO 1173 with anti-camout ribs

Wiha Phillips Insert Bit Packs

2 bit pack



SHOP

711 Phillips Insert Bit Packs, 1"

CVM S2 modified tool steel

Item			
No.	Size	mm	lbs.
71149	0	25	.03
71151	1	25	.03
71152	2	25	.03
71153	3	25	.04



SHOP

71154 Phillips Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

71154 Set includes the following bits:

Phillips:

wt. .04 1, 2, 3 x 1" (25mm)



SHOP

71155 Phillips Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

71155 Set includes the following bits:

Phillips:

wt. .08 6 pieces 2 x 1" (25mm)



SHOP

71056 Slotted/Phillips Insert Bit Packs, 1"

CVM S2 modified tool steel. Extra hard with natural finish, exact fit machined tips. 6 pc. bit pk.

71056 Set includes the following bits:

Slotted:

4.5, 5.5, 6.5 x 1" (25mm)

Phillips: lbs.

1, 2, 3 x 1" (25mm) .08

Wiha Insert Bit Sets



SHOP

71198 PokitPak - Slotted & Phillips Insert Bits In Molded Case -

Set Includes 6 - 1/4" Insert Bits & Magnetic Bit Holder

lbs.

.15

Slotted: 4.5, 6.5mm

Phillips: 0, 1, 2, 3

Wiha Phillips 5/16” Insert Bits



2 bit pack

SHOP

721 Phillips Insert Bit Packs, 1”

CVM S2 modified tool steel. 5/16” Hex Drive.

Item No.	Size	mm	lbs.
72102	2	32	.05
72103	3	32	.06
72104	4	32	.07

Wiha Phillips ACR Insert Bits



SHOP

711 Phillips ACR Insert Bits, 1/4”

Item No.	Size	mm	pkg.	lbs.
71126	1	25	10	.11
71127	2	25	10	.11
71128	3	25	10	.11

Wiha Phillips Long Insert Bits



SHOP

711 Phillips Long Insert Bits. 1/4” Hex Drive, Length 2.0”/50mm

Item No.	Size	mm	pkg.	lbs.
71105	1	50	10	.25
71106	2	50	10	.25
71107	3	50	10	.27



2 bit pack

SHOP

711 Phillips Long Insert Bit Packs, 2”

CVM S2 modified tool steel

Item No.	Size	mm	lbs.
71165	1	50	.06
71166	2	50	.06
71167	3	50	.06

Wiha Phillips Power Bits



741 Phillips Power Bits

1/4” Hex Drive, Length 2.0”/50mm

Item No.	Size	mm	pkg.	lbs.
74103	1	50	10	.24
74112	2	50	10	.25
74124	3	50	10	.26

SHOP



741 Phillips Power Bits

1/4” Hex Drive, Length 3.5”/90mm

Item No.	Size	mm	pkg.	lbs.
74109	1	90	1	.34
74118	2	90	1	.47
74130	3	90	1	.53

SHOP



2 bit pack

741 Phillips Power Bit Packs, 2”

CVM S2 modified tool steel.

Item No.	Size	mm	lbs.
74164	1	50	.06
74165	2	50	.06
74166	3	50	.06

SHOP



741 Phillips Power Bits

1/4” Hex Drive, Length 4.33”/110mm

Item No.	Size	mm	pkg.	lbs.
74111	1	110	1	.40
74121	2	110	1	.56
74131	3	110	1	.65

SHOP



74150 Phillips Power Bit Packs, 2” CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

74150 Set includes the following bits:

Phillips Sizes:

wt. .09 1, 2, 3 x 2” (50mm)

SHOP



741 Phillips Power Bits

1/4” Hex Drive, Length 127mm/5”

Item No.	Size	mm	pkg.	lbs.
74113	1	127	1	.04
74123	2	127	1	.06
74133	3	127	1	.07

SHOP



741 Phillips Power Bits. 1/4” Hex Drive, Length 2.75”/70mm

Item No.	Size	mm	pkg.	lbs.
74167	00	70	1	.29
74168	0	70	1	.29
74106	1	70	1	.29
74115	2	70	1	.37
74127	3	70	1	.41

SHOP



741 Phillips Power Bits

1/4” Hex Drive, Length 150mm/5.9”

Item No.	Size	mm	pkg.	lbs.
74116	1	150	1	.05
74126	2	150	1	.07
74136	3	150	1	.09

SHOP

Wiha Phillips Power Bit Packs



714 Phillips Double End Bits
1/4" Hex Drive, Length 2.36"/60mm

Item No.	Size	Size	mm	pkg.	lbs.
71404	1 x	1	60	10	.31
71414	2 x	2	60	10	.31
71424	3 x	3	60	10	.32

SHOP



2 bit pack

714 Phillips Double End
Power Bit Packs, 60mm OAL

Item No.	Size	Size	mm	lbs.
71464	1 +	1	60	.07
71465	2 +	2	60	.07
71466	3 +	3	60	.07

SHOP

Terminal Block Xeno Bits





743 Slotted & Phillips Double End Bits. 1/4" Hex Drive, Length 2.36"/60mm

Item No.	mm	Size	mm	pkg.	lbs.
74303	4.5 x	1	60	10	.22
74306	5.5 x	2	60	10	.30
74309	7.0 x	3	60	10	.30

SHOP



2 bit pack

743 Slotted/Phillips Double End Power Bit Packs, 60mm OAL

Item No.	mm	Size	mm	lbs.
74304	4.5 +	1	60	.07
74308	5.5 +	2	60	.07
74310	7.0 +	3	60	.07

SHOP



714 Xeno Combination Terminal Block
Power Bits. 1/4" Hex Drive, OAL 2.0"/50mm

Item No.	Size	mm	pkg.	lbs.
71452	1	50	10	.24
71453	2	50	10	.25

SHOP



2 bit pack

714 Xeno Combination Terminal Block
Power Bit Packs, 2" CVM S2 modified tool steel

Item No.	Size	mm	lbs.
71455	1	50	.06
71456	2	50	.06

SHOP

Wiha Stainless Steel Phillips Insert Bits & Power Bits



711 Stainless Steel Phillips Insert Bits, 1/4"

Item No.	Size	mm	pkg.
71133	1	25	1
71134	2	25	1
71135	3	25	1

SHOP



704 Stainless Steel Phillips Power Bits, 1/4"

Item No.	Size	mm	pkg.
70401	1	50	1
70402	2	50	1
70405	3	50	1


SHOP

Hex Bits

The ideal multi-purpose bits for all around quality & performance

Made in Germany - Production Quality

Impact resistant modified CVM, tool steel, hardened



Suitable for all applications for both manual and machine Hardness HRC 59-61

Highly resistant to wear and tear for a long tool life

Hex

Security Hex

Wiha Hex Inch & Metric Insert Bits



SHOP

713 Hex Inch Insert Bits, 1/4"

Item No.	Inch	mm	pkg.	lbs.
71329	.050	25	10	.12
71326	1/16	25	10	.12
71328	5/64	25	10	.12
71330	3/32	25	10	.12
71333	7/64	25	10	.12
71336	1/8	25	10	.12
71339	9/64	25	10	.12
71342	5/32	25	10	.12
71345	3/16	25	10	.13
71348	7/32	25	10	.13
71351	1/4	25	10	.13
71353	5/16	25	10	.20
71356	3/8	25	10	.25



SHOP

713 Hex Metric Insert Bits, 1/4"

Item No.	mm	mm	pkg.	lbs.
71303	1.5	25	10	.12
71306	2.0	25	10	.12
71308	2.5	25	10	.12
71309	3.0	25	10	.12
71312	4.0	25	10	.12
71315	5.0	25	10	.14
71318	6.0	25	10	.14
71321	8.0	25	10	.20
71324	10.0	25	10	.27

725 Hex Metric Insert Contractor Grade, 1/4"

Item No.	Size	mm	pkg.	lbs.
72582	2.0	25	30 pc	.85
72583	2.5	25	30 pc	.85
72584	3.0	25	30 pc	.85
72585	4.0	25	30 pc	.85
72586	5.0	25	30 pc	.85
72587	6.0	25	30 pc	.85

2 bit pack



SHOP

713 Hex Inch Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item No.	Inch	mm	lbs.
71359	.050	25	.03
71360	1/16	25	.03
71361	5/64	25	.03
71362	3/32	25	.03
71363	7/64	25	.03
71364	1/8	25	.03
71365	9/64	25	.03
71366	5/32	25	.04
71367	3/16	25	.04
71368	7/32	25	.04
71369	1/4	25	.04
71373	5/16	25	.05
71387	3/8	25	.06

733 Hex Metric Insert Bit Packs, 1"

CVM S2 modified tool steel.

SHOP

Item No.	mm	mm	lbs.
73301	1.5	25	.03
73302	2.0	25	.03
73303	2.5	25	.03
73304	3.0	25	.03
73305	4.0	25	.03
73306	5.0	25	.03
73307	6.0	25	.04
73308	8.0	25	.05
73309	10.0	25	.06



SHOP

71396 Hex Inch Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

71396 Set includes the following bits:

Hex Inch:

1/16, 3/32, 1/8, 5/32

wt. .13 3/16, 1/4" x 1" (25mm)

SHOP

71397 Hex Metric Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

71397 Set includes the following bits:

Hex Metric:

wt. .21 2.0, 2.5, 3.0, 4.0, 5.0, 6.0

Hex Metric Long Insert Bit On 5/16"



SHOP

72388 Hex Metric Bit On 5/16" Stock

Item No.	mm	mm	pkg.	lbs.
72388	12.0	75	10	.14

Wiha Stainless Steel Hex Metric Insert Bits



SHOP

701 Stainless Steel Hex MM Insert Bits, 1/4"

Item No.	mm	mm	pkg.
70170	1.5	25	1
70171	2.0	25	1
70172	2.5	25	1
70173	3.0	25	1
70174	4.0	25	1
70175	5.0	25	1
70176	6.0	25	1

Wiha Hex Inch & Metric Power Bits



743 Hex Inch Power Bits. 1/4" Hex Drive, Length 2.0"/50mm

Item No.	Inch	mm	pkg.	lbs.
74311	3/32	50	10	.30
74312	7/64	50	10	.30
74313	1/8	50	10	.30
74314	9/64	50	10	.30
74315	5/32	50	10	.30
74316	3/16	50	10	.30
74317	7/32	50	10	.30
74318	1/4	50	10	.30



743 Hex Metric Power Bits. 1/4" Hex Drive, Length 2.0"/50mm

Item No.	mm	mm	pkg.	lbs.
74325	2.5	50	10	.25
74330	3.0	50	10	.25
74340	4.0	50	10	.25
74350	5.0	50	10	.25
74360	6.0	50	10	.25
74380	8.0	50	10	.38

2 bit pack



743 Hex Inch Power Bit Packs, 2"

Item No.	Inch	mm	lbs.
74381	3/32	50	.07
74382	7/64	50	.07
74383	1/8	50	.07
74384	9/64	50	.07
74385	5/32	50	.07
74386	3/16	50	.07
74387	7/32	50	.07
74388	1/4	50	.07

2 bit pack



743 Hex Metric Power Bit Packs, 2"

Item No.	mm	mm	lbs.
74361	2.5	50	.07
74362	3.0	50	.07
74363	4.0	50	.07
74364	5.0	50	.07
74365	6.0	50	.07
74366	8.0	50	.09



743 Hex Inch Power Bits
1/4" Hex Drive, Length 2.75"/70mm

Item No.	Inch	mm	pkg.	lbs.
74341	5/64	70	1	.36
74342	3/32	70	1	.36
74343	7/64	70	1	.36
74344	1/8	70	1	.36
74345	9/64	70	1	.36
74346	5/32	70	1	.36
74347	3/16	70	1	.36
74348	7/32	70	1	.36
74349	1/4	70	1	.36

743 Hex Metric Power Bits
1/4" Hex Drive, Length 2.75"/70mm

Item No.	mm	mm	pkg.	lbs.
74351	2.0	70	1	.36
74352	2.5	70	1	.36
74353	3.0	70	1	.36
74354	4.0	70	1	.36
74355	5.0	70	1	.36
74356	6.0	70	1	.36
74357	8.0	70	1	.36

Wiha Security Hex Insert Bits



719 Security Hex In Insert Bits, 1/4"

Item No.	Inch	mm	pkg.	lbs.
71930	5/64	25	10	.12
71932	3/32	25	10	.12
71934	7/64	25	10	.12
71936	1/8	25	10	.12
71938	9/64	25	10	.12
71940	5/32	25	10	.12
71955	3/16	25	10	.13
71956	7/32	25	10	.14
71960	1/4	25	10	.15

719 Security Hex Metric Insert Bits, 1/4"

Item No.	mm	mm	pkg.	lbs.
71939	2.0	25	10	.12
71941	2.5	25	10	.12
71942	3.0	25	10	.12
71943	4.0	25	10	.12
71944	5.0	25	10	.15
71945	6.0	25	10	.15
71946	8.0	25	10	.20

2 bit pack



719 Security Hex Inch Insert Bit Packs, 1"
CVM S2 modified tool steel.

Item No.	Inch	mm	lbs.
71970	5/64	25	.03
71971	3/32	25	.03
71972	7/64	25	.03
71973	1/8	25	.03
71974	9/64	25	.03
71975	5/32	25	.03
71976	3/16	25	.04
71977	7/32	25	.04
71978	1/4	25	.04

2 bit pack



719 Security Hex Metric Insert Bit Packs, 1" CVM S2 modified tool steel.

Item No.	mm	mm	lbs.
71979	2.0	25	.03
71980	2.5	25	.03
71981	3.0	25	.03
71982	4.0	25	.03
71983	5.0	25	.04
71984	6.0	25	.04
71985	8.0	25	.05

Wiha Ball End Hex Inch Insert Bits



SHOP

717 Ball End Hex Inch Insert Bits, 1/4”

Item No.	Inch	mm	pkg.	lbs.
71701	3/32	25	10	.12
71702	7/64	25	10	.12
71703	1/8	25	10	.12
71704	9/64	25	10	.12
71705	5/32	25	10	.12
71706	3/16	25	10	.13
71707	7/32	25	10	.13
71708	1/4	25	10	.13

2 bit pack



SHOP

717 Ball End Hex Inch Insert Bit Packs, 1”

Item No.	Inch	mm	lbs.
71711	3/32	25	.03
71712	7/64	25	.03
71713	1/8	25	.03
71714	9/64	25	.03
71715	5/32	25	.04
71716	3/16	25	.04
71717	7/32	25	.04
71718	1/4	25	.04

Ball End Hex Metric Power Bits

2 pc. bit pack!



SHOP

717 Ball End Hex Metric Insert Bits
1/4” Hex Drive, Length 1.5”/38mm

Item No.	mm	mm	pkg.
71719	1.5	38	1
71720	2.0	38	1
71721	2.5	38	1
71722	3.0	38	1
71723	4.0	38	1
71724	5.0	38	1
71725	6.0	38	1

Wiha MagicRing Insert Bits

Screw Holding Hex Bits



Spring steel retaining ring



SHOP

713 MagicRing Metric Insert Bits, 1/4”

Item No.	mm	mm	pkg.	lbs.
71304	3.0	25	1	.01
71307	4.0	25	1	.01
71310	5.0	25	1	.01
71311	6.0	25	1	.01



SHOP

713 MagicRing Inch Insert Bits, 1/4”

Item No.	Inch	mm	pkg.	lbs.
71343	1/8	25	1	.01
71346	9/64	25	1	.01
71349	5/32	25	1	.01
71352	3/16	25	1	.01
71354	7/32	25	1	.01
71358	1/4	25	1	.01



Spring steel retaining ring



743 MagicRing Metric Power Bits, 1/4”

Item No.	mm	mm	pkg.	lbs.
74301	3.0	50	1	.02
74305	4.0	50	1	.02
74307	5.0	50	1	.03
74319	6.0	50	1	.03

SHOP



743 MagicRing Inch Power Bits, 1/4”

Item No.	mm	mm	pkg.	lbs.
74369	1/8	50	1	.02
74371	9/64	50	1	.02
74373	5/32	50	1	.02
74375	3/16	50	1	.03
74377	7/32	50	1	.03
74379	1/4	50	1	.03

SHOP

1/4” Ball End MagicRing Bits

Screw Holding Hex Bits





717 MagicRing Metric Power Ball End Bits

Item No.	mm	mm	pkg.	lbs.
71730	3.0	50	1	.02
71740	4.0	50	1	.02
71750	5.0	50	1	.03
71760	6.0	50	1	.03

SHOP

Screw Holding Hex Bits



717 MagicRing Inch Power Ball End Bits

Item No.	mm	mm	pkg.	lbs.
71726	1/8	50	1	.02
71728	9/64	50	1	.02
71732	5/32	50	1	.02
71734	3/16	50	1	.03
71736	7/32	50	1	.03
71738	1/4	50	1	.03

SHOP

Screw Holding Hex Bits



Wiha Hex Inch & Metric Bit Sets



SHOP

79246	Bit-Selector With Hex Inch Bits	
	Set Includes Magnetic 1/4" Bit Holder	
	& The Following 10 Bits:	lbs.
⬣	**Hex Inch:** 1/16, 5/64, 3/32, 7/64,	.32
	1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	

79256	Bit-Selector With Hex Metric Bits	
	Set Includes Magnetic 1/4" Bit Holder	
	& The Following 8 Bits:	lbs.
⬣	**Hex Metric:** 1.5, 2.0, 2.5, 3.0,	.30
	4.0, 5.0, 6.0, 8.0mm	



SHOP

79446	XSelector Bit Set With Hex Inch Bits	
	Set Includes Quick Release Holder	lbs.
	and the following 10 bits:	.27
⬣	**Hex Inch:** 1/16, 5/64, 3/32, 7/64,	
	1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	





SHOP


38058	Hex Inch SoftFinish® CushionGrip Stubby Bit Holder	
	with Wiha cushion grip handle and CVM tool steel shaft.	
	Set includes the following 1/4" bits:	
⬣	**Hex Inch:** 3/16, 5/32, 9/64,	lbs.
	1/8, 7/64, 3/32"	.21






SHOP

38057	Hex Metric SoftFinish® CushionGrip Stubby Bit Holder	
	with Wiha cushion grip handle and CVM tool steel shaft.	
	Set includes the following 1/4" bits:	
⬣	**Hex Metric:** 2.0, 2.5, 3.0,	lbs.
	4.0, 5.0, 6.0mm	.21



SHOP


28298	Hex Inch Topra Ratchet Bit Set, 12 Pc.	
	Set includes Topra Handle, Magnetic bit	
	holder and the following bits:	lbs.
⬣	**Hex Inch:**	.65
	1/16, 5/64, 3/32, 7/64, 1/8,	
	9/64, 5/32, 3/16, 7/32, 1/4"	



SHOP

28299	Hex Metric Topra Ratchet Bit Set, 10 Pc.	
	Set includes Topra Handle, Magnetic bit	
	holder and the following bits:	lbs.
⬣	**Hex Metric:**	.65
	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm	





SHOP

74986	Power Bit Belt Pack With Inch & Metric Hex Bits	
	Set includes the following 10 bits:	
⬣	**Inch:** 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	lbs.
⬣	**Metric:** 3.0, 4.0, 5.0, 6.0mm	.34

Wiha Security Hex Inch & Metric Bit Sets



SHOP

79266 Bit-Selector With Security Hex Inch Bits

Set Includes Magnetic 1/4" ClicFix Bit	
Holder & The Following 9 Bits:	lbs.
Security Hex Inch: 5/64, 3/32, 7/64,	.31
1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	



SHOP

38014 Security Hex Inch Multi-Bit Screwdriver, 6 Pc. Set

With Wiha Powerhandle & CVM steel, hardened shaft.

Set includes the following 1/4" bits:	
Security Hex: 3/32, 1/8, 5/32, 3/16, 7/32"	lbs. .39



SHOP

71998 PokitPak - Security Hex Inch Insert Bits In Molded Case -

Set includes 6 - 1/4" Insert Bits	
Inch Security Hex:	lbs.
3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	.12



SHOP

71995 PokitPak - Security Hex Metric Insert Bits In Molded Case

Set Includes 6 - 1/4" Insert Bits	
Metric: 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm	lbs. .21

Wiha Ball End Hex Inch & Metric Bit Sets



SHOP

79276 Bit-Selector With Ball End Hex Inch Bits

Set Includes Magnetic 1/4" Bit Holder	
& The Following 8 Bits:	lbs.
Ball End Hex Inch: 3/32, 7/64, 1/8,	.30
9/64, 5/32, 3/16, 7/32, 1/4"	



38056 Ball End Hex SoftFinish® CushionGrip Stubby Bit Holder

with Wiha cushion grip handle and CVM tool steel shaft.

SHOP

Set includes the following 1/4" bits:	
Ball Hex: 1/8, 9/64, 5/32,	lbs.
3/16, 7/32, 1/4"	.21

Wiha MagicRing Hex Inch & Metric Bit Sets



SHOP

71399 Bit-Selector With Metric & Inch MagicRing Insert 1/4" Bits

Set Includes Magnetic 1/4" Bit Holder	
& The Following 10 Bits:	lbs.
No Ball End	.46
Hex Metric: 3.0, 4.0, 5.0, 6.0mm	
Hex Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	



SHOP

74989 Power Bit Belt Pack With Screw Holding Hex MagicRing Bits

Set includes the following 10 bits:	
Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	lbs.
Metric: 3.0, 4.0, 5.0, 6.0mm	.34

74999 Power Bit Belt Pack With Ball End Screw Holding Hex Bits

Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	lbs.
Metric: 3.0, 4.0, 5.0, 6.0mm	.37

Square Insert & Power Bits

Square Bits

The ideal multi-purpose tools to meet production requirements for both quality & performance

Highly resistant to wear and tear for a long tool life



Impact resistant modified CVM, tool steel, hardened

Suitable for all applications for both manual and machine Hardness HRC 59-61

Square



SHOP

718 Square Insert Bits, 1/4"

Item No.	Size	mm	pkg.	lbs.
71801	1	25	10	.11
71802	2	25	10	.11
71803	3	25	10	.11

2 bit pack



SHOP

718 Square Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item No.	Size	mm	lbs.
71851	1	25	.03
71852	2	25	.03
71853	3	25	.03

2 bit pack



SHOP

71854 Square Insert Bit Packs, 1" CVM

S2 modified tool steel. 3 pc. bit pack

71854 Set includes the following bits:

Square:

wt. .04 1, 2, 3 x 1" (25mm)



748 Square Power Bits. 1/4" Hex Drive, Length 2.0"/50mm

Item No.	Size	mm	pkg.	lbs.
74813	1	50	10	.20
74816	2	50	10	.20
74819	3	50	10	.20

SHOP

2 bit pack



748 Square Power Bit Packs, 2"

CVM S2 modified tool steel.

Item No.	Size	mm	lbs.
74860	1	50	.05
74861	2	50	.05
74862	3	50	.05

SHOP



SHOP

74890 Square Power Bit Packs, 2" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

74890 Set includes the following bits:

Square:

wt. .08 1, 2, 3 x 2.0" (50mm)



SHOP

74895 Square Power Bit Packs, 2.0" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

74895 Set includes the following bits:

Square: 2 of each sizes

wt. 1.2 1, 2, 3 x 2.0" (50mm)

Slotted Bits

The ideal multi-purpose bits for all around quality & performance

Made in Germany - Production Quality

Highly resistant to wear and tear for a long tool life



Impact resistant modified CVM, tool steel, hardened

Suitable for all applications for both manual and machine Hardness HRC 59-61

Wiha Slotted Insert Bits & Power Bits

Slotted



SHOP

710 Slotted Insert Bits, 1/4" Hex Drive, Length 25mm/.984"

Item No.	mm	Inch	mm	Inch	pkg.
71001	4.5	.177	0.6	.024	10
71004	5.5	.216	0.8	.030	10
71002	6.5	.255	1.2	.039	10
71003	8.0	.315	1.6	.063	10



SHOP

740 Slotted Power Bits. 1/4" Hex Drive, Length 2.0"/50mm 10pk. weight .20 lbs.

Item No.	mm	Inch	mm	Inch	pkg.
74003	3.0	.118	0.5	.020	10
74006	3.5	.139	0.6	.024	10
74009	4.0	.157	0.5	.020	10
74010	4.0	.157	0.8	.030	10
74012	4.5	.177	0.6	.024	10
74015	5.5	.216	0.8	.032	10
74018	6.5	.255	1.2	.039	10
74021	8.0	.315	1.2	.039	10
74023	8.0	.315	1.6	.063	10

Wiha Slotted Insert & Power Bits



SHOP

720 Slotted Insert Bits. 5/16" Hex Drive, Length 41mm

Item No.	mm	Inch	mm	pkg.	lbs.
72048	6.5	.255	1.2	10	.27
72049	8.0	.315	1.6	10	.31
72050	10.0	.393	1.6	10	.46
72051	12.0	.472	2.0	10	.56

2 bit pack

SHOP

720 Slotted Insert Bit Packs, 1"

CVM S2 modified tool steel. 5/16" Hex Drive.

Item No.	mm	mm	Inch	mm	lbs.
72025	1.2	6.5	.255	41	.06
72031	1.6	8.0	.315	41	.08
72039	1.6	10.0	.393	41	.10
72047	2.0	12.0	.472	41	.12

2 pc. bit pack!



SHOP

710 Slotted Insert Bits. 1/4" Hex Drive, Length 1.54"/39mm 2 pc. Bit pack.

Item No.	mm	Inch	mm	Inch	pkg.
71030	3.0	.118	0.5	.020	2
71031	3.5	.139	0.6	.024	2
71032	4.0	.157	0.8	.031	2
71033	4.5	.177	0.6	.024	2
71034	5.5	.216	1.0	.039	2
71035	6.5	.255	1.2	.047	2
71036	8.0	.315	1.6	.063	2



SHOP

740 Slotted Power Bits, 1/4" Hex Drive, Length 2.75"/70mm

Item No.	mm	Inch	mm	Inch	pkg.
74033	2.5	.098	0.4	.015	1
74034	3.0	.118	0.5	.020	1
74035	3.5	.139	0.6	.024	1
74036	4.0	.157	0.8	.020	1
74039	5.5	.216	1.0	.032	1
74041	6.5	.255	1.2	.039	1



SHOP

743 Slotted and Phillips Double End Bits, 1/4" Hex Drive, Length 2.36"/60mm

Item No.	mm	Size	mm	pkg.	lbs.
74303	4.5	x 1	60	10	.22
74306	5.5	x 2	60	10	.30
74309	7.0	x 3	60	10	.30

2 bit pack



SHOP

710 Slotted Insert Bit Packs, 1" CVM S2 modified tool steel.

Item No.	mm	mm	Inch	mm	lbs.
71051	0.6	4.5	.177	25	.03
71052	0.8	5.5	.216	25	.03
71053	1.2	6.5	.255	25	.03
71054	1.6	8.0	.315	25	.03



SHOP

71055 Slotted Insert Bit Packs, 1" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

71055 Set includes the following bits:

Slotted:

wt. .04 5.5, 6.5, 8.0 x 1" (25mm)

30 Piece Contractor Grade Bits

725 Slotted Insert Contractor Grade, 1/4"

Item No.	Size	mm	pkg.	lbs.
72534	4.5	25	30 pc	.85
72535	5.5	25	30 pc	.85
72536	6.0	25	30 pc	.85



SHOP

74050 Slotted Power Bit Packs, 2" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

74050 Set includes the following bits:

Slotted:

wt. .08 4.5, 5.5, 6.5 x 2" (50mm)

2 bit pack



740 Slotted Power Bit Packs, 2"

CVM S2 modified tool steel.

SHOP

Item No.	mm	mm	lbs.
74061	3.0	50	.05
74062	3.5	50	.05
74063	4.0	50	.05
74064	4.0	50	.05
74065	4.5	50	.05
74066	5.5	50	.05
74067	6.5	50	.06
74068	8.0	50	.08
74069	8.0	50	.08

1/4" Stainless Steel Insert Bits



SHOP

701 Stainless Steel Slotted Insert Bits, 1/4" Hex Drive, Length 25mm/.984"

Item No.	mm	Inch	mm	Inch	pkg.
70130	4.5	.177	0.6	.024	1
70131	5.5	.216	0.8	.030	1
70132	6.5	.255	1.2	.039	1
70133	8.0	.315	1.6	.063	1

Pozidriv® Bits

The ideal multi-purpose tools to meet production requirements for both quality and performance

Impact resistant modified CVM, tool steel, hardened



Suitable for all applications for both manual and machine Hardness HRC 59-61

Pozidriv®



742 **Pozidriv® Power Bits. 1/4" Hex Drive, Length 2.0"/50mm**

Item No.	Size	mm	pkg.	lbs.
74203	1	50	10	.24
74212	2	50	10	.25
74221	3	50	10	.26

SHOP

PoziDriv® Insert & Power Bits



SHOP

712 **Pozidriv® Insert Bits, 1/4"**

Item No.	Size	mm	pkg.	lbs.
71200	0	25	10	.10
71201	1	25	10	.10
71202	2	25	10	.10
71203	3	25	10	.10



742 **Pozidriv® Power Bits. 1/4" Hex Drive, Length 3.5"/90mm**

Item No.	Size	mm	pkg.	lbs.
74207	1	90	10	.34
74216	2	90	10	.46
74225	3	90	10	.53

SHOP



2 bit pack

SHOP

742 **Pozidriv® Power Bit Packs, 2"**

CVM S2 modified tool steel.

Item No.	Size	mm	lbs.
74261	1	50	.06
74262	2	50	.06
74263	3	50	.07



2 bit pack

SHOP

712 **Pozidriv® Insert Bit Packs, 1"**

CVM S2 modified tool steel.

Item No.	Size	mm	lbs.
71250	0	25	.03
71251	1	25	.03
71252	2	25	.03
71253	3	25	.04



742 **Pozidriv® Power Bits. 1/4" Hex Drive, Length 2.75"/70mm**

Item No.	Size	mm	pkg.
74201	0	70	1
74205	1	70	1
74214	2	70	1

SHOP



SHOP

71254 **Pozidriv® Insert Bit Packs, 1"** CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

71254 Set includes the following bits:

wt. .04	Pozidriv®: 1, 2, 3 x 1" (25mm)

Wiha Stainless Steel Pozidriv® Insert & Power Bits



SHOP

712 **Stainless Steel Pozidriv® Insert Bits, 1/4"**

Item No.	Size	mm	pkg.
71241	1	25	1
71242	2	25	1
71243	3	25	1



SHOP

704 **Stainless Steel Pozidriv® Power Bits. 1/4" Hex Drive, Length 2.0"/50mm**

Item No.	Size	mm	pkg.
70407	1	50	1
70408	2	50	1
70410	3	50	1

Specialty Bits

Highly resistant to wear and tear for a long tool life



Suitable for all applications for both manual and machine Hardness HRC 59-61

Tri-Wing Bits



SHOP

719 Triwing Insert Bits, 1/4"/25mm

Item No.	Size	mm	pkg.	lbs.
71900	0	25	10	.10
71901	1	25	10	.10
71902	2	25	10	.10
71903	3	25	10	.10
71904	4	25	10	.13
71905	5	25	10	.13



SHOP

749 Tri-Wing Power Bits, 1/4"/50mm

Item No.	Size	mm	pkg.	lbs.
74901	3	50	10	.24
74902	4	50	10	.24
74903	5	50	10	.24
74904	6	50	10	.46

2 bit pack



SHOP

719 Tri-Wing Insert Bit Packs, 1"

Item No.	Size	mm	lbs.
71949	0	25	.03
71950	1	25	.03
71951	2	25	.03
71952	3	25	.03
71953	4	25	.03
71913	5	25	.04

2 bit pack



749 Tri-Wing Power Bit Packs, 2"

SHOP

Item No.	Size	mm	lbs.
74960	3	50	.06
74961	4	50	.06
74962	5	50	.06
74963	6	50	.10



SHOP

71954 Tri-Wing Insert Bit Packs, 1"

6 pc. bit pack.

71954 Set includes the following bits:

Triwing: 0, 1, 2, 3, 4, 5 x 1" (25mm)

wt. .07

Torq Set Bits



SHOP

719 Torq Set Insert Bits, 1/4"

Item No.	Size	mm	pkg.	lbs.
71921	0	25	10	.10
71922	1	25	10	.10
71923	2	25	10	.10
71924	3	25	10	.10
71907	4	25	10	.10
71909	5	25	10	.10
71906	6	25	10	.10
71908	8	25	10	.13
71910	10	25	10	.13



749 Torq Set Power Bits, 1/4"/50mm

SHOP

Item No.	Size	mm	pkg.	lbs.
74911	4	50	10	.03
74912	5	50	10	.03
74913	6	50	10	.03
74914	8	50	10	.04
74915	10	50	10	.04

2 bit pack



SHOP

719 Torq Set Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item No.	Size	mm	lbs.
71911	4	25	.03
71912	5	25	.03
71957	6	25	.03
71958	8	25	.04
71959	10	25	.04

2 bit pack



SHOP


749 Torq Set Power Bit Packs, 2"

CVM S2 modified tool steel.

Item No.	Size	mm	lbs.
74964	4	50	.06
74965	5	50	.06
74966	6	50	.06
74967	8	50	.07
74968	10	50	.07

Specialty Bits

Highly resistant to wear and tear for a long tool life



Spanner

Suitable for all applications for both manual and machine Hardness HRC 59-61

Spanner Bits



SHOP

719 Spanner Insert Bits, 1/4"

Item No.	Size	mm	pkg.	lbs.
71914	4	25	10	.11
71916	6	25	10	.12
71918	8	25	10	.12
71920	10	25	10	.12



2 bit pack

719 Spanner Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item No.	Size	mm	lbs.
71963	4	25	.03
71964	6	25	.03
71965	8	25	.04
71966	10	25	.04

SHOP

XZN Insert Bits

Specialty Bits

Suitable for all applications for both manual and machine Hardness HRC 59-61

NEW

Highly resistant to wear and tear for a long tool life



Impact resistant modified CVM, tool steel, hardened

Triple Square

NEW



2 bit pack

701 XZN Insert Bits, 1/4"

Item No.	Size	mm	pkg.	lbs.
70143	M3	25	2	.04
70144	M4	25	2	.04
70145	M5	25	2	.04
70146	M6	25	2	.04
70147	M8	25	2	.04

SHOP

NEW



355 XZN Triple Square L-key

Item No.	Size	mm	pkg.	lbs.
35510	M10	110	1	.01
35512	M12	124	1	.02
35514	M14	138	1	.04
35516	M16	156	1	.07

SHOP

Countersink & Drill Bits

High quality HSS steel, ground with radial relief. Universal application in metal, plastic and wood. Guarantees outstanding chip removal, chatter free operation & smooth surface finish.

90° Countersink Bit - 1/4" Shank



SHOP

786 HSS 1/4" Drive Countersinks

High quality HSS steel, ground with radial relief. 1/4" Hex shank according to DIN 3126 C 6.3.

Item No.	Size	Inch	mm	Inch	screw size	pkg
78615	6.3	.26	35	1.38	M3	1
78617	8.3	.33	35	1.38	M4	1
78619	10.4	.41	35	1.38	M5	1
78621	12.4	.49	35	1.38	M6	1
78622	16.5	.65	35	1.38	M8	1
78624	20.5	.81	35	1.38	M10	1

1/4" Shank High Speed Drill Bits



SHOP

780 1/4" Shank Stubby High Speed Drill Bits

DIN 3126 C 6.3.

Item No.	Size	Inch	pkg	lbs.
78002	1/16	1.26	1	.02
78005	3/32	1.41	1	.02
78008	1/8	1.57	1	.02
78011	5/32	1.73	1	.03
78015	3/16	1.97	1	.03
78018	1/4	1.97	1	.03

High Precision Tool Holder For Countersinks & Drill Bits



Quick release tool holder for Drills, Countersinks & Power bits

SHOP

71480 CentroFix Bit Holder

Item No.	Size	Size	mm	Inch	lbs.
71480	1/4"	1/4"	60	2.3	.09

Dura Torsion Insert and Power Bits

Carbide Coated

Positive location in the screw head with decrease of:

- necessary pressure forces
- working time
- costs
- wear & tear of bits & screw heads
- anti-cam-out effect

With the Dura bit Wiha has again proved it's power of innovation. The extra hard, elastic Quattro Torsion bit is equipped with an extremely wear resistant tungsten carbide coating that grips the screw head.





SHOP

710 Dura Bits, Slotted, 1/4"

Item No.	mm	Inch	mm	Inch	mm
71010	0.6	.024	4.5	.177	25
71011	0.8	.030	5.5	.216	25
71012	1.0	.039	5.5	.216	25
71013	1.2	.039	6.5	.255	25
71014	1.2	.039	8.0	.315	25



SHOP

711 Dura Bits, Phillips, 1/4"

Item No.	Size	mm	lbs.
71111	1	25	.02
71112	2	25	.02
71113	3	25	.02



SHOP

715 Dura Bits, TORX®, 1/4"

Item No.	Size	mm	lbs.
71574	T10	25	.02
71576	T15	25	.02
71578	T20	25	.02
71580	T25	25	.02
71582	T30	25	.02
71584	T40	25	.03



SHOP

712 Dura Bits, Pozidriv, 1/4"

Item No.	Size	mm	lbs.
71211	1	25	.02
71212	2	25	.02
71213	3	25	.02



SHOP

741 Dura Phillips Power Bits

1/4" Hex Drive, Length 2.0"/50mm

Item No.	Size	mm	lbs.
74141	1	50	.04
74142	2	50	.04
74143	3	50	.04




SHOP

742 Dura Pozidriv® Power Bits

1/4" Hex Drive, Length 2.0"/50mm

Item No.	Size	mm	lbs.
74241	1	50	.04
74242	2	50	.04
74243	3	50	.04



Bits Tungsten Carbide Coated

SHOP


71094 Bit-Selector With Dura Insert 1/4"

Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 10 Bits:

- **Slotted:** 5.5, 6.5, 8.0mm
- **Phillips:** 1, 2, 3
- **TORX®:** T10, T15, T20, T25
- .29 lbs.

Diamond Torsion Insert and Power Bits

Diamond bits supplement Wiha's range of high-quality special bits. When used with machines, the increased tool life of the Wiha Diamond bit reduces cost.



- High wear resistance
- Micro particle coating with sapphire and diamond contents
- Optimized torsion zone

Reduction of:

- pressure forces to be applied
- wear and tear of bit and screw head
- working time & costs
- Cam-out effect

The ideal bit even for the most difficult of applications



SHOP

710 Diamond Bits, Slotted, 1/4"

Item No.	mm	Inch	mm	Inch	mm
71020	4.5	.177	0.6	.024	25
71021	5.5	.216	0.8	.030	25
71022	5.5	.216	1.0	.039	25
71023	6.5	.255	1.2	.039	25
71024	8.0	.315	1.2	.063	25



SHOP

715 Diamond Bits, TORX®, 1/4"

Item No.	Size	mm	lbs.
71516	T10	25	.02
71517	T15	25	.02
71518	T20	25	.02
71519	T25	25	.02
71521	T30	25	.02
71522	T40	25	.03



SHOP

712 Diamond Bits, Pozidriv®, 1/4"

Item No.	Size	mm	lbs.
71221	1	25	.02
71222	2	25	.02
71223	3	25	.02



SHOP

711 Diamond Bits, Phillips, 1/4"

Item No.	Size	mm	lbs.
71181	1	25	.02
71182	2	25	.02
71183	3	25	.02



SHOP

741 Diamond Phillips Power Bits

1/4" Hex Drive, Length 2.0"/50mm

Item No.	Size	mm	lbs.
74161	1	50	.03
74162	2	50	.03
74163	3	50	.04



SHOP

71197 PokitPak - Diamond Coated Insert Bits In Molded Case. 6 - 1/4" Insert Bits

- **Slotted:** 5.5, 6.5mm
- **Phillips:** #1, 3 & 2/each #2
- 1/4" Magnetic Bit Holder

lbs. .16

Wiha TiN Coated Insert/Power Bits

The abbreviation TiN stands for Titanium-Nitride, which has a hardness up to 85 HRC. This coating guarantees a high wear and tear resistance.



- Tough, hard torsion quality with very hard TiN coating
- Optimized torsion zone
- High wear resistance



SHOP

711 Phillips TiN Coated Insert Bits, 1/4"

Item No.	Size	mm	lbs.
71121	1	25	.02
71122	2	25	.02
71123	3	25	.02

TiN - Titanium Nitride

Titanium Coated



SHOP

715 TORX® TiN Coated Insert Bits, 1/4"

Item No.	Size	mm	lbs.
71585	T5	25	.02
71586	T6	25	.02
71587	T7	25	.02
71588	T8	25	.02
71562	T9	25	.02
71563	T10	25	.02
71564	T15	25	.02
71565	T20	25	.02
71566	T25	25	.02
71569	T27	25	.02
71567	T30	25	.02
71568	T40	25	.02

TiN - Titanium Nitride




741 Phillips TiN Coated Power Bits
1/4" Hex Drive, Length 2.0"/50mm

SHOP

Item No.	Size	mm	lbs.
74101	1	50	.04
74105	2	50	.04
74108	3	50	.04

TiN - Titanium Nitride

Wear Characteristics





711 Phillips TiN Coated Insert Bits
1/4" Hex Drive, Length 2.0"/50mm

SHOP

Item No.	Size	mm	lbs.
71141	1	50	.04
71142	2	50	.04
71143	3	50	.04

TiN - Titanium Nitride



SHOP

71196 PokitPak - Phillips TiN Coated Insert Bits In Molded Case -
Set Includes 6 - 1/4" Insert Bits
Phillips: 2 of each - 1, 2, 3
lbs. .31

TiN - Titanium Nitride

SHOP

71194 PokitPak - Phillips TiN Coated Insert Bits In Molded Case -
Set Includes 6 - 1/4" Insert Bits
Phillips: 1 of each - #1, #3
Phillips: 4 of - #2
lbs. .31

TiN - Titanium Nitride



SHOP

71596 PokitPak - TORX® Dura Insert Bits In Molded Case -
Set Includes 6 - 1/4" Insert Bits
T10, T15, T20, T25, T30, T40
lbs. .26

TiN - Titanium Nitride

Wiha Security Bits Collector With Extra Fine 72 Tooth Ratchet

72



Low profile 72 tooth



Fast action thumb ring

NEW



SHOP

71988 Bits Collector with Security TORX®, Tri-Wing, Torq Set, Spanner, Security Hex, Slotted, Phillips, Pozidriv® and Square bits.
38 Piece Set includes: 1/4" Bit Holding Ratchet, 1/4" magnetic bit holder, storage box and 1/4" Insert bits:
Security TORX®: T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
Security Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
Tri-Wing: 1, 2, 3, 4
Torq Set: 6, 8, 10
Spanner: 4, 6, 8, 10
Slotted: 6.5, 8.0mm
Phillips: 1, 2
Pozidriv®: 0, 1, 2, 3
Square: 1, 2, 3
lbs. .88

Wiha Security Bits Collector



SHOP

71990 **Bits Collector with Security TORX®, Tri-Wing, Torq Set, Spanner, Security Hex, Slotted, Phillips, Pozidriv® and Square bits.**
39 Piece Set includes: Handle, 1/4" magnetic bit holder, 1/4" Bit holding socket adapter, storage box and the following 1/4" bits:

- **Security TORX®:** T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
- **Security Hex:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- **Tri-Wing:** 1, 2, 3, 4
- **Torq Set:** 6, 8, 10
- **Spanner:** 4, 6, 8, 10
- **Slotted:** 6.5, 8.0mm
- **Phillips:** 1, 2
- **Pozidriv®:** 0, 1, 2, 3
- **Square:** 1, 2, 3
- **lbs.** 1.03



With Quick Release Holder

SHOP

71991 **Bits Collector with Security TORX®, Tri-Wing, Torq Set, Spanner, Security Hex, Slotted, Phillips, Pozidriv® and Square bits.**
39 Pc. Set includes: Handle, Clicfix quick release bit holder 1/4" Bit holding socket adapter, storage box and the following 1/4" bits:

- **Security TORX®:** T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
- **Security Hex:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- **Tri-Wing:** 1, 2, 3, 4
- **Torq Set:** 6, 8, 10
- **Spanner:** 4, 6, 8, 10
- **Slotted:** 6.5, 8.0mm
- **Phillips:** 1, 2
- **Pozidriv®:** 0, 1, 2, 3
- **Square:** 1, 2, 3
- **lbs.** 1.04

71992 **Bits Collector with Security 1/4" Insert bits. 29 Piece Set**
Set includes: 1/4" Bit Holder, 1/4" Bit holding socket adapter, 1/4" Universal Magnetic Bit Holder, storage box and the following 1/4" bits:
Security TORX®: T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
Security Hex: 1/8, 3/32, 7/64, 9/64, 5/32, 3/16, 7/32, 1/4"
Tri-Wing: 4, 5 & **Torq Set:** 5, 8 & **Spanner:** 6, 8, 10
Square: 1, 2 & **Pozidriv®:** 2
lbs. .99

SHOP



SHOP

71994 **Bits Collector with TORX®, Slotted, Phillips, Pozidriv®, Square and Hex Inch bits. 26 Piece Set**
Set includes: Handle, 1/4" bit holder, storage box and the following 1/4" bits:

- **TORX®:** T8, T10, T15, T20, T25, T27, T30, T40
- **Slotted:** 4.5, 5.5, 6.0mm
- **Phillips:** 1, 2
- **Pozidriv®:** 1, 2, 3
- **Square:** 1, 2
- **Hex Inch:** 1/16, 5/64, 3/32, 1/8, 5/32, 3/16"
- **lbs.** .89

Drive-Loc VI Adjustable

Adjustable locking (7/8" - 3 1/2" in 1/8" increments)



SHOP

71997 **Drive-Loc VI Bits Collector with Security TORX®, Tri-Wing, Torq Set, Spanner, Security Hex, Slotted, Phillips, Pozidriv® and Square bits. 39 Piece Set**
Set includes: Drive-Loc VI handle & 4" Bit holder, socket, storage box and the following 1/4" bits:

- **Security TORX®:** T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
- **Security Hex:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- **Tri-Wing:** 1, 2, 3, 4
- **Torq Set:** 6, 8, 10
- **Spanner:** 4, 6, 8, 10
- **Slotted:** 6.5, 8.0mm
- **Phillips:** 1, 2
- **Pozidriv®:** 0, 1, 2, 3
- **Square:** 1, 2, 3
- **lbs.** 1.05

SHOP

71095 **Bits Collector with Phillips & Hex Inch bits. 51 Piece Set**
Set includes: ClicFix Quick Release Bit Holder storage box and the following 1/4" bits:

- **10 Each Phillips:** 1, 2 & **5 Phillips:** 3
- **10 Each Hex Inch:** 1/8, 3/16" & **5 Hex Inch:** 5/32"
- **lbs.** 1.24

Wiha BitFlip Sets - Insulated & Standard

"8 In 1 Bit Sets"

BitFlip standard SoftFinish® handle, multi-component, cushion grip, easy access & 8 bit storage



BitFlip Insulated



38016 **Slotted/Phillips/Square BitFlip Insulated**

Wiha cushion grip handle and insulated shaft. Tested to 10,000 volts.

Set includes the following 1/4" bits:	
Slotted: 4.5, 6.5mm	lbs.
Phillips: 0, 1, 2, 3	.45
Square: 1, 2	

SHOP

BitFlip Standard



38026 **Slotted/Phillips/Square BitFlip Standard**

with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:	
Slotted: 4.5, 6.5mm	lbs.
Phillips: 0, 1, 2, 3	.44
Square: 1, 2	

SHOP

BitFlip Insulated



38017 **Slotted/Phillips/TORX® BitFlip Insulated**

Wiha cushion grip handle and insulated shaft. Tested to 10,000 volts.

Set includes the following 1/4" bits:	
Slotted: 4.5, 6.5mm	lbs.
Phillips: 1, 2	.45
TORX®: T10, T15, T20, T25	

SHOP

BitFlip Standard



38027 **Slotted/Phillips/TORX® BitFlip Standard**

with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:	
Slotted: 4.5, 6.5mm	lbs.
Phillips: 1, 2	.44
TORX®: T10, T15, T20, T25	

SHOP

BitFlip Insulated



38018 **Slotted/Phillips BitFlip Insulated**

Wiha cushion grip handle and insulated shaft. Tested to 10,000 volts.

Set includes the following 1/4" bits:	
Slotted Sizes: 4.5, 5.5, 6.5, 8.0mm	lbs.
Phillips Sizes: 0, 1, 2, 3	.45

SHOP

BitFlip Standard



38028 **TORX® BitFlip Standard**

with Wiha cushion grip handle and insulated shaft.

Set includes the following 1/4" bits:	
TORX®: T8, T10, T15, T20,	lbs.
T25, T27, T30, T40	.44

SHOP

Wiha Bit Selectors

Compact size and easy bit selection make the Bit Selector an ideal maintenance tool



Slide out drawer allows quick bit access and secure storage

Plastic storage box is compact, durable and light weight



1/4" Magnetic Adapter fits all standard 1/4" bits

Molded hex cavity in box end
Magnetic adapter fits into opening so tool case can be used as a handle on quick fastening jobs

792 Sets **Bit-Selector Sets**

These handy sets include 10 hardened bits of chrome-vanadium-molybdenum steel. 1/4" magnetic bit holder can be used in power tools. Plastic storage box is compact, durable and light weight. Molded hex cavity turns box into handle for quick fastening jobs. Quick bit access with slide out drawer. Packaged in clear blister pack.



SHOP

79243	**Bit-Selector With Slotted, Phillips and TORX® Bits**	
	Set Includes 1/4" Bit Holder & The Following 10 Bits:	lbs.
	Slotted: 4.5, 5.5, 6.0mm	.31
	Phillips: 0, 1, 2, 3	
	TORX®: T10, T15, T20	
79248	**Bit-Selector With Slotted, Phillips and Square Bits**	
	Set Includes 1/4" Bit Holder & The Following 10 Bits:	lbs.
	Slotted: 4.5, 5.5, 6.0mm	.32
	Phillips: 0, 1, 2, 3	
	Square: 1, 2, 3	
71090	**Bit-Selector With Slotted, Phillips & Hex 1/4" Bits**	
	Set Includes Magnetic 1/4" ClicFix Bit Holder & The Following 9 Bits:	lbs.
	Slotted: 4.5, 5.5, 6.5	.25
	Phillips: 1, 2, 3	
	Hex Inch: 1/8, 5/32, 3/16	

Wiha XSelector & XLSelector Bit Sets

Compact size and easy bit selection make the Wiha XSelector an ideal maintenance tool



Easy bit access with hinged cover

XLSelector Pocket Sized 5.3" x 3.1" x .7"



XSelector Pocket Sized 3 1/8" x 2 1/8" x 1/2"

Sets include Clicfix quick release holder




These handy sets include 10 hardened bits of CVM steel. 1/4" Quick Release holder can be used in power tools. Quick bit access through integrated bit-clamp.

SHOP


79443	**XSelector Bit Set With Slotted, Phillips, and TORX® Bits**	
	Set Includes Quick Release Holder & the following 10 bits:	
	Slotted: 5.5, 6.5, 8.0mm	lbs.
	Phillips: 0, 1, 2, 3	.27
	TORX® : T10, T15, T20	

Wiha XLSelector 31 Piece Bit Sets



SHOP

79495	**XLSelector Bit Set With Slotted, Phillips, TORX®, Hex Bits**	
	31 Piece Set Includes:	
	Universal Bit Holder-magnetic & 30 Insert Bits:	lbs. .29
	Slotted: 4.5, 5.5, 6.0mm **Phillips:** 0, 1, 2, 3	
	TORX®: T6, T7, T8, T9, T10, T15, T20, T25	
	Metric Hex: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm	
	Inch Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	



SHOP

79490	**XLSelector Security Bit Set**	
	31 Piece Set Includes:	
	Universal Bit Holder-magnetic and the following 30 bits:	lbs. .28
	Slotted: 6.5mm **Phillips:** 1, 2	
	Security TORX®: T8s, T10s, T15s, T20s, T25s	
	Security Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	
	Spanner: 4, 6, 8, 10 **Torq Set:** 6, 8, 10	
	Square: 1, 2 **Pozidriv:** 1, 2	
	Triwing: 2, 3, 4, 5	

Wiha Multi-Bit Screwdrivers

Six Tools in One!

1/4" Magnetic Bit Holder
directs magnetism through the bit for powerful screw holding

Cap rotates
eliminating palm blisters
Allows one handed
turning & frees other hand for positioning the work piece



Ergonomic Powerhandle
for maximum comfort and exceptional torque

Cap snaps
on & off, doesn't unscrew while you're using the tool

Chambered Bit Storage
- In the handle
- Turn the transparent selector to the bit you need
- No time wasted fumbling or sorting to find the right bit

Insulated Bit Holder



SHOP

38006 **Slotted/Phillips Multi-Bit Screwdriver** with Wiha Powerhandle and insulated shaft. **Set includes the following 1/4" bits**:

	lbs.
Slotted: 5.5, 6.0mm	
Phillips: 0, 1, 2, 3	.39

38007 **Slotted/Phillips/Square Multi-Bit Screwdriver** with Wiha Powerhandle and insulated shaft. **Set includes the following 1/4" bits**:

	lbs.
Slotted: 6.5, 8.0mm	
Phillips: 1, 2	.41
Square: 1, 2	

Wiha ClicFix Quick Release Magnetic Sets



SHOP

38033 **Slotted/Phillips & ClicFix Quick Release Magnetic Bit Holder**
7 Pc. Set with Wiha Powerhandle and CVM steel, hardened shaft.

Set includes the following 1/4" bits:	lbs.
Slotted: 6.5, 8.0mm	
Phillips: 0, 1, 2, 3	.43

38059 **Slotted/Phillips & ClicFix Quick Release Magnetic Bit Holder**
7 Pc. Set with Wiha Powerhandle and CVM steel, hardened shaft.

Set includes the following 1/4" bits:	lbs.
Slotted: 4.5, 5.5, 6.5mm	
Phillips: 1, 2, 3	.43

Wiha Cushion Grip Stubby Bit Sets

Stubby 6 in 1 Multi-Bit Driver Sets

Ergo soft grip handles

Stainless steel bit holder



Bits hardened for extreme durability

Just 2.5" over all length





SHOP

38043 **SoftFinish® CushionGrip Stubby Bit Holder**
with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:	lbs.
Slotted: 4.5, 6.5	
Phillips: #1, #2	.20
Pozidriv®: #1, #2	





SHOP

38048 **SoftFinish® CushionGrip Stubby Bit Holder**
with Wiha cushion grip handle and CVM tool steel shaft.

Set includes the following 1/4" bits:	lbs.
Slotted: 4.5, 6.5	
Phillips: #1, #2	.20
Square: #1, #2	

Wiha ClicFix Quick Release Magnetic Holder



SHOP

38030 **ClicFix Quick Release Magnetic Bit Holder**
Blade high alloy chrome-vanadium-molybdenum steel, hardened, chrome-plated. Wiha Powerhandle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	lbs	pkg.
38030	1/4"	120	4.7	230	9.0	.27	10

Wiha Torque Ratchet Bit Sets

Smooth, high torque, silent ratchet handle

Pistol Grip Handle ergonomic design with free running mechanism. Instant clutch engagement allows constant turning pressure on the fastener.

Hex Retainer for bit holder blades

Allows for quick adjustment to right, left or fixed turning.

No release of handle is needed, change of direction can be made with index finger and thumb.




Opens a new generation of easier torque transmission

28200 **Topra Handle**

Wiha-Topra handle, high quality plastic, impact resistant. Rated to 150in/lbs. Fits all Wiha Drive-Loc VI Blades.

Item No.	mm	mm	Inch	mm	Inch	lbs.
28200	6.0	100	3.94	85	3.35	.48



SHOP

28296 **Slotted/Phillips/ TORX® Topra Ratchet Bit Set, 12 Pc.**

Set includes Topra Handle, Magnetic bit holder and the following bits:	lbs.
Slotted: 5.5, 6.5, 8.0mm	.69
Phillips: 0, 1, 2, 3	
TORX®: T10, T15, T20	





SHOP

28291 **57 Piece Topra Ratchet Set**

lbs.	Set includes: Topra Handle & Dynamic Handle
2.03	**1/4" Bit Holder & 1/4" Hex to 1/4" Square Adapter**
	Slotted: 4.5, 5.5, 6.5mm **Phillips:** 0, 1, 2
	TORX®: T5, T6, T7, T8, T9, T10, T15, T20, T25, T30
	Pozidriv®: 1, 2 **Square:** 1, 2, 3 **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
	Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm
	Sockets Inch: 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 3/8"
	Sockets Metric: 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0mm

1/4" Ratchet & Bit Set



NEW

74992 **Ratchet Bit Set, 29 Pcs. In Canvas Pouch.** Includes Wiha 1/4" ratchet bit handle, bit holder & 27 Insert bits.

SHOP

Item No.	1/4" Ratchet Bit Set
74992	**Set includes the following bits:**
	Slotted: 5.5, 6.5mm / **Phillips:** 0, 1, 2
	Square: 1, 2 / **Pozidriv®:** 1, 2
	TORX®: T8, T9, T10, T15, T20, T25
	Hex Metric: 2.0, 2.5, 3.0, 4.0, 5.0mm
	Hex Inch: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"
	1/4" Bit Holder
	lbs. .72



NEW



In metal storage box

74996 **Ratchet Bit Set, 35 Pcs. Includes:**

Wiha 1/4" ratchet bit handle, bit holder, Hex/Sqr. Adapter & 33 Insert bits.

SHOP

Item No.	1/4" Ratchet Bit Set
74996	**Set includes the following bits:**
	Slotted: 5.5, 6.0mm / **Phillips:** 0, 1, 2, 3
	Square: 1, 2 / **TORX®:** T8, T10, T15, T20, T25, T27, T30
	Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm
	Hex Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
	1/4" ClicFix Bit Holder, 1/4" Hex to 1/4" Sqr. Adapter
	lbs. .74

Wiha Power Bit Belt Packs



SHOP



74983 **Power Bit Belt Pack With Slotted, Phillips & TORX® Bits**

Set includes the following 10 bits:	lbs.
Slotted: 4.5, 5.5, 6.5mm	.30
Phillips: 1, 2, 3	
TORX®: T10, T15, T20, T25	



SHOP



74988 **Power Bit Belt Pack With Slotted, Phillips & Square Bits**

Set includes the following 10 bits:	lbs.
Slotted: 3.0, 4.5, 5.5, 6.5mm	.30
Phillips: 1, 2, 3	
Square: 1, 2, 3	

Wiha Adjustable TorqueControl Tool Sets In Durable Storage Box



With Certificate of Calibration

SHOP

28590 **24 Piece TorqueVario-S Micro-Bit Set**

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 21 Micro Bits, Micro Bit holder and Torque adjustment tool. Packed in a compact durable storage box.

Item No.		lbs.
28590	**Slotted:** 1.5, 2.0, 3.0, 4.0mm **Phillips:** #00, #0, #1	
	TORX®: T6, T7, T8, T9, T10, T15	1.33
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32	
	28504 - Handle Range 7.5 - 20 Inch lbs.	



With Certificate of Calibration

SHOP

28593 **24 Piece TorqueVario-S Micro-Bit Set**

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 21 Micro Bits, Micro Bit holder and Torque adjustment tool. Packed in a compact durable storage box.

Item No.		lbs.
28593	**Slotted:** 1.5, 2.0, 3.0, 4.0mm **Phillips:** #00, #0, #1	
	TORX®: T6, T7, T8, T9, T10, T15	1.33
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32	
	28501 - Handle Range 15-80 Inch/oz (+/- 10%)	

53 Piece Set



With Certificate of Calibration

SHOP

28595 **53 Piece TorqueVario-S Bit Set, In Storage Box**

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 50 Insert bits, 1/4" Bit holder and Torque adjustment tool.

Item No.		lbs.
28595	**Slotted:** 4.5, 5.5, 6.5, 8.0mm	
	Phillips: #0, #1, #2, #3	2.85
	TORX®: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30	
	Hex Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	
	Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm	
	Pozidriv: #0, #1, #2, #3	
	Torq Set: #4, #5, #6, #8	
	Square: #1, #2, #3	
	Triwing: #0, #1, #2, #3, #4	
	28506 - Handle Range 10 - 50 Inch lbs.	
	28581 - 1/4" Bit Holder	

59 Piece Set



With Certificate of Calibration

SHOP

28589 **59 Piece TorqueVario-S Bit Set, In Storage Box**

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes 3 ergonomic multi-component adjustable TorqueVario-S handles, 39 Insert bits, 15 Sockets, 1/4" Bit holder, 1/4" Hex to 1/4" Square adapter and Torque adjustment tool.

Item No.		lbs.
28589	**Slotted:** 4.5, 5.5, 6.5mm	
	Phillips: #0, #1, #2	2.58
	TORX®: T5, T6, T7, T8, T9, T10, T15, T20, T25, T30	
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	
	Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm	
	Pozidriv: #1, #2	
	Square: #1, #2, #3	
	Inch Sockets: 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 3/8"	
	Metric Sockets: 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0mm	
	3 Handles: 15-80 Inch/oz., 5-10 & 10-50 Inch lbs.	
	1/4" Bit Holder & 1/4" Hex to 1/4" Square adapter	

Wiha SYSTEM 4 Micro Bits





SHOP

75800 **SYSTEM 4 Standard Precision Micro Bit Handle**

Rotating control cap for precise turning and control. Wiha Precision handle, tapered, high quality plastic, impact resistant, ball retainer. Accepts all SYSTEM 4 Series bits. 110mm/4.3" OAL

Item No.	mm	Inch	mm	Inch	lbs.
75800	4.0	.1574	14.0	.55	.06



SHOP

75801 **SYSTEM 4 ESD Safe Dissipative Precision Bit Handle**

with rotating control cap. Wiha precision handle, tapered, high quality plastic, impact resistant. **Advantages:**

- For working in ESD sensitive applications
  Surface resistant 10^6-10^9 Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits
- 110mm/4.3" OAL

Item No.	mm	Inch	mm	Inch	lbs.
75801	4.0	.1574	14.0	.55	.06

SYSTEM 4 Micro Bit Extension Blades



SHOP

75900 **Extension blade for SYSTEM 4 Micro Bits** Shaft CVM steel, hardened, corrosion protected. Ball retainer bit extension for 4 mm bits.

Item No.	Size	mm	mm	lbs.
75900	4.0	100	4.0	.07



SHOP

75901 **Magnetic Bit extension blade for SYSTEM 4 Micro Bits**

Shaft CVM steel, hardened, corrosion protected. Magnetic bit holder.

Item No.	Size	mm	mm	lbs.
75901	4.0	100	4.0	.04



SHOP

750 **SYSTEM 4 Slotted Bits**

High alloy CVM steel, hardened, on 4 mm hex stock.

Item No.	mm	mm	Inch	lbs.
75008	0.8	28	1.1	.01
75012	1.2	28	1.1	.01
75015	1.5	28	1.1	.01
75018	1.8	28	1.1	.01
75020	2.0	28	1.1	.01
75025	2.5	28	1.1	.01
75030	3.0	28	1.1	.01
75035	3.5	28	1.1	.01
75040	4.0	28	1.1	.01



SHOP

751 **SYSTEM 4 Phillips Bits** High alloy chrome-vanadium-molybdenum steel, hardened, on 4 mm hex stock.

Item No.	Size	mm	Inch	lbs.
75105	000	28	1.1	.01
75110	00	28	1.1	.01
75115	0	28	1.1	.01
75120	1	28	1.1	.01



SHOP

753 **SYSTEM 4 Hex Metric Bits**

High alloy CVM steel, hardened, on 4 mm hex stock.

Item No.	mm	mm	Inch	lbs.
75307	.7	28	1.1	.01
75309	.9	28	1.1	.01
75313	1.3	28	1.1	.01
75315	1.5	28	1.1	.01
75320	2.0	28	1.1	.01
75325	2.5	28	1.1	.01
75330	3.0	28	1.1	.01
75340	4.0	28	1.1	.01



SHOP

753 **SYSTEM 4 Hex Inch Bits** High alloy chrome-vanadium-molybdenum steel, hardened, on 4 mm hex stock.

Item No.	Inch	mm	Inch	lbs.
75307	.028	28	1.1	.01
75309	.035	28	1.1	.01
75313	.050	28	1.1	.01
75350	1/16	28	1.1	.01
75352	5/64	28	1.1	.01
75354	3/32	28	1.1	.01
75356	7/64	28	1.1	.01
75358	1/8	28	1.1	.01
75360	9/64	28	1.1	.01
75340	5/32	28	1.1	.01

Wiha SYSTEM 4 Micro Bits



SHOP

757 SYSTEM 4 TORX® Bits

High alloy CVM steel, hardened, on 4 mm stock.

Item No.	Size	mm	Inch	lbs.
75703	T3	28	1.1	.01
75704	T4	28	1.1	.01
75705	T5	28	1.1	.01
75706	T6	28	1.1	.01
75707	T7	28	1.1	.01
75708	T8	28	1.1	.01
75709	T9	28	1.1	.01
75710	T10	28	1.1	.01
75715	T15	28	1.1	.01
75720	T20	28	1.1	.01



SHOP

757 SYSTEM 4 Security TORX® Bits

High alloy CVM steel, hardened, on 4 mm stock.

Item No.	Size	mm	Inch	lbs.
75727	T7s	28	1.1	.01
75728	T8s	28	1.1	.01
75729	T9s	28	1.1	.01
75735	T10s	28	1.1	.01
75739	T15s	28	1.1	.01
75742	T20s	28	1.1	.01



SHOP

753 SYSTEM 4 Metric & Inch Security Hex Bits

High alloy CVM steel, hardened, on 4 mm hex stock.

Item No.				
Metric	mm	mm	Inch	lbs.
75322	2.0	28	1.1	.01
75327	2.5	28	1.1	.01
75332	3.0	28	1.1	.01
75342	4.0	28	1.1	.01
Inch				
75362	5/64	28	1.1	.01
75364	3/32	28	1.1	.01
75366	7/64	28	1.1	.01
75368	1/8	28	1.1	.01
75370	9/64	28	1.1	.01
75372	5/32	28	1.1	.01

Micro Bit 1/4" Drive Power Tool Adapter



SHOP

75902 Micro Bit 1/4" Drive Power Tool Adapter

Shaft CVM steel, hardened, corrosion protected. For 4mm bits. 2.3" OAL

Item No.	Size	mm	mm	lbs.
75902	4.0	60	4.0	.07

Wiha Pentalobe IPR drivers will fit fasteners used in "Apple" brand products including iPhone, Mac Book & Air



SHOP

757 SYSTEM 4 Pentalobe IPR Bits High alloy chrome-vanadium-molybdenum steel, hardened, on 4 mm hex stock.

Item No.	Size	mm	Inch	lbs.
75743	P1	28	1.1	.01
75744	P2	28	1.1	.01
75745	P3	28	1.1	.01
75746	P4	28	1.1	.01
75747	P5	28	1.1	.01
75748	P6	28	1.1	.01



SHOP

758 SYSTEM 4 Metric & Inch Nut Setters

High alloy CVM steel, hardened, on 4 mm hex stock.

Item No.				
Metric	mm	mm	Inch	lbs.
75820	2.0	30	1.2	.01
75821	2.5	30	1.2	.01
75822	3.0	30	1.2	.01
75823	3.5	30	1.2	.01
75824	4.0	30	1.2	.01
75825	4.5	30	1.2	.01
75826	5.0	30	1.2	.01
75827	5.5	30	1.2	.01
Inch	Inch	mm	Inch	lbs.
75810	5/64	30	1.2	.01
75811	3/32	30	1.2	.01
75812	7/64	30	1.2	.01
75813	1/8	30	1.2	.01
75814	9/64	30	1.2	.01
75815	5/32	30	1.2	.01
75816	3/16	30	1.2	.01
75817	7/32	30	1.2	.01

Micro Bit 1/4" Drive Power Tool Adapter

#75802



#75803



SHOP

75802 Micro Bit To 1/4" Drive Insert Bit Adapter

uses magnets to hold 4mm Micro Bits

Item No.	Size	mm	mm	lbs.
75802	4.0	25	4.0	.01

75803 Long Micro Bit To 1/4" Drive Insert Bit Adapter

uses spring clip non-magnetic to hold 4mm Micro Bits


Item No.	Size	mm	mm	lbs.
75803	4.0	38	4.0	.02

SHOP

Wiha SYS 4 Micro Bits & Compact Bit Sets

SHOP

75999 **SYSTEM 4 Slotted, Phillips, Hex Inch & Metric Precision Interchangeable Bit Set, 26 Pcs. In Compact Fold Out Box.** Wiha precision handle, bit extension & 24 interchangeable bits.





26 Pc. Set

Item No.	Combination Bit Set
75999	Set with Standard Precision Handle
	Set includes the following bits:
	Slotted: 1.5, 2.0, 3.0, 4.0mm
	Phillips: 000, 00, 0, 1
	Hex Metric: .71, .89, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	100mm Bit Extension
	lbs. .64

SHOP

75792 **SYSTEM 4 TORX® Precision Interchangeable Bit Set, 11 Pcs. In Compact Fold Out Box.** Sets includes Wiha precision handle, bit extension and 9 Wiha interchangeable bits.



D



11 Pc. Set

Item No.	SYSTEM 4 TORX® Bit Set
75792	Set with ESD Safe Precision Handle and the following bits:
	TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15
	100mm Bit Extension
	lbs. .64

SHOP

75395 **SYSTEM 4 Hex Inch & Metric Precision Interchangeable Bit Set, 18 Pcs. In Compact Fold Out Box.** Wiha precision handle, bit extension and 16 Wiha interchangeable bits.





18 Pc. Set

Item No.	Combination Bit Set
75395	Set with Standard Precision Handle
	Includes the following bits:
	Hex Metric: .71, .89, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	100mm Bit Extension
	lbs. .58

SHOP

759 sets **SYSTEM 4 Slotted/Phillips/Hex Inch/ TORX® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box.** Sets include your choice of Wiha precision handle, bit extension and 25 Wiha interchangeable bits.







27 Pc. Set

Item No.	Handle Options for SYSTEM 4 Combination Bit Sets
75991	Set with Standard Precision Handle
75992	Set with ESD Safe Precision Handle
	Sets include the following bits:
	Slotted: 1.5, 2.0, 3.0, 4.0mm
	Phillips: 000, 00, 0, 1
	TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	100mm Bit Extension
	lbs. .64

SHOP

75996 **SYSTEM 4 Interchangeable Bit Set, 40 Pcs. In Storage Box.** Includes Wiha precision handle, bit extension & 38 interchangeable bits.







40 Pc. Set

D

Item No.	SYSTEM 4 Combination Bit Set
75996	Set with ESD Safe Precision Handle
	Set includes the following bits:
	Slotted: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
	Phillips: 000, 00, 0, 1
	TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15
	Hex Metric: 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
	Hex Inch: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	100mm Bit Extension
	lbs. 1.04

SHOP

75994 **SYSTEM 4 Slotted/Phillips/Hex Metric/TORX® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box.** Set includes Wiha precision handle, bit extension and 25 Wiha interchangeable bits.





D



27 Pc. Set

Item No.	SYSTEM 4 Combination Bit Set
75994	Set with ESD Safe Precision Handle
	Set includes the following bits:
	Slotted: 1.5, 2.0, 3.0, 4.0mm
	Phillips: 000, 00, 0, 1
	TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15
	Hex Metric: .71, .89, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
	100mm Bit Extension
	lbs. .64

Wiha Master Tech Micro Bit Sets

75990 **SYSTEM 4 Interchangeable Bit Set, 40 Pcs. In Canvas Pouch.** Includes Wiha precision handle, bit extension & 38 interchangeable bits.

Item No.	Set with ESD Safe Precision Handle
75990	**Set includes the following bits:**
	Slot: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
	Phillips: 000, 00, 0, 1
	TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15
	Hex Metric: 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
	Hex Inch: .028(.7), .035(.9), .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32”
	100mm Bit Extension
	lbs. .65

SHOP



D



NEW

SHOP

75989 **SYSTEM 4 Proturn Precision Power Screwdriver Set With Micro Bits, 40 Pieces In Storage Box.** Includes Wiha precision handle, Proturn power screwdriver & 38 interchangeable micro bits.

Item No.	Set With Battery Powered Driver & Precision Handle
75989	**Set includes the following micro bits:**
	Slotted: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
	Phillips: 000, 00, 0, 1
	TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15
	Hex Metric: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32”
	lbs. 1.18



NEW

D

75965 **SYSTEM 4 Master Tech ESD & Ratchet With Micro Bits, 65 Pieces In Storage Box.** Includes Wiha precision ESD Safe handle, micro bit extension, 72 tooth ratchet & 62 interchangeable micro bits.

Item No.	With ESD Precision Handle, 1/4” Ratchet, Micro Bit Extension
75965	**Set includes the following micro bits:**
	Slotted: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
	Phillips: 000, 00, 0, 1
	TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15, T20
	Hex Metric: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32”
	Nut Drivers Metric: 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm
	Nut Drivers Inch: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32”
	Pentalobe: 1, 2, 3, 4, 5, 6
	Magnetic 1/4” to 4mm Adapter
	lbs. 1.16

SHOP

Micro Bit Handle Stoarge Sets





SHOP

75981 **Micro Bit Handle Storage Slotted & Phillips Bit Set, 7 Pcs.**
Wiha precision storage handle & 6 interchangeable bits.

Item No.	Set with Precision Storage Handle
75981	**Slotted:** 1.2, 1.5, 2.0mm
	Phillips: 000, 00, 0
	lbs. .08



SHOP

75983 **Micro Bit Handle Storage Hex Inch Bit Set, 7 Pcs.**
Wiha precision storage handle & 6 interchangeable bits.

Item No.	Set with Precision Storage Handle
75983	**Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8”
	lbs. .08



SHOP


75985 **Micro Bit Handle Storage TORX® Bit Set, 7 Pcs.**
Wiha precision storage handle & 6 interchangeable bits.

Item No.	Set with Precision Storage Handle
75985	**TORX®:** T3, T4, T5, T6, T7, T8
	lbs. .08

Technicians MicroBit Sets

- Micro Precision Bits on 4mm Hex Drive
- Bits of Exclusive CRM-72 Tool Steel
- Handle uses non-magnetic ball retainer
- Use bits in extension only
- Standard extension adds 4" to length
- Non-magnetic bit extension

Surface resistance of handles is 10^6 - 10^9 Ohms





75093 **SYSTEM 4 Slotted, Phillips, TORX® Compact ESD**

Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No.	Combination Bit Set
75093	Set with ESD Safe Precision Handle
	Slotted: 1.5, 2.0, 2.5, 3.0mm
	Phillips: 00, 0, 1
	TORX®: T6, T7, T8, T9, T10, T15, T20
	100mm Bit Extension
	lbs. .17

SHOP



75094 **SYSTEM 4 Slotted, Phillips, Hex Inch Compact ESD**

Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No.	Combination Bit Set
75094	Set with ESD Safe Precision Handle
	Slotted: 1.5, 2.0, 2.5, 3.0mm
	Phillips: 00, 0, 1
	Hex Inch: .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8"
	100mm Bit Extension
	lbs. .17

SHOP



75095 **SYSTEM 4 Slotted, Phillips, Hex Metric Compact ESD**

Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No.	Combination Bit Set
75095	Set with ESD Safe Precision Handle
	Slotted: 1.5, 2.0, 2.5, 3.0mm
	Phillips: 00, 0, 1
	Hex Metric: .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
	100mm Bit Extension
	lbs. .17

SHOP




75096 **SYSTEM 4 Hex Inch & Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs.** Wiha precision handle, bit extension & 14 interchangeable bits.

Item No.	Combination Bit Set
75096	Set with ESD Safe Precision Handle
	Hex Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Hex Metric: .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
	100mm Bit Extension
	lbs. .17

SHOP

Wiha ESD Safe Cushion Grip Bit Holders





28180 **ESD Safe Stubby 1/4" Bit Holder With Ring Retainer, Cushion Grip Wiha-SoftFinish® Handle, IEC 61340-5-1, DIN 3126, ISO 1173** Dissipative SoftFinish® cushion grip handle, multi-component, ESD Safe surface resistance 10^6 - 10^9 Ohm.

Item No.	Inch	mm	Inch	lbs.	pkg.
28180	1/4"	57	2.2	.11	1

SHOP



38701 **ESD Safe Quick Release 1/4" Bit Holder, With Wiha-SoftFinish® Cushion Grip Handle, IEC 61340-5-1, DIN 3126, ISO 1173**

Stainless steel with retaining ring bit holder. Dissipative SoftFinish® cushion grip handle, multi-component, ESD Safe surface resistance 10^6 - 10^9 Ohm.

Item No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
38701	1/4"	148	5.8	38	1.5	.18	1

SHOP



In Durable Pouch

Surface resistance of handle is 10^6 - 10^9 Ohms

SHOP

38790 **ESD Safe 1/4" Quick Release Blade Holder Set With Interchangeable 70mm Blades & Quick Release Blade Holder**

20 Pc. set includes ESD Safe Quick Release Holder, cushion grip handle. 70mm blades are CVM tool steel, hardened. Also includes a Quick Release blade extension.

Item nNo. 38790	
Slotted: 2.5, 3.0, 3.5, 4.0, 5.5, 6.5mm	**Phillips:** 0, 1, 2
TORX®: T6, T7, T8, T9, T10, T15	**Pozidriv®:** 0, 1, 2

Wiha Bit Holders



SHOP

38030 ClicFix Quick Release Magnetic Bit Holder Blade high alloy CVM steel, hardened, hard chromed. Wiha Powerhandle impact resistant.

Item No.	Size	mm	Inch	mm	Inch	lbs	pkg.
38030	1/4"	120	4.7	230	9.0	.27	1



SHOP

38800 Bit Holder With Wiha T-handle Magnetic, holds bit and screw. Retainer out of stainless steel. Hex shaft CVM steel, nickel-plated. Wiha-T-handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
38800	1/4"	150	6.0	80	3.0	.18	1



SHOP

38600 Bit Holder 1/4" with Retaining Ring With Flexible Shaft Plastic coated flexible metal. Stainless steel with retaining ring. Wiha-SoftFinish® handle multi-component, cushion grips.

Item No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
38600	1/4"	150	5.9	268	10.6	.30	1



SHOP

28103 Magnetic 1/4" Bit Holder With Wiha SoftFinish® Stubby Handle For working in confined spaces. Stainless steel with strong magnet. Wiha-SoftFinish® handle multi-component, cushion grips.

Item No.	Inch	mm	Inch	lbs.	pkg.
28103	1/4"	57	2.2	.11	1



SHOP

28489 Drive-Loc VI Bit Holder High alloy CVM steel, through hardened, hard chrome finish. Wiha-SoftFinish® handle multi-component, cushion grips.

Item No.	Inch	Extends	lbs.	pkg.
28489	1/4"	1-3/4" to 4-7/8"	.36	1



SHOP

384 1/4" Magnetic Bit Holding Screwdrivers, With Wiha-SoftFinish® Handle Ergonomic cushion grip, magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM steel, nickel-plated.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
38450	1/4"	125	5.0	240	9.46	.23	1
38460	1/4"	300	11.8	400	15.69	.37	1



SHOP

52650 1/4" Bit holding Screwdriver, With Wiha-MicroFinish Handle Non-slip grip, magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM steel, nickel-plated. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
52650	1/4"	125	5.0	225	8.9	.24	1



SHOP

48401 1/4" Bit holding Screwdriver, With Wiha-Ergo 3K Handle Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM tool steel, nickel plated.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
48401	1/4"	125	5.0	211	8.3	.24	1



SHOP

48400 1/4" Bit Holding Screwdriver, With Wiha-Proturn Handle Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM steel, nickel-plated. Handle, molded on, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
48400	1/4	125	5.0	243	9.6	.24	10



SHOP

66850 1/4" Bit Holding Screwdriver, With Wiha-Proturn Precision handle. Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft chrome-vanadium-molybdenum steel, nickel-plated.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
66850	1/4"	60	2.36	170	6.7	.07	1

Wiha Bit Holders



(bits not included)

38025 **Magnetic Bit Holder, 1/4”,** Wiha-Powerhandle, Insulated, impact resistant. Snap-lock rotatable cap. Chambered bit holder equipped with transparent selector for easy selection of bits. 1/4” bit holder, shielded, magnetic, holds bit and screw. Cavity holds up to 6 bits.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
38025	1/4”	120	4.7	230	9.0	.26	1

SHOP



(bits not included)

38015 **Magnetic Bit Holder, 1/4”,** Wiha-Powerhandle impact resistant. Snap-lock rotatable cap. Chambered bit holder equipped with transparent selector for easy selection of bits. 1/4” bit holder, stainless steel, magnetic, holds bit and screw. Shaft CVM steel. Cavity holds up to 6 bits.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
38015	1/4”	120	4.7	230	9.0	.25	1

SHOP



NEW

SHOP

38060 **Mini Bit Ratchet & ClicFix Set**

Extra fine 72 tooth ratchet, rugged drop forged steel. ClicFix quick release holder, precision narrow profile, magnetic. Accepts 1/4” Bits.

Item No.	Includes Phillips: #2
38060	lbs. .28



714 **Proturn 1/4” Quick Release Bit Holder** With magnets

Item No.	Size	mm	Inch	lbs.
71475	2.4”	60	2.4	.06
71476	3.9”	100	3.9	.09
71477	5.9”	150	5.9	.11
71478	7.9”	200	7.8	.14
71479	9.9”	250	9.8	.17


SHOP

71474 **5 Pc. Proturn 1/4” Quick Release Bit Holder Set**

Includes: 60mm, 100mm, 150mm, 200mm, 250mm — lbs. .58

SHOP

Wiha Magnetic Bit Holders



- Narrow Profile
- One handed bit changes
- Internal bit lock mechanism



SHOP

714 **ClicFix Bit Holder, Magnetic For Insert Bits**

Item No.	Size	Size	mm	Inch	lbs.	pkg.
71490	1/4”	1/4”	60	2.4	.07	1
71491	1/4”	1/4”	75	2.9	.07	1

High Precision Tool Holder



Quick release tool holder for Drills, Countersinks & Power bits

SHOP

71480 **CentroFix Bit Holder**

Item No.	Size	Size	mm	Inch	lbs.	pkg.
71480	1/4”	1/4”	60	2.3	.09	1



SHOP

71494 **Stainless Steel Bit Holder, 1/4” For Insert Bits**

Internal C-ring for bit holding & magnet.

Item No.	Size	Size	mm	Inch	lbs.
71494	1/4”	1/4”	54	2.1”	.05


Wiha Bit Holders



SHOP

711 **Universal Magnetic Bit Holder, 1/4" For Insert Bits**

Item No.	Size	Size	mm	Inch	lbs.
71130	1/4"	1/4"	74	2.9	.06
71131	1/4"	1/4"	59	2.3	.05





Holds 1" (25mm) Bits
All Stainless with Rubber O-Ring

714 **Screw Cap Bit Holder with O-Ring**

SHOP


Item No.	Size	Size	mm	Inch	lbs.	
71492	1/4"	1/4"	62	2.4	.08	Non Magnetic
71493	1/4"	1/4"	76	3.0	.08	Magnetic



SHOP

71470 **Auto Lock Magnetic Bit Holder, Spring Loaded Bit Ejection, 1/4" For Insert & Power Bits**

Item No.	Size	Size	mm	Inch	lbs.
71470	1/4"	1/4"	60	2.4	.08



Retaining Ring Bit Holders



714 **Bit Holder, Retaining Ring & Magnetic**

SHOP

Item No.	Size	Size	mm	Inch	lbs.
71431	1/4"	1/4"	60	2.4	.05
71433	1/4"	1/4"	67	2.6	.05
71435	1/4"	1/4"	100	3.9	.07
71437	1/4"	1/4"	150	5.9	.11
71439	1/4"	1/4"	200	7.8	.13
71441	1/4"	1/4"	253	10.0	.16

71499 **5 Pc. Bit Holder Set In Vinyl Pouch**

Includes: 60mm, 100mm, 150mm, 200mm, 253mm — lbs. .60

Wiha Inch & Metric Nut Setters




Magnetic 1/4"

SHOP

704 Metric **Nut Setters Standard With Permanent Industrial Magnet, 1/4" Hex Metric Nut Setters**

Item No.	Size	mm	lbs.
70437	5.0	55	.04
70438	5.5	55	.05
70440	6.0	55	.05
70442	7.0	55	.05
70445	8.0	55	.05
70448	10.0	55	.06
70450	13.0	55	.07

1/4"



SHOP

704 **Nut Setters Standard. 1/4" Hex Inch**

Permanent industrial magnet.

Item No.	Length	mm	lbs.
70462	2.5"	65	.06
70463	4.0"	102	.10
70464	6.0"	152	.15
70466	12.0"	305	.27

5/16"



SHOP

704 **Nut Setters Standard. 5/16" Hex Inch**

Permanent industrial magnet.

Item No.	Length	mm	lbs.
70468	2.5"	65	.07
70469	4.0"	102	.12
70470	6.0"	152	.17
70472	12.0"	305	.28

Wiha Inch & Metric Nut Setters



SHOP

704 **Nut Setters Standard. 3/8” Hex Inch**

Permanent industrial magnet.

Item No.	Length	mm	lbs.
70474	2.5”	65	.08
70476	4.0”	102	.14
70477	6.0”	152	.18
70479	12.0”	305	.41



SHOP

704 **Nut Setters Standard. 1/4” Hex Inch**

Item No.	Size	mm	lbs.
70424	1/4	55	.05
70427	5/16	55	.05
70430	3/8	55	.06



SHOP

70494 **3 pc. Hex Metric Nut Setter Set**

Permanent industrial magnet. 55mm OAL

Hex Metric Nut Setters.

Item No.	lbs.	Set includes the following:
70494	.21	7, 8, 10 x 55mm



SHOP

70490 **3 pc. Hex Inch Nut Setter Set**

Permanent industrial magnet. 65mm OAL

Hex Inch Nut Setters.

Item No.	lbs.	Set includes the following:
70490	.25	1/4, 5/16, 3/8 x 2.5”



SHOP

70491 **3 pc. Hex Inch Nut Setter Set**

Permanent industrial magnet. 102mm OAL Hex Inch Nut Setters.

Item No.	lbs.	Set includes the following:
70491	.39	1/4, 5/16, 3/8 x 4.0”



SHOP

70492 **3 pc. Hex Inch Nut Setter Set**

Permanent industrial magnet. 152mm OAL Hex Inch Nut Setters.

Item No.	lbs.	Set includes the following:
70492	.54	1/4, 5/16, 3/8 x 6.0”



SHOP

70493 **3 pc. Hex Inch Nut Setter Set**

Permanent industrial magnet. 305mm OAL

Hex Inch Nut Setters.

Item No.	lbs.	Set includes the following:
70493	1.03	1/4, 5/16, 3/8 x 12.0”

Canvas Belt Clip Pouch



SHOP

74990 **19 Piece Quick Change Bit Belt Pack Set**

Set includes: 1/4” quick release bit holder and the following 1/4” bits and Nut Setters:

	lbs.
Slotted - Power: 4.5, 5.5, 6.5mm x 50mm	
Phillips - Power: #1, #2, #3 x 50mm	
Square - Power: #1, #2, #3 x 50mm	.93
Torx® - Insert: T10, T15, T20, T25, T27, T30 x 25mm	
Nut Setters - Power: 1/4, 5/16, 3/8” Magnetic	

Wiha TORX®, TORXPlus® & Security TORX® Bit Sockets



Set Screw Replaceable Bits

SHOP

761 TORX® Sockets 1/4" Square Drive

Item No.	Size	mm	lbs.
76106	T6	38	.04
76107	T7	38	.04
76109	T8	38	.04
76111	T9	38	.04
76113	T10	38	.04
76117	T15	38	.04
76119	T20	38	.04
76121	T25	38	.04
76123	T27	38	.04
76129	T30	38	.05
76131	T40	38	.05



SHOP

763 TORX® Sockets 3/8" Square drive, Set screw replaceable bit. 1/4" bits.

Item No.	Size	mm	lbs.
76312	T9	42	.09
76314	T10	42	.09
76316	T15	42	.09
76318	T20	42	.09
76322	T25	42	.09
76324	T27	42	.09
76326	T30	42	.09
76328	T40	42	.09



SHOP

763 TORX® Sockets 3/8" Square drive, Set screw replaceable bit. 5/16" bits. 2" OAL

Item No.	Size	mm	lbs.
76346	T40	51	.11
76348	T45	51	.11
76352	T50	51	.11
76354	T55	51	.13



Set Screw Replaceable Bits

SHOP

763 Security TORX® Sockets
3/8" Square drive, 5/16" bits.

Item No.	Size	mm
76339	T40s	51
76340	T45s	51
76341	T50s	51
76342	T55s	51



Set Screw Replaceable Bits

SHOP

763 Security TORX® Sockets
1/4" Square drive, 1/4" bits.

Item No.	Size	mm
76329	T7s	38
76330	T8s	38
76331	T9s	38
76332	T10s	38
76333	T15s	38
76334	T20s	38
76335	T25s	38
76336	T27s	38
76337	T30s	38
76338	T40s	38



Set Screw Replaceable Bits

SHOP

701 Security TORX® Sockets
3/8" Square drive, 1/4" bits. 2" OAL

Item No.	Size	mm	lbs.
70107	T7s	42	.09
70108	T8s	42	.09
70109	T9s	42	.09
70110	T10s	42	.09
70113	T15s	42	.09
70115	T20s	42	.09
70117	T25s	42	.09
70119	T27s	42	.09
70121	T30s	42	.09
70123	T40s	42	.09



SHOP

716 TORXPlus® Sockets 1/4" Square Drive, Set Screw Replaceable Bit. 1/4" bits

Item No.	Size	mm	lbs.
71661	IP6	38	.04
71662	IP7	38	.04
71663	IP8	38	.04
71664	IP9	38	.04
71665	IP10	38	.04
71666	IP15	38	.04
71667	IP20	38	.04
71668	IP25	38	.04
71669	IP27	38	.04
71670	IP30	38	.04
71671	IP40	38	.04



SHOP

716 TORXPlus® Sockets 3/8" Square Drive, Set Screw Replaceable Bit. 1/4" bits

Item No.	Size	mm	lbs.
71673	IP9	42	.09
71674	IP10	42	.09
71675	IP15	42	.09
71676	IP20	42	.09
71677	IP25	42	.09
71678	IP27	42	.09
71680	IP30	42	.09
71681	IP40	42	.09

1/2" Square Drive Sockets



Set Screw Replaceable Bits

SHOP

764 Slotted Bit Sockets 1/2" Square Drive

Item No.	mm	mm	lbs.	pkg.
76417	8	59	.12	1
76418	10	59	.12	1
76419	12	59	.12	1



Set Screw Replaceable Bits

SHOP

764 Phillips Bit Sockets 1/2" Square Drive

Item No.	Size	mm	lbs.	pkg.
76422	2	59	.15	1
76423	3	59	.15	1
76424	4	59	.15	1

1/2" Square Drive Sockets



Set Screw Replaceable Bits

SHOP

764 TORX® Sockets 1/2" Square Drive

Item No.	Size	mm	lbs.	pkg.
76403	T30	59	.10	1
76404	T40	59	.10	1
76405	T45	59	.10	1
76406	T50	59	.10	1
76407	T55	59	.11	1



Set Screw Replaceable Bits

SHOP

764 Security TORX® Sockets
1/2" Square Drive

Item No.	Size	mm	lbs.	pkg.
76411	T40s	59	.11	1
76412	T45s	59	.11	1
76413	T50s	59	.11	1
76414	T55s	59	.12	1

Hex Inch/Metric Bit Sockets



SHOP

713 Hex Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item No.	Inch	mm	lbs.
71371	1/16	38	.05
71370	5/64	38	.05
71372	3/32	38	.05
71374	7/64	38	.05
71376	1/8	38	.05
71378	9/64	38	.05
71380	5/32	38	.05
71382	3/16	38	.05
71384	7/32	38	.05
71386	1/4	38	.05



SHOP

713 Hex Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM tool steel.

Item No.	Inch	mm	lbs.
71375	1/8	42	.09
71377	9/64	42	.09
71379	5/32	42	.09
71381	3/16	42	.09
71383	7/32	42	.09
71385	1/4	42	.09
71388	5/16	42	.10
71390	3/8	42	.10



SHOP

713 Hex Metric Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item No.	mm	mm	lbs.
71301	1.5	38	.04
71302	2.0	38	.04
71305	2.5	38	.04
71313	3.0	38	.04
71314	4.0	38	.04
71317	5.0	38	.05
71319	6.0	38	.05
71327	8.0	38	.05
71340	10.0	38	.05



SHOP

713 Hex Metric Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item No.	mm	mm	lbs.
71300	2.0	42	.09
71316	2.5	42	.09
71341	3.0	42	.09
71331	4.0	42	.09
71323	5.0	42	.09
71325	6.0	42	.09
71320	8.0	42	.10
71322	10.0	42	.11



SHOP

713 Hex Metric Sockets 3/8" Square drive socket. Replaceable bit. 5/16" bits CVM steel.

Item No.	mm	mm	lbs.
71332	12.0	75	.22



SHOP

761 Security Hex Inch Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item No.	Inch	mm	lbs.
76164	5/64	42	.09
76165	3/32	42	.09
76166	7/64	42	.09
76167	1/8	42	.09
76168	9/64	42	.09
76169	5/32	42	.09
76170	3/16	42	.09
76171	7/32	42	.09
76172	1/4	42	.09



SHOP

761 Security Hex Metric Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item No.	mm	mm	lbs.
76132	2.0	42	.09
76133	2.5	42	.09
76134	3.0	42	.09
76135	4.0	42	.09
76136	5.0	42	.09
76137	6.0	42	.09
76138	8.0	42	.09

Wiha Ball End Hex Inch & Metric Bit Sockets



SHOP

717 Ball End Hex Inch Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item No.	Inch	mm	lbs.
71761	3/32	38	.05
71762	7/64	38	.05
71763	1/8	38	.05
71764	9/64	38	.05
71765	5/32	38	.05
71766	3/16	38	.05
71767	7/32	38	.05
71768	1/4	38	.05



SHOP

717 Ball End Hex Metric Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item No.	mm	mm	lbs.
71771	1.5	51	.11
71772	2.0	51	.11
71773	2.5	51	.11
71774	3.0	51	.11
71775	4.0	51	.11
71776	5.0	51	.12
71777	6.0	51	.12

Wiha Bit Holding Socket Replacements



SHOP

72014 1/4" Drive Bit Holding Socket With Retaining Ring For 1/4" drive bits.

Item No.	Bit	mm	Drive	lbs.
72014	1/4"	25	1/4"	.04



SHOP

72038 3/8" Drive Bit Holding Socket With Retaining Ring For 1/4" drive bits.

Item No.	Bit	mm	Drive	lbs.
72038	1/4"	25	3/8"	.08

Socket Adapters



SHOP

721 **Hex To Square** 1/4" socket bit adapter.

Item No.	Size	mm	Drive	lbs.
72110	1/4"	25	1/4"	.03
72115	1/4"	30	3/8"	.05



SHOP

724 **Tool Shaft**

1/4" drive socket power adapter.

Item No.	Drive	mm	Drive	lbs.
72401	1/4"	100	1/4"	.09
72405	1/4"	50	1/4"	.03
72410	1/4"	100	3/8"	.17
72415	1/4"	50	3/8"	.06

Impact Bit Holding Sockets



SHOP

720 **Impact Bit Holding Socket With Retaining Ring** For 1/4" drive bits.

Item No.	Bit	mm	Drive	lbs.
72001	1/4"	25	1/4"	.05
72002	1/4"	30	3/8"	.10
72003	1/4"	35	1/2"	.21

72090 **3 Piece Bit Holding Socket Set**

for use with 1/4" Insert bits

SHOP

Drive:	lbs.
1/4", 3/8", 1/2"	.40



SHOP

720 **Impact Bit Holding Socket With Retaining Ring** For 5/16" drive bits.

Item No.	Bit	mm	Drive	lbs.
72004	5/16"	25	1/4"	.04
72005	5/16"	30	3/8"	.04
72006	5/16"	35	1/2"	.04

Wiha Long Blade Sockets & Sets



SHOP

771 **Hex Inch Sockets**

1/4" Drive 6" Long Bit Socket

Item No.	Size	Inch	lbs.
77128	3/32	6	.12
77130	7/64	6	.12
77132	1/8	6	.12
77134	9/64	6	.12
77136	5/32	6	.12
77138	3/16	6	.12
77139	7/32	6	.12
77141	1/4	6	.12

77191 **8 Pc. Hex Inch Socket Blade Set**

Inch: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" wt. .81



SHOP

771 **Hex Inch Sockets**

3/8" Drive 6" Long Bit Socket

Item No.	Size	Inch	lbs.
77165	3/32	6	.12
77167	7/64	6	.12
77169	1/8	6	.12
77171	9/64	6	.12
77173	5/32	6	.12
77175	3/16	6	.12
77177	7/32	6	.12
77179	1/4	6	.12



SHOP

771 **Hex Metric Sockets**

1/4" Drive 6" Long Bit Socket

Item No.	Size	Inch	lbs.
77140	2.5	6	.12
77142	3.0	6	.12
77144	4.0	6	.12
77146	5.0	6	.12
77148	6.0	6	.12

77192 **5 Pc. Hex Metric Socket Blade Set**

Metric: 2.5, 3.0, 4.0, 5.0, 6.0mm lbs. .51



SHOP


771 **TORX® Sockets**

1/4" Drive 6" Long Bit Socket

Item No.	Size	Inch	lbs.
77151	T8	6	.12
77153	T9	6	.12
77152	T10	6	.12
77154	T15	6	.12
77156	T20	6	.12
77158	T25	6	.12
77160	T27	6	.12
77162	T30	6	.12
77164	T40	6	.12

77193 **7 Pc. TORX® Socket Blade Set**

TORX®: T10, T15, T20, T25, T27, T30, T40 wt. .69



SHOP


771 **TORX® Sockets**

3/8" Drive 6" Long Bit Socket

Item No.	Size	Inch	lbs.
77101	T8	6	.12
77103	T9	6	.12
77105	T10	6	.12
77107	T15	6	.12
77109	T20	6	.12
77111	T25	6	.12
77113	T27	6	.12
77115	T30	6	.12
77117	T40	6	.12

77195 **9 Pc. TORX® Socket Blade Set**

TORX®: T8, T9, T10, T15, T20, T25, T27, T30, T40 wt. 93



77198 **22 Pc. Hex & TORX® Long Blade Socket Set, 1/4" Drive**

Inch Hex: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Metric Hex: 2.5, 3.0, 4.0, 5.0, 6.0mm

TORX®: T8, T9, T10, T15, T20, T25, T27, T30, T40

SHOP

lbs. 2.82

Wiha Socket Sets On Molded Rails



SHOP

76191 **10 pc. TORX® Socket Set**
1/4" Square Drive Replaceable Bit Socket.
Bits CVM tool steel. OAL 1.5"

Item No.	lbs.	Set includes the following:
76191	.48	T7, T8, T9, T10, T15, T20, T25, T27, T30, T40



SHOP

76194 **6 pc. TORX® Socket Set**
1/4" Square Drive Replaceable Bit Socket. Bits CVM tool steel.


Item No.	lbs.	Set includes the following:
76194	.20	T10, T15, T20, T25, T27, T30



SHOP

76395 **8 pc. TORX® Socket Set** 3/8" Square Drive Replaceable Bit Socket. Bits CVM tool steel. OAL 1.5"

Item No.	lbs.	Set includes the following:
76395	.60	T9, T10, T15, T20, T25, T27, T30, T40



SHOP

76396 **8 pc. TORX® Socket Set** 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel. OAL 1.65"

Item No.	lbs.	Set includes the following:
76396	.84	1/4": T20, T25, T27, T30, T40, 5/16": T45, T50, T55


Security Torx®



SHOP

70195 **10 pc. Security TORX® Socket Set** 1/4" Square drive replaceable bit socket. 1/4" Bits CVM tool steel.


Item No.	lbs.	Set includes the following:
70195	.48	T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s



SHOP

76397 **9 pc. Security TORX® Socket Set** 1/4" & 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel.

Item No.	lbs.	Set includes the following:
76397	.85	1/4": T10s, T15s, T20s, T25s, T27s, T30s 3/8": T40s (1/4" bit) 3/8": T45s, T50s (5/16" bit)



SHOP

76399 **12 pc. Security TORX® Socket Set** 1/4" & 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel.

Item No.	lbs.	Set includes the following:
76399	.77	1/4": T7s, T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s 5/16": T45s, T50s, T55s




SHOP

71698 **8 pc. TORXPlus® Socket Set On Rail, In Vinyl Pouch**
1/4" & 3/8" Square Drive Replaceable Bit Socket. Bits Chrome-vanadium-molybdenum tool steel.

Item No.	lbs.	Set includes the following:
71698	.60	1/4": IP9, IP10, IP15, IP20 3/8": IP25, IP27, IP30, IP40

Wiha Socket Sets On Molded Rails



SHOP

71391 **10 Piece Hex Inch Socket Set** 1/4" Square drive replaceable bit socket. Bits CVM tool steel. OAL 1.5"

Item No.	lbs.	Set includes the following:
71391	.48	1/16, 5/64, 3/32, 7/64, 1/8 9/64, 5/32, 3/16, 7/32, 1/4"



SHOP

71393 **5 Piece Hex Inch Socket Set** 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits Chrome-vanadium-molybdenum tool steel.

Item No.	lbs.	Set includes the following:
71393	.54	Hex Inch: 1/8, 3/16, 1/4, 5/16, 3/8"



SHOP

71798 **8 Piece Ball End Hex Inch Socket Set** 1/4" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel. OAL

Item No.	lbs.	Set includes the following:
71798	.72	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



SHOP

71394 **5 Piece Hex Metric Socket Set** 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.

Item No.	lbs.	Set includes the following:
71394	.56	Hex Metric: 4.0, 5.0, 6.0, 8.0, 10.0mm



SHOP

71398 **7 Piece Ball End Hex Inch Socket Set** 1/4" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel. OAL

Item No.	lbs.	Set includes the following:
71398	.48	3/32, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



SHOP

71996 **9 Piece Hex Metric Socket Set** 1/4" & 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel. OAL 1.65"


Item No.	lbs.	Set includes the following:
71996	.66	1/4": 1.5, 2.0, 2.5, 3.0, 4.0mm 3/8": 5.0, 6.0, 8.0, 10.0mm



SHOP

71797 **7 Piece Ball End Hex Metric Socket Set** 1/4" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.

Item No.	lbs.	Set includes the following:
71797	.72	Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm



SHOP

71999 **9 Piece Security Hex Inch Socket Set** 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.

Item No.	lbs.	Set includes the following:
71999	.86	Inch: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



SHOP

71392 **8 Piece Hex Inch Socket Set** 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel. OAL 1.65"

Item No.	lbs.	Set includes the following:
71392	.78	1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"



SHOP

71989 **7 Piece Security Hex Metric Socket Set** 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.

Item No.	lbs.	Set includes the following:
71989	.72	Metric: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm

Item No.	Page
28103	40
28180	39
28200	33
28291	33
28295	8
28296	33
28297	11
28298	20
28299	20
28489	40
28589	34
28590	34
28593	34
28595	34
35510	26
35512	26
35514	26
35516	26
38003	8
38004	8
38006	32
38007	32
38008	8
38009	11
38010	11
38014	21
38015	41
38016	30
38017	30
38018	30
38025	41
38026	30
38027	30
38028	8,30
38030	32,40
38033	32
38043	32
38045	8
38047	11
38048	32
38056	21
38057	20
38058	20
38059	32
38060	41
38450	40
38460	40
38600	40
38701	39
38790	39
38800	40
48400	40
48401	40
52650	40
66850	40
70107	44
70108	44
70109	44
70110	44
70113	44
70115	44
70117	44
70119	44
70121	44
70123	44
70127	10
70128	10
70129	10
70130	23
70131	23
70132	23
70133	23
70135	10
70139	10
70142	10
70143	26
70144	26
70145	26
70146	26
70147	26
70148	10
70150	10
70151	10
70152	10
70153	10
70154	10
70155	10
70156	10
70157	10
70158	10
70159	10
70160	10
70163	10
70168	10
70170	17
70171	17
70172	17
70173	17
70174	17
70175	17
70176	17
70190	11
70195	47
70401	16
70402	16
70405	16
70407	24
70408	24
70410	24
70411	7
70413	7
70414	7
70416	7
70417	7
70424	43
70427	43
70430	43
70437	42
70438	42
70440	42
70442	42
70445	42
70448	42
70450	42
70462	42
70463	42
70464	42
70466	42
70468	42
70469	42
70470	42
70472	42
70474	43
70476	43
70477	43
70479	43
70490	43
70491	43
70492	43
70493	43
70494	43
70507	10
70508	10
70509	10
70510	10
70515	10
70520	10
70525	10
70527	10
70530	10
70540	10
70545	10
70550	10
70555	10
70556	10
70557	10
70558	10
70559	10
70560	10
70561	10
70562	10
70563	10
70564	10
70565	10
70566	10
70567	10
70568	10
71001	22
71002	22
71003	22
71004	22
71010	27
71011	27
71012	27
71013	27
71014	27
71020	27
71021	27
71022	27
71023	27
71024	27
71030	23
71031	23
71032	23
71033	23
71034	23
71035	23
71036	23
71051	23
71052	23
71053	23
71054	23
71055	23
71056	14
71090	31
71094	27
71095	29
71100	14
71101	14
71102	14
71103	14
71105	15
71106	15
71107	15
71111	27
71112	27
71113	27
71121	28
71122	28
71123	28
71125	14
71126	15
71127	15
71128	15
71130	42
71131	42
71133	16
71134	16
71135	16
71141	28
71142	28
71143	28
71149	14
71150	14
71151	14
71152	14
71153	14
71154	14
71155	14
71165	15
71166	15
71167	15
71181	27
71182	27
71183	27
71194	28
71195	8
71196	28
71197	27
71198	14
71199	14
71200	24
71201	24
71202	24
71203	24
71211	27
71212	27
71213	27
71221	27
71222	27
71223	27
71241	24
71242	24
71243	24
71250	24
71251	24
71252	24
71253	24
71254	24
71300	45
71301	45
71302	45
71303	17
71304	19
71305	45
71306	17
71307	19
71308	17
71309	17
71310	19
71311	19
71312	17
71313	45
71314	45
71315	17
71316	45
71317	45
71318	17
71319	45
71320	45
71321	17
71322	45
71323	45
71324	17
71325	45
71326	17
71327	45
71328	17
71329	17
71330	17
71331	45
71332	45
71333	17
71336	17
71339	17
71340	45
71341	45
71342	17
71343	19
71345	17
71346	19
71348	17
71349	19
71351	17
71352	19
71353	17
71354	19
71356	17
71358	19
71359	17
71360	17
71361	17
71362	17
71363	17
71364	17
71365	17
71366	17
71367	17
71368	17
71369	17
71370	45
71371	45
71372	45
71373	17
71374	45
71375	45
71376	45
71377	45
71378	45
71379	45
71380	45
71381	45
71382	45
71383	45
71384	45
71385	45
71386	45
71387	17
71388	45
71390	45
71391	48
71392	48
71393	48
71394	48
71396	17
71397	17
71398	48
71399	21
71404	16
71414	16
71424	16
71431	42
71433	42
71435	42
71437	42
71439	42
71441	42
71452	16
71453	16
71455	16
71456	16
71464	16
71465	16
71466	16
71470	42
71474	41
71475	41
71476	41
71477	41
71478	41
71479	41
71480	26,41
71490	41
71491	41
71492	42
71493	42
71494	41
71499	42
71500	7
71501	7
71502	7
71503	7
71504	7
71505	6
71506	6
71507	6
71508	6
71509	6
71510	6
71511	7
71512	7
71513	7
71515	6
71516	27
71517	27
71518	27
71519	27
71520	6
71521	27
71522	27
71523	6
71524	6
71525	6
71527	6
71530	6
71536	9
71537	9
71538	9
71539	9
71540	6
71541	9
71542	9
71543	9
71544	9
71545	9
71546	9
71547	9
71548	6
71549	6
71550	6
71551	6
71552	6
71553	6
71554	6
71555	6
71556	6
71557	6
71558	6
71559	6
71560	6
71561	6
71562	28
71563	28
71564	28
71565	28
71566	28
71567	28
71568	28
71569	28
71570	6
71571	6
71574	27
71576	27
71578	27
71580	27
71582	27
71584	27
71585	28
71586	28
71587	28
71588	28
71596	28
71603	12
71604	12
71605	12
71606	12
71607	12
71608	12
71609	12
71610	12
71615	12
71620	12
71625	12
71627	12
71630	12
71631	12
71632	12
71633	12

Item No.	Page
71634	12
71635	12
71636	12
71637	12
71638	12
71639	12
71640	12
71641	12
71642	12
71643	12
71644	12
71645	12
71648	12
71650	12
71652	12
71654	12
71656	12
71657	12
71658	12
71660	12
71661	44
71662	44
71663	44
71664	44
71665	44
71666	44
71667	44
71668	44
71669	44
71670	44
71671	44
71673	44
71674	44
71675	44
71676	44
71677	44
71678	44
71680	44
71681	44
71690	13
71692	13
71698	47
71701	19
71702	19
71703	19
71704	19
71705	19
71706	19
71707	19
71708	19
71711	19
71712	19
71713	19
71714	19
71715	19
71716	19
71717	19
71718	19
71719	19
71720	19
71721	19
71722	19
71723	19
71724	19
71725	19
71726	19
71728	19
71730	19
71732	19
71734	19
71736	19
71738	19
71740	19
71750	19
71760	19
71761	45
71762	45
71763	45

Item No.	Page
71764	45
71765	45
71766	45
71767	45
71768	45
71771	45
71772	45
71773	45
71774	45
71775	45
71776	45
71777	45
71797	48
71798	48
71801	22
71802	22
71803	22
71851	22
71852	22
71853	22
71854	22
71900	25
71901	25
71902	25
71903	25
71904	25
71905	25
71906	25
71907	25
71908	25
71909	25
71910	25
71911	25
71912	25
71913	25
71914	26
71916	26
71918	26
71920	26
71921	25
71922	25
71923	25
71924	25
71930	18
71932	18
71934	18
71936	18
71938	18
71939	18
71940	18
71941	18
71942	18
71943	18
71944	18
71945	18
71946	18
71949	25
71950	25
71951	25
71952	25
71953	25
71954	25
71955	18
71956	18
71957	25
71958	25
71959	25
71960	18
71963	26
71964	26
71965	26
71966	26
71970	18
71971	18
71972	18
71973	18
71974	18
71975	18

Item No.	Page
71976	18
71977	18
71978	18
71979	18
71980	18
71981	18
71982	18
71983	18
71984	18
71985	18
71988	28
71989	48
71990	29
71991	29
71992	29
71994	29
71995	21
71996	48
71997	29
71998	21
71999	48
72001	46
72002	46
72003	46
72004	46
72005	46
72006	46
72014	45
72025	23
72031	23
72038	45
72039	23
72047	23
72048	23
72049	23
72050	23
72051	23
72090	46
72102	15
72103	15
72104	15
72110	46
72115	46
72388	17
72401	46
72405	46
72410	46
72415	46
72519	14
72521	14
72522	14
72523	14
72525	6
72527	6
72530	6
72531	6
72534	23
72535	23
72536	23
72540	6
72541	6
72542	10
72545	6
72546	6
72547	10
72550	6
72551	6
72552	10
72555	6
72556	6
72557	10
72562	10
72563	10
72564	10
72567	10
72572	6
72573	6
72574	6

Item No.	Page
72575	6
72576	6
72577	6
72578	6
72579	6
72580	6
72581	6
72582	17
72583	17
72584	17
72585	17
72586	17
72587	17
73301	17
73302	17
73303	17
73304	17
73305	17
73306	17
73307	17
73308	17
73309	17
73310	9
73311	9
73312	9
73313	9
73314	9
73315	9
73316	9
73317	9
73318	9
73319	9
73320	9
74003	22
74006	22
74009	22
74010	22
74012	22
74015	22
74018	22
74021	22
74023	22
74033	23
74034	23
74035	23
74036	23
74039	23
74041	23
74050	23
74061	23
74062	23
74063	23
74064	23
74065	23
74066	23
74067	23
74068	23
74069	23
74101	28
74103	15
74105	28
74106	15
74108	28
74109	15
74111	15
74112	15
74113	15
74115	15
74116	15
74118	15
74121	15
74123	15
74124	15
74126	15
74127	15
74130	15
74131	15
74133	15

Item No.	Page
74136	15
74141	27
74142	27
74143	27
74150	15
74161	27
74162	27
74163	27
74164	15
74165	15
74166	15
74167	15
74168	15
74201	24
74203	24
74205	24
74207	24
74212	24
74214	24
74216	24
74221	24
74225	24
74241	27
74242	27
74243	27
74261	24
74262	24
74263	24
74301	19
74303	16,23
74304	16
74305	19
74306	16,23
74307	19
74308	16
74309	16,23
74310	16
74311	18
74312	18
74313	18
74314	18
74315	18
74316	18
74317	18
74318	18
74319	19
74325	18
74330	18
74340	18
74341	18
74342	18
74343	18
74344	18
74345	18
74346	18
74347	18
74348	18
74349	18
74350	18
74351	18
74352	18
74353	18
74354	18
74355	18
74356	18
74357	18
74360	18
74361	18
74362	18
74363	18
74364	18
74365	18
74366	18
74369	19
74371	19
74373	19
74375	19
74377	19

Item No.	Page
74379	19
74380	18
74381	18
74382	18
74383	18
74384	18
74385	18
74386	18
74387	18
74388	18
74411	7
74413	7
74415	7
74417	7
74419	7
74421	7
74423	7
74429	7
74431	7
74433	7
74435	7
74460	7
74461	7
74462	7
74463	7
74464	7
74465	7
74466	7
74467	7
74468	7
74469	7
74470	7
74501	7
74502	7
74503	7
74504	7
74505	13
74506	7
74508	7
74510	7
74511	7
74512	7
74513	7
74514	7
74515	7
74516	7
74517	7
74518	7
74519	7
74520	13
74521	7
74522	13
74523	7
74524	13
74526	13
74528	13
74529	7
74531	7
74532	13
74533	7
74534	13
74535	7
74536	7
74537	13
74538	7
74539	13
74541	13
74542	7
74543	13
74544	7
74545	13
74546	7
74547	13
74548	7
74549	13
74550	13
74551	7
74552	13

Item No.	Page
74553	7
74554	13
74555	13
74556	7
74557	13
74558	7
74561	7
74562	13
74563	7
74564	13
74565	7
74567	7
74569	7
74571	7
74573	7
74575	7
74577	7
74579	7
74581	7
74583	7
74586	7
74587	7
74588	7
74589	7
74590	7
74591	7
74601	12
74602	12
74603	12
74604	12
74608	12
74612	12
74616	12
74620	12
74624	12
74628	12
74632	12
74636	12
74659	12
74660	12
74661	12
74662	12
74663	12
74664	12
74665	12
74666	12
74667	12
74668	12
74669	12
74670	12
74711	9
74714	9
74717	9
74721	9
74724	9
74728	9
74732	9
74736	9
74739	9
74742	9
74760	9
74761	9
74762	9
74763	9
74764	9
74765	9
74766	9
74767	9
74768	9
74769	9
74813	22
74816	22
74819	22
74860	22
74861	22
74862	22
74890	22
74895	22

Item No.	Page
74901	25
74902	25
74903	25
74904	25
74911	25
74912	25
74913	25
74914	25
74915	25
74960	25
74961	25
74962	25
74963	25
74964	25
74965	25
74966	25
74967	25
74968	25
74981	9
74982	13
74983	33
74985	8
74986	20
74987	11
74988	33
74989	21
74990	43
74992	33
74996	33
74999	21
75008	35
75012	35
75015	35
75018	35
75020	35
75025	35
75030	35
75035	35
75040	35
75093	39
75094	39
75095	39
75096	39
75105	35
75110	35
75115	35
75120	35
75307	35
75309	35
75313	35
75315	35
75320	35
75322	36
75325	35
75327	36
75330	35
75332	36
75340	35
75342	36
75350	35
75352	35
75354	35
75356	35
75358	35
75360	35
75362	36
75364	36
75366	36
75368	36
75370	36
75372	36
75395	37
75703	36
75704	36
75705	36
75706	36
75707	36
75708	36

Item No.	Page
75709	36
75710	36
75715	36
75720	36
75727	36
75728	36
75729	36
75735	36
75739	36
75742	36
75743	36
75744	36
75745	36
75746	36
75747	36
75748	36
75792	37
75800	35
75801	35
75802	36
75803	36
75810	36
75811	36
75812	36
75813	36
75814	36
75815	36
75816	36
75817	36
75820	36
75821	36
75822	36
75823	36
75824	36
75825	36
75826	36
75827	36
75900	35
75901	35
75902	36
75965	38
75981	38
75983	38
75985	38
75989	38
75990	38
75991	37
75992	37
75994	37
75996	37
75999	37
76106	44
76107	44
76109	44
76111	44
76113	44
76117	44
76119	44
76121	44
76123	44
76129	44
76131	44
76132	45
76133	45
76134	45
76135	45
76136	45
76137	45
76138	45
76164	45
76165	45
76166	45
76167	45
76168	45
76169	45
76170	45
76171	45
76172	45

Item No.	Page
76191	47
76194	47
76312	44
76314	44
76316	44
76318	44
76322	44
76324	44
76326	44
76328	44
76329	44
76330	44
76331	44
76332	44
76333	44
76334	44
76335	44
76336	44
76337	44
76338	44
76339	44
76340	44
76341	44
76342	44
76346	44
76348	44
76352	44
76354	44
76395	47
76396	47
76397	47
76399	47
76403	44
76404	44
76405	44
76406	44
76407	44
76411	44
76412	44
76413	44
76414	44
76417	44
76418	44
76419	44
76422	44
76423	44
76424	44
76501	4
76502	4
76503	4
76506	4
76507	4
76508	4
76510	4
76511	4
76512	4
76513	4
76514	4
76516	4
76517	4
76523	4
76524	4
76525	4
76526	4
76530	4
76531	4
76532	4
76533	4
76534	4
76535	4
76538	4
76539	4
76540	4
76543	5
76544	5
76545	5
76548	5
76549	5

Item No.	Page
76550	5
76553	5
76554	5
76555	5
76556	5
76557	5
76558	5
76559	5
76563	5
76564	5
76565	5
76566	5
76570	5
76571	5
76572	5
76573	5
76574	5
76575	5
76578	5
76579	5
76580	5
76801	4
76802	4
76803	4
76806	4
76807	4
76808	4
76810	4
76811	4
76812	4
76813	4
76814	4
76816	4
76817	4
76823	4
76824	4
76825	4
76826	4
76830	4
76831	4
76832	4
76833	4
76834	4
76835	4
76838	4
76839	4
76840	4
76843	5
76844	5
76845	5
76848	5
76849	5
76850	5
76853	5
76854	5
76855	5
76856	5
76857	5
76858	5
76859	5
76863	5
76864	5
76865	5
76866	5
76870	5
76871	5
76872	5
76873	5
76874	5
76875	5
76878	5
76879	5
76880	5
76891	5
76892	5
76893	5
76894	5
76895	5

Item No.	Page
76896	5
77101	46
77103	46
77105	46
77107	46
77109	46
77111	46
77113	46
77115	46
77117	46
77128	46
77130	46
77132	46
77134	46
77136	46
77138	46
77139	46
77140	46
77141	46
77142	46
77144	46
77146	46
77148	46
77151	46
77152	46
77153	46
77154	46
77156	46
77158	46
77160	46
77162	46
77164	46
77165	46
77167	46
77169	46
77171	46
77173	46
77175	46
77177	46
77179	46
77191	46
77192	46
77193	46
77195	46
77198	46
78002	26
78005	26
78008	26
78011	26
78015	26
78018	26
78615	26
78617	26
78619	26
78621	26
78622	26
78624	26
79242	8
79243	31
79245	8
79246	20
79247	11
79248	31
79256	20
79266	21
79276	21
79283	9
79443	31
79445	8
79446	20
79447	11
79450	13
79490	31
79495	31
91247	5
91313	5

(800) 494-6104
fax: (800) 494-7456
email: cservice@wihatools.com
www.wihatools.com

SEE OUR GREAT WEB SPECIALS!

wiha Premium Tools



Wiha Quality Tools
1348 Dundas Circle
Monticello, MN 55362
tel: 763.295.6591
fax: 763.295.6598

Wiha Tools Canada Ltd.
www.wihatools.ca
Brampton, ONT L6T 4X4
tel: 866.494.0096 or 763.295.6591
fax: 763.295.6598

To:

Catalog Item No. 99951.wo
version - 5/15/14

Subject to change without notice

©2014 Willi Hahn Corporation

®Torx is a registered trademark of Acument Intellectual Properties LLC.



91330.wo - Tooling Catalog



99004.wo - Shop Tools Catalog



99914.wo - TORX Catalog



99002.wo - Screwdrivers Catalog



99919.wo - Insulated Catalog



99001.wo - TorqueControl Catalog



99934.wo - Hex Tools Catalog



99006.wo - Tech Tools Catalog



99945.wo - ESD Catalog



99977.wo - Pliers/Crimpers Catalog

2014

wiha
Premium Tools


Professional HEX Tools

Inch & Metric



Complete Hex Program





wiha Premium Tools

Toll Free: (800) 494-6104

Wiha Hex Tools Index

	DESCRIPTION	Page
	T-handles	13
	PocketStar Fold Outs	17
	L-keys - Long/Short Nickel & Black Finish	18-20
	Insulated T-handle	21
	Insulated Hex Drivers	21
	Insulated L-keys	22
	Insulated Sockets	22
	Drive-Loc VI Blades	23
	ESD Safe Precision	26
	Precision	28
	PicoFinish	27
	SYSTEM 4 Blades	29
	SYSTEM 4 Micro Bits	31
	Insert/Power Bit Sets	32
	XSelectors	34
	Bit Insert & Power Bits	35-37
	Sockets	38-40

Wiha Security Hex Index


	DESCRIPTION	Page
	SYSTEM 4 Micro Bits	31
	Insert Bits	35
	Sockets	39-40

Wiha Ball End Hex Tools Index

	DESCRIPTION	Page
	Ball End L-keys & Sets Chrome Finish	6
	Colored Coded L-keys Chrome Finish	5
	Ball End L-keys & Sets Long, Mid-Length & Short Black Finish	7-9
	Stainless Steel L-keys & Set	7
	Soft Grip T-handles Chrome & Black Finish	11-12
	3K Series Screwdrivers	16
	Drive-Loc VI Blades	23
	Precision	29
	PicoFinish Soft Grip	27
	SYSTEM 4 Blades	29
	Stubby Bit Holder Sets	32
	Ball End Hex Insert Bit	36
	Ball End Hex Socket	39

MagicRing Screw Holding Hex Tools Index



	DESCRIPTION	Page
	L-keys Screw Holding	4
	T-handles Screw Holding	10
	SoftFinish Screw Holding Cushion Grip	14-15
	PocketStars Screw Holding	17
	Insert Bits Screw Holding Power Bits Screw Holding	33
	Bit-Selectors Screw Holding Insert & Power Bits	33,34

Wiha Drive-Loc VI Index

	DESCRIPTION	Page
	Drive-Loc VI Handle SoftFinish® Cushion Grip	23
	Drive-Loc VI Handle ESD Safe Cushion Grip	23
	Drive-Loc VI Handle MicroFinish Non-Slip Grip	23
	Drive-Loc VI Blades Ball End Hex & Hex Inch/Metric	23
	Drive-Loc VI Blade Set	23

Wiha TorqueControl Tools Index

	DESCRIPTION	Page
	TorqueFix Handle	24
	TorqueVario Handle	24
	Hex Inch/Metric Blades	24
	T-handle Torque Tools	25
	Hex Inch/Metric Blades	25


Wiha Bit Sets Index

	DESCRIPTION	Page
	MicroBit Sets	31
	Stubby Bit Holder Sets	32
	Topra Bit Sets	32
	Bit Selector Sets	33
	Power Bit Belt Packs	34
	XSelectors	34
	PokitPaks	34

Wiha Power & Insert Bits Index

	DESCRIPTION	Page
	MagicRing Hex Inch & Metric Insert/Power Bits	33
	Hex Inch & Metric Insert/Power Bits	35-37
	Security Bits Inch & Metric Insert/Power Bits	35
	Ball End Hex Inch & Metric	36
	Stainless Steel Metric	36

Wiha Sockets & Sets Index

	DESCRIPTION	Page
	Insulated Sockets	22
	Hex Bit Sockets 1/4” Drive	38-39
	Hex Bit Sockets 3/8” Drive	39
	Ball End Sockets	39
	6” Bit Sockets 1/4” & 3/8” Drive	38
	Socket Sets	40

MagicRing Ball End Hex Keys





669 **MagicRing Ball End Metric Hex L-key** Long blade Chrome-V-Moly, hardened, hard chrome finish.

Item No.	mm	mm	mm	lbs.	pkg.	
66904*	1.5	90	14	.01	10	No Ring
66908*	2.0	99	16	.01	10	No Ring
66912*	2.5	111	18	.01	10	No Ring
MagicRing						
66916	3.0	125	20	.02	10	
66920	4.0	138	25	.04	10	
66924	5.0	158	28	.07	10	
66928	6.0	178	32	.12	10	
66936	8.0	198	36	.23	10	
66944	10.0	221	40	.40	10	

* Standard Ball - No Ring




66990 **9 Pc. MagicRing Long Metric Ball End Hex L-key Set, In ErgoStar Holder** Blade Chrome-V-Moly, hardened, hard chrome finish.

Item No.		mm	mm		mm	mm	lbs.
66990	66904*	1.5	90	66924	5.0	158	.94
	66908*	2.0	99	66928	6.0	178	
	66912*	2.5	111	66936	8.0	197	
	66916	3.0	125	66944	10.0	221	
	66920	4.0	138				

* Standard Ball - No Ring

Screw Holding Hex Tools!



669 **MagicRing Ball End Inch Hex L-key,** Long blade Chrome-V-Moly, hardened, hard chrome finish.

Item No.	Inch	Inch	Inch	lbs.	pkg.	
66945*	.050	2.8	.5	.01	10	No Ring
66946*	1/16	3.1	.6	.01	10	No Ring
66947*	5/64	3.5	.7	.01	10	No Ring
66950*	3/32	3.9	.7	.01	10	No Ring
66952*	7/64	4.3	.7	.02	10	No Ring
MagicRing						
66953	1/8	4.6	.8	.02	10	
66955	9/64	5.2	.9	.03	10	
66956	5/32	5.7	1.0	.04	10	
66959	3/16	6.2	1.1	.06	10	
66962	7/32	6.7	1.2	.09	10	
66965	1/4	7.3	1.2	.13	10	
66968	5/16	8.0	1.4	.22	10	
66971	3/8	8.8	1.6	.36	10	

* Standard Ball - No Ring



66991 **13 Piece MagicRing Long Inch Ball End Hex L-key Set, In ErgoStar Holder** Chrome-V-Moly, hardened, hard chrome finish.

Item No.		Inch	Inch		Inch	Inch	lbs.
66991	66945*	.050	2.8	66956	5/32	5.7	1.08
	66946*	1/16	3.1	66959	3/16	6.2	
	66947*	5/64	3.5	66962	7/32	6.7	
	66950*	3/32	3.9	66965	1/4	7.3	
	66952*	7/64	4.3	66968	5/16	8.0	
	66953	1/8	4.6	66971	3/8	8.8	
	66955	9/64	5.2				

* Standard Ball - No Ring




66992 **22 Piece Combination MagicRing L-key Set, In ErgoStar Holder** Blade Chrome-V-Moly, hardened, hard chrome finish.

Item No.		lbs.
66992	Set includes Inch & Metric:	2.02
	66990 Set - 1.5*, 2.0*, 2.5*, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	
	66991 Set - .050*, 1/16*, 5/64*, 3/32*, 7/64*, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8”	

* Standard Ball - No Ring

Inch & Metric Ball End Hex Keys Color Coded





SHOP

569 **Ball End Inch Hex Long Arm L-key, Set With Color**

Coded Keys Blade Chrome-V-Moly, hardened.

Item No.	Color Key	Inch	
56901	Brown	.050	*Inch sizes
56902	Green	1/16	available
56903	Chrome	5/64	March 2014
56904	Blue	3/32	
56905	Purple	7/64	
56906	Red	1/8	
56907	Copper	9/64	
56908	Gold	5/32	
56909	Grey	3/16	
56910	Black	7/32	
56911	Chrome	1/4	
56912	Green	5/16	
56913	Brown	3/8	



569 **Ball End Metric Hex Long Arm L-key, Set With Color**

Coded Keys Blade Chrome-V-Moly, hardened.

SHOP

Item No.	Color Key	mm	mm	mm	lbs.
56914	brown	1.5	91	15	.005
56915	green	2.0	101	18	.009
56916	chrome	2.5	113	20	.017
56917	blue	3.0	128	23	.019
56918	purple	4.0	142	29	.04
56919	red	5.0	163	33	.06
56920	Copper	6.0	184	38	.10
56921	gold	8.0	206	44	.20
56922	grey	10.0	231	50	.38




SHOP

36986 **13 Piece Inch Ball End Hex Long L-key Set With Color**

Coded Keys Chrome-V-Moly, hardened

Item No.	Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8,	
36986	9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8”	lbs. .90




SHOP

36987 **9 Piece Metric Ball End Hex Long L-key Set With Color**

Coded Keys Chrome-V-Moly, hardened

Item No.	Metric: 1.5, 2.0, 2.5, 3.0, 4.0,	
36987	5.0, 6.0, 8.0, 10.0mm	lbs. .90

Metric Ball End Hex Keys Chrome Finish



669 **Ball End Metric Hex L-key, Long Arm** SHOP


Blade Chrome-V-Moly, hardened, hard chrome finish.

Item No.	mm	mm	mm	lbs.	pkg.
66904	1.5	90	14	.004	10
66908	2.0	99	16	.007	10
66912	2.5	111	18	.012	10
66918	3.0	125	20	.019	10
66922	4.0	138	25	.042	10
66926	5.0	158	28	.072	10
66930	6.0	178	32	.12	10
66937	8.0	198	36	.23	10
66938	10.0	221	40	.40	10



66994 **9 Piece Metric Ball End Hex Long L-key Set** SHOP

Item No.	Metric: 1.5, 2.0, 2.5, 3.0, 4.0,	
66994	5.0, 6.0, 8.0, 10.0mm	lbs. .98



66995 **6 Piece Metric Ball End Hex Long L-key Set** SHOP


Item No.		
66995	Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0mm	lbs. .21



66998 **11 Piece Metric Ball End Hex Long L-key Set** SHOP

Item No.	Metric: 1.5, 2.0, 2.5, 3.0, 4.0,	
66998	5.0, 6.0, 7.0, 8.0, 9.0, 10.0mm	lbs. 1.36

Inch Ball End Hex Keys Chrome Finish



369 **Ball End Inch Hex L-key, Long Arm** SHOP

Blade Chrome-V-Moly, hardened, hard chrome finish.


Item No.	Inch	Inch	Inch	lbs.	pkg.
36940	.050	2.8	.5	.002	10
36941	1/16	3.1	.6	.004	10
36942	5/64	3.5	.7	.007	10
36943	3/32	3.9	.7	.010	10
36948	7/64	4.3	.7	.016	10
36949	1/8	4.6	.8	.021	10
36951	9/64	5.2	.9	.029	10
36954	5/32	5.7	1.0	.035	10
36957	3/16	6.2	1.1	.059	10
36958	7/32	6.7	1.2	.092	10
36960	1/4	7.3	1.2	.13	10
36961	5/16	8.0	1.4	.22	10
36963	3/8	8.8	1.6	.36	10



36998 **13 Piece Inch Ball End Hex Long L-key Set, In Plastic** SHOP

Holder Blade Chrome-V-Moly, hardened, hard chrome finish.


Item No.	Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8,	
36998	9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	lbs. 1.0



66993 **2 Pack Inch & Metric Ball End Hex L-key Sets** High alloy Chrome-V-Moly, hardened, hard chrome finish. In molded Holders SHOP

Item No	
66993 2 Sets with 22 L-keys include:	lbs.
Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	2.0
Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	

ErgoStar Ball End Hex Keys Chrome Finish



SHOP

66996 **9 Piece ErgoStar Metric Ball End Hex Long L-key Set**

Item No.	Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0,	
66996	6.0, 8.0, 10.0mm	lbs. 1.02



SHOP

66988 **13 Piece ErgoStar Inch Ball End Hex Long L-key Set**

Item No.	Inch:.050, 1/16, 5/64, 3/32, 7/64, 1/8,	
66988	9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8”	lbs. 1.08



SHOP

66982 **22 Piece ErgoStar Inch/Metric Ball End Hex Long L-key Set**


Item No.	Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8,	
66982	9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8”	lbs.
	Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0,	2.10
	6.0, 8.0, 10.0mm	



ErgoStar Inch Ball End L-key Set

- Patented ErgoStar auto open key holder
- Keys of chrome-vanadium-molybdenum steel
- 60HRC through harened durability
- Hard chrome finish for best wear resistance

Stainless Steel Metric Ball End Hex Key



SHOP

369 **Stainless Steel Ball End Metric Hex L-key, Long Arm**

Blade hardened, hard chrome finish.

Item No.	mm	mm	mm	lbs.	pkg.
36911	1.5	91	14	.004	10
36913	2.0	101	18	.007	10
36914	2.5	113	20	.012	10
36915	3.0	128	23	.020	10
36917	4.0	142	29	.050	10
36918	5.0	163	33	.074	10
36919	6.0	184	38	.13	10
36921	8.0	206	44	.25	10
36922	10.0	231	50	.44	10



SHOP

36988 **9 Pc. Stainless Steel Ball End L-key Set**

In molded ergo holder

Item No.		
36988	Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0mm	lbs.
	6.0, 8.0, 10.0mm	.88

L-keys Black Finish Sets



SHOP

36995 **2 Pack Inch & Metric Ball End Hex L-key Sets** High alloy Chrome-V-Moly, hardened, black finish.

Item No	
36995 2 Sets with 22 L-keys include:	lbs. 2.21
Sizes: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	
.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8”	




SHOP

36696 **3 Pack Inch & Metric Mid-Length Ball End Hex & TORX L-key Sets** Blade Chrome-V-Moly, hardened, black finish.

Item No	
36696 3 Sets with Hex & TORX L-keys include:	lbs. 2.58
Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	
Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8”	
TORX: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30	

Metric Ball End Inch & Metric Hex Keys Black Finish





SHOP

369 Ball End Hex Metric L-key, Long Arm

Blade Chrome-V-Moly, hardened, black finish.

Item No.	mm	mm	mm	lbs.	pkg.
36904	1.5	90	14	.004	10
36908	2.0	99	16	.007	10
36912	2.5	111	18	.012	10
36916	3.0	125	20	.019	10
36920	4.0	138	25	.042	10
36924	5.0	158	28	.072	10
36928	6.0	178	32	.12	10
36936	8.0	198	36	.23	10
36944	10.0	221	40	.40	10



SHOP

36990 9 Piece Metric Ball End Hex Long L-key Set

Blade Chrome-V-Moly, hardened, black finish.

Item No.		mm	mm		mm	mm	lbs.
36990	36904	1.5	90	36924	5.0	158	.98
	36908	2.0	99	36928	6.0	178	
	36912	2.5	111	36936	8.0	198	
	36916	3.0	125	36944	10.0	221	
	36920	4.0	138				




SHOP

36992 6 Piece Metric Ball End Long Hex L-key Set

Blade Chrome-V-Moly, hardened, black finish.

Item No.		mm	mm		mm	mm	lbs.
36992	36904	1.5	90	36916	3.0	125	.30
	36908	2.0	99	36920	4.0	138	
	36912	2.5	111	36924	5.0	158	



SHOP

369 Ball End Hex Inch L-key, Long Arm

Blade Chrome-V-Moly, hardened, black finish.

Item No.	Inch	Inch	Inch	lbs.	pkg.
36945	.050	2.8	.5	.002	10
36946	1/16	3.1	.6	.004	10
36947	5/64	3.5	.7	.007	10
36950	3/32	3.9	.7	.010	10
36952	7/64	4.3	.7	.016	10
36953	1/8	4.6	.8	.021	10
36955	9/64	5.2	.9	.029	10
36956	5/32	5.7	1.0	.035	10
36959	3/16	6.2	1.1	.059	10
36962	7/32	6.7	1.2	.092	10
36965	1/4	7.3	1.2	.13	10
36968	5/16	8.0	1.4	.22	10
36971	3/8	8.8	1.6	.36	10



SHOP

36991 13 Piece Inch Ball End Hex Long L-key Set

Blade Chrome-V-Moly, hardened, black finish.

Item No.		
36991	13 pc. set includes: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8”	lbs. 1.0



SHOP

36993 8 Piece Inch Ball End Hex Long L-key Set

Blade Chrome-V-Moly, hardened, black finish.

Item No.		
36993	8 pc. set includes: 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16”	lbs. .62

Mid-Length Ball End Hex Keys Black Finish





SHOP

369 **Ball End Hex Inch Mid-Length L-keys**

Blade Chrome-V-Moly, hardened, black finish.

Item No.	Inch	Inch	Inch	lbs.	pkg.	10 Pack Item No.	pkg.
36901	.050	2.82	.45	.002	1	46701	10
36902	1/16	3.05	.53	.004	1	46703	10
36903	5/64	3.27	.63	.007	1	46705	10
36905	3/32	3.43	.68	.010	1	46707	10
36906	7/64	3.62	.76	.016	1	46709	10
36907	1/8	3.84	.76	.021	1	46711	10
36909	9/64	4.08	.87	.029	1	46713	10
36910	5/32	4.36	.96	.035	1	46717	10
36923	3/16	4.67	1.08	.059	1	46719	10
36925	7/32	5.05	1.18	.092	1	46721	10
36926	1/4	5.73	1.25	.13	1	46723	10
36927	5/16	6.75	1.36	.22	1	46727	10
36929	3/8	7.0	1.50	.36	1	46731	10



SHOP

36937 **13 Piece Inch Mid-Length Ball End Hex L-key Set**

Blade Chrome-V-Moly, hardened, black finish.

Item No.		lbs.
36937	13 pc. set includes: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	.82



SHOP

369 **Ball End Hex Metric Mid-Length L-keys**

Blade Chrome-V-Moly, hardened, black finish.

Item No.	mm	mm	mm	lbs.	pkg.	10 Pack Item No.	pkg.
36930	1.5	79	13	.010	1	46732	10
36931	2.0	84	15	.016	1	46733	10
36932	2.5	90	17	.029	1	46734	10
36933	3.0	100	19	.035	1	46735	10
36934	4.0	113	24	.059	1	46736	10
36935	5.0	123	26	.092	1	46737	10
36938	6.0	144	31	.13	1	46738	10
36939	8.0	159	35	.22	1	46739	10
36966	10.0	181	37	.36	1	46741	10



SHOP

36999 **9 Piece Metric Mid-Length Ball End Hex L-key Set**

Blade Chrome-V-Moly, hardened, black finish.

Item No.		lbs.
36999	Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	.72




SHOP

36900 **2 Pack Inch & Metric Mid-Length Ball End Hex L-key Sets**

Chrome-V-Moly, hardened, black finish.

Item No.		lbs.
36900	2 Sets with 22 L-keys include: Sizes: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1.54

Ball End Hex Keys Black Finish Short Arm



SHOP

36989 **9 Pc. Short Arm Metric Ball End Hex L-key Set, In Plastic Holder** Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

lbs. .59 pkg. 1

Wiha MagicRing Screw Holding T-handle



SHOP

540 MagicRing Hex Metric Ball End, With Wiha T-handle

Blade Chrome-V-Moly, hardened, hard chromed. Ball end for easy insertion. Wiha T-handle high quality plastic, impact resistant.

Item No.	mm	mm	mm	mm	Inch	lbs.	pkg.
54040	4.0	150	80	176	6.9	.08	10
54050	5.0	150	100	182	7.1	.14	10
54060	6.0	150	100	182	7.1	.17	10
54080	8.0	200	100	232	9.1	.29	10
54086	10.0	200	120	238	9.3	.49	10

SHOP

540 MagicRing Hex Inch Ball End, With Wiha T-handle

Blade Chrome-V-Moly, hardened, hard chromed. Ball end for easy insertion. Wiha T-handle high quality plastic, impact resistant.

Item No.	Inch	Inch	Inch	Inch	lbs.	pkg.
54012	5/32	5.8	2.8	6.9	.08	10
54014	3/16	5.8	4.0	7.2	.14	10
54016	7/32	5.8	4.0	7.2	.16	10
54018	1/4	5.8	4.0	7.2	.19	10
54022	5/16	7.8	4.0	7.2	.29	10
54024	3/8	7.8	4.7	7.5	.45	10



SHOP

54090 5 Piece MagicRing Ball End T-handle Set, Metric Sizes

Blade Chrome-V-Moly, hardened, hard chromed. Wiha T-handle high quality plastic, impact resistant.

Item No.		mm	mm		mm	mm	lbs.
54090	54040	4.0	150	54080	8.0	200	1.49
	54050	5.0	150	54086	10.0	200	
	54060	6.0	150				



SHOP

54091 6 Piece MagicRing Ball End T-handle Set, Inch Sizes

Blade Chrome-V-Moly, hardened, hard chromed. Wiha T-handle high quality plastic, impact resistant.

Item No.		Inch	Inch		Inch	Inch	lbs.
54091	54012	5/32	5.8	54018	1/4	5.8	1.59
	54014	3/16	5.8	54022	5/16	7.8	
	54016	7/32	5.8	54024	3/8	7.8	

Wiha Soft Grip Dual Drive T-handle





- Chrome-V-Moly, hardened, hard chrome finish
- Ball tip for speed & easy insertion
- Wiha soft grip are molded on and include through the handle side torque drive.

SHOP

540 Soft Grip Ball End Hex Metric Dual Drive T-handle

Item No.	mm	mm	Tip	lbs.	pkg.
54020	2.0	150	Ball	.06	10
54025	2.5	150	Ball	.06	10
54030	3.0	150	Ball	.07	10
54042	4.0	150	Ball	.09	10
54052	5.0	150	Ball	.18	10
54062	6.0	150	Ball	.21	10
54082	8.0	200	Ball	.35	10
54088	10.0	200	Ball	.55	10

54095 8 Pc. Ball End Hex Metric Soft Grip T-handle Set- No stand

Item No.		mm	mm		mm	mm	lbs.
54095	54020	2.0	150	54052	5.0	150	1.90
	54025	2.5	150	54062	6.0	150	
	54030	3.0	150	54082	8.0	200	
	54042	4.0	150	54088	10.0	200	

SHOP


54092 8 Piece Ball End Hex Metric Soft Grip T-handle Set

Blade Chrome-V-Moly, hardened, chrome finish. Wiha soft grips are molded on with through the handle side torque drive.



Item No.		mm	mm	lbs.
54092	54020	2.0	150	3.34
	54025	2.5	150	
	54030	3.0	150	
	54042	4.0	150	
	54052	5.0	150	
	54062	6.0	150	
	54082	8.0	200	
	54088	10.0	200	

SHOP



SHOP

540 Soft Grip Ball End Hex Inch Dual Drive T-handle Chrome-V-Moly, hardened, hard chrome finish. Ball tip for speed & easy insertion. Wiha soft grips are molded on with through the handle side torque drive.

Item No.	Inch	Inch	Tip	lbs.	pkg.
54007	3/32	5.9	Ball	.06	10
54008	7/64	5.9	Ball	.07	10
54009	1/8	5.9	Ball	.08	10
54010	9/64	5.9	Ball	.08	10
54001	5/32	5.9	Ball	.09	10
54002	3/16	5.9	Ball	.17	10
54003	7/32	5.9	Ball	.20	10
54004	1/4	5.9	Ball	.23	10
54005	5/16	7.9	Ball	.35	10
54006	3/8	7.9	Ball	.51	10

54097 10 Pc. Ball End Hex Inch Soft Grip T-handle Set- No stand

Item No.		Inch	Inch		Inch	Inch	lbs.
54097	54007	3/32	5.9	54002	3/16	5.9	2.15
	54008	7/64	5.9	54003	7/32	5.9	
	54009	1/8	5.9	54004	1/4	5.9	
	54010	9/64	5.9	54005	5/16	7.9	
	54001	5/32	5.9	54006	3/8	7.9	

SHOP




SHOP

54094 8 Piece Ball End Hex Inch Soft Grip T-handle Set

Blade Chrome-V-Moly, hardened, chrome finish. Wiha soft grips are molded on with through the handle side torque drive.

Item No.		Inch	Inch		Inch	Inch	lbs.
54094	54009	1/8	5.9	54003	7/32	5.9	3.37
	54010	9/64	5.9	54004	1/4	5.9	
	54001	5/32	5.9	54005	5/16	5.9	
	54002	3/16	5.9	54006	3/8	7.9	

Soft Grip Dual Drive T-handle - Black Finish




SHOP

334 Soft Grip Ball End Hex Metric Dual Drive T-handle Chrome-V-Moly, hardened, black finish. Ball tip for speed & easy insertion. Wiha soft grip are molded on with through the handle side torque drive.

Item No.	mm	mm	lbs.	pkg.
33442*	2.0	150	.06	10
33444*	2.5	150	.06	10
33446*	3.0	150	.07	10
33448	4.0	150	.09	10
33450	5.0	150	.18	10
33452	6.0	150	.21	10
33454	8.0	200	.35	10
33458	10.0	200	.55	10

*No Ball - Standard Hex



SHOP

33496 8 Pc. Ball End Hex Metric Soft Grip T-handle Set

Blade Chrome-V-Moly, hardened, black finish. Wiha soft grip are molded on with through the handle side torque drive.

Item No.		mm	mm		mm	mm	lbs.
33496	33442*	2.0	150	33450	5.0	150	2.04
	33444*	2.5	150	33452	6.0	150	
	33446*	3.0	150	33454	8.0	200	
	33448	4.0	150	33458	10.0	200	

*No Ball - Standard Hex

33489 8 Piece Hex & Ball End Hex Metric Soft Grip T-handle Set


Blade Chrome-V-Moly, hardened, black finish. Wiha soft grips are molded on with through the handle side torque drive.



In metal stand

Item No.		mm	mm	lbs.
33489	33442*	2.0	150	3.33
	33444*	2.5	150	
	33446*	3.0	150	
	33448	4.0	150	
	33450	5.0	150	
	33452	6.0	150	
	33454	8.0	200	
	33458	10.0	200	

*No Ball - Standard Hex



SHOP

334 Soft Grip Ball End Hex Inch Dual Drive T-handle Chrome-V-Moly, hardened, black finish. Ball tip for speed & easy insertion. Wiha soft grips are molded on with through the handle side torque drive.

Item No.	Inch	Inch	lbs.	pkg.
33418*	5/64	5.9	.06	10
33420*	3/32	5.9	.06	10
33422*	7/64	5.9	.07	10
33424*	1/8	5.9	.08	10
33426*	9/64	5.9	.08	10
33428	5/32	5.9	.09	10
33430	3/16	5.9	.17	10
33432	7/32	5.9	.20	10
33433	1/4	5.9	.23	10
33439	5/16	7.9	.35	10
33440	3/8	7.9	.51	10

*No Ball - Standard Hex

33494 11 Pc. Ball End Hex Inch Soft Grip Dual Drive T-handle Set

Item No.		Inch	Inch		Inch	Inch	lbs.
33494	33418*	5/64	5.9	33430	3/16	5.9	2.39
	33420*	3/32	5.9	33432	7/32	5.9	
	33422*	7/64	5.9	33433	1/4	5.9	
	33424*	1/8	5.9	33439	5/16	7.9	
	33426*	9/64	5.9	33440	3/8	7.9	
	33428	5/32	5.9				

*No Ball - Standard Hex

33498 8 Piece Ball End Hex Inch Soft Grip T-handle Set

Item No.		Inch	Inch		Inch	Inch	lbs.
33498	33424*	1/8	5.9	33432	7/32	5.9	2.15
	33426*	9/64	5.9	33433	1/4	5.9	
	33428	5/32	5.9	33439	5/16	7.9	
	33430	3/16	5.9	33440	3/8	7.9	

*No Ball - Standard Hex

33499 8 Piece Hex & Ball End Hex Inch Soft Grip T-handle Set

Blade Chrome-V-Moly, hardened, black finish. Wiha soft grips are molded on with through the handle side torque drive.



In metal stand

Item No.		Inch	Inch	lbs.
33499	33424*	1/8	5.9	3.46
	33426*	9/64	5.9	
	33428	5/32	5.9	
	33430	3/16	5.9	
	33432	7/32	5.9	
	33433	1/4	5.9	
	33439	5/16	7.9	
	33440	3/8	7.9	

*No Ball - Standard Hex

Wiha T-handle Hex Tools

Ergonomic handle design for high torque



334 **Hex Inch & Metric Drivers, With Wiha T-handle** Chamfered tip for easy insertion. Wiha-T-handle high quality plastic, impact resistant.

Item No.	Inch	Inch	Inch	Inch	lbs.	pkg.
33453	3/32	6.0	2.8	7.0	.05	10
33456	7/64	6.0	2.8	7.0	.05	10
33459	1/8	6.0	2.8	7.0	.06	10
33462	9/64	6.0	2.8	7.0	.07	10
33465	5/32	6.0	2.8	7.0	.08	10
33468	3/16	6.0	3.5	7.0	.13	10
33471	7/32	6.0	3.5	7.0	.16	10
33474	1/4	6.0	3.5	7.0	.18	10
33477	5/16	6.0	3.5	7.0	.25	10
33480	3/8	6.0	4.1	7.0	.39	10

Item No.	mm	mm	mm	mm	Inch	lbs.	pkg.
33401	2.0	100	80	126	4.9	.05	10
33436	2.0	200	80	226	8.9	.05	10
33402	2.5	100	80	126	4.9	.05	10
33437	2.5	200	80	226	8.9	.08	10
33403	3.0	100	80	126	4.9	.05	10
33404	3.0	150	80	176	6.9	.08	10
33405	3.0	200	80	226	8.9	.09	10
33435	3.0	350	100	382	15.0	.22	10
33406	4.0	100	80	126	4.9	.07	10
33407	4.0	150	80	176	6.9	.10	10
33408	4.0	200	80	226	8.9	.09	10
33438	4.0	350	100	382	15.0	.26	10
33409	5.0	100	100	132	5.2	.13	10
33410	5.0	150	100	182	7.1	.17	10
33411	5.0	200	100	232	9.1	.16	10
33412	5.0	350	100	382	15.0	.26	10
33413	5.0	450	120	488	19.1	.53	10
33414	6.0	100	100	132	5.2	.14	10
33415	6.0	150	100	182	7.1	.18	10
33416	6.0	200	100	232	9.1	.20	10
33417	6.0	350	100	382	15.0	.32	10
33419	7.0	200	100	232	9.1	.22	10
33421	8.0	100	100	132	5.2	.20	10
33423	8.0	200	100	232	9.1	.29	10
33434	8.0	350	100	372	14.6	.48	10
33425	10.0	100	120	138	5.4	.34	10
33427	10.0	200	120	238	9.3	.49	10
33429	12.0	200	120	238	9.3	.58	10



SHOP

33492 **10 Piece Hex Driver T-handle Set, Inch Sizes**


Item No.		Inch	Inch		Inch	Inch	lbs.
33492	33453	3/32	6.0	33468	3/16	6.0	1.74
	33456	7/64	6.0	33471	7/32	6.0	
	33459	1/8	6.0	33474	1/4	6.0	
	33462	9/64	6.0	33477	5/16	6.0	
	33465	5/32	6.0	33480	3/8	6.0	



SHOP

33493 **8 Piece Hex Driver T-handle Set, Metric Sizes**

Item No.		mm	mm		mm	mm	lbs.
33493	33401	2.0	100	33409	5.0	100	1.64
	33402	2.5	100	33416	6.0	200	
	33403	3.0	100	33423	8.0	200	
	33406	4.0	100	33427	10.0	200	


#33484


#33488

SHOP

33484 **8 Pc. Hex Driver T-handle Set, Inch Sizes -** In metal stand

Item No.		Inch	Inch		Inch	Inch	lbs.
33484	33459	1/8	6.0	33471	7/32	6.0	3.07
	33462	9/64	6.0	33474	1/4	6.0	
	33465	5/32	6.0	33477	5/16	6.0	
	33468	3/16	6.0	33480	3/8	6.0	

33488 **8 Pc. Hex Driver T-handle Set, Metric Sizes -** In metal stand

Item No.		mm	mm		mm	mm	lbs.
33488	33401	2.0	100	33410	5.0	150	3.07
	33402	2.5	100	33415	6.0	150	
	33403	3.0	100	33423	8.0	200	
	33406	4.0	100	33427	10.0	200	

SHOP

Wiha MagicRing SoftFinish® Hex Drivers

Screw Holding Hex Tools



Don't Drop That Screw!
Save Valuable Time!
Improve Productivity!
Make The Job Easy!



SHOP

367 MagicRing Ball End Hex-Driver Inch, With Wiha-SoftFinish®

Handle Hex blade, Chrome-V-Moly, hardened, hard chromed.
Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Inch	Inch	mm	mm	lbs.	pkg.
36710*	.050	3.1	80	179	.06	10
36713*	1/16	3.1	80	204	.06	10
36716*	5/64	3.9	100	204	.07	10
36719*	3/32	3.9	100	204	.07	10
36723*	7/64	3.9	100	211	.07	10
With MagicRing						
36726	1/8	3.9	100	243	.12	10
36728	9/64	3.9	100	243	.12	10
36732	5/32	5.0	125	271	.12	10
36734	3/16	6.0	150	271	.16	10
36736	7/32	6.0	150	271	.23	10
36738	1/4	6.0	150	271	.25	10
36742	5/16	8.0	200	271	.37	10
36744	3/8	8.0	200	271	.54	10

* Standard Ball - No Ring

36791 13 Piece MagicRing Inch Ball End Screwdriver Set

Hex blade Chrome-V-Moly, hardened, hard chromed.
Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.		Inch	Inch		Inch	Inch	lbs.
36791	36710*	.050	3.0	36732	5/32	5.0	2.58
	36713*	1/16	3.0	36734	3/16	6.0	
	36716*	5/64	4.0	36736	7/32	6.0	
	36719*	3/32	4.0	36738	1/4	6.0	
	36723*	7/64	4.0	36742	5/16	8.0	
	36726	1/8	4.0	36744	3/8	8.0	
	36728	9/64	4.0				

* Standard Ball - No Ring



SHOP

36793 8 Piece MagicRing Inch Ball End Screwdriver Set

Hex blade Chrome-V-Moly, hardened, hard chromed.
Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.		Inch	Inch		Inch	Inch	lbs.
36793	36726	1/8	4.0	36736	7/32	6.0	2.25
	36728	9/64	4.0	36738	1/4	6.0	
	36732	5/32	5.0	36742	5/16	8.0	
	36734	3/16	6.0	36744	3/8	8.0	



SHOP

36794 6 Piece MagicRing Inch Ball End Screwdriver Set

Hex blade Chrome-V-Moly, hardened, hard chromed.
Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.		Inch	Inch		Inch	Inch	lbs.
36794	36726	1/8	4.0	36734	3/16	6.0	1.34
	36728	9/64	4.0	36736	7/32	6.0	
	36732	5/32	5.0	36738	1/4	6.0	

Wiha MagicRing SoftFinish® Hex Drivers

Screw Holding Hex Tools



Screw Holding

Don't Drop That Screw!

Save Valuable Time!

Improve Productivity!

Make The Job Easy!



SHOP

367 **MagicRing Ball End Hex Driver Metric, With Wiha-SoftFinish®**

Handle Hex blade, Chrome-V-Moly, hardened, hard chromed.
Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	mm	mm	mm	lbs.	pkg.
36715*	1.5	75	179	.06	10
36720*	2.0	100	204	.07	10
36725*	2.5	100	204	.07	10
With MagicRing					
36730	3.0	100	204	.07	10
36740	4.0	125	211	.12	10
36750	5.0	150	243	.16	10
36760	6.0	150	243	.23	10
36780	8.0	200	268	.37	10
36786	10.0	200	271	.54	10

* Standard Ball - No Ring

Hardened spring steel retaining ring holds screws on

Hard chrome super durable corrosion resistant finish

Precision machined for exact fit

Made from Wiha exclusive Chrome-V-Moly hardened tool steel

SHOP

36790 **9 Piece MagicRing Metric Ball End Hex Screwdriver Set**

Hex blade Chrome-V-Moly, hardened, hard chromed.
Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.		mm	mm		mm	mm	lbs.
36790	36715*	1.5	75	36750	5.0	150	2.06
	36720*	2.0	100	36760	6.0	150	
	36725*	2.5	100	36780	8.0	200	
	36730	3.0	100	36786	10.0	200	
	36740	4.0	125				

* Standard Ball - No Ring



SHOP

36792 **6 Piece MagicRing Metric Ball End Hex Screwdriver Set**

Hex blade Chrome-V-Moly, hardened, hard chromed.
Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.		mm	mm		mm	mm	lbs.
36792	36730	3.0	100	36760	6.0	150	1.86
	36740	4.0	125	36780	8.0	200	
	36750	5.0	150	36786	10.0	200	

Wiha Ball End 3K Series Drivers & Sets



Inch / Soft Grip

SHOP

467 Ball End Hex Inch Drivers, With 3K Ergo Soft Grip Handles

Blades Chrome-V-Moly, hardened, black finish. Ergo soft grip handles.


Item No.	Inch	Inch	Inch	lbs.	pkg.
46702	.050	2.9	6.3	.07	10
46704	1/16	2.9	6.3	.07	10
46706	5/64	3.9	7.3	.07	10
46708	3/32	3.9	7.3	.07	10
46710	7/64	3.9	7.3	.07	10
46712	1/8	3.9	7.7	.09	10
46714	9/64	3.9	7.7	.10	10
46716	5/32	3.9	7.7	.11	10
46718	3/16	3.9	7.7	.12	10
46722	7/32	5.9	10.0	.19	10
46724	1/4	5.9	10.0	.22	10
46726	5/16	7.9	12.0	.34	10
46728	3/8	7.9	12.5	.48	10



SHOP

46794 6 Piece 3K Ergo Inch Ball End Hex Screwdriver set


Item No.		lbs.
46794	Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4”	.97



SHOP

46793 8 Piece 3K Ergo Inch Ball End Hex Screwdriver Set

Item No.		lbs.
46793	Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32”	1.19



SHOP


46797 13 Piece 3K Ergo Inch Ball End Hex Screwdriver Set

Blades Chrome-V-Moly, hardened, black finish. Molded on Wiha-3k Ergo soft grip handles.

Item No.		lbs.
46797	Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8”	2.40

Yellow = Inch

Red = Metric



- Soft panel grip
- Fast angle entry
- Convenient hang hole
- Exact fit precision machined tips
- Wiha exclusive Chrome-V-Moly super tool steel




Metric / Soft Grip

SHOP

467 Ball End Hex Metric Screwdriver, With Wiha-3K Ergo Handle

Blades Chrome-V-Moly, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.

Item No.	mm	mm	mm	lbs.	pkg.
46715	1.5	75	161	.07	10
46720	2.0	100	186	.07	10
46725	2.5	100	186	.07	10
46730	3.0	100	186	.07	10
46740	4.0	100	197	.11	10
46750	5.0	100	197	.13	10
46760	6.0	150	257	.21	10
46780	8.0	200	307	.34	10
46786	10.0	200	319	.52	10




SHOP

46796 7 Piece Metric Ball End Hex Screwdriver Set

Blades Chrome-V-Moly, hardened, black finish.
Molded on Wiha-3k Ergo soft grip handles.

Item No.		lbs.
46796	Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm	1.15



SHOP

46799 9 Piece Metric Ball End Hex Screwdriver Set

Blades Chrome-V-Moly, hardened, black finish. Molded on Wiha-3k Ergo soft grip handles.

Item No.		lbs.
46799	Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	1.93

Wiha PocketStar Fold-Ups



36997 **9 Piece MagicRing Inch PocketStar Fold Outs**

High alloy CVM steel, hardened, molded ergonomic handle.

Item No. 36997	
Inch PocketStar: 5/64*, 3/32*, 7/64*	lbs.
1/8, 9/64, 5/32, 3/16, 7/32, 1/4”	.46

* Standard Ball - No Ring



35195 **7 Piece Metric Hex PocketStar Fold Outs**

High alloy CVM steel, hardened, molded ergonomic handle.

Item No.	
35195 PocketStar	lbs.
Metric: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm	.51

35196 **7 Piece Metric Hex PocketStar Fold Outs** SHOP

High alloy CVM steel, hardened, molded ergonomic handle.

Item No.	
35196 PocketStar	lbs.
Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm	.31



36996 **7 Piece MagicRing Metric PocketStar Fold Outs**

High alloy CVM steel, hardened, molded ergonomic handle.

Item No.	
36996 PocketStar	lbs.
Metric: 2.0*, 2.5*, 3.0, 4.0, 5.0, 6.0, 8.0mm	.50

* Standard Ball - No Ring



35197 **9 Piece Inch Hex PocketStar Fold Outs**

High alloy CVM steel, hardened, molded ergonomic handle.

Item No. 35197	
Inch PocketStar:	lbs.
5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4”	.47



66997 **2 Pack MagicRing PocketStar Fold Outs Inch & Metric**

High alloy CVM steel, hardened, molded ergonomic handle.

Item No.	
66997 Fold Outs Inch/Metric Includes:	lbs. .98
36996 - 2.0*, 2.5*, 3.0, 4.0, 5.0, 6.0, 8.0mm	
36997 - 5/64*, 3/32*, 7/64*, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4”	

* Standard Ball - No Ring




35198 **6 Pc. Slotted, Phillips & Hex Metric PocketStar Fold Outs**

High alloy CVM steel, hardened, molded ergonomic handle.

Item No.	
35198 PocketStar	
Slotted: 5.5mm **Phillips:** #2	lbs.
Metric: 3.0, 4.0, 5.0, 6.0mm	.35

Nickel-Plated Long Arm Hex L-keys



Nickel-Plated

• Ideal for use in clean rooms & other environments where non-oxidizing surfaces are specified or required.

352 Inch **Inch & Metric Hex L-keys, Long Arm** SHOP

Item No.	Inch	mm	Inch	lbs.	pkg.
35231	.050	75	3.0	.01	10
35233	1/16	78	3.1	.01	10
35235	5/64	82	3.2	.01	10
35237	3/32	85	3.3	.01	10
35239	7/64	92	3.6	.01	10
35241	1/8	95	3.7	.02	10
35243	9/64	100	3.9	.03	10
35251	5/32	105	4.1	.03	10
35252	3/16	113	4.4	.05	10
35253	7/32	122	4.8	.07	10
35254	1/4	135	5.3	.10	10
35255	5/16	152	6.0	.18	10
35256	3/8	173	6.8	.30	10
35257	1/2	209	8.2	.77	1
35258	9/16	230	9.1	1.04	1
35259	5/8	245	9.6	1.27	1
35261	3/4	286	11.3	2.01	1

352 Metric

Item No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
35201	1.5	89	3.5	14	.6	.01	10
35202	2.0	99	3.9	16	.6	.01	10
35204	2.5	110	4.3	18	.7	.02	10
35206	3.0	124	4.9	20	.8	.02	10
35208	4.0	138	5.4	25	1.0	.04	10
35210	5.0	158	6.2	28	1.1	.07	10
35211	6.0	178	7.0	32	1.3	.12	10
35212	7.0	187	7.4	34	1.3	.17	10
35214	8.0	196	7.7	36	1.4	.23	10
35217	10.0	219	8.6	40	1.6	.40	10
35219	12.0	245	9.6	45	1.8	.77	1
35221	14.0	277	10.9	56	2.2	1.12	1
35223	17.0	316	12.4	63	2.5	1.80	1
35227	19.0	355	14.0	70	2.8	2.46	1



SHOP

35295 **13 Piece Inch Hex L-key Set, In Plastic Holder**

Equipped with .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Item No.	lbs.	pkg.
35295	.90	1




Nickel-Plated SHOP

35297 **9 Piece Metric Hex L-key Set, In Plastic Holder**

Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

Item No.	lbs.	pkg.
35297	1.00	1

Black Finish Long Arm Hex L-keys



Black Finish

High alloy CVM steel, hardened, black finish. Precision machined, burr free chamfered ends.

352 Inch **L-key Hex, Long Arm** SHOP

Item No.	Inch	mm	Inch	lbs.	pkg.
35200	.028	67	2.6	.01	10
35203	.035	69	2.7	.01	10
35213	.050	75	3.0	.01	10
35216	1/16	78	3.1	.01	10
35218	5/64	82	3.2	.01	10
35222	3/32	85	3.3	.01	10
35224	7/64	92	3.6	.02	10
35226	1/8	95	3.7	.02	10
35228	9/64	100	3.9	.03	10
35232	5/32	105	4.1	.04	10
35234	3/16	113	4.4	.05	10
35236	7/32	122	4.8	.07	10
35238	1/4	135	5.3	.10	10
35242	5/16	152	6.0	.18	10
35244	3/8	173	6.8	.30	10
35245	1/2	209	8.2	.75	1
35246	9/16	230	9.1	.99	1
35247	5/8	245	9.6	1.26	1
35248	3/4	286	11.3	2.02	1
35249	1"	359	14.1	4.38	1

352 Metric

Item No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
35200	0.7	66	2.6	5	.2	.01	10
35203	0.9	68	2.7	8	.3	.01	10
35205	1.3	72	2.8	12	.5	.01	10
35215	1.5	76	3.5	14	.6	.01	10
35220	2.0	99	3.9	16	.6	.01	10
35225	2.5	110	4.3	18	.7	.02	10
35230	3.0	124	4.9	20	.8	.02	10
35240	4.0	138	5.4	25	1.0	.04	10
35250	5.0	158	6.2	28	1.1	.07	10
35260	6.0	178	7.0	32	1.3	.12	10
35270	7.0	187	7.4	34	1.3	.18	10
35280	8.0	196	7.7	36	1.4	.24	10
35282	10.0	219	8.6	40	1.6	.40	10
35284	12.0	245	9.6	45	1.8	.77	1
35285	14.0	277	10.9	56	2.2	1.13	1
35286	17.0	316	12.4	63	2.5	1.80	1
35288	19.0	355	14.0	70	2.8	2.45	1



#35291



#35290

Black Finish

35291 **13 Piece Inch Hex L-key Set, In Plastic Holder**

.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Item No.	lbs.	pkg.
35291	.98	1


35290 **9 Piece Metric Hex L-key Set, In Plastic Holder**

Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

Item No.	lbs.	pkg.
35290	.97	1

SHOP

Short Arm Hex L-keys Nickel Finish



- Ideal for use in clean rooms & other environments where non-oxidizing surfaces are specified or required.

SHOP

351 Metric **L-key Hex Metric, Short Arm** high alloy CVM steel, hardened, nickel plated. Precision machined, burr free chamfered ends.

Item No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
35104	1.5	45	1.8	14	.6	.01	10
35108	2.0	49	1.9	16	.6	.01	10
35112	2.5	55	2.2	18	.7	.01	10
35116	3.0	61	2.4	20	.8	.02	10
35120	4.0	68	2.7	25	1.0	.03	10
35124	5.0	78	3.1	28	1.1	.04	10
35128	6.0	88	3.5	32	1.3	.07	10
35132	7.0	92	3.6	34	1.3	.10	10
35136	8.0	97	3.8	36	1.4	.13	10
35140	9.0	103	4.1	38	1.5	.18	10
35144	10.0	109	4.3	40	1.6	.23	10
35145	12.0	122	4.8	45	1.8	.40	1
35175	14.0	137	5.4	56	2.2	.61	1
35177	17.0	156	6.1	63	2.5	1.02	1
35179	19.0	176	6.9	70	2.8	1.40	1



SHOP

35191 **9 Piece Metric Hex L-key Set, In Plastic Holder**

Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

lbs. .59 pkg. 1



SHOP

35193 **6 Piece Metric Hex L-key Set, In Plastic Holder**

Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0mm

lbs .20 pkg. 1



- Ideal for use in clean rooms & other environments where non-oxidizing surfaces are specified or required.

SHOP

351 Inch **L-key Hex, Short Arm** Nickel-plated

Item No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
35143	.050	40	1.6	10	.39	.01	10
35146	1/16	46	1.8	14	.55	.01	10
35147	5/64	50	2.0	16	.63	.01	10
35150	3/32	52	2.1	19	.75	.01	10
35152	7/64	54	2.1	19	.75	.01	10
35153	1/8	58	2.3	21	.83	.02	10
35155	9/64	62	2.4	23	.91	.02	10
35156	5/32	68	2.7	25	.99	.02	10
35159	3/16	70	2.8	26	1.0	.04	10
35162	7/32	77	3.1	29	1.2	.05	10
35165	1/4	88	3.5	31	1.2	.08	10
35168	5/16	98	3.9	36	1.4	.13	10
35171	3/8	107	4.2	38	1.5	.20	10
35174	1/2	133	5.2	44	1.7	.46	1
35176	9/16	158	6.2	64	2.5	.64	1
35178	5/8	175	6.9	71	2.8	.85	1
35180	3/4	198	7.8	89	3.5	1.40	1



SHOP

35192 **8 Piece Inch Hex L-key Set, In Plastic Holder**

Equipped with 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16”

lbs. .41 pkg. 1




SHOP

35194 **13 Piece Inch Hex L-key Set, In Plastic Holder**

Equipped with .050 - 3/8”

lbs .72 pkg. 1


Short Arm Hex L-keys Black Finish



SHOP

353 Metric **L-key Hex Metric, Short Arm** high alloy CVM steel, hardened, black finish. Precision machined, burr free chamfered ends.

Item No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
35301	0.7	31	1.2	-	-	.01	10
35302	0.9	31	1.2	-	-	.01	10
35303	1.3	40	1.6	12	.5	.01	10
35304	1.5	45	1.8	14	.6	.01	10
35305	2.0	49	1.9	16	.6	.01	10
35306	2.5	55	2.2	18	.7	.01	10
35307	3.0	61	2.4	20	.8	.02	10
35308	4.0	68	2.7	25	1.0	.03	10
35309	5.0	78	3.1	28	1.1	.04	10
35310	6.0	88	3.5	32	1.3	.07	10
35311	7.0	92	3.6	34	1.3	.10	10
35312	8.0	97	3.8	36	1.4	.13	10
35313	9.0	103	4.1	38	1.5	.17	10
35314	10.0	109	4.3	40	1.6	.23	10
35316	11.0	115	4.5	42	1.7	.29	10
35317	12.0	122	4.8	45	1.8	.40	1
35318	14.0	137	5.4	56	2.2	.61	1
35319	17.0	156	6.1	63	2.5	1.03	1
35320	19.0	176	6.9	70	2.8	1.40	1
35321	22.0	195	7.7	80	3.1	2.17	1



SHOP


353 Inch **L-key Hex Inch, Short Arm** black finish

Item No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
35301	.028	31	1.2	-	-	.01	10
35302	.035	31	1.2	-	-	.01	10
35330	.050	40	1.6	10	.4	.01	10
35331	1/16	46	1.8	14	.6	.01	10
35332	5/64	50	2.0	16	.6	.01	10
35333	3/32	52	2.1	19	.8	.01	10
35334	7/64	54	2.1	19	.8	.01	10
35335	1/8	58	2.3	21	.8	.02	10
35336	9/64	62	2.4	23	.9	.02	10
35337	5/32	68	2.7	25	1.0	.02	10
35338	3/16	70	2.8	26	1.0	.05	10
35339	7/32	77	3.1	29	1.2	.07	10
35340	1/4	88	3.5	31	1.2	.07	10
35341	5/16	98	3.9	36	1.4	.13	10
35342	3/8	107	4.2	38	1.5	.20	10
35343	1/2	133	5.2	44	1.7	.49	1
35345	9/16	158	6.2	64	2.5	.66	1
35346	5/8	175	6.9	71	2.8	.86	1
35347	3/4	198	7.8	89	3.5	1.45	1
35348	1”	220	8.7	91	3.6	3.14	1



SHOP

35390 **9 Piece Metric Hex L-key Set, In Plastic Holder**
Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm
lbs. .59 pkg. 1




SHOP

35392 **5 Piece Mini Metric Hex L-key Set, In Plastic Holder**
Equipped with 0.7, 0.9, 1.3, 1.5, 2.0mm
lbs. .03 pkg. 1



SHOP

35391 **13 Piece Inch Hex L-key Set, In Plastic Holder**
Equipped with .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8”
lbs. .64 pkg. 1



SHOP

35393 **5 Piece Mini Inch Hex L-key Set, In Plastic Holder**
Equipped with .028, .035, .050, 1/16, 5/64”
lbs. .03 pkg. 1

Wiha Insulated T-handles

Insulation Test Standards:
Insulation according to EN/IEC 60900, ASTM F-1505-01, VDE 0682/part 201, DIN 7437, NFPA70E, CSA

Responds to OSHA's use specification 29 CFR1910


Insulation
Molded directly onto blade for permanent bonding



Each tool individually tested to 10,000 volts and certified to 1000 Volt ac or 1500 Volt dc

Blade CVM tool steel, hardened to average 58/60RC

1000V



1000Volt

SHOP

334 Inch T-handle, With Wiha-Molded Handle Insulation According to ASTM F-1505-01, New VDE Specification 0682/part 201, EN/IEC 60900, NFPA70E and CSA, up to 1000 Volt. Individually Tested.
Blade CVM steel, hardened. Insulation molded directly onto blade. Wiha-SoftFinish® handle, multi-component.

Item No.	Inch	Inch	Inch	mm	lbs.	pkg.
33481	5/32	5.9	6.9	176	.09	10
33482	3/16	5.9	6.9	176	.15	10
33483	7/32	5.9	6.9	176	.19	10
33485	1/4	6.9	6.9	176	.20	10
33486	5/16	6.9	6.9	176	.26	10
33487	3/8	6.9	6.9	176	.44	10




1000Volt

SHOP

33490 6 Piece Hex Inch T-handle Set

Item No.	Hex Inch:	lbs.
33490	5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1.66



1000Volt

SHOP

334 Metric T-handle, With Wiha-Molded Handle. Insulation According to ASTM, VDE, EN/IEC, NFPA70E and CSA, up to 1000 Volt. Individually Tested.

Item No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
33441	4.0	150	5.9	176	6.9	.09	10
33443	5.0	150	5.9	176	6.9	.15	10
33445	6.0	150	5.9	176	6.9	.18	10
33447	8.0	150	5.9	176	6.9	.26	10
33449	10.0	150	5.9	176	6.9	.46	10



1000Volt

SHOP

33478 5 Piece Hex Metric T-handle Set

Item No.	Hex Metric:	lbs.
33478	4.0, 5.0, 6.0, 8.0, 10.0mm	1.20

Wiha Insulated Hex Mertic Screwdrivers



1000Volt

SHOP

323 Hex Metric Screwdriver, With Wiha-SoftFinish® Handle Insulation According to ASTM F-1505-01, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA, up to 1000 Volt. Individually Tested. Blade high alloy CVM steel, hardened, black finish. Insulation molded directly onto blade. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
32302	2.5	75	3.0	179	7.0	.06	10
32303	3.0	75	3.0	179	7.0	.08	10
32304	4.0	75	3.0	186	7.3	.12	10
32305	5.0	75	3.0	186	7.3	.15	10
32306	6.0	100	3.9	218	8.6	.21	10
32308	8.0	100	3.9	218	8.6	.34	10



1000Volt


SHOP

32366 6 Piece Insulated Hex Metric Screwdriver Set

Item No. 32366	lbs.
Hex Metric: 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm	1.06

Wiha Insulated Hex L-keys

Insulation Test Standards:
Insulation according to ASTM, F-1505-01, EN/IEC 60900 and CSA



Insulation
Applied directly onto blade for permanent bonding

1000V

Each tool individually tested to 10,000 volts and certified to 1000 Volt ac or 1500 Volt dc



1000Volt

SHOP

136 Inch Insulated Hex L-keys, With Insulated Handle
Insulation According to IEC 60900 specification, up to 1000 Volt.
Individually Tested. Blade chrome-vanadium steel, hardened.

Item No.	MM Inch	OAL mm	OAL Inch	lbs.	pkg.
13670	1/16	79	3.1	.05	1
13671	5/64	84	3.3	.05	1
13672	3/32	89	3.5	.05	1
13673	7/64	94	3.7	.06	1
13663	1/8	104	4.1	.06	1
13665	5/32	104	4.1	.06	1
13666	3/16	134	5.3	.10	1
13667	7/32	134	5.3	.12	1
13668	1/4	134	5.3	.16	1
13669	5/16	144	5.7	.24	1
13662	3/8	234	9.2	.51	1
13664	1/2	234	9.2	.77	1



1000Volt

SHOP

136 Metric Insulated Hex L-keys, With Insulated Handle
Insulation According to IEC 60900 specification, up to 1000 Volt.
Individually Tested. Blade chrome-vanadium steel, hardened.

Item No.	MM mm	OAL mm	OAL Inch	lbs.	pkg.
13650	1.5	100	3.9	.09	1
13651	2.0	105	4.1	.09	1
13652	2.5	115	4.5	.09	1
13653	3.0	130	5.1	.10	1
13654	4.0	120	4.7	.10	1
13655	5.0	140	5.5	.10	1
13656	6.0	140	5.5	.13	1
13658	8.0	150	5.9	.24	1
13659	10.0	220	8.7	.51	1
13657	12.0	260	10.2	.77	1



#13691



#13690

1000Volt

SHOP

13690 8 Piece Insulated Hex L-key Set - Inch

Item No.		lbs.
13690	1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2”	2.17

13691 7 Piece Insulated Hex L-key Set - Metric

Item No.		lbs.
13691	3.0, 4.0, 5.0, 6.0, 8.0, 10.0, 12.0mm	2.07



NEW

1000Volt

SHOP

13693 10 Piece Insulated Hex L-key Set - Metric

Item No.		lbs.
13693	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0, 12.0mm	2.26

13694 12 Piece Insulated Hex L-key Set - Inch

Item No.		lbs.
13694	1/16, 5/64, 3/32, 7/64, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2”	2.40

Wiha Insulated 3/8” Bit Sockets & Set



1000Volt

SHOP

318 Insulated 3/8” Drive Sockets - Insulation according to EN/IEC 60900, DIN 7448 specification, up to 1000 Volt.
Individually Tested. Chrome-vanadium steel, forged, oil-hardened.

Item No.	Inch	OAL	lbs.	pkg.
31805	3/16	3.1”	.13	1
31807	7/32	3.1”	.14	1
31809	1/4	3.1”	.14	1
31811	5/16	3.1”	.16	1
31813	3/8	3.1”	.18	1
31815	7/16	3.1”	.20	1
31817	1/2	3.1”	.22	1

*Sockets must be used with insulated ratchets & extensions



1000Volt

SHOP

31890 7 Piece Insulated 3/8” Drive Socket Set - Inch
CV steel, forged, oil-hardened sockets. Insulated to EN/IEC 60900.

Item No. 31890	Set includes the following:
lbs. 1.7	3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2”

Wiha Drive-Loc VI Handles



Allows adjustable blade lengths 1.7" to 4.7" in 1/8" increments

SHOP

28488 **Drive-Loc VI Cushion Grip Handle**

Wiha-SoftFinish® impact resistant, with roll off protection.

Advantages:

Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28488	6.0	115	4.5	36.0	1.41	.26



Allows adjustable blade lengths 1.7" to 4.7" in 1/8" increments

SHOP

28486 **ESD Safe Drive-Loc VI Cushion Grip Handle**

Wiha-SoftFinish® impact resistant, with roll off protection.

Advantages:

Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange. Static Dissipative.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28486	6.0	115	4.5	36.0	1.41	.21



Allows adjustable blade lengths 1.7" to 4.7" in 1/8" increments

SHOP

28487 **Drive-Loc VI MicroFinish Non-Slip Grip Handle**

Wiha-MicroFinish handle, won't peel, crack or deteriorate when exposed to petroleum solvents. Ideal for Hex, TORX® & Nut Drivers.

Advantages:

Ergonomic handle shape for maximum comfort, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28487	6.0	115	4.5	36.0	1.41	.20



Wiha Drive-Loc VI Blades



SHOP

281 **Ball End Hex & Hex Metric Drive-Loc VI Interchangeable Blade** High alloy CVM steel, through hardened, hard chrome finish. Ball end enables the user to work at angles up to 25°. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	mm + mm		lbs.	pkg.
28116	2.5	2.5	.10	1
28117	3	3	.10	1
28118	4	4	.10	1
28119	5	5	.10	1
28120	6	6	.10	1



SHOP

281 **Hex Metric Drive-Loc VI Interchangeable Blade**

High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	mm + mm		lbs.	pkg.
28149	2.0	2.5	.09	1
28150	3.0	4.0	.10	1
28151	5.0	6.0	.10	1



SHOP

281 **Hex Inch Drive-Loc VI Interchangeable Blade**

High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Inch +	Inch	lbs.	pkg.
28122	3/32	7/64	.10	1
28123	1/8	9/64	.10	1
28124	5/32	3/16	.10	1



NEW

SHOP

28189 **15 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch** Set includes Drive-Loc VI handle & 14 interchangeable blades.

Item No. 28189 lbs. 1.28

Slotted: 3.5+4.5, 5.5+6.5 **Phillips:** 1+2 Security TORX®: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s **Hex Inch:** 3/32+7/64, 1/8+9/64, 5/32+3/16 **Hex Metric:** 2.0+2.5, 3.0+4.0, 5.0+6.0mm

Wiha SoftFinish® Cushion Grip Blade Lock Handle

TorqueControl Tools



+/-6% accuracy tolerance
Certificate of calibration

SHOP

285 TorqueFix, With Wiha-SoftFinish® Handle

Fixed Torque value pre-set. Tested in accordance with EN ISO 6798, BS EN 26789, ASME B107.14M, tolerance +/- 6%. Audible and perceptible click when pre-set torque has been attained. Automatically resets for next torque cycle; 50% greater reverse torque.

Item	Pre-Sets						
No.	oz.	lbs.	Nm	mm	Inch	lbs.	pkg.
28503	80	5	0.56	112	4.4	.16	1
28505	120	7.5	0.84	112	4.4	.15	1
28507	160	10	1.12	119	4.7	.28	1
28509	200	12.5	1.41	119	4.7	.27	1
28511	240	15	1.69	119	4.7	.27	1
28513	320	20	2.25	119	4.7	.28	1
28515	400	25	2.82	126	4.9	.37	1
28517	480	30	3.39	126	4.9	.37	1
28518	560	35	3.95	126	4.9	.37	1
28519	640	40	4.52	126	4.9	.37	1
28521	800	50	5.65	132	5.2	.52	1
28523	960	60	6.78	132	5.2	.52	1
28525	1120	70	7.91	132	5.2	.52	1

Direct Reading Scale



+/-6% accuracy tolerance
Certificate of calibration

SHOP

285 Adjustable TorqueVario With Direct Reading Scale

EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle.

Item	Range					
No.	Inch	lbs.	Increments	mm	lbs.	pkg.
28501*	15 - 80(in/oz)		2.5 Inch oz	122 - 127	.22	1
28502	5 - 10		.5 Inch lbs	122 - 127	.41	1
28504	7.5 - 20		.5 Inch lbs	126 - 131	.50	1
28506	10 - 50		2 Inch lbs	133 - 138	.59	1
28508	20 - 70		2 Inch lbs	137 - 142	.74	1

Above includes Micro Bit Holder 28583

See 4mm Micro Bits on Page 30

* +/- 10% (This unit only)
* (1 Nm = 8.8507)



+/-6% accuracy tolerance
Certificate of calibration

SHOP

285 Adjustable TorqueVario-S Handle - In Newton Meter Scale

EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle.

Item	Newton				
No.	Meter Scale	Increments	mm	lbs.	pkg.
28550*	0.1 - 0.6Nm	.02 Nm	122 - 127	.35	1
28551	0.4 - 1.0Nm	.05 Nm	122 - 127	.35	1
28552	0.8 - 2.0Nm	.05 Nm	126 - 131	.45	1
28553	1.0 - 5.0Nm	.20 Nm	133 - 138	.55	1
28554	2.0 - 8.0Nm	.25 Nm	137 - 142	.70	1

* +/- 10% (This unit only)
* (1 Nm 8.8507)



SHOP

285 Hex Metric Interchangeable Blades For TorqueFix & TorqueVario

Hex tip blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item				Max. Torque	
No.	mm	mm	lbs.	Nm	pkg.
28545	1.5	175	.07	0.9	1
28546	2.0	175	.07	1.8	1
28547	2.5	175	.07	3.8	1
28548	3.0	175	.07	8.0	1
28549	4.0	175	.07	8.0	1



SHOP

285 Hex Inch Interchangeable Blades For TorqueFix & TorqueVario

Hex tip blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item				Max. Torque	
No.	Inch	mm	lbs.	Nm	pkg.
28555	.050	175	.07	.4	1
28556	1/16	175	.07	.9	1
28557	5/64	175	.07	1.8	1
28558	3/32	175	.07	1.8	1
28559	7/64	175	.07	3.8	1
28560	1/8	175	.07	3.8	1
28587	9/64	175	.07	8.0	1
28588	5/32	175	.07	8.0	1

T-handle TorqueControl Tools



Includes Calibration Certificate

SHOP

289 TorqueFix T-handle

EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6% Accuracy

Ergonomic multi-component handle, light and compact.

With Certificate of calibration.

Item No.	Torque In-lbs.	Torque Nm	mm x mm	lbs.	pkg.
28931	53.1	6	56 x 120	.81	1
28933	70.8	8	56 x 120	.82	1
28935	88.5	10	56 x 120	.79	1
28937	106.2	12	56 x 120	.79	1
28938	110.6	12.5	56 x 120	.80	1
28939	123.9	14	56 x 120	.80	1

Each TorqueFix T-handle has unique serial number and certificate of calibration





SHOP

289 Hex Metric Interchangeable Blades For TorqueFix T-handle

Hex tip blades on 6mm Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.	mm	mm	Inch	lbs.	pkg.
28916	3.0	130	5.1	.11	1
28917	4.0	130	5.1	.11	1
28918	5.0	130	5.1	.11	1
28919	6.0	130	5.1	.11	1



Includes Calibration Certificate

SHOP

28940 Adjustable TorqueVario STplus T-handle

EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6% Accuracy

Ergonomic multi-component handle, light and compact.

Item No.	Torque In-lbs.	Torque Nm	mm x mm	lbs.	pkg.
28940	44.3-123.9	5-14	56 x 120	.81	1

* (1 Nm 8.8507)





SHOP

289 Hex Inch Interchangeable Blades For TorqueFix T-handle

Hex tip blades on 6mm Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.	Inch	mm	Inch	lbs.	pkg.
28920	1/8	130	5.1	.11	1
28921	9/64	130	5.1	.11	1
28922	5/32	130	5.1	.11	1
28923	3/16	130	5.1	.11	1
28924	7/32	130	5.1	.11	1

Wiha Precision ESD Safe Hex Drivers

Wiha Precision ESD Static Dissipative Screwdrivers meet the requirements for tools used in static sensitive areas.



Rotating cap for precise turning & control with fingertip

Molded Precision handle of impact resistant dissipative material

Tapered handle allows rapid rotation

Blade, CVM steel, hardened, hard chrome finish

Tip, precision ground for exact fit, Wiha Chromtop finish

ESD Standard IEC 61340-5-1

Surface resistance of handles is 10^6 - 10^9 Ohms



SHOP

275 Inch **Hex Driver, With Precision ESD Safe Dissipative Handle** Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1

Item No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
27505	0.028	40	1.6	120	4.7	.02	10
27510	0.035	40	1.6	120	4.7	.02	10
27513	0.05	40	1.6	120	4.7	.02	10
27537	1/16	50	2.0	145	5.7	.03	10
27539	5/64	50	2.0	145	5.7	.03	10
27541	3/32	60	2.4	170	6.7	.04	10
27543	7/64	60	2.4	170	6.7	.04	10
27545	1/8	60	2.4	170	6.7	.04	10
27547	9/64	60	2.4	170	6.7	.05	10
27549	5/32	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

275 Metric **Hex Metric Driver, With Precision ESD Safe Dissipative Handle** Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1

Item No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
27507	0.7	40	1.6	120	4.7	.02	10
27509	0.9	40	1.6	120	4.7	.02	10
27513	1.3	40	1.6	120	4.7	.03	10
27515	1.5	50	2.0	145	5.7	.03	10
27520	2.0	50	2.0	145	5.7	.04	10
27525	2.5	60	2.4	170	6.7	.05	10
27530	3.0	60	2.4	170	6.7	.05	10
27535	4.0	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



D

ESD standard IEC 61340-5-1

SHOP

27590 **Set 8 Pcs. Hex Metric Precision ESD Safe Dissipative**

Handle Blade CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material. In storage pouch

Item No.		mm	mm		mm	mm	lbs.
27590	27507	.71	40	27520	2.0	50	.53
	27509	.89	40	27525	2.5	60	
	27513	1.3	40	27530	3.0	60	
	27515	1.5	50	27535	4.0	60	



D

ESD standard IEC 61340-5-1

SHOP

27591 **8 Piece Hex Inch Precision Set, ESD Safe Dissipative**

Handle Blade CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material. In storage pouch

Item No.		Inch	Inch		Inch	Inch	lbs.
27591	27513	0.05	1.6	27543	7/64	2.4	.57
	27537	1/16	2.0	27545	1/8	2.4	
	27539	5/64	2.0	27547	9/64	2.4	
	27541	3/32	2.4	27549	5/32	2.4	



SHOP

91118 **Rugged Polyester Canvas Storage Pouch**

Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

Item No.	Size	lbs.	pkg.
91118	14 1/2" W x 7 3/4" L	.13	1

Pico Soft Grip Ball End Inch & Metric



SHOP

264 Ball End Hex Inch Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item						
No.	Inch	Inch	mm	Inch	mm	pkg.
26455	1/16	2.0	50	5.9	150	10
26457	5/64	2.0	50	5.9	150	10
26459	3/32	2.0	50	5.9	150	10
26461	7/64	2.4	60	6.3	160	10
26463	1/8	2.4	60	6.3	160	10
26465	9/64	2.4	60	6.3	160	10
26467	5/32	2.4	60	6.3	160	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26493 7 Piece Inch Ball End Hex Precision Driver Set, With Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item							
No.		Inch	Inch		Inch	Inch	lbs.
26493	26455	1/16	2.0	26463	1/8	2.4	.27
	26457	5/64	2.0	26465	9/64	2.4	
	26459	3/32	2.0	26467	5/32	2.4	
	26461	7/64	2.4				



SHOP

264 Ball End Hex Metric Screwdriver, With Precision Soft PicoFinish Handle. Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item						
No.	mm	mm	Inch	mm	Inch	pkg.
26441	1.3	40	1.6	134	5.3	10
26443	1.5	50	2.0	150	5.9	10
26445	2.0	50	2.0	150	5.9	10
26447	2.5	60	2.4	160	6.3	10
26449	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate

Pico Soft Grip Hex Inch & Metric



SHOP

263 Hex Inch Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	Inch	mm	Inch	mm	Inch	pkg.
26341	0.028(0.7)	40	1.6	134	5.3	10
26343	0.035(0.9)	40	1.6	134	5.3	10
26345	0.05(1.3)	40	1.6	134	5.3	10
26349	5/64(2.0)	50	2.0	150	5.9	10
26363	1/16	50	2.0	144	5.7	10
26367	3/32	60	2.4	160	6.3	10
26369	7/64	60	2.4	160	6.3	10
26371	1/8	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

SHOP

26392 8 Piece Hex Inch Precision Driver Set

Item							
No.		Inch	Inch		Inch	Inch	lbs.
26392	26341	0.028	1.6	26363	1/16	2.0	.24
	26343	0.035	1.6	26367	3/32	2.4	
	26345	0.05	1.6	26369	7/64	2.4	
	26349	5/64	2.0	26371	1/8	2.4	



SHOP

263 Hex Metric Driver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	mm	mm	Inch	mm	Inch	pkg.
26341	0.7(0.028)	40	1.6	134	5.3	10
26343	0.9(0.035)	40	1.6	134	5.3	10
26345	1.3(0.05)	40	1.6	134	5.3	10
26347	1.5	50	2.0	144	5.7	10
26349	2.0(5/64)	50	2.0	150	5.9	10
26351	2.5	60	2.4	160	6.3	10
26353	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

SHOP

26393 7 Pc. Hex Metric Precision Driver Set

Item							
No.		mm	mm		mm	mm	lbs.
26393	26341	0.7	40	26349	2.0	50	.22
	26343	0.9	40	26351	2.5	60	
	26345	1.3	40	26353	3.0	60	
	26347	1.5	50				

Wiha Hex Precision Series



SHOP

263 Metric **Metric Hex Driver, With Precision Handle**

Metric sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26307	0.7	0.028	40	1.6	120	4.7	.02	10
26309	0.9	0.035	40	1.6	120	4.7	.02	10
26313	1.3	0.05	40	1.6	120	4.7	.02	10
26315	1.5	-	50	2.0	145	5.7	.03	10
26320	2.0	5/64	50	2.0	145	5.7	.03	10
26325	2.5	-	60	2.4	170	6.7	.04	10
26330	3.0	-	60	2.4	170	6.7	.04	10
26340	4.0	-	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate

SHOP



26390 **7 Pc. Precision Hex Driver Set - Metric** Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		Inch	Inch	lbs.
26390	26307	0.7	1.6	.28
	26309	0.9	1.6	
	26313	1.3	1.6	
	26315	1.5	2.0	
	26320	2.0	2.0	
	26325	2.5	2.4	
	26330	3.0	2.4	



SHOP

26399 **8 Piece Precision Hex Driver Set - Inch**

Blade high alloy chrome-vanadium-molybdenum steel.

Hard chrome finished. In canvas storage pouch

Item No.		Inch	Inch		Inch	Inch	lbs.
26399	26307	0.028	1.6	26320	5/64	2.0	.55
	26309	0.035	1.6	26323	3/32	2.4	
	26313	0.05	1.6	26327	7/64	2.4	
	26316	1/16	2.0	26331	1/8	2.4	



SHOP

263 Inch **Inch Hex Driver, With Precision Handle**

Inch sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Inch	mm	mm	Inch	mm	Inch	lbs.	pkg.
26307	.028	0.7	40	1.6	120	4.7	.02	10
26309	.035	0.9	40	1.6	120	4.7	.02	10
26313	0.05	1.3	40	1.6	120	4.7	.02	10
26316	1/16	-	50	2.0	145	5.7	.03	10
26320	5/64	2.0	50	2.0	145	5.7	.03	10
26323	3/32	-	60	2.4	170	6.7	.04	10
26327	7/64	-	60	2.4	170	6.7	.04	10
26331	1/8	-	60	2.4	170	6.7	.04	10
26333	9/64		60	2.4	170	6.7	.05	10
26336	5/32		60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate




26391 **8 Pc. Precision Hex Driver Set - Inch** Blade high alloy CVM steel.

Item No.		Inch	Inch	lbs.
26391	26307	0.028	1.6	.32
	26309	0.035	1.6	
	26313	0.05	1.6	
	26316	1/16	2.0	
	26320	5/64	2.0	
	26323	3/32	2.4	
	26327	7/64	2.4	
	26331	1/8	2.4	

SHOP

Wiha Ball End Precision Series



SHOP

264 Metric **Ball End Hex Metric Screwdriver With Precision Handle**

Angle entry up to 30°. Blade high alloy CVM steel.

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26413	1.3	0.05	40	1.6	120	4.7	.02	10
26415	1.5	-	50	2.0	145	5.7	.03	10
26420	2.0	-	50	2.0	145	5.7	.03	10
26425	2.5	-	60	2.4	170	6.7	.04	10
26430	3.0	-	60	2.4	170	6.7	.05	10
26440	4.0		60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate


SHOP



26491 **5 Piece Ball End Hex Driver Set - Metric** Angle entry up to 30°. Blade high alloy CVM steel.

Item No.		mm	mm	lbs.
26491	26413	1.3	40	.31
	26415	1.5	50	
	26420	2.0	50	
	26425	2.5	60	
	26430	3.0	60	

Wiha Ball End Precision Series



SHOP

264 Inch **Ball End Hex Inch Screwdriver With Precision Handle**

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finish.

Item No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26413	0.05	40	1.6	120	4.7	.02	10
26416	1/16	50	2.0	145	5.7	.03	10
26419	5/64	50	2.0	145	5.7	.03	10
26423	3/32	50	2.0	145	5.7	.03	10
26427	7/64	60	2.4	170	6.7	.03	10
26431	1/8	60	2.4	170	6.7	.05	10
26436	9/64	60	2.4	170	6.7	.05	10
26439	5/32	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate

SHOP



26490 **8 Piece Ball End Hex Driver Set - Inch** Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		Inch	Inch	lbs.
26490	26413	0.05	1.6	.40
	26416	1/16	2.0	
	26419	5/64	2.0	
	26423	3/32	2.0	
	26427	7/64	2.4	
	26431	1/8	2.4	
	26436	9/64	2.4	
	26439	5/32	2.4	



SHOP

26499 **8 Piece Ball End Hex Driver Set - Inch**

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.		Inch	Inch		Inch	Inch	lbs.
26499	26413	0.05	1.6	26427	7/64	2.4	.62
	26416	1/16	2.0	26431	1/8	2.4	
	26419	5/64	2.0	26436	9/64	2.4	
	26423	3/32	2.0	26439	5/32	2.4	

Wiha Ball End Precision Series



SHOP

62995 **22 Piece Slotted/Phillips/TORX®/Ball End Hex Inch & Metric Tech Pack** Wiha Proturn precision ball retainer handle & 21 Wiha interchangeable blades. Set in canvas storage pouch

62995 Set includes the following blades:

Slotted: 1.5, 2.0, 3.0, 4.0 **Phillips:** #000, #00, #0, #1

TORX®: T6, T7, T8, T9, T10, T15, T20

Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm

lbs. .87

62994 **14 Piece Inch/Metric Ball End Hex Work Tech Pack**

Proturn precision ball retainer handle & 13 Wiha interchangeable blades.

62994 Set includes the following blades:

Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm

lbs. .66 Set in canvas storage pouch

SYS 4 Drive-Loc Precision Locking Tools



SHOP

26961 **ESD Safe Dissipative Precision Drive-Loc Handle**

Surface resistant 10^6-10^9 Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL

Item No.	mm	Inch	mm	Inch	lbs.
26961	4.0	.1574	23	.91	.08



280 **SYSTEM 4 Metric Hex Drive-Loc Reversible Locking Blades**

On 4mm Hex blades

SHOP

Item No.	mm		mm	lbs.
28003	1.3	+	1.3	.02
28004	1.5	+	1.5	.02
28005	2.0	+	2.0	.02
28006	2.5	+	2.5	.02
28007	3.0	+	3.0	.02
28008	4.0	+	4.0	.02





26900 **SYS 4 Standard Precision Handle,** with rotating control cap. Accepts all SYSTEM 4 interchangeable blades. Wiha Precision handle, tapered, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item No.	mm	Inch	mm	Inch	lbs.
26900	4.0	.1574	14.0	.55	.04



26901 **SYSTEM 4 Standard Precision** **Adjustable handle** with rotating control cap.

- Allows adjustable blade from 15 to 95mm.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item No.	mm	Inch	mm	Inch	lbs.
26901	4.0	.1574	14.0	.55	.06



269 **SYSTEM 4 Metric Ball End & Standard Hex, Reversible Blade**

Wiha vapor Chrome-Top finish on tips. One side hex, other side ball end hex.

Item No.	mm	mm	mm	Inch	lbs.
26932	1.27	+ 1.27	120	4.7	.05
26933	1.5	+ 1.5	120	4.7	.05
26934	2.0	+ 2.0	120	4.7	.06
26935	2.5	+ 2.5	120	4.7	.06
26936	3.0	+ 3.0	120	4.7	.06
26937	4.0	+ 4.0	120	4.7	.06



28000 **ESD Safe Dissipative Precision Handle** with rotating control cap. Surface resistant 10^6-10^9 Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item No.	mm	Inch	mm	Inch	lbs.
28000	4.0	.1574	14.0	.55	.04




28001 **ESD Safe Dissipative Precision Adjustable Handle** with rotating control cap.

Advantages:


- Use in ESD sensitive applications. Surface resistant 10^6-10^9 Ohms.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item No.	mm	Inch	mm	Inch	lbs.
28001	4.0	.1574	14.0	.55	.04



280 **SYSTEM 4 Metric Ball End Hex** **Interchangeable Blade** Ball end works at 30° angle entry for easy access to fasteners.

Item No.	mm	mm	Inch	lbs.	pkg.
28033	1.5	120	4.7	.06	1
28034	2.0	120	4.7	.06	1
28035	2.5	120	4.7	.06	1
28036	3.0	120	4.7	.06	1
28037	4.0	120	4.7	.06	1




280 **SYSTEM 4 Inch Ball End Hex** **Interchangeable Blade** Ball end works at 30° angle entry for easy access to fasteners.

Item No.	Inch	mm	Inch	lbs.
28021	.050	120	4.7	.06
28023	1/16	120	4.7	.06
28024	5/64	120	4.7	.06
28025	3/32	120	4.7	.06
28026	7/64	120	4.7	.06
28027	1/8	120	4.7	.06
28028	9/64	120	4.7	.06
28029	5/32	120	4.7	.06




269 **SYSTEM 4 Metric Hex, Interchangeable Blade** High alloy CVM steel, hardened, corrosion protected.

Item No.	mm	mm	Inch	lbs.
26913	0.7	120	4.7	.06
26914	0.9	120	4.7	.06
26915	1.3	120	4.7	.06
26916	1.5	120	4.7	.06
26917	2.0	120	4.7	.06
26918	2.5	120	4.7	.06
26919	3.0	120	4.7	.06
26920	4.0	120	4.7	.06



269 **SYSTEM 4 Inch Hex, Interchangeable Blade** High alloy CVM steel, hardened, corrosion protected.

Item No.	Inch	mm	Inch	lbs.
26921	0.05	120	4.7	.06
26923	1/16	120	4.7	.06
26924	5/64	120	4.7	.06
26925	3/32	120	4.7	.06
26926	7/64	120	4.7	.06
26927	1/8	120	4.7	.06
26928	9/64	120	4.7	.06
26929	5/32	120	4.7	.06



Wiha ESD Safe Precision Collet Lock handle and 8 Wiha interchangeable blades

26999 **9 Pc. Hex Metric Precision Blade Set**

Set includes the following blades:

Hex Metric: 0.7, 0.9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm

lbs. .66



Wiha ESD Safe Precision Collet Lock handle and 8 Wiha interchangeable blades

26989 **9 Pc. Hex Inch Precision Blade Set**

Set includes the following blades:

Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

lbs. .64

SYSTEM 4 Handles & Micro Bits



Tips exact fit, precision machined

Rotating Cap for precise turning and control

Tapered Handle allows rapid rotation, requires less clearance

Bits CVM steel, hardened

Use bits directly in handle or with 4" bit extension



110mm/4.3" OAL

SHOP

75800 SYSTEM 4 Standard Precision Bit Handle with rotating control cap. Tapered, high quality plastic, impact resistant, ball retainer. Accepts all SYSTEM 4 Series bits.

Item No.	○ mm	○ Inch	▬ mm	▬ Inch	lbs.
75800	4.0	.1574	14.0	.55	.06



D

110mm/4.3" OAL

SHOP

75801 SYSTEM 4 ESD Safe Dissipative Precision Bit Handle with rotating control cap. Tapered, high quality plastic, impact resistant. **Advantages:**

- For working in ESD sensitive applications Surface resistant 10^6-10^9 Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits

Item No.	○ mm	○ Inch	▬ mm	▬ Inch	lbs.
75801	4.0	.1574	14.0	.55	.06



SHOP

75901 Magnetic Bit Extension Blade For SYSTEM 4 Micro Bits Shaft CVM steel, hardened. Magnetic bit holder.

Item No.	⬢ Size	▬ mm	⬢ mm	lbs.
75901	4.0	100	4.0	.04



SHOP

75900 Extension Blade For SYSTEM 4 Micro Bits Shaft CVM steel, hardened, corrosion protected. Ball retainer bit extension for 4 mm bits.

Item No.	⬢ Size	▬ mm	⬢ mm	lbs.
75900	4.0	100	4.0	.07



SHOP

753 SYSTEM 4 Hex Metric Bits High alloy CVM steel, hardened, on 4 mm hex stock.

Item No.	⬢ mm	▬ mm	▬ Inch	lbs.
75307	.71	28	1.1	.01
75309	.89	28	1.1	.01
75313	1.3	28	1.1	.01
75315	1.5	28	1.1	.01
75320	2.0	28	1.1	.01
75325	2.5	28	1.1	.01
75330	3.0	28	1.1	.01
75340	4.0	28	1.1	.01



SHOP

753 SYSTEM 4 Hex Inch Bits High alloy CVM steel, hardened, on 4 mm hex stock.

Item No.	⬢ Inch	▬ mm	▬ Inch	lbs.
75307	.028	28	1.1	.01
75309	.035	28	1.1	.01
75313	.050	28	1.1	.01
75350	1/16	28	1.1	.01
75352	5/64	28	1.1	.01
75354	3/32	28	1.1	.01
75356	7/64	28	1.1	.01
75358	1/8	28	1.1	.01
75360	9/64	28	1.1	.01
75340	5/32	28	1.1	.01



SHOP

753 SYSTEM 4 Metric Security Hex Bits High alloy CVM steel, hardened, on 4 mm hex stock.

Item No.	⬢ mm	▬ mm	▬ Inch	lbs.
75322	2.0	28	1.1	.01
75327	2.5	28	1.1	.01
75332	3.0	28	1.1	.01
75342	4.0	28	1.1	.01



SHOP

753 SYSTEM 4 Security Hex Inch Bits High alloy CVM steel, hardened, on 4 mm hex stock.

Item No.	⬢ Inch	▬ mm	▬ Inch	lbs.
75362	5/64	28	1.1	.01
75364	3/32	28	1.1	.01
75366	7/64	28	1.1	.01
75368	1/8	28	1.1	.01
75370	9/64	28	1.1	.01
75372	5/32	28	1.1	.01

Wiha SYSTEM 4 Micro Bits & Compact Bit Sets



D

18 Pc. Set

SHOP

75395 18 Piece SYSTEM 4 Hex Inch & Metric Precision Interchangeable Bit Set, In Compact Fold Out Box

Wiha precision handle, bit extension & 16 Wiha interchangeable bits.

Item No.	Combination Bit Set
75395	Set with Standard Precision Handle
	Set includes the following bits:
	⬢ **Hex Metric:** .71, .89, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
	⬢ **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	○ **100mm Bit Extension**
	▬ **lbs.** .58



SHOP

75096 16 Piece Precision Micro Bit Hex Inch & Metric Sets

ESD Safe precision handle, Bit Extension and 14 CVM steel Micro Bits.

Set includes the following Micro Bits:
⬢ **Inch:** 0.89/0.35", 1.3/.050", 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
⬢ **Metric:** 1.5, 2.0, 2.5, 3.0, 4.0mm
▬ lbs. .14



NEW

SHOP

75983 Micro Bit Handle Storage Hex Inch Bit Set, 7 Pcs. Wiha precision storage handle & 6 interchangeable bits.

Item No.	Precision Storage Handle Set
75983	⬢ **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8"
	▬ **lbs.** .08

Wiha Cushion Grip Stubby Bit Holder







38056 **Ball End Hex SoftFinish® CushionGrip Stubby Bit Holder**

with Wiha cushion grip handle and CVM tool steel shaft.

	Set includes the following 1/4" bits:	
⬣	**Ball End Hex Inch:** 1/8, 9/64, 5/32,	lbs.
	3/16, 7/32, 1/4"	.21





38057 **Hex Metric SoftFinish® CushionGrip Stubby Bit Holder**

with Wiha cushion grip handle and CVM tool steel shaft.

	Set includes the following 1/4" bits:	
⬣	**Hex Metric:** 2.0, 2.5, 3.0	lbs.
	4.0, 5.0, 6.0mm	.18





38058 **Hex Inch SoftFinish® CushionGrip Stubby Bit Holder**

with Wiha cushion grip handle and CVM tool steel shaft.

	Set includes the following 1/4" bits:	
⬣	**Hex Inch:** 3/32, 7/64, 1/8,	lbs.
	9/64, 5/32, 3/16"	.18

Wiha Torque Ratchet Bit Sets

Smooth, high torque, silent ratchet handle

Pistol Grip Handle ergonomic design with free running mechanism. Instant clutch engagement allows constant turning pressure on the fastener.

Hex Retainer for bit holder blades



No release of handle is needed, change of direction can be made with index finger and thumb. **Allows for** quick adjustment to right, left or fixed turning.

Opens a new generation of easier torque transmission



28298 **12 Piece Hex Inch Topra Ratchet Bit Set**

	Set includes Topra Handle, Magnetic bit holder and the following bits:	
⬣	**Inch:** 1/16, 5/64, 3/32, 7/64, 1/8,	lbs.
	9/64, 5/32, 3/16, 7/32, 1/4"	.65



28299 **10 Piece Hex Metric Topra Ratchet Bit Set**

	Set includes Topra Handle, Magnetic bit holder and the following bits:	
⬣	**Metric:** 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm	lbs. .65

Wiha Bit Selectors

Compact size and easy bit selection make the Bit Selector an ideal maintenance tool



Plastic storage box is compact, durable and light weight

Slide out drawer allows quick bit access and secure storage



Molded hex cavity in box end Magnetic adapter fits into opening so tool case can be used as a handle on quick fastening jobs

1/4" Magnetic Adapter fits all standard 1/4" bits

792 Sets **Bit-Selector Sets**

These handy sets include 10 hardened bits of chrome-vanadium-molybdenum steel. 1/4" magnetic bit holder can be used in power tools. Plastic storage box is compact, durable and light weight. Molded hex cavity turns box into handle for quick fastening jobs. Quick bit access with slide out drawer. Packaged in clear blister pack.



SHOP

79276 **Bit-Selector With Ball End Hex Inch Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 8 Bits:**

	lbs.
⬢ **Ball End Hex Inch:** 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	.30



Item #79246

SHOP

79246 **Bit-Selector With Hex Metric Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 10 Bits:**

	lbs.
⬢ **Hex Inch:** 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	.32

79256 **Bit-Selector With Hex Metric Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 8 Bits:**

	lbs.
⬢ **Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm	.30



SHOP

79266 **Bit-Selector With Security Hex Inch Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 9 Bits:**

	lbs.
Hex Inch: 5/64, 3/32, 7/64, ⬣ 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	.31

Screw Holding

MagicRing



SHOP

71399 **Bit-Selector With Metric & Inch MagicRing Insert 1/4" Bits Set Includes Magnetic 1/4" Bit Holder & The Following 10 Bits:**

	lbs.
⬢ No Ball End	.46
Hex Metric: 3.0, 4.0, 5.0, 6.0mm	
Hex Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	

Wiha MagicRing Insert Bits

Screw Holding Hex Bits



SHOP

713 **MagicRing Metric Insert Bits, 1/4"**

Item No.	⬢ mm	mm	pkg.	lbs.
71304	3.0	25	1	.01
71307	4.0	25	1	.01
71310	5.0	25	1	.01
71311	6.0	25	1	.01

713 **MagicRing Inch Insert Bits, 1/4"**

Item No.	⬢ Inch	mm	pkg.	lbs.
71343	1/8	25	1	.01
71346	9/64	25	1	.01
71349	5/32	25	1	.01
71352	3/16	25	1	.01
71354	7/32	25	1	.01
71358	1/4	25	1	.01

SHOP

Wiha MagicRing Power Bits

Screw Holding Hex Bits



SHOP

743 **MagicRing Metric Power Bits, 1/4"**

Item No.	⬢ mm	mm	pkg.	lbs.
74301	3.0	50	1	.02
74305	4.0	50	1	.02
74307	5.0	50	1	.03
74319	6.0	50	1	.03

743 **MagicRing Inch Power Bits, 1/4"**

Item No.	⬢ mm	mm	pkg.	lbs.
74369	1/8	50	1	.02
74371	9/64	50	1	.02
74373	5/32	50	1	.02
74375	3/16	50	1	.03
74377	7/32	50	1	.03
74379	1/4	50	1	.03

SHOP

Wiha XSelector Bit Sets

Compact size and easy bit selection make the Wiha XSelector an ideal maintenance tool

Easy bit access with hinged cover



XSelector Pocket Sized 3-1/8" x 2-1/8" x 1/2"

Sets include Clicfix quick release holder

794 Sets **XSelector Bit Sets**

These handy sets include 10 hardened bits of chrome-vanadium-molybdenum steel. 1/4" Quick Release holder can be used in power tools. Quick bit access through integrated bit-clamp.



SHOP

79446	XSelector Bit Set With Hex Inch Bits	
	Set Includes Quick Release Holder	lbs.
	and the following 10 bits:	.27
⬢	**Hex Inch:** 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	

Wiha Security Hex Inch & Metric PokitPaks



SHOP

71998	PokitPak - Security Hex Inch Insert Bits In Molded Case -	
	Set includes 6 - 1/4" Insert Bits	lbs.
⬢	**Inch Security Hex:** 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	.12




SHOP

71995	PokitPak - Security Hex Insert Bits In Molded Case -	
	Set includes 6 - 1/4" Insert Bits	lbs.
⬢	**Metric Security Hex:** 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm	.31

Wiha Power Bit Belt Packs



SHOP




74986	Power Bit Belt Pack With Inch & Metric Hex Bits	
	Set includes the following 10 bits:	lbs.
⬢	**Inch:** 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	.34
⬢	**Metric:** 3.0, 4.0, 5.0, 6.0mm	



Screw Holding Hex Bits



SHOP




74989	Power Bit Belt Pack With Screw Holding Hex MagicRing Bits	
	Set includes the following 10 bits:	lbs.
⬢	**Inch:** 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	.34
⬢	**Metric:** 3.0, 4.0, 5.0, 6.0mm	



Screw Holding Hex Bits

SHOP



74999	Power Bit Belt Pack With Screw Holding Inch & Metric Ball End Hex MagicRing Bits	
	Set includes the following 10 bits:	lbs.
⬢	**Inch:** 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	.37
⬢	**Metric:** 3.0, 4.0, 5.0, 6.0mm	

Wiha Security Hex Inch Multi Bit Set



SHOP

38014	Security Hex Inch Multi-Bit Screwdriver, 6 Pc. Set	
	With Wiha Powerhandle & CVM steel, hardened shaft.	
	Set includes the following 1/4" bits:	lbs. .39
	Security Hex: 3/32, 1/8, 5/32, 3/16, 7/32"	

Hex Bits

The ideal multi-purpose bits for all around quality & performance

Made in Germany - Production Quality

Highly resistant to wear and tear for a long tool life



Impact resistant modified CVM, tool steel, hardened

Suitable for all applications for both manual & machine Hardness HRC 59-61



SHOP

713 Hex Inch Insert Bits, 1/4"

Item No.	Inch	mm	pkg.	lbs.
71329	.050	25	10	.12
71326	1/16	25	10	.12
71328	5/64	25	10	.12
71330	3/32	25	10	.12
71333	7/64	25	10	.12
71336	1/8	25	10	.12
71339	9/64	25	10	.12
71342	5/32	25	10	.12
71345	3/16	25	10	.13
71348	7/32	25	10	.13
71351	1/4	25	10	.13
71353	5/16	25	10	.20
71356	3/8	25	10	.25



SHOP

713 Hex Metric Insert Bits, 1/4"

Item No.	mm	mm	pkg.	lbs.
71303	1.5	25	10	.12
71306	2.0	25	10	.12
71308	2.5	25	10	.12
71309	3.0	25	10	.12
71312	4.0	25	10	.12
71315	5.0	25	10	.14
71318	6.0	25	10	.14
71321	8.0	25	10	.20
71324	10.0	25	10	.27

725 Hex Metric Insert Contractor Grade, 1/4"

Item No.	Size	mm	pkg.	lbs.
72582	2.0	25	30 pc	.85
72583	2.5	25	30 pc	.85
72584	3.0	25	30 pc	.85
72585	4.0	25	30 pc	.85
72586	5.0	25	30 pc	.85
72587	6.0	25	30 pc	.85

Wiha Hex Inch & Metric Insert Bit Packss

2 bit pack



SHOP

713 Hex Inch Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item No.	Inch	mm	lbs.
71359	.050	25	.03
71360	1/16	25	.03
71361	5/64	25	.03
71362	3/32	25	.03
71363	7/64	25	.03
71364	1/8	25	.03
71365	9/64	25	.03
71366	5/32	25	.04
71367	3/16	25	.04
71368	7/32	25	.04
71369	1/4	25	.04
71373	5/16	25	.05
71387	3/8	25	.06

733 Hex Metric Insert Bit Packs, 1"

CVM S2 modified tool steel.

SHOP

Item No.	mm	mm	lbs.
73301	1.5	25	.03
73302	2.0	25	.03
73303	2.5	25	.03
73304	3.0	25	.03
73305	4.0	25	.03
73306	5.0	25	.03
73307	6.0	25	.04
73308	8.0	25	.05
73309	10.0	25	.06



SHOP

71396 Hex Inch Insert Bit Packs, 1" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

71396 Set includes the following bits:

Hex Inch:

1/16, 3/32, 1/8, 5/32

wt. .13 3/16, 1/4" x 1" (25mm)

71397 Hex Metric Insert Bit Packs, 1" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

71397 Set includes the following bits:

Hex Metric:

wt. .21 2.0, 2.5, 3.0, 4.0, 5.0, 6.0

Wiha Security Hex Insert Bits



SHOP

719 Security Hex In Insert Bits, 1/4"

Item No.	Inch	mm	pkg.	lbs.
71930	5/64	25	10	.12
71932	3/32	25	10	.12
71934	7/64	25	10	.12
71936	1/8	25	10	.12
71938	9/64	25	10	.12
71940	5/32	25	10	.12
71955	3/16	25	10	.13
71956	7/32	25	10	.14
71960	1/4	25	10	.15



SHOP

719 Security Hex Metric Insert Bits, 1/4"

Item No.	mm	mm	pkg.	lbs.
71939	2.0	25	10	.12
71941	2.5	25	10	.12
71942	3.0	25	10	.12
71943	4.0	25	10	.12
71944	5.0	25	10	.15
71945	6.0	25	10	.15
71946	8.0	25	10	.20

2 bit pack



SHOP

719 Security Hex Inch Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item No.	Inch	mm	lbs.
71970	5/64	25	.03
71971	3/32	25	.03
71972	7/64	25	.03
71973	1/8	25	.03
71974	9/64	25	.03
71975	5/32	25	.03
71976	3/16	25	.04
71977	7/32	25	.04
71978	1/4	25	.04

719 Security Hex Metric Insert Bit Packs, 1"

CVM S2 modified tool steel.

SHOP

Item No.	mm	mm	lbs.
71979	2.0	25	.03
71980	2.5	25	.03
71981	3.0	25	.03
71982	4.0	25	.03
71983	5.0	25	.04
71984	6.0	25	.04
71985	8.0	25	.05

Wiha Hex Inch & Metric Power Bits



743 Hex Inch Power Bits

1/4" Hex Drive, Length 2.0"/50mm

Item No.	Inch	mm	pkg.	lbs.
74311	3/32	50	10	.30
74312	7/64	50	10	.30
74313	1/8	50	10	.30
74314	9/64	50	10	.30
74315	5/32	50	10	.30
74316	3/16	50	10	.30
74317	7/32	50	10	.30
74318	1/4	50	10	.30



743 Hex Metric Power Bits

1/4" Hex Drive, Length 2.0"/50mm

Item No.	mm	mm	pkg.	lbs.
74325	2.5	50	10	.25
74330	3.0	50	10	.25
74340	4.0	50	10	.25
74350	5.0	50	10	.25
74360	6.0	50	10	.25
74380	8.0	50	10	.38



2 bit pack

743 Hex Inch Power Bit Packs, 2"

Item No.	Inch	mm	lbs.
74381	3/32	50	.07
74382	7/64	50	.07
74383	1/8	50	.07
74384	9/64	50	.07
74385	5/32	50	.07
74386	3/16	50	.07
74387	7/32	50	.07
74388	1/4	50	.07

743 Hex Metric Power Bit Packs, 2"

Item No.	mm	mm	lbs.
74361	2.5	50	.07
74362	3.0	50	.07
74363	4.0	50	.07
74364	5.0	50	.07
74365	6.0	50	.07
74366	8.0	50	.09



743 Hex Inch Power Bits

1/4" Hex Drive, Length 2.75"/70mm

Item No.	Inch	mm	pkg.	lbs.
74341	5/64	70	1	.36
74342	3/32	70	1	.36
74343	7/64	70	1	.36
74344	1/8	70	1	.36
74345	9/64	70	1	.36
74346	5/32	70	1	.36
74347	3/16	70	1	.36
74348	7/32	70	1	.36
74349	1/4	70	1	.36



743 Hex Metric Power Bits

1/4" Hex Drive, Length 2.75"/70mm

Item No.	mm	mm	pkg.	lbs.
74351	2.0	70	1	.36
74352	2.5	70	1	.36
74353	3.0	70	1	.36
74354	4.0	70	1	.36
74355	5.0	70	1	.36
74356	6.0	70	1	.36
74357	8.0	70	1	.36

Hex Metric Long Insert Bit On 5/16"



72388 Hex Metric Bit On 5/16" Stock

Item No.	mm	mm	pkg.	lbs.
72388	12.0	75	10	.14

Stainless Steel Hex Metric Bits

1/4"



701 Stainless Steel Hex Metric Insert Bits

Item No.	mm	mm	pkg.
70170	1.5	25	10
70171	2.0	25	10
70172	2.5	25	10
70173	3.0	25	10
70174	4.0	25	10
70175	5.0	25	10
70176	6.0	25	10

Wiha Ball End Hex Inch Insert Bits



717 Ball End Hex Inch Insert Bits, 1/4"

Item No.	Inch	mm	pkg.	lbs.
71701	3/32	25	10	.12
71702	7/64	25	10	.12
71703	1/8	25	10	.12
71704	9/64	25	10	.12
71705	5/32	25	10	.12
71706	3/16	25	10	.13
71707	7/32	25	10	.13
71708	1/4	25	10	.13



2 bit pack

717 Ball End Hex Inch Insert Bit Packs, 1"

Item No.	Inch	mm	lbs.
71711	3/32	25	.03
71712	7/64	25	.03
71713	1/8	25	.03
71714	9/64	25	.03
71715	5/32	25	.04
71716	3/16	25	.04
71717	7/32	25	.04
71718	1/4	25	.04

Ball End Hex Metric Power Bits

2 pc. bit pack!



717 Ball End Hex Metric Power Bits

1/4" Hex Drive, Length 1.5"/38mm

Item No.	mm	mm	pkg.
71719	1.5	38	1
71720	2.0	38	1
71721	2.5	38	1
71722	3.0	38	1
71723	4.0	38	1
71724	5.0	38	1
71725	6.0	38	1

Wiha Terminator Hex Inch & Metric Impact Bits - Insert & Power

Up To 30X Performance Over Standard Screwdriver Bits



Dual material impact absorbing torsion zone

- Impact rated bits for long life in impact applications
- Provide up to 30 times impact performance over standard bits
- Standard 1/4" drive - No special adaptor required
- Wiha enhanced bi-material torsion zone
- Precision machined exact fit tips
- Wiha exclusive CVM tool steel
- Guaranteed to out perform impact imposters



765 Hex Inch Terminator Impact Bits,
1/4" Insert - 10 bit pack

SHOP


Item No.	Inch	mm	pkg.
76530	1/8	29	10
76531	9/64	29	10
76532	5/32	29	10
76533	3/16	29	10
76534	7/32	29	10
76535	1/4	29	10

768 Hex Inch Terminator Impact Bits,
1/4" Insert - 2 bit pack

SHOP

Item No.	Inch	mm	pkg.
76830	1/8	29	2
76831	9/64	29	2
76832	5/32	29	2
76833	3/16	29	2
76834	7/32	29	2
76835	1/4	29	2

1/4" Drive Insert & Power Bits



Up To 30X Performance Over Standard Screwdriver Bits



765 Hex Metric Terminator Impact Bits,
1/4" Insert - 10 bit pack

SHOP

Item No.	Inch	mm	pkg.
76523	3.0	29	10
76524	4.0	29	10
76525	5.0	29	10
76526	6.0	29	10

768 Hex Metric Terminator Impact Bits,
1/4" Insert - 2 bit pack

SHOP

Item No.	Inch	mm	pkg.
76823	3.0	29	2
76824	4.0	29	2
76825	5.0	29	2
76826	6.0	29	2



SHOP

76893 7 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm

76893 Set includes the following bits:
- **Hex Inch:** 5/32, 3/16, 7/32, 1/4"
- **Hex Metric:** 4, 5, 6mm

SHOP

91247 Empty Bit Buddy Case Holds Terminator Impact Insert Bits

91247 Holds 7 Impact Bits



765 Hex Inch Terminator Impact Bits,
1/4" Power - 10 bit pack

SHOP

Item No.	Inch	mm	pkg.
76570	1/8	49	10
76571	9/64	49	10
76572	5/32	49	10
76573	3/16	49	10
76574	7/32	49	10
76575	1/4	49	10

768 Hex Inch Terminator Impact Bits,
1/4" Power - 2 bit pack

SHOP

Item No.	Inch	mm	pkg.
76870	1/8	49	2
76871	9/64	49	2
76872	5/32	49	2
76873	3/16	49	2
76874	7/32	49	2
76875	1/4	49	2



765 Hex Metric Terminator Impact Bits,
1/4" Power - 10 bit pack

SHOP

Item No.	Inch	mm	pkg.
76563	3.0	49	10
76564	4.0	49	10
76565	5.0	49	10
76566	6.0	49	10

768 Hex Metric Terminator Impact Bits,
1/4" Power - 2 bit pack

SHOP

Item No.	Inch	mm	pkg.
76863	3.0	49	2
76864	4.0	49	2
76865	5.0	49	2
76866	6.0	49	2

SHOP



76894 7 Pc. Bit Buddy Set With Terminator Impact Power Bits - 49mm

76894 Set includes the following bits:
- **Hex Inch:** 5/32, 3/16, 7/32, 1/4"
- **Hex Metric:** 4, 5, 6mm

SHOP

91313 Empty Bit Buddy Case Holds Terminator Impact Power Bits

91313 Holds 7 Impact Bits

Wiha Bit Holders

Quick Release



SHOP

714 **ClicFix Bit Holder, Magnetic, For Insert Bits**

Item No.	Size	Size	mm	Inch
71490	1/4”	1/4”	60	2.4
71491	1/4”	1/4”	75	2.9

Quick Release



SHOP

714 **CentroFix Bit Holder For Power Bits**

Item No.	Size	Size	mm	Inch
71480	1/4”	1/4”	60	2.3

Wiha Impact Bit Holding Sockets



SHOP

720 **Impact Bit Holding Socket With Retaining Ring**

For 1/4” drive bits.

Item No.	Bit	mm	Drive	lbs.
72001	1/4	25	1/4”	.05
72002	1/4	30	3/8”	.10
72003	1/4	35	1/2”	.21

72090 **3 Piece Bit Holding Socket Set**

for use with 1/4” Insert bits

Drive:	lbs.
1/4”, 3/8”, 1/2”	.40

Long Blade Sockets & Sets



SHOP

771 **Hex Metric Sockets**

1/4” Drive 6” Long Bit Socket

Item No.	Size	Inch	lbs.
77140	2.5	6.0	.13
77142	3.0	6.0	.13
77144	4.0	6.0	.13
77146	5.0	6.0	.13
77148	6.0	6.0	.13

77192 **5 Pc. Hex Metric Socket Blade Set**

Metric: 2.5, 3.0, 4.0, 5.0, 6.0mm

lbs. .70

SHOP

Long Blade Sockets & Sets



SHOP

771 **Hex Inch Sockets** 1/4” Drive 6” Long Bit Socket

Item No.	Size	Inch	lbs.
77128	3/32	6.0	.12
77130	7/64	6.0	.12
77132	1/8	6.0	.12
77134	9/64	6.0	.12
77136	5/32	6.0	.12
77138	3/16	6.0	.12
77139	7/32	6.0	.12
77141	1/4	6.0	.12

77191 **8 Piece Hex Inch Socket Blade Set**

Inch: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4”

wt. .97



SHOP

771 **Hex Inch Sockets** 3/8” Drive 6” Long Bit Socket

Item No.	Size	Inch	lbs.
77165	3/32	6.0	.18
77167	7/64	6.0	.18
77169	1/8	6.0	.18
77171	9/64	6.0	.18
77173	5/32	6.0	.18
77175	3/16	6.0	.18
77177	7/32	6.0	.18
77179	1/4	6.0	.18

SHOP

77198 **22 Piece Hex & TORX® Long Blade Socket Set, 1/4” Drive**

Inch Hex: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4”

Metric Hex: 2.5, 3.0, 4.0, 5.0, 6.0mm

TORX®: T8, T9, T10, T15, T20, T25, T27, T30, T40

lbs. 2.82

Wiha Sockets



SHOP

713 **Hex Sockets** 1/4” Square drive socket.

Replaceable bit. 1/4” bits CVM steel.

Item No.	Inch	mm	lbs.
71371	1/16	38	.05
71370	5/64	38	.05
71372	3/32	38	.05
71374	7/64	38	.05
71376	1/8	38	.05
71378	9/64	38	.05
71380	5/32	38	.05
71382	3/16	38	.05
71384	7/32	38	.05
71386	1/4	38	.05

Wiha Sockets



SHOP

713 **Hex Sockets** 3/8" Square drive socket.
Replaceable bit. 1/4" bits CVM tool steel.

Item			
No.	Inch	mm	lbs.
71375	1/8	42	.09
71377	9/64	42	.09
71379	5/32	42	.09
71381	3/16	42	.09
71383	7/32	42	.09
71385	1/4	42	.09
71388	5/16	42	.10
71390	3/8	42	.10



SHOP

713 **Hex Metric Sockets** 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	mm	mm	lbs.
71301	1.5	38	.04
71302	2.0	38	.04
71305	2.5	38	.04
71313	3.0	38	.04
71314	4.0	38	.04
71317	5.0	38	.05
71319	6.0	38	.05
71327	8.0	38	.05
71340	10.0	38	.05



SHOP

713 **Hex Metric Sockets** 3/8" Square drive socket.
Replaceable bit. 1/4" bits CVM steel.

Item			
No.	mm	mm	lbs.
71300	2.0	42	.09
71316	2.5	42	.09
71341	3.0	42	.09
71331	4.0	42	.09
71323	5.0	42	.09
71325	6.0	42	.09
71320	8.0	42	.10
71322	10.0	42	.11



SHOP

713 **Hex Metric Sockets** 3/8" Square drive socket.
Replaceable bit. 5/16" bits CVM steel.

Item			
No.	mm	mm	lbs.
71332	12.0	75	.22



Replaceable bit

SHOP

761 **Security Hex Inch Sockets**
3/8" Square drive socket. 1/4" bits CVM steel.

Item			
No.	Inch	mm	lbs.
76164	5/64	42	.09
76165	3/32	42	.09
76166	7/64	42	.09
76167	1/8	42	.09
76168	9/64	42	.09
76169	5/32	42	.09
76170	3/16	42	.09
76171	7/32	42	.09
76172	1/4	42	.09

761 **Security Hex Metric Sockets**
3/8" Square drive socket. 1/4" bits CVM steel.

Item			
No.	mm	mm	lbs.
76132	2.0	42	.09
76133	2.5	42	.09
76134	3.0	42	.09
76135	4.0	42	.09
76136	5.0	42	.09
76137	6.0	42	.09
76138	8.0	42	.09



SHOP

717 **Ball End Hex Sockets** 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	Inch	mm	lbs.
71761	3/32	38	.09
71762	7/64	38	.09
71763	1/8	38	.09
71764	9/64	38	.09
71765	5/32	38	.09
71766	3/16	38	.09
71767	7/32	38	.09
71768	1/4	38	.09




SHOP

717 **Ball End Hex Metric Sockets**
1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	mm	mm	lbs.
71771	1.5	51	.11
71772	2.0	51	.11
71773	2.5	51	.11
71774	3.0	51	.11
71775	4.0	51	.11
71776	5.0	51	.12
71777	6.0	51	.12

Wiha Socket Sets On Molded Rails




SHOP

71391 **10 Piece Hex Inch Socket Set**

1/4" Square drive replaceable bit socket.

Item No.		
71391	lbs.	Set includes the following:
	.48	1/16, 5/64, 3/32, 7/64, 1/8
		9/64, 5/32, 3/16, 7/32, 1/4"



SHOP

71798 **8 Pc. Ball End Hex Inch Socket Set**

1/4" Square Drive Replaceable Bit Socket.

Item No.		
71798	lbs.	Set includes the following:
	.72	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"




SHOP

71398 **7 Pc. Ball End Hex Inch Socket Set**

1/4" Square Drive Replaceable Bit Socket.

Item No.		
71398	lbs.	Set includes the following:
	.48	3/32, 1/8, 9/64, 5/32,
		3/16, 7/32, 1/4"



SHOP

71797 **7 Pc. Ball End Hex Metric Sockets**

1/4" Square Drive Replaceable Bit Socket.

Item No.		
71797	lbs.	Hex Metric: 1.5, 2.0, 2.5,
	.72	3.0, 4.0, 5.0, 6.0mm



SHOP

71392 **8 Piece Hex Inch Socket Set**

3/8" Square Drive Replaceable Bit Socket.

Item No.		
71392	lbs.	1/8, 9/64, 5/32, 3/16, 7/32,
	.78	1/4, 5/16, 3/8"



SHOP

71393 **5 Piece Hex Inch Socket Set**

3/8" Square Drive Replaceable Bit Socket.

Item No.		
71393	lbs.	Hex Inch: 1/8, 3/16,
	.54	1/4, 5/16, 3/8"



SHOP

71394 **5 Piece Hex Metric Socket Set**

3/8" Square Drive Replaceable Bit Socket.

Item No.		
71394	lbs.	Hex Metric: 4.0, 5.0, 6.0,
	.56	8.0, 10.0mm




SHOP

71996 **9 Piece Hex Metric Socket Set**

1/4" & 3/8" Sq. Dr. Replaceable Bit Socket

Item No.		
71996	lbs.	Set includes the following:
	.66	1/4": 1.5, 2.0, 2.5, 3.0, 4.0mm
		3/8": 5.0, 6.0, 8.0, 10.0mm



SHOP

71999 **9 Pc. Security Hex Inch Socket Set**

3/8" Square Drive Replaceable Bit Socket.

Item No.		
71999	lbs.	Set includes the following:
	.86	5/64, 3/32, 7/64, 1/8,
		9/64, 5/32, 3/16, 7/32, 1/4"



SHOP

71989 **7 Pc. Security Hex Metric Sockets**

3/8" Square Drive Replaceable Bit Socket.

Item No.		
71989	lbs.	Set includes the following:
	.74	2.0, 2.5, 3.0, 4.0, 5.0,
		6.0, 8.0mm

Item No.	Page
13650	22
13651	22
13652	22
13653	22
13654	22
13655	22
13656	22
13657	22
13658	22
13659	22
13662	22
13663	22
13664	22
13665	22
13666	22
13667	22
13668	22
13669	22
13670	22
13671	22
13672	22
13673	22
13690	22
13691	22
13693	22
13694	22
26307	28
26309	28
26313	28
26315	28
26316	28
26320	28
26323	28
26325	28
26327	28
26330	28
26331	28
26333	28
26336	28
26340	28
26341	27
26343	27
26345	27
26347	27
26349	27
26351	27
26353	27
26363	27
26367	27
26369	27
26371	27
26390	28
26391	28
26392	27
26393	27
26399	28
26413	28
26415	28
26416	29
26419	29
26420	28
26423	29
26425	28

Item No.	Page
26427	29
26430	28
26431	29
26436	29
26439	29
26440	28
26441	27
26443	27
26445	27
26447	27
26449	27
26455	27
26457	27
26459	27
26461	27
26463	27
26465	27
26467	27
26490	29
26491	28
26493	27
26499	29
26900	30
26901	30
26913	30
26914	30
26915	30
26916	30
26917	30
26918	30
26919	30
26920	30
26921	30
26923	30
26924	30
26925	30
26926	30
26927	30
26928	30
26929	30
26932	30
26933	30
26934	30
26935	30
26936	30
26937	30
26961	29
26989	30
26999	30
27505	26
27507	26
27509	26
27510	26
27513	26
27515	26
27520	26
27525	26
27530	26
27535	26
27537	26
27539	26
27541	26
27543	26

Item No.	Page
27545	26
27547	26
27549	26
27590	26
27591	26
28000	30
28001	30
28003	29
28004	29
28005	29
28006	29
28007	29
28008	29
28021	30
28023	30
28024	30
28025	30
28026	30
28027	30
28028	30
28029	30
28033	30
28034	30
28035	30
28036	30
28037	30
28116	23
28117	23
28118	23
28119	23
28120	23
28122	23
28123	23
28124	23
28149	23
28150	23
28151	23
28189	23
28298	32
28299	32
28486	23
28487	23
28488	23
28501	24
28502	24
28503	24
28504	24
28505	24
28506	24
28507	24
28508	24
28509	24
28511	24
28513	24
28515	24
28517	24
28518	24
28519	24
28521	24
28523	24
28525	24
28545	24
28546	24

Item No.	Page
28547	24
28548	24
28549	24
28550	24
28551	24
28552	24
28553	24
28554	24
28555	24
28556	24
28557	24
28558	24
28559	24
28560	24
28587	24
28588	24
28916	25
28917	25
28918	25
28919	25
28920	25
28921	25
28922	25
28923	25
28924	25
28931	25
28933	25
28935	25
28937	25
28938	25
28939	25
28940	25
31805	22
31807	22
31809	22
31811	22
31813	22
31815	22
31817	22
31890	22
32302	21
32303	21
32304	21
32305	21
32306	21
32308	21
32366	21
33401	13
33402	13
33403	13
33404	13
33405	13
33406	13
33407	13
33408	13
33409	13
33410	13
33411	13
33412	13
33413	13
33414	13
33415	13
33416	13

Item No.	Page
33417	13
33418	12
33419	13
33420	12
33421	13
33422	12
33423	13
33424	12
33425	13
33426	12
33427	13
33428	12
33429	13
33430	12
33432	12
33433	12
33434	13
33435	13
33436	13
33437	13
33438	13
33439	12
33440	12
33441	21
33442	12
33443	21
33444	12
33445	21
33446	12
33447	21
33448	12
33449	21
33450	12
33452	12
33453	13
33454	12
33456	13
33458	12
33459	13
33462	13
33465	13
33468	13
33471	13
33474	13
33477	13
33478	21
33480	13
33481	21
33482	21
33483	21
33484	13
33485	21
33486	21
33487	21
33488	13
33489	12
33490	21
33492	13
33493	13
33494	12
33496	12
33498	12
33499	12

Item No.	Page
35104	19
35108	19
35112	19
35116	19
35120	19
35124	19
35128	19
35132	19
35136	19
35140	19
35143	19
35144	19
35145	19
35146	19
35147	19
35150	19
35152	19
35153	19
35155	19
35156	19
35159	19
35162	19
35165	19
35168	19
35171	19
35174	19
35175	19
35176	19
35177	19
35178	19
35179	19
35180	19
35191	19
35192	19
35193	19
35194	19
35195	17
35196	17
35197	17
35198	17
35200	18
35201	18
35202	18
35203	18
35204	18
35205	18
35206	18
35208	18
35210	18
35211	18
35212	18
35213	18
35214	18
35215	18
35216	18
35217	18
35218	18
35219	18
35220	18
35221	18
35222	18
35223	18
35224	18

Item No.	Page
35225	18
35226	18
35227	18
35228	18
35230	18
35231	18
35232	18
35233	18
35234	18
35235	18
35236	18
35237	18
35238	18
35239	18
35240	18
35241	18
35242	18
35243	18
35244	18
35245	18
35246	18
35247	18
35248	18
35249	18
35250	18
35251	18
35252	18
35253	18
35254	18
35255	18
35256	18
35257	18
35258	18
35259	18
35260	18
35261	18
35270	18
35280	18
35282	18
35284	18
35285	18
35286	18
35288	18
35290	18
35291	18
35295	18
35297	18
35301	20
35302	20
35303	20
35304	20
35305	20
35306	20
35307	20
35308	20
35309	20
35310	20
35311	20
35312	20
35313	20
35314	20
35316	20
35317	20

Item No.	Page
35318	20
35319	20
35320	20
35321	20
35330	20
35331	20
35332	20
35333	20
35334	20
35335	20
35336	20
35337	20
35338	20
35339	20
35340	20
35341	20
35342	20
35343	20
35345	20
35346	20
35347	20
35348	20
35390	20
35391	20
35392	20
35393	20
36696	7
36710	14
36713	14
36715	15
36716	14
36719	14
36720	15
36723	14
36725	15
36726	14
36728	14
36730	15
36732	14
36734	14
36736	14
36738	14
36740	15
36742	14
36744	14
36750	15
36760	15
36780	15
36786	15
36790	15
36791	14
36792	15
36793	14
36794	14
36900	9
36901	9
36902	9
36903	9
36904	8
36905	9
36906	9
36907	9
36908	8

Item No.	Page
36909	9
36910	9
36911	7
36912	8
36913	7
36914	7
36915	7
36916	8
36917	7
36918	7
36919	7
36920	8
36921	7
36922	7
36923	9
36924	8
36925	9
36926	9
36927	9
36928	8
36929	9
36930	9
36931	9
36932	9
36933	9
36934	9
36935	9
36936	8
36937	9
36938	9
36939	9
36940	6
36941	6
36942	6
36943	6
36944	8
36945	8
36946	8
36947	8
36948	6
36949	6
36950	8
36951	6
36952	8
36953	8
36954	6
36955	8
36956	8
36957	6
36958	6
36959	8
36960	6
36961	6
36962	8
36963	6
36965	8
36966	9
36968	8
36971	8
36986	5
36987	5
36988	7
36989	9

Item No.	Page
36990	8
36991	8
36992	8
36993	8
36995	7
36996	17
36997	17
36998	6
36999	9
38014	34
38056	32
38057	32
38058	32
46701	9
46702	16
46703	9
46704	16
46705	9
46706	16
46707	9
46708	16
46709	9
46710	16
46711	9
46712	16
46713	9
46714	16
46715	16
46716	16
46717	9
46718	16
46719	9
46720	16
46721	9
46722	16
46723	9
46724	16
46725	16
46726	16
46727	9
46728	16
46730	16
46731	9
46732	9
46733	9
46734	9
46735	9
46736	9
46737	9
46738	9
46739	9
46740	16
46741	9
46750	16
46760	16
46780	16
46786	16
46793	16
46794	16
46796	16
46797	16
46799	16
54001	11

Item No.	Page
54002	11
54003	11
54004	11
54005	11
54006	11
54007	11
54008	11
54009	11
54010	11
54012	10
54014	10
54016	10
54018	10
54020	11
54022	10
54024	10
54025	11
54030	11
54040	10
54042	11
54050	10
54052	11
54060	10
54062	11
54080	10
54082	11
54086	10
54088	11
54090	10
54091	10
54092	11
54094	11
54095	11
54097	11
56901	5
56902	5
56903	5
56904	5
56905	5
56906	5
56907	5
56908	5
56909	5
56910	5
56911	5
56912	5
56913	5
56914	5
56915	5
56916	5
56917	5
56918	5
56919	5
56920	5
56921	5
56922	5
62994	29
62995	29
66904	4,6
66908	4,6
66912	4,6
66916	4
66918	6

Item No.	Page
66920	4
66922	6
66924	4
66926	6
66928	4
66930	6
66936	4
66937	6
66938	6
66944	4
66945	4
66946	4
66947	4
66950	4
66952	4
66953	4
66955	4
66956	4
66959	4
66962	4
66965	4
66968	4
66971	4
66982	7
66988	7
66990	4
66991	4
66992	4
66993	6
66994	6
66995	6
66996	7
66997	17
66998	6
70170	36
70171	36
70172	36
70173	36
70174	36
70175	36
70176	36
71300	39
71301	39
71302	39
71303	35
71304	33
71305	39
71306	35
71307	33
71308	35
71309	35
71310	33
71311	33
71312	35
71313	39
71314	39
71315	35
71316	39
71317	39
71318	35
71319	39
71320	39
71321	35

Item No.	Page
71322	39
71323	39
71324	35
71325	39
71326	35
71327	39
71328	35
71329	35
71330	35
71331	39
71332	39
71333	35
71336	35
71339	35
71340	39
71341	39
71342	35
71343	33
71345	35
71346	33
71348	35
71349	33
71351	35
71352	33
71353	35
71354	33
71356	35
71358	33
71359	35
71360	35
71361	35
71362	35
71363	35
71364	35
71365	35
71366	35
71367	35
71368	35
71369	35
71370	38
71371	38
71372	38
71373	35
71374	38
71375	39
71376	38
71377	39
71378	38
71379	39
71380	38
71381	39
71382	38
71383	39
71384	38
71385	39
71386	38
71387	35
71388	39
71390	39
71391	40
71392	40
71393	40
71394	40

Item No.	Page
71396	35
71397	35
71398	40
71399	33
71480	38
71490	38
71491	38
71701	36
71702	36
71703	36
71704	36
71705	36
71706	36
71707	36
71708	36
71711	36
71712	36
71713	36
71714	36
71715	36
71716	36
71717	36
71718	36
71719	36
71720	36
71721	36
71722	36
71723	36
71724	36
71725	36
71761	39
71762	39
71763	39
71764	39
71765	39
71766	39
71767	39
71768	39
71771	39
71772	39
71773	39
71774	39
71775	39
71776	39
71777	39
71797	40
71798	40
71930	35
71932	35
71934	35
71936	35
71938	35
71939	35
71940	35
71941	35
71942	35
71943	35
71944	35
71945	35
71946	35
71955	35
71956	35
71960	35

Item No.	Page
71970	35
71971	35
71972	35
71973	35
71974	35
71975	35
71976	35
71977	35
71978	35
71979	35
71980	35
71981	35
71982	35
71983	35
71984	35
71985	35
71989	40
71995	34
71996	40
71998	34
71999	40
72001	38
72002	38
72003	38
72090	38
72388	36
72582	35
72583	35
72584	35
72585	35
72586	35
72587	35
73301	35
73302	35
73303	35
73304	35
73305	35
73306	35
73307	35
73308	35
73309	35
74301	33
74305	33
74307	33
74311	36
74312	36
74313	36
74314	36
74315	36
74316	36
74317	36
74318	36
74319	33
74325	36
74330	36
74340	36
74341	36
74342	36
74343	36
74344	36
74345	36
74346	36
74347	36

Item No.	Page
74348	36
74349	36
74350	36
74351	36
74352	36
74353	36
74354	36
74355	36
74356	36
74357	36
74360	36
74361	36
74362	36
74363	36
74364	36
74365	36
74366	36
74369	33
74371	33
74373	33
74375	33
74377	33
74379	33
74380	36
74381	36
74382	36
74383	36
74384	36
74385	36
74386	36
74387	36
74388	36
74986	34
74989	34
74999	34
75096	31
75307	31
75309	31
75313	31
75315	31
75320	31
75322	31
75325	31
75327	31
75330	31
75332	31
75340	31
75342	31
75350	31
75352	31
75354	31
75356	31
75358	31
75360	31
75362	31
75364	31
75366	31
75368	31
75370	31
75372	31
75395	31
75800	31
75801	31

Item No.	Page
75900	31
75901	31
75983	31
76132	39
76133	39
76134	39
76135	39
76136	39
76137	39
76138	39
76164	39
76165	39
76166	39
76167	39
76168	39
76169	39
76170	39
76171	39
76172	39
76523	37
76524	37
76525	37
76526	37
76530	37
76531	37
76532	37
76533	37
76534	37
76535	37
76563	37
76564	37
76565	37
76566	37
76570	37
76571	37
76572	37
76573	37
76574	37
76575	37
76823	37
76824	37
76825	37
76826	37
76830	37
76831	37
76832	37
76833	37
76834	37
76835	37
76863	37
76864	37
76865	37
76866	37
76870	37
76871	37
76872	37
76873	37
76874	37
76875	37
76893	37
76894	37
77128	38
77130	38

Item No.	Page
77132	38
77134	38
77136	38
77138	38
77139	38
77140	38
77141	38
77142	38
77144	38
77146	38
77148	38
77165	38
77167	38
77169	38
77171	38
77173	38
77175	38
77177	38
77179	38
77191	38
77192	38
77198	38
79246	33
79256	33
79266	33
79276	33
79446	34
91118	26
91247	37
91313	37

(800) 494-6104
fax: (800) 494-7456
email: cservice@wihatools.com
www.wihatools.com

SEE OUR GREAT WEB SPECIALS!

wiha Premium Tools



Wiha Quality Tools
1348 Dundas Circle
Monticello, MN 55362
tel: 763.295.6591
fax: 763.295.6598

Wiha Tools Canada Ltd.
www.wihatools.ca
Brampton, ONT L6T 4X4
tel: 866.494.0096 or 763.295.6591
fax: 763.295.6598

To:


Catalog Item No. 99934.wo
version - 5/15/14

Subject to change without notice

©2014 Willi Hahn Corporation



91330.wo - Tooling Catalog



99004.wo - Shop Tools Catalog



99914.wo - TORX Catalog



99002.wo - Screwdrivers Catalog



99919.wo - Insulated Catalog



99001.wo - TorqueControl Catalog



99945.wo - ESD Safe Catalog



99951.wo - Bits Catalog



99977.wo - Pliers/Crimpers Catalog



99006.wo - Tech Tools Catalog

2014

wiha
Premium Tools

Professional Insulated Tools
Supporting Arc Flash Protection

10,000 Volt Tested
1000 Volt Rated



#32800

Complete Insulated Program





















Arc Flash Protection:

Wiha Insulated tools can be a vital component in your Arc Flash protection strategy. What is Arc Flash?

ARC FLASH

An Arc Flash is an electrical explosion due to a fault condition or short circuit when either a phase to ground or phase to phase conductor is connected. Arc flashes cause electrical equipment to explode, resulting in an arc-plasma fireball. Temperatures may exceed 35,000° F (the surface of the sun is 9000° F). These high temperatures cause rapid heating of surrounding air and extreme pressures, resulting in an arc blast. The arc blast will likely vaporize all solid copper conductors which will expand up to 67,000 times its original volume when it is vaporized. The result of this violent event is usually destruction of the equipment involved, fire, and severe injury or death to any nearby people.

WHY ARC FLASHES HAPPEN

There are a variety of reasons why an Arc Flash can occur, but most of them are preventable. Most arc flashes occur when maintenance workers are manipulating live equipment for testing or repair and accidentally cause a fault. Improper tools, improper electrical equipment, corrosion of equipment, improper work techniques and lack of training are just some of the events that can lead to a devastating arc flash or arc blast.

ARC FLASH COMPLIANCE

There are 4 main regulations that govern electrical safety & arc flash:

1. OSHA Standards 29CFR, Part 1910. Occupational Safety and Health Standards. 1910 sub part S (electrical) Standard number 1910.333 specifically addresses Standards for Work Practices and references NFPA 70E. OSHA 29CFR 1910.335 (a) (1)(i) requires the use of protective equipment when working where a potential electrical hazard exists and 29CFR 1910.132(d)(1) which requires the employer assess the workplace for hazards and the need for personal protective equipment. OSHA compliance is required by any plant building or facility.

2. The National Fire Protection Association (NFPA) Standard 70 - 2002 “The National Electrical Code” (NEC) contains requirements for warning labels.

3. NFPA 70E provides guidance on implementing appropriate work practices that are required to safeguard workers from injury while working on or near exposed electrical conductors or circuit parts that could become energized. Part II 2-1.3.3 regarding Arc Flash Analysis states that a “Flash Hazard Analysis shall be done before a person approaches any exposed electrical conductor or circuit part that has not been placed in an electrical safe work condition”. This Arc Flash Hazard Analysis must be done to determine the level of Personal Protection Equipment PPE that a worker must use, and the Arc Flash Boundary in inches along with the incident energy found at each location. Each panel must be marked with an ANSI z535 approved Arc Flash Warning Label.



4. The Institute of Electronics and Electrical Engineers (IEEE) 1584 – 2002 Guide to Performing Arc-Flash Hazard Calculations

copyright © information by: American Trainco, Inc.
http://www.martinarcflash.com

OSHA

Wiha tools assists with compliance of OSHA 29CFR 1910 (Sub Parts electrical standard)

Wiha Insulated Wrenches

	Description	Page
	Insulated Open End Spanners	4-5
	Insulated Gear Wrenches	6
	Ins. Offset Ring Wrenches	7

Wiha Insulated Adjustable Wrenches

	Description	Page
	Insulated Adjustable Wrenches 8.0, 10.0, 12.0, 15.0”	8

Wiha Insulated L-keys

	Description	Page
	Insulated L-keys	9


Wiha Insulated 3/8” Hex Drive Bit Sockets

	Description	Page
	Ins. 3/8” Hex Dr. Bit Sockets	10

Wiha Insulated Electrician’s Knives

	Description	Page
	Insulated Knives	8

Wiha Insulated Socket Accessories

	Description	Page
	Insulated Sockets 1/4, 3/8, 1/2”	10-14
	Insulated Ratchets	10,13,15
	Insulated T-handle	10,13,15
	Insulated Extension Bars	11,13,15

Wiha Insulated Cable Cutters

	Description	Page
	Insulated Cable Cutters	15

Wiha Insulated Hacksaw

Description	Page
Insulated Hacksaw	15

Wiha Insulated Multi-Bit Holders

Description	Page
Insulated Multi-Bit Drivers	18

Wiha Insulated *SlimLine* Tools

Description	Page
Insulated *SlimLine* Handle	19
Insulated *SlimLine* Blades	19-20
Insulated *SlimLine* Blade Sets	20
Insulated *SlimLine* Drivers	21
Insulated *SlimLine* Driver Sets	22

Wiha Insulated BitFlip Sets

Description	Page
Insulated BitFlip Sets	27

Wiha Insulated Belt Pack Pouch Sets



Description	Page
Insulated Belt Pack Pouches	28
Pliers & Cutters	
Pliers/Cutters & Screwdrivers	
Pliers/Cutters & Multi Bit Set	

Wiha Insulated Inomic Pliers



Description	Page
Insulated Inomic Pliers	37
Inomic Combo Pliers	
Inomic Long Nose Pliers	
Inomic Diagonal Cutters	

Wiha Insulated Industrial Pliers/Cutters

Description	Page
Insulated Industrial Pliers/Cutters	38-41

Wiha Insulated Tools


Description	Page
Xeno Terminal Block Combination Screwdrivers	26
Insulated TorqueControl Handle & Blade Holder	18
Insulated Voltage Detectors	27
Insulated Hex Inch/Metric T-handles	17
Insulated Slotted Drivers	23-24
Insulated Phillips Drivers	23-24
Insulated Torx Drivers	26
Insulated Nut Drivers	25-26
Insulated Square Tip Drivers	24
Insulated Tweezers	16

Wiha Insulated 1000Volt Pliers/Cutters

Description	Page
Insulated Lineman's Pliers	34
Insulated Combination Pliers	34
Insulated Heavy Duty Diagonal Cutters	35
Insulated Serrated Edge Cable Cutter	35
Insulated Bent Nose Pliers	36
Insulated Long Nose Pliers	36
Insulated Round Nose Pliers	36
Insulated Stripping Pliers	36
Insulated Pliers Sets	29-33

Wiha Insulated Open-End Wrenches

Insulation Test Standards:
Insulation according to ASTM F-1505-01, EN/IEC 60900, VDE 0680, DIN 7446 and CSA



Angled 15°

Steel
Forged from chrome vanadium, meets - DIN 3110

Insulation
High visibility, grip is double coated

Each tool individually tested to 10,000 volts and certified to 1000 Volt ac or 1500 Volt dc

1000V



1000Volt

SHOP

20190 14 Piece Insulated Inch Open End Wrench Set

Item		OAL		OAL	
No.	Inch	Inch	Inch	Inch	lbs.
20190	5/16	3.9	3/4	7.0	5.70
	3/8	4.1	13/16	7.5	
	7/16	4.6	7/8	7.6	
	1/2	5.5	15/16	7.9	
	9/16	5.7	1	8.4	
	5/8	6.2	1-1/16	9.2	
	11/16	6.5	1-1/8	9.1	



1000Volt

SHOP

20091 15 Piece Insulated Metric Open End Wrench Set

Item	MM	OAL	MM	OAL	
No.	mm	mm	mm	mm	lbs.
20091	6.0	97	14	150	3.0
	7.0	98	15	151	
	8.0	104	16	164	
	9.0	108	17	162	
	10.0	107	19	178	
	11.0	118	22	196	
	12.0	129	24	211	
	13.0	137			



1000Volt

SHOP

20192 8 Piece Insulated Inch Open End Wrench Set

Item		OAL		OAL	
No.	Inch	Inch	Inch	Inch	lbs.
20192	5/16	3.9	9/16	5.7	1.59
	3/8	4.1	5/8	6.2	
	7/16	4.6	11/16	6.5	
	1/2	5.5	3/4	7.0	



1000Volt

SHOP

20093 8 Piece Insulated Metric Open End Wrench Set

Item	MM	OAL	MM	OAL	
No.	mm	mm	mm	mm	lbs.
20093	6.0	97	13.0	137	1.4
	7.0	98	14.0	150	
	8.0	104	17.0	162	
	10.0	107	19.0	178	



△1000Volt

SHOP

201 **Inch Open-End Wrenches, With Insulated Handle**

Insulation According to VDE Specification 0680 and EN/IEC 60900, DIN 7446 and CSA, up to 1000 Volt. Individually Tested.

Chrome-vanadium steel, hardened. Angled 15°.

Item	⬡	OAL	OAL		
No.	Inch	mm	Inch	lbs.	pkg.
20131	1/4	87.5	3.4	.04	1
20133	5/16	100	3.9	.05	1
20135	3/8	105	4.1	.09	1
20136	7/16	117	4.6	.09	1
20137	1/2	140	5.5	.15	1
20138	9/16	146	5.7	.15	1
20140	5/8	158	6.2	.20	1
20141	11/16	165	6.5	.23	1
20142	3/4	178	7.0	.33	1
20144	13/16	191	7.5	.42	1
20145	7/8	192	7.6	.44	1
20146	15/16	201	7.9	.51	1
20147	1	213	8.4	.61	1
20148	1-1/16	233	9.2	.79	1
20149	1-1/8	233	9.2	.77	1
20151	1-1/4”	191	7.5	.90	1
20154	1-1/2”	191	7.5	.92	1

* Lengths are +/- 5% due to coating process



△1000Volt

SHOP

200 **Metric Open-End Wrenches, With Insulated Handle**

Insulation According to VDE Specification 0680 and EN/IEC 60900, DIN 7446 and CSA, up to 1000 Volt. Individually Tested.

Chrome-vanadium steel, hardened. Angled 15°.

Item	⬡ MM	OAL	OAL		
No.	mm	mm	Inch	lbs.	pkg.
20006	6.0	97	3.8	.04	1
20007	7.0	98	3.9	.05	1
20008	8.0	104	4.1	.07	1
20009	9.0	108	4.3	.07	1
20010	10.0	107	4.2	.08	1
20011	11.0	118	4.6	.11	1
20012	12.0	129	5.1	.11	1
20013	13.0	137	5.4	.19	1
20014	14.0	150	5.9	.19	1
20015	15.0	151	5.9	.17	1
20016	16.0	164	6.5	.22	1
20017	17.0	168	6.4	.24	1
20018	18.0	173	6.8	.41	1
20019	19.0	178	7.0	.32	1
20020	20.0	190	6.9	.36	1
20022	22.0	196	7.7	.39	1
20024	24.0	211	8.3	.58	1
20027	27.0	218	8.6	.68	1
20030	30.0	235	9.3	.97	1
20032	32.0	237	9.3	1.01	1

△1000Volt



In Tool Box Tray

NEW

SHOP

20194 **13 Piece Insulated Inch Open End Wrench Set**

In Tool Box Tray

Item	⬡	OAL	⬡	OAL	
No.	Inch	Inch	Inch	Inch	lbs.
20194	1/4	3.4	11/16	6.5	4.90
	5/16	3.9	3/4	7.0	
	3/8	4.1	13/16	7.5	
	7/16	4.6	7/8	7.6	
	1/2	5.5	15/16	7.9	
	9/16	5.7	1	8.4	
	5/8	6.2			

In Tool Box Tray



△1000Volt

NEW

SHOP

20196 **13 Pc. Insulated Metric Open End Wrench Set**

In Tool Box Tray

Item	⬡	OAL	⬡	OAL	
No.	mm	mm	mm	mm	lbs.
20196	8.0	104	16.0	164	4.90
	10.0	107	17.0	168	
	11.0	118	18.0	173	
	12.0	129	19.0	178	
	13.0	137	22.0	196	
	14.0	150	24.0	211	
	15.0	151			

Wiha Insulated Ratchet Wrenches

Insulation Test Standards:
Insulation according to ASTM F-1505-01, EN/IEC 60900, ISO 3110 and CSA Specification



Each tool individually tested to 10,000 volts and certified to 1000 Volt ac or 1500 Volt dc

Steel
Forged from chrome vanadium, meets - DIN 3110

1000V



SHOP

1000Volt

213 Inch Insulated Ratchet Wrenches, With Insulated Handle
Insulation According to EN/IEC 60900, ISO 3110 Specification, Up To 1000 Volt. Individually Tested.
Blade chrome-vanadium steel, hardened.

Item No.	Inch	OAL mm	OAL Inch	lbs.	pkg.
21325	3/8	140	5.5	.14	1
21327	7/16	143	5.6	.15	1
21329	1/2	154	6.1	.18	1
21331	9/16	162	6.4	.22	1
21333	5/8	177	7.0	.30	1
21335	3/4	209	8.2	.46	1



SHOP

1000Volt

212 Metric Insulated Ratchet Wrenches, With Insulated Handle
Insulation According to EN/IEC 60900, ISO 3110 Specification, Up To 1000 Volt. Individually Tested.
Blade chrome-vanadium steel, hardened.

Item No.	mm	OAL mm	OAL Inch	lbs.	pkg.
21208	8.0	125	4.9	.08	1
21210	10.0	140	5.5	.12	1
21212	12.0	150	5.9	.18	1
21213	13.0	152	6.0	.18	1
21214	14.0	163	6.4	.22	1
21217	17.0	193	7.6	.38	1
21219	19.0	210	8.3	.45	1




1000Volt

SHOP

21391 6 Piece Inch Insulated Ratchet Wrenches Set

Item No.	Inch	OAL Inch	Inch	OAL Inch	lbs.
21391	3/8	5.5	9/16	6.4	1.95
	7/16	5.6	5/8	7.0	
	1/2	6.1	3/4	8.2	



1000Volt

SHOP

21290 7 Piece Metric Insulated Ratchet Wrenches Set

Item No.	mm	OAL mm	mm	OAL mm	lbs.
21290	8.0	4.9	14.0	6.4	2.10
	10.0	5.5	17.0	7.6	
	12.0	5.9	19.0	8.3	
	13.0	6.0			

Wiha Insulated Deep Offset Ring Wrenches

Insulation Test Standards:
Insulation according to ASTM F-1505-01, EN/IEC 60900, ISO 3110 and CSA Specification



Steel Forged from chrome vanadium, meets - DIN 3110

Each tool individually tested to 10,000 volts & certified to 1000 Volt ac or 1500 Volt dc

1000V



1000Volt SHOP

210 **Insulated Metric Offset Ring Wrenches, Insulation According to EN/IEC 60900, ISO 3110 Specification, Up To 1000 Volt. Individually Tested.** Blade Chrome-Vanadium steel, hardened.

Item No.	mm	OAL mm	OAL Inch	lbs.	pkg.
21008	8.0	159	6.3	.16	1
21009	9.0	159	6.3	.18	1
21010	10.0	171	6.8	.20	1
21011	11.0	178	7.0	.22	1
21012	12.0	191	7.5	.30	1
21013	13.0	194	7.6	.30	1
21014	14.0	203	8.0	.34	1
21015	15.0	203	8.0	.34	1
21017	17.0	219	8.6	.44	1
21019	19.0	241	9.5	.52	1
21020	20.0	250	9.8	.58	1
21022	22.0	257	10.1	.64	1
21024	24.0	279	11.0	.90	1
21027	27.0	286	11.3	.96	1
21030	30.0	311	12.3	1.28	1
21032	32.0	318	12.5	1.38	1



1000Volt SHOP

21093 **15 Piece Metric Insulated Offset Ring Wrenches Set**

Item No.	Metric:	
21093	8.0, 9.0, 10.0, 11.0, 12.0, 13.0, 14.0, 15.0, 17.0,	lbs.
	19.0, 22.0, 24.0, 27.0, 30.0, 32.0mm	8.70



SHOP

21095 **8 Piece Metric Insulated Offset Ring Wrenches Set**

Item No.	Metric:	
21095	10.0, 11.0, 12.0, 13.0, 14.0, 15.0,	lbs.
	17.0, 19.0mm	3.20



1000Volt SHOP

210 **Insulated Inch Offset Ring Wrenches**

Item No.	Inch	lbs.	pkg.
21040	1/4	.16	1
21042	5/16	.18	1
21044	3/8	.20	1
21046	7/16	.22	1
21048	1/2	.30	1
21050	9/16	.30	1
21052	5/8	.34	1
21054	11/16	.34	1
21056	3/4	.44	1
21057	25/32	.58	1
21058	13/16	.52	1
21060	7/8	.64	1
21062	15/16	.90	1
21064	1.0	.96	1
21066	1-1/16	1.28	1
21068	1-1/4	1.38	1



1000Volt SHOP

21094 **15 Piece Inch Insulated Offset Ring Wrenches Set**

Item No.	Inch:	
21094	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4,	lbs.
	13/16, 7/8, 15/16, 1, 1-1/16, 1-1/4”	8.70



SHOP

21096 **8 Piece Inch Insulated Offset Ring Wrenches Set**

Item No.	Inch:	
21096	5/16, 3/8, 7/16, 1/2, 9/16,	lbs.
	5/8, 11/16, 3/4”	3.20

Wiha Insulated Adjustable Wrenches



1000Volt

SHOP

76208 **Insulated 8" Adjustable Wrench**
Insulation According to ASTM, EN/IEC, NFPA, CSA and ISO Specification, up to 1000 Volt. Individually Tested. Etched on scale for pre-setting size. Slip guard handle for added protection.

Item No.	OAL Inch	OAL mm	Capacity Opening	lbs.	pkg.
76208	8.0	200	1"	.7	1

1000Volt

SHOP

76210 **Insulated 10" Adjustable Wrench**
Insulation According to ASTM, EN/IEC, NFPA, CSA and ISO Specification, up to 1000 Volt. Individually Tested. Etched on scale for pre-setting size. Slip guard handle for added protection.

Item No.	OAL Inch	OAL mm	Capacity Opening	lbs.	pkg.
76210	10.0	250	1-1/4"	1.4	1

1000Volt

SHOP

76212 **Insulated 12" Adjustable Wrench**
Insulation According to ASTM, EN/IEC, NFPA, CSA and ISO Specification, up to 1000 Volt. Individually Tested. Etched on scale for pre-setting size. Slip guard handle for added protection.

Item No.	OAL Inch	OAL mm	Capacity Opening	lbs.	pkg.
76212	12.0	300	1-1/2"	1.9	1

1000Volt

SHOP

76215 **Insulated 15" Adjustable Wrench**
Insulation According to ASTM, EN/IEC, NFPA, CSA and ISO Specification, up to 1000 Volt. Individually Tested. Etched on scale for pre-setting size. Slip guard handle for added protection.

Item No.	OAL Inch	OAL mm	Capacity Opening	lbs.	pkg.
76215	15.0	380	1-11/16"	2.8	1



1000Volt

SHOP

76290 **3 Pc. Insulated Adjustable Wrenches** Etched on scale for pre-setting size. Slip guard handle for added protection.

Item No. 76290	Set includes the following:
lbs. 4.0	8.0", 10.0", 12.0" Adjustable Pliers

Wiha Insulated Electrician's Knives



Each tool individually tested to 10,000 volts & rated to 1000 Volt ac or 1500 Volt dc



1000Volt

SHOP

15000 **Insulated Electrician's Cable Stripping Knife, With Insulated Handle, Insulation According To VDE Specification, Up To 1000 Volt. Individually Tested.**
Blade tool steel, hardened, molded directly on. Cover included.

Item No.	Blade mm	OAL mm	OAL Inch	lbs.	pkg.
15000	50	216	8.5	.30	1




1000Volt

SHOP

15003 **Insulated Electrician's Cable Stripping Knife, With Insulated Handle, Insulation According To VDE Specification, Up To 1000 Volt. Individually Tested.** Straight, partly insulated, strong blade. Insulation molded directly on. Cover included.

Item No.	Blade mm	OAL mm	OAL Inch	lbs.	pkg.
15003	50	230	9.0	.23	1



1000Volt


SHOP

15050 **Insulated Stripping Knife, With Insulated Handle Insulation According To VDE Specification, Up To 1000 Volt. Individually Tested.** Blade tool steel, hardened. Insulation molded directly on. Hooked cutting edge, half-round ground. Cover included.

Item No.	Blade mm	OAL mm	OAL Inch	lbs.	pkg.
15050	35	222	8.75	.22	1

Wiha Insulated Hex L-keys

Insulation Test Standards:
Insulation according to ASTM, F-1505-01, EN/IEC 60900 and CSA



Insulation
Applied directly onto blade for permanent bonding

Each tool individually tested to 10,000 volts and certified to 1000 Volt ac or 1500 Volt dc



1000Volt

SHOP

136 Inch Insulated Hex L-keys, With Insulated Handle

Insulation According to IEC 60900 Specification, Up To 1000 Volt.
Individually Tested. Blade chrome-vanadium steel, hardened.

Item No.	Inch	OAL mm	OAL Inch	lbs.	pkg.
13670	1/16	79	3.1	.05	1
13671	5/64	84	3.3	.05	1
13672	3/32	89	3.5	.05	1
13673	7/64	94	3.7	.06	1
13663	1/8	104	4.1	.06	1
13665	5/32	104	4.1	.06	1
13666	3/16	134	5.3	.10	1
13667	7/32	134	5.3	.12	1
13668	1/4	134	5.3	.16	1
13669	5/16	144	5.7	.24	1
13662	3/8	234	9.2	.51	1
13664	1/2	234	9.2	.77	1



1000Volt

SHOP

136 Metric Insulated Hex L-keys, With Insulated Handle

Insulation According to IEC 60900 Specification, Up To 1000 Volt.
Individually Tested. Blade chrome-vanadium steel, hardened.

Item No.	mm	OAL mm	OAL Inch	lbs.	pkg.
13650	1.5	100	3.9	.09	1
13651	2.0	105	4.1	.09	1
13652	2.5	115	4.5	.09	1
13653	3	130	5.1	.10	1
13654	4	120	4.7	.10	1
13655	5	140	5.5	.10	1
13656	6	140	5.5	.13	1
13658	8	150	5.9	.24	1
13659	10	220	8.7	.51	1
13657	12	260	10.2	.77	1





1000Volt

SHOP

13690 8 Piece Insulated Inch Hex L-key Set

Item No.	Inch	OAL Inch	Inch	OAL Inch	lbs.
13690	1/8	4.1	1/4	5.3	2.17
	5/32	4.1	5/16	5.7	
	3/16	5.3	3/8	9.2	
	7/32	5.3	1/2	9.2	

13691 7 Piece Insulated Metric Hex L-key Set 1000Volt

Item No.	mm	OAL mm	mm	OAL mm	lbs.
13691	3.0	130	8.0	150	2.07
	4.0	120	10.0	220	
	5.0	140	12.0	260	
	6.0	140			

NEW



1000Volt

SHOP

13693 10 Piece Insulated Metric Hex L-key Set 1000Volt

Item No.	mm	OAL mm	mm	OAL mm	lbs.
13693	1.5	100	5.0	140	2.26
	2.0	105	6.0	140	
	2.5	115	8.0	150	
	3.0	130	10.0	220	
	4.0	120	12.0	260	

1000Volt

SHOP

13694 12 Piece Insulated Inch Hex L-key Set 1000Volt

Item No.	Inch	OAL Inch	Inch	OAL Inch	lbs.
13694	1/16	3.1	3/16	5.3	2.40
	5/64	3.3	7/32	5.3	
	3/32	3.5	1/4	5.3	
	7/64	3.7	5/16	5.7	
	1/8	4.1	3/8	9.2	
	5/32	4.1	1/2	9.2	

Wiha Insulated Hex Bit Sockets



1000Volt

SHOP

318 **Insulated 3/8” Drive Sockets - Insulation according to EN/IEC 60900, DIN 7448 Specification, Up To 1000 Volt.**
Individually Tested. Chrome-vanadium steel, forged, oil-hardened.

Item No.	Inch	OAL Inch	lbs.	pkg.
31805	3/16	3.1”	.13	1
31807	7/32	3.1”	.14	1
31809	1/4	3.1”	.14	1
31811	5/16	3.1”	.16	1
31813	3/8	3.1”	.18	1
31815	7/16	3.1”	.20	1
31817	1/2	3.1”	.22	1

*Sockets must be used with insulated ratchets & extensions



1000Volt

SHOP

31890 **7 Pc. Insulated 3/8” Drive Socket Set - Inch**
CV steel, forged, oil-hardened sockets. Insulated to EN/IEC 60900.

Item No. 31890	Set includes the following:
lbs. 1.7	3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2”

WARNING!
Insulated Tools are intended to provide protection against accidental contact with charged energized circuits. For maximum safety we recommend de-energizing all circuits whenever possible before starting work on electrical apparatus or conductors. Always visually inspect insulation on tools before use, do not use tools if insulation shows signs of wear or damage to the insulated areas of the tool. Wear appropriate eye protection when using hand tools. Use NFPA70E certified insulated protective outer wear when appropriate.

Use & Care Guide For Insulated Tools:
Store tools to minimize risk of damage to insulation, always wear approved eye protection, Inspect insulation prior to each use of any insulated tool. Use insulated tools where the ambient temperature is between -20 to +70° C. Have a qualified safety technician visually inspect insulation on tools annually for safe use.

Wiha Insulated 1/4” Sockets & Sets

Inch - 6 Point



1000Volt


SHOP

313 **Insulated 1/4” Drive Sockets-6 Point, Insulation According To ASTM F-1505-01, DIN 7448 & CSA Specification, Up To 1000 Volt. Individually Tested.** Chrome-vanadium steel, forged, oil-hardened.

Item No.	Inch	lbs.	pkg.
31336	3/16	.03	1
31337	7/32	.03	1
31338	1/4	.03	1
31339	9/32	.04	1
31340	5/16	.04	1
31341	11/32	.05	1
31342	3/8	.05	1
31343	7/16	.06	1
31344	1/2	.07	1
31345	9/16	.07	1

*Sockets must be used with insulated ratchets & extensions

Metric - 6 Point



1000Volt

SHOP

313 **Insulated 1/4” Drive Sockets-6 Point, Insulation According To ASTM F-1505-01, DIN 7448 & CSA Specification, Up To 1000 Volt.**
Individually Tested. Chrome-vanadium steel, forged, oil-hardened.

Item No.	mm	lbs.	pkg.
31326	5.0	.03	1
31327	6.0	.03	1
31328	7.0	.03	1
31329	8.0	.04	1
31330	9.0	.04	1
31331	10.0	.05	1
31332	11.0	.05	1
31333	12.0	.06	1
31334	13.0	.06	1
31335	14.0	.07	1

*Sockets must be used with insulated ratchets & extensions



1000Volt

SHOP

12851 **Insulated 1/4” Drive Ratchet, EN/IEC 60900 & CSA**
Chrome-Vanadium steel. Reversible.

Item No.	Inch	OAL mm	OAL Inch	lbs.	pkg.
12851	1/4”	140	5.5	.28	1

Wiha Insulated 1/4” Sockets & Sets





1000Volt

SHOP

31390 **13 Piece Insulated 1/4” Drive Socket Set - Inch**

CV steel, forged, oil-hardened sockets. Insulated after EN/IEC 60900.

Item No. 31390	Set includes the following:
	3/16, 7/32, 1/4, 9/32, 5/16, 11/32,
lbs.	3/8, 7/16, 1/2, 9/16”
1.39	1/4” x 50mm Extension Bar
	1/4” x 100mm Extension Bar
	1/4” Ratchet - 140mm





1000Volt

SHOP

31391 **13 Piece Insulated 1/4” Drive Socket Set - Metric**

CV steel, forged, oil-hardened sockets. Insulated after EN/IEC 60900.

Item No. 31391	Set includes the following:
	5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
lbs.	1/4” x 50mm Extension Bar
1.41	1/4” x 100mm Extension Bar
	1/4” Ratchet - 140mm



1000Volt

SHOP

31394 **11 Piece Insulated 1/4” T-handle & Socket Set - Inch**

CV steel, forged, oil-hardened sockets. Insulated after EN/IEC 60900.

Item No. 31394	Set includes the following:
	3/16, 7/32, 1/4, 9/32, 5/16, 11/32,
lbs.	3/8, 7/16, 1/2, 9/16”
1.40	Insulated 1/4” T-handle



1000Volt

SHOP

31395 **11 Piece Insulated 1/4” T-handle & Socket Set - Metric**

CV steel, forged, oil-hardened sockets. Insulated after EN/IEC 60900.

Item No. 31395	Set includes the following:
	5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
lbs. 1.40	Insulated 1/4” T-handle

Each tool individually tested to 10,000 volts & certified to 1000 Volt ac or 1500 Volt dc

Wiha Insulated 1/4” Socket accessories



1000Volt

SHOP

29006 **Insulated 1/4” Drive T-handle, With Insulated Handle Insulation according to EN/IEC 60900 & CSA specification, up to 1000 Volt. Individually Tested.** Blade CV steel, hardened.

Item No.	MM Inch	OAL mm	OAL Inch	lbs.	pkg.
29006	1/4	160	6.2”	.57	1



1000Volt

SHOP

128 **Insulated 1/4” Extension Bars, ASTM F-1505-01, EN/IEC 60900 & CSA** Chrome-Vanadium steel.

Item No.	Inch	OAL mm	OAL Inch	lbs.	pkg.
12854	1/4”	50	2.0	.08	1
12855	1/4”	100	3.9	.12	1

Wiha Insulated 3/8” Sockets & Sets



⚠1000Volt

SHOP

314 **Insulated 3/8” Drive Sockets - Insulation according to EN/IEC 60900, DIN 7448 & CSA specification, up to 1000 Volt.**
Individually Tested. CV steel, forged, oil-hardened.

Item No.	Inch	lbs.	pkg.
31425	1/4	.07	1
31428	9/32	.07	1
31429	5/16	.07	1
31430	11/32	.07	1
31431	3/8	.08	1
31432	7/16	.08	1
31433	1/2	.10	1
31434	9/16	.10	1
31435	5/8	.10	1
31436	11/16	.13	1
31437	3/4	.14	1
31438	13/16	.17	1
31439	7/8	.18	1

*Sockets must be used with insulated ratchets & extensions



⚠1000Volt

SHOP

315 **Insulated 3/8” Drive Sockets- Metric Insulation according to VDE, EN/IEC 60900, DIN 7448 & CSA specification, up to 1000 Volt.**
Individually Tested. Chrome-vanadium steel, forged, oil-hardened.

Item No.	mm	lbs.	pkg.
31506	6.0	.07	1
31507	7.0	.07	1
31508	8.0	.07	1
31509	9.0	.07	1
31510	10.0	.07	1
31511	11.0	.08	1
31512	12.0	.10	1
31513	13.0	.10	1
31514	14.0	.10	1
31515	15.0	.10	1
31516	16.0	.10	1
31517	17.0	.11	1
31518	18.0	.12	1
31519	19.0	.14	1
31520	20.0	.15	1
31521	21.0	.17	1
31522	22.0	.18	1
31524	24.0	.26	1

*Sockets must be used with insulated ratchets & extensions

Wiha Insulated 3/8” Sockets & Sets





⚠1000Volt

SHOP

31493 **10 Piece Insulated 3/8” Drive Socket Set - Inch**
CV steel, forged, oil-hardened sockets. Insulated to EN/IEC 60900.

Item No. 31493	Set includes the following:
	5/16, 3/8, 7/16, 1/2,
lbs.	9/16, 5/8, 11/16, 3/4”
2.50	3/8” x 125mm Extension Bar
	3/8” Ratchet - 190mm





⚠1000Volt

SHOP

31590 **10 Piece Insulated 3/8” Drive Socket Set - Metric**
CV steel, forged, oil-hardened sockets. Insulated to EN/IEC 60900.

Item No. 31590	Set includes the following:
	8, 10, 11, 12, 13, 14, 17, 19mm
lbs.	3/8” x 125mm Extension Bar
2.50	3/8” Ratchet - 190mm





⚠1000Volt

SHOP

31491 **16 Piece Insulated 3/8” Drive Socket Set - Inch/Metric**
CV steel, forged, oil-hardened sockets. Insulated to EN/IEC 60900.

Item No. 31491	Set includes the following:
	5/16, 3/8, 7/16, 1/2,
lbs.	9/16, 5/8, 11/16, 3/4”
2.01	8, 10, 11, 12, 13, 14, 17, 19mm

Wiha Insulated 3/8” Sockets & Sets



1000Volt

SHOP

31495 **24 Piece Insulated 3/8” Drive Socket Set - Inch**

CV steel, forged, oil-hardened sockets. Insulated to EN/IEC 60900.

Item No. 31495	Set includes the following:
	1/4, 9/32, 5/16, 11/32, 3/8, 7/16
	1/2, 9/16, 5/8,11/16, 3/4” Sockets
lbs.	3/8” x 125mm Extension Bar
9.07	3/8” x 250mm Extension Bar
	3/8” Ratchet - 190mm
	Insulated Electrician’s Knife - 50mm
	Slotted: 3.5, 4.5, 6.5mm
	Phillips: 1, 2, 3
	6.3” Long Nose Pliers
	8.0” Combo Pliers
	6.3” Diagonal Cutters

*Sockets must be used with insulated ratchets & extensions



1000Volt

SHOP

31592 **24 Piece Insulated 3/8” Drive Socket Set - Metric**

CV steel, forged, oil-hardened sockets. Insulated to EN/IEC 60900.

Item No. 31592	Set includes the following:
	6, 7, 8, 9, 10, 11, 12,
	13, 14, 17, 19mm Sockets
lbs.	3/8” x 125mm Extension Bar
9.08	3/8” x 250mm Extension Bar
	3/8” Ratchet - 190mm
	Insulated Electrician’s Knife - 50mm
	Slotted: 3.5, 4.5, 6.5mm
	Phillips: 1, 2, 3
	6.3” Long Nose Pliers
	8.0” Combo Pliers
	6.3” Diagonal Cutters

*Sockets must be used with insulated ratchets & extensions



1000Volt

SHOP

31496 **10 Piece Insulated 3/8” T-handle & Socket Set - Inch**

CV steel, forged, oil-hardened sockets. Insulated after EN/IEC 60900.

Item No. 31496	Set includes the following:
	5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4”
lbs.	3/8” x 125mm Extension Bar
2.47	Insulated 3/8” T-handle

31595 **10 Piece Insulated 3/8” T-handle & Socket Set - Metric**

CV steel, forged, oil-hardened sockets. Insulated after EN/IEC 60900.

Item No. 31595	Set includes the following:
	8, 10, 11, 12, 13, 14, 17, 19mm
lbs.	3/8” x 125mm Extension Bar
2.47	Insulated 3/8” T-handle

Wiha Insulated 3/8” Socket accessories



1000Volt

SHOP

12852 **Insulated 3/8” Drive Ratchet, EN/IEC 60900**

CV steel. Socket release button. Thumb lever for rapid reverse.

Item No.	Inch	OAL mm	OAL Inch	lbs.	pkg.
12852	3/8”	190	7.5	.93	1



1000Volt


SHOP

128 **Insulated 3/8” Extension Bars, EN/IEC 60900**

Chrome-Vanadium steel.

Item No.	Inch	OAL mm	OAL Inch	lbs.	pkg.
12856	3/8”	125	4.9	.41	1
12857	3/8”	250	9.8	.57	1

1000Volt



#29009



#12327

SHOP

1000Volt **Insulated 3/8” Drive T-handle Or Breaker Bar**

Insulation according to EN/IEC 60900 specification, up to 1000 Volt Rated. Individually Tested. Blade chrome-vanadium steel, hardened.

Item No.	MM Inch	OAL mm	OAL Inch	lbs.	pkg.
29009	3/8	200	7.9”	.55	1
12327	3/8	225	9.0”	.68	1

Wiha Insulated 1/2” Sockets & Sets



1000Volt

SHOP

317 **Insulated 1/2” Drive Sockets - Insulation According to ASTM F-1505-01, DIN 7448 & CSA Specification, Up To 1000 Volt. Individually Tested.** CV steel, forged, oil-hardened.

Item No.	Inch	lbs.	pkg.
31703	5/16	.16	1
31704	11/32	.16	1
31705	3/8	.16	1
31707	7/16	.16	1
31708	1/2	.16	1
31709	9/16	.17	1
31710	5/8	.19	1
31712	11/16	.19	1
31713	3/4	.21	1
31714	13/16	.23	1
31715	7/8	.27	1
31716	15/16	.35	1
31718	1	.33	1
31720	1-1/8	.44	1
31722	1-1/4	.58	1

*Sockets must be used with insulated ratchets & extensions



Individually Tested



1000Volt

SHOP

316 **Insulated 1/2” Drive Sockets - Metric Insulation According to VDE, DIN 7448 & CSA Specification, Up To 1000 Volt.**

Item No.	mm	lbs.	pkg.
31608	8.0	.15	1
31609	9.0	.15	1
31610	10.0	.16	1
31611	11.0	.16	1
31612	12.0	.16	1
31613	13.0	.17	1
31614	14.0	.17	1
31615	15.0	.17	1
31616	16.0	.19	1
31617	17.0	.19	1
31618	18.0	.20	1
31619	19.0	.21	1
31620	20.0	.25	1
31621	21.0	.25	1
31622	22.0	.28	1
31623	23.0	.29	1
31624	24.0	.30	1
31626	26.0	.37	1
31627	27.0	.41	1
31628	28.0	.44	1
31630	30.0	.51	1
31632	32.0	.55	1

*Sockets must be used with insulated ratchets & extensions

Wiha Insulated 1/2” Sockets & Sets

Inch



1000Volt

SHOP


31790 **24 Piece Insulated 1/2” Drive Socket Set - Inch**

CV steel, forged, oil-hardened sockets. Insulated to EN/IEC 60900.

Item No.	Set includes the following:
31790	3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1” Sockets
	1/2” x 125mm Extension Bar
lbs.	1/2” x 250mm Extension Bar
11.41	1/2” Ratchet - 260mm
	Insulated Electrician’s Knife - 50mm
	Slotted: 3.5, 4.5, 6.5mm & **Phillips:** 1, 2, 3
	6.3” Long Nose Pliers
	8.0” Combo Pliers
	6.3” Diagonal Cutters

Each tool individually tested to 10,000 volts & certified to 1000 Volt ac or 1500 Volt dc

Metric



1000Volt

SHOP

31691 **24 Piece Insulated 1/2” Drive Socket Set - Metric**

CV steel, forged, oil-hardened sockets. Insulated to EN/IEC 60900.

Item No.	Set includes the following:
31691	8, 9, 10, 12, 13, 14, 15, 17, 19, 22, 24mm Sockets
	1/2” x 125mm Extension Bar
lbs.	1/2” x 250mm Extension Bar
11.39	1/2” Ratchet - 260mm
	Insulated Electrician’s Knife - 50mm
	Slotted: 3.5, 4.5, 6.5mm & **Phillips:** 1, 2, 3
	6.3” Long Nose Pliers
	8.0” Combo Pliers
	6.3” Diagonal Cutters



1000Volt

SHOP

12326 **Insulated 1/2” Drive Breaker Bar, IEC/EN 60900 & CSA**

Chrome-Vanadium steel.

Item No.	Inch	OAL mm	OAL Inch	lbs.	pkg.
12326	1/2”	275	11.0	1.04	1

Wiha Insulated 1/2” Socket accessories



1000Volt

SHOP

12853 **Insulated 1/2” Drive Ratchet, IEC/EN 60900 & CSA**

Chrome-Vanadium steel. Reversible.

Item		OAL	OAL		
No.	Inch	mm	Inch	lbs.	pkg.
12853	1/2”	260	10.2	1.55	1



1000Volt

SHOP

128 **Insulated 1/2” Extension Bars, EN/IEC 60900 & CSA**

Chrome-vanadium steel.

Item		OAL	OAL		
No.	Inch	mm	Inch	lbs.	pkg.
12858	1/2”	125	4.9	.45	1
12859	1/2”	250	9.8	.91	1



1000Volt

SHOP

29012 **Insulated 1/2” Drive T-handle, With Insulated Handle**

Insulation according to EN/IEC 60900 & CSA Specification, Up To 1000 Volt. Individually Tested. Blade VC steel, hardened.

Item	MM	OAL	OAL		
No.	Inch	mm	Inch	lbs.	pkg.
29012	1/2	200	7.9”	.68	1

Uses standard 12” blade



1000Volt

SHOP

19767 **Hacksaw, With Insulated Handle**

Insulation According to EN/IEC 60900, DIN ISO 8976, ASTM F-1505 & CSA Specification, Up To 1000 Volt. Individually Tested.

Item	OAL	OAL		
No.	mm	Inch	lbs.	pkg.
19767	457mm	18.0”	1.92	1



1000Volt

SHOP

29240 **Waterpump Pliers, With Insulated Handle**

Insulation According to EN/IEC 60900, DIN ISO 8976, ASTM F-1505 & CSA Specification, Up To 1000 Volt. Individually Tested.

Box joint. Chrome-vanadium steel, drop forged, oil hardened.

Item	OAL	OAL	Capacity		
No.	mm	Inch	mm	lbs.	pkg.
29240	240	9.5	7/8”	1.1	1

Wiha Insulated Cable Cutters



For cutting solid aluminum & copper conductors

1000Volt

SHOP

11950 **Cable Cutter, With Insulated Handle**

Insulation According to EN/IEC 60900, ASTM F-1505 & CSA Specification, Up To 1000 Volt. Individually Tested.

Blade alloyed tool steel. Induction hardened.

Item	OAL	OAL	Capacity			
No.	mm	Inch	mm	Inch	lbs.	pkg.
11950	500	19.6	12	1/2”	3.0	1

For cutting multi strand aluminum & copper cables

31.5”



1000Volt

SHOP

40800 **Large Capacity Cable Cutter, With Insulated Handle**

Insulation According to EN/IEC 60900, ASTM F-1505 & CSA Specification, Up to 1000 Volt. Individually Tested.

Easy cutting blades, dropped forged, oil hardened. Cuts cable diameters up to 50mm. Not to be used on steel rods.

Item	OAL	OAL	Capacity			
No.	mm	Inch	mm	Inch	lbs.	pkg.
40800	800	31.5	50	2”	8.0	1



For cutting solid aluminum, copper & medium hard wires

1000Volt

SHOP

29250 **End Cutters, With Insulated Handle. Insulation According to EN/IEC 60900, DIN ISO 8976, ASTM F-1505 & CSA Specification. Individually Tested.** Blade alloyed tool steel. Induction hardened.

Item	OAL	OAL	Capacity		
No.	mm	Inch	mm	lbs.	pkg.
29250	250	10	7/8”	1.1	1



1000Volt

SHOP

116 **Waterpump Pliers, With Insulated Handle**

Insulation According to EN/IEC 60900, DIN ISO 8976, ASTM F-1505 & CSA Specification, Up To 1000 Volt. Individually Tested.

Chrome-vanadium steel, drop forged, oil hardened.

Item	OAL	OAL		
No.	mm	Inch	lbs.	pkg.
11625	250	10.0”	1.2	1
11630	300	12.0”	1.8	1

Wiha Insulated Ratcheting Cable Cutters

Insulation: VDE, EN/IEC, ASTM, NFPA70E, CSA & OSHA
Tested to 10,000 volts with 1000 volts safety rating




△1000Volt SHOP

119 High Voltage Double-Insulated Ratcheting Cable Cutters

High leverage ratchet cable cutter with shear type blades cuts stranded and flexible copper and aluminum cable. Not for use on steel. Features built in safety release in all cutting positions, and high-visibility comfort grip handles.

Item No.	OAL mm	OAL Inch	up to MCM	Inch Dia.	Capacity	lbs.	pkg.
11960	250	10.0”	500	1.25”	32ml	1.58	1
11975	280	11.0”	750	2.0”	52ml	2.02	1

NEW



△1000Volt SHOP

11980 Insulated ACSR Ratcheting Cable Cutter

Replaceable tool steel cutting blades are securely mounted for accurate cutting. Handles lock in closed position for easier storage. High leverage ratchet mechanism for best cutting performance.

Item No.	OAL mm	OAL Inch	up to MCM	Inch Dia.	Capacity	lbs.	pkg.
11980	353	13.9	477	1.25”	32ml	3.42	1

Wiha Insulated Serrated Tweezers



△1000Volt SHOP

75205 Insulated Serrated Straight Fine Tip Tweezers,
IEC/EN 60900 & CSA Standards, 10,000 Volt Tested

Item No.	OAL mm	OAL Inch	lbs.	pkg.
75205	130	5.0	.06	1



△1000Volt SHOP

75210 Insulated Serrated Straight Blunt Tip Tweezers,
IEC/EN 60900 & CSA Standards, 10,000 Volt Tested

Item No.	OAL mm	OAL Inch	lbs.	pkg.
75210	130	5.0	.08	1

Wiha Insulated Serrated Tweezers

Meets EN/IEC Insulation Standards

Slip guards at tips for user safety

Two layer high contrast insulated coatings



Carbon steel with chrome nickel plated

△1000V

10,000 Volt tested 1000Volt rated



△1000Volt SHOP

75215 Insulated Serrated Straight Blunt Tip Tweezers,
IEC/EN 60900 & CSA Standards, 10,000 Volt Tested

Item No.	OAL mm	OAL Inch	lbs.	pkg.
75215	145	6.0	.10	1



△1000Volt SHOP

75220 Insulated Serrated Straight Blunt Tip Tweezers,
IEC/EN 60900 & CSA Standards, 10,000 Volt Tested

Item No.	OAL mm	OAL Inch	lbs.	pkg.
75220	200	8.0	.18	1



△1000Volt SHOP

75302 Insulated Serrated Angled Fine Tip Tweezers,
IEC/EN 60900 & CSA Standards, 10,000 Volt Tested

Item No.	OAL mm	OAL Inch	lbs.	pkg.
75302	145	6.0	.08	1



△1000Volt SHOP

75304 Insulated Serrated Angled Blunt Tip Tweezers,
IEC/EN 60900 & CSA Standards, 10,000 Volt Tested


Item No.	OAL mm	OAL Inch	lbs.	pkg.
75304	200	8.0	.16	1

Wiha Insulated T-handle Hex Drivers

Insulation Test Standards:
Insulation according to EN/IEC 60900, ASTM F-1505-01, VDE 0682/part 201, DIN 7437, NFPA70E & CSA specification


Each tool individually tested to 10,000 volts and rated to 1000 Volt ac or 1500 Volt dc

Responds to OSHA's use specification 29 CFR1910



Insulation
Molded directly onto blade for permanent bonding

Blade
CVM tool steel, hardened to average 58/60RC




△1000Volt

SHOP

334 Inch T-handle, With Wiha-Molded Handle. Insulation According to ASTM F-1505-01, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA, △up to 1000Volt. Individually Tested. Blade CVM steel, hardened. Insulation molded directly onto blade. Wiha-SoftFinish® handle, multi-component.

Item						
No.	Inch	Inch	Inch	mm	lbs.	pkg.
33481	5/32	5.9	6.9	176	.09	10
33482	3/16	5.9	6.9	176	.15	10
33483	7/32	5.9	6.9	176	.19	10
33485	1/4	5.9	7.1	176	.20	10
33486	5/16	5.9	7.1	176	.26	10
33487	3/8	5.9	7.1	176	.44	10



△1000Volt

SHOP

334 Metric T-handle, With Wiha-Molded Handle. Insulation According to ASTM F-1505-01, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA, △up to 1000Volt. Individually Tested. Blade CVM steel, hardened. Insulation molded directly onto blade. Wiha-SoftFinish® handle, multi-component.

Item							
No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
33441	4.0	150	5.9	176	6.9	.09	10
33443	5.0	150	5.9	182	7.1	.15	10
33445	6.0	150	5.9	182	7.1	.18	10
33447	8.0	150	5.9	182	7.1	.26	10
33449	10.0	150	5.9	191	7.5	.46	10



△1000Volt

SHOP

33490 6 Piece Inch T-handle Hex Set

Item		
No.	Inch:	lbs.
33490	5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1.66




SHOP

33478 5 Piece Metric T-handle Hex Set

Item		
No.	Metric:	lbs.
33478	4.0, 5.0, 6.0, 8.0, 10.0mm	1.20

Wiha Insulated T-handle Nut Drivers



△1000Volt

SHOP

336 Metric T-handle Nut Drivers, With Wiha-Molded Handle. Insulation According to ASTM F-1505-01, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA, △up to 1000Volt. Individually Tested. Blade CVM steel, hardened. Insulation molded directly onto blade. Wiha-SoftFinish® handle, multi-component.

Item							
No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
33632	8.0	200	7.9	232	9.1	.15	5
33634	10.0	230	9.0	262	10.3	.18	5
33637	13.0	230	9.0	262	10.3	.26	5
33641	17.0	230	9.0	268	10.6	.46	5

Wiha Multi-Bit Screwdrivers

Six Tools in One!

Insulated Bit Holder



Tested to 10,000 Volts

Insulation meets EN/IEC 60900

SHOP

380 Sets **Multi-Bit Screwdriver Sets** with Wiha Powerhandle, cellulose-acetate, impact resistant. Snap-lock rotatable cap. Chambered bit holder equipped with transparent selector and 6 bits. 1/4" Bit holder, stainless steel. Shaft chrome-vanadium-molybdenum steel, hardened, chrome-plated. Packaged in clear blister package. Blade Length = 120mm (4.7") Overall Length = 230mm (9")

38006 **Slotted/Phillips Multi-Bit Screwdriver**

With Wiha Powerhandle and insulated shaft.

Set includes the following 1/4" bits:	lbs.
Slotted Sizes: 5.5, 6.0mm	
Phillips Sizes: 0, 1, 2, 3	.39

38007 **Slotted/Phillips/Square Multi-Bit Screwdriver**

With Wiha Powerhandle and insulated shaft.

Set includes the following 1/4" bits:	lbs.
Slotted Sizes: 6.5, 8.0mm	
Phillips Sizes: 1, 2	.41
Square Sizes: 1, 2	

38025 **Magnetic Bit Holder, 1/4"** Wiha Powerhandle & insulated shaft. Holder only can hold up to 6 bits.

lbs. .26

Wiha Insulated TorqueControl Tools

Includes Certificate



1000Volt

SHOP

Includes *SlimLine* blade holder

287 **Insulated TorqueVario-S, With Window Scale Insulation**

up to 1000 Volt. EN/IEC 60900 EN ISO 6798, BS EN 26789, ASME B107.14M &CSA, +/- 6% Accuracy. Ergonomic multi-component handle, light & compact. Handle sizes proportioned to optimize torque range. Audible & perceptible click when torque setting has been attained.

Item No.	Range	Increments	mm	lbs.	pkg.
28724	7.5 - 20 lbs.	.5 Inch lbs	126 - 131	.43	1
28726	10 - 50	2 Inch lbs	133 - 138	.40	1
28727	20 - 70	2 Inch lbs	137 - 142	.69	1

287 **Insulated TorqueVario-S Handle - In Newton Meter Scale**

Item No.	Range Nm	mm	lbs.	pkg.
28734	0.6 - 2.0	131	.45	1
28736	1.0 - 5.0	138	.45	1
28737	2.0 - 8.0	142	.72	1

Each TorqueVario handle has unique serial number & certificate of calibration

1000Volt



SHOP

28350 **Insulated *Slim*Line Torque Blade Holder**

Chrome-vanadium-molybdenum steel. Through hardened black finish. ClicFix quick release holder securely locks bits.

Item No.	mm	OAL mm	OAL Inch	lbs.	pkg.
28350	6.0	170	6.7	.02	1

Wiha Insulated TorqueControl & *SlimLine* Tool Sets



In Roll-up Pouch

1000Volt

SHOP

28791 **8 Piece Insulated TorqueControl Set With Slotted & Phillips *SlimLine* Blades** Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes Insulated multi-component adjustable TorqueVario-S handle, 5 *SlimLine* blades, *SlimLine* blade holder & Torque adjustment tool.

Item No.		lbs.
28791	***SlimLine* Slotted:** 3.0, 4.0, 5.5mm	.87
	***SlimLine* Phillips:** #1, #2	
	28726 - Handle Range 10-50 Inch/lbs.	
	SlimLine Blade Holder	

With Certificate of Calibration

1000Volt



In Roll-up Pouch

28792 **16 Piece Insulated TorqueControl Set With *SlimLine* Blades** Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes Insulated multi-component adjustable TorqueVario-S handle, 13 *SlimLine* blades, *SlimLine* blade holder & Torque adjustment tool.


Item No.		lbs.
28792	***SlimLine* Slotted:** 4.0, 5.5, 6.5mm	1.27
	***SlimLine* Phillips:** #1, 2	
	***SlimLine* Terminal Xeno:** #1, 2	
	***SlimLine* TORX®:** T8, T10, T15, T20	
	***SlimLine* Square:** #1, 2	
	28727 - Handle Range 20-70 Inch/lbs.	
	SlimLine Blade Holder	

SHOP

With Certificate of Calibration

Wiha Insulated *SlimLine* Tools

Insulation Test Standards:
Insulation according to EN/IEC 60900, ASTM F-1505-01, VDE 0682/part 201, DIN 7437, NFPA70E & CSA specification



High quality chrome vanadium steel, through-hardened


Integrated *Slim* Insulation molded directly onto blade

Ideal for jobs where access is limited

1000Volt Rated
10,000 Volt Tested

Insulation does not exceed screw head diameter

Wiha SlimTECHNOLOGY
Achieves blade diameters up to 33% narrower utilizing integrated insulation



Wiha Insulated *SlimLine* Handle



1000Volt

SHOP

28301 ***SlimLine*** **Blade Holder, With Wiha-SoftFinish® Handle**
Insulation According to VDE, ASTM F-1505-01 and EN/IEC 60900, NFPA70E & CSA, up to 1000 Volt.
Chrome-vanadium steel, through-hardened. Insulation molded directly onto blade. Quick release holder securely lock blades. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
28301	1/4"	50	2.0	160	6.3	.15	1

Wiha Insulated *SlimLine* Blades



SHOP

283 **Insulated Slotted *SlimLine* Blades** High quality CV steel, through hardened. *SlimLine* blades have up to 33% narrower insulation diameter then standard insulated tools.

Item No.	mm	Inch	Inch	Slim Dia.	Max Nm	Inch/ lbs.	lbs.	Pkg.
28308	3.0	.118	1/8	4.1	0.6	5.3	.02	1
28309	4.0	.157	5/32	4.1	2.5	22.2	.02	1
28312	5.5	.216	7/32	6.1	3.8	33.7	.02	1
28315	6.5	.255	1/4	6.1	5.5	48.8	.02	1



SHOP

283 **Insulated Phillips *SlimLine* Blades**
High quality CV steel, through hardened. *SlimLine* blades have up to 33% narrower insulation diameter then standard insulated tools.

Item No.	Size	Slim Dia.	Max Nm	Inch/ lbs.	lbs.	Pkg.
28317	1	4.1	3.8	33.7	.02	1
28319	2	6.1	5.5	48.8	.02	1

33% narrower insulation diameter



Wiha Insulated *SlimLine* Blades



SHOP

283 **Insulated Xeno Slotted & Phillips *SlimLine* Blades**

High quality CV steel, through hardened. *SlimLine* blades have up to 33% narrower insulation diameter then standard insulated tools.

Item No.	⊕ Size	Slim Dia.	Max Nm	Inch/ lbs.	lbs.	Pkg.
28327	1	4.1	3.8	33.7	.02	1
28329	2	6.1	5.5	48.8	.02	1



SHOP

283 **Insulated TORX® *SlimLine* Blades**

High quality CV steel, through hardened. *SlimLine* blades have up to 33% narrower insulation diameter then standard insulated tools.

Item No.	Size	Slim Dia.	Max Nm	Inch/ lbs.	lbs.	Pkg.
28339	T8	4.1	1.3	11.5	.02	1
28340	T10	4.1	3.8	33.7	.02	1
28341	T15	6.1	5.5	48.8	.02	1
28342	T20	6.1	5.5	48.8	.02	1



SHOP

283 **Insulated Square *SlimLine* Blades**

High quality CV steel, through hardened. *SlimLine* blades have up to 33% narrower insulation diameter then standard insulated tools.

Item No.	□ Size	Slim Dia.	Max Nm	Inch/ lbs.	lbs.	Pkg.
28346	1	4.1	3.8	33.7	.02	1
28347	2	6.1	5.5	48.8	.02	1



Wiha Insulated *SlimLine* Blade Sets



1000Volt

SHOP

28391 **8 Piece Insulated *SlimLine* Blade Set**

High quality CV steel, through hardened. *SlimLine* blades have up to 33% narrower insulation diameter then standard insulated tools. Cushion grip handle with quick release holder to securely lock blades. In roll up pouch

Item No.		lbs.
28391	**Slotted:** 4.0, 6.5	.45
	Phillips: #1, #2	
	Xeno: #2	
	TORX®: T15, T20	
	28301 - *SlimLine* Cushion Grip Blade Holder	



1000Volt

SHOP


28390 **15 Piece Insulated *SlimLine* Blade Set**

High quality CV steel, through hardened. *SlimLine* blades have up to 33% narrower insulation diameter then standard insulated tools. Cushion grip handle with quick release holder to securely lock blades. In roll up pouch

Item No.		lbs.
28390	**Slotted:** 3.0, 4.0, 5.5, 6.5	.56
	Phillips: #1, #2	
	Xeno: #1, #2	
	TORX®: T8, T10, T15, T20	
	Square: #1, #2	
	28301 - *SlimLine* Cushion Grip Blade Holder	

Wiha Insulated *SlimLine* Screwdrivers

Insulation Test Standards:
Insulation according to EN/IEC 60900, ASTM F-1505-01, VDE 0682/part 201, DIN 7437, NFPA70E & CSA specification



Wiha SlimTECHNOLOGY
Achieves blade diameters up to 33% narrower utilizing integrated insulation





320 Insulated Slotted *SlimLine* Screwdrivers

Insulation According to ASTM F-1505-01, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA, up to 1000 Volt. Individually Tested to 10,000Volts.

High quality CV steel, through hardened. *SlimLine* blades have up to 33% narrower insulation diameter then standard insulated tools.
Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	mm	Inch	Inch	Slim Dia.	mm	mm	lbs.	Pkg.
32046	3.5	.139	9/64	3.5	100	204	.07	1
32049	4.0	.157	5/32	4.0	100	211	.12	1
32052	4.5	.177	3/16	4.5	125	211	.14	1
32055	5.5	.216	7/32	5.5	125	243	.21	1
32058	6.5	.255	1/4	6.5	150	268	.25	1



307 Insulated Xeno *SlimLine* Screwdrivers For Terminal Screws

Insulation According to ASTM F-1505-01, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA, up to 1000 Volt. Individually Tested to 10,000Volts.

High quality CV steel, through hardened. *SlimLine* blades have up to 33% narrower insulation diameter then standard insulated tools.
Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Size	Slim Dia.	mm	mm	lbs.	Pkg.
30746	1	4.5	80	191	.12	1
30747	2	6.0	100	218	.21	1



321 Insulated Phillips *SlimLine* Screwdrivers

Insulation According to ASTM F-1505-01, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA, up to 1000 Volt. Individually Tested to 10,000Volts.

High quality CV steel, through hardened. *SlimLine* blades have up to 33% narrower insulation diameter then standard insulated tools.
Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Size	Slim Dia.	mm	mm	lbs.	Pkg.
32145	1	4.5	80	204	.12	1
32146	2	6.0	100	211	.21	1



358 Insulated Square *SlimLine* Screwdrivers

Insulation According to ASTM F-1505-01, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA, up to 1000 Volt. Individually Tested to 10,000Volts.

High quality CV steel, through hardened. *SlimLine* blades have up to 33% narrower insulation diameter then standard insulated tools.
Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Size	Slim Dia.	mm	mm	lbs.	Pkg.
35844	1	4.0	100	218	.12	1
35845	2	4.5	125	243	.19	1

Wiha Insulated *SlimLine* Screwdriver Sets




32198 **11 Piece Insulated *SlimLine* Slotted, Phillips, Xeno & Square Screwdrivers. Insulation According to ASTM F-1505-01, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA, up to 1000 Volt. Individually Tested to 10,000Volts.**

High quality CV steel, through hardened. *SlimLine* blades have up to 33% narrower insulation diameter then standard insulated tools.

Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.		Size	mm		mm	mm	lbs.
32198	Phillips	1	80	Slotted	3.5	100	1.75
	Phillips	2	100	Slotted	4.0	100	
				Slotted	4.5	125	
	Square	1	100	Slotted	5.5	125	
	Square	2	125	Slotted	6.5	150	
	Xeno	1	80				
	Xeno	2	100				



32197 **8 Piece Insulated *SlimLine* Slotted, Phillips & Square Screwdrivers. Insulation According to ASTM F-1505-01, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA, up to 1000 Volt. Individually Tested to 10,000Volts.**

High quality CV steel, through hardened. *SlimLine* blades have up to 33% narrower insulation diameter then standard insulated tools.

Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.		Size	mm		mm	mm	lbs.
32197	Phillips	1	80	Slotted	3.5	100	1.18
	Phillips	2	100	Slotted	4.0	100	
				Slotted	4.5	125	
	Square	1	100	Slotted	5.5	125	
	Square	2	125				




32196 **6 Piece Insulated *SlimLine* Slotted, Phillips & Square Screwdrivers. Insulation According to ASTM F-1505-01, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA, up to 1000 Volt. Individually Tested to 10,000Volts.**

High quality CV steel, through hardened. *SlimLine* blades have up to 33% narrower insulation diameter then standard insulated tools.

Wiha-SoftFinish® handle, multi-component, cushion grip.


Item No.		Size	mm		mm	mm	lbs.
32196	Phillips	1	80	Slotted	4.5	125	1.02
	Phillips	2	100	Slotted	6.5	150	
	Square	1	100				
	Square	2	125				



32189 **2 Pc. Insulated *SlimLine* Slotted & Phillips Screwdrivers Insulation According to ASTM F-1505-01, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA, up to 1000 Volt. Individually Tested to 10,000Volts.** High quality CV steel, through hardened. *SlimLine* blades have up to 33% narrower insulation diameter then standard insulated tools.

SHOP

Item No.	Size	mm	mm	mm	lbs.
32189	2	100	4.5	125	.37



Wiha Insulated Screwdrivers with SoftFinish® Cushion Grip Handle

Insulation Test Standards:
Insulation according to EN/IEC 60900, ASTM F-1505-01, New VDE 0682/part 201, DIN 7437, NFPA70E & CSA

Responds to OSHA's use specification 29 CFR1910

Each tool individually tested to 10,000 volts and rated to 1000 Volt ac or 1500 Volt dc

SoftFinish® handle
solid molded core with soft outer cushion grip. 40% more torque than conventional handles

Insulation
Molded directly onto the blade for permanent bonding

Blade
CVM tool steel, hardened to average 58/60RC

1000V

#32892



page 32



1000Volt SHOP

320 Slotted Screwdriver, With Wiha-SoftFinish® Handle
Insulation According to ASTM F-1505-01, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA, up to 1000 Volt. Individually Tested.

Item No.	mm	Inch	Inch	mm	Inch	mm	Inch	lbs.	pkg.
32005	2.0	.078	5/64	60	3.0	164	6.5	.05	10
32010	2.5	.098	3/32	75	3.0	179	7.1	.06	10
32012	3.0	.118	1/8	100	4.0	204	8.0	.07	10
32015	3.5	.139	9/64	100	4.0	204	8.0	.07	10
32017	4.0	.157	5/32	100	4.0	211	8.3	.12	10
32023	4.5	.177	3/16	100	4.0	211	8.3	.12	10
32024	4.5	.177	3/16	125	5.0	236	9.3	.12	10
32027	4.5	.177	3/16	150	6.0	261	10.2	.14	10
32025	4.5	.177	3/16	175	7.0	286	11.2	.13	10
32028	4.5	.177	3/16	200	8.0	311	12.3	.15	10
32031	5.5	.216	7/32	125	5.0	243	9.5	.15	10
32026	5.5	.216	7/32	175	7.0	293	11.5	.21	10
32034	6.0	.236	15/64	150	6.0	268	10.6	.21	10
32039	6.5	.255	1/4	150	6.0	268	10.6	.21	10
32042	8.0	.315	5/16	175	7.0	299	11.8	.34	10
32045	10.0	.393	3/8	200	8.0	318	12.5	.39	10



1000Volt SHOP

321 Phillips Screwdriver, With Wiha-SoftFinish® Handle
Insulation According to ASTM F-1505-01, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA, up to 1000 Volt. Individually Tested.


Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
32100	0	60	2.4	164	6.5	.06	10
32101	1	80	3.0	191	7.5	.12	10
32102	2	100	4.0	218	8.6	.20	10
32103	3	150	6.0	268	10.6	.34	10
32104	4	200	8.0	318	12.5	.39	10



1000Volt SHOP

32090 4 Piece Slotted & Phillips Set

Item No.		mm	mm	mm		Size	mm	.76 lbs.
32090	Slotted	3.5	100	0.6	Phillips	1	80	
	Slotted	4.5	125	1.0	Phillips	2	100	



1000Volt SHOP

32092 6 Piece Slotted & Phillips Set

Item No.			lbs.
32092	Slotted: 3.5, 4.5, 6.5	Phillips: 1, 2, 3	1.38

SHOP

32091 5 Piece Slotted & Phillips Set

Item No.			lbs.
32091	Slotted: 3.0, 4.5, 6.5	Phillips: 1, 2	1.31




NEW

1000Volt SHOP

32188 7 Piece Slotted & Phillips Set

Item No.
32188
Slotted: 2.0, 2.5, 3.0, 3.5, 4.0
Phillips: 0, 1
lbs. .92

Wiha Insulated Screwdriver Sets




1000Volt

SHOP

32094 13 Piece Slotted & Phillips Set

Item No.		lbs.
32094	**Slotted:** 2.0, 2.5, 3.0, 3.5, 4.5, 5.5, 6.5, 8.0, 10.0mm	
	Phillips: 0, 1, 2, 3	2.3



1000Volt

SHOP

32093 10 Piece Slotted & Phillips Set

Item No.		lbs.
32093	**Slotted:** 2.0, 2.5, 3.0, 3.5, 4.5, 6.5	
	Phillips: 0, 1, 2, 3	1.63



1000Volt

SHOP

32190 15 Piece Slotted, Phillips & Inch Nut Drivers Set

Item No.		lbs.
32190	**Slotted:** 2.0, 2.5, 3.0, 3.5, 4.5, 6.5, 8.0mm	5.9
	Phillips: 1, 2, 3	
	Nut Drivers Inch: 1/4, 5/16, 3/8, 7/16, 1/2"	

NEW





1000Volt

Tool box set in blow molded tray

32095 19 Piece Slotted, Phillips, Square, Xeno Screwdriver Set

Insulated Screwdriver set in a light weight tool box tray.

SHOP

Item No.		
32095	**Slotted:** 2.5, 3.0, 3.5, 4.0, 4.5, 5.5, 6.0, 6.5, 8.0, 10.0mm	
	Phillips: #0, #1, #2, #3	
	Square: #1, #2	lbs.
	Xeno Terminal: #1, #2	4.92
	Single Pole Voltage Detector 110V to 250V	

Wiha Insulated Hex Mertic Screwdrivers

1000Volt



323 Hex Metric Screwdriver, With Wiha-SoftFinish® Handle

Insulation According to ASTM F-1505-01, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA, up to 1000 Volt. Individually Tested. Blade high alloy CVM steel, hardened, black finish. Insulation molded directly onto blade. Wiha-SoftFinish® handle, multi-component, cushion grip.

SHOP

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
32302	2.5	75	3.0	179	7.0	.06	10
32303	3.0	75	3.0	179	7.0	.08	10
32304	4.0	75	3.0	186	7.3	.12	10
32305	5.0	75	3.0	186	7.3	.15	10
32306	6.0	100	3.9	218	8.6	.24	10
32308	8.0	100	3.9	218	8.6	.34	10



1000Volt

SHOP

32366 6 Piece Insulated Hex Metric Screwdriver Set

Item No. 32366	lbs.
Hex Metric: 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm	1.06

Wiha Insulated Square Tip Screwdrivers




1000Volt

SHOP

358 Square Tip Screwdriver, With Wiha-SoftFinish® Handle

Insulation According to ASTM F-1505-01, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E and CSA, up to 1000 Volt. Individually Tested. Blade high alloy CVM steel, hardened, black finish. Insulation molded directly onto blade.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
35811	1	100	4.0	210	8.2	.12	10
35812	2	150	6.0	268	10.5	.19	10



1000Volt

SHOP

35890 6 Pc. Insulated Slotted, Phillips & Square Screwdrivers

Item No. 35890	
Slotted: 4.5, 6.5mm **Phillips:** 1, 2	lbs.
Square: 1, 2	.83

35891 6 Pc. Insulated Slotted, Phillips & Square Screwdrivers

Item No. 35891	lbs.
Slotted: 3.0, 5.5mm **Phillips:** 1, 2 **Square:** 1, 2	.83

Wiha Insulated Nut Drivers



1000Volt

SHOP


322 Metric **Nut Drivers, With Wiha-SoftFinish® Handle Insulation According to ASTM F-1505-01, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA, up to 1000 Volt. Individually Tested.** Blade CVM steel, hardened. Insulation molded directly onto blade. Deep drawn 1" socket. Wiha-SoftFinish® handle, multi-component.

Item						
No.	mm	mm	mm	Inch	lbs.	pkg.
32206	4.0	125	236	9.3	.15	10
32209	5.0	125	236	9.3	.16	10
32212	5.5	125	236	9.3	.16	10
32215	6.0	125	236	9.3	.16	10
32218	7.0	125	243	9.6	.25	10
32221	8.0	125	243	9.6	.25	10
32224	9.0	125	243	9.6	.25	10
32227	10.0	125	243	9.6	.27	10
32230	11.0	125	243	9.6	.37	10
32233	12.0	125	243	9.6	.38	10
32236	13.0	125	243	9.6	.39	10
32238	14.0	125	243	9.6	.39	10
32239	15.0	125	243	9.6	.40	10
32240	16.0	125	243	9.6	.42	10
32241	17.0	125	243	9.6	.44	10

322 **Inch Nut Drivers, With Wiha-SoftFinish® Handle**

SHOP

Item						
No.	Inch	Inch	mm	Inch	lbs.	pkg.
32255	5/32	5.0	236	9.3	.15	10
32258	3/16	5.0	236	9.3	.15	10
32261	7/32	5.0	236	9.3	.16	10
32264	1/4	5.0	243	9.5	.24	10
32267	5/16	5.0	243	9.5	.25	10
32268	11/32	5.0	242	9.5	.26	10
32270	3/8	5.0	243	9.5	.26	10
32273	7/16	5.0	243	9.5	.36	10
32276	1/2	5.0	243	9.5	.39	10
32278	9/16	5.0	243	9.5	.39	10
32280	5/8	5.0	243	9.5	.41	10




1000Volt

SHOP

32296 **11 Piece Nut Driver Set** - Inch Sizes

Item					
No.	Inch	Inch	Inch	Inch	lbs.
32296	5/32	5.0	3/8	5.0	3.00
	3/16	5.0	7/16	5.0	
	7/32	5.0	1/2	5.0	
	1/4	5.0	9/16	5.0	
	5/16	5.0	5/8	5.0	
	11/32	5.0			



1000Volt

SHOP

32291 **5 Piece Nut Driver Set** - Metric Sizes

Item					
No.	mm	mm	mm	mm	lbs.
32291	6.0	125	9.0	125	1.36
	7.0	125	10.0	125	
	8.0	125			




1000Volt

SHOP

32293 **7 Piece Nut Driver Set** - Metric Sizes

Item					
No.	mm	mm	mm	mm	lbs.
32293	5.0	125	8.0	125	2.05
	5.5	125	10.0	125	
	6.0	125	13.0	125	
	7.0	125			



1000Volt

SHOP

32292 **5 Piece Nut Driver Set** - Inch Sizes

Item					
No.	Inch	Inch	Inch	Inch	lbs.
32292	7/32	5.0	3/8	5.0	1.52
	1/4	5.0	1/2	5.0	
	5/16	5.0			




1000Volt

SHOP

32294 **7 Piece Nut Driver Set** - Inch Sizes

Item					
No.	Inch	Inch	Inch	Inch	lbs.
32294	3/16	5.0	3/8	5.0	2.24
	7/32	5.0	7/16	5.0	
	1/4	5.0	1/2	5.0	
	5/16	5.0			

Wiha Insulated Inch Nut Driver Set



1000Volt

SHOP

32288 **9 Piece Nut Driver Set -** Inch Sizes. In roll-up pouch

Item No.	Inch	Inch	Inch	Inch	lbs.
32288	3/16	5.0	7/16	5.0	3.16
	1/4	5.0	1/2	5.0	
	5/16	5.0	9/16	5.0	
	11/32	5.0	5/8	5.0	
	3/8	5.0			

Insulated Terminal Block Xeno Screwdrivers



Combination Slotted/Phillips Terminal Block Drivers

1000Volt





SHOP

307 **Combination Terminal Block Xeno Screwdriver, With Wiha SoftFinish® Handle. Insulation According to ASTM F-1505-01, VDE, 0682/part 201, EN/IEC 60900, NFPA70E & CSA specification. Individually Tested.** Blade CVM steel, hardened, black finish. Insulation molded directly onto blade. Wiha-SoftFinish® handle, multi-component, cushion grip. For combination Slotted/Phillips head terminal screws.

Item No.	Size	mm	mm	Inch	lbs.	pkg.
30700	1	80	191	7.5	1.23	10
30701	2	100	218	8.6	1.23	10

WARNING!
Insulated Tools are intended to provide protection against accidental contact with charged energized circuits. For maximum safety we recommend de-energizing all circuits whenever possible before starting work on electrical apparatus or conductors. Always visually inspect insulation on tools before use, do not use tools if insulation shows signs of wear or damage to the insulated areas of the tool. Wear appropriate eye protection when using hand tools. Use NFPA70E certified insulated protective outer wear when appropriate.

Wiha Insulated TORX® Screwdrivers



1000Volt

SHOP

325 **TORX® Screwdriver, With Wiha-SoftFinish® Handle Insulation According to ASTM F-1505-01, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E and CSA, up to 1000 Volt. Individually Tested.** Blade high alloy cvm steel, hardened, black finish. Insulation molded directly onto blade.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
32505	T5	60	2.4	164	6.5	.06	10
32511	T6	60	2.4	164	6.5	.06	10
32516	T7	60	2.4	164	6.5	.06	10
32521	T8	60	2.4	164	6.5	.06	10
32526	T9	60	2.4	164	6.5	.06	10
32531	T10	60	2.4	164	6.5	.06	10
32536	T15	80	3.0	191	7.5	.12	10
32541	T20	80	3.0	191	7.5	.12	10
32546	T25	80	3.0	198	7.8	.17	10
32551	T27	100	4.0	218	8.6	.20	10
32556	T30	100	4.0	218	8.6	.20	10
32561	T40	150	6.0	274	10.8	.30	10




1000Volt

SHOP

32590 **6 Piece TORX® Set**

Item No.	Size	mm	Size	mm	lbs.
32590	T8	60	T15	80	.83
	T9	60	T20	80	
	T10	60	T25	80	



1000Volt

SHOP

32592 **10 Piece TORX® Set**

Item No.	Size	mm	Size	mm	lbs.
32592	T6	60	T15	80	1.2
	T7	60	T20	80	
	T8	60	T25	80	
	T9	60	T27	100	
	T10	60	T30	100	

Wiha Insulated "BitFlip" Sets

"8-In-1 Bit Sets"

BitFlip standard SoftFinish® handle, multi-component, cushion grip, easy access & 8 bit storage



Each insulated tool individually tested to 10,000 volts



Blade CVM tool steel, hardened



8-in-1 Bit Sets

Tested to 10,000Volts

Insulated




SHOP

38017 **Insulated BitFlip With Slotted/Phillips/TORX® Bits**

Wiha cushion grip handle and insulated shaft. Tested to 10,000 volts.

Set includes the following 1/4" bits:	
Slotted: 4.5, 6.5mm	lbs.
Phillips: 1, 2	
TORX® : T10, T15, T20, T25	.45



8-in-1 Bit Sets

Tested to 10,000 Volts



Insulated

SHOP

38016 **Insulated BitFlip With Slotted/Phillips/Square Bits**


Wiha cushion grip handle and insulated shaft. Tested to 10,000 volts.

Set includes the following 1/4" bits:	
Slotted: 4.5, 6.5mm	lbs.
Phillips: 0, 1, 2, 3	
Square: 1, 2	.45



8-in-1 Bit Sets

Tested to 10,000 Volts



Insulated

SHOP

38018 **Insulated BitFlip With Slotted/Phillips Bits**

Wiha cushion grip handle and insulated shaft. Tested to 10,000 volts.

Set includes the following 1/4" bits:	
Slotted: 4.5, 5.5, 6.5, 8.0mm	lbs.
Phillips: 0, 1, 2, 3	.45

Insulated Single-Pole Voltage Detector

1000Volt



SHOP

25511 **Insulated Single-Pole Voltage Detector. 110-250 Volts.**

Insulation According To DIN 57860/6 And DIN VDE 0680-6, GS Tested. Blade CVM steel, hardened, nickel-plated. Insulation molded directly onto blade. Amber LED light. 10,000Volt tested.

Item No.	mm	mm	mm	Inch	lbs.	pkg.
25511	3.0	65	145	5.7	.04	1

Insulated Voltage Detector

1000Volt

NEW



SHOP

25500 **Insulated Voltage Detector. Tests 90-1000 Volts.**

Category III, CE IEC 61010-1

With audible sound and light warnings. Requires 2 AAA batteries.

Item No.	mm	Inch	lbs.	pkg.
25500	150	6.0	.13	1

Wiha Insulated Belt Pack Pouch Sets

Insulation Test Standards:
Insulation according to EN/IEC 60900,
ASTM F-1505-01, New VDE 0682/part 201,
DIN 7437, NFPA70E & CSA



NEW



1000Volt

SHOP

32875 **5 Pc. Insulated Pliers/Cutters & *SlimLine* Screwdrivers In Belt Pack Pouch** Tools meet EN/IEC, ASTM, VDE, NFPA70E & CSA standards. Pliers chrome finish for long lasting corrosion protection. Soft grip ergo designed handle body, safety slip guard. Insulated cushion grip drivers, multi-component. Blade CVM tool steel, hardened.

Item No.	Insulated Pliers/Cutters & Screwdrivers
32875	9.0" / 225mm Lineman's Pliers
	8.0" / 200mm Long Nose Pliers
	Insulated *SlimLine* Screwdrivers:
	Slotted: 4.5, 6.5mm • **Phillips:** 2
	lbs. 2.26





1000Volt

SHOP

32871 **3 Piece Insulated Pliers/Cutters & Multi-Bit Set In Belt Pack Pouch** Tools meet EN/IEC, ASTM, VDE, NFPA70E & CSA standards. Pliers chrome finish for long lasting corrosion protection. Soft grip ergo designed handle body, safety slip guard. Insulated multi-bit screwdriver includes Slotted, Phillips & Square bits.

Item No.	Pliers/Cutters & Multi-Bit Set
32871	6.3" / 160mm Diagonal Cutters
	8.0" / 200mm Long Nose Pliers
	Set includes Bit Holder and the following bits:
	Slotted: 4.5, 6.5mm • **Phillips:** 1, 2 • **Square:** 1, 2
	lbs. 1.67





1000Volt

SHOP

32872 **5 Piece Insulated Pliers/Cutters & Screwdrivers In Belt Pack Pouch** Tools meet EN/IEC, ASTM, VDE, NFPA70E & CSA standards. Pliers chrome finish for long lasting corrosion protection. Soft grip ergo designed handle body, safety slip guard. Insulated cushion grip drivers, multi-component. Blade CVM tool steel, hardened.

Item No.	Insulated Pliers/Cutters & Screwdrivers
32872	6.3" / 160mm Diagonal Cutters
	8.0" / 200mm Long Nose Pliers
	Insulated Screwdrivers:
	Slotted: 3.0, 4.5mm • **Phillips:** 2
	lbs. 1.77





1000Volt

SHOP

32873 **3 Piece Insulated Pliers/Cutters In Belt Pack Pouch** Tools meet EN/IEC, ASTM, VDE, NFPA70E & CSA standards. Pliers chrome finish for long lasting corrosion protection. Soft grip ergo designed handle body, safety slip guard.

Item No.	Insulated Pliers & Cutters
32873	6.3" / 160mm Diagonal Cutters
	8.0" / 200mm Long Nose Pliers
	8.0" / 200mm Combination Pliers
	lbs. 2.07


Wiha Insulated Tools-Comfort Grip Handles





All Tools In Dedicated Positions For Quick Storage & Easy Location Tracking




SHOP









32800 **80 Piece Insulated Master Electrician's Tool Set In Rolling Water Tight Traveling Tool Box - 10,000Volt Tested, 1000Volt Rated**


Item# 32800 **Set Includes:**	lbs. 33.9
6.3" Long Nose Pliers	6.3" Diagonal Cutters
8.0" Long Nose Pliers	8.0" High Leverage Cutters
6.3" Bent Nose Pliers	6.3" Cable Cutters
6.3" Long Flat Nose Pliers	6.3" Stripping Pliers
9.0" Combo Pliers/Crimpers	8.0" Adjustable Wrench
Insulated Socket 1/2"	Insulated Nut Driver 7/32"
Insulated Socket 9/16"	Insulated Nut Driver 1/4"
Insulated Socket 5/8"	Insulated Nut Driver 5/16"
Insulated Socket 11/16"	Insulated Nut Driver 3/8"
Insulated Socket 3/4"	Insulated Nut Driver 7/16"
Insulated Socket 13/16"	Insulated Nut Driver 5.0mm
Insulated Socket 7/8"	Insulated Nut Driver 5.5mm
Insulated Socket 13mm	Insulated Nut Driver 6.0mm
Insulated Socket 14mm	Insulated Nut Driver 7.0mm
Insulated Socket 15mm	Insulated Nut Driver 8.0mm
Insulated Socket 17mm	Insulated Nut Driver 10.0mm
Insulated Socket 19mm	Insulated Nut Driver 13.0mm
Insulated Socket 20mm	Insulated Cable Knife 50mm
Insulated Socket 22mm	2 Meter Ruler In/MM
Insulated Ratchet 3/8" Drive	Single Pole Voltage Detector-
Insulated 4.9" Extension 3/8" Dr.	110V to 250V

Insulated Slotted 2.5mm	Insulated Phillips #0
Insulated Slotted 3.0mm	Insulated Phillips #1
Insulated Slotted 3.5mm	Insulated Phillips #2
Insulated Slotted 4.0mm	Insulated Phillips #3
Insulated Slotted 4.5mm	Insulated Slt/Ph Terminal #1
Insulated Slotted 5.5mm	Insulated Slt/Ph Terminal #2
Insulated Slotted 6.0mm	Insulated Square #1
Insulated Slotted 6.5mm	Insulated Square #2
Insulated Slotted 8.0mm	Insulated Torx T6
Insulated Slotted 10.0mm	Insulated Torx T7
Insulated T-handle Hex 5/32"	Insulated Torx T8
Insulated T-handle Hex 3/16"	Insulated Torx T9
Insulated T-handle Hex 7/32"	Insulated Torx T10
Insulated T-handle Hex 1/4"	Insulated Torx T15
Insulated T-handle Hex 5/16"	Insulated Torx T20
Insulated T-handle Hex 3/8"	Insulated Torx T25
Insulated T-handle Hex 4.0mm	Insulated Torx T30
Insulated T-handle Hex 5.0mm	Insulated L-key 10mm
Insulated T-handle Hex 6.0mm	Insulated L-key 1/2"
Insulated T-handle Hex 8.0mm	

Use & Care Guide For Insulated Tools:
Store tools to minimize risk of damage to insulation, always wear approved eye protection, Inspect insulation prior to each use of any insulated tool. Use insulated tools where the ambient temperature is between -20 to +70° C. Have a qualified safety technician visually inspect insulation on tools annually for safe use.

WARNING!
Insulated Tools are intended to provide protection against accidental contact with charged energized circuits. For maximum safety we recommend de-energizing all circuits whenever possible before starting work on electrical apparatus or conductors. Always visually inspect insulation on tools before use, do not use tools if insulation shows signs of wear or damage to the insulated areas of the tool. Wear appropriate eye protection when using hand tools. Use NFPA70E certified insulated protective outer wear when appropriate.

Wiha 1000Volt Insulated Tool Sets - Comfort Grip Handles



80 Pc. BIGGEST SET

△1000Volt

32877 **80 Piece Insulated Master Electrician's Set**

SHOP

Item# 32877 Set Includes:	lbs. 27.0
6.3" Long Nose Pliers	6.3" Diagonal Cutters
6.3" Bent Nose Pliers	8.0" High Leverage Cutters
8.0" Long Nose Pliers	8.0" Cable Cutters
6.3" Long Flat Nose Pliers	6.3" Stripping Pliers
9.0" Combo Pliers/Crimpers	8.0" Adjustable Wrench
Insulated Slotted 2.0mm	Insulated Nut Driver 7/32"
Insulated Slotted 2.5mm	Insulated Nut Driver 1/4"
Insulated Slotted 3.0mm	Insulated Nut Driver 5/16"
Insulated Slotted 3.5mm	Insulated Nut Driver 3/8"
Insulated Slotted 4.0mm	Insulated Nut Driver 7/16"
Insulated Slotted 4.5mm	Insulated Nut Driver 5.0mm
Insulated Slotted 5.5mm	Insulated Nut Driver 5.5mm
Insulated Slotted 6.0mm	Insulated Nut Driver 6.0mm
Insulated Slotted 6.5mm	Insulated Nut Driver 7.0mm
Insulated Slotted 8.0mm	Insulated Nut Driver 8.0mm
Insulated Slotted 10.0mm	Insulated Nut Driver 10.0mm
Insulated Phillips #0	Insulated Nut Driver 13.0mm
Insulated Phillips #1	Insulated T-handle Hex 5/32"
Insulated Phillips #2	Insulated T-handle Hex 3/16"
Insulated Phillips #3	Insulated T-handle Hex 7/32"
Insulated Slt/Ph Terminal #1	Insulated T-handle Hex 1/4"
Insulated Slt/Ph Terminal #2	Insulated T-handle Hex 5/16"
Insulated Torx T6	Insulated T-handle Hex 3/8"
Insulated Torx T7	Insulated T-handle Hex 4.0mm
Insulated Torx T8	Insulated T-handle Hex 5.0mm
Insulated Torx T9	Insulated T-handle Hex 6.0mm
Insulated Torx T10	Insulated T-handle Hex 8.0mm
Insulated Torx T15	Insulated L-key 10mm
Insulated Torx T20	Insulated L-key 1/2"
Insulated Torx T25	Insulated Cable Knife 50mm
Insulated Torx T30	2 Meter Ruler In/MM
Insulated Square #1	Insulated Ratchet 3/8" Dr.
Insulated Square #2	Insulated 4.9" Extension
Insulated Socket 1/2"	Insulated Socket 13mm
Insulated Socket 9/16"	Insulated Socket 14mm
Insulated Socket 5/8"	Insulated Socket 15mm
Insulated Socket 11/16"	Insulated Socket 17mm
Insulated Socket 3/4"	Insulated Socket 19mm
Insulated Socket 13/16"	Insulated Socket 20mm
Insulated Socket 7/8"	Insulated Socket 22mm

Master Electrician's Set



66 Pc. BIGGER SET

△1000Volt

32876 **66 Pc. Master Electrician's Set. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, △up to 1000 volt. Individually Tested.** Pliers drop-forged from special tool steel, individually high frequency induction hardened, chrome/nickel plated, mirror-polished.

SHOP

Item# 32876 Set Includes:	lbs. 21.5
8.0" Long Nose	6.3" Side Cutters
6.3" Long Flat Nose	8.0" High Leverage Cutters
9.0" Combo Pliers/Crimpers	6.3" Stripping Pliers
8.0" Cable Cutters	8.0" Adjustable Wrench
Insulated Nut Driver 1/4"	Insulated Slotted 2.0mm
Insulated Nut Driver 5/16"	Insulated Slotted 2.5mm
Insulated Nut Driver 11/32"	Insulated Slotted 3.0mm
Insulated Nut Driver 3/8"	Insulated Slotted 4.0mm
Insulated Nut Driver 7/16"	Insulated Slotted 4.5mm
Insulated T-handle Hex 4.0mm	Insulated Slotted 5.5mm
Insulated T-handle Hex 5.0mm	Insulated Slotted 6.0mm
Insulated T-handle Hex 6.0mm	Insulated Slotted 8.0mm
Insulated T-handle Hex 8.0mm	Insulated Slotted 10.0mm
Insulated T-handle Hex 5/32"	Insulated Phillips #0
Insulated T-handle Hex 3/16"	Insulated Phillips #1
Insulated T-handle Hex 7/32"	Insulated Phillips #2
Insulated T-handle Hex 1/4"	Insulated Phillips #3
Insulated T-handle Hex 5/16"	Insulated Torx T8
Insulated T-handle Hex 3/8"	Insulated Torx T10
Insulated Hex L-key 10.0mm	Insulated Torx T15
Insulated Hex L-key 1/2"	Insulated Torx T20
Insulated Socket 1/2"	Insulated Torx T25
Insulated Socket 9/16"	Insulated Torx T30
Insulated Socket 5/8"	Insulated Square #1
Insulated Socket 11/16"	Insulated Square #2
Insulated Socket 3/4"	Insulated Slt/Ph Terminal #1x80
Insulated Socket 13/16"	Insulated Slt/Ph Terminal #2x100
Insulated Socket 7/8"	Insulated Cable Knife 50mm
Insulated Socket 8.0mm	Insulated Extension 4.9"
Insulated Socket 10.0mm	Insulated Ratchet 3/8" Driver
Insulated Socket 13.0mm	Insulated Socket 17.0mm
Insulated Socket 14.0mm	Insulated Socket 19.0mm
Insulated Socket 15.0mm	Insulated Socket 22.0mm

Wiha 1000Volt Insulated Tool Sets - Comfort Grip Handles



1000Volt 48 Pc. BIG SET

SHOP

32874 **48 Piece Insulated Tool Set. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, up to 1000 volt. Individually Tested.** Pliers drop-forged from special tool steel, individually high frequency induction hardened, chrome/nickel plated, mirror-polished. Cushion Grip Insulated handles. Canvas tool bag.

Item# 32874 **Set Includes:**	lbs. 19.4
6.3" Long Nose Pliers	6.3" Side Cutters
8.0" Long Nose Pliers	8.0" High Leverage Cutters
6.3" Combination Pliers	6.3" Stripping Pliers
9.0" Combo Pliers/Crimpers	8.0" Adjustable Wrench

Slotted: 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.5, 6.0, 6.5, 8.0mm
Phillips: #0, 1, 2, 3 **Square:** #1, 2 **Slt/Ph Terminal:** #1, 2
TORX: T8, T9, T10, T15, T20, T25, T27, T30
Hex Inch: 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"
Nut Driver Inch: 7/32, 1/4, 5/16, 3/8, 7/16, 1/2"
Insulated Cable Knife & 2 Meter In/MM



25 Pc. Set

1000Volt

SHOP

32879 **25 Pc. Pliers & Screwdriver Set. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, up to 1000 volt. Individually Tested.**
Pliers drop-forged from special tool steel, individually high frequency induction hardened, chrome/nickel plated, mirror-polished. In tool box.

Item# 32879 **Set Includes:**	lbs. 11.92
8.0" Long Nose	6.3" Stripping Pliers
9.0" Combination Pliers	Inch & Metric Folding Ruler
8.0" High Leverage Cutters	8.5" Insulated Knife

Slotted: 3.0, 4.5, 6.0mm **Phillips:** #1, #2
Square: #1, #2 **Terminal Block Driver:** #1, #2
Inch Nut Driver: 1/4, 5/16, 11/32, 3/8, 7/16, 1/2"
Metric Nut Driver: 7.0, 8.0, 10.0, 13.0mm




13 Pc. Set

1000Volt

SHOP

32878 **13 Piece Pliers & Screwdriver Set.** In canvas tool bag

Item# 32878 **Set Includes:**	lbs. 6.60
8.0" Long Nose	9.0" Combo Pliers/Crimpers
8.0" High Leverage Cutters	50mm Cable Stripping Knife
Insulated Slotted: 3.0mm	Insulated Phillips: #1
Insulated Slotted: 4.5mm	Insulated Phillips: #2
Insulated Slotted: 6.0mm	Insulated Square: #1
Insulated Slt/Ph Terminal: #1	Insulated Square: #2
Insulated Slt/Ph Terminal: #2	



31 Pc. Set

1000Volt

SHOP

32896 **31 Pc. Pliers & Screwdriver Set. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, up to 1000 volt. Individually Tested.** Pliers drop-forged from special tool steel, individually high frequency induction hardened, chrome/nickel plated, mirror-polished. Set includes 6ft. Fiber glass folding ruler.

Item# 32896 **Set Includes:**	lbs. 12.85
6.3" Long Nose Pliers	6.3" Side Cutters
8.0" Long Nose Pliers	8.0" High Leverage Cutters
7.0" Linemans Pliers	6.3" Stripping Pliers
9.0" Combination Pliers	6.3" Round Nose Pliers

Slotted: 2.0, 2.5, 3.0, 3.5, 4.5, 5.5, 6.5, 8.0, 10.0mm
Phillips: #0, #1, #2, #3
Inch Nut Driver: 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16"

Wiha Insulated Pliers with High Visibility Comfort Grip Handle

1000Volt



- Pliers drop-forged from special tool steel, individually high frequency induction hardened, chrome and nickel plated, mirror-polished.
- In zipper carry case

SHOP

32891 **10 Piece Pliers & Screwdriver Set**

Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, up to 1000 volt. Individually Tested.

Item# 32891	**Set Includes:** lbs. 5.54
8.0" Combination Pliers	8.0" Long Nose
8.0" Side Cutters	8.0" Cable Cutters
6.3" Universal Wire Stripper	
Insulated Phillips #1	Insulated Slotted 4.5mm
Insulated Phillips #2	Insulated Slotted 6.5mm
Insulated Phillips #3	



- Pliers drop-forged from special tool steel, individually high frequency induction hardened, chrome and nickel plated, mirror-polished.
- In zipper carry case

1000Volt

SHOP

32895 **14 Piece Pliers & Screwdriver Set**

Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, up to 1000 volt. Individually Tested.

Item# 32895	**Set Includes:** lbs. 6.60
8.0" Long Nose	6.3" Side Cutters
9.0" Combination Pliers	8.0" High Leverage Cutters
6.3" Stripping Pliers	Insulated Slotted 2.5mm
Insulated Phillips #1	Insulated Slotted 3.0mm
Insulated Phillips #2	Insulated Slotted 3.5mm
Insulated Phillips #3	Insulated Slotted 4.5mm
Insulated Slotted 2.0mm	Insulated Slotted 6.5mm





1000Volt

SHOP

32888 **11 Piece Pliers & Screwdriver Set** In Canvas Pouch

Item# 32888	**Set Includes:** lbs. 3.58
6.3" Long Nose	6.3" Side Cutters
8.0" Combination Pliers	6.3" Stripping Pliers
Insulated Slotted 2.5mm	Insulated Phillips #0
Insulated Slotted 3.5mm	Insulated Phillips #1
Insulated Slotted 4.5mm	Insulated Phillips #2
Insulated Slotted 6.0mm	



1000Volt

SHOP

32892 **10 Piece Pliers & Screwdriver Set. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, up to 1000 volt. Individually Tested.** Pliers drop-forged from special tool steel, individually high frequency induction hardened, chrome and nickel plated, mirror-polished. In canvas tool bag

Item# 32892	**Set Includes:** lbs. 6.64
8.0" Bent Nose	8.0" Combination Pliers
6.3" Long Nose	6.3" Side Cutters
Insulated Phillips #0	Insulated Slotted 3.0mm
Insulated Phillips #1	Insulated Slotted 4.5mm
Insulated Phillips #2	Insulated Slotted 6.5mm



1000Volt

SHOP

32894 **12 Piece Pliers & Screwdriver Set** In canvas tool bag

Item# 32894	**Set Includes:** lbs. 8.60
8.0" Bent Nose	8.0" Combination Pliers
6.3" Long Nose	6.3" Side Cutters
Insulated Slotted 4.5mm	Insulated Nut Driver 1/4"
Insulated Slotted 6.5mm	Insulated Nut Driver 5/16"
Insulated Phillips #1	Insulated Nut Driver 3/8"
Insulated Phillips #2	Insulated Nut Driver 1/2"

Wiha Insulated Pliers with High Visibility Comfort Grip Handle

- Pliers drop-forged from special tool steel, individually high frequency induction hardened, chrome and nickel plated, mirror-polished.



1000Volt

SHOP

32889 **8 Piece Pliers & Cutters Set**

Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, up to 1000 volt. Individually Tested.

Item# 32889 **Set Includes:**	lbs. 4.63
6.3” Long Nose Pliers	8.0” Long Nose Pliers
6.3” Lineman’s Pliers	6.3” Diagonal Cutters
9.0” Lineman’s Pliers	8.0” High Lev. Cutters
6.3” Wire Stripping Pliers	Electrician’s Knife



NEW

1000Volt

SHOP

32869 **14 Piece Pliers/Cutters & Screwdrivers Set**

Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, up to 1000 volt. Individually Tested.

Item# 32869 **Set Includes:**	lbs. 6.52
9.0” Lineman’s Pliers	8.0” High Leverage Cutters
8.0” Cable Cutters	8.0” Long Nose Pliers
6.0” Stripping Pliers 10-20 AWG	
SlimLine Slotted 3.0mm	*SlimLine* Phillips #1
SlimLine Slotted 4.5mm	*SlimLine* Phillips #2
SlimLine Slotted 6.5mm	*SlimLine* Terminal #2
SlimLine Square #1	Single Pole Tester
SlimLine Square #2	

NEW



1000Volt

SHOP

32867 **10 Piece Pliers & Screwdriver Set** In Canvas Pouch

Item# 32867 **Set Includes:**	lbs. 4.06
6.3” Diagonal Cutters	9.0” Combo Pliers
6.3” Long Nose Pliers	6.3” Wire Strippers
7.0” Crimping Pliers	
Insulated Slotted 4.5mm	Insulated Phillips #1
Insulated Slotted 6.0mm	Insulated Phillips #2
Insulated Square: #2	



NEW

1000Volt

SHOP


32868 **10 Piece Pliers & Screwdriver Set** In Canvas Pouch

Item# 32868 **Set Includes:**	lbs. 4.24
7.0” Diagonal Cutters	9.0” Combo Pliers
8.0” Long Nose Pliers	6.3” Wire Strippers
7.0” Crimping Pliers	
Insulated Slotted 3.0mm	Insulated Phillips #1
Insulated Slotted 4.5mm	Insulated Phillips #2
Insulated Slotted 6.0mm	

WARNING!
Insulated Tools are intended to provide protection against accidental contact with charged energized circuits. For maximum safety we recommend de-energizing all circuits whenever possible before starting work on electrical apparatus or conductors. Always visually inspect insulation on tools before use, do not use tools if insulation shows signs of wear or damage to the insulated areas of the tool. Wear appropriate eye protection when using hand tools. Use NFPA70E certified insulated protective outer wear when appropriate.

Use & Care Guide For Insulated Tools:
Store tools to minimize risk of damage to insulation, always wear approved eye protection, Inspect insulation prior to each use of any insulated tool. Use insulated tools where the ambient temperature is between -20 to +70° C. Have a qualified safety technician visually inspect insulation on tools annually for safe use.

Wiha Insulated Pliers & Cutters



Insulated Linemans Pliers With Crimpers

5-In-1 Lineman's Pliers

64HRC
cutting edges



1000volt

With Lower Crimping Jaw

SHOP

32821 **Insulated Lineman's Pliers "5-In-1" Professional Design Insulation According to EN/IEC, ASTM, NFPA70E & CSA, up to 1000 volt. Individually Tested.**

Deep cut radius conduit jaws for non-slip handling. Sure grip knurled & cross hatched flat jaw for non-slip griping. Extra long induction hardened precision matched cutting edges. Lower crimping jaw accepts most standard non-insulated electrical connectors. Large head with square anvil surface on each side. Made from premium CV tool steel forgings. Two component cushion grips for best user comfort.

Item	Cutting Capacity				
No.	mm	Inch	Copper AWG	Pkg.	wt.
32821	225	9.0	#4	1	.88

Insulated High Leverage Combination Pliers

Lineman's



1000volt

SHOP

32820 **High Leverage Combination Pliers. Insulation According to EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, up to 1000 volt. Individually Tested. DIN ISO 5746**

Extra long cutting edge for flat and round cables. Serrated jaws. Cutting edges additionally induction hardened to approx. 64HRC. C60 Special tool steel. Use for gripping, pulling & holding as well as cutting wires and cables ranging in hardness from soft to extremely hard. Two component soft grip ergonomic handles.

Item	Cutting Capacity				
No.	mm	Inch	Copper AWG	Pkg.	wt.
32820	225	9.0	#4	1	.86

Insulated Combination Lineman's Pliers



1000volt

SHOP

328 **Combination Pliers. Insulation According to VDE 0682/ part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, up to 1000 volt. Individually Tested. DIN ISO 5746** Extra long cutting edge for flat & round cables. Serrated jaws. Cutting edges additionally induction hardened to approx. 64HRC. Special CV tool steel forgings, Chrome finish. Use for gripping and holding as well as cutting soft and hard wires and cables. Two component soft grip ergonomic handles.

Item	Cutting Capacity				
No.	mm	Inch	Copper AWG	Pkg.	wt.
32814	160	6.3	#10	1	.53
32816	180	7.0	#9	1	.58
32818	200	8.0	#8	1	.72

Insulated Diagonal Cutters



64HRC
cutting edges

1000volt

SHOP

328 **Diagonal Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, up to 1000 volt. Individually Tested. DIN ISO 5749** Low wear lap joint, riveted and able to withstand high levels of load. Lightweight action, clean cutting. Long term cutting is achieved through additional inductive hardening to approx. 60 HRC. Special tool steel hardened and tempered. For soft & medium hard wire. 32832 & 32834 for soft, hard & piano wire.

Item	Cutting Capacity				
No.	mm	Inch	Copper AWG	Pkg.	wt.
32830	140	5.5	#6	1	.47
32832	160	6.3	#6	1	.49
32834	180	7.0	#6	1	.62

Insulated High Leverage Diagonal Cutters



New dynamic joint provides 40% easier cuts and significantly longer tool life

1000volt

SHOP

328 **High Leverage Diagonal Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, up to 1000 volt. Individually Tested. DIN ISO 5749** Semi-circular. Low wear lap joint, riveted and able to withstand high levels of load. Lightweight action, clean cutting. Long term cutting is achieved through additional inductive hardening to approx. 64HRC. C 60 special tool steel hardened and tempered to high quality. For soft, hard and piano wire, lay-on joint, optimized power transmission.

Item	Cutting Capacity				
No.	mm	Inch	Copper AWG	Pkg.	wt.
32835	160	6.3	#6	1	.64
32836	180	7.0	#5	1	.67
32838	200	8.0	#4	1	.80

Insulated Electrician's Diagonal Cutters

Strips AWG
#10 & #14



1000volt

SHOP

32861 **Diagonal Cutters W/Stripping Holes. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, up to 1000 volt. Individually Tested.** Drop-forged from special tool steel, cutters additionally induction hardened to approx. 64HRC, chrome-nickel plated, mirror-polished. Ergo comfort grip with slip guard. Holes in the cutting edge for stripping copper wire of Ø 1.5 and 2.5.

Item	Cutting Capacity				
No.	mm	Inch	Copper AWG	Pkg.	wt.
32861	160	6.3	#6	1	.55

Insulated Serrated Edge Cable Cutters



1000volt

SHOP

328 **Serrated Edge Cable Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E and CSA, up to 1000 Volt. Individually Tested.** Light, clean cutting ground precision cutting edges. Durable cutting is achieved through additional inductive hardening to approx. 64HRC. Special tool steel, hardened & tempered. For cutting of copper & aluminum cables without crushing.

Item						
No.	mm	Inch	Ø	mm2	Pkg.	lbs.
32826	160	6.3	16	50	1	.42
32828	200	8.0	20	60	1	.67

Insulated Crimping Pliers



SHOP

32841 **Insulated Crimping Pliers. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E and CSA, up to 1000 Volt. Individually Tested.** Semi-circular profiles for secure connection between end sleeve and conductor. Long life is achieved through additional induction hardening to 64HRC. CV 60 special tool steel hardened & tempered.

Item						
No.	mm	Inch	mm2	AWG	Pkg.	wt.
32841	180	7.0	0.25-2.5	6-30	1	.57

Insulated Long Nose Pliers



SHOP

328 **Long Nose Pliers With Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, up to 1000 volt. Individually Tested.** Drop-forged from special tool steel, cutters additionally induction hardened to approx. 64HRC, chrome-nickel plated, mirror-polished, ergonomic comfort grip with slip guard, half-round jaws, serrated gripping surface.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	wt.
32806	160	6.3	#10	1	.32
32808	200	8.0	#8	1	.42

Insulated Bent Nose Pliers

Angled 40°



SHOP

328 **Bent Nose Pliers With Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, up to 1000 volt. Individually Tested.**
Drop-forged from special tool steel, cutters additionally induction hardened to approx. 64HRC, chrome-nickel plated, mirror-polished. Ergonomic comfort grip with slip guard. Half-round jaws, serrated gripping surface, nose bent 40°.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	wt.
32804	200	8.0	#8	1	.43
32807	160	6.3	#10	1	.32

Round Nose Pliers



SHOP

32870 **Round Nose Pliers. Insulation According to VDE 0682/ part 01, EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, up to 1000 volt. Individually Tested.** Drop-forged from special tool steel, individually induction hardened, chrome and nickel plated, mirror-polished. Ergonomic comfort grip with slip guard. Serrated jaws.

Item				
No.	mm	Inch	Pkg.	wt.
32870	160	6.3	1	.34

Insulated Long Flat Nose Pliers



SHOP

32810 **Long Flat Nose Pliers. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, up to 1000 volt. Individually Tested. DIN ISO 5745**
Extra long head. Serrated Jaws are induction hardened. Special CV tool steel forgings, Chrome finish. Two component Soft Grip handles. Use for Gripping and right-angle bending of wires and sheet metal parts.

Item				
No.	mm	Inch	Pkg.	wt.
32810	160	6.3	1	.39

Insulated Stripping Pliers



SHOP

32860 **Stripping Pliers. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E and CSA, up to 1000 volt. Individually Tested.** Heavy duty forged, induction hardened cutting edges for even stripping of insulation. Drop-forged from special tool steel, chrome and nickel plated, mirror-polished. Spring and adjusting screw, for stripping up to Ø 5mm/#4 Awg.

Item			Stripping Capacity		
No.	mm	Inch	Copper AWG	Pkg.	wt.
32860	160	6.3	#8 - #28	1	.50

Wiha Canvas Pliers Holster

- Canvas holster with belt clip and belt loop
- Security pliers strap
- Screwdriver holder in the front

SHOP

91256 **Pliers Canvas Holster**

Item	Width		Height		
No.	Size		Size	lbs.	pkg.
91256	3.5	x	6.75	.15	1



Insulated Stripping Pliers



SHOP

1000Volt

10250 **Insulated Stripping Pliers. Insulation According to EN/IEC 60900, DIN ISO 8976, ASTM F-1505 & CSA Specification.** **Individually Tested.** Wide long head with ridged gripping surface, shears blade and firm wire stripping stations. Wire stripping stations 0.81 / 1.0 / 1.3 / 1.6 / 2.0 / 2.59mm, AWG 20 / 18 / 16 / 14 / 12 / 10.

Item No.	mm	Inch	Ø	AWG	Pkg.	lbs.
10250	160	6.3”	0.81-2.59	20-10	5	.26

Switch Cabinet Key



SHOP

21103 **Switch Cabinet Keys**

For applications with all common switch cabinets and locking systems. Diecast Zinc

Item No.	mm	Inch	Pkg.	lbs.
21103	76	3.0”	5	.22

Proturn Insulated Electrician’s Shears



SHOP

32951 **Proturn Insulated Electrician’s Shears**

Insulation meets VDE, ASTM F1505, EN/IEC 60900, CSA, NFPA 70E, OSHA Specifications. Made from stainless 420 grade steel

Item No.	mm	Inch	Pkg.	lbs.
32951	160	6.3	1	.22

Tools Meet 10,000 Volt Test Standards Rated to 1000Volt ac or 1500 Volt dc

SHOP


91230 **Inomic Canvas Holster**

Item No.	Width Size		Height Size	lbs.	pkg.
91230	4.0	x	4.5	.05	1

Holds any Inomic Pliers



Wiha Inomic 1000Volt Insulated Pliers



Award winning ergonomic design with head mounted at 23° angle to grip for reduced user fatigue

Each tool includes a convenient jaw lock & handle return spring

Heads drop forged CV premium tool steel



32850 32852 32854

Tools Meet 10,000 Volt Test Standards Rated to 1000 Volt ac or 1500 Volt dc

SHOP

1000volt

32850 **Inomic Combo Pliers. Insulation According to EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, up to 1000 volt.** **Individually Tested. DIN ISO 5749** Precision machined forged head. Induction hardened for longest tool life. Cross hatched flat jaw & deep cut radius jaws for secure gripping of the work piece. Cutting edges are matched for precise cutting action. Award winning ergonomic design with head mounted at 23° angle to grip for reduced user fatigue. Palm side of grip has molded soft panel for added comfort in prolonged use.

Item No.	mm	Inch	Cutting Capacity Copper AWG	Pkg.	lbs.
32850	180	7.0	#6	1	.46


32852 **Inomic Long Nose Pliers**

Item No.	mm	Inch	Cutting Capacity Copper AWG	Pkg.	lbs.
32852	160	6.3	#6	1	.43

32854 **Inomic Diagonal Cutters**

Item No.	mm	Inch	Cutting Capacity Copper AWG	Pkg.	lbs.
32854	160	6.3	#6	1	.41

Insulation Standards: EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA



SHOP

1000Volt

32859 **3 Pc. Insulated Inomic Pliers/Cutters Set**

Award winning ergonomic design with head mounted at 23° angle to grip for reduced user fatigue.



Three Holsters Included

Item# 32859 **Set Includes:** lbs. 1.45


32850 - Combo Pliers	32854 - Diagonal Cutters
32852 - Long Nose Pliers	91230 - Inomic Holster (Includes 3)

Insulated Industrial Pliers & Cutters

Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards

10,000 Volt tested
1000 Volt Rated

Industrial brushed finish



Induction hardened jaws and cutters to 60 HRC

Two component ergo cushion grip handles

1000V

Dynamic Joint

New dynamic joint provides 40% easier cuts & significantly longer tool life

Insulated Lineman's Pliers With Crimpers

64HRC cutting edges



Long life high performance dynamic 60/40 joint

1000volt

SHOP

32917 **Insulated Industrial Lineman's Pliers "5-In-1" Professional Design Insulation According to EN/IEC, ASTM, NFPA70E & CSA, up to 1000 volt. Individually Tested.** Deep cut radius conduit jaws for non-slip handling. Sure grip knurled & cross hatched flat jaw for non-slip griping. Extra long induction hardened precision matched cutting edges. Lower crimping jaw accepts most standard non-insulated electrical connectors. Large head with square anvil surface on each side. Premium CV tool steel forgings.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	wt.
32917	225	9.0	#4	1	.98

Insulated Long Nose Pliers With Cutters



1000volt

SHOP

329 **Insulated Industrial Long Nose Pliers With Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, up to 1000 volt. Individually Tested.** Drop-forged from special tool steel, cutters additionally induction hardened to approx. 64HRC, half-round jaws, serrated gripping surface. Industrial brushed finish. Ergonomic comfort grip with slip guard.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	wt.
32926	160	6.3	#10	1	.36
32923	200	8.0	#8	1	.46

Insulated Diagonal Cutters



Long life high performance dynamic 60/40 joint

1000volt

SHOP

329 **Insulated Industrial Diagonal Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, up to 1000 volt. Individually Tested. DIN ISO 5749** Low wear lap joint, riveted and able to withstand high levels of load. Lightweight action, clean cutting. Long term cutting is achieved through additional inductive hardening to approx. 64HRC. Special tool steel hardened & tempered. Industrial brushed finish. For soft, medium hard wire & piano wire.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	wt.
32933	160	6.3	#6	1	.64
32929	200	8.0	#6	1	.80

Insulated Stripping Pliers



1000volt

SHOP

32947 **Insulated Industrial Stripping Pliers. Insulation According to VDE 0682/part 201, DIN 7437, EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, 1000 volt rated. Individually Tested. DIN ISO 5745** Made from Premium CV tool steel forgings. Induction hardened jaws and cutters to 64HRC. Industrial brushed finish. Two component ergo cushion grips for best user comfort. Spring & adjusting screw, for stripping up to Ø 5mm/#4 Awg.

Item			Stripping Capacity		
No.	mm	Inch	Copper AWG	Pkg.	wt.
32947	160	6.3	#8 - #28	1	.46

Insulated Combo Pliers With Dynamic Joint



Long life high performance dynamic 60/40 joint

SHOP

32930 **Insulated Industrial High Leverage Combination Pliers. Insulation According to EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, up to 1000 volt. Individually Tested. DIN ISO 5746**

Extra long cutting edge for flat and round cables. Serrated jaws. Cutting edges additionally induction hardened to approx. 64HRC. Use for gripping, pulling & holding as well as cutting wires and cables ranging in hardness from soft to extremely hard. Industrial brushed finish. Two component soft grip ergonomic handles.

Item			Cutting Capacity			
No.	mm	Inch	Copper AWG		Pkg.	wt.
32930	200	8.0	#4		1	.92

Insulated Heavy Duty Cable Cutters



1000volt

SHOP

32927 **Insulated Industrial Serrated Edge Cable Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E and CSA, up to 1000 Volt. Individually Tested.**

Light, clean cutting ground precision cutting edges. Durable cutting is achieved through additional inductive hardening to approx. 64HRC. Premium CV tool steel forgings. For cutting of copper & aluminum cables without crushing. Two component ergo cushion grips for best user comfort.

Item						
No.	mm	Inch	Ø	mm2	Pkg.	lbs.
32927	200	8.0	20	60	1	.78

Insulated Crimpers



1000volt

SHOP

32945 **Insulated Industrial Crimping Pliers. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E and CSA, up to 1000 Volt. Individually Tested.**

Semi-circular profiles for secure connection between end sleeve and conductor. Long life is achieved through additional induction hardening to 64HRC. Industrial brushed finish. Two component ergo cushion grips for best user comfort. Crimps 6 - 30 AWG Connectors.

Item						
No.	mm	Inch	mm2	AWG	Pkg.	wt.
32945	180	7.0	0.25-2.5	6-30	1	.64

Insulated Water Pump Pliers



1000volt


SHOP

32954 **Insulated Industrial Water Pump Pliers. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E and CSA, up to 1000 Volt. Individually Tested.**

10 opening settings provides optimal adjustment to objects being gripped. Long life achieved through additional induction hardening of jaws to approx. 62HRC. Chrome-vanadium tool steel forgings, hardened and tempered. Black finish.

Item			Capacities			
No.	mm	Inch	Round	Hex	Pkg.	wt.
32954	250	10.0	1 3/4	2	1	.90

Insulated Push Button Water Pump Pliers



1000volt

SHOP

32956 **Insulated Industrial Push Button Water Pump Pliers. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E and CSA, up to 1000 Volt. Individually Tested.** Extra narrow head for working in small spaces. Rapid and simple push button setting & locking. Long life achieved through additional induction hardening of jaws to approx. 62HRC. Finger jam protection for safe operation at all settings. CVM tool steel forgings, hardened & tempered.

Item			Capacities			
No.	mm	Inch	Round	Hex	Pkg.	wt.
32956	250	10.0	1 3/4	2”	1	.90

Wiha Insulated Industrial Tool Sets





SHOP

32982	3 Pc. Insulated Industrial Pliers/Cutters & Voltage Detector
Item No.	**Insulated Pliers/Cutters & Voltage Detector**
32982	6.3” Long Pliers, 6.3” Diagonal Cutters
	Voltage Detector with both light and sound alerts
	lbs. .98



Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards

Tool box set in blow molded tray

1000Volt

SHOP

32999	9 Piece Insulated Industrial Pliers & Cutters Set	
Insulated pliers & cutters set in a light weight tool box tray.		
Item No.	9.0” Lineman’s Pliers	8.0” High Lev. Combo Pliers
32999	6.3” Long Nose Pliers	8.0” Cable Cutters
	8.0” Long Nose Pliers	6.3” Stripping Pliers
lbs.	6.3” Diagonal Cutters	7.0” Crimping Pliers
6.34	8.0” Diagonal Cutters	

In Belt Pack Pouch




Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards

1000Volt

SHOP

32985	7 Pc. Insulated Industrial Pliers/Cutters & Screwdrivers
Item No.	**Insulated Pliers/Cutters & Screwdrivers**
32985	8.0” Combo Pliers, 6.3” Long Nose, 6.3” Diagonal Cutters
	Insulated Drivers: Slotted: 3.0, 4.5mm • Phillips: #1, #2
	lbs. 2.30

Wiha Insulated Tool Tray Sets



Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards



Tool box set in blow molded trays

1000Volt



Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards

Individually Tested

1000Volt

SHOP

32981	3 Pc. Insulated Industrial Pliers & Cutters
Item No.	**Insulated Pliers & Cutters**
32981	8.0” Combo Pliers, 8.0” Long Pliers, 8.0” Diagonal Cutters
	lbs. 2.18



Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards

Individually Tested

1000Volt

SHOP

32983	5 Pc. Insulated Industrial Diagonal Cutters & Screwdrivers
Item No.	**Insulated Diagonal Cutters & Screwdrivers**
32983	6.3”/160mm Diagonal Cutter
	Insulated Drivers: Slotted: 3.0, 4.5mm • Phillips: #1, #2
	lbs. 1.17



Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards

Individually Tested

1000Volt

SHOP

32984	6 Pc. Insulated Industrial Combo Pliers & Screwdrivers
Item No.	**Insulated Combination Pliers & Screwdrivers**
32984	8.0” Combination Pliers & 8” Long Nose Pliers
	Drivers: Slotted: 3.0, 4.5mm • Phillips: #2 • Square: #2
	lbs. 2.06

32989	28 Piece Insulated Industrial Pliers & Cutters Set	
Insulated pliers & cutters set in a light weight tool box tray.		
Item No.	**Set Includes:**	lbs.
32989	9.0” Lineman’s Pliers	6.34
	8.0” High Leverage Combo Pliers	
	6.3” & 8.0” Long Nose Pliers	
	8.0” Cable Cutters	
	6.3” & 8.0” Diagonal Cutters	
	6.3” Stripping Pliers	SHOP
	7.0” Crimping Pliers	
	Slotted: 2.5, 3.0, 3.5, 4.0, 4.5, 5.5, 6.0, 6.5, 8.0, 10.0mm	
	Phillips: #0, #1, #2, #3	
	Xeno Slotted/Phillips: #1, #2 & Square: #1, #2	
	Voltage Detector 3.0mm 110-225Volts	

Wiha Insulated Industrial Tool Sets

In Roll Out Pouch



1000Volt

SHOP

32986 **11 Pc. Pliers & Screwdriver Set. Insulation According to VDE 0682/part 201, DIN EN 60900, EN/IEC 60900, ASTM F-1505-01, NFPA70E, up to 1000 volt. Individually Tested.** In Roll Out Pouch

Item# 32986	**Set Includes:**	lbs. 3.62
6.3” Long Nose Pliers	6.3” Diagonal Cutters	
8.0” Combination Pliers	6.3” Stripping Pliers	
Insulated Slotted: 3.0, 4.5, 5.5mm		
Insulated Phillips: #1, #2	Insulated Square: #1, #2	

In Roll Out Pouch



1000Volt

SHOP

32987 **8 Pc. Pliers & Cutters Set. Insulation According to VDE 0682/part 201, DIN EN 60900, EN/IEC 60900, ASTM F-1505-01, NFPA70E, up to 1000 volt. Individually Tested.** In Roll Out Pouch

Item# 32987	**Set Includes:**	lbs. 5.52
6.3” Long Nose Pliers	6.3” Diagonal Cutters	
8.0” Long Nose Pliers	8.0” H.D. Diagonal Cutters	
9.0” Lineman’s w/Cutters	6.3” Stripping Pliers	
8.0” Cable Cutters	7.0” Crimpers	

1000Volt




In Roll Out Pouches

SHOP

32988 **22 Pc. Pliers & Cutters Set. Insulation According to VDE 0682/part 201, DIN EN 60900, EN/IEC 60900, ASTM F-1505-01, NFPA70E, up to 1000 volt. Individually Tested.** In Roll Out Pouches

Item#32988	**Set Includes:**	lbs. 5.74
8.0” Long Nose Pliers	6.3” Diagonal Cutters	
9.0” Lineman’s w/Cutters	8.0” H.D. Diagonal Cutters	
8.0” Cable Cutters	6.3” Stripping Pliers	
7.0” Crimping Pliers		
15 Pc. *SlimLine* Blade Set includes: Insulated *SlimLine* Blade Holder		
Slotted: 3.0, 4.0, 5.5, 6.5	Phillips: #1, #2	Xeno: #1, #2
TORX®: T8, T10, T15, T20	Square: #1, #2	



1000Volt

NEW

SHOP

32973 **22 Pc. Pliers & Driver Set. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, up to 1000 volt. Individually Tested.** In molded tool box

Item# 32973	**Set Includes:**	lbs. 8.70
9.0” Linemans Pliers W/Cutters	8.0” Long Nose Pliers W/Cutter	
8.0” Diagonal Cutters	50mm Cable Stripping Knife	
Insulated Slim Phillips #1, 2	Insulated Slim Slotted 3.5, 4.5mm	
Insulated Slim Xeno #1, 2	Insulated Slim Square #1, 2	
Insulated T-handle Hex Inch: 5/32, 3/16, 7/32, 1/4, 5/16, 3/8”		
Insulated Inch Nut Drivers: 3/8, 7/16, 1/4, 5/16”		



NEW

Now in canvas tool bag

1000Volt

SHOP

32390 **11 Pc. Pliers & Driver Set. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, up to 1000 volt. Individually Tested.** In canvas tool bag

Item# 32390	**Set Includes:**	lbs. 6.30
8.0” Linemans Pliers	6.3” Long Nose Pliers W/Cutter	
8.0” Long Nose Pliers W/Cutter	6.3” Diagonal Cutter	
8.0” High Leverage Cutter		
Insulated Phillips #0, 1, 2	Insulated Slotted 3.0, 4.5, 6.5mm	



NEW

1000Volt

SHOP

32399 **10 Pc. Pliers & Driver Set. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, up to 1000 volt. Individually Tested.** In canvas zipper pouch

Item# 32399	**Set Includes:**	lbs. 5.74
8.0” Linemans Pliers	8.0” Long Nose Pliers W/Cutter	
8.0” Diagonal Cutter	6.3” Wire Stripper	
10.0” Adjustable Pliers		
Insulated Phillips #1, 2	Insulated Slotted 3.0, 4.5, 6.5mm	

Numerical Index by Item Number

Item No.	Page
10250	37
11625	15
11630	15
11950	15
11960	16
11975	16
11980	16
12326	14
12327	13
12851	10
12852	13
12853	15
12854	11
12855	11
12856	13
12857	13
12858	15
12859	15
13650	9
13651	9
13652	9
13653	9
13654	9
13655	9
13656	9
13657	9
13658	9
13659	9
13662	9
13663	9
13664	9
13665	9
13666	9
13667	9
13668	9
13669	9
13670	9
13671	9
13672	9
13673	9
13690	9
13691	9
13693	9
13694	9
15000	8
15003	8
15050	8
19767	15
20006	5
20007	5
20008	5
20009	5
20010	5
20011	5
20012	5
20013	5
20014	5
20015	5
20016	5
20017	5
20018	5
20019	5
20020	5
20022	5
20024	5
20027	5
20030	5
20032	5
20091	4
20093	4
20131	5
20133	5
20135	5
20136	5
20137	5
20138	5
20140	5
20141	5
20142	5
20144	5
20145	5
20146	5
20147	5
20148	5
20149	5
20151	5
20154	5
20190	4
20192	4
20194	5
20196	5
21008	7
21009	7
21010	7
21011	7
21012	7
21013	7
21014	7
21015	7
21017	7
21019	7
21020	7
21022	7
21024	7
21027	7
21030	7
21032	7
21040	7
21042	7
21044	7
21046	7
21048	7
21050	7
21052	7
21054	7
21056	7
21057	7
21058	7
21060	7
21062	7
21064	7
21066	7
21068	7
21093	7
21094	7
21095	7
21096	7
21103	37
21208	6
21210	6
21212	6
21213	6
21214	6
21217	6
21219	6
21290	6
21325	6
21327	6
21329	6
21331	6
21333	6
21335	6
21391	6
25500	27
25511	27
28301	19
28308	19
28309	19
28312	19
28315	19
28317	19
28319	19
28327	20
28329	20
28339	20
28340	20
28341	20
28342	20
28346	20
28347	20
28350	18
28390	20
28391	20
28724	18
28726	18
28727	18
28734	18
28736	18
28737	18
28791	18
28792	18
29006	11
29009	13
29012	15
29240	15
29250	15
30700	26
30701	26
30746	21
30747	21
31326	10
31327	10
31328	10
31329	10
31330	10
31331	10
31332	10
31333	10
31334	10
31335	10
31336	10
31337	10
31338	10
31339	10
31340	10
31341	10
31342	10
31343	10
31344	10
31345	10
31390	11
31391	11
31394	11
31395	11
31425	12
31428	12
31429	12
31430	12
31431	12
31432	12
31433	12
31434	12
31435	12
31436	12
31437	12
31438	12
31439	12
31491	12
31493	12
31495	13
31496	13
31506	12
31507	12
31508	12
31509	12
31510	12
31511	12
31512	12
31513	12
31514	12
31515	12
31516	12
31517	12
31518	12
31519	12
31520	12
31521	12
31522	12
31524	12
31590	12
31592	13
31595	13
31608	14
31609	14
31610	14
31611	14
31612	14
31613	14
31614	14
31615	14
31616	14
31617	14
31618	14
31619	14
31620	14
31621	14
31622	14
31623	14
31624	14
31626	14
31627	14
31628	14
31630	14
31632	14
31691	14

Item No.	Page
31703	14
31704	14
31705	14
31707	14
31708	14
31709	14
31710	14
31712	14
31713	14
31714	14
31715	14
31716	14
31718	14
31720	14
31722	14
31790	14
31805	10
31807	10
31809	10
31811	10
31813	10
31815	10
31817	10
31890	10
32005	23
32010	23
32012	23
32015	23
32017	23
32023	23
32024	23
32025	23
32026	23
32027	23
32028	23
32031	23
32034	23
32039	23
32042	23
32045	23
32046	21
32049	21
32052	21
32055	21
32058	21
32090	23
32091	23
32092	23
32093	24
32094	24
32095	24
32100	23
32101	23

Item No.	Page
32102	23
32103	23
32104	23
32145	21
32146	21
32188	23
32189	22
32190	24
32196	22
32197	22
32198	22
32206	25
32209	25
32212	25
32215	25
32218	25
32221	25
32224	25
32227	25
32230	25
32233	25
32236	25
32238	25
32239	25
32240	25
32241	25
32255	25
32258	25
32261	25
32264	25
32267	25
32268	25
32270	25
32273	25
32276	25
32278	25
32280	25
32288	26
32291	25
32292	25
32293	25
32294	25
32296	25
32302	24
32303	24
32304	24
32305	24
32306	24
32308	24
32366	24
32390	41
32399	41
32505	26

Item No.	Page
32511	26
32516	26
32521	26
32526	26
32531	26
32536	26
32541	26
32546	26
32551	26
32556	26
32561	26
32590	26
32592	26
32800	29
32804	36
32806	36
32807	36
32808	36
32810	36
32814	34
32816	34
32818	34
32820	34
32821	34
32826	35
32828	35
32830	35
32832	35
32834	35
32835	35
32836	35
32838	35
32841	35
32850	37
32852	37
32854	37
32859	37
32860	36
32861	35
32867	33
32868	33
32869	33
32870	36
32871	28
32872	28
32873	28
32874	31
32875	28
32876	30
32877	30
32878	31
32879	31
32888	32

Item No.	Page
32889	33
32891	32
32892	32
32894	32
32895	32
32896	31
32917	38
32923	38
32926	38
32927	39
32929	38
32930	39
32933	38
32945	39
32947	38
32951	37
32954	39
32956	39
32973	41
32981	40
32982	40
32983	40
32984	40
32985	40
32986	41
32987	41
32988	41
32989	40
32999	40
33441	17
33443	17
33445	17
33447	17
33449	17
33478	17
33481	17
33482	17
33483	17
33485	17
33486	17
33487	17
33490	17
33632	17
33634	17
33637	17
33641	17
35811	24
35812	24
35844	21
35845	21
35890	24
35891	24
38006	18

Item No.	Page
38007	18
38016	27
38017	27
38018	27
38025	18
40800	15
75205	16
75210	16
75215	16
75220	16
75302	16
75304	16
76208	8
76210	8
76212	8
76215	8
76290	8
91230	37
91256	36

(800) 494-6104
fax: (800) 494-7456
email: cservice@wihatools.com
www.wihatools.com

SEE OUR GREAT WEB SPECIALS!

wiha Premium Tools



Insulation Test




Cold Impact Test



Material Integrity Test



Puncture Test



Flame Resistance Test



Adhesion Test

Subject to change without notice

©2014 Willi Hahn Corporation

®Torx is a registered trademark of Acument Intellectual Properties LLC.

Catalog Item No. 99919.wo
version - 5/15/14

Wiha Quality Tools
1348 Dundas Circle
Monticello, MN 55362
tel: 763.295.6591
fax: 763.295.6598

Wiha Tools Canada Ltd.
www.wihatools.ca
Brampton, ONT L6T 4X4
tel: 866.494.0096 or 763.295.6591
fax: 763.295.6598

To:



99951.wo - Bits Catalog



99004.wo - Shop Tools Catalog



99914.wo - TORX Catalog



99002.wo - Screwdrivers Catalog



91330.wo - Tooling Catalog



99001.wo - TorqueControl Catalog



99934.wo - Hex Tools Catalog



99006.wo - Tech Tools Catalog



99945.wo - ESD Catalog



99977.wo - Pliers/Crimpers Catalog


2014

wiha
Premium Tools

Professional TORX® Tools



Complete TORX® Program





wiha Premium Tools

Toll Free: (800) 494-6104

Torx® Index

DESCRIPTION	Page
SoftFinish® Cushion Grip	5
ESD Safe SoftFinish® Cushion Grip	6
Insulated Cushion Grip	7
Powerhandle	7
Stainless Steel Cushion Grip	7
MicroFinish Non-Slip Grip	8
Proturn	9
3K Series	10
Drive-Loc VI Blades	11
T-handle & ComfortGrip	12-13
L-Keys	13-14
Offset Screwdrivers	14
PocketStar Fold Outs	15
Wing Handle	16
Flag Handle	16
TorqueControl Blades	24
Precision Tools	
ESD Safe	26
Standard	27
PicoFinish	27
SYSTEM 4 Micro Bits	28
SYSTEM 4 Blades	29
Bit Sets	31
Insert & Power Bits	34-36
Bit Sockets & Sets	39-41

* Standard TORX® are not for use in TORXPlus® fasteners

TorxPlus® Index

DESCRIPTION	Page
Wing Handle	18
Flag Handle	18
PocketStar Fold Outs	18
SoftFinish® Cushion Grip	19
T-handles	19
L-Keys Short/Long Arm	20
TorqueControl Blade	24
ESD Safe Precision	26
Bit-Selectors	31
Insert Bits	38
Power Bits	38
Bit Sockets & Sets	39,41


Ball End Torx® Index

DESCRIPTION	Page
SoftFinish Drivers Cushion Grip	17
L-Keys	17
Power Bits	17

Security Torx® Index

	DESCRIPTION	Page
	SoftFinish® Cushion Grip	6
	Drive-Loc VI Blades	11
	L-Keys	14
	PocketStar Fold Outs	15
	SYSTEM 4 Micro Bits	28
	Bit Sets	32
	Insert Bits - 1/4” & 5/16”	37
	Power Bits	37
	Bit Sockets	39,41

MagicSpring Screw Holding

	DESCRIPTION	Page
	SoftFinish® Screw Holding Cushion Grip	21
	PicoFinish Soft Grip Screw Holding	21
	L-keys Screw Holding	22
	Wing Handle Screw Holding	22
	TorqueControl Blades Screw Holding	24
	Power Bits	38

Wing/Flag & L-keys Index

	DESCRIPTION	Page
	L-Keys	13-14
	Offset Screwdrivers	14
	Wing Handle Torx®, TorxPlus® & MagicSpring	16,18,22
	Flag Handle Torx® & TorxPlus®	16,18

Screwdrivers Index

	DESCRIPTION	Page
	SoftFinish® CushionGrip Torx®, Security Torx®, TorxPlus®, MagicSpring	5-6,19,21
	ESD Safe SoftFinish® Cushion Grip - Torx®	6
	Insulated Cushion Grip - Torx®	7
	Powerhandle- Torx®	7
	Stainless Steel Cushion Grip - Torx®	7
	MicroFinish Non-Slip Grip - Torx®	8
	Proturn - Torx®	9
	3K Series - Torx®	10
	Offset Screwdrivers	14
	T-handle/ComfortGrip Torx® & TorxPlus®	12-15,19
	Precision Tools	
	ESD Safe	26
	Standard	27
	PicoFinish	27

Drive-Loc VI Interchangeable

	DESCRIPTION	Page
	Drive-Loc VI Handle SoftFinish® Cushion Grip	11
	Drive-Loc VI Handle ESD Safe Cushion Grip	11
	Drive-Loc VI Handle MicroFinish Non-Slip Grip	11
	Drive-Loc VI Blades Torx® / Security Torx®	11

Fold Outs Index

	DESCRIPTION	Page
	PocketStars Torx, Security Torx, TorxPlus	15,18

TorqueControl Index

DESCRIPTION	Page
TorqueVario Handle	23
Torx® / TorxPlus® Blades	23
Insulated Torque Tools	24
Easy Torque Tools	24
ESD Safe TorqueControl	24
ESD Safe Torx® Blades	24
T-handle Torque Tools	25
Interchangeable Blades For Torque T-handle	25
TorqueControl Sets	25

High Performance Bits Index

DESCRIPTION	Page
Torx® Dura Insert Bits Tungsten Carbide Coated	34
Torx® Diamond Bits	34
Torx® TiN Coated- Titanium	34

Standard Bits Index

DESCRIPTION	Page
Torx® Insert/Power Bits	35-36

Specialty Bits Index

DESCRIPTION	Page
Ball End Torx®	17,38
Torx® Align Bits Insert/Power Bits	36
Security Torx® Insert/Power Bits	37
TorxPlus® Bits Insert/Power Bits	38

Bit Sets Index

DESCRIPTION	Page
BitFlip Sets	30
Topra Bit Sets	30,32
Six-in-One Bit Sets	30,32
Bit Selector Sets	31-32
Power Bit Belt Packs	31-32
SYSTEM 4 Sets Micro Bits & Interchangeable Blades	28-29
XSelectors	31-32

See Bit Holders on Page 33

ESD Blade Set Index

DESCRIPTION	Page
Interchangeable Blade Set	6

Sockets Index

DESCRIPTION	Page
Torx® 1/4” Drive	39
Torx® 3/8” Drive	39
Torx® 3/8” - 5/16” Bits	39
Security Torx® 3/8”, 1/2”	39
External Torx® Sockets 1/4”, 3/8”, 1/2”	40
6” Bit Sockets 1/4” & 3/8” Drive	40
Bit Socket Sets	41

Wiha TORX® SoftFinish® Screwdrivers - Ergonomic Cushion Grip Handle



SHOP

362 **TORX® Screwdriver, With Wiha-SoftFinish® Handle**

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36264	T5	60	2.4	2.5	.098	164	6.5	.05	10
36266	T6	60	2.4	3.5	.139	164	6.5	.06	10
36268	T7	60	2.4	3.5	.139	164	6.5	.06	10
36270	T8	60	2.4	3.5	.139	164	6.5	.06	10
36272	T9	60	2.4	4.0	.157	171	6.7	.10	10
36274	T10	80	3.1	4.0	.157	191	7.5	.11	10
36276	T15	80	3.1	4.0	.157	191	7.5	.11	10
36278	T20	100	3.9	4.0	.157	211	8.3	.11	10
36280	T25	100	3.9	4.5	.177	211	8.3	.12	10
36282	T27	115	4.5	5.5	.216	233	9.2	.19	10
36284	T30	115	4.5	6.0	.236	233	9.2	.20	10
36286	T40	130	5.1	7.0	.275	254	10.0	.27	10
36288	T45	130	5.1	8.0	.315	254	10.0	.31	10





SHOP

36294 **Set 8 Pcs. TORX®** Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.		Size	mm		Size	mm	lbs.
36294	36266	T6	60	36278	T20	100	1.24
	36270	T8	60	36280	T25	100	
	36274	T10	80	36282	T27	115	
	36276	T15	80	36284	T30	115	



#36291



#36201

SHOP

36291 **Set 6 Pcs. TORX®**

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.		Size	mm		Size	mm	lbs.
36291	36266	T6	60	36272	T9	60	.77
	36268	T7	60	36274	T10	80	
	36270	T8	60	36276	T15	80	

36201 **Set 6 Pcs. TORX®**

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

SHOP

Item No.		Size	mm		Size	mm	lbs.
36201	36266	T6	60	36276	T15	80	.83
	36270	T8	60	36278	T20	100	
	36274	T10	80	36280	T25	100	



SHOP

36267 **Set 12 Pcs. TORX®** Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.		Size	mm		Size	mm	lbs.
36267	36264	T5	60	36276	T15	80	2.03
	36266	T6	60	36278	T20	100	
	36268	T7	60	36280	T25	100	
	36270	T8	60	36282	T27	115	
	36272	T9	60	36284	T30	115	
	36274	T10	80	36286	T40	130	

wiha Premium Tools

Wiha Security TORX® Drivers



SHOP

362 Security TORX® Screwdriver With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36269	T7s	60	2.4	3.5	.139	164	6.5	.06	10
36271	T8s	60	2.4	3.5	.139	164	6.5	.06	10
36273	T9s	60	2.4	4.0	.157	171	6.7	.10	10
36275	T10s	80	3.1	4.0	.157	191	7.5	.11	10
36277	T15s	80	3.1	4.0	.157	191	7.5	.11	10
36279	T20s	100	3.9	4.0	.157	211	8.3	.11	10
36281	T25s	100	3.9	4.5	.177	211	8.3	.11	10
36283	T27s	115	4.5	5.5	.216	233	9.2	.19	10
36285	T30s	115	4.5	6.0	.236	233	9.2	.20	10
36287	T40s	130	5.1	7.0	.275	254	10.0	.28	10



SHOP

36298 Set 7 Pcs. Security TORX®

Item No.		Size	mm		Size	mm	lbs.
36298	36269	T7s	60	36277	T15s	80	.95
	36271	T8s	60	36279	T20s	100	
	36273	T9s	60	36281	T25s	100	
	36275	T10s	80				



SHOP

36259 Set 10 Pcs. Security TORX®

Item No.		Size	mm		Size	mm	lbs.
36259	36269	T7s	60	36279	T20s	100	1.5
	36271	T8s	60	36281	T25s	100	
	36273	T9s	60	36283	T27s	115	
	36275	T10s	80	36285	T30s	115	
	36277	T15s	80	36287	T40s	130	

Wiha SoftFinish® ESD Safe Handle



D ESD Safe (10^6-10^9 Ohm)

SHOP

362 ESD Safe TORX® Driver, With Wiha-SoftFinish® Handle

DIN EN 61340-5-1/ 61340-5-2 Round blade, CVM steel, hardened, hard chromed. Offers protection against electrostatic discharge. Dissipative SoftFinish® cushion grip handle, multi-component.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36260	T3	60	2.4	3.5	.139	164	6.5	.06	10
36204	T4	60	2.4	3.5	.139	164	6.5	.06	10
36200	T5	60	2.4	3.5	.139	164	6.5	.06	10
36206	T6	60	2.4	3.5	.139	164	6.5	.06	10
36208	T8	60	2.4	3.5	.139	164	6.5	.06	10
36209	T9	60	2.4	4.0	.157	171	6.7	.10	10
36218	T10	80	3.1	4.0	.157	191	7.5	.11	10
36219	T15	80	3.1	4.0	.157	191	7.5	.11	10
36224	T20	100	3.9	4.0	.157	211	8.3	.11	10



D

SHOP

36289 Set 6 Pcs. ESD Safe TORX® Screwdrivers

Item No.		lbs.
36289	TORX: T6, T8, T9, T10, T15, T20	.81

Wiha Stainless Steel TORX® Screwdrivers



SHOP

376 TORX® Screwdriver, With Wiha-SoftFinish® Handle

High quality stainless steel. SoftFinish® cushion grip handle.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
37608	T8	60	2.4	4.0	.139	164	5.3	.09	10
37609	T9	60	2.4	4.0	.157	171	5.5	.11	10
37610	T10	80	3.1	4.0	.157	191	6.7	.11	10
37615	T15	80	3.1	4.0	.157	191	6.7	.11	10
37620	T20	100	3.9	4.0	.157	218	7.9	.16	10
37625	T25	100	3.9	4.5	.177	218	7.9	.17	10
37627	T27	115	4.5	5.5	.216	233	8.5	.20	10
37630	T30	115	4.5	6.0	.236	233	8.9	.21	10
37640	T40	130	5.1	7.0	.276	254	10.0	.24	10



SHOP

37690 Set 5 Pcs. Stainless Steel TORX® Screwdrivers

Item No.		lbs.
37690	TORX: T6, T8, T9, T10, T15, T20	.81

Wiha Insulated TORX® Screwdrivers



1000Volt

SHOP

325 **TORX® Screwdriver, With Wiha-SoftFinish® Handle**

Insulation According to ASTM F-1505-01, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E, up to 1000 Volt.

Individually Tested. Blade high alloy cvm steel, hardened, black finish. Insulation molded directly onto blade.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
32505	T5	60	2.4	164	6.5	.06	10
32511	T6	60	2.4	164	6.5	.06	10
32516	T7	60	2.4	164	6.5	.06	10
32521	T8	60	2.4	164	6.5	.06	10
32526	T9	60	2.4	164	6.5	.06	10
32531	T10	60	2.4	164	6.5	.06	10
32536	T15	80	3.1	191	7.5	.12	10
32541	T20	80	3.1	191	7.5	.12	10
32546	T25	80	3.1	198	7.8	.17	10
32551	T27	100	3.9	218	8.6	.20	10
32556	T30	100	3.9	218	8.6	.20	10
32561	T40	150	5.9	274	10.8	.30	10



1000Volt

SHOP

32590 **Set 6 Pcs. TORX®**

Item No.		Size	mm		Size	mm	lbs.
32590	32521	T8	60	32536	T15	80	.83
	32526	T9	60	32541	T20	80	
	32531	T10	60	32546	T25	80	



1000Volt

SHOP

32592 **Set 10 Pcs. TORX®**

Item No.		Size	mm		Size	mm	lbs.
32592	32511	T6	60	32536	T15	80	1.2
	32516	T7	60	32541	T20	80	
	32521	T8	60	32546	T25	80	
	32526	T9	60	32551	T27	100	
	32531	T10	60	32556	T30	100	

Wiha Powerhandle TORX® Made in Germany



SHOP

362 **TORX® Screwdriver, With Wiha-Powerhandle** CVM steel blade, hardened, hard chromed. Wiha-powerhandle cellulose-acetate.


Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36205	T5	50	2.0	2.5	.098	110	4.3	.03	10
36210	T6	50	2.0	3.5	.139	125	4.9	.06	10
36212	T7	50	2.0	3.5	.139	125	4.9	.06	10
36215	T8	60	2.4	3.5	.139	135	5.3	.06	10
36220	T9	60	2.4	4.0	.157	140	5.5	.09	10
36225	T10	80	3.1	4.0	.157	170	6.7	.13	10
36230	T15	80	3.1	4.0	.157	170	6.7	.13	10
36235	T20	100	3.9	4.0	.157	200	7.9	.17	10
36240	T25	100	3.9	4.5	.177	200	7.9	.18	10
36245	T27	115	4.5	5.5	.216	215	8.5	.20	10
36250	T30	115	4.5	6.0	.236	225	8.9	.28	10



SHOP

36292 **8 Pc. Set TORX® With Wiha-Powerhandle**

Item No.	Includes:	lbs.
36292	T6, T8, T10, T15, T20, T25, T27, T30	1.45



SHOP

36293 **6 Pc. Set TORX® With Wiha-Powerhandle**

Item No.	Includes:	lbs.
36293	T6, T7, T8, T9, T10, T15	.78

Wiha ESD Safe Interchangeable Blade Set



D

In Durable Pouch

SHOP

10893 **ESD Safe TORX® Interchangeable Blade Set**

5 Pc. Set Includes ESD Safe handle & 4 interchangeable blades.

Item No.	lbs.
10893	.75

TORX®: T6, T7, T8, T9, T10, T15, T20, T25

Wiha ESD Safe Handle

Wiha TORX® MicroFinish Handle Non-Slip Grip

Wiha MicroFinish handle has a patented non-slip surface - it won't peel, crack or deteriorate when exposed to petroleum solvents. Oil and moisture flow away from the handle surface for a powerful, non-slip grip. You get maximum force and comfort with dry, oily or wet hands.

Safe, high density material, eliminates risk of sharp objects becoming embedded in the handle

Blades are hardened & hard chromed

Exact fit precision ground tips



MicroFinish Handle with patented non-slip surface. Ergo handle shape for maximum comfort & exceptional torque transfer

Blade CVM, hardened & tempered tool steel, gives exceptional tool life, wear resistance & high torque performance



SHOP

527 TORX® Screwdriver, With Wiha-MicroFinish Handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant. Round blades.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
52711	T9	60	2.4	4.0	.157	171	6.7	.15	10
52713	T10	80	3.1	4.0	.157	191	7.5	.15	10
52716	T15	80	3.1	4.0	.157	191	7.5	.15	10
52719	T20	100	3.9	4.0	.157	211	8.3	.15	10
52722	T25	100	3.9	4.5	.177	211	8.3	.16	10
52726	T27	115	4.5	5.5	.216	233	9.2	.25	10
52729	T30	115	4.5	6.0	.236	233	9.2	.27	10
52732	T40	130	5.1	7.0	.275	254	10.0	.40	10



SHOP

52790 Set 5 Pcs. TORX®

Blade chrome-vanadium-molybdenum steel, hardened, round blades hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item No.		Size	mm		Size	mm	lbs.
52790	52713	T10	80	52722	T25	100	1.0
	52716	T15	80	52729	T30	115	
	52719	T20	100				





SHOP


52791 Set 8 Pcs. TORX®


Blade chrome-vanadium-molybdenum steel, hardened, round blades hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item No.		Size	mm		Size	mm	lbs.
52791	52711	T9	60	52722	T25	100	1.89
	52713	T10	80	52726	T27	115	
	52716	T15	80	52729	T30	115	
	52719	T20	100	52732	T40	130	

Wiha TORX® Proturn Screwdrivers




#45591


#45592

SHOP

45591 **Set 6 Pcs. TORX®**

Item No.	Size	mm	Size	mm	lbs.
45591	45506 T7	50	45521 T10	80	.72
	45511 T8	60	45526 T15	80	
	45516 T9	60	45531 T20	100	

45592 **Set 8 Pcs. TORX®**

Item No.	Size	mm	Size	mm	lbs.
45592	45511 T8	60	45531 T20	100	1.07
	45516 T9	60	45536 T25	100	
	45521 T10	80	45541 T27	115	
	45526 T15	80	45546 T30	115	

SHOP



SHOP

45589 **Set 14 Pcs. TORX®**

Item No.	Size	mm	Size	mm	lbs.
45589	45505 T6	50	45531 T20	100	2.2
	45506 T7	50	45536 T25	100	
	45511 T8	60	45541 T27	115	
	45516 T9	60	45546 T30	115	
	45521 T10	80	45551 T40	130	
	45522 T10	275	45556 T45	130	
	45526 T15	80	45561 T50	130	



SHOP

455 **TORX® Screwdriver, With Wiha-Proturn Handle**

Blade high alloy CVM steel, hardened, black finish. Molded on ergonomic Wiha-Proturn handle, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
45505	T6	50	2.0	3.5	.139	129	5.1	.05	10
45506	T7	50	2.0	3.5	.139	129	5.1	.05	10
45511	T8	60	2.4	3.5	.139	139	5.5	.06	10
45516	T9	60	2.4	4.0	.157	149	5.8	.08	10
45521	T10	80	3.1	4.0	.157	170	6.7	.10	10
45522	T10	275	10.8	4.0	.157	363	14.2	.13	10
45526	T15	80	3.1	4.0	.157	170	6.7	.10	10
45531	T20	100	3.9	4.0	.157	190	7.5	.11	10
45536	T25	100	3.9	4.5	.177	190	7.5	.11	10
45541	T27	115	4.5	5.5	.216	215	8.4	.11	10
45546	T30	115	4.5	6.0	.236	215	8.4	.20	10
45551	T40	130	5.1	7.0	.275	240	9.4	.28	10
45556	T45	130	5.1	8.0	.315	240	9.4	.27	10
45561	T50	130	5.1	9.0	.354	240	9.4	.31	10



SHOP

48400 **1/4" Bit Holding Screwdriver, With Wiha-Proturn Handle**

Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM steel, nickel-plated. Handle, molded on, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pcs.
48400	1/4	125	5.0	243	9.6	.24	10

Wiha TORX® 3K Series Drivers and Sets





SHOP

455 **TORX® Screwdriver, With Wiha-3K Series Handle**

Blade high alloy CVM steel, hardened, precision black tip.
Molded on ergonomic Wiha-3K Series handle, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
45504	T6	60	2.4	3.2	9/64	145	5.7	.06	10
45507	T7	60	2.4	3.5	9/64	129	5.1	.05	10
45508	T8	60	2.4	3.5	9/64	139	5.5	.06	10
45509	T9	60	2.4	4.0	5/32	149	5.8	.08	10
45510	T10	80	3.1	4.0	5/32	170	6.7	.10	10
45515	T15	80	3.1	4.0	5/32	190	7.5	.11	10
45520	T20	100	3.9	5.5	7/32	215	8.4	.11	10
45525	T25	100	3.9	6.0	1/4	215	8.4	.20	10
45527	T27	115	4.5	7.0	9/32	240	9.4	.28	10
45530	T30	115	4.5	6.0	1/4	233	9.1	.21	10
45540	T40	130	5.1	7.0	9/32	248	9.7	.25	10
45545	T45	130	5.1	8.0	5/16	249	9.8	.30	10
45550	T50	130	5.1	9.0	3/8	249	9.8	.33	10



SHOP

45593 **Set 5 Pcs. TORX® Blade CVM steel, hardened, precision black tip. Wiha-3k Ergo handle, cushion grip.**

Item No.	Size	mm	Size	mm	lbs.
45593	45508 T8	60	45520 T20	100	.86
	45510 T10	80	45525 T25	100	
	45515 T15	80			



SHOP

45598 **Set 6 Pcs. TORX® Blade CVM steel, hardened, precision black tip. Wiha-3k Ergo handle, cushion grip.**

Item No.	Size	mm	Size	mm	lbs.
45598	45504 T6	60	45509 T9	60	.88
	45507 T7	60	45510 T10	80	
	45508 T8	60	45515 T15	80	



SHOP

45595 **Set 8 Pcs. TORX® Wiha-3k Ergo handle, cushion grip.**

Item No.	Size	mm	Size	mm	lbs.
45595	45504 T8	60	45520 T20	100	1.36
	45509 T9	60	45525 T25	100	
	45510 T10	80	45527 T27	115	
	45515 T15	80	45530 T30	115	



SHOP

45597 **Set 11 Pcs. TORX® 3K Ergo Series Screwdriver Set**

Blade chrome-vanadium-molybdenum steel, hardened, precision black tip. Wiha-3k Ergo handle, cushion grip.

Item No.	Size	mm	Size	mm	lbs.
45597	45504 T6	60	45520 T20	100	1.72
	45507 T7	60	45525 T25	100	
	45508 T8	60	45527 T27	115	
	45509 T9	60	45530 T30	115	
	45510 T10	80	45540 T40	130	
	45515 T15	80			

Drive-Loc VI

For Adjustable Length Locking Blades



Locking mechanism allows blade length to be adjusted from 40mm-120mm. (1.7 to 4.7" In 1/8" increments)

Blades high quality CVM steel, hard chrome finish.

Ergonomic handles in ESD Safe, cushioned & non-slip grip.



SHOP

28488 Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

Advantages:

Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28488	6.0	115	4.5	36.0	1.41	.20



D

SHOP

28486 ESD Safe Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

Advantages:

Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange. Static Dissipative.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28486	6.0	115	4.5	36.0	1.41	.20



SHOP

28487 Drive-Loc VI MicroFinish Non-Slip Grip Handle

Wiha-MicroFinish handle, won't peel, crack or deteriorate when exposed to petroleum solvents. Ideal for Hex, TORX® & Nut Drivers.

Advantages:

Ergonomic handle shape for maximum comfort, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28487	6.0	115	4.5	36.0	1.41	.20



SHOP

281 TORX® Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish.

Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Size +	Size	lbs.	pkg.
28126	T6	T8	.09	1
28127	T7	T9	.09	1
28128	T10	T15	.10	1
28129	T20	T25	.10	1
28130	T30	T40	.10	1



SHOP

281 Security TORX® Drive-Loc VI Interchangeable Blade, high alloy CVM steel, through hardened, hard chrome finish.

Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Size +	Size	lbs.	pkg.
28132	T6s	T8s	.09	1
28133	T7s	T9s	.09	1
28134	T10s	T15s	.10	1
28135	T20s	T25s	.10	1
28136	T30s	T40s	.10	1



SHOP

28197 Drive-Loc VI Interchangeable Blade Set, 6 Pcs. In Durable Pouch Set includes Drive-Loc VI handle & 5 interchangeable blades.

Item	lbs.
No. 28197	.83

Security TORX®: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s & SoftFinish® Cushion Grip Blade Lock Handle



NEW

SHOP

28189 15Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch Set includes Drive-Loc VI handle & 14 interchangeable blades.

Item No. 28189 lbs. 1.28

Slotted: 3.5+4.5, 5.5+6.5 **Phillips:** 1+2 Security TORX®: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s **Hex Inch:** 3/32+7/64, 1/8+9/64, 5/32+3/16 **Hex Metric:** 2.0+2.5, 3.0+4.0, 5.0+6.0mm

Wiha SoftFinish® Cushion Grip Blade Lock Handle

Wiha Insulated *SlimLine* Tools

Insulation Test Standards:
Insulation according to EN/IEC 60900,
ASTM F-1505-01, VDE 0682/part 201,
DIN 7437, NFPA70E & CSA specification


Ideal for jobs where access is limited

Integrated *Slim* Insulation molded directly onto blade

Insulation does not exceed screw head diameter

High quality chrome vanadium steel, through-hardened

Wiha SlimTECHNOLOGY
Achieves blade diameters up to 33% narrower utilizing integrated insulation



1000Volt Rated
10,000Volt Tested



1000Volt


SHOP

28301 ***SlimLine*** **Blade Holder, With Wiha-SoftFinish® Handle**

Insulation According to VDE, ASTM F-1505-01 and EN/IEC 60900, NFPA70E & CSA, up to 1000 Volt.

Chrome-vanadium steel, through-hardened. Insulation molded directly onto blade. Quick release holder securely lock blades.
Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
28301	1/4"	50	2.0	160	6.3	.15	1



SHOP

283 **Insulated TORX® *SlimLine* Blades**

High quality CV steel, through hardened. *SlimLine* blades have up to 33% narrower insulation diameter then standard insulated tools.

Item No.	Size	mm	Slim Dia.	Working Length	Max Nm	Inch/ lbs.	lbs.	Pkg.
28339	T8	90	4.1	2.8"	1.3	11.5	.02	1
28340	T10	90	4.1	2.8"	3.8	33.7	.02	1
28341	T15	90	6.1	2.8"	5.5	48.8	.02	1
28342	T20	90	6.1	2.8"	5.5	48.8	.02	1

Wiha TORX® Soft Grip Dual Drive T-handle





SHOP

364 **Soft Grip TORX® T-handle**

Blade CVM steel, through hardened, satin chrome finish. Soft grips are molded on and include through the handle side torque drive.

Item No.	Size	mm	lbs.	pkg.
36480	T10	100	.08	10
36481	T15	100	.08	10
36482	T20	100	.13	10
36483	T25	150	.16	10
36484	T27	150	.19	10
36486	T30	150	.20	10
36487	T40	150	.24	10



SHOP

36497 **Set 7 Pcs. TORX® Soft Grip T-handles**

Item No.	Size	mm	Size	mm	lbs.
36497	36480 T10	100	36484 T27	150	1.53
	36481 T15	100	36486 T30	150	
	36482 T20	100	36487 T40	150	
	36483 T25	150			

Wiha TORX® T-handle



SHOP

364 **TORX® with Wiha T-handles**

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chrome finish. Wiha T-handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs	pkg.
36409	T9	100	3.9	4.0	5/32	80	3.1	.07	10
36410	T10	100	3.9	4.0	5/32	80	3.1	.07	10
36415	T15	100	3.9	4.0	5/32	80	3.1	.07	10
36417	T15	200	7.9	5.5	7/32	80	3.1	.13	10
36420	T20	100	3.9	4.0	5/32	100	3.9	.10	10
36422	T20	200	7.9	5.5	7/32	100	3.9	.17	10
36425	T25	100	3.9	4.0	5/32	100	3.9	.11	10
36427	T25	200	7.9	5.5	7/32	100	3.9	.17	10
36430	T27	100	3.9	5.5	7/32	100	3.9	.14	10
36432	T27	200	7.9	5.5	7/32	100	3.9	.17	10
36435	T30	100	3.9	7.9	6.0	100	3.9	.14	10
36437	T30	200	7.9	6.0	1/4	100	3.9	.19	10
36440	T40	100	3.9	7.0	9/32	100	3.9	.16	10
36442	T40	200	7.9	7.0	9/32	100	3.9	.23	10
36445	T45	150	5.9	8.0	5/16	120	4.7	.29	10
36450	T50	150	5.9	9.0	3/8	120	4.7	.30	10
36452	T50	250	9.8	9.0	3/8	120	4.7	.45	10



SHOP

36492 **TORX® T-handle Set, 7 Pc.**

Equipped with T9, T10, T15, T20, T25, T27, T30

Item No.	lbs.	pkg.
36492	1.24	1

36490 **TORX® T-handle Set, 7 Pc. In Metal Stand**

Equipped with T10, T15, T20, T25, T30, T40, T50

SHOP

Item No.	lbs.	pkg.
36490	2.65	1

- Blade high alloy CVM steel, hardened, hard chrome finish
- Wiha T-handle high quality plastic, impact resistant



SHOP

36494 **TORX® T-handle Set, 8 Pc. In Metal Stand**

Equipped with T9, T10, T15, T20, T25, T27, T30, T40

Item No.	lbs.	pkg.
36494	3.10	1

Wiha TORX® Short Arm L-keys



SHOP

363 **TORX® L-key, Short Arm**

High alloy chrome-vanadium-molybdenum steel, hardened, black finish.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
36305	T5	37	1.5	16	.6	.01	10
36306	T6	39	1.5	16	.6	.01	10
36307	T7	42	1.7	16	.6	.01	10
36308	T8	45	1.8	16	.6	.01	10
36309	T9	48	1.9	16	.6	.01	10
36310	T10	51	2.0	17	.7	.01	10
36315	T15	54	2.1	19	.7	.01	10
36320	T20	58	2.3	19	.7	.01	10
36325	T25	63	2.5	21	.8	.02	10
36327	T27	67	2.6	22	.9	.03	10
36330	T30	73	2.9	24	.9	.05	10
36340	T40	79	3.1	26	1.0	.06	10
36345	T45	82	3.2	28	1.1	.09	10
36350	T50	95	3.7	32	1.3	.13	10
36355	T55	108	4.3	35	1.4	.27	10
36360	T60	120	4.7	38	1.5	.40	10



36392 **TORX® Set, 7 Pc. In Plastic Holder**

SHOP

Equipped with T6, T7, T8, T9, T10, T15, T20

Item No.	lbs.	pkg.
36392	.10	1

36394 **TORX® Set, 9 Pc. In Plastic Holder**

SHOP

Equipped with T8, T9, T10, T15, T20, T25, T27, T30, T40

Item No.	lbs.	pkg.
36394	.30	1

36399 **TORX® Set, 16 Pc.**

SHOP

Equipped with T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45, T50, T55, T60

Item No.	lbs.	pkg.
36399	1.14	1

SHOP


36390 **TORX® Set, 9 Pc. In Metal Stand**

Equipped with T10, T15, T20, T25, T30, T40, T50, T55, T60

Item No.	lbs.	pkg.
36390	1.86	1



Wiha TORX® Long Arm L-keys



366 TORX® L-key, Long Arm

High alloy chrome-vanadium-molybdenum steel, hardened, black finish.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
36645	T5	71	2.8	12	.5	.06	10
36646	T6	78	3.1	13	.5	.07	10
36647	T7	87	3.4	16	.6	.10	10
36648	T8	99	3.9	18	.7	.13	10
36649	T9	106	4.2	18	.7	.17	10
36650	T10	118	4.6	21	.8	.23	10
36651	T15	131	5.2	23	.9	.33	10
36652	T20	144	5.7	25	1.0	.44	10
36653	T25	158	6.2	28	1.1	.65	10
36654	T27	169	6.7	30	1.2	.98	10
36655	T30	184	7.2	32	1.3	1.27	10
36659	T40	201	7.9	35	1.4	2.09	10
36660	T45	222	8.7	40	1.6	2.70	10
36661	T50	213	8.4	40	1.6	3.14	10



36699 Long Arm TORX® Set, 13 Pc. in Molded Holder Equipped with T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T50


Item No.	lbs.	pkg.
36699	1.13	1



36698 Long Arm TORX® Set, 10 Pc. In Molded Holder

Equipped with T6, T7, T8, T9, T10, T15, T20, T25, T27, T30

Item No.	lbs.	pkg.
36698	1.04	1



36694 26 Piece Combo Pack Long Arm TORX® And Hex Inch L-key Sets, In Pouch

Set includes: 36699-13pc set T5-T50 and 36991-13pc set .050 - 3/8"

Item No.	lbs.	pkg.
36694	2.13	1

Wiha ErgoStar Ball End TORX® Long L-keys



36689 ErgoStar TORX® Long Arm Set, 13 Pc. In Molded Holder

Equipped with T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45

Item No.	lbs.	pkg.
36689	1.08	1

Wiha Security TORX® L-keys



Security Torx® L-Keys

363 Security TORX® L-key, Short Arm

High alloy CVM steel, hardened, black finish.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
36321	T7s	42	1.7	16	.6	.01	10
36323	T8s	45	1.8	16	.6	.01	10
36326	T9s	48	1.9	16	.6	.01	10
36328	T10s	51	2.0	17	.7	.01	10
36329	T15s	54	2.1	19	.7	.01	10
36332	T20s	58	2.3	19	.7	.02	10
36335	T25s	63	2.5	21	.8	.02	10
36337	T27s	67	2.6	22	.9	.03	10
36339	T30s	73	2.9	24	.9	.04	10
36342	T40s	79	3.1	26	1.0	.06	10
36346	T45s	82	3.2	28	1.1	.09	10
36352	T50s	95	3.7	35	1.3	.13	10
36357	T55s	108	4.3	38	1.4	.27	10



Security Torx® L-Key Set

36393 Security TORX® Set, 9 Pcs. In Plastic Holder

Equipped with T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s

Item No.	lbs.	pkg.
36393	.30	1

Wiha Offset Screwdrivers



SHOP

207 **TORX® Offset Screwdriver With Molded Handle**

For working in confined spaces. Blade CVM special steel, hardened, black finish.

Item No.	Size	lbs.	pkg.
20756	T6 + T8	.02	1
20757	T7 + T9	.02	1
20758	T10 + T15	.02	1
20759	T20 + T25	.07	1
20760	T27 + T30	.10	1



SHOP

20799 **TORX® Offset Screwdriver Set, 5 Pcs.**

With Molded Handle Blade CVM special steel, hardened, black finish.

Item No.	Set Includes: T6+T8, T7+T9, T10+T15, T20+T25, T27+T30	lbs.	pkg.
20799		.24	1

Wiha PocketStar Fold Outs







Push button key release

Blade length range 1.68 - 1.94”

SHOP

36396 **TORX® PocketStar Fold Outs, 7 Pc. Set**

High alloy CVM steel, hardened, molded ergonomic handle. OAL 3.8”

Item No.		lbs.
36396	PocketStar	.22

TORX®: T7, T8, T9, T10, T15, T20, T25



Push button key release

Blade length range 1.68 - 1.94”

SHOP

36395 **Security TORX® PocketStar Fold Outs, 7 Pc. Set**

High alloy CVM steel, hardened, molded ergonomic handle. OAL 3.8”

Item No.		lbs.
36395	PocketStar	.22

TR TORX®: T7s, T8s, T9s, T10s, T15s, T20s, T25s



Push button key release

Blade length range 1.95 - 2.39”

SHOP

36398 **TORX® PocketStar Fold Outs, 8 Pc. Set**

High alloy CVM steel, hardened, molded ergonomic handle. OAL 4.74”

Item No.		lbs.
36398	PocketStar	.24

TORX®: T9, T10, T15, T20, T25, T27, T30, T40



Push button key release

Blade length range 1.95 - 2.39”

SHOP

36397 **Security TORX® PocketStar Fold Outs, 8 Pc. Set**

High alloy CVM steel, hardened, molded ergonomic handle. OAL 4.74”

Item No.		lbs.
36397	PocketStar	.24

TR TORX®: T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s

Wiha TORX® Tools



Ideal for use with indexable carbide tooling and also for working in confined spaces

SHOP

365 TORX® Screwdriver, With Wing Handle

Blade high alloy CVM steel, hardened, black finish.
Wing handle high quality plastic, impact resistant.

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36510	T6	35	1.4	70	2.7	40	1.6	.02	10
36512	T7	35	1.4	70	2.7	40	1.6	.02	10
36515	T8	40	1.6	75	2.9	40	1.6	.02	10
36520	T9	40	1.6	75	2.9	40	1.6	.02	10
36525	T10	40	1.6	75	2.9	40	1.6	.02	10
36530	T15	45	1.8	80	3.1	40	1.6	.02	10
36535	T20	45	1.8	80	3.1	40	1.6	.02	10



Ideal for use with indexable carbide tooling and also for working in confined spaces

SHOP

370 TORX® Screwdriver, With Flag Handle

Blade high alloy CVM steel, hardened, black finish.
Flag handle high quality plastic, impact resistant.

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
37013	T5	35	1.4	63	2.6	15.0	.75	.01	10
37016	T6	35	1.4	63	2.6	15.0	.75	.01	10
37019	T7	35	1.4	67	2.6	19.0	.75	.01	10
37022	T8	40	1.6	72	2.8	19.0	.75	.01	10
37026	T9	40	1.6	74	2.9	23.5	.93	.01	10
37029	T10	40	1.6	74	2.9	23.5	.93	.01	10
37032	T15	45	1.8	80	3.1	28.0	1.10	.02	10
37036	T20	45	1.8	80	3.1	28.0	1.10	.02	10



SHOP

36591 Wing Handle TORX® Set, 7 Pc.

Set includes: T6, T7, T8, T9, T10, T15, T20 wt. .16



SHOP

37091 Flag Handle TORX® Set, 7 Pc.


Set includes: T6, T7, T8, T9, T10, T15, T20 wt. .14



SHOP

36590 Wing Handle TORX® Set, 7 Pc. In Metal Stand

Set includes: T6, T7, T8, T9, T10, T15, T20 wt. .32



SHOP

37090 Flag Handle TORX® Set, 7 Pc. In Metal Stand

Set includes: T6, T7, T8, T9, T10, T15, T20 wt. .31

Wiha Ball End TORX® Screwdrivers

- Ball End For 25° Angle Driving
- Precision Machined Exact Fit Tips
- Through Hardened For Maximum Durability
- WIHA High Performance CRM-72 Tool Steel
- Guaranteed Quality Made By Wiha



362 **Ball End TORX® Screwdriver, With Wiha-SoftFinish® Handle**

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36216	T9	60	2.4	4.0	.157	164	6.5	.10	10
36217	T10	60	2.4	4.0	.157	184	7.2	.11	10
36221	T15	80	3.1	4.0	.157	191	7.5	.11	10
36222	T20	80	3.1	4.0	.157	211	8.3	.11	10
36226	T25	100	3.9	4.5	.177	218	8.6	.12	10
36227	T27	115	4.5	5.5	.216	233	9.2	.19	10
36236	T30	115	4.5	6.0	.236	233	9.2	.20	10



36237 **Set 7 Pcs. TORX®** Blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item							
No.		Size	mm		Size	mm	lbs.
36237	36216	T9	60	36226	T25	100	1.24
	36217	T10	60	36227	T27	115	
	36221	T15	80	36236	T30	115	
	36222	T20	80				

Wiha Ball End TORX® L-keys



366 **Ball End TORX® L-key, Long Arm**

High alloy chrome-vanadium-molybdenum steel, hardened, black finish.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
36631	T9	111	4.4	21	.83	.17	10
36632	T10	121	4.8	23	.91	.23	10
36633	T15	136	5.4	27	1.1	.33	10
36634	T20	148	5.8	29	1.1	.44	10
36635	T25	163	6.4	33	1.3	.65	10
36636	T27	176	6.9	36	1.4	.98	10
36637	T30	191	7.5	38	1.5	1.27	10
36638	T40	210	8.3	43	1.7	2.09	10
36639	T45	232	9.1	50	2.0	2.34	10



36692 **Ball End TORX® L-key Set, 8 Pc. in Plastic Holder**

Equipped with T9, T10, T15, T20, T25, T27, T30, T40

Item		
No.	lbs.	pkg.
36692	6.16	1

Wiha Ball End TORX® Power Bits



745 **Ball End TORX® Power Bits** 1/4" Hex Drive, Length 2.0"/50mm

Item				
No.	Size	mm	pkg.	lbs.
74524	T9	50	10	.18
74526	T10	50	10	.18
74528	T15	50	10	.18
74532	T20	50	10	.18
74534	T25	50	10	.18
74537	T27	50	10	.18
74539	T30	50	10	.18
74541	T40	50	10	.18

2 bit pack




745 **Ball End TORX® Power Bit Packs, 1"**

Item			
No.	Size	mm	lbs.
74505	T9	50	.05
74520	T10	50	.05
74522	T15	50	.05
74543	T20	50	.05
74545	T25	50	.06
74547	T27	50	.06
74549	T30	50	.08
74550	T40	50	.08

The TORXPlus® Advantage

The TorxPlus® Drive System offers 100% improvement in driver bit fatigue & 25% average improvement in driver bit torsional strength. In addition its unique design provides optimum torque transfer & eliminates the need for excessive end load pressure while driving the fastener. The TorxPlus® configuration also virtually eliminates tool "camout" & slippage that can damage the head of the fastener and cause reduced tool life.





- Broad Surface For Driving
- Features 0° Drive Angle Between The Fastener & Driver
- Greater Engagement Depth

Wiha PocketStar Fold Out



Push button key release

SHOP

36697 TORXPlus® PocketStar Fold Outs, 8 Pc. Set

High alloy CVM steel, hardened, molded ergonomic handle.

Item No.		lbs.
36697	PocketStar	.31

TORXPlus®: IP6, IP7, IP8, IP9, IP10, IP15, IP20, IP25

SHOP

36592 TORXPlus® 7 Pc. Wing Handle

Set In Metal Stand

Equipped with IP6, IP7, IP8, IP9, IP10, IP15, IP20

Item No.	lbs.	pkg.
36592	.38	1



Wiha TORXPlus® Tools

TORXPlus®



Not for use in standard Torx fasteners



#37092

SHOP

370 TORXPlus® Screwdriver, With Flag Handle

Ideal for use with indexable carbide tooling and also for working in confined spaces. Blade high alloy CVM steel, hardened, black finish. Flag handle high quality plastic, impact resistant.


Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
37040	IP5	35	1.4	63	2.6	15.0	.75	.01	10
37042	IP6	35	1.4	63	2.6	15.0	.75	.01	10
37044	IP7	35	1.4	67	2.6	19.0	.75	.01	10
37046	IP8	40	1.6	72	2.8	19.0	.75	.01	10
37048	IP9	40	1.6	74	2.9	23.5	.93	.01	10
37050	IP10	40	1.6	74	2.9	23.5	.93	.01	10
37052	IP15	45	1.8	80	3.1	28.0	1.10	.02	10
37054	IP20	45	1.8	80	3.1	28.0	1.10	.02	10

37092 Flag Handle TORXPlus® Set, 7 Pc. in Metal Stand

Set includes: wt. .31

IP6, IP7, IP8, IP9, IP10, IP15, IP20

TORXPlus®



Not for use in standard Torx fasteners

SHOP

365 TORXPlus® Screwdriver, With Wing Handle

Blade high alloy CVM steel, hardened, black finish. Wing handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36540	IP5	35	1.4	70	2.7	40	1.6	.02	10
36542	IP6	35	1.4	70	2.7	40	1.6	.02	10
36544	IP7	35	1.4	70	2.7	40	1.6	.02	10
36546	IP8	40	1.6	75	3.0	40	1.6	.02	10
36548	IP9	40	1.6	75	3.0	40	1.6	.02	10
36550	IP10	40	1.6	75	3.0	40	1.6	.02	10
36552	IP15	45	1.8	80	3.1	40	1.6	.02	10
36554	IP20	45	1.8	80	3.1	40	1.6	.02	10

Wiha TORXPlus® Cushion Grip Drivers



Not for use in standard Torx fasteners

SHOP

362 TORXPlus® Screwdriver With Wiha SoftFinish Handle

Round blade high alloy Chrome-vanadium-molybdenum tool steel, hardened, hard chromed. Wiha-Chromtop finish on tips.

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36211	IP6	60	2.4	3.5	.139	164	6.5	.06	10
36223	IP7	60	2.4	3.5	.139	164	6.5	.06	10
36228	IP8	60	2.4	4.0	.157	171	6.7	.10	10
36229	IP9	60	2.4	4.0	.157	171	6.7	.11	10
36233	IP10	80	3.1	4.0	.157	191	7.5	.11	10
36238	IP15	80	3.1	4.0	.157	191	7.5	.11	10
36239	IP20	100	3.9	4.5	.177	211	8.3	.11	10
36243	IP25	100	3.9	5.5	.216	211	8.3	.19	10
36248	IP27	115	4.5	6.0	.236	233	9.2	.20	10
36253	IP30	115	4.5	7.0	.275	233	9.2	.28	10
36255	IP40	130	5.1	7.0	.275	254	10.0	.28	10



SHOP

36299 Set 7 Pcs. TORXPlus® Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish handle, multi-component.

Item						
No.	Size	mm		Size	mm	lbs.
36299	36228 IP8	60	36243	IP25	100	1.23
	36233 IP10	80	36253	IP30	115	
	36238 IP15	80	36255	IP40	130	
	36239 IP20	100				



SHOP

36296 Set 6 Pcs. TORXPlus®

Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish handle, multi-component.

Item						
No.	Size	mm		Size	mm	lbs.
36296	36211 IP6	60	36229	IP9	60	.72
	36213 IP7	60	36233	IP10	80	
	36228 IP8	60	36238	IP15	80	

Wiha T-handle TORXPlus®



Not for use in standard Torx fasteners

SHOP

364 TORXPlus® Screwdriver, With Wiha T-handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha T-handle high quality plastic, impact resistant.

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs	pkg.
36461	IP9	100	3.9	4.0	.157	80	3.1	.07	10
36463	IP10	100	3.9	4.0	.157	80	3.1	.07	10
36466	IP15	100	3.9	4.0	.157	80	3.1	.07	10
36469	IP20	100	3.9	4.0	.157	80	3.1	.10	10
36472	IP25	150	5.9	8.0	.315	120	4.7	.13	10
36474	IP27	150	5.9	8.0	.315	120	4.7	.14	10
36476	IP30	150	5.9	8.0	.315	120	4.7	.16	10
36478	IP40	150	5.9	8.0	.315	120	4.7	.20	10



SHOP

36496 Set 6 Pc. TORXPlus® T-handles

Blade CVM steel, hardened, hard chromed. Chromtop blade tips. Wiha T-handle high quality plastic, impact resistant.

Item						
No.	Size	mm		Size	mm	lbs.
36496	36463 IP10	100	36472	IP25	150	1.01
	36466 IP15	100	36474	IP27	150	
	36469 IP20	100	36476	IP30	150	

TORXPlus®

For Improved Torque and Longer Tool Life




Not for use in standard Torx fasteners

SHOP

361 TORXPlus® L-key, Short Arm

High alloy chrome-vanadium-molybdenum steel, hardened, black finish.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
36106	IP6	39	1.5	16	.6	.01	10
36107	IP7	42	1.7	16	.6	.01	10
36108	IP8	45	1.8	16	.6	.01	10
36109	IP9	48	1.9	16	.6	.01	10
36110	IP10	51	2.0	17	.7	.01	10
36115	IP15	55	2.2	19	.7	.01	10
36120	IP20	58	2.3	19	.7	.01	10
36125	IP25	63	2.5	21	.8	.01	10
36127	IP27	68	2.7	22	.9	.02	10
36130	IP30	73	2.9	24	.9	.03	10
36140	IP40	81	3.2	26	1.0	.05	10



Not for use in standard Torx fasteners

SHOP

366 TORXPlus® L-key, Long Arm

High alloy chrome-vanadium-molybdenum steel, hardened, black finish.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
36606	IP6	64	2.5	14	.6	.01	10
36607	IP7	68	2.7	14	.6	.01	10
36608	IP8	74	2.9	15	.6	.01	10
36609	IP9	78	3.1	16	.6	.01	10
36610	IP10	83	3.3	18	.7	.01	10
36615	IP15	88	3.5	18	.7	.02	10
36620	IP20	94	3.7	18	.7	.02	10
36625	IP25	98	3.9	19	.7	.03	10
36627	IP27	107	4.2	23	.9	.05	10
36630	IP30	114	4.5	24	.9	.06	10
36640	IP40	118	4.6	27	1.0	.09	10



SHOP

36197 TORXPlus® L-key, Short Arm, 7 Pc. Set In Holder

High alloy chrome-vanadium-molybdenum steel, hardened, black finish.

Item No.	lbs.	pkg.	Set includes the following L-keys:
36197	.10	1	IP6, IP7, IP8, IP9, IP10, IP15, IP20




SHOP

36690 TORXPlus® L-key, Long Arm, 7 Pc. Set In Holder

High alloy chrome-vanadium-molybdenum steel, hardened, black finish.

Item No.	lbs.	pkg.	Set includes the following L-keys:
36690	.22	1	IP6, IP7, IP8, IP9, IP10, IP15, IP20



SHOP

36199 TORXPlus® L-key, Short Arm, 9 Pc. Set In Holder

Item No.	lbs.	pkg.	Set includes the following L-keys:
36199	.30	1	IP8, IP9, IP10, IP15, IP20, IP25, IP27, IP30, IP40



SHOP

36691 TORXPlus® L-key, Long Arm, 9 Pc. Set In Holder

Item No.	lbs.	pkg.	Set includes the following L-keys:
36691	.35	1	IP8, IP9, IP10, IP15, IP20, IP25, IP27, IP30, IP40

Wiha MagicSpring TORX® Tools


- Laser welded assembly
- Holds screws securely
- Won't damage screws
- Doesn't weaken tool
- Exact fit tips
- Hardened tool steel blades
- Holds standard Torx screws*

Screw Holding TORX®



Stainless Rotary Spring

Laser Welded MagicSpring Assembly





SHOP

362 MagicSpring Screw Holding TORX® Driver, With Wiha-SoftFinish® Handle Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36202	T6	60	2.4	3.5	.139	164	6.5	.07	10
36203	T7	60	2.4	3.5	.139	164	6.5	.07	10
36207	T8	60	2.4	3.5	.139	164	6.5	.07	10
36234	T9	60	2.4	4.0	.157	171	6.7	.11	10
36244	T10	80	3.1	4.0	.157	191	7.5	.11	10
36249	T15	80	3.1	4.0	.157	191	7.5	.11	10
36254	T20	100	3.9	4.0	.157	211	8.3	.16	10
36256	T25	100	3.9	4.5	.177	211	8.3	.17	10
36257	T27	115	4.5	5.5	.216	233	9.2	.20	10
36258	T30	115	4.5	6.0	.236	233	9.2	.21	10



SHOP

267 MagicSpring Screw Holding TORX® Driver, With Wiha-Precision PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-Pico Finish precision handle, molded on, soft grips.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26721	T6	40	1.6	140	5.5	.03	10
26723	T7	40	1.6	140	5.5	.03	10
26725	T8	40	1.6	140	5.5	.03	10
26727	T9	50	2.0	150	5.9	.04	10
26729	T10	50	2.0	150	5.9	.04	10
26731	T15	60	2.4	160	6.3	.04	10



SHOP

36290 Set 6 Pcs. MagicSpring Screw Holding TORX® SoftFinish Screwdrivers Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips. Molded on.

Item No.		Size	mm		Size	mm	lbs.
36290	36207	T8	60	36254	T20	100	.98
	36244	T10	80	36256	T25	100	
	36249	T15	80	36258	T30	115	



SHOP

26798 Set 6 Pcs. MagicSpring Screw Holding TORX® Screwdriver, With Wiha-Precision PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-Pico Finish precision handle, molded on, soft grips.

Item No.		Size	mm		Size	mm	lbs.
26798	26721	T6	40	26727	T9	50	.45
	26723	T7	40	26729	T10	50	
	26725	T8	40	26731	T15	60	

*MagicSpring tools will hold Torx® screws made to CamCar Textron Torx® specifications

Wiha MagicSpring TORX® Tools



SHOP

371 MagicSpring Screw Holding TORX® L-key, Long Arm

High alloy chrome-vanadium-molybdenum steel, hardened, black finish.

Item No.	Size	mm	Inch	lbs.	pkg.
37106	T6	14	.55	.001	1
37107	T7	16	.63	.002	1
37108	T8	18	.71	.003	1
37109	T9	19	.75	.005	1
37110	T10	21	.83	.007	1
37115	T15	22	.87	.009	1
37120	T20	25	.98	.01	1
37125	T25	28	1.1	.02	1
37127	T27	30	1.2	.03	1
37130	T30	34	1.3	.04	1
37140	T40	36	1.4	.07	1



SHOP

37190 MagicSpring Long Arm Screw Holding TORX® Set, 7 Pc. in Plastic Holder Equipped with T6, T7, T8, T9, T10, T15, T20

Item No.	lbs.	pkg.
37190	.20	1



SHOP

37192 MagicSpring Long Arm Screw Holding TORX® Set, 10 Pc. in Plastic Holder

Equipped with T6, T7, T8, T9, T10, T15, T20, T25, T27, T30

Item No.	lbs.	pkg.
37192	.35	1


Wiha MagicSpring TORX® Tools



SHOP

365 MagicSpring Screw Holding TORX® driver, With Wing Handle Ideal for use with indexable carbide tooling and also for working in confined spaces. Blade high alloy CVM steel, hardened, black finish. Wing handle high quality plastic, impact resistant. Molded on.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36556	T6	35	1.4	70	2.7	40	1.6	.01	10
36557	T7	35	1.4	70	2.7	40	1.6	.02	10
36558	T8	40	1.6	75	3.0	40	1.6	.02	10
36559	T9	40	1.6	75	3.0	40	1.6	.02	10
36560	T10	40	1.6	75	3.0	40	1.6	.02	10
36561	T15	45	1.8	80	3.1	40	1.6	.02	10
36562	T20	45	1.8	80	3.1	40	1.6	.02	10



SHOP

36598 MagicSpring Screw Holding TORX® Wing Handle Set, 7 Pc. in Metal Stand

Equipped with T6, T7, T8, T9, T10, T15, T20 .36 lbs.




Screw Holding TORX® Tools

Wiha TorqueControl Screwdrivers

Molded cushion grip two component handles allow for maximum achievable torque to be reached with comfort

Precise repeatability! All TorqueVario tools are tested and comply with:
- **EN ISO 6798**
- **BS EN 26789**
- **ASME B107.14M**

Each tool has unique serial number and certificate of calibration



TorqueVario models include torque setting adjustment tool and Micro Bit holder

See 4mm Micro Bits on Page 28

Direct Reading Scale



+/-6% accuracy tolerance
Certificate of calibration

SHOP

285 Adjustable TorqueVario With Direct Reading Scale

EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle.

Item No.	Range Inch lbs.	Increments	mm	lbs.	pkg.
28501	15 - 80(in/oz)	2.5 Inch oz	122 - 127	.22	1
28502	5 - 10	.2 Inch lbs	122 - 127	.41	1
28504	7.5 - 20	.5 Inch lbs	126 - 131	.50	1
28506	10 - 50	2 Inch lbs	133 - 138	.59	1
28508	20 - 70	2 Inch lbs	137 - 142	.74	1

Above includes Micro Bit Holder 28583

See 4mm Micro Bits on Page 28

* +/- 10% (This unit only)



+/-6% accuracy tolerance
Certificate of calibration

SHOP

285 Adjustable TorqueVario-S Handle - In Newton Meter Scale

EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle.

Item No.	Newton Meter Scale	Increments	mm	lbs.	pkg.
28550	0.1 - 0.6Nm	.02 Nm	122 - 127	.35	1
28551	0.4 - 1.0Nm	.05 Nm	122 - 127	.35	1
28552	0.8 - 2.0Nm	.05 Nm	126 - 131	.45	1
28553	1.0 - 5.0Nm	.20 Nm	133 - 138	.55	1
28554	2.0 - 8.0Nm	.25 Nm	137 - 142	.70	1

* +/- 10% (This unit only)



285 TORX® Interchangeable Blades For TorqueFix & TorqueVario

TORX® tip blades on narrow 5/32 Hex shafts. High alloy chrome-vanadium-molybdenum steel, hardened, satin hard chrome finish.

Item No.	Size	mm	mm	lbs.	Max. Torque Nm	pkg.
28561	T5	175	4.0	.07	0.4	1
28562	T6	175	4.0	.07	0.6	1
28563	T7	175	4.0	.07	0.9	1
28564	T8	175	4.0	.07	1.3	1
28565	T9	175	4.0	.07	2.5	1
28566	T10	175	4.0	.07	3.5	1
28567	T15	175	4.0	.07	5.5	1
28568	T20	175	4.0	.07	8.0	1
28569	T25	175	4.0	.07	8.0	1

SHOP



285 TORXPlus® Blades For TorqueFix & TorqueVario

TORXPlus® tip blades on narrow 5/32 Hex shafts.

Item No.	Size	mm	mm	lbs.	Max. Torque Nm	pkg.
28571	IP5	175	4.0	.07	0.5	1
28572	IP6	175	4.0	.07	0.8	1
28573	IP7	175	4.0	.07	1.3	1
28574	IP8	175	4.0	.07	2.0	1
28575	IP9	175	4.0	.07	3.0	1
28576	IP10	175	4.0	.07	4.5	1
28577	IP15	175	4.0	.07	6.6	1
28578	IP20	175	4.0	.07	8.0	1
28579	IP25	175	4.0	.07	8.0	1

SHOP



285 MagicSpring TORX® Interchangeable Blades For TorqueFix & TorqueVario blades on narrow 5/32 Hex shafts.

Item No.	Size	mm	mm	lbs.	Max. Torque Nm	pkg.
28512	T6	175	4.0	.07	0.6	1
28527	T7	175	4.0	.07	0.9	1
28528	T8	175	4.0	.07	1.3	1
28529	T9	175	4.0	.07	2.5	1
28530	T10	175	4.0	.07	3.8	1
28531	T15	175	4.0	.07	5.5	1
28532	T20	175	4.0	.07	8.0	1
28533	T25	175	4.0	.07	8.0	1



Screw Holding

SHOP



286 MagicSpring TORXPlus® Interchangeable Blades For TorqueFix & TorqueVario blades on narrow 5/32 Hex shafts.

Item No.	Size	mm	mm	lbs.	Max. Torque Nm	pkg.
28611	IP6	175	4.0	.07	0.8	1
28612	IP7	175	4.0	.07	1.3	1
28613	IP8	175	4.0	.07	2.0	1
28614	IP9	175	4.0	.07	3.0	1
28616	IP10	175	4.0	.07	4.5	1
28617	IP15	175	4.0	.07	6.6	1
28618	IP20	175	4.0	.07	8.0	1
28619	IP25	175	4.0	.07	8.0	1



Screw Holding

SHOP

Wiha Easy Torque Handles



292 **Easy Torque Screwdriver Handle With TORX® Blades**

Easy Torque value pre-set. Release accuracy +/- 10%.
Internal mechanism clicks when torque value has been attained.
Cushion grip comfortable handle for good power transfer.

Item No.	Size	Pre-Sets Inch/lbs.	Nm	lbs.	pkg.
29232	T5	4.4	0.5	.24	1
29233	T6	5.3	0.6	.24	1
29234	T7	8.0	0.9	.24	1
29236	T8	10.6	1.2	.25	1
29237	T9	12.4	1.4	.25	1
29239	T10	17.7	2.0	.26	1
29242	T15	26.6	3.0	.26	1
29243	T20	35.4	4.0	.26	1
29244	T25	44.2	5.0	.28	1

SHOP

* No Calibration Certificates



292 **Easy Torque Screwdriver Handle With TORXPlus®**

Blades Easy Torque value pre-set. Release accuracy +/- 10%.
Internal mechanism clicks when torque value has been attained.
Cushion grip comfortable handle for good power transfer.

Item No.	Size	Pre-Sets Inch/lbs.	Nm	lbs.	pkg.
29246	IP5	4.4	0.5	.24	1
29247	IP6	5.3	0.6	.24	1
29248	IP7	8.0	0.9	.24	1
29249	IP8	10.6	1.2	.25	1
29252	IP9	12.4	1.4	.25	1
29253	IP10	17.7	2.0	.26	1
29254	IP15	26.6	3.0	.26	1
29255	IP20	35.4	4.0	.26	1
29256	IP25	44.2	5.0	.28	1

SHOP

* No Calibration Certificates

Wiha Insulated TorqueControl Tools



1000V

Includes Certificate

SHOP

287 **Insulated TorqueVario-S, With Window Scale Insulation**

up to 1000 Volt. EN ISO 6798, BS EN 26789, ASME B107.14M, VDE, ASTM F-1505-01 & NFPA70E, +/- 6% Accuracy. Handle sizes proportioned to optimize torque range. Audible and perceptible click when torque setting has been attained. Includes *SlimLine* blade holder.

Item No.	Range Inch lbs.	Increments	mm	lbs.	pkg.
28724	7.5 - 20	.5 Inch lbs	126 - 131	.43	1
28726	10 - 50	2 Inch lbs	133 - 138	.40	1
28727	20 - 70	2 Inch lbs	137 - 142	.69	1

Each TorqueVario handle has unique serial number and certificate of calibration

287 **Insulated TorqueVario-S Handle - In Newton Meter Scale**

Includes *SlimLine* blade holder.

Item No.	Range Nm	mm	lbs.	pkg.
28734	0.6 - 2.0	131	.45	1
28736	1.0 - 5.0	138	.45	1
28737	2.0 - 8.0	142	.72	1

SHOP



SHOP

283 **Insulated TORX® *SlimLine* Blades**

High quality CV steel, through hardened. *SlimLine* blades have up to 33% narrower insulation diameter then standard insulated tools.

Item No.	Size	Slim Dia.	Max Nm	Inch/ lbs.	lbs.	Pkg.
28339	T8	4.1	1.3	11.5	.02	1
28340	T10	4.1	3.8	33.7	.02	1
28341	T15	6.1	5.5	48.8	.02	1
28342	T20	6.1	5.5	48.8	.02	1

ESD Safe Adjustable TorqueControl Tools

Handle sizes proportioned to optimize torque range



D

Includes Certificate

SHOP

285 **ESD Safe TorqueVario-S, With Window Scale**

EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6% Accuracy
Ergonomic multi-component handle, light and compact.
Audible and perceptible click when torque setting has been attained.

Item No.	Range Inch lbs.	Increments	mm	lbs.	pkg.
28522*	15 - 80(in/oz)	2.5 Inch oz	122 - 127	.33	1
28524	5 - 10	.2 Inch lbs	122 - 127	.34	1
28526	7.5 - 20	.5 Inch lbs	126 - 131	.42	1

* +/- 10% (This unit only)



288 **ESD Safe TORX® Interchangeable Blades For TorqueVario-S**

TORX® tip blades on narrow 5/32" Hex shafts. High alloy chrome-vanadium-molybdenum steel, hardened, hard chromed.

Item No.	Size	mm	mm	Max. Torque lbs.	Nm	pkg.
28825	T5	175	4.0	.07	0.4	1
28826	T6	175	4.0	.07	0.6	1
28827	T7	175	4.0	.07	0.9	1
28828	T8	175	4.0	.07	1.3	1
28829	T9	175	4.0	.07	2.5	1
28830	T10	175	4.0	.07	3.8	1

SHOP

TorqueControl Tools



With Certificate of Calibration

SHOP

28597	Set 8 Pc. TorqueControl Set With TORX® Blades	
Certified to EN ISO 6798, BS EN 26789, ASME B107.14M		lbs.
28597	TORX®: T7, T8, T9, T10, T15, T20	1.01
	28506 Handle Range 10 - 50 Inch lbs.	



With Certificate of Calibration

SHOP

28598	Set 8 Pc. TorqueControl Set With TORXPlus® Blades	
Certified to EN ISO 6798, BS EN 26789, ASME B107.14M		lbs.
28598	TORXPlus®: IP7, IP8, IP9, IP10, IP15, IP20	1.00
	28506 Handle Range 10 - 50 Inch lbs.	



With Certificate of Calibration

SHOP

28599 **14 Pc. TorqueControl Set With TORX® & TORXPlus® Blades**

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes Ergonomic multi-component adjustable TorqueVario-S handle, 12 blades & Torque adjustment tool. Packed in a durable canvas pouch.

Item No.		lbs.
28599	TORX®: T7, T8, T9, T10, T15, T20	1.25
	TORXPlus®: IP7, IP8, IP9, IP10, IP15, IP20	
	28506 - Handle Range 10 - 50 Inch lbs.	

With Certificate of Calibration



With Certificate of Calibration

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M

SHOP

28690	Set 8 Pc. TorqueControl Set With MagicSpring TORX® Screw Holding Blades	
28690	MagicSpring TORX®:	
	T7, T8, T9, T10, T15, T20	lbs.
	28506 Handle Range 10 - 50 Inch lbs.	1.00

T-handle TorqueControl Tools



Includes Calibration Certificate

Ergonomic multi-component handle, light and compact.

STplus Handle



SHOP

289 **TorqueFix T-handle**

EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6% Accuracy.

Item No.	Torque In-lbs.	Torque Nm	mm x mm	lbs.	pkg.
28931	53.1	6	56 x 120	.81	1
28933	70.8	8	56 x 120	.82	1
28935	88.5	10	56 x 120	.79	1
28937	106.2	12	56 x 120	.79	1
28938	110.6	12.5	56 x 120	.80	1
28939	123.9	14	56 x 120	.80	1

28940 **Adjustable TorqueVario STplus T-handle**

Item No.	Torque In-lbs.	Torque Nm	mm x mm	lbs.	pkg.
28940	44.3-123.9	5-14	56 x 120	.81	1

* (1 Nm 8.8507)



SHOP

289 **TORX® Interchangeable Blades For TorqueFix T-Handle**

TORX® tip blades on 6mm Hex shafts.

Item No.	Size	mm	Inch	mm	lbs.	pkg.
28903	T15	130	5.1	6.0	.07	1
28904	T20	130	5.1	6.0	.07	1
28905	T25	130	5.1	6.0	.07	1
28906	T27	130	5.1	6.0	.07	1
28907	T30	130	5.1	6.0	.07	1
28908	T40	130	5.1	6.0	.07	1



SHOP

289 **TORXPlus® Interchangeable Blades For TorqueFix TORXPlus® T-Handle** tip blades on 6mm Hex shafts.

Item No.	Size	mm	Inch	mm	lbs.	pkg.
28910	IP15	130	5.1	6.0	.07	1
28911	IP20	130	5.1	6.0	.07	1
28912	IP25	130	5.1	6.0	.07	1
28913	IP27	130	5.1	6.0	.07	1
28914	IP30	130	5.1	6.0	.07	1
28915	IP40	130	5.1	6.0	.07	1

Precision ESD Safe TORX® Drivers



SHOP

278 **TORX® Screwdriver, With Precision ESD Safe Dissipative**

Handle Blade high alloy CVM steel. Hard chrome finished. Handle impact resistant, dissipative material. ESD standard IEC 61340-5-1

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
27801	T1	40	1.6	120	4.7	.03	10
27802	T2	40	1.6	120	4.7	.03	10
27803	T3	40	1.6	120	4.7	.03	10
27804	T4	40	1.6	120	4.7	.03	10
27805	T5	40	1.6	120	4.7	.03	10
27811	T6	40	1.6	120	4.7	.03	10
27817	T7	40	1.6	120	4.7	.03	10
27823	T8	40	1.6	120	4.7	.03	10
27829	T9	50	2.0	145	5.7	.04	10
27835	T10	50	2.0	145	5.7	.04	10
27841	T15	60	2.4	170	6.7	.07	10
27847	T20	60	2.4	170	6.7	.07	10

*Metric dimensions actual - Inch dimensions approximate



ESD standard IEC 61340-5-1

D

SHOP

27890 **Set 7 Pcs. TORX® Precision ESD Safe Dissipative Handle**

Blade high alloy CVM steel, hardened, hard chromed. Handle manufactured from impact resistant, dissipative material.

Item No.		Size	mm		Size	mm	lbs.
27890	27804	T4	40	27823	T8	40	.31
	27805	T5	40	27829	T9	50	
	27811	T6	40	27835	T10	50	
	27817	T7	40				



ESD standard IEC 61340-5-1

D

SHOP

27899 **Set 8 Pcs. TORX® Precision ESD Safe Dissipative**

Handle Set In Pouch Blade high alloy CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material.

Item No.		Size	mm		Size	mm	lbs.
27899	27801	T1	40	27805	T5	40	.30
	27802	T2	40	27806	T6	40	
	27803	T3	40	27807	T7	40	
	27804	T4	40	27920	Chip Lifter		

Precision ESD Safe TORXPlus® Drivers

D



SHOP

278 **TORXPlus® Driver, With Precision ESD Safe Dissipative**

Handle Blade high alloy CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material. ESD standard IEC 61340-5-1

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
27850	IP4	40	1.6	120	4.7	.03	10
27851	IP5	40	1.6	120	4.7	.03	10
27852	IP6	40	1.6	120	4.7	.03	10
27853	IP7	40	1.6	120	4.7	.03	10
27854	IP8	40	1.6	120	4.7	.03	10
27855	IP9	50	2.0	145	5.7	.04	10
27856	IP10	50	2.0	145	5.7	.04	10
27857	IP15	60	2.4	170	6.7	.07	10

*Metric dimensions actual - Inch dimensions approximate



ESD standard IEC 61340-5-1

D

SHOP

27894 **Set 7 Pcs. TORXPlus® Precision ESD Safe Dissipative**

Handle Blade high alloy CVM steel, hardened, hard chromed.

Item No.		Size	mm		Size	mm	lbs.
27894	27851	IP5	40	27855	IP9	50	.32
	27852	IP6	40	27856	IP10	50	
	27853	IP7	40	27857	IP15	60	
	27854	IP8	40				

Wiha TORX® Precision Series



SHOP

26799 **Set 8 Pcs. TORX® Drivers In Canvas Pouch**

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In storage pouch

Item No.		Size	mm		Size	mm	lbs.
26799	26703	T3	40	26707	T7	40	.50
	26704	T4	40	26708	T8	40	
	26705	T5	40	26709	T9	50	
	26706	T6	40	26710	T10	50	

Wiha TORX® Precision Series



267 **TORX® Screwdriver, With Precision Handle**

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26701	T1	40	1.6	120	4.7	.01	10
26702	T2	40	1.6	120	4.7	.02	10
26703	T3	40	1.6	120	4.7	.02	10
26704	T4	40	1.6	120	4.7	.02	10
26705	T5	40	1.6	120	4.7	.02	10
26706	T6	40	1.6	120	4.7	.02	10
26707	T7	40	1.6	120	4.7	.02	10
26708	T8	40	1.6	120	4.7	.03	10
26709	T9	50	2.0	145	5.7	.03	10
26710	T10	50	2.0	145	5.7	.03	10
26715	T15	60	2.4	170	6.7	.05	10
26720	T20	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate

SHOP



26790 **Set 6 Pcs. TORX® Driver**

Blade high alloy CVM steel.

Item No.		Size	mm	lbs.
26790	26706	T6	40	.25
	26707	T7	40	
	26708	T8	40	
	26709	T9	50	
	26710	T10	50	
	26715	T15	60	



NEW

SHOP

26791 **Set 8 Pcs. TORX® Screwdriver Set**

Item No. 26791 T1, T2, T3, T4, T5, T6, T7, T8

SHOP



26792 **Set 7 Pcs. TORX® Driver**

Blade high alloy CVM steel.

Item No.		Size	mm	lbs.
26792	26705	T5	40	.27
	26706	T6	40	
	26707	T7	40	
	26708	T8	40	
	26709	T9	50	
	26710	T10	50	
	26715	T15	60	

Wiha Pico Soft Grip TORX®



267 **TORX® Screwdriver, With Precision Soft PicoFinish**

Handle Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	Size	mm	Inch	mm	Inch	pkg.
26732	T1	40	1.6	134	5.3	10
26733	T2	40	1.6	134	5.3	10
26735	T3	40	1.6	134	5.3	10
26736	T4	40	1.6	134	5.3	10
26737	T5	40	1.6	134	5.3	10
26739	T6	40	1.6	140	5.5	10
26741	T7	40	1.6	140	5.5	10
26743	T8	40	1.6	140	5.5	10
26745	T9	50	2.0	150	5.9	10
26747	T10	50	2.0	150	5.9	10
26749	T15	60	2.4	160	6.3	10
26751	T20	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate

SHOP



SHOP

26793 **Set 8 Pcs. TORX® Precision Soft PicoFinish Handle**

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.		Size	mm		Size	mm	lbs.
26793	26732	T1	40	26737	T5	40	.50
	26733	T2	40	26739	T6	40	
	26735	T3	40	26741	T7	40	
	26736	T4	40	26743	T8	40	



SHOP

26796 **Set 8 Pcs. TORX® Precision Soft PicoFinish Handle**

Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.		Size	mm		Size	mm	lbs.
26796	26737	T5	40	26745	T9	50	.57
	26739	T6	40	26747	T10	50	
	26741	T7	40	26749	T15	60	
	26743	T8	40	26751	T20	60	

Wiha SYSTEM 4 Handle, Bits & Sets




High alloy CVM steel, hardened, on 4 mm stock

757 SYSTEM 4 TORX® Micro Bits SHOP

Item No.	Size	mm	Inch	lbs.
75703	T3	28	1.1	.01
75704	T4	28	1.1	.01
75705	T5	28	1.1	.01
75706	T6	28	1.1	.01
75707	T7	28	1.1	.01
75708	T8	28	1.1	.01
75709	T9	28	1.1	.01
75710	T10	28	1.1	.01
75715	T15	28	1.1	.01
75720	T20	28	1.1	.01


High alloy CVM steel, hardened, on 4 mm stock


757 SYSTEM 4 Security TORX® Micro Bits SHOP

Item No.	Size	mm	Inch	lbs.
75727	T7s	28	1.1	.01
75728	T8s	28	1.1	.01
75729	T9s	28	1.1	.01
75735	T10s	28	1.1	.01
75739	T15s	28	1.1	.01
75742	T20s	28	1.1	.01


D SHOP

75801 SYSTEM 4 ESD Safe Dissipative Precision Bit Handle with rotating control cap. For Wiha Micro Bits.

Advantages:
- For working in ESD sensitive applications
  Surface resistant 10^6-10^9 Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits
- 110mm/4.3" OAL



Item No.	mm	Inch	mm	Inch	lbs.
75801	4.0	.1574	14.0	.55	.06

75792 SYSTEM 4 TORX® Precision Interchangeable Bit Set, 11 Pcs. In Compact Fold Out Box Set includes your choice of Wiha precision handle, bit extension and 9 Wiha interchangeable bits. SHOP



Item No.	SYSTEM 4
75792	TORX® Bit Sets Set with ESD Safe Precision Handle Set includes the following bits: TORX® Sizes: T3, T4, T5, T6, T7, T8, T9, T10, T15 100mm Bit Extension lbs. .64




SHOP

75093 SYSTEM 4 Slotted, Phillips, TORX® Compact ESD Precision Interchangeable Bit Set, 16 Pcs.



Item No.	Combination Bit Set
75093	Set with Standard Precision Handle Slotted: 1.5, 2.0, 2.5, 3.0mm Phillips: 00, 0, 1 TORX®: T6, T7, T8, T9, T10, T15, T20 100mm Bit Extension lbs. .17

D


NEW SHOP

75985 Micro Bit Handle Storage TORX® Bit Set, 7 Pcs.
Wiha precision storage handle & 6 interchangeable bits.

Item No.	Set with Precision Storage Handle
75985	TORX®: T3, T4, T5, T6, T7, T8 lbs. .08

ESD Safe Precision Handles & Blades



D

SHOP

28000 **ESD Safe Dissipative Precision Handle** with rotating control cap. Surface resistant 10^6-10^9 Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item No.	mm	Inch	mm	Inch	lbs.
28000	4.0	.1574	14.0	.55	.04



D

SHOP

28001 **ESD Safe Dissipative Precision Adjustable Handle** with rotating control cap.

- Use in ESD sensitive applications. Surface resistant 10^6-10^9 Ohms.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item No.	mm	Inch	mm	Inch	lbs.
28001	4.0	.1574	14.0	.55	.04



SHOP

269 **SYSTEM 4 TORX® Reversible Blade** High alloy CVM steel, hardened, vapor chrome protected, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL.

Item No.	Size	Size	lbs.
26951	T6 +	T8	.03
26952	T7 +	T9	.03
26953	T10 +	T15	.03
26954	T15 +	T20	.03



SHOP

269 **SYSTEM 4 TORX® Interchangeable Blade** High alloy CVM steel, hardened, Wiha chrome-Top finish on tips. 120mm/4.7" OAL

Item No.	Size	lbs.
26955	T3	.03
26956	T4	.03
26957	T5	.03

D

SHOP



ESD Safe



28087 **TORX® Precision Interchangeable Blade Set, 8 Pcs.** Wiha ESD Safe precision collet lock handle & 7 Wiha blades.

28087	Set includes the following blades:
TORX®	Sizes on standard blades: T3, T4, T5
TORX®	Sizes on reversible blades: T6, T7, T8, T9, T10, T15, T20
	lbs. .31

TORX® ESD Safe SYSTEM 4 Blade Sets

D

SHOP





26995 **TORX® Precision Interchangeable Blade Set, 5 Pcs.** Wiha ESD Safe precision collet lock handle & 4 interchangeable blades.

26995	Set includes the following blades:
TORX®	Sizes: T6, T7, T8, T9, T10, T15, T20
	lbs. .54

D

SHOP





26987 **TORX® Precision Interchangeable Blade Set, 8 Pcs.** Wiha ESD Safe precision collet lock handle and 7 interchangeable blades.

26987	Set includes the following blades:
TORX®	Sizes-standard blades: T3, T4, T5
TORX®	Sizes-reversible blades: T6, T7, T8, T9, T10, T15, T20
	lbs. .53

ESD Safe SYS 4 Drive-Loc Handle & Blades



D

SHOP

26961 **ESD Safe Dissipative Precision Drive-Loc Handle** Surface resistant 10^6-10^9 Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 110mm/4.3" OAL

Item No.	mm	Inch	mm	Inch	lbs.
26961	4.0	.1574	23	.91	.08



SHOP

269 **SYSTEM 4 TORX® Drive-Loc Reversible Blades**

Item No.	Size	Size	lbs.
26977	T1 +	T2	.03
26978	T3 +	T4	.03
26979	T5 +	T6	.03
26980	T6 +	T8	.03
26981	T7 +	T9	.03
26982	T10 +	T15	.03

Wiha CushionGrip Stubby Bit Holders





38045 **TORX® SoftFinish® CushionGrip Stubby Bit Holder**

with Wiha cushion grip handle and CVM tool steel shaft.

	Set includes the following 1/4" bits:	
✪	**TORX® Sizes:** T8, T10, T15, T20, T25, T30	lbs. .20





38047 **Security TORX® SoftFinish® CushionGrip Stubby Bit Holder**

with Wiha cushion grip handle and CVM tool steel shaft.

	Set includes the following 1/4" bits:	
✪	Security TORX® Sizes:	lbs.
	T8s, T10s, T15s, T20s, T25s, T30s	.20



(bits not included)




28103 **1/4" Magnetic Bit Holder With Wiha SoftFinish® Stubby**

Handle Works in confined spaces. Stainless steel with strong magnet.

Item No.	○ Inch	mm	Inch	lbs.	pkg.
28103	1/4"	57	2.2	.11	1


Wiha Topra Ratchet Handle Sets





28295 **TORX® Topra Ratchet Bit Set, 12 Pcs.**

	Set Includes Topra Handle, Magnetic Bit	
	Holder & The Following Bits:	lbs.
✪	TORX® Sizes: T7, T8, T9, T10, T15,	.65
	T20, T25, T27, T30, T40	





28297 **Security TORX® Topra Ratchet Bit Set, 12 Pcs.**

	Set Includes Topra Handle, Magnetic Bit	
	Holder & The Following Bits:	lbs.
✪	Security TORX® Sizes:	.65
	T7s, T8s, T9s, T10s, T15s,	
	T20s, T25s, T27s, T30s, T40s	

Wiha BitFlip Bit Set

BitFlip Standard







38028 **TORX® BitFlip Standard**

with Wiha cushion grip handle and insulated shaft.

	Set includes the following 1/4" bits:	
✪	TORX® Sizes: T8, T10, T15, T20,	lbs.
	T25, T27, T30, T40	.44

Wiha Multi-Bit Screwdriver Sets



38003 **TORX® Multi-Bit Screwdriver with Wiha Powerhandle**

	Set includes the following 1/4" bits:	
✪	TORX® Sizes:	lbs.
	T5, T6, T7, T8, T9, T10	.36



38004 **TORX® Multi-Bit Screwdriver with Wiha Powerhandle**

	Set includes the following 1/4" bits:	
✪	TORX® Sizes:	lbs.
	T8, T9, T10, T15, T20, T25	.36



38008 **TORX® Multi-Bit Screwdriver with Wiha Powerhandle**

	Set includes the following 1/4" bits:	
✪	TORX® Sizes:	lbs.
	T10, T15, T20, T25, T30, T40	.36





38009 **Security TORX® Screwdriver With Wiha Powerhandle**

	Set includes the following 1/4" bits:	
✪	Security TORX® Sizes:	lbs.
	T7s, T8s, T9s, T10s, T15s, T20s	.36



38010 **Security TORX® Screwdriver With Wiha Powerhandle**

	Set includes the following 1/4" bits:	
✪	Security TORX® Sizes:	lbs.
	T10s, T15s, T20s, T25s, T30s, T40s	.36

(bits not included)





38015 **1/4" Magnetic Bit Holder**, Cavity holds up to 6 bits.

Item No.	○ Size	mm	Inch	mm	Inch	lbs.	pkg.
38015	1/4"	120	4.7	230	9.0	.25	1

Wiha Insert Bit Selectors



SHOP

79242 **Bit-Selector With TORX® Bits**

Set includes universal magnetic 1/4" bit holder and the following 10 insert bits:	lbs.
TORX® Sizes: T5, T6, T7, T8, T9, T10, T15, T20, T25, T30	.32

79245 **Bit-Selector With TORX® Bits**

SHOP

Set includes auto lock magnetic 1/4" bit holder and the following 10 insert bits:	lbs.
TORX® Sizes: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40	.32

SHOP

79247 **Bit-Selector With Security TORX® Bits**

Set includes universal magnetic 1/4" bit holder and the following 10 insert bits:	lbs.
Security TORX® Sizes: T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s	.32

70190 **Bit-Selector With Security TORX® Bits**

SHOP

Set includes the following 7 insert bits:	lbs.
Security TORX® Sizes: T7s, T8s, T9s, T10s, T15s, T20s, T25s	.21



71690 **Bit-Selector With TORXPlus® Bits**

Set includes universal magnetic 1/4" bit holder and the following 10 insert bits:	lbs.
TORXPlus® Sizes: IP7, IP8, IP9, IP10, IP15, IP20, IP25 IP27, IP30, IP40	.31

SHOP

71692 **Bit-Selector With TORXPlus® Bits**

Set includes universal magnetic 1/4" bit holder and the following 10 insert bits:	lbs.
TORXPlus® Sizes: IP3, IP4, IP5, IP6, IP7, IP8, IP9, IP10, IP15, IP20	.31

SHOP

Wiha Power Bit Belt Packs



SHOP

74985 **Power Bit Belt Pack With TORX® Bits**

Set includes the following 10 bits:	lbs.
TORX® Sizes: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30	.28



SHOP

74981 **Power Bit Belt Pack With TORX® Align Bits**

Set includes the following 10 bits:	lbs.
TORX® Sizes: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30	.28



SHOP

74987 **Power Bit Belt Pack With Security TORX® Bits**

Set includes the following 10 bits:	lbs.
Security TORX® Sizes: T7s, T8s, T9s, T10s, T15s, T20s, T27s, T25s, T30s, T40s	.29



SHOP

74982 **Power Bit Belt Pack With TORXPlus® Bits**

Set includes the following 10 bits:	lbs.
TORXPlus® Sizes: IP6, IP7, IP8, IP9, IP10, IP15, IP20, IP25, IP30	.28

Wiha XSelector Bit Sets





Easy bit access with hinged cover

SHOP

Includes Clicfix quick release holder

79445	XSelector Bit Set With TORX® Bits	lbs.
	Set Includes Quick Release Holder	
	and the following 10 bits:	.29
	TORX® Sizes: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40	



XSelector Pocket Sized 3 1/8" x 2 1/8" x 1/2"

SHOP

79447	XSelector Bit Set With Security TORX® Bits	lbs.
	Set Includes Quick Release Holder	
	and the following 10 bits:	.27
	Security TORX® Sizes: T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s	

Wiha Insert PokitPaks



SHOP

71195	PokitPak - TORX® Insert Bits In Molded Case - Set includes 6 - 1/4" Insert Bits & Magnetic Bit Holder	
	TORX®:	lbs.
	T8, T10, T15, T20, T25, T30	.15



SHOP

79283	PokitPak TORX® Align Coated Insert Bits In Molded Case - Set Includes 6 - 1/4" Insert Bits
	TORX® Align:
	T10, T15, T20, T25, T30, T40
	lbs. .12

Wiha 1/4" Bit Holders



SHOP

384 **1/4" Magnetic Bit Holding Screwdrivers, With Wiha-SoftFinish® Handle** Ergonomic cushion grip, magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM steel, nickel-plated.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
38450	1/4"	125	5.0	240	9.46	.23	1
38460	1/4"	300	11.8	400	15.69	.37	1



SHOP

28489 **Drive-Loc VI Bit Holder**
High alloy CVM steel, through hardened, hard chrome finish.
Wiha-SoftFinish® handle multi-component, cushion grips.

Item No.	Inch	Extends	lbs.	pkg.
28489	1/4"	1-3/4" to 4-7/8"	.36	1



SHOP

714 **ClicFix Bit Holder, Magnetic For Insert Bits.** Quick release

Item No.	Size	Size	mm	Inch
71490	1/4"	1/4"	60	2.4
71491	1/4"	1/4"	75	2.9



SHOP

71480 **CentroFix Bit Holder For Power Bits** Quick release

Item No.	Size	Size	mm	Inch
71480	1/4"	1/4"	60	2.3



SHOP

71470 **Auto Lock Magnetic Bit Holder, Spring Loaded Bit Ejection, 1/4" For Insert & Power Bits**

Item No.	Size	Size	mm	Inch	lbs.
71470	1/4"	1/4"	60	2.4	.08


Wiha Terminator TORX® Impact Bits - Insert & Power

Up To 30X Performance Over Standard Screwdriver Bits



- Impact rated bits for long life in impact applications
- Provide up to 30 times impact performance over standard bits
- Standard 1/4" drive - No special adaptor required
- Wiha enhanced bi-material torsion zone
- Precision machined exact fit tips
- Wiha exclusive CVM tool steel
- Guaranteed to out perform impact imposters

1/4" Drive Insert & Power Bits






768 TORX® Terminator Impact Bits, 1/4" Insert - 2 bit pack

SHOP

Item No.	Size	mm	pkg.
76810	T10	29	2
76811	T15	29	2
76812	T20	29	2
76813	T25	29	2
76814	T27	29	2
76816	T30	29	2
76817	T40	29	2



768 TORX® Terminator Impact Bits, 1/4" Power - 2 bit pack

SHOP

Item No.	Size	mm	pkg.
76853	T10	49	2
76854	T15	49	2
76855	T20	49	2
76856	T25	49	2
76857	T27	49	2
76858	T30	49	2
76859	T40	49	2



10 pc. bit pack!

NEW

765 TORX® Terminator Impact Bits, 1/4" Insert - 10 Pack

SHOP

Item No.	Size	mm	pkg.
76510	T10	29	10
76511	T15	29	10
76512	T20	29	10
76513	T25	29	10
76514	T27	29	10
76516	T30	29	10
76517	T40	29	10



10 pc. bit pack!

NEW

765 TORX® Terminator Impact Bits, 1/4" Power - 10 Pack

SHOP

Item No.	Size	mm	pkg.
76553	T10	49	10
76554	T15	49	10
76555	T20	49	10
76556	T25	49	10
76557	T27	49	10
76558	T30	49	10
76559	T40	49	10



SHOP

76895 7 Pc. Bit Buddy Set

With Terminator Impact Insert Bits - 29mm

76895 Set includes the following bits:

Torx®: T10, T15, T20, T25, T27, T30, T40



SHOP

76896 7 Pc. Bit Buddy Set

With Terminator Impact Power Bits - 49mm

76896 Set includes the following bits:

Torx®: T10, T15, T20, T25, T27, T30, T40

Stainless Steel 1/4" Insert & Power Bits and 1/4" Bit Holder



704 Stainless Steel TORX® Power Bits
1/4" Hex Drive, Length 2.0"/50mm

Item No.	Size	mm	pkg.
70411	T15	50	10
70413	T20	50	10
70414	T25	50	10
70416	T30	50	10
70417	T40	50	10

SHOP



SHOP

71494 Stainless Steel Bit Holder, 1/4"
For Insert Bits Internal C-ring for bit holding & magnet.

Item No.	Size	Size	mm	Inch	lbs.
71494	1/4"	1/4"	54	2.1"	.05



715 Stainless Steel TORX® Bits, 1/4"

Item No.	Size	mm	pkg.
71500	T8	25	10
71501	T9	25	10
71502	T10	25	10
71503	T15	25	10
71504	T20	25	10
71511	T25	25	10
71512	T30	25	10
71513	T40	25	10

SHOP

Stainless Steel
High-quality, non-rusting stainless steel, completely vacuum-hardened.

Dura Torsion Insert Bits




SHOP

71596 PokitPak -TORX® Dura Insert Bits
In Molded Case -
Set Includes 6 - 1/4" Insert Bits
T10, T15, T20, T25, T30, T40
lbs. .36

Dura Torsion Insert Bits

With the Dura bit Wiha has again proved it's power of innovation. The extra hard, elastic Quattro Torsion bit is equipped with an extremely wear resistant tungsten carbide coating that grips the screw head.



Positive location in the screw head with decrease of:
- necessary pressure forces
- working time
- costs
- wear & tear of bits & screw heads
- anti-cam-out effect



SHOP

715 TORX® Dura Bits, 1/4"

Item No.	Size	mm	lbs.
71574	T10	25	.02
71576	T15	25	.02
71578	T20	25	.02
71580	T25	25	.02
71582	T30	25	.02
71584	T40	25	.03

Diamond Torsion Insert Bits

Diamond bits supplement Wiha's range of high-quality special bits. When used with machines, the increased tool life of the Wiha Diamond bit reduces cost.



- High wear resistance
- Micro particle coating with sapphire and diamond contents
- Optimized torsion zone

Reduction of:
- pressure forces to be applied
- wear and tear of bit and screw head
- working time & costs
- Cam-out effect

The ideal bit even for the most difficult of applications



SHOP

715 TORX® Diamond Bits, 1/4"

Item No.	Size	mm	lbs.
71516	T10	25	.02
71517	T15	25	.02
71518	T20	25	.02
71519	T25	25	.02
71521	T30	25	.02
71522	T40	25	.03

TiN Coated Insert Bits

The abbreviation TiN stands for Titanium-Nitride, which has a hardness up to 85 HRC. This coating guarantees a high wear and tear resistance.



- Tough, hard torsion quality with very hard TiN coating
- Optimized torsion zone
- High wear resistance



SHOP

715 TORX® TiN Coated Insert Bits, 1/4"

Item No.	Size	mm	lbs.
71585	T5	25	.02
71586	T6	25	.02
71587	T7	25	.02
71588	T8	25	.02
71562	T9	25	.02
71563	T10	25	.02
71564	T15	25	.02
71565	T20	25	.02
71566	T25	25	.02
71569	T27	25	.02
71567	T30	25	.02
71568	T40	25	.02

TiN - Titanium Nitride

TORX® Bits

The ideal multi-purpose bits for all around quality & performance

Made in Germany - Production Quality

Highly resistant to wear and tear for a long tool life



Impact resistant modified CVM, tool steel, hardened

Suitable for all applications for both manual & machine Hardness HRC 59-61



SHOP

715 TORX® Bits, 1/4"

Item No.	Size	mm	pkg.	lbs.
71523	T3	25	10	.12
71524	T4	25	10	.12
71505	T5	25	10	.12
71506	T6	25	10	.12
71507	T7	25	10	.12
71508	T8	25	10	.12
71509	T9	25	10	.12
71510	T10	25	10	.12
71515	T15	25	10	.12
71520	T20	25	10	.12
71525	T25	25	10	.12
71527	T27	25	10	.13
71530	T30	25	10	.14
71540	T40	25	10	.15

725 TORX® Bits, 1/4" Bulk Packs

SHOP

Item No.	Size	mm	pkg.	lbs.
72572	T7	25	30	.36
72573	T8	25	30	.36
72574	T9	25	30	.36
72575	T10	25	30	.36
72576	T15	25	30	.36
72577	T20	25	30	.36
72578	T25	25	30	.36
72579	T27	25	30	.36
72580	T30	25	30	.36
72581	T40	25	30	.36



SHOP

725 TORX® Bits, 5/16"

Item No.	Size	mm	pkg.	lbs.
72525	T25	35	10	.27
72527	T27	35	10	.27
72530	T30	35	10	.27
72540	T40	35	10	.28
72545	T45	35	10	.31
72550	T50	35	10	.32
72555	T55	35	10	.52

2 bit pack



SHOP

725 TORX® Insert Bit Packs, 5/16"

Item No.	Size	mm	lbs.
72531	T30	35	.28
72541	T40	35	.28
72546	T45	35	.31
72551	T50	35	.32
72556	T55	35	.52



SHOP

745 TORX® Power Bits

1/4" Hex Drive, Length 2.0"/50mm

Item No.	Size	mm	pkg.	lbs.
74511	T6	50	10	.18
74512	T7	50	10	.18
74513	T8	50	10	.18
74517	T9	50	10	.18
74519	T10	50	10	.18
74521	T15	50	10	.18
74523	T20	50	10	.18
74529	T25	50	10	.18
74531	T27	50	10	.18
74533	T30	50	10	.18
74535	T40	50	10	.18



SHOP

745 TORX® Power Bits

1/4" Hex Drive, Length 2.75"/70mm

Item No.	Size	mm	pkg.	lbs.
74536	T6	70	1	.02
74538	T7	70	1	.02
74542	T8	70	1	.02
74544	T9	70	1	.02
74546	T10	70	1	.02
74548	T15	70	1	.02
74551	T20	70	1	.03
74553	T25	70	1	.03
74556	T27	70	1	.04
74558	T30	70	1	.04
74561	T40	70	1	.04



SHOP

745 TORX® Power Bits

1/4" Hex Drive, Length 3.5"/90mm

Item No.	Size	mm	pkg.	lbs.
74563	T6	90	10	.03
74565	T7	90	10	.03
74567	T8	90	10	.03
74569	T9	90	10	.03
74571	T10	90	10	.03
74573	T15	90	10	.03
74575	T20	90	10	.04
74577	T25	90	10	.04
74579	T27	90	10	.04
74581	T30	90	10	.04
74583	T40	90	10	.04



SHOP

745 TORX® Power Bits

1/4" Hex Drive, Length 6.0"/150mm

Item No.	Size	mm	pkg.	lbs.
74586	T10	150	10	.04
74587	T15	150	10	.04
74588	T20	150	10	.04
74589	T25	150	10	.04
74590	T27	150	10	.04
74591	T30	150	10	.04

Wiha TORX® Bit Packs

2 bit pack



SHOP

715 TORX® Insert Bit Packs

1" CVM S2 modified tool steel.

Item No.	Size	mm	lbs.
71548	T3	25	.03
71549	T4	25	.03
71550	T5	25	.03
71551	T6	25	.03
71552	T7	25	.03
71553	T8	25	.03
71554	T9	25	.03
71555	T10	25	.03
71556	T15	25	.03
71557	T20	25	.03
71558	T25	25	.03
71559	T27	25	.04
71560	T30	25	.04
71561	T40	25	.04

Wiha TORX® Bit Packs



SHOP

71571 TORX® Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

71571 Set includes the following bits:
TORX® Sizes:
T15, T20, T25, T27,
wt. .08 T30, T40 x 1" (25mm)

71570 TORX® Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc bit pack.

71570 Set includes the following bits:
TORX® Sizes:
T5, T6, T7, T8, T9,
wt. .07 T10 x 1" (25mm)

SHOP



2 bit pack

745 TORX® Power Bit Packs, 2"

CVM S2 modified tool steel

Item No.	Size	mm	lbs.
74501	T6	50	.05
74502	T7	50	.05
74503	T8	50	.05
74504	T9	50	.05
74506	T10	50	.05
74508	T15	50	.05
74510	T20	50	.05
74514	T25	50	.06
74515	T27	50	.06
74516	T30	50	.06
74518	T40	50	.06

SHOP

Torx® Profiles

Torx®

Security Torx®

TorxPlus®

Security TorxPlus®

Ball End Torx®

Wiha TORX® Align Insert Bits and Power Bits

Torx® Align

Tapered For Snug Fit In Screw

Impact resistant modified chrome-vanadium-molybdenum, tool steel, hardened

Made in Germany - Production Quality

Highly resistant to wear and tear for a long tool life

Suitable for all applications for both manual and machine Hardness HRC 59-61





SHOP

715 TORX® Align Bits, 1/4"

Item No.	Size	mm	pkg.	lbs.
71536	T6	25	10	.12
71537	T7	25	10	.12
71538	T8	25	10	.12
71539	T9	25	10	.12
71541	T10	25	10	.12
71542	T15	25	10	.12
71543	T20	25	10	.12
71544	T25	25	10	.13
71545	T27	25	10	.13
71546	T30	25	10	.14
71547	T40	25	10	.15

*Also Known As Torx Wedge Fit



SHOP

747 TORX® Align Bits, 1/4" Hex Drive, Length 2.0"/50mm

Item No.	Size	mm	pkg.	lbs.
74711	T6	50	10	.18
74714	T7	50	10	.18
74717	T8	50	10	.18
74721	T9	50	10	.18
74724	T10	50	10	.18
74728	T15	50	10	.20
74732	T20	50	10	.22
74736	T25	50	10	.22
74739	T27	50	10	.22
74742	T30	50	10	.22

*Also Known As Torx Wedge Fit



2 bit pack

SHOP

733 TORX® Align Insert Bit Packs, 1"

CVM S2 modified tool steel

Item No.	Size	mm	lbs.
73310	T6	25	.03
73311	T7	25	.03
73312	T8	25	.03
73313	T9	25	.03
73314	T10	25	.03
73315	T15	25	.03
73316	T20	25	.03
73317	T25	25	.03
73318	T27	25	.03
73319	T30	25	.03
73320	T40	25	.04



2 bit pack

SHOP

747 TORX® Align Power Bit Packs, 2"

Item No.	Size	mm	lbs.
74760	T6	50	.05
74761	T7	50	.05
74762	T8	50	.05
74763	T9	50	.05
74764	T10	50	.05
74765	T15	50	.05
74766	T20	50	.06
74767	T25	50	.06
74768	T27	50	.06
74769	T30	50	.06

Wiha Security TORX® Insert Bits and Power Bits

Security Torx®

Made in Germany - Production Quality



Impact resistant modified CVM tool steel, hardened

Highly resistant to wear and tear for a long tool life

Suitable for all applications for both manual and machine Hardness HRC 59-61



SHOP

701 Security TORX® Bits, 1/4"

Item No.	Size	mm	pkg.	lbs.
70127	T7s	25	10	.12
70128	T8s	25	10	.12
70129	T9s	25	10	.12
70135	T10s	25	10	.12
70139	T15s	25	10	.12
70142	T20s	25	10	.12
70148	T25s	25	10	.12
70160	T27s	25	10	.13
70163	T30s	25	10	.13
70168	T40s	25	10	.14



SHOP

705 Security TORX® Power Bits, 1/4" Hex Drive, Length 2.0"/50mm

Item No.	Size	mm	pkg.	lbs.
70507	T7s	50	10	.18
70508	T8s	50	10	.18
70509	T9s	50	10	.18
70510	T10s	50	10	.19
70515	T15s	50	10	.19
70520	T20s	50	10	.21
70525	T25s	50	10	.23
70527	T27s	50	10	.23
70530	T30s	50	10	.23
70540	T40s	50	10	.23
70545	T45s	50	10	.33
70550	T50s	50	10	.37
70555	T55s	50	10	.37



2 bit pack

SHOP

701 Security TORX® Insert Bit Packs, 1" CVM S2 modified tool steel.

Item No.	Size	mm	lbs.
70150	T7s	25	.03
70151	T8s	25	.03
70152	T9s	25	.03
70153	T10s	25	.03
70154	T15s	25	.03
70155	T20s	25	.03
70156	T25s	25	.03
70157	T27s	25	.03
70158	T30s	25	.03
70159	T40s	25	.03



5/16"

SHOP

725 Security TORX® Bits, 5/16"

Item No.	Size	mm	pkg.	lbs.
72542	T40s	35	10	.28
72547	T45s	35	10	.32
72552	T50s	35	10	.34
72557	T55s	35	10	.52



2 bit pack

SHOP

725 Security TORX® Bits, 5/16" 2 Bit Pack

Item No.	Size	mm	lbs.
72562	T40s	35	.28
72563	T45s	35	.29
72564	T50s	35	.30
72567	T55s	35	.32



2 bit pack

SHOP

705 Security TORX® Power Bit Packs, 2"

Item No.	Size	mm	lbs.
70556	T7s	50	.07
70557	T8s	50	.07
70558	T9s	50	.07
70559	T10s	50	.07
70560	T15s	50	.07
70561	T20s	50	.07
70562	T25s	50	.07
70563	T27s	50	.07
70564	T30s	50	.07
70565	T40s	50	.07
70566	T45s	50	.07
70567	T50s	50	.07
70568	T55s	50	.07

Wiha Security TORXPlus® Insert Bit



SHOP

716 Security TORXPlus® Insert Bits, 1/4" Hex, 1" OAL

Item No.	Size	mm	pkg.	lbs.
71648	IPR8	25	1	.11
71650	IPR10	25	1	.11
71652	IPR15	25	1	.11
71654	IPR20	25	1	.12
71656	IPR25	25	1	.13
71657	IPR27	25	1	.13
71658	IPR30	25	1	.14
71660	IPR40	35	1	.14



XSelector Pocket Sized 3 1/8" x 2 1/8" x 1/2"

SHOP

79450 XSelector Bit Set With Security TORXPlus® Bits

lbs.	
.18	Set Includes Quick Release Holder and the following 7 bits: Security TORXPlus® Sizes: IPR8, IPR10, IPR15, IPR20, IPR25, IPR27, IPR30

Wiha TORXPlus® Insert Bits and Power Bits

TORXPlus®

Made in Germany - Production Quality

Highly resistant to wear and tear for a long tool life



Impact resistant modified chrome-vanadium-molybdenum, tool steel, hardened

Suitable for all applications for both manual and machine Hardness HRC 59-61



SHOP

716 TORXPlus® Insert Bits, 1/4" Hex, 1"

Item No.	Size	mm	pkg.	lbs.
71603	IP3	25	10	.12
71604	IP4	25	10	.12
71605	IP5	25	10	.12
71606	IP6	25	10	.12
71607	IP7	25	10	.12
71608	IP8	25	10	.12
71609	IP9	25	10	.12
71610	IP10	25	10	.12
71615	IP15	25	10	.12
71620	IP20	25	10	.12
71625	IP25	25	10	.12
71627	IP27	25	10	.13
71630	IP30	25	10	.13
71640	IP40	25	10	.15



SHOP

746 TORXPlus® Power Bits, 1/4" Hex, 2"

Item No.	Size	mm	pkg.	lbs.
74601	IP5	50	10	.18
74602	IP6	50	10	.18
74603	IP7	50	10	.18
74604	IP8	50	10	.18
74608	IP9	50	10	.18
74612	IP10	50	10	.20
74616	IP15	50	10	.20
74620	IP20	50	10	.20
74624	IP25	50	10	.20
74628	IP27	50	10	.25
74632	IP30	50	10	.25
74636	IP40	50	10	.25

2 bit pack



SHOP

716 TORXPlus® Insert Bit Packs, 1"

CVM S2 modified tool steel

Item No.	Size	mm	lbs.
71631	IP3	25	.03
71632	IP4	25	.03
71633	IP5	25	.03
71634	IP6	25	.03
71635	IP7	25	.03
71636	IP8	25	.03
71637	IP9	25	.03
71638	IP10	25	.03
71639	IP15	25	.03
71641	IP20	25	.03
71642	IP25	25	.03
71643	IP27	25	.03
71644	IP30	25	.03
71645	IP40	25	.04

2 bit pack



SHOP

746 TORXPlus® Power Bit Packs, 2"

Item No.	Size	mm	lbs.
74659	IP5	50	.05
74660	IP6	50	.05
74661	IP7	50	.05
74662	IP8	50	.05
74663	IP9	50	.05
74664	IP10	50	.05
74665	IP15	50	.05
74666	IP20	50	.05
74667	IP25	50	.05
74668	IP27	50	.05
74669	IP30	50	.05
74670	IP40	50	.05


Wiha Ball End TORX® Bits



See additional Ball End TORX Tools on Page 17

Wiha TORX® MagicSpring Screw Holding Power Bits

Screw Holding TORX Bits



Stainless rotary spring

2 bit pack

745 TORX® MagicSpring Screw Holding Power Bits, 1/4" Hex Drive, 2.0"/50mm OAL

SHOP

Item No.	Size	mm	pkg.	lbs.
74552	T10	50	2	.05
74554	T15	50	2	.05
74555	T20	50	2	.05
74557	T25	50	2	.05
74562	T30	50	2	.05
74564	T40	50	2	.05

Wiha Double End TORX® Bits



744 TORX® Double End Bits

SHOP

1/4" Hex Drive, Length 2.56"/65mm

Item No.	Size	Size	mm	pkg.	lbs.
74411	T6	T6	65	10	.32
74413	T7	T7	65	10	.32
74415	T8	T8	65	10	.32
74417	T9	T9	65	10	.32
74419	T10	T10	65	10	.32
74421	T15	T15	65	10	.32
74423	T20	T20	65	10	.32
74429	T25	T25	65	10	.33
74431	T27	T27	65	10	.34
74433	T30	T30	65	10	.35
74435	T40	T40	65	10	.38

2 bit pack



SHOP

744 TORX® Double End Bits

1/4" Hex Drive, Length 2.56"/65mm

Item No.	Size	Size	mm	lbs.
74460	T6	T6	65	.05
74461	T7	T7	65	.05
74462	T8	T8	65	.05
74463	T9	T9	65	.05
74464	T10	T10	65	.05
74465	T15	T15	65	.05
74466	T20	T20	65	.05
74467	T25	T25	65	.05
74468	T27	T27	65	.05
74469	T30	T30	65	.05
74470	T40	T40	65	.05

Wiha Sockets



Set Screw Replaceable Bit

SHOP

761 **TORX® Sockets** 1/4" Square Drive

Item No.	Size	mm	lbs.
76106	T6	38	.04
76107	T7	38	.04
76109	T8	38	.04
76111	T9	38	.04
76113	T10	38	.04
76117	T15	38	.04
76119	T20	38	.04
76121	T25	38	.04
76123	T27	38	.04
76129	T30	38	.05
76131	T40	38	.05



SHOP

763 **TORX® Sockets** 3/8" Square Drive, Set Screw Replaceable Bit. 1/4" bits

Item No.	Size	mm	lbs.
76312	T9	42	.09
76314	T10	42	.09
76316	T15	42	.09
76318	T20	42	.09
76322	T25	42	.09
76324	T27	42	.09
76326	T30	42	.09
76328	T40	42	.09



SHOP

763 **TORX® Sockets** 3/8" Square Drive, Set Screw Replaceable Bit. 5/16" Bit. 2" OAL

Item No.	Size	mm	lbs.
76346	T40	51	.11
76348	T45	51	.11
76352	T50	51	.11
76354	T55	51	.13



SHOP

716 **TORXPlus® Sockets** 1/4" Square Drive, Set Screw Replaceable Bit. 1/4" bits

Item No.	Size	mm	lbs.
71661	IP6	38	.04
71662	IP7	38	.04
71663	IP8	38	.04
71664	IP9	38	.04
71665	IP10	38	.04
71666	IP15	38	.04
71667	IP20	38	.04
71668	IP25	38	.04
71669	IP27	38	.04
71670	IP30	38	.04
71671	IP40	38	.04



SHOP

716 **TORXPlus® Sockets** 3/8" Square Drive, Set Screw Replaceable Bit. 1/4" bits

Item No.	Size	mm	lbs.
71673	IP9	42	.09
71674	IP10	42	.09
71675	IP15	42	.09
71676	IP20	42	.09
71677	IP25	42	.09
71678	IP27	42	.09
71680	IP30	42	.09
71681	IP40	42	.09



Set Screw Replaceable Bit

SHOP

763 **Security TORX® Sockets** 1/4" Square drive, 1/4" bits

Item No.	Size	mm
76329	T7s	38
76330	T8s	38
76331	T9s	38
76332	T10s	38
76333	T15s	38
76334	T20s	38
76335	T25s	38
76335	T27s	38
76337	T30s	38
76338	T40s	38



Set Screw Replaceable Bit

701 **Security TORX® Sockets** 3/8" Square drive, 1/4" bits. 2" OAL

SHOP

Item No.	Size	mm	lbs.
70107	T7s	42	.09
70108	T8s	42	.09
70109	T9s	42	.09
70110	T10s	42	.09
70113	T15s	42	.09
70115	T20s	42	.09
70117	T25s	42	.09
70119	T27s	42	.09
70121	T30s	42	.09
70123	T40s	42	.09



Set Screw Replaceable Bit

763 **Security TORX® Sockets** 3/8" Square drive, 5/16" bits

SHOP

Item No.	Size	mm
76339	T40s	51
76340	T45s	51
76341	T50s	51
76342	T55s	51

1/2" Square Drive Sockets



Set Screw Replaceable Bit

764 **TORX® Sockets** 1/2" Square Drive

SHOP

Item No.	Size	mm	lbs.	pkg.
76403	T30	59	.10	1
76404	T40	59	.10	1
76405	T45	59	.10	1
76406	T50	59	.10	1
76407	T55	59	.11	1



Set Screw Replaceable Bit

764 **Security TORX® Sockets** 1/2" Square Drive

SHOP

Item No.	Size	mm	lbs.	pkg.
76411	T40s	59	.11	1
76412	T45s	59	.11	1
76413	T50s	59	.11	1
76414	T55s	59	.12	1

Wiha Long Blade Sockets



771 TORX® Sockets
1/4" Drive 6" Long Bit Socket.

Item No.	Size	Inch	lbs.
77151	T8	6	.12
77153	T9	6	.12
77152	T10	6	.12
77154	T15	6	.12
77156	T20	6	.12
77158	T25	6	.12
77160	T27	6	.12
77162	T30	6	.12
77164	T40	6	.12

SHOP

77193 7 Pc. TORX® Socket Blade Set
TORX®: T10, T15, T20, T25, T27, T30, T40 wt. .69
SHOP



771 TORX® Sockets
3/8" Drive 6" Long Bit Socket.

Item No.	Size	Inch	lbs.
77101	T8	6	.12
77103	T9	6	.12
77105	T10	6	.12
77107	T15	6	.12
77109	T20	6	.12
77111	T25	6	.12
77113	T27	6	.12
77115	T30	6	.12
77117	T40	6	.12

SHOP

77195 9 Pc. TORX® Socket Blade Set
TORX®: T8, T9, T10, T15, T20, T25, T27, T30, T40 wt. 93
SHOP

Wiha External Sockets



773 TORX® External Sockets 1/4" Square drive socket.

Item No.	Size	mm	lbs.
77304	E4	25	.03
77305	E5	25	.03
77306	E6	25	.03
77307	E7	25	.04
77308	E8	25	.04
77310	E10	25	.04

SHOP

773 TORX® External Sockets 3/8" Square drive socket.

Item No.	Size	mm	lbs.
77331	E8	28	.07
77333	E10	28	.07
77335	E12	28	.07
77337	E14	28	.08

SHOP



773 TORX® External Sockets 1/2" Square drive socket.

Item No.	Size	mm	lbs.
77341	E12	37	.12
77343	E14	37	.12
77345	E16	37	.14
77347	E18	37	.14
77349	E20	37	.15
77353	E24	40	.26

SHOP



77390 22 pc. TORX® Set 1/4" Drive Socket
Ratchet 5.5", extension 2" & 4", swivel and hand driver in steel box. Hard chromed and polished.

Item No.	lbs.	Set includes the following:
77390	2.14	E4, E5, E6, E7, E8, E10, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40

SHOP

Wiha E-TORX® Socket Set On Molded Rails




77391 8 pc. E-TORX® Socket Set

Item No.	lbs.	Set includes the following:
77391	.62	1/4" drive: E6, E7, E8, E10 3/8" drive: E12, E14 1/2" drive: E16, E18

SHOP

Wiha Socket Sets On Molded Rails



SHOP

76191 **10 pc. TORX® Socket Set**

1/4" Square Drive Replaceable Bit Socket. Bits CVM tool steel. OAL 1.5"

Item No.		
76191	lbs.	Set includes the following:
	.48	T7, T8, T9, T10, T15, T20, T25, T27, T30, T40



SHOP

76194 **6 pc. TORX® Socket Set**

1/4" Square Drive Replaceable Bit Socket. Bits CVM tool steel.

Item No.		
76194	lbs.	Set includes the following:
	.20	T10, T15, T20, T25, T27, T30



SHOP

76395 **8 pc. TORX® Socket Set** 3/8" Square Drive Replaceable Bit Socket. Bits CVM tool steel. OAL 1.5"

Item No.		
76395	lbs.	Set includes the following:
	.75	T9, T10, T15, T20, T25, T27, T30, T40



SHOP

76396 **8 pc. TORX® Socket Set** 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel. OAL 1.65"

Item No.		
76396	lbs.	Set includes the following:
	.84	1/4": T20, T25, T27, T30, T40 5/16": T45, T50, T55

Security Torx®




SHOP

70195 **10 pc. Security TORX® Socket Set**

1/4" Square drive replaceable bit socket. 1/4" Bits CVM tool steel.

Item No.		
70195	lbs.	Set includes the following:
	.48	T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s




SHOP

76397 **9 pc. Security TORX® Socket Set**

3/8" Sq. Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel.

Item No.		
76397	lbs.	Set includes the following:
	.85	1/4": T10s, T15s, T20s, T27s, T30s 3/8": T40s (1/4" bit) 3/8": T45s, T50s (5/16" bit)



SHOP

76399 **12 pc. Security TORX® Socket Set** 1/4" & 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel.

Item No.		
76399	lbs.	Set includes the following:
	.77	1/4": T7s, T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s 5/16": T45s, T50s, T55s



SHOP

71698 **8 pc. TORXPlus® Socket Set On Rail**

In Vinyl Pouch 1/4" & 3/8" Square Drive Replaceable Bit Socket. Bits Chrome-vanadium-molybdenum tool steel.

Item No.		
71698	lbs.	Set includes the following:
	.60	1/4": IP9, IP10, IP15, IP20 3/8": IP25, IP27, IP30, IP40

Toll Free: (800) 494-6104

Item No.	Page
10893	7
20756	15
20757	15
20758	15
20759	15
20760	15
20799	15
26701	27
26702	27
26703	27
26704	27
26705	27
26706	27
26707	27
26708	27
26709	27
26710	27
26715	27
26720	27
26721	21
26723	21
26725	21
26727	21
26729	21
26731	21
26732	27
26733	27
26735	27
26736	27
26737	27
26739	27
26741	27
26743	27
26745	27
26747	27
26749	27
26751	27
26790	27
26791	27
26792	27
26793	27
26796	27
26798	21
26799	26
26951	29
26952	29
26953	29
26954	29
26955	29
26956	29
26957	29
26961	29
26977	29
26978	29
26979	29
26980	29
26981	29
26982	29
26987	29
26995	29
27801	26
27802	26
27803	26
27804	26
27805	26
27811	26
27817	26
27823	26
27829	26
27835	26
27841	26
27847	26
27850	26
27851	26
27852	26
27853	26
27854	26
27855	26
27856	26
27857	26
27890	26
27894	26
27899	26
28000	29
28001	29
28087	29
28103	30
28126	11
28127	11
28128	11
28129	11
28130	11
28132	11
28133	11
28134	11
28135	11
28136	11
28189	11
28197	11
28295	30
28297	30
28301	12
28339	12,24
28340	12,24
28341	12,24
28342	12,24
28486	11
28487	11
28488	11
28489	32
28501	23
28502	23
28504	23
28506	23
28508	23
28512	23
28522	24
28524	24
28526	24
28527	23
28528	23
28529	23
28530	23
28531	23
28532	23
28533	23
28550	23
28551	23
28552	23
28553	23
28554	23
28561	23
28562	23
28563	23
28564	23
28565	23
28566	23
28567	23
28568	23
28569	23
28571	23
28572	23
28573	23
28574	23
28575	23
28576	23
28577	23
28578	23
28579	23
28597	25
28598	25
28599	25
28611	23
28612	23
28613	23
28614	23
28616	23
28617	23
28618	23
28619	23
28690	25
28724	24
28726	24
28727	24
28734	24
28736	24
28737	24
28825	24
28826	24
28827	24
28828	24
28829	24
28830	24
28903	25
28904	25
28905	25
28906	25
28907	25
28908	25
28910	25
28911	25
28912	25
28913	25
28914	25
28915	25
28931	25
28933	25
28935	25
28937	25
28938	25
28939	25
28940	25
29232	24
29233	24
29234	24
29236	24
29237	24
29239	24
29242	24
29243	24
29244	24
29246	24
29247	24
29248	24
29249	24
29252	24
29253	24
29254	24
29255	24
29256	24
32505	7
32511	7
32516	7
32521	7
32526	7
32531	7
32536	7
32541	7
32546	7
32551	7
32556	7
32561	7
32590	7
32592	7
36106	20
36107	20
36108	20
36109	20
36110	20
36115	20
36120	20
36125	20
36127	20
36130	20
36140	20
36197	20
36199	20
36200	6
36201	5
36202	21
36203	21
36204	6
36205	7
36206	6
36207	21
36208	6
36209	6
36210	7
36211	19
36212	7
36215	7
36216	17
36217	17
36218	6
36219	6
36220	7
36221	17
36222	17
36223	19
36224	6
36225	7
36226	17
36227	17
36228	19
36229	19
36230	7
36233	19
36234	21
36235	7
36236	17
36237	17
36238	19
36239	19
36240	7
36243	19
36244	21
36245	7
36248	19
36249	21
36250	7
36253	19
36254	21
36255	19
36256	21
36257	21
36258	21
36259	6
36260	6
36264	5
36266	5
36267	5
36268	5
36269	6
36270	5
36271	6
36272	5
36273	6
36274	5
36275	6
36276	5
36277	6
36278	5
36279	6
36280	5
36281	6
36282	5
36283	6
36284	5
36285	6
36286	5
36287	6
36288	5
36289	6
36290	21
36291	5
36292	7
36293	7
36294	5
36296	19
36298	6
36299	19
36305	13
36306	13
36307	13
36308	13
36309	13
36310	13
36315	13
36320	13
36321	14
36323	14
36325	13
36326	14
36327	13
36328	14
36329	14
36330	13
36332	14
36335	14
36337	14
36339	14
36340	13
36342	14
36345	13
36346	14
36350	13
36352	14
36355	13
36357	14
36360	13
36390	13
36392	13
36393	14
36394	13
36395	15
36396	15
36397	15
36398	15
36399	13
36409	13
36410	13
36415	13
36417	13
36420	13
36422	13
36425	13
36427	13
36430	13
36432	13
36435	13
36437	13
36440	13
36442	13
36445	13
36450	13
36452	13
36461	19
36463	19
36466	19
36469	19
36472	19
36474	19
36476	19
36478	19
36480	12
36481	12
36482	12
36483	12
36484	12
36486	12
36487	12
36490	13
36492	13
36494	13
36496	19
36497	12
36510	16
36512	16
36515	16
36520	16
36525	16
36530	16
36535	16
36540	18
36542	18
36544	18
36546	18
36548	18
36550	18
36552	18
36554	18
36556	22
36557	22
36558	22
36559	22
36560	22
36561	22
36562	22
36590	16
36591	16
36592	18
36598	22
36606	20
36607	20
36608	20
36609	20
36610	20
36615	20
36620	20
36625	20
36627	20
36630	20
36631	17
36632	17
36633	17
36634	17
36635	17
36636	17
36637	17
36638	17
36639	17
36640	20
36645	14
36646	14
36647	14
36648	14
36649	14
36650	14
36651	14
36652	14
36653	14
36654	14
36655	14
36659	14
36660	14
36661	14
36689	14
36690	20
36691	20
36692	17
36694	14
36697	18
36698	14
36699	14
37013	16
37016	16
37019	16
37022	16
37026	16
37029	16
37032	16
37036	16
37040	18
37042	18
37044	18
37046	18
37048	18
37050	18
37052	18
37054	18
37090	16
37091	16
37092	18
37106	22
37107	22
37108	22
37109	22
37110	22
37115	22
37120	22
37125	22
37127	22
37130	22
37140	22
37190	22
37192	22
37608	6
37609	6
37610	6
37615	6
37620	6
37625	6
37627	6
37630	6
37640	6
37690	6
38003	30
38004	30
38008	30
38009	30
38010	30
38015	30
38028	30
38045	30
38047	30
38450	32
38460	32
45504	10
45505	9
45506	9
45507	10
45508	10
45509	10
45510	10
45511	9
45515	10
45516	9
45520	10
45521	9
45522	9
45525	10
45526	9
45527	10
45530	10
45531	9
45536	9
45540	10
45541	9
45545	10
45546	9
45550	10
45551	9
45556	9
45561	9
45589	9
45591	9
45592	9
45593	10
45595	10
45597	10
45598	10
48400	9
52711	8

Item No.	Page
52713	8
52716	8
52719	8
52722	8
52726	8
52729	8
52732	8
52790	8
52791	8
70107	39
70108	39
70109	39
70110	39
70113	39
70115	39
70117	39
70119	39
70121	39
70123	39
70127	37
70128	37
70129	37
70135	37
70139	37
70142	37
70148	37
70150	37
70151	37
70152	37
70153	37
70154	37
70155	37
70156	37
70157	37
70158	37
70159	37
70160	37
70163	37
70168	37
70190	32
70195	41
70411	34
70413	34
70414	34
70416	34
70417	34
70507	37
70508	37
70509	37
70510	37
70515	37
70520	37
70525	37
70527	37
70530	37
70540	37
70545	37
70550	37
70555	37
70556	37
70557	37
70558	37
70559	37
70560	37
70561	37
70562	37
70563	37
70564	37
70565	37
70566	37
70567	37
70568	37
71130	33
71195	32
71470	32
71480	33
71490	32
71491	32
71492	33
71494	34
71500	34
71501	34
71502	34
71503	34
71504	34
71505	35
71506	35
71507	35
71508	35
71509	35
71510	35
71511	34
71512	34
71513	34
71515	35
71516	34
71517	34
71518	34
71519	34
71520	35
71521	34
71522	34
71523	35
71524	35
71525	35
71527	35
71530	35
71536	36
71537	36
71538	36
71539	36
71540	35
71541	36
71542	36
71543	36
71544	36
71545	36
71546	36
71547	36
71548	35
71549	35
71550	35
71551	35
71552	35
71553	35
71554	35
71555	35
71556	35
71557	35
71558	35
71559	35
71560	35
71561	35
71562	34
71563	34
71564	34
71565	34
71566	34
71567	34
71568	34
71569	34
71570	36
71571	36
71574	34
71576	34
71578	34
71580	34
71582	34
71584	34
71585	34
71586	34
71587	34
71588	34
71596	34
71603	38
71604	38
71605	38
71606	38
71607	38
71608	38
71609	38
71610	38
71615	38
71620	38
71625	38
71627	38
71630	38
71631	38
71632	38
71633	38
71634	38
71635	38
71636	38
71637	38
71638	38
71639	38
71640	38
71641	38
71642	38
71643	38
71644	38
71645	38
71648	37
71650	37
71652	37
71654	37
71656	37
71657	37
71658	37
71660	37
71661	39
71662	39
71663	39
71664	39
71665	39
71666	39
71667	39
71668	39
71669	39
71670	39
71671	39
71673	39
71674	39
71675	39
71676	39
71677	39
71678	39
71680	39
71681	39
71690	31
71692	31
71698	41
72525	35
72527	35
72530	35
72531	35
72540	35
72541	35
72542	37
72545	35
72546	35
72547	37
72550	35
72551	35
72552	37
72555	35
72556	35
72557	37
72562	37
72563	37
72564	37
72567	37
72572	35
72573	35
72574	35
72575	35
72576	35
72577	35
72578	35
72579	35
72580	35
72581	35
73310	36
73311	36
73312	36
73313	36
73314	36
73315	36
73316	36
73317	36
73318	36
73319	36
73320	36
74411	38
74413	38
74415	38
74417	38
74419	38
74421	38
74423	38
74429	38
74431	38
74433	38
74435	38
74460	38
74461	38
74462	38
74463	38
74464	38
74465	38
74466	38
74467	38
74468	38
74469	38
74470	38
74501	36
74502	36
74503	36
74504	36
74505	17
74506	36
74508	36
74510	36
74511	35
74512	35
74513	35
74514	36
74515	36
74516	36
74517	35
74518	36
74519	35
74520	17
74521	35
74522	17
74523	35
74524	17
74526	17
74528	17
74529	35
74531	35
74532	17
74533	35
74534	17
74535	35
74536	35
74537	17
74538	35
74539	17
74541	17
74542	35
74543	17
74544	35
74545	17
74546	35
74547	17
74548	35
74549	17
74550	17
74551	35
74552	38
74553	35
74554	38
74555	38
74556	35
74557	38
74558	35
74561	35
74562	38
74564	38
74563	35
74565	35
74567	35
74569	35
74571	35
74573	35
74575	35
74577	35
74579	35
74581	35
74583	35
74586	35
74587	35
74588	35
74589	35
74590	35
74591	35
74601	38
74602	38
74603	38
74604	38
74608	38
74612	38
74616	38
74620	38
74624	38
74628	38
74632	38
74636	38
74659	38
74660	38
74661	38
74662	38
74663	38
74664	38
74665	38
74666	38
74667	38
74668	38
74669	38
74670	38
74711	36
74714	36
74717	36
74721	36
74724	36
74728	36
74732	36
74736	36
74739	36
74742	36
74760	36
74761	36
74762	36
74763	36
74764	36
74765	36
74766	36
74767	36
74768	36
74769	36
74981	31
74982	31
74985	31
74987	31
75093	28
75703	28
75704	28
75705	28
75706	28
75707	28
75708	28
75709	28
75710	28
75715	28
75720	28
75727	28
75728	28
75729	28
75735	28
75739	28
75742	28
75792	28
75801	28
75985	28
76106	39
76107	39
76109	39
76111	39
76113	39
76117	39
76119	39
76121	39
76123	39
76129	39
76131	39
76191	41
76194	41
76312	39
76314	39
76316	39
76318	39
76322	39
76324	39
76326	39
76328	39
76329	39
76330	39
76331	39
76332	39
76333	39
76334	39
76335	39
76336	39
76337	39
76338	39
76339	39
76340	39
76341	39
76342	39
76346	39
76348	39
76352	39
76354	39
76395	41
76396	41
76397	41
76399	41
76403	39
76404	39
76405	39
76406	39
76407	39
76411	39
76412	39
76413	39
76414	39
76510	33
76511	33
76512	33
76513	33
76514	33
76516	33
76517	33
76553	33
76554	33
76555	33
76556	33
76557	33
76558	33
76559	33
76810	33
76811	33
76812	33
76813	33
76814	33
76816	33
76817	33
76853	33
76854	33
76855	33
76856	33
76857	33
76858	33
76859	33
76895	33
76896	33
77101	40
77103	40
77105	40
77107	40
77109	40
77111	40
77113	40
77115	40
77117	40
77151	40
77152	40
77153	40
77154	40
77156	40
77158	40
77160	40
77162	40
77164	40
77193	40
77195	40
77304	40
77305	40
77306	40
77307	40
77308	40
77310	40
77331	40
77333	40
77335	40
77337	40
77341	40
77343	40
77345	40
77347	40
77349	40
77353	40
77390	40
77391	40
79242	31
79245	31
79247	31
79283	32
79445	32
79447	32
79450	37

(800) 494-6104
fax: (800) 494-7456
email: cservice@wihatools.com
www.wihatools.com

SEE OUR GREAT WEB SPECIALS!

wiha Premium Tools



Wiha Quality Tools
1348 Dundas Circle
Monticello, MN 55362
tel: 763.295.6591
fax: 763.295.6598

Wiha Tools Canada Ltd.
www.wihatools.ca
Brampton, ONT L6T 4X4
tel: 866.494.0096 or 763.295.6591
fax: 763.295.6598

To:

Catalog Item No. 99914 .wo
version - 5/15/14

Subject to change without notice

©2014 Willi Hahn Corporation

®Torx is a registered trademark of Acument Intellectual Properties LLC.



99977.wo - Pliers/Crimpers Catalog



99004.wo - Shop Tools Catalog



99001.wo - TorqueControl Catalog



99951.wo - Bits Catalog



99919.wo - Insulated Catalog



99002.wo - Screwdrivers Catalog



99934.wo - Hex Tools Catalog



99006.wo - Tech Tools Catalog



99945.wo - ESD Catalog



91330.wo - Tooling Catalog


2014

wiha
Premium Tools

Professional ESD Safe Tools



Complete ESD Safe Program



What is ESD?

Basic Concepts in Electrostatic Discharge (ESD)
We have all seen static electricity in the form of lightning or perhaps felt the zap when reaching for a door knob. Similar types of electrical charges can have an effect on the electronic components you handle every day in your work. Unfortunately, their effect is much more hazardous and not as readily apparent.

Definition
Static electricity is an electrical charge at rest. Static electricity is most commonly created by friction and separation. Friction causes heat which excites the molecular particles of the material. When two materials are then separated, a transfer of electrons from one material to the other may take place.

As electrons transfer, the absence or surplus of electrons creates an electrical field known as static electricity. The simple separation of two materials, as when tape is pulled off a roll, can also create this same transfer of electrons between materials, generating static electrical fields.

The amount of static electricity generated depends upon the materials subjected to friction or separation, the amount of friction or separation and the relative humidity of the environment. Common plastic generally will create the greatest static charge. Low humidity conditions such as those created when air is heated during the winter will also promote the generation of significant static electrical charges.

Materials that easily transfer electrons (or charge) between atoms are called conductors and are said to have "free" electrons. Some examples of conductors are metals, carbon and the human body's sweat layer. Materials that do not easily transfer electrons are called insulators. Some well known insulators are common plastics, glass and air. Both conductors and insulators may become "charged" with static electricity. When a conductor is charged, the free electrons give it the ability to discharge rapidly when it comes close to another conductor with a different potential.

Typical Electrostatic Voltages
Many of the common activities you perform daily may generate charges on your body that are potentially harmful to components.

Some of these activities include:
- · Walking across a carpet, 1,500 to 35,000 volts
- · Walking over untreated vinyl floor, 250 to 12,000 volts
- · Worker at a bench, 700 to 6,000 volts
- · Vinyl envelope used for work instructions, 600 to 7,000 volts
- · Picking up a common plastic bag from a bench, 1,200 to 20,000 volts

Costly Effects of ESD
When you feel a static shock, you are experiencing a minimum of 3,000 volts of electricity.

This "shock" known as Electro Static Discharge or ESD also may be responsible for damaging many of the rejected electronic components in your company.

While you can feel electrostatic discharges of 3,000 volts, smaller charges are below the threshold of human sensation. Unfortunately, smaller charges can and do damage semiconductor devices. Many of the CMOS technology components used in your facility can be damaged by charges of less than 1,000 volts. Some of the more sophisticated components can be damaged by charges as low as 10 volts. You should be aware of the relative sensitivity to ESD damage of devices you may be working with.

As electronic technology advances, electronic components tend to become smaller and smaller. As the size of the components is reduced, so is the microscopic spacing of insulators and circuits within them, increasing their sensitivity to ESD. As you can predict, the need of proper ESD protection increases everyday.

This Article courtesy of Desco Industries, Inc

Types of ESD Damage
Static damage to components can take the form of upset failures or catastrophic failures.

- · Upset failures - result in gate leakage
- · Catastrophic failures - occur in two forms, Direct and Latent

Direct catastrophic failures occur when a component is damaged to the point where it is DEAD NOW and it will never again function. This is the easiest type of ESD damage to find since it usually can be detected during testing.

Latent failures occur when ESD weakens or wounds the component to the point where it will still function properly during testing, but over time the wounded component will cause poor system performance and eventually complete system failure. Because latent failures occur after final inspection or in the hands of your customer, the cost for repair is very high. Not only is this type of damage hard to find, but it severely affects the reputation of your company's product.

An upset failure occurs when an electrostatic discharge has caused a current flow that is not significant enough to cause total failure, but in use may intermittently result in gate leakage causing loss of software or incorrect storage of information.

Upset or latent failures may pass your company's quality control testing program. In other words, static damage may occur that cannot be felt, seen, or detected through normal testing procedures.

Think of Static As Contamination!
Damage caused by invisible and undetectable events can be understood by comparing ESD damage to medical contamination of the human body by viruses or bacteria. Although viruses and bacteria are invisible, they can cause severe damage even before you can detect their presence. A defense against this invisible threat is sterilization.

As an employee, the hidden threat of electrostatic discharge or ESD should be of great concern to you. ESD damage can significantly reduce your company's profitability. This may affect your profit sharing, your company's ability to compete in the market place and even your employment. Everyone likes to take pride in their work, but without proper ESD controls, your best efforts may be destroyed by static electricity that you can neither feel nor see.

ESD Safe Precision Screwdrivers

	Description	Page
	Prec. Slotted/Phillips	4-5
	Prec. Torx/TorxPlus	6
	Prec. Hex Screwdrivers	7
	Prec. Nut Drivers	8
	Ceramic Slotted/Phillips	9

ESD Safe SYSTEM 4 Handles/Blades & Sets

	Description	Page
	SYSTEM 4	10-13
	Drive-Loc Precision	11

ESD Safe Micro Bit Handles/Bits & Sets



Description	Page
Micro Bits	14-16

ESD Safe SYS 4 ESD Safe Micro Bit Sets

Description	Page
Micro Bit Sets	16

ESD Safe Cushion Grip Bit Holders

Description	Page
SoftFinish® Bit Holders	17
Quick Release Bit Holder	17

ESD Safe Cushion Grip Screwdrivers

Description	Page
SoftFinish® Slotted Drivers	18
SoftFinish® Phillips Drivers	18
SoftFinish® Torx® Drivers	18

ESD Safe Interchangeable Blade Sets



Description	Page
Interchangeable ESD Sets	19

ESD Safe Calipers Index



Description	Page
Calipers	19


ESD Safe Drive-Loc VI Handle



Description	Page
Drive-Loc VI Handle	20-21

ESD Safe TorqueControl Tools






Description	Page
TorqueControl Drivers	22
TorqueControl Blades	22

ESD Safe Pliers & Cutters Index













Description	Page
Diagonal Cutters Tapered Head	23
Diagonal Cutters Wide Tapered & Oval Head	24-25
Diagonal Cutters Wide Oval & Wide Form	25
Oblique Angled Cutters Carbide Edge	26
End Cutters	27
Pliers	27-28

ESD Safe Proturn Pliers & Cutters Index







Description	Page
Proturn Wire Strippers 30 to 20 AWG	29
Proturn Pliers Long, Flat, Bent, Round Nose	29-30
Precision Cutters/Flush Cut 21° & 45° Angle	30-31

ESD Safe Tweezers Index



Description	Page
Tweezers	32-34

Precision ESD Safe Dissipative Drivers

Wiha Precision ESD Static Dissipative Screwdrivers meet the requirements for tools used in static sensitive areas.



ESD Standard IEC 61340-5-1

Rotating cap for precise turning & control with fingertip

Molded Precision handle of impact resistant dissipative material

Tapered handle allows rapid rotation

Blade, CVM steel, hardened, hard chrome finish

Tip, precision ground for exact fit, Wiha Chromtop finish

Surface resistance of handles is 10^6 - 10^9 Ohms



SHOP

272 Slotted Screwdriver, With Precision ESD Safe Dissipative Handle Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
27208	.8	1/32	40	1.6	0.16	.01	120	4.7	.02	10
27210	1.0	.039	40	1.6	0.18	.01	120	4.7	.02	10
27212	1.2	3/64	40	1.6	0.20	.01	120	4.7	.02	10
27215	1.5	1/16	40	1.6	0.25	.01	120	4.7	.02	10
27220	2.0	5/64	40	1.6	0.40	.02	120	4.7	.02	10
27222	2.0	5/64	75	3.0	0.40	.02	155	6.1	.03	10
27223	2.0	5/64	100	3.9	0.40	.02	180	7.1	.03	10
27224	2.0	5/64	150	5.9	0.40	.02	260	10.2	.04	10
27225	2.5	3/32	50	2.0	0.40	.02	145	5.7	.04	10
27227	2.5	3/32	100	3.9	0.40	.02	195	7.7	.03	10
27228	2.5	3/32	150	5.9	0.40	.02	245	9.6	.04	10
27230	3.0	1/8	50	2.0	0.50	.02	145	5.7	.04	10
27232	3.0	1/8	100	3.9	0.50	.02	210	8.3	.04	10
27234	3.0	1/8	150	5.9	0.50	.02	260	10.2	.05	10
27235	3.5	9/64	60	2.4	0.60	.02	170	6.7	.06	10
27237	3.5	9/64	100	3.9	0.60	.02	210	8.3	.06	10
27238	3.5	9/64	150	5.9	0.60	.02	260	10.2	.06	10
27240	4.0	5/32	60	2.4	0.80	.03	170	6.7	.06	10
27242	4.0	5/32	100	3.9	0.80	.03	210	8.3	.06	10
27243	4.0	5/32	150	5.9	0.80	.03	260	10.2	.07	10

*Metric dimensions actual - Inch dimensions approximate



D

SHOP

27290 Set 8 Pcs. Slotted Precision ESD Safe Dissipative Handle Blade CVM steel, hardened, hard chrome. Handle impact resistant, dissipative material. In storage pouch. ESD standard IEC 61340-5-1

Item No.		mm	mm		mm	mm	lbs.
27290	27208	.8	40	27220	2.0	40	.54
	27210	1.0	40	27225	2.5	50	
	27212	1.2	40	27230	3.0	50	
	27215	1.5	40	27235	3.5	60	



D

SHOP

27390 Set 7 Pcs. Slotted & Phillips Precision ESD Safe Dissipative Handle Blade high alloy CVM steel, hardened, hard chrome. Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1

Item No.		mm	mm		Size	mm	lbs.
27390	27215	1.5	40	27305	00	40	.30
	27220	2.0	40	27310	0	50	
	27225	2.5	50	27320	1	60	
	27235	3.5	60				

Precision ESD Safe Slotted/Phillips Drivers

Surface resistance of handles is 10^6 - 10^9 Ohms



273 **Phillips Screwdriver, With Precision ESD Safe Dissipative Handle** Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
27302	000	40	1.6	2.0	.08	120	4.7	.02	10
27305	00	40	1.6	2.0	.08	120	4.7	.02	10
27307	00	75	3.0	2.0	.08	155	6.1	.02	10
27310	0	50	2.0	3.0	.12	145	5.7	.04	10
27312	0	75	3.0	3.0	.12	170	6.7	.03	10
27314	0	100	3.9	3.0	.12	195	7.6	.05	10
27316	0	150	5.9	3.0	.12	245	9.6	.06	10
27320	1	60	2.3	4.0	.16	170	6.7	.06	10
27322	1	75	3.0	4.0	.16	155	6.1	.06	10
27324	1	100	3.9	4.0	.16	210	8.2	.06	10
27326	1	150	5.9	4.0	.16	260	10.2	.07	10

*Metric dimensions actual - Inch dimensions approximate

D



27399 **Set 8 Pcs. Slotted & Phillips Precision ESD Safe Dissipative Handle** Blade high alloy CVM steel, hardened, hard chromed. Handle manufactured from impact resistant, dissipative material. In storage pouch. ESD standard IEC 61340-5-1

Item						
No.		mm	mm		Size	mm	lbs.
27399	27215	1.5	40	27302	000	40	.50
	27220	2.0	40	27305	00	40	
	27225	2.5	50	27310	0	50	
	27230	3.0	50	27320	1	60	

D



27393 **Set 7 Pcs. Extra Long Slotted/Phillips Precision ESD Safe Dissipative Handle** Blade CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material. ESD standard IEC 61340-5-1

Item							
No.		mm	mm		Size	mm	lbs.
27393	27224	2.0	150	27316	0	150	.50
	27228	2.5	150	27326	1	150	
	27234	3.0	150				
	27238	3.5	150				
	27243	4.0	150				



91118 **Rugged Polyester Canvas Storage Pouch** Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

Item			
No.	Size	lbs.	pkg.
91118	14 1/2" W x 7 3/4" L	.13	1

Precision ESD Safe TORX® Drivers

Surface resistance of handles is 10^6 - 10^9 Ohms



278 **TORX® Screwdriver, With Precision ESD Safe Dissipative**

Handle Blade high alloy CVM steel. Hard chrome finished. Handle impact resistant, dissipative material. ESD standard IEC 61340-5-1

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
27801	T1	40	1.6	120	4.7	.03	10
27802	T2	40	1.6	120	4.7	.03	10
27803	T3	40	1.6	120	4.7	.03	10
27804	T4	40	1.6	120	4.7	.03	10
27805	T5	40	1.6	120	4.7	.03	10
27811	T6	40	1.6	120	4.7	.03	10
27817	T7	40	1.6	120	4.7	.03	10
27823	T8	40	1.6	120	4.7	.03	10
27829	T9	50	2.0	145	5.7	.04	10
27835	T10	50	2.0	145	5.7	.04	10
27841	T15	60	2.4	170	6.7	.07	10
27847	T20	60	2.4	170	6.7	.07	10

SHOP

*Metric dimensions actual - Inch dimensions approximate



ESD standard IEC 61340-5-1

D

SHOP

27890 **Set 7 Pcs. TORX® Precision ESD Safe Dissipative Handle**

Blade high alloy CVM steel, hardened, hard chromed. Handle manufactured from impact resistant, dissipative material.

Item No.		Size	mm		Size	mm	lbs.
27890	27804	T4	40	27823	T8	40	.31
	27805	T5	40	27829	T9	50	
	27811	T6	40	27835	T10	50	
	27817	T7	40				



ESD standard IEC 61340-5-1

D

SHOP

27899 **Set 8 Pcs. TORX® Precision ESD Safe Dissipative Handle**

Set In Pouch Blade high alloy CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material.

Item No.		Size	mm		Size	mm	lbs.
27899	27801	T1	40	27805	T5	40	.47
	27802	T2	40	27806	T6	40	
	27803	T3	40	27807	T7	40	
	27804	T4	40	27920	Chip Lifter		

Precision ESD Safe TORXPlus® Drivers

Surface resistance of handles is 10^6 - 10^9 Ohms



278 **TORXPlus® Screwdriver, With Precision ESD Safe Dissipative**

Handle Blade high alloy CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material. ESD standard IEC 61340-5-1

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
27850	IP4	40	1.6	120	4.7	.03	10
27851	IP5	40	1.6	120	4.7	.03	10
27852	IP6	40	1.6	120	4.7	.03	10
27853	IP7	40	1.6	120	4.7	.03	10
27854	IP8	40	1.6	120	4.7	.03	10
27855	IP9	50	2.0	145	5.7	.04	10
27856	IP10	50	2.0	145	5.7	.04	10
27857	IP15	60	2.4	170	6.7	.07	10

SHOP

*Metric dimensions actual - Inch dimensions approximate



ESD standard IEC 61340-5-1

D

SHOP

27894 **Set 7 Pcs. TORXPlus® Precision ESD Safe Dissipative**

Handle Blade high alloy CVM steel, hardened, hard chromed.

Item No.		Size	mm		Size	mm	lbs.
27894	27851	IP5	40	27855	IP9	50	.27
	27852	IP6	40	27856	IP10	50	
	27853	IP7	40	27857	IP15	60	
	27854	IP8	40				

Wiha Precision ESD Safe Hex Drivers

Surface resistance of handles is 10^6 - 10^9 Ohms



275 Metric **Hex Driver, With Precision ESD Safe Dissipative**

Handle Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1

Item No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
27507	0.7	40	1.6	120	4.7	.02	10
27509	0.9	40	1.6	120	4.7	.02	10
27513	1.3	40	1.6	120	4.7	.03	10
27515	1.5	50	2.0	145	5.7	.03	10
27520	2.0	50	2.0	145	5.7	.04	10
27525	2.5	60	2.4	170	6.7	.05	10
27530	3.0	60	2.4	170	6.7	.05	10
27535	4.0	60	2.4	170	6.7	.05	10

SHOP

*Metric dimensions actual - Inch dimensions approximate



275 Inch **Hex Driver, With Precision ESD Safe Dissipative**

Handle Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1

Item No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
27505	0.028	40	1.6	120	4.7	.02	10
27510	0.035	40	1.6	120	4.7	.02	10
27513	0.05	40	1.6	120	4.7	.02	10
27537	1/16	50	2.0	145	5.7	.03	10
27539	5/64	50	2.0	145	5.7	.03	10
27541	3/32	60	2.4	170	6.7	.04	10
27543	7/64	60	2.4	170	6.7	.04	10
27545	1/8	60	2.4	170	6.7	.04	10
27547	9/64	60	2.4	170	6.7	.05	10
27549	5/32	60	2.4	170	6.7	.05	10

SHOP

*Metric dimensions actual - Inch dimensions approximate



ESD standard IEC 61340-5-1

D

SHOP

27590 **Set 8 Pcs. Hex Metric Precision ESD Safe Dissipative**

Handle Blade CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material. In storage pouch

Item No.		mm	mm		mm	mm	lbs.
27590	27507	.7	40	27520	2.0	50	.53
	27509	.9	40	27525	2.5	60	
	27513	1.3	40	27530	3.0	60	
	27515	1.5	50	27535	4.0	60	



ESD standard IEC 61340-5-1

D

SHOP

27591 **Set 8 Pcs. Hex Inch Precision ESD Safe Dissipative**

Handle Blade CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material. In storage pouch

Item No.		Inch	Inch		Inch	Inch	lbs.
27591	27513	.050	1.6	27543	7/64	2.4	.57
	27537	1/16	2.0	27545	1/8	2.4	
	27539	5/64	2.0	27547	9/64	2.4	
	27541	3/32	2.4	27549	5/32	2.4	



SHOP

91118 **Rugged Polyester Canvas Storage Pouch**

Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

Item No.	Size	lbs.	pkg.
91118	14 1/2" W x 7 3/4" L	.13	1

Wiha Precision ESD Safe Nut Drivers

Surface resistance of handles is 10^6 - 10^9 Ohms



277 **Inch Nut Driver, With Precision ESD Safe Dissipative**

Handle Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1

Item									
No.	Inch	mm	Inch	mm	Inch	Inch	Inch	lbs.	pkg.
27701	3/32	60	2.4	155	6.1	.16	.16	.04	10
27703	7/64	60	2.4	155	6.1	.20	.20	.05	10
27705	1/8	60	2.4	155	6.1	.20	.20	.05	10
27707	9/64	60	2.4	155	6.1	.21	.24	.05	10
27709	5/32	60	2.4	155	6.1	.22	.24	.05	10
27711	3/16	60	2.4	155	6.1	.25	.28	.05	10
27713	7/32	60	2.4	170	6.7	.30	.32	.06	10
27715	1/4	60	2.4	170	6.7	.34	.36	.06	10

*Metric dimensions actual - Inch dimensions approximate



ESD standard IEC 61340-5-1

D

27791 **Set 8 Pcs. Inch Nut Driver Precision ESD Safe Dissipative**

Handle Blade CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material. In storage pouch

Item							
No.		Inch	mm		Inch	mm	lbs.
27791	27701	3/32	60	27709	5/32	60	.68
	27703	7/64	60	27711	3/16	60	
	27705	1/8	60	27713	7/32	60	
	27707	9/64	60	27715	1/4	60	



277 **Metric Nut Driver, With Precision ESD Safe Dissipative**

Handle Blade high alloy chrome-vanadium-molybdenum steel. Hard chromed finished. Handle manufactured from impact resistant, dissipative material. ESD standard IEC 61340-5-1

Item									
No.	mm	mm	Inch	mm	Inch	Inch	Inch	lbs.	pkg.
27720	1.5	60	2.4	140	5.5	2.5	3.0	.03	10
27722	2.0	60	2.4	140	5.5	3.2	4.0	.04	10
27725	2.5	60	2.4	140	5.5	4.0	4.0	.05	10
27730	3.0	60	2.4	155	6.1	5.0	5.0	.06	10
27735	3.5	60	2.4	155	6.1	5.3	6.0	.06	10
27740	4.0	60	2.4	155	6.1	5.5	6.0	.06	10
27745	4.5	60	2.4	155	6.1	6.2	7.0	.05	10
27750	5.0	60	2.4	155	6.1	6.8	7.0	.06	10
27755	5.5	60	2.4	170	6.7	7.6	8.0	.07	10
27760	6.0	60	2.4	170	6.7	9.6	10.0	.06	10

*Metric dimensions actual - Inch dimensions approximate



ESD standard IEC 61340-5-1

D

27790 **Set 8 Pcs. Metric Nut Driver Precision ESD Safe**

Dissipative Handle Blade CVM steel, hardened, hard chromed. Handle impact resistant, dissipative material. In storage pouch

Item							
No.		mm	mm		mm	mm	lbs.
27790	27720	1.5	60	27735	3.5	60	.63
	27722	2.0	60	27740	4.0	60	
	27725	2.5	60	27750	5.0	60	
	27730	3.0	60	27755	5.5	60	

Wiha Precision ESD Safe Chip Lifter

Surface resistance of handles is 10^6 - 10^9 Ohms



27920 **Precision Chip Lifter - ESD Safe**

Blade CVM steel, hardened, corrosion resistant finish. Precision handle high quality plastic, Dissipative material.

Item	mm	mm	mm	mm	Inch	lbs.	pkg.
No.	1	3.5	50	145	5.7	.07	1
27920	ESD Safe dissipative handle						

SHOP



D

ESD standard IEC 61340-5-1

Surface resistance of handles is 10^6 - 10^9 Ohms

SHOP

92092 **Master Technicians Bench Top Set**

Metal frame. Equipped with 50 precision ESD Safe screwdrivers.

Item No.	
92092	Slotted: .8, 1.0, 1.2, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm
	Phillips: #000, #00, #0, #1
	TORX®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10, T15, T20
lbs. 2.25	Metric Hex: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
	Inch Hex: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Metric Nut Drivers: 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm
	27920 Chip Lifter




SHOP

91118 **Rugged Polyester Canvas Storage Pouch**

Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

Item			
No.	Size	lbs.	pkg.
91118	14 1/2" W x 7 3/4" L	.13	1

Wiha Precision Ceramic





SHOP

270 **Ceramic Slotted Screwdriver, With Wiha-Precision Handle, Out of Anti-static Plastic** Blade special ceramic, antimagnetic, for correct adjusting in high frequency areas.

Item										
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
27009	0.9	.035	15	.59	0.35	.01	94.5	3.7	.14	1
27013	1.3	.050	15	.59	0.35	.01	94.5	3.7	.14	1
27018	1.8	.071	15	.59	0.35	.02	94.5	3.7	.14	1
27026	2.6	.102	15	.59	0.35	.02	94.5	3.7	.14	1

*Metric dimensions actual - Inch dimensions approximate



27100 **Ceramic Phillips Screwdriver, With Wiha-Precision Handle, Out of Anti-static Plastic** Blade special ceramic, antimagnetic, for correct adjusting in high frequency areas.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
27100	0	15.0	.59	94.5	3.7	.14	1

SHOP

*Metric dimensions actual - Inch dimensions approximate



SHOP

27090 **Ceramic Slotted/Phillips Screwdriver 3 Pc. Set, With Wiha-Precision Handle, Out of Anti-static Plastic**

Blade special ceramic, antimagnetic, for correct adjusting in high frequency areas.

Item						
No.	mm	mm	Size	mm	lbs.	pkg.
27090	0.9	15	0	15	.28	1
	2.6	15				

Wiha SYS 4 Precision Handles & Blades



28000 ESD Safe Dissipative Precision

Handle with rotating control cap. Surface resistant 10^6-10^9 Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item No.	mm	Inch	mm	Inch	lbs.
28000	4.0	.1574	14.0	.55	.04



28001 ESD Safe Dissipative Precision

Adjustable Handle with rotating control cap.

- Use in ESD sensitive applications. Surface resistant 10^6-10^9 Ohms.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item No.	mm	Inch	mm	Inch	lbs.
28001	4.0	.1574	14.0	.55	.04



269 SYSTEM 4 Slotted

Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item No.	mm	mm	mm	Inch	lbs.
26903	1.5 +	3.0	120	4.7	.05
26904	2.0 +	3.5	120	4.7	.05
26905	2.5 +	4.0	120	4.7	.06




269 SYSTEM 4 Combined Slotted/Phillips Reversible Blade

Item No.	mm	Size	mm	Inch	lbs.
26971	1.5 +	000	120	4.7	.05
26972	2.0 +	00	120	4.7	.05
26973	3.0 +	0	120	4.7	.05
26974	4.0 +	1	120	4.7	.06



269 SYSTEM 4 Phillips Reversible Blade

Item No.	Size	Size	mm	Inch	lbs.
26911	000 +	00	120	4.7	.03
26912	0 +	1	120	4.7	.03



Surface resistance of handles is 10^6 - 10^9 Ohms



26922 SYSTEM 4 Pozidriv®

Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.


Item No.	Size	Size	mm	Inch	lbs.
26922	0 +	1	120	4.7	.03



269 SYS 4 Metric Ball End & Standard Hex, Reversible Blade

CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips. One side hex, other side ballpoint hex.


Item No.	mm	mm	mm	Inch	lbs.
26932	1.3 +	1.3	120	4.7	.05
26933	1.5 +	1.5	120	4.7	.05
26934	2.0 +	2.0	120	4.7	.06
26935	2.5 +	2.5	120	4.7	.06
26936	3.0 +	3.0	120	4.7	.06
26937	4.0 +	4.0	120	4.7	.06



280 SYSTEM 4 Metric Ball End Hex


Interchangeable Blade High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item No.	mm	mm	Inch	lbs.	pkg.
28033	1.5	120	4.7	.06	1
28034	2.0	120	4.7	.06	1
28035	2.5	120	4.7	.06	1
28036	3.0	120	4.7	.06	1
28037	4.0	120	4.7	.06	1




280 SYSTEM 4 Inch Ball End Hex Interchangeable Blade

Item No.	Inch	mm	Inch	lbs.
28021	.050	120	4.7	.06
28023	1/16	120	4.7	.06
28024	5/64	120	4.7	.06
28025	3/32	120	4.7	.06
28026	7/64	120	4.7	.06
28027	1/8	120	4.7	.06
28028	9/64	120	4.7	.06
28029	5/32	120	4.7	.06



269 SYSTEM 4 Metric Hex Sizes, Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

Item No.	mm	mm	Inch	lbs.
26913	0.7	120	4.7	.06
26914	0.9	120	4.7	.06
26915	1.3	120	4.7	.06
26916	1.5	120	4.7	.06
26917	2.0	120	4.7	.06
26918	2.5	120	4.7	.06
26919	3.0	120	4.7	.06
26920	4.0	120	4.7	.06



269 SYSTEM 4 Inch Hex Sizes, Interchangeable Blade

Item No.	Inch	mm	Inch	lbs.
26921	.050	120	4.7	.06
26923	1/16	120	4.7	.06
26924	5/64	120	4.7	.06
26925	3/32	120	4.7	.06
26926	7/64	120	4.7	.06
26927	1/8	120	4.7	.06
26928	9/64	120	4.7	.06
26929	5/32	120	4.7	.06

Wiha SYSTEM 4 Precision Blades



SHOP

269 SYSTEM 4 Nut Driver Metric, Interchangeable Blade High alloy chrome-vanadium-molybdenum steel, hardened, corrosion protected. 120mm/4.7" OAL

Item No.	mm	mm	Inch	Inch	lbs.
26940	1.5	+ 1.8	.12	.12	.03
26941	2.0	+ 2.5	.16	.16	.03
26938	1.5	-	.11	.11	.04
26939	1.8	-	.12	.12	.04
26949	2.0	-	.13	.13	.06
26950	2.5	-	.16	.16	.06
26942	3.0	-	.20	.20	.06
26943	3.2	-	.20	.20	.06
26944	3.5	-	.22	.24	.06
26945	4.0	-	.22	.24	.06
26946	4.5	-	.25	.28	.06
26947	5.0	-	.27	.28	.06
26948	5.5	-	.30	.32	.06



SHOP

269 SYSTEM 4 Nut Driver Inch, Interchangeable Blade

Item No.	Inch	Inch	Inch	lbs.
26962	3/32	.16	.16	.04
26963	7/64	.20	.20	.04
26964	1/8	.20	.20	.04
26965	9/64	.21	.24	.04
26966	5/32	.22	.24	.04
26967	3/16	.26	.28	.04
26968	7/32	.30	.32	.04
26969	1/4	1.34	.36	.04



269 SYSTEM 4 TORX® Reversible Blade High alloy chrome-vanadium-molybdenum steel, hardened, vapor chrome protected, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL

SHOP

Item No.	Size	Size	lbs.
26951	T6	+ T8	.03
26952	T7	+ T9	.03
26953	T10	+ T15	.03
26954	T15	+ T20	.03



269 SYSTEM 4 TORX® Interchangeable Blade 120mm/4.7" OAL

SHOP

Item No.	Size	lbs.
26955	T3	.03
26956	T4	.03
26957	T5	.03

Wiha SYSTEM 4 Drive-Loc Precision Locking Tools



SHOP

26961 ESD Safe Dissipative Precision Drive-Loc Handle Surface resistant 10^6-10^9 Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL

Item No.	mm	Inch	mm	Inch	lbs.
26961	4.0	.1574	23	.91	.08



269 SYSTEM 4 Slotted Drive-Loc Reversible Locking Blades On 4mm Hex

SHOP

Item No.	mm		mm	lbs.
26958	1.5	+	3.0	.02
26959	2.0	+	3.5	.02
26960	2.5	+	4.0	.02



269 SYSTEM 4 Phillips Drive-Loc Reversible Locking Blades On 4mm Hex

SHOP

Item No.	Size		Size	lbs.
26975	000	+	00	.02
26976	0	+	1	.02



269 SYSTEM 4 TORX® Drive-Loc Reversible Locking Blades On 4mm Hex

SHOP

Item No.	Size		Size	lbs.
26977	T1	+	T2	.02
26978	T3	+	T4	.02
26979	T5	+	T6	.02
26980	T6	+	T8	.02
26981	T7	+	T9	.02
26982	T10	+	T15	.02



28002 SYSTEM 4 Pozidriv® Drive-Loc Reversible Locking Blades On 4mm Hex

SHOP

Item No.	Size		Size	lbs.
28002	0	+	1	.02



280 SYSTEM 4 Metric Hex Drive-Loc Reversible Locking Blades On 4mm Hex blades

SHOP

Item No.	mm		mm	lbs.
28003	1.3	+	1.3	.02
28004	1.5	+	1.5	.02
28005	2.0	+	2.0	.02
28006	2.5	+	2.5	.02
28007	3.0	+	3.0	.02
28008	4.0	+	4.0	.02



280 SYSTEM 4 Metric Nut Drivers Drive-Loc Reversible Locking Blades On 4mm Hex blades

SHOP

Item No.	mm		mm	lbs.
28009	1.5	+	1.8	.02
28010	2.0	+	2.5	.02
28011	3.0	+	3.0	.02
28012	3.2	+	3.2	.02
28013	3.5	+	3.5	.02
28014	4.0	+	4.0	.02
28015	4.5	+	4.5	.02
28016	5.0	+	5.0	.02
28017	5.5	+	5.5	.02



SHOP

26985 12 Piece SYSTEM 4 Precision ESD Drive-Loc Set In storage pouch


Item No.	
26985	**ESD Safe Drive-Loc Handle**
lbs. .44	**Slotted:** 1.5x3.0, 2.0x3.5, 2.5x4.0
	Phillips: 000x00, 0x1
	TORX®: T1xT2, T3xT4, T5xT6, T6xT8, T7xT9, T10xT15

Wiha Canvas Pouch Sets

Surface resistance of handles is 10^6 - 10^9 Ohms

D

SHOP






26990 **Slotted & Phillips Precision Interchangeable Blade Set, 4 Pcs.** Wiha ESD Safe precision collet lock handle and 3 Wiha interchangeable blades.

26990 Set includes the following blades:

- **Slotted:** 2.0, 3.0, 4.0mm
- **Phillips:** 00, 0, 1
- **lbs.** .17

D

SHOP






26991 **Slotted & Phillips Precision Interchangeable Blade Set, 6 Pcs.** Wiha ESD Safe precision collet lock handle and 5 Wiha interchangeable blades. In canvas pouch.

26991 Set includes the following blades:

- **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm
- **Phillips:** 000, 00, 0, 1
- **lbs.** .29

D

Slotted, Phillips, Hex



SHOP




26992 **Slotted, Phillips and Ball End Hex Metric/Inch Precision Interchangeable Blade Set, 17 Pcs.** Wiha ESD Safe precision collet lock handle and 15 Wiha interchangeable blades.

26992 Set include the following blades:

- **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- **Phillips:** 000, 00, 0, 1
- **Ball End Hex Inch:** .050,1/16, 5/64, 7/64, 3/32,1/8"
- **Ball End Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0mm
- **ESD Safe Chip Lifter**
- **lbs.** .63

D



SHOP



28080 **Slotted, Phillips TORX® & Hex Precision Interchangeable Blade Set, 22 Pcs.** Wiha ESD Safe precision collet lock handle and 20 Wiha interchangeable blades.


28080 Set includes the following blades:

- **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- **Phillips:** 000, 00, 0, 1
- **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
- **Hex:** .028, .035
- **Ball Hex:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- **ESD Safe Chip Lifter**
- **lbs.** .33

ESD Technicians Kit

Precision Screwdrivers & Tweezers





SHOP



44590 **Slotted, Phillips and TORX® Precision Interchangeable Blade Set, 12 Pcs.** Wiha ESD Safe precision collet lock handle, 7 Wiha interchangeable blades & 4 ESD Safe Tweezers.

44590 Set includes the following blades:


- **Slotted:** 2.0, 3.0, 4.0mm
- **Phillips:** 00, 0, 1
- **TORX®:** T6, T7, T8, T9, T10, T15
- **ESD Safe Precision Tweezers:**
  - 44501 Fine Point - AA SA
  - 44509 Extra Fine Point - 5 SA
  - 44505 Flat and Blunt - 2a SA
  - 44510 Curved Fine Point - 7a SA
- **lbs.** .60

D

Slotted, Phillips, Torx® Set In Steel Box

D

Surface resistance of handles is 10^6 - 10^9 Ohms



SHOP



28094 **Slotted, Phillips & Torx® Precision Interchangeable Blade Set, 11 Pcs.** Wiha ESD Safe precision collet lock handle and 10 Wiha interchangeable blades.


28094 Set includes the following blades:

- **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- **Phillips:** 000, 00, 0, 1
- **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
- **lbs.** 1.51

Slotted & Phillips Set In Steel Box

D

Surface resistance of handles is 10^6 - 10^9 Ohms



SHOP



26993 **Slotted & Phillips Precision Interchangeable Blade Set, 6 Pcs.** Wiha ESD Safe precision collet lock handle and 5 Wiha interchangeable blades.

26993 Set includes the following blades:

- **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm
- **Phillips:** 000, 00, 0, 1
- **lbs.** .87

SYSTEM 4 Sets In Compact Fold-Out Box




- ESD Safe Precision Handle Surface resistance of handles is 10^6 - 10^9 Ohms
- High alloy CVM steel, hardened
- Exact fit tips



D

SHOP



26996 **Slotted & Phillips Precision Interchangeable Blade Set, 5 Pcs.** Wiha ESD Safe precision collet lock handle and 4 Wiha interchangeable blades.

26996 **Set includes the following reversible blades in Slotted/Phillips sizes:**

- **Slotted:** 1.5, 2.0, 3.0, 3.5mm
- **Phillips:** 000, 00, 0, 1
- **lbs.** .24



D

SHOP



26997 **Slotted, Phillips and TORX® Precision Interchangeable Blade Set, 9 Pcs.** Wiha ESD Safe Precision Collet Lock handle and 8 Wiha Interchangeable blades.

26997 **Set includes the following blades:**

- **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm
- **Phillips:** 000, 00, 0, 1
- **TORX®:** T6, T7, T8, T9, T10, T15
- **lbs.** .34



D

SHOP



26999 **Hex Metric Precision Blade Set, 9 Pcs.** Wiha ESD Safe Precision Collet Lock handle and 8 Wiha interchangeable blades.

26999 **Set includes the following blades:**

- **Hex Metric:** .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- **lbs.** .36



D

SHOP



26989 **Hex Inch Precision Blade Set, 9 Pcs.** Wiha ESD Safe Precision Collet Lock handle and 8 Wiha interchangeable blades.

26989 **Set includes the following blades:**

- **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32”
- **lbs.** .35



D

SHOP



26988 **Nut Driver Inch Precision Blade Set, 9 Pcs.** Wiha ESD Safe precision collet lock handle & 8 Wiha interchangeable blades.

26988 **Set includes the following blades:**

- **Nut Driver Inch:** 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4”
- **lbs.** .39



D

SHOP



26998 **Nut Driver Metric Precision Blade Set, 9 Pcs.** Wiha ESD Safe precision collet lock handle and 8 Wiha interchangeable blades.

26998 **Set includes the following blades:**

- **Nut Driver Metric:** 2.0, 2.5, 3.0, 3.2, 3.5, 4.0, 4.5, 5.0, 5.5mm
- **lbs.** .40



D

SHOP



26995 **TORX® Precision Interchangeable Blade Set, 5 Pcs.** Wiha ESD Safe precision collet lock handle & 4 interchangeable blades.

26995 **Set includes the following blades:**

- **TORX®:** T6, T7, T8, T9, T10, T15, T20
- **lbs.** .24



D

SHOP



26987 **TORX® Precision Interchangeable Blade Set, 8 Pcs.** Wiha ESD Safe precision collet lock handle and 7 interchangeable blades.

26987 **Set includes the following blades:**

- **TORX® Sizes on standard blades:** T3, T4, T5
- **TORX® Sizes on reversible blades:** T6, T7, T8, T9, T10, T15, T20
- **lbs.** .33



SYSTEM 4 Handles & Micro Bits



Tips
Exact fit, precision machined

Rotating Cap
for precise turning & control

Tapered Handle
allows rapid rotation, requires less clearance.
Static Dissipative
10^6 - 10^9 ohms

Bits CVM steel, hardened

Use bits directly in handle or with 4" bit extension

NEW



SHOP

757 SYSTEM 4 Pentalobe IPR Micro Bits

CVM steel, hardened, on 4 mm hex stock.

Item No.	Size	mm	Inch	lbs.
75743	P1	28	1.1	.01
75744	P2	28	1.1	.01
75745	P3	28	1.1	.01
75746	P4	28	1.1	.01
75747	P5	28	1.1	.01
75748	P6	28	1.1	.01



SHOP

750 SYSTEM 4 Slotted Bits High alloy

CVM steel, hardened, on 4 mm hex stock.

Item No.	mm	mm	Inch	lbs.
75008	0.8	28	1.1	.01
75012	1.2	28	1.1	.01
75015	1.5	28	1.1	.01
75018	1.8	28	1.1	.01
75020	2.0	28	1.1	.01
75025	2.5	28	1.1	.01
75030	3.0	28	1.1	.01
75035	3.5	28	1.1	.01
75040	4.0	28	1.1	.01



SHOP

751 SYSTEM 4 Phillips Bits

High alloy chrome-vanadium-molybdenum steel, hardened, on 4 mm hex stock.

Item No.	Size	mm	Inch	lbs.
75105	000	28	1.1	.01
75110	00	28	1.1	.01
75115	0	28	1.1	.01
75120	1	28	1.1	.01



SHOP

753 SYSTEM 4 Hex Metric Bits High alloy

CVM steel, hardened, on 4 mm hex stock.

Item No.	mm	mm	Inch	lbs.
75307	.7	28	1.1	.01
75309	.9	28	1.1	.01
75313	1.3	28	1.1	.01
75315	1.5	28	1.1	.01
75320	2.0	28	1.1	.01
75325	2.5	28	1.1	.01
75330	3.0	28	1.1	.01
75340	4.0	28	1.1	.01



SHOP

753 SYSTEM 4 Hex Inch Bits High alloy

CVM steel, hardened, on 4 mm hex stock.

Item No.	Inch	mm	Inch	lbs.
75307	.028	28	1.1	.01
75309	.035	28	1.1	.01
75313	.050	28	1.1	.01
75350	1/16	28	1.1	.01
75352	5/64	28	1.1	.01
75354	3/32	28	1.1	.01
75356	7/64	28	1.1	.01
75358	1/8	28	1.1	.01
75360	9/64	28	1.1	.01
75340	5/32	28	1.1	.01



SHOP

753 SYSTEM 4 Metric Security Hex Bits

High alloy CVM steel, hardened, on 4 mm hex stock.

Item No.	mm	mm	Inch	lbs.
75322	2.0	28	1.1	.01
75327	2.5	28	1.1	.01
75332	3.0	28	1.1	.01
75342	4.0	28	1.1	.01



SHOP

753 SYSTEM 4 Security Hex Inch Bits

High alloy CVM steel, hardened, on 4 mm hex stock.

Item No.	Inch	mm	Inch	lbs.
75362	5/64	28	1.1	.01
75364	3/32	28	1.1	.01
75366	7/64	28	1.1	.01
75368	1/8	28	1.1	.01
75370	9/64	28	1.1	.01
75372	5/32	28	1.1	.01



SHOP

757 SYSTEM 4 TORX® Bits

High alloy chrome-vanadium-molybdenum steel, hardened, on 4 mm stock.

Item No.	Size	mm	Inch	lbs.
75703	T3	28	1.1	.01
75704	T4	28	1.1	.01
75705	T5	28	1.1	.01
75706	T6	28	1.1	.01
75707	T7	28	1.1	.01
75708	T8	28	1.1	.01
75709	T9	28	1.1	.01
75710	T10	28	1.1	.01
75715	T15	28	1.1	.01
75720	T20	28	1.1	.01



SHOP

753 SYSTEM 4 TORX® Security Bits

High alloy CVM steel, hardened, on 4 mm stock.

Item No.	Size	mm	Inch	lbs.
75727	T7s	28	1.1	.01
75728	T8s	28	1.1	.01
75729	T9s	28	1.1	.01
75735	T10s	28	1.1	.01
75739	T15s	28	1.1	.01
75742	T20s	28	1.1	.01

NEW



SHOP

758 SYSTEM 4 Metric & Inch Nut Setters

CVM steel, hardened, on 4 mm hex stock.

Item No.	mm	mm	Inch	lbs.
Metric				
75820	2.0	30	1.2	.01
75821	2.5	30	1.2	.01
75822	3.0	30	1.2	.01
75823	3.5	30	1.2	.01
75824	4.0	30	1.2	.01
75825	4.5	30	1.2	.01
75826	5.0	30	1.2	.01
75827	5.5	30	1.2	.01
Inch	Inch	mm	Inch	lbs.
75810	5/64	30	1.2	.01
75811	3/32	30	1.2	.01
75812	7/64	30	1.2	.01
75813	1/8	30	1.2	.01
75814	9/64	30	1.2	.01
75815	5/32	30	1.2	.01
75816	3/16	30	1.2	.01
75817	7/32	30	1.2	.01

Wiha SYSTEM 4 Precision Bit Handle



SHOP

75801 **SYSTEM 4 ESD Safe Dissipative Precision Bit Handle** with rotating control cap. Wiha precision handle, tapered, high quality plastic, impact resistant. **Advantages:**

- For working in ESD sensitive applications Surface resistant 10^6-10^9 Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits
- 110mm/4.3" OAL

Item No.	mm	Inch	mm	Inch	lbs.
75801	4.0	.1574	14.0	.55	.06

Wiha SYSTEM 4 Compact Micro Bit Sets

NEW




D

Surface resistance of ESD Safe handle is 10^6 - 10^9 Ohms

Extra fine 72 tooth reversible ratchet

100mm Extension blade non-magnetic

1/4" to 4mm magnetic adapter



75965 **SYSTEM 4 Master Tech ESD & Ratchet With Micro Bits, 65 Pieces In Storage Box.** Includes Wiha precision ESD Safe handle, micro bit extension, 72 tooth ratchet & 62 interchangeable micro bits.

Item No. With ESD Precision Handle, 1/4" Ratchet, Micro Bit Extension

75965 **Set includes the following micro bits:**

- **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- **Phillips:** 000, 00, 0, 1
- **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15, T20
- **Hex Metric:** .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- **Nut Drivers Metric:** 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm
- **Nut Drivers Inch:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32"
- **Pentalobe:** P1, P2, P3, P4, P5, P6
- Magnetic 1/4" to 4mm Adapter
- **lbs.** 1.16

SHOP

Micro Bit Extension Blades



SHOP

75900 **Extension Blade For SYSTEM 4 Micro Bits.** Shaft CVM steel, hardened, corrosion protected. Ball retainer bit extension for 4 mm bits. Without magnet

Item No.	Size	mm	mm	lbs.
75900	4.0	100	4.0	.07



SHOP

75901 **Magnetic Bit Extension Blade For SYSTEM 4 Micro Bits.** Shaft CVM steel, hardened. Magnetic bit holder.

Item No.	Size	mm	mm	lbs.
75901	4.0	100	4.0	.04

Wiha SYSTEM 4 Compact Micro Bit Sets







40 Pc. Set

D

SHOP

75996 **SYSTEM 4 Interchangeable Bit Set, 40 Pcs. In Storage Box.** Set includes Wiha precision handle, non-magnetic bit extension & 38 interchangeable bits.

Item No. **SYSTEM 4 Combination Micro Bit Set**

75996 Set with ESD Safe Precision Handle

Set includes the following bits:

- **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- **Phillips:** 000, 00, 0, 1
- **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
- **Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- **Hex Inch:** .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- **100mm Bit Extension - non-magnetic**
- **lbs.** 1.04

Surface resistance of handle is 10^6 - 10^9 Ohms

SHOP





D

75990 **40 Pc. SYSTEM 4 Interchangeable Bit Set, In Canvas Pouch** Set includes Wiha precision handle, non-magnetic bit extension & 38 interchangeable bits.

Item No.	SYSTEM 4 Combination Micro Bit Set
75990	Set with ESD Safe Precision Handle

Set includes the following bits:

- **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- **Phillips:** 000, 00, 0, 1
- **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
- **Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- **Hex Inch:** .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- **100mm Bit Extension - non-magnetic**
- **lbs.** .65

Surface resistance of handle is 10^6 - 10^9 Ohms



40 Pc. Set

Micro Bit 1/4" Drive Power Tool Adapter



SHOP

75902 **SYSTEM 4 Micro Bit 1/4" Drive Power Tool Adapter** Shaft CVM steel, hardened, corrosion protected. 1/4" Hex drive holds 4 mm bits. Without magnet

Item No.	Size	mm	mm	lbs.
75902	1/4"	60	4.0	.05

Wiha SYS 4 Compact Micro Bit Sets

75792 SYSTEM 4 TORX® Precision Interchangeable Bit Set, 11 Pcs. In Compact Fold Out Box. Set includes ESD Safe Wiha precision handle, non-magnetic bit extension and 9 Wiha interchangeable bits.

Item No.	ESD Safe SYSTEM 4 TORX® Micro Bit Set
75792	Set with ESD Safe Precision Handle
	Sets include the following bits:
	TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15
	100mm Bit Extension - non-magnetic
	lbs. .26

Surface resistance of handle is 10^6 - 10^9 Ohms



759 SYSTEM 4 Slotted/Phillips/Hex Inch/ TORX® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box. Sets include your choice of Wiha precision handle, non-magnetic bit extension and 25 Wiha interchangeable bits.

Item No.	Handle Options for SYSTEM 4 Combination Bit Sets
75991	Set with Standard Precision Handle
75992	Set with ESD Safe Precision Handle
	Sets include the following bits:
	Slotted: 1.5, 2.0, 3.0, 4.0mm
	Phillips: 000, 00, 0, 1
	TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	100mm Bit Extension - non-magnetic
	lbs. .34

Surface resistance of handle is 10^6 - 10^9 Ohms



75994 SYSTEM 4 Slotted/Phillips/Hex Metric/ TORX® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box. Set includes Wiha ESD Safe precision handle, non-magnetic bit extension and 25 Wiha interchangeable bits.

Item No.	SYSTEM 4 Combination Micro Bit Set
75994	Set with ESD Safe Precision Handle
	Set includes the following bits:
	Slotted: 1.5, 2.0, 3.0, 4.0mm
	Phillips: 000, 00, 0, 1
	TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15
	Hex Metric: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
	100mm Bit Extension - non-magnetic
	lbs. .26

Surface resistance of handle is 10^6 - 10^9 Ohms



Technicians MicroBit Sets

- Micro Precision Bits on 4mm Hex Drive
- Bits of Exclusive CRM-72 Tool Steel
- Handle uses non-magnetic ball retainer
- Use bits in extension only
- Standard extension adds 4" to length
- Non-magnetic bit extension

Rotation cap
Light weight & compact
Handle tapered for precise control
Surface resistance of handles is 10^6 - 10^9 Ohms
Bits hardened for extreme durability



75093 SYSTEM 4 Slotted, Phillips, TORX® Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No.	Combination Bit Set	lbs.
75093	Set with ESD Safe Precision Handle	
	Slotted: 1.5, 2.0, 2.5, 3.0mm	.17
	Phillips: 00, 0, 1	
	TORX®: T6, T7, T8, T9, T10, T15, T20	
	100mm Bit Extension	



75094 SYSTEM 4 Slotted, Phillips, Hex Inch Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No.	Combination Bit Set	lbs.
75094	Set with ESD Safe Precision Handle	
	Slotted: 1.5, 2.0, 2.5, 3.0mm	.17
	Phillips: 00, 0, 1	
	Hex Inch: .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8"	
	100mm Bit Extension	



75095 SYSTEM 4 Slotted, Phillips, Hex Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No.	Combination Bit Set	lbs.
75095	Set with ESD Safe Precision Handle	
	Slotted: 1.5, 2.0, 2.5, 3.0mm	.17
	Phillips: 00, 0, 1	
	Hex Metric: .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm	
	100mm Bit Extension	



75096 SYSTEM 4 Hex Inch & Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No.	Combination Bit Set	lbs.
75096	Set with ESD Safe Precision Handle	
	Hex Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	.17
	Hex Metric: .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm	
	100mm Bit Extension	

Wiha ESD Safe SoftFinish Cushion Grip Bit Holders





SHOP

38701 **ESD Safe Quick Release 1/4" Bit Holder, With Wiha-SoftFinish® Cushion Grip Handle, IEC 61340-5-1, DIN 3126, ISO 1173**

Stainless steel with retaining ring bit holder. Dissipative SoftFinish® cushion grip handle, multi-component, ESD Safe surface resistance 10^6 - 10^9 Ohm.

Item							
No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
38701	1/4"	148	5.8	38	1.5	.18	1



SHOP

28180 **ESD Safe Stubby 1/4" Bit Holder With Ring Retainer, Cushion Grip Wiha-SoftFinish® Handle, IEC 61340-5-1, DIN 3126, ISO 1173** Dissipative SoftFinish® cushion grip handle, multi-component, ESD Safe surface resistance 10^6 - 10^9 Ohm.

Item					
No.	Inch	mm	Inch	lbs.	pkg.
28180	1/4"	57	2.2	.11	1



In Durable Pouch

Surface resistance of handle is 10^6 - 10^9 Ohms

SHOP

38790 **ESD Safe 1/4" Quick Release Blade Holder Set With Interchangeable 70mm Blades & Quick Release Blade Holder**

20 Pc. set includes ESD Safe Quick Release Holder, cushion grip handle. 70mm blades are CVM tool steel, hardened. Also includes a Quick Release blade extension.

Item		
No. 38790		
Slotted: 2.5, 3.0, 3.5, 4.0, 5.5, 6.5mm	**Phillips:** 0, 1, 2	
TORX®: T6, T7, T8, T9, T10, T15	**Pozidriv®:** 0, 1, 2	



Wiha ESD Safe SoftFinish Cushion Grip Screwdrivers





302 ESD Safe Slotted Screwdrivers, With Wiha-SoftFinish® Handle

DIN EN 61340-5-1/61340-5-2 Round blade, high alloy CVM steel, hardened, hard chromed. Offers protection against electrostatic discharge. Dissipative SoftFinish® cushion grip handle, multi-component, ESD Safe (10^6-10^9 Ohm).

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
30240*	2.5	.098	75	3.0	0.4	.016	175	7.0	.06	10
30242*	3.0	.118	100	3.9	0.5	.020	204	8.0	.06	10
30244*	4.0	.157	100	3.9	0.8	.031	211	8.3	.11	10
30246*	5.5	.216	125	5.0	1.0	.039	236	9.3	.15	10
30248	6.5	.255	150	5.9	1.2	.047	268	10.6	.22	10

*Cabinet Tips



311 ESD Safe Phillips Screwdriver, With Wiha-SoftFinish® Handle

DIN EN 61340-5-1/61340-5-2 Round blade, high alloy CVM steel, hardened, hard chromed. Offers protection against electrostatic discharge. Dissipative SoftFinish® cushion grip handle, multi-component, ESD Safe (10^6-10^9 Ohm).

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
31150	0	60	2.4	3.0	1/8	164	6.5	.06	10
31151	1	80	3.1	4.5	3/16	191	7.5	.11	10
31152	2	100	3.9	6.0	1/4	218	8.6	.20	10



30292 Set 6 Pcs. ESD Safe Slotted & Phillips

DIN EN 61340-5-1/61340-5-2 Round blade, high alloy CVM steel, hardened, hard chromed. Dissipative SoftFinish® cushion grip handle, multi-component, ESD Safe (10^6-10^9 Ohm).

Item No.		mm	Inch	mm		Size	mm	lbs.
30292	30242*	3.0	.118	100	31150	0	60	.96
	30244*	4.0	.157	100	31151	1	80	
	30246*	5.5	.216	125	31152	2	100	

*Cabinet Tips



362 ESD Safe TORX® Screwdriver, With Wiha-SoftFinish® Handle

DIN EN 61340-5-1/61340-5-2 Round blade, high alloy CVM steel, hardened, hard chromed. Offers protection against electrostatic discharge. Dissipative SoftFinish® cushion grip handle, multi-component, ESD Safe (10^6-10^9 Ohm).

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36260	T3	60	2.4	3.5	.139	164	6.5	.06	10
36204	T4	60	2.4	3.5	.139	164	6.5	.06	10
36200	T5	60	2.4	3.5	.139	164	6.5	.06	10
36206	T6	60	2.4	3.5	.139	164	6.5	.06	10
36208	T8	60	2.4	3.5	.139	164	6.5	.06	10
36209	T9	60	2.4	4.0	.157	171	6.7	.10	10
36218	T10	80	3.1	4.0	.157	191	7.5	.11	10
36219	T15	80	3.1	4.0	.157	191	7.5	.11	10
36224	T20	100	3.9	4.0	.157	211	8.3	.11	10



36289 Set 6 Pcs. ESD Safe TORX® Screwdrivers

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, Hard chrome finish with Wiha-Chromtop satin grip tips. Molded on SoftFinish® cushion grip handle, multi-component.

Item No.		Size	mm		Size	mm	lbs.
36289	36206	T6	60	36218	T10	80	.81
	36208	T8	60	36219	T15	80	
	36209	T9	60	36224	T20	100	

Wiha ESD Safe Interchangeable Sets



Surface resistance of handle is 10^6 - 10^9 Ohms

In Durable Pouch

SHOP

10891 **ESD Safe Slotted & Phillips Interchangeable Blade Set**

4 Pc. Set Includes ESD Safe handle & 3 interchangeable blades.

Item	
No. 10891	lbs. .65
Slotted: 3.0, 4.0, 6.0mm	**Phillips:** 0, 1, 2



Surface resistance of handle is 10^6 - 10^9 Ohms

In Durable Pouch

SHOP

10892 **ESD Safe Metric Nut Drivers Interchangeable Blade Set**

8 Pc. Set Includes ESD Safe handle & 7 interchangeable blades.

Item	
No. 10892	lbs. .75
Metric Nut Drivers: 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0mm	



Surface resistance of handle is 10^6 - 10^9 Ohms

In Durable Pouch

SHOP

10893 **ESD Safe TORX® Interchangeable Blade Set**

5 Pc. Set Includes ESD Safe handle & 4 interchangeable blades.

Item	
No. 10893	lbs. .70
TORX®: T6, T7, T8, T9, T10, T15, T20, T25	



Surface resistance of handle is 10^6 - 10^9 Ohms


In Durable Pouch

SHOP


10895 **ESD Safe Interchangeable Combo Blade Set**

11 Pc. Set Includes ESD Safe handle & 10 interchangeable blades.

Item	
No. 10895	lbs. .75
Slotted: 3.0, 4.0, 6.0mm	**Phillips:** 0, 1, 2
Inch Nut Drivers: 3/16, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2"	



ESD Safe Dial Caliper DialMax - Metric/Inch



For working in sensitive electronic components

Conductive, Anti-static, Dissipative

ESD Standard IEC 61340-5-1

SHOP

411 **ESD Safe Dial Caliper DialMax - Metric & Inch**

Non-metallic high-tech material with 60% fiber glass content.

For outside, inside, depth and step measurements.

Impact resistant dial can be recalibrated to zero.

Item						
No.	Reading	mm	Inch		Pkg.	wt.
41105	.001"	150	6	Inch	1	.10
41106	0.1mm	150	6	Metric	1	.10




SHOP

10820 **ESD Safe Dissipative Dynamic Handle, Conductive, High Quality Plastic, Impact Resistant. Advantages:**

- Accepts all Drive-Loc VI blades
- Surface resistant 10^6 to 10^9 ohms
- Safe for working on ESD sensitive parts
- Collet lock holds blade securely in place

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
10820	6.0	135	5.3	15.2	.60	.16

Wiha Drive-Loc VI Handle & Blades





Surface resistance of handle is 10^6 - 10^9 Ohms

28486 ESD Safe Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

Advantages:

Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange. Static Dissipative.

Item No.	mm	mm	Inch	mm	Inch	lbs.
28486	6.0	115	4.5	36.0	1.41	.21

SHOP

Wiha Drive-Loc VI Blades



281 Slotted Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish.

Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	mm + mm		lbs.	pkg.
28106	3.5	4.5	.10	1
28108	5.5	6.5	.10	1

SHOP



281 Slotted & Phillips Drive-Loc VI Interchangeable

Blade High alloy CVM steel, through hardened, hard chrome finish.

Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	mm + Size		lbs.	pkg.
28107	3.0	0	.10	1
28109	4.0	1	.10	1
28110	6.0	2	.10	1

SHOP



28112 Phillips Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish.

Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Size + Size		lbs.	pkg.
28112	1	2	.10	1

SHOP



28114 Pozidriv® Drive-Loc VI Interchangeable

Blade High alloy CVM steel, through hardened, hard chrome finish.

Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Size + Size		lbs.	pkg.
28114	1	2	.10	1

SHOP



281 TORX® Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish.

Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Size + Size		lbs.	pkg.
28126	T6	T8	.10	1
28127	T7	T9	.10	1
28128	T10	T15	.10	1
28129	T20	T25	.10	1
28130	T30	T40	.10	1

SHOP



281 Security TORX® Drive-Loc VI Interchangeable

Blade, high alloy CVM steel, through hardened, hard chrome finish.

Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Size + Size		lbs.	pkg.
28132	T6s	T8s	.10	1
28133	T7s	T9s	.10	1
28134	T10s	T15s	.10	1
28135	T20s	T25s	.10	1
28136	T30s	T40s	.10	1

SHOP



281 Tri-Wing® Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish.

Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Size + Size		lbs.	pkg.
28138	0	1	.10	1
28139	2	3	.10	1
28140	4	5	.10	1

SHOP



281 Torq Set® Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish.

Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Size + Size		lbs.	pkg.
28142	2	4	.08	1
28143	6	8	.10	1

SHOP

Wiha Drive-Loc VI Blades



SHOP

281 Ball End Hex & Hex Metric Drive-Loc VI Interchangeable

Blade High alloy CVM steel, through hardened, hard chrome finish. Ball end enables the user to work at angles up to 25°. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	mm	+ mm	lbs.	pkg.
28116	2.5	2.5	.10	1
28117	3	3	.10	1
28118	4	4	.10	1
28119	5	5	.10	1
28120	6	6	.10	1



281 Hex Metric Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

SHOP

Item No.	mm	+ mm	lbs.	pkg.
28149	2.0	2.5	.09	1
28150	3.0	4.0	.10	1
28151	5.0	6.0	.10	1



281 Hex Inch Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

SHOP

Item No.	Inch	+ Inch	lbs.	pkg.
28122	3/32	7/64	.10	1
28123	1/8	9/64	.10	1
28124	5/32	3/16	.10	1



28137 Square Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

SHOP

Item No.	Size	+ Size	lbs.	pkg.
28137	1	2	.10	1



28144 Extension Blade For Drive-Loc VI Blades

High alloy CVM steel, through hardened, hard chrome finish. OAL blade length 6.5". Blades fit all Drive-Loc VI handles.

SHOP

Item No.	mm	OAL	lbs.	pkg.
28144	6.0	165mm	.14	1



SHOP

281 Drive-Loc VI Inch Nut Driver Blades

High alloy CVM steel, through hardened, hard chrome finish. OAL blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Inch	mm	lbs.	pkg.
28156	3/16	150	.11	1
28157	7/32	150	.11	1
28158	1/4	150	.11	1
28159	9/32	150	.12	1
28160	5/16	150	.13	1
28161	11/32	150	.14	1
28162	3/8	150	.15	1
28163	7/16	150	.17	1
28164	1/2	150	.18	1



SHOP

281 Drive-Loc VI Metric Nut Driver Blades

High alloy CVM steel, through hardened, hard chrome finish. OAL blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	mm	mm	lbs.	pkg.
28168	4.0	150	.10	1
28169	4.5	150	.10	1
28170	5.0	150	.11	1
28171	5.5	150	.11	1
28172	6.0	150	.12	1
28173	7.0	150	.13	1
28174	8.0	150	.13	1
28177	9.0	150	.14	1
28175	10.0	150	.15	1
28176	11.0	150	.20	1

ESD Safe TorqueControl Tools

NEW

Includes Certificate



SHOP

285 ESD Safe TorqueVario-S Newton Meter, With Window Scale

EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 10% Accuracy Ergonomic multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when torque setting has been attained. With Certificate of accuracy.

Item No.	Range Nm	mm	Inch	lbs.	pkg.
28500	.04 - .46	124	4.875"	.30	1

ESD TorqueVario handle has unique serial number and certificate of calibration



288 ESD Safe Pentalobe IPR Interchangeable Blades For TorqueVario-S Newton Meter Handle tip blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, hard chromed.

SHOP

Item No.	Size	mm	mm	lbs.	pkg.
28818	1	175	4.0	.06	1

ESD Safe Adjustable TorqueControl Tools



Includes Certificate

SHOP

285 ESD Safe TorqueVario-S, With Window Scale

EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6% Accuracy
Ergonomic multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when torque setting has been attained. With Certificate of accuracy.

Item No.	Range Inch lbs.	Increments	mm	lbs.	pkg.	Repeatable
28522*	15 - 80(in/oz)	2.5 Inch oz	122 - 127	.33	1	+/- 10%
28524	5 - 10	.2 Inch lbs	122 - 127	.34	1	+/- 6%
28526	7.5 - 20	.5 Inch lbs	126 - 131	.42	1	+/- 6%

Surface resistance of handles is 10^6 - 10^9 Ohms

Each TorqueVario handle has unique serial number and certificate of calibration



28882 ESD Safe Bit Holder Adapter For 1/4" Drive Bits Shaft CVM steel, hardened, corrosion protected. (Not for use in Insulated handles)

Item No.	Size	mm	mm	lbs.	pkg.
28882	1/4	162	4.0	.09	1

SHOP



With Certificate of Calibration +/- 6%

SHOP

28591 Set 24 Pcs. ESD Safe Adjustable TorqueVario-S Bit Set

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 21 Micro Bits, non-magnetic Micro Bit holder and Torque adjustment tool, packed in a compact durable storage box.

Item No.		
28591	Slotted: 1.5, 2.0, 3.0, 4.0mm	lbs.
	Phillips: #00, #0, #1	1.31
	TORX®: T6, T7, T8, T9, T10, T15	
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	
	28524 Handle ESD Safe Range 5 - 10 Inch lbs.	

Surface resistance of handle is 10^6 - 10^9 Ohms

SHOP

28592 Set 24 Pcs. ESD Safe Adjustable TorqueVario-S Bit Set

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M.

Item No.		
28592	Slotted: 1.5, 2.0, 3.0, 4.0mm	lbs.
	Phillips: #00, #0, #1	1.31
	TORX®: T6, T7, T8, T9, T10, T15	
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	
	28526 Handle ESD Safe Range 7.5 - 20 Inch lbs.	

Surface resistance of handle is 10^6 - 10^9 Ohms



288 ESD Safe Slotted Interchangeable Blades For TorqueVario-S

Slotted tip blades on narrow 5/32 Hex shafts. High alloy chrome-vanadium-molybdenum steel, hardened, satin hard chrome finish.

Item No.	mm	Inch	mm	lbs.	Max. Torque Nm	pkg.
28801	1.5	.059	175	.07	0.15	1
28803	2.0	.078	175	.07	0.4	1
28805	3.0	.118	175	.07	0.6	1
28807	3.5	.139	175	.07	1.1	1
28809	4.0	.157	175	.07	2.5	1

SHOP



288 ESD Safe Phillips Interchangeable Blades For TorqueVario-S

Phillips tip blades on narrow 5/32 Hex shafts. High alloy chrome-vanadium-molybdenum steel, hardened, satin hard chrome finish.

Item No.	Size	mm	mm	lbs.	Max. Torque Nm	pkg.
28810	000	175	4.0	.07	0.4	1
28812	00	175	4.0	.07	0.4	1
28814	0	175	4.0	.07	0.9	1
28816	1	175	4.0	.07	3.8	1

SHOP



288 ESD Safe TORX® Interchangeable Blades For TorqueVario-S

TORX® tip blades on narrow 5/32 Hex shafts. High alloy chrome-vanadium-molybdenum steel, hardened, hard chromed.

Item No.	Size	mm	mm	lbs.	Max. Torque Nm	pkg.
28825	T5	175	4.0	.07	0.4	1
28826	T6	175	4.0	.07	0.6	1
28827	T7	175	4.0	.07	0.9	1
28828	T8	175	4.0	.07	1.3	1
28829	T9	175	4.0	.07	2.5	1
28830	T10	175	4.0	.07	3.8	1

SHOP



Surface resistance of handle is 10^6 - 10^9 Ohms

With Certificate of Calibration +/- 10%

SHOP

28890 Set 24 Piece TorqueVario-S ESD Safe Micro-Bit Set

Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 21 Micro Bits, non-magnetic Micro Bit holder and Torque adjustment tool. Packed in a compact durable storage box.

Item No.		
28890	Slotted: 1.5, 2.0, 3.0, 4.0mm Phillips: #00, #0, #1	lbs.
	TORX®: T6, T7, T8, T9, T10, T15	1.33
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	
	28522 ESD Safe Handle Range 15-80 Inch/oz.	

Wiha ESD Safe Pliers & Cutters

Surface resistance of handles is 10^6 - 10^9 Ohms



Precision Cutters Tapered Head

Semi Flush



32703 **Precision Cutters, Small Tapered Head, Semi Flush**

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

32703	mm	Inch	Copper	Head Wdth	Pkg.	wt.
	115	4.5	1.0	9.5mm	1	.19

SHOP

Precision Cutters Tapered Head

Flush



32705 **Precision Cutters, Small Tapered Head, Flush**

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

32705	mm	Inch	Copper	Head Wdth	Pkg.	wt.
	115	4.5	1.0	9.5mm	1	.19

SHOP

Precision Cutters Tapered Head

Semi Flush



32702 **Precision Cutters, Small Tapered Head With Hollow Ground Back, Semi Flush**

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

32702	mm	Inch	Copper	Head Wdth	Pkg.	wt.
	115	4.5	1.0	9.5mm	1	.19

SHOP

Precision Cutters Tapered Head

Flush



32704 **Precision Cutters, Small Tapered Head With Hollow Ground Back, Flush**

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

32704	mm	Inch	Copper	Head Wdth	Pkg.	wt.
	115	4.5	1.0	9.5mm	1	.19


SHOP

Wiha ESD Safe Pliers & Cutters

Precision Cutters Wide Tapered Head

Bevel





32706 **Precision Cutters, Wide Tapered Head, Bevel**

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

32706	mm	Inch	Copper	Head Wdth	Pkg.	wt.
	115	4.5	1.4	11.0mm	1	.20


Surface resistance of handles is 10^6 - 10^9 Ohms

SHOP

Precision Cutters Wide Tapered Head

Flush





32708 **Precision Cutters, Wide Tapered Head, Flush**

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

32708	mm	Inch	Copper	Head Wdth	Pkg.	wt.
	115	4.5	1.2	11.0mm	1	.19


Surface resistance of handles is 10^6 - 10^9 Ohms

SHOP

Precision Cutters Wide Tapered Head

Full Flush





32710 **Precision Cutters, Wide Tapered Head, Full Flush**

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

32710	mm	Inch	Copper	Head Wdth	Pkg.	wt.
	115	4.5	1.0	11.0mm	1	.23


Surface resistance of handles is 10^6 - 10^9 Ohms

SHOP

Precision Cutters Wide Tapered Head

Flush





32711 **Precision Cutters, Wide Tapered Head With Wire Trapping Device, Flush**

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1


32711	mm	Inch	Copper	Head Wdth	Pkg.	wt.
	115	4.5	1.2	11.0mm	1	.19

Surface resistance of handles is 10^6 - 10^9 Ohms

SHOP

Precision Cutters Slim Oval Form

Flush





32712 **Precision Cutters, Slim Oval Head, Flush**

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

32712	mm	Inch	Copper	Head Wdth	Pkg.	wt.
	115	4.5	1.0	10.5mm	1	.23

Surface resistance of handles is 10^6 - 10^9 Ohms

SHOP

Wiha ESD Safe Pliers & Cutters

Precision Cutters Slim Oval Form

Full Flush



32714 **Precision Cutters, Slim Oval Head, Full Flush**

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

32714	mm	Inch	Copper	Head Wdth	Pkg.	wt.
	115	4.5	1.0	10.0mm	1	.23

Surface resistance of handles is 10^6 - 10^9 Ohms

SHOP

Precision Cutters Slim Oval Form

Bevel



32716 **Precision Cutters, Wide Oval Head, Bevel**

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

32716	mm	Inch	Copper	Head Wdth	Pkg.	wt.
	115	4.5	1.4	11.0mm	1	.19

Surface resistance of handles is 10^6 - 10^9 Ohms

SHOP

Precision Cutters Wide Oval Form And Carbide Edge

Bevel



32718 **Precision Cutters, Wide Oval Head Carbide Cutting Edges, Bevel**

Cutters drop-forged for an ideal material structure. Precise aligned carbide cutting edge. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

32718	mm	Inch	Copper	Head Wdth	Pkg.	wt.
	110	4 3/8	1.6	11.0mm	1	.20

Surface resistance of handles is 10^6 - 10^9 Ohms

SHOP

Precision Cutters Wide Oval Form

Flush



32720 **Precision Cutters, Wide Oval Head, Flush**

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

32720	mm	Inch	Copper	Head Wdth	Pkg.	wt.
	115	4.5	1.2	11.0mm	1	.19

Surface resistance of handles is 10^6 - 10^9 Ohms

SHOP

Precision Cutters Wide Oval Form

Flush



32721 **Precision Cutters, Wide Oval Head With Wire Trapping Device, Flush**

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

32721	mm	Inch	Copper	Head Wdth	Pkg.	wt.
	115	4.5	1.2	11.0mm	1	.23

Surface resistance of handles is 10^6 - 10^9 Ohms

SHOP

Wiha ESD Safe Pliers & Cutters

Oblique Angled Cutters

Flush



32722 **Oblique Angled Cutters, 29°, Flush**

Oblique Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

32722	mm	Inch	Copper	Head Wdth	Pkg.	wt.
	115	4.5	1.2	12.0mm	1	.24

Surface resistance of handles is 10^6 - 10^9 Ohms

SHOP

Oblique Angled Cutters

Ultra Full Flush



32724 **Oblique Angled Cutters, 29°, Full Flush**

Oblique Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

32724	mm	Inch	Copper	Head Wdth	Pkg.	wt.
	115	4.5	1.0	12.0mm	1	.24

Surface resistance of handles is 10^6 - 10^9 Ohms

SHOP

Oblique Angled Cutters

Semi Flush



32726 **Oblique Angled Cutters, 29°, Short Head, Semi Flush**

Oblique Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

32726	mm	Inch	Copper	Head Wdth	Pkg.	wt.
	115	4.5	1.2	12.0mm	1	.24

Surface resistance of handles is 10^6 - 10^9 Ohms

SHOP

Oblique Front Cutters

Flush



32728 **Oblique Front Cutters, Very Small Head, 40°, Flush**

Oblique Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

32728	mm	Inch	Copper	Head Wdth	Pkg.	wt.
	130	5.1	0.8	8.5mm	1	.21

Surface resistance of handles is 10^6 - 10^9 Ohms

SHOP

ESD Safe Tool Set In Canvas Pouch



32793 **11 Pc. Set, 4 ESD Safe Pliers, Slotted & Phillips Screwdrivers** Pliers drop-forged for an ideal material structure. Two component non-slip soft grip handle. ESD standard IEC 61340-5-1

32793 11 piece ESD Safe Pliers & Slotted/Phillips Precision Drivers Set in custom case includes:

SHOP


ESD Safe Pliers & Cutters	
4.5" Tapered Flush Cutters	4.5" Snipe Nose Pliers
4.375" Oblique Cutters	5.7" Long Nose Pliers
ESD Safe Precision Screwdrivers	
Slotted 2.0 x 40mm	Phillips #00 x 40mm
Slotted 2.5 x 50mm	Phillips #0 x 50mm
Slotted 3.0 x 50mm	Phillips #1 x 60mm
Slotted 3.5 x 60mm	
lbs. 2.43	


Surface resistance of handles is 10^6 - 10^9 Ohms

Wiha ESD Safe Pliers & Cutters

End Cutters Extra Slim

Semi Flush





32732 **End Cutters, Extra Slim, Semi Flush**

End Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

32732	mm	Inch	Copper	Tip Wdth	Pkg.	wt.
	130	5.1	0.6	4.1mm	1	.16


Surface resistance of handles is 10^6 - 10^9 Ohms

SHOP

End Cutters Wide Head

Flush





32734 **End Cutters, Wide Head, Flush**

End Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1


32734	mm	Inch	Copper	Head Wdth	Pkg.	wt.
	115	4.5	1.4	11.0mm	1	.18


Surface resistance of handles is 10^6 - 10^9 Ohms

SHOP

ESD Safe Pliers

Short Snipe Nose





32742 **ESD Safe Pliers, Short Snipe Nose (Chain Nose) Straight, Serrated Jaws**

Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

32742	mm	Inch	Head Wdth	Pkg.	wt.
	120	4 3/4	9.5mm	1	.20


Surface resistance of handles is 10^6 - 10^9 Ohms

SHOP

ESD Safe Pliers

Bent Snipe Nose 45°





32744 **ESD Safe Pliers, Snipe Nose (Chain Nose) Bent 45°, Smooth Jaws**

Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1


32744	mm	Inch	Head Wdth	Pkg.	wt.
	120	4 3/4	9.5mm	1	.20


Surface resistance of handles is 10^6 - 10^9 Ohms

SHOP

ESD Safe Pliers

Long Needle Nose





32746 **ESD Safe Pliers, Long Needle Nose Pliers, Straight, Serrated Jaws**

Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

32746	mm	Inch	Head Wdth	Pkg.	wt.
	145	5 3/4	12.0mm	1	.27


Surface resistance of handles is 10^6 - 10^9 Ohms

SHOP

Wiha ESD Safe Pliers & Cutters

ESD Safe Pliers

Needle Nose, Bent 90°



32748 **ESD Safe Pliers, Needle Nose Pliers, Bent 90°, Smooth Jaws**

Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1


32748	mm	Inch	Head Wdth	Pkg.	wt.
	145	5 3/4	12.0mm	1	.21

Surface resistance of handles is 10^6 - 10^9 Ohms

SHOP

ESD Safe Pliers

Short Round Nose Pliers



32750 **ESD Safe Pliers, Short Round Nose Pliers, Smooth Jaws**

Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

32750	mm	Inch	Head Wdth	Pkg.	wt.
	120	4 3/4	9.5mm	1	.17

Surface resistance of handles is 10^6 - 10^9 Ohms

SHOP

ESD Safe Pliers

Short Flat Nose Pliers



32752 **ESD Safe Pliers, Short Flat Nose Pliers, Smooth Jaws**

Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

32752	mm	Inch	Head Wdth	Pkg.	wt.
	120	4 3/4	9.5mm	1	.16

Surface resistance of handles is 10^6 - 10^9 Ohms

SHOP

ESD standard IEC 61340-5-1



D

32790 **4 Piece ESD Safe Pliers Set In Custom Case**

Pliers drop-forged for an ideal material structure.
Two component non-slip soft grip handle. ESD Safe Dissipative.

32790	4 piece ESD Safe Pliers Set Includes:	
4.5" Wide Oval Side Cutters		5.75" Long Nose Pliers
4.75" Flat Nose Pliers		4.375" Oblique Front Cutters

lbs. 2.06

Surface resistance of handles is 10^6 - 10^9 Ohms

SHOP

Surface resistance of handles is 10^6 - 10^9 Ohms



D

ESD standard IEC 61340-5-1

32791 **11 Pc. Set, 4 ESD Safe Pliers, SYSTEM 4 Slotted & Phillips 5 Pc. Set & 2 ESD Safe Tweezers** Pliers drop-forged for an ideal material structure. Two component non-slip soft grip handle. ESD Safe Precision handle & 4 CVM tool steel blades. Tweezers anti-static conductive, ESD Safe Hypo allergenic, anti-magnetic stainless.

32791 11 piece ESD Safe Pliers, Tweezers & SYS 4 precision Set in custom case includes:

ESD Safe Pliers & Cutters

4.5" Wide Oval Side Cutters	5.75" Long Nose Pliers
4.75" Flat Nose Pliers	4.375" Oblique Front Cutters

SYSTEM 4 Set in separate pouch
ESD Safe Conductive Precision Handle

Slotted: 1.5, 2.0, 3.0 & 4.0	Phillips: 000, 00, 0 & 1

ESD Safe Tweezers: 44501 AA SA ESD & 44510 7a SA ESD

lbs. 2.43

SHOP

Wiha ESD Safe Proturn Pliers & Cutters

proturn



Tested ESD Safe handle with non-slip soft grip surface, protects the hand and reduces manual effort & user fatigue

Glare free black finish

Hardened steel return spring


ESD standard IEC 61340-5-1

D

Surface resistance of handles is 10^6 - 10^9 Ohms

ESD Safe Wire Stripper






45810 **Proturn ESD Safe Wire Stripper**


ESD standard IEC 61340-5-1. C70 special tool steel. Glare free, black finish. ESD Safe handle with non-slip grips.
Strips 0.2, 0.3, 0.4, 0.5, 0.6, 0.8mm

45810	mm	Inch	Strips AWG	A	B	C	Pkg.	wt.
	165	6.5	30 to 20	30mm	12mm	4mm	1	.25

SHOP

ESD Safe Long Nose Pliers






45811 **Proturn ESD Safe Long Nose Pliers**


ESD standard IEC 61340-5-1. C70 special tool steel. Glare free, black finish. ESD Safe handle with non-slip grips.

45811	mm	Inch	A	B	C	Pkg.	wt.
	160	6.3	2mm	30mm	3mm	1	.18

SHOP

ESD Safe Flat Nose Pliers





45812 **Proturn ESD Safe Flat Nose Pliers**

ESD standard IEC 61340-5-1. C70 special tool steel. Glare free, black finish. ESD Safe handle with non-slip grips.

45812	mm	Inch	A	B	C	Pkg.	wt.
	160	6.3	2mm	32mm	3mm	1	.18

SHOP


Wiha ESD Safe Proturn Pliers & Cutters

Surface resistance of handles is 10^6 - 10^9 Ohms

Proturn available Spring 2010

ESD Safe Bent Nose Pliers






45813 **Proturn ESD Safe Bent Nose Pliers**


ESD standard IEC 61340-5-1. C70 special tool steel.
Glare free, black finish. ESD Safe handle with non-slip grips.

45813	mm	Inch	A	B	C	Pkg.	wt.
	152	6.0	2mm	30mm	4mm	1	.18

SHOP

ESD Safe Round Nose Pliers





45814 **Proturn ESD Safe Round Nose Pliers**


ESD standard IEC 61340-5-1. C70 special tool steel.
Glare free, black finish. ESD Safe handle with non-slip grips.

45814	mm	Inch	A	B	C	Pkg.	wt.
	152	6.0	2mm	22mm	3mm	1	.17

SHOP

ESD Safe Diagonal Cutter





45820 **Proturn ESD Safe 21° Precision Cutters/Flush Cut**

ESD standard IEC 61340-5-1. C70 special tool steel.
Glare free, black finish. ESD Safe handle with non-slip grips.

45820	mm	Inch	AWG	A	B	C	Pkg.	wt.
	127	5.0	18/1mm	13mm	12mm	3mm	1	.16

SHOP

ESD Safe Diagonal Cutter





45821 **Proturn ESD Safe 45° Precision Cutters/Flush Cut**


ESD standard IEC 61340-5-1. C70 special tool steel.
Glare free, black finish. ESD Safe handle with non-slip grips.

45821	mm	Inch	AWG	A	B	C	Pkg.	wt.
	127	5.0	18/1mm	10mm	9mm	2mm	1	.14

SHOP

ESD Safe Diagonal Cutter





45822 **Proturn ESD Safe 21° Precision Cutters/Flush Cut**

ESD standard IEC 61340-5-1. C70 special tool steel.
Glare free, black finish. ESD Safe handle with non-slip grips.

45822	mm	Inch	AWG	A	B	C	Pkg.	wt.
	140	5.5	16/1.3mm	13mm	12mm	3mm	1	.15

SHOP

Wiha ESD Safe Proturn Pliers & Cutters

Surface resistance of handles is 10^6 - 10^9 Ohms

Proturn available Spring 2010

ESD Safe Diagonal Cutter



45823 **Proturn ESD Safe 21° Precision Cutters/Flush Cut**

ESD standard IEC 61340-5-1. C70 special tool steel. Glare free, black finish. ESD Safe handle with non-slip grips.

45823	mm	Inch	AWG	A	B	C	Pkg.	wt.
	133	5.25	14/1.6mm	10mm	10mm	2mm	1	.14

SHOP

ESD Safe Diagonal Cutter



45824 **Proturn ESD Safe 45° Precision Cutters/Flush Cut**

ESD standard IEC 61340-5-1. C70 special tool steel. Glare free, black finish. ESD Safe handle with non-slip grips.

45824	mm	Inch	AWG	A	B	C	Pkg.	wt.
	140	5.5	14/1.6mm	13mm	12mm	2.5mm	1	.16

SHOP



Surface resistance of handles is 10^6 - 10^9 Ohms

D

ESD standard IEC 61340-5-1

45890 **26 Pc. Set, Proturn ESD Safe Pliers, Precision Slotted & Phillips Screwdrivers, Precision Micro Bit Set & ESD Safe Tweezers**

ESD Proturn Pliers glare free, black finish, ESD Safe non-slip soft grips. ESD Safe Precision Slotted & Phillips screwdrivers, CVM tool steel blades. Precision ESD Safe Micro Bit handle holds Micro Bit extension and 4mm Micro bits. Anti-static Tweezer conductive, ESD Safe Hypo allergenic, anti-magnetic stainless.

45890 26 Piece ESD Safe Pliers, Precision Screwdrivers, Micro Bit Set & ESD Tweezer In Custom Case Includes:

ESD Safe Proturn Strippers, Pliers & Cutters

45810 6.5" Wire Stripper — 45811 6.3" Long Nose Pliers

45813 6.0" Bent Nose Pliers — 45823 5.25" 21° Precision Cutters

ESD Safe Slotted & Phillips Precision Screwdrivers

Slotted: 2.0, 2.5, 3.0mm — Phillips: 0, 1

ESD Micro Bit Handle, Micro Bit Extension & 14 Micro Bits 4mm

Hex: .71, .89, 1.27, 1.5, 2.0, 2.5, 3.0 — Torx: T4, T5, T6, T7, T8, T9, T10

ESD Safe Tweezer: 44532 00 SA ESD - 120mm Heavy Duty Strong, Tapered To Strong Point.

lbs. 2.05

SHOP

Professional Quality ESD Tweezers

ESD SAFE • STATIC DISSIPATIVE • HYPO ALLERGENIC COATED • TEXTURED GRIPPING SURFACE

Surface resistance is 10^6 - 10^9 Ohms D



Universal Fine Point Tweezers

Item No.	Description	wt.	
44501	AA SA ESD - 130mm	.09	SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.



Fine Round Points For Assembly

Item No.	Description	wt.	
44506	3 SA ESD - 120mm	.08	SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.



Sturdy Long, Fine Round Points

Item No.	Description	wt.	
44502	GG SA ESD - 130mm	.09	SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.



Fine Round Points Shorter

Item No.	Description	wt.	
44507	3c SA ESD - 110mm	.08	SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.



Long Narrow Body Low Force

Item No.	Description	wt.	
44503	SS SA ESD - 135mm	.08	SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.



Very Fine Points/Tapered To Tip

Item No.	Description	wt.	
44508	4 SA ESD - 110mm	.08	SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.



Reduced Body To Medium Point

Item No.	Description	wt.	
44504	2 SA ESD - 120mm	.08	SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.



Extra Fine Points/Tapered To Tip

Item No.	Description	wt.	
44509	5 SA ESD - 110mm	.08	SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.



Flat Round Tip Smooth Sides

Item No.	Description	wt.	
44505	2a SA ESD - 120mm	.08	SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.



Curved Extra Fine Rounded Tips

Item No.	Description	wt.	
44510	7a SA ESD - 120mm	.08	SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.

Wiha Professional Quality ESD Safe Tweezers

Surface resistance is 10^6 - 10^9 Ohms D



Holds 0.8 to 2mm Diameter

Item No.	Description	wt.	
44511	50 SA ESD - 120mm	.08	SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.



Holds 1.5 to 3mm Diameter

Item No.	Description	wt.	
44512	51 SA ESD - 130mm	.08	SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.



Holds 3.5 to 7mm Diameter

Item No.	Description	wt.	
44513	52 SA ESD - 120mm	.08	SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.



Holds 6.5 to 10mm Diameter

Item No.	Description	wt.	
44514	53 SA ESD - 120mm	.08	SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.



Angled 3.5 to 7mm Diameter

Item No.	Description	wt.	
44515	54 SA ESD - 120mm	.08	SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.



Narrow Rounded Tip Serrated, Guide Pin

Item No.	Description	wt.	
44518	22 SA ESD - 150mm	.10	SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.



Universal Blunt Tip Serrated

Item No.	Description	wt.	
44520	40 SA ESD - 145mm	.11	SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.



MicroTip 45° Hook 1x1x2mm

Item No.	Description	wt.	
44521	12 SA-SMD ESD - 120mm	.09	SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.



MicroTip For Chips Angled 1.6 x 1 x 1mm

Item No.	Description	wt.	
44522	13 SA ESD - 120mm	.08	SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.



Long Rounded to 1.0mm Wide No Serration

Item No.	Description	wt.	
44523	PSF SA ESD - 125mm	.09	SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.

Wiha Professional Quality ESD Safe Tweezers

Surface resistance is 10^6 - 10^9 Ohm D



Flat Bent 35°, 3mm Diameter Grip

Item No.	Description	wt.
44524	58 SA-SMD ESD - 117mm	.08

SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.



MicroTip Bent 30° 1.6mm

Item No.	Description	wt.
44529	8b SA ESD - 120mm	.08

SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.



Curved Extra Fine, 3mm Long Straight Tip

Item No.	Description	wt.
44525	7abb SA ESD - 120mm	.08

SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.



Flat Bent 35°, 2mm Diameter Grip Radius

Item No.	Description	wt.
44530	59 SA-SMD ESD - 117mm	.08

SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.



Narrow Body Low Force Bent 35°-3mm Tip

Item No.	Description	wt.
44526	SSbb SA ESD - 140mm	.08

SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.



ESD Safe General Purpose Fine Point

Item No.	Description	wt.
44531	1 SA ESD - 120mm	.08

SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.



Angled Extra Fine Points Bent 30°, 3mm Long Tips

Item No.	Description	wt.
44527	5abb SA ESD - 117mm	.08

SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.



Heavy Duty Strong Tweezers Tapered To Strong Point

Item No.	Description	wt.
44532	00 SA ESD - 120mm	.09

SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.



Extra Fine Points Bent 30°, 3mm Long Tips

Item No.	Description	wt.
44528	5bb SA ESD - 107mm	.08

SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.



Angled & Slightly Bent With Extra Fine Tips

Item No.	Description	wt.
44533	7 SA ESD - 120mm	.08

SHOP

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.

Numerical Index by Item Number

Item No.	Page
10820	19
10891	19
10892	19
10893	19
10895	19
26903	10
26904	10
26905	10
26911	10
26912	10
26913	10
26914	10
26915	10
26916	10
26917	10
26918	10
26919	10
26920	10
26921	10
26922	10
26923	10
26924	10
26925	10
26926	10
26927	10
26928	10
26929	10
26932	10
26933	10
26934	10
26935	10
26936	10
26937	10
26938	11
26939	11
26940	11
26941	11
26942	11
26943	11
26944	11
26945	11
26946	11
26947	11
26948	11
26949	11
26950	11
26951	11
26952	11
26953	11
26954	11
26955	11
26956	11
26957	11
26958	11
26959	11
26960	11
26961	11
26962	11
26963	11
26964	11
26965	11
26966	11
26967	11
26968	11
26969	11
26971	10
26972	10
26973	10
26974	10
26975	11
26976	11
26977	11
26978	11
26979	11
26980	11
26981	11
26982	11
26985	11
26987	13
26988	13
26989	13
26990	12
26991	12
26992	12
26993	12
26995	13
26996	13
26997	13
26998	13
26999	13
27009	9
27013	9
27018	9
27026	9
27090	9
27100	9
27208	4
27210	4
27212	4
27215	4
27220	4
27222	4
27223	4
27224	4
27225	4
27227	4
27228	4
27230	4
27232	4
27234	4
27235	4
27237	4
27238	4
27240	4
27242	4
27243	4
27290	4
27302	5
27305	5
27307	5
27310	5
27312	5
27314	5
27316	5
27320	5
27322	5
27324	5
27326	5
27390	4
27393	5
27399	5
27505	7
27507	7
27509	7
27510	7
27513	7
27515	7
27520	7
27525	7
27530	7
27535	7
27537	7
27539	7
27541	7
27543	7
27545	7
27547	7
27549	7
27590	7
27591	7
27701	8
27703	8
27705	8
27707	8
27709	8
27711	8
27713	8
27715	8
27720	8
27722	8
27725	8
27730	8
27735	8
27740	8
27745	8
27750	8
27755	8
27760	8
27790	8
27791	8
27801	6
27802	6
27803	6
27804	6
27805	6
27811	6
27817	6
27823	6
27829	6
27835	6
27841	6
27847	6
27850	6
27851	6
27852	6
27853	6
27854	6
27855	6
27856	6
27857	6
27890	6
27894	6
27899	6
27920	9
28000	10
28001	10
28002	11
28003	11
28004	11
28005	11
28006	11
28007	11
28008	11
28009	11
28010	11
28011	11
28012	11
28013	11
28014	11
28015	11
28016	11
28017	11
28021	10
28023	10
28024	10
28025	10
28026	10
28027	10
28028	10
28029	10
28033	10
28034	10
28035	10
28036	10
28037	10
28080	12
28094	12
28106	20
28107	20
28108	20
28109	20
28110	20
28112	20
28114	20
28116	21
28117	21
28118	21
28119	21
28120	21
28122	21
28123	21
28124	21
28126	20
28127	20
28128	20
28129	20
28130	20
28132	20
28133	20
28134	20
28135	20
28136	20
28137	21
28138	20
28139	20
28140	20
28142	20
28143	20
28144	21
28149	21
28150	21
28151	21
28156	21
28157	21
28158	21
28159	21
28160	21
28161	21
28162	21
28163	21
28164	21
28168	21
28169	21
28170	21
28171	21
28172	21
28173	21
28174	21
28175	21
28176	21
28177	21
28180	17
28486	20
28500	21
28522	22
28524	22
28526	22
28591	22
28592	22
28801	22
28803	22
28805	22
28807	22
28809	22
28810	22
28812	22
28814	22
28816	22
28818	21
28825	22
28826	22
28827	22
28828	22
28829	22
28830	22
28882	22
28890	22
30240	18
30242	18
30244	18
30246	18
30248	18
30292	18
31150	18
31151	18
31152	18
32702	23
32703	23
32704	23
32705	23
32706	24
32708	24
32710	24
32711	24
32712	24
32714	25
32716	25
32718	25
32720	25
32721	25
32722	26
32724	26
32726	26
32728	26
32732	27
32734	27
32742	27
32744	27
32746	27
32748	28
32750	28
32752	28
32790	28
32791	28
32793	26
36200	18
36204	18
36206	18
36208	18
36209	18
36218	18
36219	18
36224	18
36260	18
36289	18
38701	17
38790	17
41105	19
41106	19
44501	32
44502	32
44503	32
44504	32
44505	32
44506	32
44507	32
44508	32
44509	32
44510	32
44511	33
44512	33
44513	33
44514	33
44515	33
44518	33
44520	33
44521	33
44522	33
44523	33
44524	34
44525	34
44526	34
44527	34
44528	34
44529	34
44530	34
44531	34
44532	34
44533	34
44590	12
45810	29
45811	29
45812	29
45813	30
45814	30
45820	30
45821	30
45822	30
45823	31
45824	31
45890	31
75008	14
75012	14
75015	14
75018	14
75020	14
75025	14
75030	14
75035	14
75040	14
75093	16
75094	16
75095	16
75096	16
75105	14
75110	14
75115	14
75120	14
75307	14
75309	14
75313	14
75315	14
75320	14
75322	14
75325	14
75327	14
75330	14
75332	14
75340	14
75342	14
75350	14
75352	14
75354	14
75356	14
75358	14
75360	14
75362	14
75364	14
75366	14
75368	14
75370	14
75372	14
75703	14
75704	14
75705	14
75706	14
75707	14
75708	14
75709	14
75710	14
75715	14
75720	14
75727	14
75728	14
75729	14
75735	14
75739	14
75742	14
75743	14
75744	14
75745	14
75746	14
75747	14
75748	14
75792	16
75801	15
75810	14
75811	14
75812	14
75813	14
75814	14
75815	14
75816	14
75817	14
75820	14
75821	14
75822	14
75823	14
75824	14
75825	14
75826	14
75827	14
75900	15
75901	15
75902	15
75965	14
75990	15
75991	16
75992	16
75994	16
75996	15
91118	5,7,9
92092	9

(800) 494-6104
fax: (800) 494-7456
email: cservice@wihatools.com

wiha
Premium Tools



Wiha Quality Tools
1348 Dundas Circle
Monticello, MN 55362
tel: 763.295.6591
fax: 763.295.6598

Wiha Tools Canada Ltd.
www.wihatools.ca
Brampton, ONT L6T 4X4
tel: 866.494.0096 or 763.295.6591
fax: 763.295.6598

To:

Catalog Item No. 99945.wo
version - 5/15/14


Subject to change without notice

©2014 Willi Hahn Corporation

®Torx is a registered trademark of Acument Intellectual Properties LLC.



91330.wo - Tooling Catalog



99004.wo - Shop Tools Catalog



99914.wo - TORX Catalog



99002.wo - Screwdrivers Catalog



99919.wo - Insulated Catalog



99001.wo - TorqueControl Catalog



99934.wo - Hex Tools Catalog



99951.wo - Bits Catalog



99977.wo - Pliers/Crimpers Catalog



99006.wo - Tech Tools Catalog

2014

wiha
Premium Tools

Professional Screwdrivers & Nut Drivers



Screwdrivers & Nut Drivers





Wiha SoftFinish® CushionGrip Screwdrivers



Description	Page
SoftFinish® Slotted/Phillips Drivers	4-8
Torx®/TR Torx® Screwdrivers	10-11
Stubby Slotted/Phillips Drivers	6-7
SoftFinish® TorxPlus® Drivers	11
SoftFinish® Pozidriv® Drivers	6
SoftFinish® Square Drivers	6
SoftFinish® MagicSpring Drivers	9
SoftFinish® MagicRing Drivers	12-13
Measuring Scale Screwdrivers	8

Wiha Screw Holding Screwdrivers

Description	Page
Screw Holding Screwdrivers	9

Wiha Stainless Steel Cushion Grip Drivers



Description	Page
Slotted Drivers	14
Phillips Drivers	14
Torx Drivers	14
Pozidriv Drivers	14

Wiha ACR® Screwdrivers

Description	Page
ACR® Slotted/Phillips Drivers	15

Wiha 3K Series Screwdrivers



Description	Page
3K Series Slotted/Phillips	16-17
3K Series Torx Drivers	17-18
3K Series Pozidriv® Drivers	17
3K Series Bit Holders	16
3K Series Hex Inch & Metric	18-19

Wiha Drive-Loc VI Tools

Description	Page
Drive-Loc VI Handles	20
Drive-Loc VI Blades	20-21

Wiha Drive-Loc VI Sets



Description	Page
Drive-Loc VI Blade Sets	22

Wiha Topra Ratchet Blade Set



Description	Page
Topra Ratchet Blade Set	22

Wiha MicroFinish Non-Slip Grip Drivers



Description	Page
MicroFinish Slotted Drivers	23-24
MicroFinish Phillips Drivers	23-24
MicroFinish Torx Drivers	25
MicroFinish Bit Holder	24

Wiha Powerhandle Screwdrivers

Description	Page
Powerhandle Torx® Drivers	25

Wiha Proturn Screwdrivers

Description	Page
Proturn Torx® Drivers	26

Wiha Dynamic Screwdrivers

Description	Page
Dynamic Slotted/Phillips Drivers	27

Wiha Square Handle Screwdrivers

Description	Page
Slotted & Phillips Drivers	28

Wiha Offset Screwdrivers

Description	Page
Slotted & Phillips Offset Drivers	28
TORX Offset Screwdrivers	28

Wiha Magnetizer/Demagnetizer



Description	Page
Magnetizer/Demagnetizer	27

Wiha Precision Screwdrivers



Description	Page
Precision Slotted Drivers	29-30
Precision Phillips Drivers	30
Precision Pozidriv® Drivers	31
Precision Hex Drivers	31
Precision Ball End Drivers	32
Precision Torx® Drivers	33
Precision Pentalobe Drivers	33
Precision Chip Lifters	29
Precision Screwdriver Sets	32-33

Wiha Precision PicoFinish Drivers



Description	Page
PicoFinish Screwdrivers	34-36
Slotted, Phillips, Torx, TorxPlus, Hex, MagicSpring, Ball End Hex, Chip Lifter	

Wiha Proturn Precision Screwdrivers



Description	Page
Proturn Precision Screwdrivers Slotted & Phillips	37
Proturn Precision Blade Sets	37

Wiha ESD Safe Precision Handles/Blades



Description	Page
SYSTEM 4 Handles/Blades	38-39
SYSTEM 4 Sets	40-41

Wiha ESD Safe Precision Handle & Blades



Description	Page
SYSTEM 4 Drive-Loc Handle & Blades	39



SYSTEM 4 Drive-Loc Set	39

Wiha Nut Drivers

	Description	Page
	SoftFinish® Nut Drivers	42-43
	Hollow Shaft Nut Drivers	44
	T-handle Nut Drivers	45
	Drive-Loc VI Blades	46
	Precision Nut Drivers	47
	PicoFinish® Nut Drivers	48
	SYS 4 Nut Driver Blades/Sets	48-49

Wiha Insulated Screwdrivers



Insulated Slotted
Insulated Phillips
Insulated Terminal Block Xeno
Insulated Square Drivers
Insulated Hex Metric Drivers
Insulated Torx® Drivers
Insulated Nut Drivers
Insulated Torque Drivers
Insulated *SlimLine* Drivers

Catalog 99919.wo

Wiha ESD Safe Screwdrivers

ESD Safe SoftFinish® Drivers Slotted/Phillips/Torx

ESD Safe Precision Drivers Slotted/Phillips/Torx®/ TorxPlus®/Hex/Nut Drivers/ Chip Lifter

ESD Safe Ceramic Drivers

ESD Safe SYSTEM 4 Handles/Blades/Sets

ESD Safe Drive-Loc VI Handles/Blades/Sets



Catalog 99945.wo

Wiha SoftFinish® Handle - Ergonomic Cushion Grip

The Wiha SoftFinish® Handle: Featuring advanced technology dual material molding.
A remarkable improvement in handle design, comfort and performance.
The SoftFinish® ergonomic shape allows maximum torque and user comfort.

Wiha exclusive *"SoftFinish® Zone"* features solid molded core with soft outer cushion grip. Requires less force, yet achieves 40% more torque than conventional handles

***All blades* are made of Wiha's exclusive formula chrome-vanadium-molybdenum tool steel, super hardened & hard chrome finish for unmatched durability**

***Wiha tips* are precision machined to exact tolerances for a perfect fit every time**



***Handle is molded directly onto the blade* for a permanent bond. Large optimized handle diameter allows higher torque with less user hand fatigue**

Wiha SoftFinish® Extra Heavy Duty



SHOP

530 Slotted Screwdriver, With Wiha-SoftFinish® Handle & Solid

Metal Cap Hex blade extending through handle manufactured from high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component. Hex bolster for additional torque.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
53010*	3.5	.139	75	3.0	0.6	.024	186	7.3	.16	10
53015*	4.5	.177	90	3.5	0.8	.031	201	7.9	.17	10
53020	5.5	.196	100	3.9	1.0	.039	213	8.4	.23	10
53025	6.5	.255	125	5.0	1.2	.047	238	9.4	.33	10
53027	8.0	.315	150	5.9	1.2	.047	268	10.6	.56	10
53035	10.0	.393	175	7.0	1.6	.063	293	11.6	.58	10
53040	12.0	.472	200	8.0	2.0	.079	318	12.5	.76	10

*No Hex Bolster



SHOP

531 Phillips Screwdriver, With Wiha-SoftFinish® Handle & Solid

Metal Cap Hex blade extending through handle manufactured from high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component. Hex bolster for additional torque.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
53110	1	80	3.1	5.0	13/64	186	7.3	.20	10
53115	2	100	3.9	6.0	1/4	213	8.4	.32	10
53120	3	150	5.9	8.0	5/16	268	10.6	.56	10



SHOP

53090 5 Piece Slotted & Phillips Set - Extra Heavy Duty

Item No.		mm	mm		Size	mm	lbs.
53090	53020	5.5	100	53110	1	80	1.85
	53025	6.5	125	53115	2	100	
	53027	8.0	150				



SHOP

53097 7 Piece Slotted & Phillips Set - Extra Heavy Duty

Item No.		mm	mm		Size	mm	lbs.
53097	53020	5.5	100	53110	1	80	3.15
	53025	6.5	125	53115	2	100	
	53027	8.0	150	53120	3	150	
	53035	10.0	175				

Wiha SoftFinish® Extra Heavy Duty



SHOP

53096 6 Piece Slotted & Phillips Set - Extra Heavy Duty

Item No.		mm	mm		Size	mm	lbs.
53096	53010	3.5	75	53110	1	80	1.69
	53015	4.5	90	53115	2	100	
	53020	5.5	100				
	53025	6.5	125				



SHOP

53099 10 Piece Slotted & Phillips Set - Extra Heavy Duty

Item No.		mm	mm		Size	mm	lbs.
53099	53010	3.5	75	53110	1	80	4.20
	53015	4.5	90	53115	2	100	
	53020	5.5	100	53120	3	150	
	53025	6.5	125				
	53027	8.0	150				
	53035	10.0	175				
	53040	12.0	200				



SHOP

53075 5 Piece Slotted & Phillips Set - Extra Heavy Duty

Item No.		mm	mm		Size	mm	lbs.
53075	53015	4.5	90	53110	1	80	1.53
	53020	5.5	100	53115	2	100	
	53025	6.5	125				

Wiha SoftFinish® Heavy Duty Screwdriver



SHOP

308 Slotted Screwdriver, Wiha-SoftFinish® Cushion Grip Handle

Hex blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Hex bolster for additional torque (No Bolster 30813 & 30814)

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
30813	3.5	.137	75	2.9	0.6	.023	186	7.3	.16	10
30814	4.5	.177	90	3.5	0.8	.032	201	7.9	.17	10
30815	5.5	.216	100	3.9	1.0	.039	213	8.4	.19	10
30816	6.5	.216	100	3.9	1.2	.047	213	8.4	.22	10
30817	6.5	.255	125	5.0	1.2	.047	238	9.4	.23	10
30820	7.0	.275	125	5.0	1.1	.043	238	9.4	.23	10
30825	8.0	.315	150	5.9	1.2	.047	271	10.7	.37	10
30830	10.0	.393	175	7.0	1.6	.063	296	11.7	.40	10
30835	12.0	.472	200	8.0	2.0	.079	321	12.6	.58	10



SHOP

312 Phillips Screwdriver, Wiha-SoftFinish® Cushion Grip Handle

Hex blade high alloy CVM steel, hardened, hard chromed.
Wiha-Chromtop finish on tips. Hex bolster for additional torque.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
31201	1	80	3.1	5.0	3/16	186	7.3	.13	10
31202	2	100	3.9	6.0	7/32	213	8.4	.21	10
31203	3	150	5.9	8.0	5/16	271	10.7	.37	10



SHOP

30892 5 Piece Slotted & Phillips Set

Item No.	Slotted: 5.5, 7.0, 8.0mm	lbs.
30892	Phillips: #1, 2	1.33

30896 6 Piece Slotted & Phillips Set

Item No.	Slotted: 3.5, 4.5, 5.5, 7.0mm	lbs.
30896	Phillips: #1, 2	1.34



SHOP

30898 8 Piece Slotted & Phillips Set

Item No.	Slotted: 5.5, 6.5, 7.0, 8.0, 10.0mm	lbs.
30898	Phillips: #1, 2, 3	2.52

Wiha SoftFinish® Handle - Standard Series



SHOP

302 Slotted Screwdriver, With Wiha-SoftFinish® Handle

Round blade, high alloy CVM, hardened, hard chromed.
Wiha-Chromtop tips. Handle, multi-component, cusion grip.

Item										
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
30202*	2.0	.079	65	2.6	0.4	.016	169	6.7	.05	10
30203*	2.5	.098	75	3.0	0.4	.016	179	7.0	.05	10
30204*	3.0	.118	80	3.1	0.5	.020	184	7.2	.06	10
30205*	3.0	.118	100	3.9	0.5	.020	204	8.0	.06	10
30206*	3.0	.118	150	5.9	0.5	.020	254	10.0	.07	10
30208*	3.0	.118	200	8.0	0.5	.020	304	12.0	.07	10
30210*	3.5	.139	100	3.9	0.6	.024	204	8.0	.07	10
30212*	3.5	.139	200	8.0	0.6	.024	304	12.0	.09	10
30215*	4.0	.157	100	3.9	0.8	.031	211	8.3	.11	10
30217*	4.0	.157	150	5.9	0.8	.031	261	10.3	.12	10
30216*	4.0	.157	200	8.0	0.8	.031	311	12.2	.14	10
30218*	4.5	.187	80	3.1	0.8	.031	191	7.5	.11	10
30211*	4.5	.187	125	5.0	0.8	.031	236	9.3	.12	10
30219*	4.5	.187	150	5.9	0.8	.031	261	10.2	.12	10
30220*	5.5	.216	125	5.0	1.0	.039	236	9.3	.15	10
30238*	5.5	.216	300	11.8	1.0	.039	411	16.1	.24	10
30221*	5.5	.216	200	8.0	1.0	.039	311	12.2	.20	10
30222*	6.0	.250	100	3.9	1.2	.047	218	8.6	.17	10
30223	6.5	.255	100	3.9	1.0	.039	218	8.6	.20	10
30225	6.5	.255	150	5.9	1.2	.047	268	10.6	.22	10
30226	6.5	.255	200	8.0	1.2	.047	318	12.5	.22	10
30227	8.0	.315	150	5.9	1.2	.047	274	10.8	.29	10
30230	8.0	.315	175	7.0	1.2	.047	299	11.8	.30	10
30232	8.0	.315	300	11.8	1.2	.047	424	16.7	.36	10
30235	10.0	.393	200	8.0	1.6	.063	324	12.8	.36	10
30236	12.0	.472	250	9.8	2.0	.078	374	14.7	.52	10

*Cabinet Tips



SHOP

302 Stubby Slotted Screwdriver, With Wiha-SoftFinish® Handle

Item										
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
30239	4.0	.157	25	1.0	0.8	.031	75	2.95	.09	10
30255	5.5	.216	25	1.0	1.0	.039	75	2.95	.09	10
30265	6.5	.255	25	1.0	1.2	.047	75	2.95	.10	10



SHOP

313 Pozidriv® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
31305	0	60	2.4	3.0	.118	164	6.5	.06	10
31310	1	80	3.1	4.5	.177	191	7.5	.11	10
31312	1	200	8.0	4.5	.177	311	12.3	.15	10
31315	2	100	3.9	6.0	.236	218	8.6	.20	10
31320	3	150	5.9	8.0	.315	274	10.8	.33	10



SHOP

311 Phillips Screwdriver, With Wiha-SoftFinish® Handle

Round blade, high alloy CVM steel, hardened, hard chromed.
Wiha-Chromtop tips. Handle, multi-component, cusion grip.

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
31105	0	60	2.4	3.0	.118	164	6.5	.06	10
31110	1	80	3.1	4.5	.177	191	7.5	.11	10
31112	1	200	8.0	4.5	.177	311	12.3	.15	10
31114	1	300	12.0	4.5	.177	411	16.2	.18	10
31115	2	100	3.9	6.0	.236	218	8.6	.20	10
31117	2	200	8.0	6.0	.236	318	12.5	.25	10
31118	2	300	12.0	6.0	.236	418	16.5	.30	10
31120	3	150	5.9	8.0	.315	274	10.8	.33	10
31125	4	200	8.0	10.0	.393	323	12.7	.51	10



SHOP

311 Stubby Phillips Screwdriver, With Wiha-SoftFinish® Handle

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
31135	1	25	1.0	4.5	.177	75	3.0	.09	10
31140	2	25	1.0	6.0	.236	75	3.0	.10	10

Wiha SoftFinish® Handle - Square Drivers



SHOP

358 Square Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
35800	0	80	3.1	4.0	5/32	191	7.5	.11	10
35801	1	100	3.9	4.5	5/32	210	8.2	.12	10
35802	2	150	5.9	6.0	1/4	268	10.5	.19	10
35803	3	150	5.9	6.0	1/4	268	10.5	.22	10



SHOP

35894 4 Piece SoftFinish® Square Tip Screwdriver Set

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item							
No.		Size	mm		Size	mm	lbs. .77
35894	35800	0	80	35802	2	150	
	35801	1	100	35806	3	150	

Wiha SoftFinish® Handle - Stubby Sets



SHOP

31190 2 Piece Slotted & Phillips Stubby Screwdriver Set

Item							
No.		mm	mm		Size	mm	lbs. .24
31190	30239	4.0	25	31135	1	25	



SHOP

31191 2 Piece Slotted & Phillips Stubby Screwdriver Set

Item							
No.		mm	mm		Size	mm	lbs. .24
31191	30265	6.5	25	31140	2	25	



SHOP

31192 2 Piece Phillips Stubby Screwdriver Set

Item							
No.		Size	mm		Size	mm	lbs. .24
31192	31135	1	25	31140	2	25	



SHOP

31193 2 Piece Slotted Stubby Screwdriver Set

Item							
No.		mm	mm		mm	mm	lbs. .24
31193	30239	4.0	25	30265	6.5	25	



SHOP

30294 6 Piece Slotted & Phillips Screwdriver Set


Item							
No.		mm	mm		Size	mm	lbs.
30294	30215	4.0	100	31110	1	80	1.29
	30225	6.5	150	31115	2	100	
	30227	8.0	150				
	*30239	4.0	25				

*Stubby screwdriver with Wiha SoftFinish® handle

Wiha SoftFinish® Handle - Standard Series



Inch & Metric scale on #2 Phillips



Perfect for measuring small parts on the go

SHOP

30295 5 Piece Slotted & Phillips Screwdriver Set

Item							
No.		mm	mm		Size	mm	lbs.
30295	30205	3.0	100	31110	1	80	1.02
	30215	4.0	100	31137	2	100	
	30225	6.5	150				



SHOP

30298 8 Piece Slotted & Phillips Screwdriver Set

Item							
No.		mm	mm		Size	mm	lbs.
30298	30205	3.0	100	31110	1	80	1.87
	30215	4.0	100	31115	2	100	
	30220	5.5	125	31120	3	150	
	30225	6.5	150				
	30230	8.0	175				



SHOP

30297 12 Piece Slotted & Phillips Screwdriver Set

Item							
No.		mm	mm		Size	mm	lbs.
30297	30205	3.0	100	31105	0	60	2.48
	30215	4.0	100	31110	1	80	
	30220	5.5	125	*31140	2	25	
	30225	6.5	150	31115	2	100	
	*30265	6.5	25	31120	3	150	
	30230	8.0	175				
	30235	10	200				

*Stubby screwdriver with Wiha SoftFinish® handle

Wiha SoftFinish® Handle - Standard Series



SHOP

30291	6 Piece Slotted, Phillips & Square Cushion Grip Drivers	
Item	**Slotted:** 4.5, 6.5mm	
No.	**Phillips:** 1, 2	lbs. 1.00
30291	**Square:** 1, 2	

SHOP

30290	10 Piece Slotted, Phillips & Square Cushion Grip Drivers	
Item	**Slotted:** 3.0, 3.5, 4.5, 6.5mm	
No.	**Phillips:** 0, 1, 2	lbs. 1.54
30290	**Square:** 1, 2, 3	



SHOP

30276 **7 Piece Slotted & Phillips Set** CVM steel, hardened, hard chromed. Wiha-Chromtop tips. Handle, multi-component, cushion grip.

Item No. 30276 Set Includes:					lbs.
Item No.	Tip Size	Blade	Tip Style		
30816	1/4	4" Hex	Keystone	◐	1.87
30825	5/16	6" Hex	Keystone	◐	
30218	3/16"	3" Round	Cabinet	◐	
30219	3/16"	6" Round	Cabinet	◐	
30222	1/4"	4" Round	Cabinet	◐	
31110	#1	3" Round	Phillips	✚	
31115	#2	4" Round	Phillips	✚	



SHOP

30299	20 Piece Slotted, Phillips, TORX®, Square & Pozidriv® Set	
Item	**Slotted:** 3.0, 4.0, 5.5, 6.5, 8.0mm	
No.	**Phillips:** 0, 1, 2	lbs.
30299	**TORX®:** T6, T8, T10, T15, T20, T25, T30	3.27
	Square: 1, 2, 3	
	Pozidriv®: 1, 2	

Wiha SoftFinish® CushionGrip Drivers

With Inch & MM Scale on Blades



Inch and Metric

- Perfect for measuring small parts on the go
- Quickly check drilled hole depths & diameters
- Patented design with permanent laser marking
- Chrome-vanadium-molybdenum tool steel shafts
- Hardened & tempered for long life performance
- Hard chrome surfaces for incredible wear resistance
- Precision machined exact fit tips



SHOP

302 **Measuring Scale Slotted Screwdriver, With Wiha-SoftFinish® Cushion Grip Handle** Inch & Metric scales


Item	◐	◐								
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
30237	5.5	7/32	125	5.0	1.0	.039	236	9.3	.16	10



SHOP

311 **Measuring Scale Phillips Screwdriver, With Wiha-SoftFinish® Cushion Grip Handle** Inch & Metric scales

Item	✚			●	●				
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
31137	2	100	3.9	6.0	1/4	218	8.6	.21	10



SHOP

31194 **2 Pc Slotted & Phillips Measuring Scale Screwdriver Set**

Item		◐			✚		
No.		mm	mm		Size	mm	lbs.
31194	30237	5.5	125	31137	2	100	.37

Wiha SoftFinish® Slotted Spanner Nut Drivers



SHOP

305 **Slotted Spanner Nut Drivers, With Wiha-SoftFinish® Handle**

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item	⊚			⊚	◐			
No.	Size	mm	Inch	mm	mm	mm	Inch	pkg.
30517	M1.7	80	3.1	0.5	4.0	184	7.2	1
30520	M2	80	3.5	1.0	4.5	184	7.2	1
30523	M2.3	90	3.5	1.0	5.0	201	7.9	1
30526	M2.6	100	3.9	1.2	5.5	201	7.9	1
30530	M3	100	3.9	1.2	6.0	211	8.3	1
30535	M3.5	100	3.9	1.4	7.0	218	8.6	1
30540	M4	100	3.9	1.4	8.0	218	8.6	1
30550	M5	125	4.9	2.0	10.0	243	9.6	1
30560	M6	125	4.9	2.5	11.0	243	9.6	1
30580	M8	150	5.9	3.0	14.0	274	10.8	1

Wiha Screw Holding Screwdrivers



Clamping sleeve to hold screw

SHOP

398 Slotted Screw Holding Screwdriver, With Wiha-SoftFinish®

Handle Blade CVM steel, hardened, black finish. Clamping sleeve polyamide. Wiha-SoftFinish® handle cushion grip, impact resistant.

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
39825	2.5	.10	75	3.0	160	6.3	.09	10
39830	3.0	.12	100	3.9	195	7.6	.19	10
39840	4.0	.16	125	5.0	230	9.0	.27	10
39850	5.0	.20	150	5.9	265	10.4	.27	10
39860	6.0	.24	175	6.9	290	11.4	.32	10



Clamping sleeve to hold screw

SHOP

397 Phillips Screw Holding Screwdriver, With Wiha-SoftFinish®

Handle Blade CVM steel, hardened, black finish. Clamping sleeve polyamide. Wiha-SoftFinish® handle cushion grip, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
39700	0	100	3.9	195	7.6	.13	10
39701	1	125	5.0	230	9.0	.27	10
39702	2	175	7.0	290	11.4	.32	10



SHOP

39892 5 Piece Screw Holding Slotted & Phillips Screwdriver Set

Item No.		
39892	**Slotted:** 2.5x75mm, 3.0x100mm, 4.0x125mm	lbs.
	Phillips: 0x100mm, 1x125mm	1.35




SHOP

39896 8 Piece Screw Holding Slotted & Phillips Screwdriver Set

Item No.		
39896	**Slotted:** 2.5x75mm, 3.0x100mm, 4.0x125mm, 5.0x150mm, 6.0x175mm	lbs. 1.80
	Phillips: 0x100mm, 1x125mm, 2x175mm	

Wiha Screw Holding TORX® Tools

- Laser welded assembly
- Holds screws securely
- Won't damage screws
- Doesn't weaken tool
- Exact fit tips
- Hardened tool steel blades
- Holds standard Torx screws*





SHOP

362 MagicSpring Screw Holding TORX® Screwdriver, With Wiha-SoftFinish® Handle Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36202	T6	60	2.4	3.5	.139	164	6.5	.07	10
36203	T7	60	2.4	3.5	.139	164	6.5	.07	10
36207	T8	60	2.4	3.5	.139	164	6.5	.07	10
36234	T9	60	2.4	4.0	.157	171	6.7	.11	10
36244	T10	80	3.1	4.0	.157	191	7.5	.11	10
36249	T15	80	3.1	4.0	.157	191	7.5	.11	10
36254	T20	100	3.9	4.0	.157	211	8.3	.16	10
36256	T25	100	3.9	4.5	.177	211	8.3	.17	10
36257	T27	115	4.5	5.5	.216	233	9.2	.20	10
36258	T30	115	4.5	6.0	.236	233	9.2	.21	10





Screw Holding TORX®

SHOP

36290 Set 6 Pcs. MagicSpring Screw Holding TORX® SoftFinish Screwdrivers Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips. Molded on.

Item No.		Size	mm		Size	mm	lbs.
36290	36207	T8	60	36254	T20	100	.98
	36244	T10	80	36256	T25	100	
	36249	T15	80	36258	T30	115	

*MagicSpring tools will hold Torx® screws made to CamCar Textron Torx® specifications

Wiha TORX® SoftFinish® Screwdrivers





SHOP

362 **TORX® Screwdriver, With Wiha-SoftFinish® Handle**

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36264	T5	60	2.4	2.5	.098	164	6.5	.05	10
36266	T6	60	2.4	3.5	.139	164	6.5	.06	10
36268	T7	60	2.4	3.5	.139	164	6.5	.06	10
36270	T8	60	2.4	3.5	.139	164	6.5	.06	10
36272	T9	60	2.4	4.0	.157	171	6.7	.10	10
36274	T10	80	3.1	4.0	.157	191	7.5	.11	10
36276	T15	80	3.1	4.0	.157	191	7.5	.11	10
36278	T20	100	3.9	4.0	.157	211	8.3	.11	10
36280	T25	100	3.9	4.5	.177	211	8.3	.12	10
36282	T27	115	4.5	5.5	.216	233	9.2	.19	10
36284	T30	115	4.5	6.0	.236	233	9.2	.20	10
36286	T40	130	5.1	7.0	.275	254	10.0	.27	10
36288	T45	130	5.1	8.0	.315	254	10.0	.31	10

Wiha TORX® SoftFinish® Screwdrivers


#36291


#36201

SHOP

36291 **6 Piece TORX® SoftFinish® - Cusion Grip Set**

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component.

Item No.		Size	mm		Size	mm	lbs.
36291	36266	T6	60	36272	T9	60	.77
	36268	T7	60	36274	T10	80	
	36270	T8	60	36276	T15	80	

36201 **Set 6 Pcs. TORX®**

Item No.		Size	mm		Size	mm	lbs.
36201	36266	T6	60	36276	T15	80	.83
	36270	T8	60	36278	T20	100	
	36274	T10	80	36280	T25	100	



SHOP

36294 **8 Piece TORX® Set**

Item No.		Size	mm		Size	mm	lbs.
36294	36266	T6	60	36278	T20	100	1.24
	36270	T8	60	36280	T25	100	
	36274	T10	80	36282	T27	115	
	36276	T15	80	36284	T30	115	



SHOP

36267 **12 Piece TORX® Set**

Item No.		Size	mm		Size	mm	lbs.
36267	36264	T5	60	36276	T15	80	2.03
	36266	T6	60	36278	T20	100	
	36268	T7	60	36280	T25	100	
	36270	T8	60	36282	T27	115	
	36272	T9	60	36284	T30	115	
	36274	T10	80	36286	T40	130	

Wiha Security TORX® Drivers




SHOP

362 **Security TORX® Screwdriver With Wiha-SoftFinish®**

Handle Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36269	T7s	60	2.4	3.5	.139	164	6.5	.06	10
36271	T8s	60	2.4	3.5	.139	164	6.5	.06	10
36273	T9s	60	2.4	4.0	.157	171	6.7	.10	10
36275	T10s	80	3.1	4.0	.157	191	7.5	.11	10
36277	T15s	80	3.1	4.0	.157	191	7.5	.11	10
36279	T20s	100	3.9	4.0	.157	211	8.3	.11	10
36281	T25s	100	3.9	4.5	.177	211	8.3	.11	10
36283	T27s	115	4.5	5.5	.216	233	9.2	.19	10
36285	T30s	115	4.5	6.0	.236	233	9.2	.20	10
36287	T40s	130	5.1	7.0	.275	254	10.0	.28	10



SHOP

36298 **Set 7 Pcs. Security TORX®**

Item No.		Size	mm		Size	mm	lbs.
36298	36269	T7s	60	36277	T15s	80	.95
	36271	T8s	60	36279	T20s	100	
	36273	T9s	60	36281	T25s	100	
	36275	T10s	80				



SHOP

36259 **Set 10 Pcs. Security TORX®**

Item No.		Size	mm		Size	mm	lbs.
36259	36269	T7s	60	36279	T20s	100	1.5
	36271	T8s	60	36281	T25s	100	
	36273	T9s	60	36283	T27s	115	
	36275	T10s	80	36285	T30s	115	
	36277	T15s	80	36287	T40s	130	

Wiha TORXPlus® Cushion Grip Drivers



Not for use in standard Torx fasteners

SHOP

362 **TORXPlus® Screwdriver With Wiha SoftFinish® Handle**

Round blade high alloy Chrome-vanadium-molybdenum tool steel, hardened, hard chromed. Wiha-Chromtop finish on tips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36211	IP6	60	2.4	3.5	.139	164	6.5	.06	10
36223	IP7	60	2.4	3.5	.139	164	6.5	.06	10
36228	IP8	60	2.4	4.0	.157	171	6.7	.10	10
36229	IP9	60	2.4	4.0	.157	171	6.7	.11	10
36233	IP10	80	3.1	4.0	.157	191	7.5	.11	10
36238	IP15	80	3.1	4.0	.157	191	7.5	.11	10
36239	IP20	100	3.9	4.5	.177	211	8.3	.11	10
36243	IP25	100	3.9	5.5	.216	211	8.3	.19	10
36248	IP27	115	4.5	6.0	.236	233	9.2	.20	10
36253	IP30	115	4.5	7.0	.275	233	9.2	.28	10
36255	IP40	130	5.1	7.0	.275	254	10.0	.28	10



SHOP

36299 **Set 7 Pcs. TORXPlus®** Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component.

Item No.		Size	mm		Size	mm	lbs.
36299	36228	IP8	60	36243	IP25	100	1.23
	36233	IP10	80	36253	IP30	115	
	36238	IP15	80	36255	IP40	130	
	36239	IP20	100				



SHOP

36296 **Set 6 Pcs. TORXPlus®**

Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component.

Item No.		Size	mm		Size	mm	lbs.
36296	36211	IP6	60	36229	IP9	60	.72
	36223	IP7	60	36233	IP10	80	
	36228	IP8	60	36238	IP15	80	

Wiha MagicRing SoftFinish® Hex Drivers

Screw Holding Hex Tools



Don't Drop That Screw!
Save Valuable Time!
Improve Productivity!
Make The Job Easy!



SHOP

367 MagicRing Ball End Hex-Driver Inch, With Wiha-SoftFinish®

Handle Hex blade, high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Inch	Inch	mm	mm	lbs.	pkg.
36710*	.050	3.1	80	179	.06	10
36713*	1/16	3.1	80	204	.06	10
36716*	5/64	3.9	100	204	.07	10
36719*	3/32	3.9	100	204	.07	10
36723*	7/64	3.9	100	211	.07	10
With MagicRing						
36726	1/8	3.9	100	243	.12	10
36728	9/64	3.9	100	243	.12	10
36732	5/32	5.0	125	271	.12	10
36734	3/16	6.0	150	271	.16	10
36736	7/32	6.0	150	271	.23	10
36738	1/4	6.0	150	271	.25	10
36742	5/16	8.0	200	271	.37	10
36744	3/8	8.0	200	271	.54	10

* Standard Ball - No Ring

36791 13 Piece MagicRing Inch Ball End Screwdriver Set

Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.		Inch	Inch		Inch	Inch	lbs.
36791	36710*	.050	3.0	36732	5/32	5.0	2.58
	36713*	1/16	3.0	36734	3/16	6.0	
	36716*	5/64	4.0	36736	7/32	6.0	
	36719*	3/32	4.0	36738	1/4	6.0	
	36723*	7/64	4.0	36742	5/16	8.0	
	36726	1/8	4.0	36744	3/8	8.0	
	36728	9/64	4.0				

* Standard Ball - No Ring




SHOP

36793 8 Piece MagicRing Inch Ball End Screwdriver Set

Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.		Inch	Inch		Inch	Inch	lbs.
36793	36726	1/8	4.0	36736	7/32	6.0	2.25
	36728	9/64	4.0	36738	1/4	6.0	
	36732	5/32	5.0	36742	5/16	8.0	
	36734	3/16	6.0	36744	3/8	8.0	



SHOP

36794 6 Piece MagicRing Inch Ball End Screwdriver Set

Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.		Inch	Inch		Inch	Inch	lbs.
36794	36726	1/8	4.0	36734	3/16	6.0	1.34
	36728	9/64	4.0	36736	7/32	6.0	
	36732	5/32	5.0	36738	1/4	6.0	

Wiha MagicRing SoftFinish® Hex Drivers

Screw Holding Hex Tools



Screw Holding

Don't Drop That Screw!

Save Valuable Time!

Improve Productivity!

Make The Job Easy!



SHOP

367 **MagicRing Ball End Hex Driver Metric, With Wiha-SoftFinish®**

Handle Hex blade, high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	mm	mm	mm	lbs.	pkg.
36715*	1.5	75	179	.06	10
36720*	2.0	100	204	.07	10
36725*	2.5	100	204	.07	10
With MagicRing					
36730	3.0	100	204	.07	10
36740	4.0	125	211	.12	10
36750	5.0	150	243	.16	10
36760	6.0	150	243	.23	10
36780	8.0	200	268	.37	10
36786	10.0	200	271	.54	10

* Standard Ball - No Ring

Hardened spring steel retaining ring holds screws on

Hard chrome super durable corrosion resistant finish

Precision machined for exact fit

Made from Wiha exclusive CVM hardened tool steel

SHOP

36790 **9 Piece MagicRing Metric Ball End Hex Screwdriver Set**

Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.		mm	mm		mm	mm	lbs.
36790	36715*	1.5	75	36750	5.0	150	2.06
	36720*	2.0	100	36760	6.0	150	
	36725*	2.5	100	36780	8.0	200	
	36730	3.0	100	36786	10.0	200	
	36740	4.0	125				

* Standard Ball - No Ring



SHOP

36792 **6 Piece MagicRing Metric Ball End Hex Screwdriver Set**

Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.		mm	mm		mm	mm	lbs.
36792	36730	3.0	100	36760	6.0	150	1.86
	36740	4.0	125	36780	8.0	200	
	36750	5.0	150	36786	10.0	200	


Wiha Stainless Steel Screwdrivers

Stainless Steel

Controls corrosion & contamination of stainless fasteners

Heavy Duty hex blade of premium hardened stainless steel

Guaranteed quality-Made by Wiha



Precision machined exact fit tips

Non rusting stainless steel blade

SoftFinish multi-component, cushion grip handles



SHOP

308 Stainless Steel Slotted Screwdriver, With Wiha SoftFinish®

Handle High quality, non-rusting stainless steel blade. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item										
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
30836	3.5	.139	75	3.0	0.6	.024	179	7.0	.12	10
30845	4.5	.187	90	3.6	0.8	.031	201	7.9	.14	10
30855	5.5	.216	100	3.9	1.0	.039	213	8.4	.24	10
30865	6.5	.255	125	5.0	1.2	.047	238	9.4	.28	10



SHOP

314 Stainless Steel Pozidriv® Screwdriver, With Wiha SoftFinish®

Handle High quality, non-rusting stainless steel blade. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
31401	1	80	3.1	5.0	.203	186	7.3	.14	10
31402	2	100	3.9	6.0	.236	213	8.4	.22	10
31403	3	150	5.9	8.0	.315	268	10.6	.28	10



SHOP

312 Stainless Steel Phillips Screwdriver, With Wiha

SoftFinish® Handle High quality, non-rusting stainless steel blade. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
31211	1	80	3.1	186	7.3	.14	10
31212	2	100	3.9	213	8.4	.22	10
31213	3	150	5.9	268	10.6	.28	10



SHOP

376 Stainless Steel TORX® Screwdriver, With Wiha SoftFinish®

Handle High quality, non-rusting stainless steel blade. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
37608	T8	60	2.4	4.0	.157	164	6.5	.09	10
37609	T9	60	2.4	4.0	.157	171	6.7	.11	10
37610	T10	80	3.1	4.0	.157	191	7.5	.11	10
37615	T15	80	3.1	4.0	.157	191	7.5	.11	10
37620	T20	100	3.9	4.0	.157	218	8.6	.16	10
37625	T25	100	3.9	4.5	.177	218	8.6	.17	10
37627	T27	115	4.5	5.5	.216	233	9.2	.20	10
37630	T30	115	4.5	6.0	.236	233	9.2	.21	10
37640	T40	130	5.1	7.0	.275	254	10.0	.24	10



SHOP

30890 Set 5 Pcs. Slotted & Phillips Stainless Steel Screwdrivers

High quality, non-rusting stainless steel blade. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item							
No.		mm	mm		Size	mm	lbs.
30890	30836	3.5	75	31211	1	80	.84
	30845	4.5	90	31212	2	100	
	30855	5.5	100				



SHOP

37690 Set 5 Pcs. TORX® Stainless Steel Screwdrivers

High quality, non-rusting stainless steel blade. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item							
No.		Size	mm		Size	mm	lbs.
37690	37608	T8	60	37620	T20	100	.88
	37610	T10	80	37625	T25	100	
	37615	T15	80				

Wiha Interchangeable Tools

Magnetize & Demagnetize





SHOP

48190 **4 Piece Slotted & Phillips Interchangeable Blade Set, In Durable Pouch** Set includes Magnetizer/Demagnetizer handle & 3 interchangeable blades.



Item	
No. 48190	lbs. .62
Slotted: 3.0, 4.0, 6.0mm **Phillips:** 0, 1, 2	
Wiha Magnetizer/Demagnetizer Handle	



SHOP

48106 **Magnetizer/Demagnetizer Handle**

Wiha-Hex bolster for additional torque.

Advantages:

- Ergo soft grip panels for comfort
- Built in blade Magnetizer/Demagnetizer

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
48106	6.0	109	4.1	29	1.1	.14

Switch Cabinet Key



SHOP

21103 **Switch Cabinet Keys**

For applications with all common switch cabinets and locking systems.

Diecast Zinc

Item No.	mm	Inch	Pkg.	lbs.
21103	76	3.0”	5	.22

Wiha ACR® Slotted & Phillips Screwdrivers

ACR®

Anti-Cam-Out Ribs

Anti-Cam-Out ribs give maximum grip in the screw head

Dual material handle has molded in soft grip panels & hang hole

Round blade made CVM special tool steel

Precision machined exact fit slotted tips ACR® ribs

3K overdrive maximum comfort molded on ergonomic handle



Precision Black Tips



SHOP

469 **ACR® Slotted Screwdriver, With Wiha-3K Series Handle**

Blade chrome-vanadium-molybdenum steel, hardened, chrome nickel-plated. Wiha-3k Ergo handle, cushion grip. Precision black tips.

Item										
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
46912	4.5	.177	80	3.1	1.3	.050	186	7.3	.13	10
46915	4.5	.177	150	5.9	1.3	.050	256	10.0	.16	10
46921	6.0	.236	100	3.9	1.5	.058	218	8.5	.21	10
46924	6.0	.236	150	5.9	1.5	.058	269	10.5	.23	10
46933	8.0	.315	150	5.9	2.0	.078	269	10.5	.27	10




SHOP

468 **ACR® Phillips Screwdriver, With Wiha-3K Series Handle**

Blade chrome-vanadium-molybdenum steel, hardened, chrome nickel-plated. Wiha-3k Ergo handle, cushion grip. Precision black tips.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
46803	1	80	3.1	186	7.3	.13	10
46806	1	150	5.9	257	10.1	.15	10
46812	2	100	3.9	218	8.5	.21	10
46815	2	150	5.9	269	10.6	.23	10



SHOP

46991 **Set 6 Pcs. Slotted & Phillips 3K ACR® Soft Grip Set**

Blade chrome-vanadium-molybdenum steel, hardened, chrome nickel-plated. Wiha-3k Ergo handle, cushion grip. Precision black tips.

Item							
No.		mm	mm		Size	mm	lbs.
46991	46912	4.5	80	46803	1	80	1.49
	46921	6.0	100	46806	1	150	
	46933	8.0	150	46812	2	100	

Wiha 3K Series Screwdrivers and Sets

3K Ergonomic Series Screwdrivers & Sets





SHOP

450 Slotted Screwdriver, With Wiha-3K Series Handle

Blade chrome-vanadium-molybdenum steel, chrome nickel-plated.
Wiha-3k Ergo handle, cushion grip. Precision black tips.

Item										
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
45040**	2.5	.10	75	3.0	0.4	.02	161	6.3	.06	10
45050**	3.0	.12	100	3.9	0.5	.02	185	7.3	.07	10
45052**	3.5	.14	100	3.9	0.6	.02	197	7.7	.09	10
45054**	4.0	.16	100	3.9	0.8	.03	206	8.1	.12	10
45055	4.5	.18	100	3.9	1.0	.04	207	8.1	.13	10
45056	4.5	.18	150	5.9	1.0	.04	257	10.1	.14	10
45057	4.5	.18	200	8.0	1.0	.04	306	12.0	.15	10
45058	5.5	.22	125	5.0	1.0	.04	243	9.5	.19	10
45060	6.0	.24	100	3.9	0.9	.04	218	8.5	.20	10
45061	6.0	.24	150	5.9	0.9	.04	268	10.5	.23	10
45062	6.0	.24	200	8.0	0.9	.04	318	12.5	.25	10
45064*	6.5	.24	40	1.6	1.2	.05	90	3.5	.08	10
45065	6.5	.24	150	5.9	1.2	.05	268	10.5	.23	10
45067	8.0	.32	150	5.9	1.2	.05	268	10.5	.26	10
45069	10.0	.39	200	8.0	1.6	.06	318	12.5	.35	10

* Stubby screwdriver with Wiha Powerhandle - 45064
** Cabinet Tip



SHOP

48401 1/4" Bit holding Screwdriver, With Wiha-Ergo 3K Handle

Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM tool steel, nickel plated.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
48401	1/4"	125	5.0	211	8.3	.24	1



SHOP

451 Phillips Screwdriver, With Wiha-3K Series Handle

Item						
No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
45135	0	60	2.4	145	5.7	.06	10
45137	1	80	3.1	187	7.3	.13	10
45140	1	200	8.0	307	12.0	.16	10
45142	2	100	3.9	218	8.5	.21	10
45144	2	150	5.9	268	10.5	.23	10
45147	2	200	8.0	318	12.5	.25	10
45150*	2	40	1.6	90	3.5	.08	10
45152	3	150	5.9	268	10.5	.31	10

*Stubby screwdriver with Wiha Powerhandle - 45150



SHOP

46098 4 Piece Slotted & Phillips Screwdriver Set

Item							
No.		mm	mm		Size	mm	lbs. .83
46098	45055	4.5	100	45137	1	80	
	45060	6.0	100	45142	2	100	



SHOP

46099 40 Piece Slotted, Phillips, TORX®, Pozidriv®, Bit Holder & Folding Ruler Blade CVM steel, hardened. With 16" tool box

Item		
No.		lbs.
46099	**Slotted:** 2.5, 3.0, 3.5, 4.0, 4.5x100, 4.5x150, 4.5x200, 5.5, 6.0x100, 6.0x150, 6.0x200, 6.5x40, 6.5x150, 8.0, 10mm	10.4
	Phillips: 0x60, 1x80, 1x200, 2x100, 2x150, 2x200, 2x40, 3x150	
	TORX®: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45, T50	
	Pozidriv®: 1x80, 2x100	
	3K 1/4" Magnetic Bit Holder	
	61601 Folding Ruler	

Wiha 3K Series Screwdrivers and Sets



SHOP

46095 **5 Piece Slotted & Phillips Screwdriver Set**

Blade chrome-vanadium-molybdenum steel, chrome nickel-plated. Wiha-3k Ergo handle, cushion grip. Precision black tips.

Item							
No.		mm	mm		Size	mm	lbs.
46095	45055	4.5	100	45135	0	60	1.04
	45060	6.0	100	45137	1	80	
				45142	2	100	



SHOP

46094 **6 Piece Slotted & Phillips Screwdriver Set**

Blade chrome-vanadium-molybdenum steel, chrome nickel-plated. Wiha-3k Ergo handle, cushion grip. Precision black tips.

Item							
No.		mm	mm		Size	mm	lbs.
46094	45050	3.0	100	45137	1	80	.91
	45055	4.5	100	45144	2	150	
	45058	5.5	125				
	45065	6.5	150				



SHOP

46097 **8 Piece Slotted & Phillips Set** Blade CVM steel, chrome nickel-plated. Wiha-3k Ergo handle, cushion grip. Precision black tips.

Item							
No.		mm	mm		Size	mm	lbs.
46097	45050	3.0	100	45137	1	80	1.70
	45055	4.5	100	45142	2	100	
	45060	6.0	100	45150	2	40	
	45067	8.0	150	45152	3	150	



SHOP

452 **Pozidriv® Screwdriver, With Wiha-3K Series Handle**

Blade chrome-vanadium-molybdenum steel, hard chromed shaft. Wiha-3k Ergo handle, cushion grip. Black tip.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
45205	0	60	2.4	146	5.7	.06	10
45207	0	100	3.9	186	7.3	.07	10
45215	1	80	3.1	187	7.3	.13	10
45220	1	100	3.9	207	8.1	.14	10
45225	2	100	3.9	219	8.6	.21	10
45230	2	150	5.9	269	10.6	.23	10
45235	3	150	5.9	269	10.6	.31	10

Wiha TORX® 3K Series Drivers and Sets



SHOP

455 **TORX® Screwdriver, With Wiha-3K Series Handle**

Blade high alloy CVM steel, hardened, precision black tip. Molded on ergonomic Wiha-3K Series handle, impact resistant.

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
45504	T6	60	2.4	3.2	9/64	145	5.7	.06	10
45507	T7	60	2.4	3.5	9/64	129	5.1	.05	10
45508	T8	60	2.4	3.5	9/64	139	5.5	.06	10
45509	T9	60	2.4	4.0	5/32	149	5.8	.08	10
45510	T10	80	3.1	4.0	5/32	170	6.7	.10	10
45515	T15	80	3.1	4.0	5/32	190	7.5	.11	10
45520	T20	100	3.9	5.5	7/32	215	8.4	.11	10
45525	T25	100	3.9	6.0	1/4	215	8.4	.20	10
45527	T27	115	4.5	7.0	9/32	240	9.4	.28	10
45530	T30	115	4.5	6.0	1/4	233	9.1	.21	10
45540	T40	130	5.1	7.0	9/32	248	9.7	.25	10
45545	T45	130	5.1	8.0	5/16	249	9.8	.30	10
45550	T50	130	5.1	9.0	3/8	249	9.8	.33	10



SHOP

45593 **Set 5 Pcs. TORX®** Blade CVM steel, hardened, precision black tip. Wiha-3k Ergo handle, cushion grip.

Item							
No.		Size	mm		Size	mm	lbs.
45593	45508	T8	60	45520	T20	100	.86
	45510	T10	80	45525	T25	100	
	45515	T15	80				

Wiha 3K Series Drivers & Sets



SHOP

45598 **Set 6 Pcs. TORX®** Blade CVM steel, hardened, precision black tip. Wiha-3k Ergo handle, cushion grip.

Item No.		Size	mm		Size	mm	lbs.
45598	45504	T6	60	45509	T9	60	.88
	45507	T7	60	45510	T10	80	
	45508	T8	60	45515	T15	80	



SHOP

45595 **Set 8 Pcs. TORX®** Wiha-3k Ergo handle, cushion grip.

Item No.		Size	mm		Size	mm	lbs.
45595	45508	T8	60	45520	T20	100	1.36
	45509	T9	60	45525	T25	100	
	45510	T10	80	45527	T27	115	
	45515	T15	80	45530	T30	115	




SHOP

45597 **Set 11 Pcs. TORX®** 3K Ergo Series Screwdriver Set
Blade chrome-vanadium-molybdenum steel, hardened, precision black tip. Wiha-3k Ergo handle, cushion grip.

Item No.		Size	mm		Size	mm	lbs.
45597	45504	T6	60	45520	T20	100	1.72
	45507	T7	60	45525	T25	100	
	45508	T8	60	45527	T27	115	
	45509	T9	60	45530	T30	115	
	45510	T10	80	45540	T40	130	
	45515	T15	80				

Wiha Ball End 3K Series Drivers & Sets




Metric / Soft Grip

SHOP

467 **Ball End Hex Metric Screwdriver, With Wiha-3K Ergo Handle**
Blades of CVM special steel, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.

Item No.	mm	mm	mm	lbs.	pkg.
46715	1.5	75	161	.07	10
46720	2.0	100	186	.07	10
46725	2.5	100	186	.07	10
46730	3.0	100	186	.07	10
46740	4.0	100	197	.11	10
46750	5.0	100	197	.13	10
46760	6.0	150	257	.21	10
46780	8.0	200	307	.34	10
46786	10.0	200	319	.52	10



SHOP

46796 **7 Piece Metric Ball End Hex Screwdriver Set**

Item No.		mm	mm		mm	mm	lbs.
46796	46715	1.5	75	46740	4.0	100	1.15
	46720	2.0	100	46750	5.0	100	
	46725	2.5	100	46760	6.0	150	
	46730	3.0	100				




SHOP

46799 **9 Piece Metric Ball End Hex Screwdriver Set**

Item No.		mm	mm		mm	mm	lbs.
46799	46715	1.5	75	46750	5.0	100	1.93
	46720	2.0	100	46760	6.0	150	
	46725	2.5	100	46780	8.0	200	
	46730	3.0	100	46786	10.0	200	
	46740	4.0	100				

Wiha Ball End 3K Series Drivers & Sets





Inch / Soft Grip


SHOP

- Soft panel grip
- Convenient hang hole
- Hardened CVM tool steel
- Exact fit precision machined tips
- Fast angle entry

467 Ball End Hex Inch Drivers, With 3K Ergo Soft Grip Handles

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.


Item No.	Inch	Inch	Inch	lbs.	pkg.
46702	.050	2.9	6.3	.07	10
46704	1/16	2.9	6.3	.07	10
46706	5/64	3.9	7.3	.07	10
46708	3/32	3.9	7.3	.07	10
46710	7/64	3.9	7.3	.07	10
46712	1/8	3.9	7.7	.09	10
46714	9/64	3.9	7.7	.10	10
46716	5/32	3.9	7.7	.11	10
46718	3/16	3.9	7.7	.12	10
46722	7/32	5.9	10.0	.19	10
46724	1/4	5.9	10.0	.22	10
46726	5/16	7.9	12.0	.34	10
46728	3/8	7.9	12.5	.48	10



SHOP

46793 8 Piece 3K Ergo Inch Ball End Hex Screwdriver Set

Item No.		Inch	Inch		Inch	Inch	lbs.
46793	46702	.050	2.9	46710	7/64	3.9	1.19
	46704	1/16	2.9	46712	1/8	3.9	
	46706	5/64	3.9	46714	9/64	3.9	
	46708	3/32	3.9	46716	5/32	3.9	



SHOP

46797 13 Piece 3K Ergo Inch Ball End Hex Screwdriver Set

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3k Ergo soft grip handles.

Item No.		Inch	Inch		Inch	Inch	lbs.
46797	46702	.050	2.9	46716	5/32	3.9	2.40
	46704	1/16	2.9	46718	3/16	2.9	
	46706	5/64	3.9	46722	7/32	5.9	
	46708	3/32	3.9	46724	1/4	5.9	
	46710	7/64	3.9	46726	5/16	7.9	
	46712	1/8	3.9	46728	3/8	7.9	
	46714	9/64	3.9				



SHOP

46794 6 Piece 3K Ergo Inch Ball End Hex Screwdriver set

Item No.		Inch	Inch		Inch	Inch	lbs.
46794	46712	1/8	3.9	46718	3/16	3.9	.97
	46714	9/64	3.9	46722	7/32	5.9	
	46716	5/32	3.9	46724	1/4	5.9	

Yellow = Inch
Red = Metric

Wiha Drive-Loc VI Handles


Drive-Loc VI

For Adjustable Length Locking Blades



See Drive-Loc VI Nut drivers on Page 46





The blade length can be adjusted from 40mm-120mm. (1.7 to 4.7")

Locking mechanism in SoftFinish cushion grip ergonomic handle. Blade length can be adjusted from 40mm-120mm. (1.7 to 4.7" In 1/8" increments)



Drive-Loc mechanism guarantees a secure hold & rapid blade exchange

Adjust interchangeable blades from 40 to 120mm

Ergonomic handles in ESD Safe, cushioned & non-slip grip

Blades high quality CVM steel, hard chrome finish



SHOP

28488 Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

Advantages: Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28488	6.0	115	4.5	36.0	1.41	.26



SHOP

28486 ESD Safe Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection.

Advantages: Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange. Static Dissipative.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28486	6.0	115	4.5	36.0	1.41	.21



SHOP

28487 Drive-Loc VI MicroFinish Non-Slip Grip Handle

Wiha-MicroFinish handle, won't peel, crack or deteriorate when exposed to petroleum solvents. Ideal for Hex, TORX® & Nut Drivers.

Advantages: Ergonomic handle shape for maximum comfort, Drive-Loc mechanism guarantees a secure hold & rapid blade exchange.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28487	6.0	115	4.5	36.0	1.41	.20



281 Slotted Drive-Loc VI Interchangeable Blade High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	mm	+ mm	lbs.	pkg.
28106	3.5	4.5	.10	1
28108	5.5	6.5	.10	1

SHOP



281 Slotted & Phillips Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	mm	+ Size	lbs.	pkg.
28107	3.0	0	.10	1
28109	4.0	1	.10	1
28110	6.0	2	.10	1

SHOP



28112 Phillips Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Size	+ Size	lbs.	pkg.
28112	1	2	.10	1

SHOP



28137 Square Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Size	+ Size	lbs.	pkg.
28137	1	2	.10	1

SHOP

Wiha Drive-Loc VI Blades



281 **TORX® Drive-Loc VI Interchangeable Blade**

High alloy CVM steel, through hardened, hard chrome finish.

Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Size + Size		lbs.	pkg.	
28126	T6	T8	.10	1	SHOP
28127	T7	T9	.10	1	
28128	T10	T15	.10	1	
28129	T20	T25	.10	1	
28130	T30	T40	.10	1	



281 **Security TORX® Drive-Loc VI Interchangeable Blade** high alloy CVM steel, through hardened, hard chrome finish.

Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Size + Size		lbs.	pkg.	
28132	T6s	T8s	.10	1	SHOP
28133	T7s	T9s	.10	1	
28134	T10s	T15s	.10	1	
28135	T20s	T25s	.10	1	
28136	T30s	T40s	.10	1	



28114 **Pozidriv® Drive-Loc VI Interchangeable Blade**

High alloy CVM steel, through hardened, hard chrome finish.

Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Size + Size		lbs.	pkg.	
28114	1	2	.10	1	SHOP



281 **Tri-wing® Drive-Loc VI Interchangeable Blade**

High alloy CVM steel, through hardened, hard chrome finish.

Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Size + Size		lbs.	pkg.	
28138	0	1	.10	1	SHOP
28139	2	3	.10	1	
28140	4	5	.10	1	



281 **Torq Set® Drive-Loc VI Interchangeable Blade**

High alloy CVM steel, through hardened, hard chrome finish.

Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Size + Size		lbs.	pkg.	
28142	2	4	.08	1	SHOP
28143	6	8	.10	1	

Wiha Drive-Loc VI Blades



281 **Ball End Hex & Hex Metric Drive-Loc VI Interchangeable**

Blade High alloy CVM steel, through hardened, hard chrome finish.

Ball end enables the user to work at angles up to 25°. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	mm + mm		lbs.	pkg.	
28116	2.5	2.5	.10	1	SHOP
28117	3	3	.10	1	
28118	4	4	.10	1	
28119	5	5	.10	1	
28120	6	6	.10	1	



281 **Hex Metric Drive-Loc VI Interchangeable Blade**

High alloy CVM steel, through hardened, hard chrome finish.

Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	mm + mm		lbs.	pkg.	
28149	2.0	2.5	.09	1	SHOP
28150	3.0	4.0	.10	1	
28151	5.0	6.0	.10	1	




281 **Hex Inch Drive-Loc VI Interchangeable Blade**

High alloy CVM steel, through hardened, hard chrome finish.

Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Inch +	Inch	lbs.	pkg.	
28122	3/32	7/64	.10	1	SHOP
28123	1/8	9/64	.10	1	
28124	5/32	3/16	.10	1	



Tool box set in blow molded tray

SHOP

28191 **33 Pc. Drive-Loc VI Interchangeable Blade Set, In Tool Box**

Tray Set includes Drive-Loc VI handle & 31 interchangeable blades.

Item No. 28191 lbs. 3.48

Slotted: 3.5+4.5, 5.5+6.5 **Slotted/Phillips:** 3.0+0, 4.0+1, 6.0+2

Security TORX®: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s

Square: 1+2 **Hex Inch:** 3/32+7/64, 1/8+9/64, 5/32+3/16

Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0

Nut Drivers Inch: 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"

Nut Drivers Metric: 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0mm

Wiha SoftFinish® Cushion Grip & MicroFinish Non-Slip Grip Handles

Drive-Loc VI Nut Driver Blades & Sets



SHOP

281 Drive-Loc VI Inch Nut Driver Blades

High alloy CVM steel, through hardened, hard chrome finish.
OAL blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Inch	OAL	lbs.	pkg.
28156	3/16	5.9"	.11	1
28157	7/32	5.9"	.11	1
28158	1/4	5.9"	.11	1
28159	9/32	5.9"	.12	1
28160	5/16	5.9"	.13	1
28161	11/32	5.9"	.14	1
28162	3/8	5.9"	.15	1
28163	7/16	5.9"	.17	1
28164	1/2	5.9"	.18	1



SHOP

281 Drive-Loc VI Metric Nut Driver Blades

High alloy CVM steel, through hardened, hard chrome finish.
OAL blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	mm	OAL	lbs.	pkg.
28168	4.0	150mm	.10	1
28169	4.5	150mm	.10	1
28170	5.0	150mm	.11	1
28171	5.5	150mm	.11	1
28172	6.0	150mm	.12	1
28173	7.0	150mm	.13	1
28174	8.0	150mm	.13	1
28177	9.0	150mm	.14	1
28175	10.0	150mm	.15	1
28176	11.0	150mm	.20	1



SHOP

28196 8 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable

Pouch Set includes Drive-Loc VI handle & 7 Inch Nut Driver blades.

Item	lbs.
No. 28196	1.22

Inch: 3/16, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2"
Wiha SoftFinish® Cushion Grip Blade Lock Handle

28198 8 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable

Pouch Set includes Drive-Loc VI handle & 7 Metric Nut Driver blades.

Item	lbs.
No. 28198	1.00

Metric: 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0mm
Wiha SoftFinish® Cushion Grip Blade Lock Handle

Drive-Loc VI Interchangeable Blade Sets



SHOP

28194 5 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable

Pouch Set includes Drive-Loc VI handle & 4 interchangeable blades.

Item	lbs.
No. 28194	.80

Slotted: 3.5+4.5, 5.5+6.5 **Phillips:** 1+2 **Square:** 1+2
Wiha SoftFinish® Cushion Grip Blade Lock Handle



SHOP

28197 6 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable

Pouch Set includes Drive-Loc VI handle & 5 interchangeable blades.

Item	lbs.
No. 28197	.83

Security TORX®: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s & SoftFinish® Cushion Grip Blade Lock Handle



SHOP

28199 10 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable

Pouch Set includes Drive-Loc VI handle & 9 interchangeable blades.

Item	lbs.
No. 28199	1.11

Slotted/Phillips: 4.0+1, 6.0+2 **TORX®:** T6+T8, T7+T9, T10+T15, T20+T25 **Hex Inch:** 3/32+7/64, 1/8+9/64, 5/32+3/16"
Wiha SoftFinish® Cushion Grip Blade Lock Handle



NEW

SHOP

28189 15 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable


Pouch Set includes Drive-Loc VI handle & 14 interchangeable blades.

Item No. 28189 lbs. 1.28

Slotted: 3.5+4.5, 5.5+6.5 **Phillips:** 1+2 Security TORX®: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s **Hex Inch:** 3/32+7/64, 1/8+9/64, 5/32+3/16 **Hex Metric:** 2.0+2.5, 3.0+4.0, 5.0+6.0mm
Wiha SoftFinish® Cushion Grip Blade Lock Handle

Wiha MicroFinish Handle - Non-Slip Grip

Wiha MicroFinish handle **has a patented non-slip surface - it won't peel, crack or deteriorate when exposed to petroleum solvents. Oil and moisture flow away from the handle surface for a powerful, non-slip grip. You get maximum force and comfort with dry, oily or wet hands.**



Blade Chrome-vanadium-molybdenum, hardened and tempered tool steel, gives exceptional tool life, wear resistance and high torque performance

MicroFinish Handle with patented non slip surface. Ergo handle shape for maximum comfort and exceptional torque transfer

Safe, high density material, eliminates risk of sharp objects becoming embedded in the handle

Exact fit precision ground tips

Through hardened blades & hard chrome finish

Hex bolster & steel strike cap on 533 & 534 series



SHOP

520 Slotted Screwdriver, With Wiha-MicroFinish Handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant. Round blades.

Item										
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs	pkg.
52005*	4.0	.157	100	3.9	0.8	.031	211	8.3	.16	10
52010*	4.0	.157	150	5.9	0.8	.031	261	10.3	.17	10
52020*	5.5	.216	125	5.0	1.0	.039	236	9.3	.20	10
52025*	5.5	.216	150	5.9	1.0	.039	261	10.3	.21	10
52035	6.5	.255	150	5.9	1.2	.047	268	10.6	.28	10
52040	8.0	.315	150	5.9	1.2	.047	274	10.8	.37	10
52050	10.0	.393	200	8.0	1.6	.063	324	12.8	.50	10

*Cabinet Tips



SHOP

521 Phillips Screwdriver, With Wiha-MicroFinish Handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant. Round blades.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
52105	1	80	3.1	191	7.5	.15	10
52110	1	200	8.0	311	12.2	.21	10
52115	2	100	3.9	218	8.6	.26	10
52120	2	200	8.0	318	12.5	.34	10
52125	3	150	5.9	274	10.8	.41	10



#52090



#52097

SHOP

52090 5 Piece Slotted & Phillips Screwdriver Set

Blade CVM steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose acetate, impact resistant, non-slip, oil and grease resistant.

Item No.		
52090	**Slotted:** 4.0x100, 5.5x125, 8.0x150mm	lbs.
	Phillips: 1x80, 2x100mm	1.23

52097 7 Piece Slotted & Phillips Screwdriver Set

Item No.		
52097	**Slotted:** 4.0x100, 5.5125, 8.0x150mm	lbs.
	Phillips: #1x80, #1x200, #2x100, #2x200mm	1.34



#52098



#52099

SHOP

52098 8 Piece Slotted & Phillips Screwdriver Set

Blade high alloy CVM steel, hardened, hard chromed. Wiha-MicroFinish® handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item No.		
52098	**Slotted:** 4.0x100, 5.5x125, 6.5x150, 8.0x150, 10.0x200mm	lbs. 2.58
	Phillips: 1x80, 2x100, 3x150mm	

52099 12 Piece MicroFinish® Slotted & Phillips Screwdriver Set

Item No.		
52099	**Slotted:** 4.0x100, 4.0x150, 5.5x125, 5.5x150, 6.5x150, 8.0x150, 10.0x200mm	lbs. 4.20
	Phillips: 1x80, 1x200, 2x100, 2x200, 3x150mm	

Wiha MicroFinish Extra Heavy Duty Handle



SHOP

533 Heavy Duty Slotted Screwdriver, Wiha-MicroFinish Handle & Steel Striking Cap Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Hex blade extending through handle with striking plate. Hex bolster for additional torque. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item										
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
53310*	4.5	.177	90	3.6	1.0	.039	201	7.9	.20	10
53315	5.5	.216	100	3.9	1.0	.039	213	8.4	.33	10
53320	6.5	.255	125	5.0	1.2	.047	238	9.4	.38	10
53325	8.0	.315	150	5.9	1.2	.047	271	10.7	.61	10
53330	10.0	.393	175	7.0	1.6	.063	296	11.7	.65	10

*No hex bolster



SHOP

534 Heavy Duty Phillips Screwdriver, Wiha-MicroFinish Handle & Steel Striking Cap Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Hex blade extending through handle with striking plate. Hex bolster for additional torque. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
53405	1	80	3.1	186	7.3	.22	10
53410	2	100	3.9	213	8.4	.37	10
53425	3	150	5.9	268	10.6	.71	10







SHOP

53390 5 Piece Slotted & Phillips, Heavy Duty Set
Blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Hex blade extending through handle with steel striking cap. Hex bolster for additional torque. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item							
No.		mm	mm		Size	mm	lbs.
53390	53315	5.5	100	53405	1	80	2.1
	53320	6.5	125	53410	2	100	
	53325	8.0	150				



SHOP

53398 8 Piece Slotted & Phillips, Heavy Duty Set
Blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Hex blade extending through handle with steel striking cap. Hex bolster for additional torque. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item							
No.		mm	mm		Size	mm	lbs.
53398	53310*	4.5	90	53405	1	80	3.7
	53315	5.5	100	53410	2	100	
	53320	6.5	125	53425	3	150	
	53325	8.0	150				
	53330	10.0	175				

*No hex bolster



SHOP

52650 1/4" Bit holding Screwdriver, With Wiha-MicroFinish Handle
Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft chrome-vanadium steel, nickel-plated. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
52650	1/4	125	5.0	243	9.6	.24	10

Wiha TORX® MicroFinish Handle Non-Slip Grip



SHOP

527 **TORX® Screwdriver, With Wiha-MicroFinish Handle**

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant. Round blades.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
52711	T9	60	2.4	4.0	.157	171	6.7	.15	10
52713	T10	80	3.1	4.0	.157	191	7.5	.15	10
52716	T15	80	3.1	4.0	.157	191	7.5	.15	10
52719	T20	100	3.9	4.0	.157	211	8.3	.15	10
52722	T25	100	3.9	4.5	.177	211	8.3	.16	10
52726	T27	115	4.5	5.5	.216	233	9.2	.25	10
52729	T30	115	4.5	6.0	.236	233	9.2	.27	10
52732	T40	130	5.1	7.0	.275	254	10.0	.40	10



SHOP

52790 **Set 5 Pcs. TORX®**

Blade chrome-vanadium-molybdenum steel, hardened, round blades hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item No.		Size	mm		Size	mm	lbs.
52790	52713	T10	80	52722	T25	100	1.0
	52716	T15	80	52729	T30	115	
	52719	T20	100				



SHOP

52791 **Set 8 Pcs. TORX®**

Blade chrome-vanadium-molybdenum steel, hardened, round blades hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item No.		Size	mm		Size	mm	lbs.
52791	52711	T9	60	52722	T25	100	1.89
	52713	T10	80	52726	T27	115	
	52716	T15	80	52729	T30	115	
	52719	T20	100	52732	T40	130	

Wiha Powerhandle TORX® Made in Germany



SHOP

362 **TORX® Screwdriver, With Wiha-Powerhandle** CVM steel blade, hardened, hard chromed. Wiha-powerhandle cellulose-acetate.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36205	T5	50	2.0	2.5	.098	110	4.3	.03	10
36210	T6	50	2.0	3.5	.139	125	4.9	.06	10
36212	T7	50	2.0	3.5	.139	125	4.9	.06	10
36215	T8	60	2.4	3.5	.139	135	5.3	.06	10
36220	T9	60	2.4	4.0	.157	140	5.5	.09	10
36225	T10	80	3.1	4.0	.157	170	6.7	.13	10
36230	T15	80	3.1	4.0	.157	170	6.7	.13	10
36235	T20	100	3.9	4.0	.157	200	7.9	.17	10
36240	T25	100	3.9	4.5	.177	200	7.9	.18	10
36245	T27	115	4.5	5.5	.216	215	8.5	.20	10
36250	T30	115	4.5	6.0	.236	225	8.9	.28	10



SHOP

36292 **8 Pc. Set TORX®** Blade high alloy CVM steel, hardened, hard chromed. Wiha-powerhandle cellulose-acetate, impact resistant.

Item No.	Includes:	lbs.
36292	T6, T8, T10, T15, T20, T25, T27, T30	1.45



SHOP

36293 **6 Pc. Set TORX®** Blade high alloy CVM steel, hardened, hard chromed. Wiha-powerhandle cellulose-acetate, impact resistant.

Item No.	Includes:	lbs.
36293	T6, T7, T8, T9, T10, T15	.78

Wiha TORX® Proturn Screwdrivers







455 TORX® **Screwdriver, With Wiha-Proturn Handle**

Blade high alloy CVM steel, hardened, black finish. Molded on ergonomic Wiha-Proturn handle, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
45505	T6	50	2.0	3.5	.139	129	5.1	.05	10
45506	T7	50	2.0	3.5	.139	129	5.1	.05	10
45511	T8	60	2.4	3.5	.139	139	5.5	.06	10
45516	T9	60	2.4	4.0	.157	149	5.8	.08	10
45521	T10	80	3.1	4.0	.157	170	6.7	.10	10
45522	T10	275	10.8	4.0	.157	363	14.2	.13	10
45526	T15	80	3.1	4.0	.157	170	6.7	.10	10
45531	T20	100	3.9	4.0	.157	190	7.5	.11	10
45536	T25	100	3.9	4.5	.177	190	7.5	.11	10
45541	T27	115	4.5	5.5	.216	215	8.4	.11	10
45546	T30	115	4.5	6.0	.236	215	8.4	.20	10
45551	T40	130	5.1	7.0	.275	240	9.4	.28	10
45556	T45	130	5.1	8.0	.315	240	9.4	.27	10
45561	T50	130	5.1	9.0	.354	240	9.4	.31	10


#45591


#45592

45591 **Set 6 Pcs.** TORX®

Item No.		Size	mm		Size	mm	lbs.
45591	45506	T7	50	45521	T10	80	.72
	45511	T8	60	45526	T15	80	
	45516	T9	60	45531	T20	100	

45592 **Set 8 Pcs.** TORX®

Item No.		Size	mm		Size	mm	lbs.
45592	45511	T8	60	45531	T20	100	1.07
	45516	T9	60	45536	T25	100	
	45521	T10	80	45541	T27	115	
	45526	T15	80	45546	T30	115	



45589 **Set 14 Pcs.** TORX®

Item No.		Size	mm		Size	mm	lbs.
45589	45505	T6	50	45531	T20	100	2.2
	45506	T7	50	45536	T25	100	
	45511	T8	60	45541	T27	115	
	45516	T9	60	45546	T30	115	
	45521	T10	80	45551	T40	130	
	45522	T10	275	45556	T45	130	
	45526	T15	80	45561	T50	130	




48400 **1/4" Bit Holding Screwdriver, With Wiha-Proturn Handle**

Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM steel, nickel-plated. Handle, molded on, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pcs.
48400	1/4	125	5.0	243	9.6	.24	10

Wiha Dynamic Series Screwdrivers - Slotted & Phillips





SHOP

510 Slotted Screwdriver, With Wiha-Dynamic Handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Dynamic-handle high quality plastic.

Item										
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
51020	2.0	.08	65	2.5	0.4	.02	165	6.5	.04	10
51025	2.5	.10	75	3.0	0.4	.02	175	6.9	.04	10
51030	3.0	.12	80	3.1	0.5	.02	180	7.1	.05	10
51035	3.5	.14	100	3.9	0.6	.02	205	8.1	.07	10
51040	4.0	.16	100	3.9	0.8	.03	205	8.1	.08	10
51055	5.5	.22	125	5.0	1.0	.04	236	9.3	.14	10
51065	6.5	.26	150	5.9	1.2	.05	267	10.5	.20	10
51080	8.0	.32	175	7.0	1.2	.05	267	11.6	.29	10



SHOP

511 Phillips Screwdriver, With Wiha-Dynamic Handle


Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
51105	0	60	2.4	3.0	1/8	160	6.3	.05	10
51110	1	80	3.1	4.5	3/16	191	7.5	.11	10
51120	2	100	3.9	6.0	1/4	217	8.5	.17	10



SHOP

90000 Plastic Screwdriver Tool Rack Rack holds all Wiha screwdrivers, with holes for hanging. Made from high quality plastic.

Item			
No.		lbs.	pkg.
90000	Rack for Wiha screwdrivers 5.75 x 2"	.10	1



SHOP

51090 5 Piece Slotted & Phillips Set, Wiha-Dynamic Handle

Item									
No.	mm	Inch	mm	Inch	Size	mm	Inch	lbs.	pkg.
51090	3.0	.118	80	3.1	0	60	2.3	.68	1
	4.0	.157	100	3.9	1	80	3.1		
	5.5	.216	125	4.9					



SHOP

51099 11 Piece Slotted & Phillips Set, Wiha-Dynamic Handle

Item	**Slotted:** 2.0, 2.5, 3.0, 3.5, 4.0,	
No.	5.5, 6.5, 8.0mm	lbs.
51099	**Phillips:** 0, 1, 2	1.3

Wiha Magnetizer/Demagnetizer

Magnetize or Demagnetize tools and small parts instantly

Shatterproof Box is made from high quality plastic

Uses 2 C8 industrial permanent magnets



(+) to Magnetize

(-) to Demagnetize

SHOP

40010 Magnetizer and Demagnetizer

To magnetize and demagnetize steel screwdriver blades, tweezers and similar tools. Box high quality plastic, shock-resistant, green, cadmium free.

Application:

To magnetize, lead tool slowly through the (+) opening, to demagnetize guide tool slowly through the (-) opening.

Item		
No.	Dimensions	lbs.
40010	2.1" x 2.0" x 1.1"	.30

(Parts under 1" Length or 1/8" Diameter may not demagnetize)

Wiha Cabinet Tip Screwdrivers



SHOP

186 Slotted Cabinet Tip Screwdriver, With Wiha-Square Handle

Blade chrome-vanadium-molybdenum steel, hardened, nickel-plated. Tip parallel to shaft. Series includes extra long dimensions for screws in difficult to reach locations.
Wiha-square handle cellulose-acetate, impact resistant.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs	pkg.
18601	2.0	.08	40	1.6	0.40	.02	100	4.0	.02	10
18603	2.5	.10	50	2.0	0.40	.02	110	4.3	.02	10
18606	3.0	.12	75	3.0	0.50	.02	150	5.9	.05	10
18609	3.0	.12	100	3.9	0.50	.02	175	6.9	.06	10
18612	3.0	.12	150	5.9	0.50	.02	225	8.9	.06	10
18615	3.0	.12	200	8.0	0.50	.02	285	11.2	.08	10
18624	4.0	.16	100	3.9	0.60	.02	185	7.3	.08	10
18627	4.0	.16	150	5.9	0.60	.02	235	9.3	.10	10
18630	4.0	.16	200	8.0	0.60	.02	285	11.2	.11	10
18642	5.0	.20	100	3.9	0.70	.03	195	7.7	.13	10
18645	5.0	.20	150	5.9	0.70	.03	245	9.6	.15	10
18648	5.0	.20	200	8.0	0.70	.03	295	11.6	.17	10
18651	5.0	.20	300	12.0	0.70	.03	395	15.6	.20	10
18654	6.0	.24	100	3.9	0.90	.04	205	8.1	.19	10
18657	6.0	.24	150	5.9	0.90	.04	255	10.0	.21	10
18663	6.0	.24	300	12.0	0.90	.04	405	15.9	.29	10
18678	8.0	.32	300	12.0	1.20	.05	415	16.3	.39	10
18681	10.0	.39	200	8.0	1.60	.06	315	12.4	.37	10



SHOP

153 Phillips Screwdriver, With Wiha-Square Handle

Blade chrome-vanadium-molybdenum steel, hardened, nickel-plated.
Wiha-square handle cellulose-acetate, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
15305	0	60	2.4	3.0	.12	135	5.3	.05	10
15310	1	80	3.1	4.5	.18	175	6.9	.11	10
15315	1	200	8.0	4.5	.18	295	11.6	.15	10
15325	2	100	3.9	6.0	.24	205	8.1	.18	10
15330	2	250	10.0	6.0	.24	355	14.0	.27	10
15335	2	350	13.7	6.0	.24	455	17.8	.33	10
15340	3	150	5.9	8.0	.32	265	10.4	.33	10



SHOP

222 Pozidriv® Screwdriver, With Wiha-Square Handle

Blade chrome-vanadium-molybdenum steel, hardened, nickel-plated.
Wiha-square handle cellulose-acetate, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
22220	1	200	8.0	4.5	.17	295	11.6	.15	10
22230	2	250	9.8	6.0	.23	355	13.9	.27	10
22240	3	150	5.9	8.0	.31	265	10.4	.30	10

Wiha Offset Screwdrivers



SHOP

161 Phillips Offset Screwdriver, With Handle

For working in confined spaces. Blade CVM special steel, hardened, hard chromed. Handle high quality plastic, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
16112	1 + 2	125	4.9	5.5	.217	.08	10
16134	3 + 4	200	8.0	10.0	.315	.33	10

207 Slotted Offset Screwdriver, With Handle

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
20700	3.5	9/64	90	3.5	0.6	.02	.02	10
20705	4.0	5/32	100	3.9	0.8	.03	.03	10
20710	5.5	7/32	125	5.0	1.0	.04	.06	10
20715	6.5	1/4	125	5.0	1.2	.05	.07	10
20720	8.0	5/16	150	5.9	1.2	.05	.15	10
20725	10.0	3/8	175	6.9	1.6	.06	.23	10



SHOP

20790 5 Piece Slotted & Phillips Offset Screwdriver Set

Item No.	lbs.	Set includes the following drivers:
20790	.92	Slotted: 6.5, 8.0, 10.0 Phillips: 1 + 2, 3 + 4



SHOP

207 TORX® Offset Screwdriver With Molded Handle

For working in confined spaces. Blade CVM special steel, hardened, black finish.

Item No.	Size	lbs.	pkg.
20756	T6 + T8	.02	1
20757	T7 + T9	.02	1
20758	T10 + T15	.02	1
20759	T20 + T25	.07	1
20760	T27 + T30	.10	1

SHOP

20799 TORX® Offset Screwdriver Set, 5 Pcs.

With Molded Handle Blade CVM special steel, hardened, black finish.

Item No.	Set Includes: T6+T8, T7+T9, T10+T15, T20+T25, T27+T30	lbs.	pkg.
20799		.24	1

Rotating cap
for precise turning and control with fingertip

Precision handle
high quality plastic, cadmium free

Molded on tapered handle
allows rapid rotation

High performance blades
chrome-vanadium-molybdenum steel, Hard chrome finished

Tip
precision ground for exact fit, hard chromed non-slip surface



Wiha Precision Chip Lifter & Accessories



SHOP

26810 Precision Chip Lifter

Blade chrome-vanadium-molybdenum steel, hardened, chrome-plated.
Precision handle high quality plastic, impact resistant.

Item No.	mm 1	mm 3.5	mm 50	mm 145	Inch 5.7	lbs. .07	pkg. 1
26810	Standard handle						

*Metric dimensions actual - Inch dimensions approximate



SHOP

26001 Pocket Clip for Precision Screwdrivers

Tool clips turn Precision Screwdrivers into Pocket Screwdrivers.

Item No.		lbs.	pkg.
26001	Fits all Precision handles	.0035	1



SHOP

26000 Plastic Precision Tool Rack

Rack holds 6 precision screwdrivers, can be set on workbench.
Also has holes for hanging. Made from high quality plastic.

Item No.		lbs.	pkg.
26000	Rack for 6 Precision screwdrivers	.08	1

Wiha Long Life Precision Series



SHOP

260 Slotted Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26008	.80	1/32	40	1.6	0.16	.01	120	4.7	.02	10
26010	1.0	.039	40	1.6	0.18	.01	120	4.7	.02	10
26012	1.2	3/64	40	1.6	0.20	.01	120	4.7	.02	10
26015	1.5	1/16	40	1.6	0.25	.01	120	4.7	.02	10
26018	1.8	.070	40	1.6	0.30	.01	120	4.7	.02	10
26020	2.0	5/64	40	1.6	0.40	.02	120	4.7	.02	10
26022	2.0	5/64	50	2.0	0.40	.02	145	5.7	.02	10
26023	2.0	5/64	100	3.9	0.40	.02	180	7.1	.03	10
26025	2.5	3/32	50	2.0	0.40	.02	145	5.7	.03	10
26027	2.5	3/32	100	3.9	0.40	.02	195	7.7	.03	10
26028	2.5	3/32	150	6.0	0.40	.02	245	9.6	.04	10
26030	3.0	1/8	50	2.0	0.50	.02	145	5.7	.03	10
26032	3.0	1/8	60	2.4	0.50	.02	170	6.7	.04	10
26033	3.0	1/8	100	3.9	0.50	.02	210	8.3	.04	10
26034	3.0	1/8	150	5.9	0.50	.02	260	10.2	.05	10
26035	3.5	9/64	60	2.4	0.60	.02	170	6.7	.05	10
26040	4.0	5/32	60	2.4	0.80	.03	170	6.7	.05	10
26041	4.0	5/32	100	3.9	0.80	.03	210	8.3	.06	10
26042	4.0	5/32	150	5.9	0.80	.03	260	10.2	.07	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26090 6 Piece Precision Slotted Set

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.		
26090	Slotted:	lbs.
	1.5, 2.0 x 40mm	.27
	2.5, 3.0 x 50mm	
	3.5, 4.0 x 60mm	



SHOP

26099 8 Piece Precision Slotted Set

Blade high alloy chrome-vanadium-molybdenum steel.
Hard chrome finished. In canvas storage pouch

Item No.		
26099	Slotted: 1.0, 1.2, 1.5, 2.0 x 40mm	lbs.
	2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54

Wiha Precision Slotted/Phillips Drivers



261 **Phillips Screwdriver, With Precision Handle** SHOP

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26102	000	40	1.6	2.0	.08	120	4.7	.02	10
26100	00	40	1.6	2.0	.08	120	4.7	.02	10
26101	00	75	3.0	2.0	.08	155	6.1	.02	10
26105	0	50	2.0	3.0	.12	145	5.7	.02	10
26108	0	75	3.0	3.0	.12	170	6.7	.03	10
26107	0	100	3.9	3.0	.12	195	7.6	.05	10
26109	0	150	5.9	3.0	.12	245	9.6	.06	10
26110	1	60	2.4	4.0	.16	170	6.7	.05	10
26113	1	80	3.1	4.0	.16	190	7.5	.05	10
26114	1	100	3.9	4.0	.16	210	8.2	.06	10
26115	1	150	5.9	4.0	.16	260	10.2	.07	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26190 **7 Piece Precision Slotted & Phillips Set** Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		lbs.
26190	**Slotted:**	
	1.5 x 40mm	.31
	2.0, 2.5 x 50mm	
	3.0 x 60mm	
	Phillips:	
	00 x 40mm	
	0 x 50mm, 1 x 60mm	




In canvas storage pouch

SHOP

26199 **8 Piece Precision Slotted/Phillips Set**

Blade high alloy CVM steel, hard chrome finished.

Item No.		lbs.
26199	**Slotted:** 1.0, 2.0 x 40mm, 3.0 x 50mm	
	4.0 x 60mm	.55
	Phillips: 000, 00 x 40mm, 0 x 50mm,	
	1 x 60mm	



SHOP

26092 **7 Piece Precision Slotted & Phillips Set** Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		lbs.
26092	**Slotted:**	
	2.5 x 50mm,	.30
	2.5, 3.0, 4.0 x 100mm	
	3.0, 4.0 x 150mm	
	Phillips:	
	0 x 75mm	



SHOP

26194 **4 Piece Precision Phillips Set**

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.		lbs.
26194	**Phillips:** 000, 00 x 40mm	
	0 x 50mm, 1 x 60mm	.18



SHOP

26192 **5 Piece Precision Slotted & Phillips Set** Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		lbs.
26192	**Slotted:**	
	2.5, 3.0, 4.0 x 150mm	.44
	Phillips:	
	0, 1 x 150mm	



SHOP

91118 **Rugged Polyester Canvas Storage Pouch**

Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

Item No.	Size	lbs.	pkg.
91118	14 1/2" W x 7 3/4" L	.13	1

Wiha Pozidriv® Precision Series



262 **Pozidriv® Screwdriver, With Precision Handle**

SHOP

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26205	0	50	2.0	3.0	.12	145	5.7	.03	10
26210	1	60	2.4	4.0	.16	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate

Wiha Hex Metric Precision Series



263 Metric **Metric Hex Driver, With Precision Handle**

SHOP

Metric sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26307	0.7	.028	40	1.6	120	4.7	.02	10
26309	0.9	.035	40	1.6	120	4.7	.02	10
26313	1.3	.050	40	1.6	120	4.7	.02	10
26315	1.5	-	50	2.0	145	5.7	.03	10
26320	2.0	5/64	50	2.0	145	5.7	.03	10
26325	2.5	-	60	2.4	170	6.7	.04	10
26330	3.0	-	60	2.4	170	6.7	.04	10
26340	4.0	-	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26390 **7 Pc. Precision Hex Driver Set - Metric** Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Hex Metric:	lbs.
26390	0.7, 0.9, 1.3 x 40mm	.28
	1.5, 2.0 x 50mm	
	2.5, 3.0 x 60mm	

Wiha Hex Inch Precision Series



263 Inch **Inch Hex Driver, With Precision Handle**

SHOP

Inch sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Inch	mm	mm	Inch	mm	Inch	lbs.	pkg.
26307	0.028	0.7	40	1.6	120	4.7	.02	10
26309	0.035	0.9	40	1.6	120	4.7	.02	10
26313	0.05	1.3	40	1.6	120	4.7	.02	10
26316	1/16	-	50	2.0	145	5.7	.03	10
26320	5/64	2.0	50	2.0	145	5.7	.03	10
26323	3/32	-	60	2.4	170	6.7	.04	10
26327	7/64	-	60	2.4	170	6.7	.04	10
26331	1/8	-	60	2.4	170	6.7	.04	10
26333	9/64		60	2.4	170	6.7	.05	10
26336	5/32		60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26391 **8 Pc. Precision Hex Driver Set - Inch** Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Hex Inch:	lbs.
26391	0.028, 0.035, 0.05 x 1.6”	.32
	1/16, 5/64 x 2.0”	
	3/32, 7/64, 1/8 x 2.4”	



SHOP


26399 **8 Piece Precision Hex Driver Set - Inch**

Blade high alloy chrome-vanadium-molybdenum steel.

Hard chrome finished. In canvas storage pouch

Item No.		lbs.
26399	**Hex Inch:** 0.028, 0.035, 0.05 x 1.6”	
	1/16, 5/64 x 2.0”, 3/32, 7/64, 1/8 x 2.4”	.55

Wiha Ball End Precision Series




SHOP

264 Inch **Ball End Hex Inch Screwdriver With Precision Handle**

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finish.

Item No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26413	.050	40	1.6	120	4.7	.02	10
26416	1/16	50	2.0	145	5.7	.03	10
26419	5/64	50	2.0	145	5.7	.03	10
26423	3/32	50	2.0	145	5.7	.03	10
26427	7/64	60	2.4	170	6.7	.03	10
26431	1/8	60	2.4	170	6.7	.05	10
26436	9/64	60	2.4	170	6.7	.05	10
26439	5/32	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

264 Metric **Ball End Hex Metric Screwdriver With Precision Handle**

Angle entry up to 30°. Blade high alloy CVM steel.

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26413	1.3	0.05	40	1.6	120	4.7	.02	10
26415	1.5	-	50	2.0	145	5.7	.03	10
26420	2.0	-	50	2.0	145	5.7	.03	10
26425	2.5	-	60	2.4	170	6.7	.04	10
26430	3.0	-	60	2.4	170	6.7	.05	10
26440	4.0		60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26491 **5 Piece Ball End Hex Driver Set - Metric** Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum-steel.

Item No.	Ball End Hex Metric:	lbs.
26491	1.3 x 40mm	.25
	1.5, 2.0 x 50mm	
	2.5, 3.0 x 60mm	



SHOP

26490 **8 Piece Ball End Hex Driver Set - Inch** Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Ball End Hex Inch:	lbs.
26490	0.05 x 1.6”	.28
	1/16, 5/64, 3/32 x 2.0”	
	7/64, 1/8, 9/64, 5/32 x 2.4”	



SHOP

26499 **8 Piece Ball End Hex Driver Set - Inch**

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.	Ball End Hex Inch:	lbs.
26499	0.05 x 1.6”, 1/16, 5/64, 3/32 x 2.0”	.62
	7/64, 1/8, 9/64, 5/32 x 2.4”	

Wiha Precision Screwdriver Set



NEW

SHOP

92191 **51 Piece Precision Tool Tray Set**

Tool box tray. Equipped with 51 precision drivers.

Item No.	
92191	Slotted: .8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0
	Phillips: #000, #00, #0, #1
lbs. 3.14	Torx®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
	Metric Hex: 1.3, 1.5, 2.0, 2.5, 3.0, 4.0
	Inch Hex: .028, .035, 0.05, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32”
	Metric Nut Drivers: 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5
	26810 Chip Lifter

Wiha TORX® Precision Series



SHOP

267 **TORX® Screwdriver, With Precision Handle**

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26701	T1	40	1.6	120	4.7	.01	10
26702	T2	40	1.6	120	4.7	.02	10
26703	T3	40	1.6	120	4.7	.02	10
26704	T4	40	1.6	120	4.7	.02	10
26705	T5	40	1.6	120	4.7	.02	10
26706	T6	40	1.6	120	4.7	.02	10
26707	T7	40	1.6	120	4.7	.02	10
26708	T8	40	1.6	120	4.7	.03	10
26709	T9	50	2.0	145	5.7	.03	10
26710	T10	50	2.0	145	5.7	.03	10
26715	T15	60	2.4	170	6.7	.05	10
26720	T20	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26790 **6 Pc. TORX® Screwdriver Set**

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		lbs.
26790	TORX®:	
	T6, T7, T8 x 40mm	.30
	T9, T10 x 50mm	
	T15 x 60mm	

26791 **Set 8 Pcs. TORX® Screwdriver Set**

Item No. 26791 T1, T2, T3, T4, T5, T6, T7, T8



SHOP

26799 **8 Pc. TORX® Screwdriver Set**

Blade high alloy chrome-vanadium-molybdenum steel.

Hard chrome finished. In canvas storage pouch

Item No.		lbs.
26799	TORX®: T3, T4, T5, T6, T7, T8 x 40mm	
	T9 x T10 x 50mm	.50



SHOP

26792 **7 Pc. TORX® Screwdriver Set**

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		lbs.
26792	TORX®:	
	T5, T6, T7, T8 x 40mm	.33
	T9, T10 x 50mm	
	T15 x 60mm	

Wiha Pentalobe IPR Precision Series

Wiha Pentalobe IPR drivers will fit fasteners used in "Apple" brand products including iPhone, Mac Book & Mac Air

NEW

- Exact fit precision machined Pentalobe tips
- High performance CRM72 tool steel
- Hard chromed finish blades & tips
- Tapered ergonomic handle
- Easy spin finger tip control cap





267 **Pentalobe IPR Screwdriver, With Precision Handle**

SHOP

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26761	P1	40	1.6	120	4.7	.01	1
26762	P2	40	1.6	120	4.7	.02	1
26763	P3	40	1.6	120	4.7	.02	1
26764	P4	40	1.6	120	4.7	.02	1
26765	P5	40	1.6	120	4.7	.02	1
26766	P6	40	1.6	120	4.7	.02	1

*Metric dimensions actual - Inch dimensions approximate



SHOP

26794 **6 Pc. Precision Pentalobe IPR Screwdriver Set**

Blade high alloy chrome-vanadium-molybdenum steel.

Hard chrome finished. Super hardened best wear resistance long life

Item No.	Pentalobe IPR Drivers:	lbs.
26794	P1, P2, P3, P4, P5, P6	.35

Wiha Precision Screwdriver Set



SHOP

92190 **Master Technicians Bench Top Set**

Metal frame. Equipped with 50 precision drivers.

Item No.	
92190	Slotted: .8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0
	Phillips: #000, #00, #0, #1
lbs. 2.86	Torx®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
	Metric Hex: 1.3, 1.5, 2.0, 2.5, 3.0
	Inch Hex: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Metric Nut Drivers: 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5
	26810 Chip Lifter

Wiha Soft Grip PicoFinish Precision Screwdrivers

The Comfortable Precision Screwdriver



Color coded symbols on rotating cap gives easy recognition of individual styles & sizes



CVM tool steel blade, hardened, hard chrome finish

Soft Grip Handle



Ergonomic multi-component handle with rotating cap for maximum user comfort and precise control



SHOP

260 Slotted Precision Screwdriver, With PicoFinish Handle

Blade CVM steel, hardened, hard chromed.

Item No.	mm	Inch	mm	Inch	mm	Inch	Pkg.
26050	0.8	.03	40	1.6	134	5.3	10
26051	1.0	.04	40	1.6	134	5.3	10
26052	1.2	.05	40	1.6	134	5.3	10
26053	1.5	.06	40	1.6	134	5.3	10
26054	1.5	.06	60	2.4	154	6.1	10
26055	1.8	.07	40	1.6	134	5.3	10
26056	1.8	.07	60	2.4	154	6.1	10
26060	2.0	.08	40	1.6	140	5.5	10
26061	2.0	.08	60	2.4	160	6.3	10
26063	2.0	.08	100	3.9	200	7.9	10
26065	2.5	.09	50	2.0	150	5.9	10
26066	2.5	.09	75	3.0	175	6.9	10
26068	2.5	.09	100	3.9	200	7.9	10
26070	3.0	.13	50	2.0	150	5.9	10
26072	3.0	.13	100	3.9	200	7.9	10
26073	3.0	.13	150	5.9	250	9.8	10
26074	3.5	.14	60	2.4	160	6.3	10
26076	4.0	.16	60	2.4	160	6.3	10
26079	4.0	.16	100	3.9	200	7.9	10
26080	4.0	.16	150	5.9	250	9.8	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

261 Phillips Precision Screwdriver, With Soft PicoFinish Precision Handle Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	pkg.
26130	000	40	1.6	2.0	.08	134	5.3	10
26132	00	40	1.6	2.0	.08	134	5.3	10
26133	00	60	2.4	2.0	.08	154	6.1	10
26135	0	50	2.0	3.0	.12	150	5.9	10
26136	0	75	3.0	3.0	.12	175	6.9	10
26140	1	60	2.4	4.0	.16	160	6.3	10
26142	1	80	3.1	4.0	.16	180	7.1	10
26145	1	150	5.9	4.0	.16	250	9.8	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26093 8 Pc. Slotted Precision Screwdriver Set, With Soft PicoFinish Handle In storage pouch

Item No.		
26093	**Slotted:** .8, 1.2, 1.5, 2.0 x 40mm	lbs.
	2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54



SHOP

26193 8 Pc. Slotted & Phillips Precision Driver Set, With Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.		
26193	**Slotted:** 1.0, 1.5, 2.0 x 40mm	lbs.
	2.5 x 50mm, 3.5 x 60mm	.55
	Phillips: 00 x 40mm	
	0 x 50mm, 1 x 60mm	

Wiha Pico Soft Grip TORX®



SHOP

267 **TORX® Screwdriver, With Precision Soft PicoFinish Handle**

Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	Size	mm	Inch	mm	Inch	pkg.
26732	T1	40	1.6	134	5.3	10
26733	T2	40	1.6	134	5.3	10
26735	T3	40	1.6	134	5.3	10
26736	T4	40	1.6	134	5.3	10
26737	T5	40	1.6	134	5.3	10
26739	T6	40	1.6	140	5.5	10
26741	T7	40	1.6	140	5.5	10
26743	T8	40	1.6	140	5.5	10
26745	T9	50	2.0	150	5.9	10
26747	T10	50	2.0	150	5.9	10
26749	T15	60	2.4	160	6.3	10
26751	T20	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26793 **8 Pc. TORX® Precision Driver Set, With Soft PicoFinish Handle** Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.		
26793	TORX®: T1, T2, T3, T4, T5, T6, T7, T8 x 40mm	lbs. .50



SHOP

26796 **8 Pc. TORX® Precision Driver Set, Soft PicoFinish Handle** Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.		
26796	TORX®: T5, T6, T7, T8 x 40mm T9, T10 x 50mm, T15, T20 x 60mm	lbs. .57

Wiha Pico Soft Grip Screw Holding



SHOP

267 **MagicSpring Screw Holding TORX® Screwdriver, With Wiha-Precision Soft PicoFinish Handle** Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26721	T6	40	1.6	140	5.5	.03	10
26723	T7	40	1.6	140	5.5	.03	10
26725	T8	40	1.6	140	5.5	.03	10
26727	T9	50	2.0	150	5.9	.04	10
26729	T10	50	2.0	150	5.9	.04	10
26731	T15	60	2.4	160	6.3	.04	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26798 **6 Pc. MagicSpring Screw Holding TORX® Screwdriver Set, With Wiha-Precision Soft PicoFinish Handle** Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips. In storage pouch

Item No.		
26798	MagicSpring TORX®: T6, T7, T8 x 40mm T9, T10 x 50mm, T15 x 60mm	lbs. .45

Pico Soft Grip Precision Chip Lifter



SHOP

26815 **Soft PicoFinish Precision Chip Lifter** Blade chrome-vanadium-molybdenum steel, hardened, hard chromed.

Item No.	mm	mm	mm	mm	Inch	lbs	pkg.
26815	1	3.5	50	150	5.9	.03	1

Standard Soft PicoFinish handle

Pico Soft Grip Hex Inch & Metric



SHOP

263 **Hex Inch Screwdriver, With Precision Soft PicoFinish Handle**

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	Inch	mm	Inch	mm	Inch	pkg.
26341	0.028(0.7)	40	1.6	134	5.3	10
26343	0.035(0.9)	40	1.6	134	5.3	10
26345	0.05(1.3)	40	1.6	134	5.3	10
26349	5/64(2.0)	50	2.0	150	5.9	10
26363	1/16	50	2.0	144	5.7	10
26367	3/32	60	2.4	160	6.3	10
26369	7/64	60	2.4	160	6.3	10
26371	1/8	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

SHOP

26392 **8 Piece Hex Inch Precision Driver Set, Soft PicoFinish Handle** Blade high alloy CVM steel, hardened, hard chromed.

Item No.		
26392	**Hex Inch:** 0.028, 0.035, 0.05 x 1.6”	lbs.
	5/64, 1/16 x 2.0”, 3/32, 7/64, 1/8 x 2.4”	.24



SHOP

263 **Hex Metric Driver, With Precision Soft PicoFinish Handle**

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	mm	mm	Inch	mm	Inch	pkg.
26341	0.7(0.028)	40	1.6	134	5.3	10
26343	0.9(0.035)	40	1.6	134	5.3	10
26345	1.3(0.05)	40	1.6	134	5.3	10
26347	1.5	50	2.0	144	5.7	10
26349	2.0(5/64)	50	2.0	150	5.9	10
26351	2.5	60	2.4	160	6.3	10
26353	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

SHOP

26393 **7 Piece Hex Metric Precision Driver Set, Soft PicoFinish Handle** Blade high alloy CVM steel, hardened, hard chromed.

Item No.		
26393	**Hex Metric:** 0.7, 0.9, 1.3 x 40mm	lbs.
	1.5, 2.0 x 50mm, 2.5, 3.0 x 60mm	.22

Pico Soft Grip Ball End Inch & Metric



SHOP

264 **Ball End Hex Inch Screwdriver, With Precision Soft PicoFinish Handle** Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	Inch	Inch	mm	Inch	mm	pkg.
26455	1/16	2.0	50	5.9	150	10
26457	5/64	2.0	50	5.9	150	10
26459	3/32	2.0	50	5.9	150	10
26461	7/64	2.4	60	6.3	160	10
26463	1/8	2.4	60	6.3	160	10
26465	9/64	2.4	60	6.3	160	10
26467	5/32	2.4	60	6.3	160	10

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

SHOP

26493 **7 Piece Inch Ball End Hex Precision Driver Set, With Soft PicoFinish Handle** Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit.

Item No.		
26493	**Ball End Hex Inch:**	lbs.
	1/16, 5/64, 3/32 x 2.0”	.27
	7/64, 1/8, 9/64, 5/32 x 2.4”	




SHOP

264 **Ball End Hex Metric Screwdriver, With Precision Soft PicoFinish Handle.** Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	mm	mm	Inch	mm	Inch	pkg.
26441	1.3	40	1.6	134	5.3	10
26443	1.5	50	2.0	150	5.9	10
26445	2.0	50	2.0	150	5.9	10
26447	2.5	60	2.4	160	6.3	10
26449	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate

Wiha Proturn Precision Screwdrivers





SHOP

95190 **6 Piece Slotted/Phillips Proturn Precision Screwdriver Set**

Molded on precision handle. Blade high alloy chrome-vanadium-molybdenum tool steel, black finish.

Item							
No.		mm	mm		Size	mm	lbs.
95190	Slotted:	1.5mm	40	Phillips:	00	40	.27
		2.5mm	50		0	50	
		3.5mm	60		1	60	



SHOP

65090 **9 Piece Slotted/Phillips Proturn Precision Screwdriver Set**

Molded on precision handle. Blade high alloy chrome-vanadium-molybdenum tool steel, black finish.

Item								
No.		mm	mm	mm	mm		Size	mm
65090	Slotted:	1.5	40	3.0	60	Phillips:	00	40
		2.0	50	3.5	60		0	50
		2.5	60	4.0	60		1	60



SHOP

96800 **Proturn Precision Chip Lifter**

Molded on precision handle. Blade chrome-vanadium-molybdenum tool steel, hardened, black finish.

Item						
No.	Size	mm	mm	Inch	lbs.	pkg.
96800	1.0	50	145	5.7	.07	1



SHOP

62990 **5 Piece Slotted & Phillips Pocket Pack Set** Wiha Proturn precision ball retainer handle & 4 Wiha interchangeable blades.

62990 Set includes the following blades:

- **Slotted:** 1.5, 2.0, 3.0, 4.0
- **Phillips:** #000, #00, #0, #1
- **lbs.** .15




SHOP

62993 **9 Piece Slotted/Phillips/TORX® Work Station Set** Wiha Proturn precision ball retainer handle & 8 Wiha interchangeable blades.

62993 Set includes the following blades:

- **Slotted:** 1.5, 2.0, 3.0, 4.0
- **Phillips:** #000, #00, #0, #1
- **TORX®:** T6, T7, T8, T9, T10, T15, T20
- **lbs.** .35

#62995 #62994



SHOP

62995 **22 Piece Slotted/Phillips/TORX®/Ball End Hex Inch & Metric Tech Pack** Wiha Proturn precision ball retainer handle & 21 Wiha interchangeable blades. Set in canvas storage pouch

62995 Set includes the following blades:

- **Slotted:** 1.5, 2.0, 3.0, 4.0
- **Phillips:** #000, #00, #0, #1
- **TORX®:** T6, T7, T8, T9, T10, T15, T20
- **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32”
- **Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0mm
- **lbs.** .87

62994 **14 Piece Inch/Metric Ball End Hex Work Tech Pack** Proturn precision ball retainer handle & 13 Wiha interchangeable blades.

62994 Set includes the following blades:

- **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32”
- **Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0mm
- **lbs.** .66 Set in canvas storage pouch

Wiha SYSTEM 4 Precision Handles and Blades


SHOP

26900 SYS 4 Standard Precision Handle, with rotating control cap. Accepts all SYSTEM 4 interchangeable blades. Wiha Precision handle, tapered, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26900	4.0	.1574	14.0	.55	.04


SHOP

26901 SYSTEM 4 Standard Precision Adjustable handle with rotating control cap.

Advantages:

- Allows adjustable blade from 15 to 95mm.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26901	4.0	.1574	14.0	.55	.06


SHOP

28000 ESD Safe Dissipative Precision Handle with rotating control cap. Surface resistant 10^6-10^9 Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
28000	4.0	.1574	14.0	.55	.04



SHOP

28001 ESD Safe Dissipative Precision Adjustable Handle with rotating control cap.

Advantages:

- Use in ESD sensitive applications. Surface resistant 10^6-10^9 Ohms.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
28001	4.0	.1574	14.0	.55	.04



Blades
CVM steel, hardened, hard chromed. On 4mm Hex shafts


SHOP

269 SYSTEM 4 Slotted Reversible Blade
High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	mm	mm	mm	Inch	lbs.
26903	1.5	+ 3.0	120	4.7	.05
26904	2.0	+ 3.5	120	4.7	.05
26905	2.5	+ 4.0	120	4.7	.06


SHOP

269 SYSTEM 4 Phillips Reversible Blade
High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	Size	Size	mm	Inch	lbs.
26911	000	+ 00	120	4.7	.03
26912	0	+ 1	120	4.7	.03


SHOP

269 SYSTEM 4 Combined Slotted/Phillips Reversible Blade

Item					
No.	mm	Size	mm	Inch	lbs.
26971	1.5	+ 000	120	4.7	.05
26972	2.0	+ 00	120	4.7	.05
26973	3.0	+ 0	120	4.7	.05
26974	4.0	+ 1	120	4.7	.06


SHOP


269 SYSTEM 4 Pozidriv® Reversible Blade
High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	Size	Size	mm	Inch	lbs.
26922	0	+ 1	120	4.7	.03


SHOP

269 SYSTEM 4 Metric Ball End & Standard Hex, Reversible Blade
CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips. One side hex, other side ballpoint hex.


Item					
No.	mm	mm	mm	Inch	lbs.
26932	1.3	+ 1.3	120	4.7	.05
26933	1.5	+ 1.5	120	4.7	.05
26934	2.0	+ 2.0	120	4.7	.06
26935	2.5	+ 2.5	120	4.7	.06
26936	3.0	+ 3.0	120	4.7	.06
26937	4.0	+ 4.0	120	4.7	.06



SHOP

280 SYSTEM 4 Metric Ball End Hex
Interchangeable Blade High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item					
No.	mm	mm	Inch	lbs.	pkg.
28033	1.5	120	4.7	.06	1
28034	2.0	120	4.7	.06	1
28035	2.5	120	4.7	.06	1
28036	3.0	120	4.7	.06	1
28037	4.0	120	4.7	.06	1



SHOP

280 SYSTEM 4 Inch Ball End Hex
Interchangeable Blade High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item				
No.	Inch	mm	Inch	lbs.
28021	0.05	120	4.7	.06
28023	1/16	120	4.7	.06
28024	5/64	120	4.7	.06
28025	3/32	120	4.7	.06
28026	7/64	120	4.7	.06
28027	1/8	120	4.7	.06
28028	9/64	120	4.7	.06
28029	5/32	120	4.7	.06

Wiha SYSTEM 4 Precision Blades



SHOP

269 SYSTEM 4 Metric Hex Sizes,
Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

Item No.	mm	mm	Inch	lbs.
26913	0.7	120	4.7	.06
26914	0.9	120	4.7	.06
26915	1.3	120	4.7	.06
26916	1.5	120	4.7	.06
26917	2.0	120	4.7	.06
26918	2.5	120	4.7	.06
26919	3.0	120	4.7	.06
26920	4.0	120	4.7	.06



SHOP

269 SYSTEM 4 Inch Hex Sizes,
Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

Item No.	Inch	mm	Inch	lbs.
26921	0.05	120	4.7	.06
26923	1/16	120	4.7	.06
26924	5/64	120	4.7	.06
26925	3/32	120	4.7	.06
26926	7/64	120	4.7	.06
26927	1/8	120	4.7	.06
26928	9/64	120	4.7	.06
26929	5/32	120	4.7	.06



SHOP

269 SYSTEM 4 TORX® Reversible
Blade High alloy CVM steel, hardened, vapor chrome protected, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL.

Item No.	Size	Size	lbs.
26951	T6 +	T8	.03
26952	T7 +	T9	.03
26953	T10 +	T15	.03
26954	T15 +	T20	.03



SHOP

269 SYSTEM 4 TORX® Interchangeable
Blade High alloy CVM steel, hardened, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL

Item No.	Size	lbs.
26955	T3	.03
26956	T4	.03
26957	T5	.03

Wiha SYSTEM 4 Drive-Loc Precision Locking Tools



SHOP

26961 ESD Safe Dissipative Precision Drive-Loc Handle Surface resistant 10^6-10^9 Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL

Item No.	mm	Inch	mm	Inch	lbs.
26961	4.0	.1574	23	.91	.08



269 SYSTEM 4 Slotted Drive-Loc
Reversible Locking Blades On 4mm Hex

SHOP

Item No.	mm		mm	lbs.
26958	1.5	+	3.0	.02
26959	2.0	+	3.5	.02
26960	2.5	+	4.0	.02



269 SYSTEM 4 Phillips Drive-Loc
Reversible Locking Blades On 4mm Hex

SHOP

Item No.	Size		Size	lbs.
26975	000	+	00	.02
26976	0	+	1	.02



269 SYSTEM 4 TORX® Drive-Loc
Reversible Locking Blades On 4mm Hex

SHOP

Item No.	Size		Size	lbs.
26977	T1	+	T2	.02
26978	T3	+	T4	.02
26979	T5	+	T6	.02
26980	T6	+	T8	.02
26981	T7	+	T9	.02
26982	T10	+	T15	.02



280 SYSTEM 4 Pozidriv® Drive-Loc
Reversible Locking Blades On 4mm Hex

SHOP

Item No.	Size		Size	lbs.
28002	0	+	1	.02



280 SYSTEM 4 Metric Hex Drive-Loc
Reversible Locking Blades
On 4mm Hex blades

SHOP

Item No.	mm		mm	lbs.
28003	1.3	+	1.3	.02
28004	1.5	+	1.5	.02
28005	2.0	+	2.0	.02
28006	2.5	+	2.5	.02
28007	3.0	+	3.0	.02
28008	4.0	+	4.0	.02



280 SYSTEM 4 Metric Nut Drivers
Drive-Loc Reversible Locking Blades
On 4mm Hex blades

SHOP

Item No.	mm		mm	lbs.
28009	1.5	+	1.8	.02
28010	2.0	+	2.5	.02
28011	3.0	+	3.0	.02
28012	3.2	+	3.2	.02
28013	3.5	+	3.5	.02
28014	4.0	+	4.0	.02
28015	4.5	+	4.5	.02
28016	5.0	+	5.0	.02
28017	5.5	+	5.5	.02




SHOP

26985 12 Piece SYSTEM 4 Precision ESD Drive-Loc Set In storage pouch

Item No.	
26985	**ESD Safe Drive-Loc Handle**
	Slotted: 1.5x3.0, 2.0x3.5, 2.5x4.0
lbs. .44	**Phillips:** 000x00, 0x1
	TORX®: T1xT2, T3xT4, T5xT6, T6xT8, T7xT9, T10xT15

Wiha Canvas Pouch Sets

D




SHOP



26990 **4 Piece Slotted & Phillips Precision Interchangeable Blade Set**
Wiha ESD Safe precision collet lock handle and 3 Wiha interchangeable blades.
26990 Set includes the following blades:
Slotted: 2.0, 3.0, 4.0mm
Phillips: 00, 0, 1
lbs. .17

D




SHOP




26991 **6 Piece Slotted & Phillips Precision Interchangeable Blade Set** Wiha ESD Safe precision collet lock handle and 5 Wiha interchangeable blades. In canvas pouch.
26991 Set includes the following blades:
Slotted: 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm
Phillips: 000, 00, 0, 1
lbs. .29

D




SHOP



26992 **17 Pc. Slotted, Phillips and Ball End Hex Metric/Inch Precision Interchangeable Blade Set** Wiha ESD Safe precision collet lock handle and 15 Wiha interchangeable blades.
26992 Set include the following blades:
Slotted: 1.5, 2.0, 3.0, 4.0mm
Phillips: 000, 00, 0, 1
Ball End Hex Inch: .050,1/16, 5/64, 7/64, 3/32,1/8"
Ball End Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm
Proturn Chip Lifter - #96800
lbs. .63

D




SHOP




28080 **22 Piece Slotted, Phillips, TORX® & Hex Precision Interchangeable Blade Set**
Wiha ESD Safe precision collet lock handle and 20 Wiha interchangeable blades.
28080 Set includes the following blades:
Slotted: 1.5, 2.0, 3.0, 4.0mm
Phillips: 000, 00, 0, 1
TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15
Hex Sizes: .028, .035
Ball Hex: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
Proturn Chip Lifter - #96800
lbs. .33

ESD Technicians Kit


Precision Screwdrivers & Tweezers





SHOP


D



44590 **12 Pc. Slotted, Phillips and TORX® Precision Interchangeable Blade Set** Wiha ESD Safe precision collet lock handle, 7 Wiha interchangeable blades & 4 ESD Safe Tweezers.
44590 Set includes the following blades:
Slotted: 2.0, 3.0, 4.0mm
Phillips: 00, 0, 1
TORX®: T6, T7, T8, T9, T10, T15
ESD Safe Precision Tweezers:
44501 Fine Point - AA SA
44509 Extra Fine Point - 5 SA
44505 Flat and Blunt - 2a SA
44510 Curved Fine Point - 7a SA
lbs. .60

Slotted, Phillips, TORX® Set In Steel Box

D




SHOP



28094 **11 Piece Slotted, Phillips & TORX® Precision Interchangeable Blade Set** Wiha ESD Safe precision collet lock handle and 10 Wiha interchangeable blades.
28094 Set includes the following blades:
Slotted: 1.5, 2.0, 3.0, 4.0mm
Phillips: 000, 00, 0, 1
TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15
lbs. 1.51

Slotted & Phillips Set In Steel Box

D




SHOP



26993 **6 Piece Slotted & Phillips Precision Interchangeable Blade Set**
Wiha ESD Safe precision collet lock handle and 5 Wiha interchangeable blades.
26993 Set includes the following blades:
Slotted: 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm
Phillips: 000, 00, 0, 1
lbs. .87

ESD Anti-Static Vinyl Pouch Set



SHOP



28091 **6 Piece Slotted & Phillips Precision Interchangeable Blade Set**

Wiha-ESD Safe precision collet lock handle and 5 Wiha interchangeable blades.

28091 Set includes the following blades:

- **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm
- **Phillips:** 000, 00, 0, 1
- **lbs.** .25



SHOP




28097 **9 Piece Slotted, Phillips and TORX® Precision Interchangeable Blade Set**

Wiha ESD Safe precision collet lock handle and 8 Wiha Interchangeable blades.

28097 Set includes the following blades:

- **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- **Phillips:** 000, 00, 0, 1
- **TORX®:** T5, T6, T7, T8, T9, T10, T15
- **lbs.** .33



SHOP



28084 **13 Piece Slotted, Phillips and Ball End Hex Inch Precision Interchangeable Blade Set** Wiha ESD Safe precision collet lock handle and 12 Wiha interchangeable blades.

28084 Set includes the following blades:

- **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- **Phillips:** 000, 00, 0, 1
- **Ball End Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32”
- **lbs.** .44



SHOP




28087 **8 Piece TORX® Precision Interchangeable Blade Set**

Wiha-ESD Safe precision collet lock handle and 7 Wiha interchangeable blades.

28087 Set includes the following blades:

- **TORX® sizes on standard blades:** T3, T4, T5
- **TORX® sizes on reversible blades:** T6, T7, T8, T9, T10, T15, T20
- **lbs.** .29



SHOP



26996 **5 Piece Slotted & Phillips Precision Interchangeable Blade Set** Wiha ESD Safe precision collet lock handle and 4 Wiha interchangeable blades. In metal storage box.

26996

- **Phillips:** 000, 00, 0, 1
- **Slotted:** 1.5, 2.0, 3.0, 3.5mm
- **lbs.** .24



SHOP



26997 **9 Pc. Slotted, Phillips and TORX® Precision Interchangeable Blade Set** Wiha ESD Safe precision collet lock handle & 8 Interchangeable blades. In metal storage box.

26997

- **Phillips:** 000, 00, 0, 1
- **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm
- **TORX®:** T6, T7, T8, T9, T10, T15
- **lbs.** .34



SHOP



26999 **9 Piece Hex Metric Precision Blade Set** Wiha ESD Safe precision collet lock handle & 8 Wiha interchangeable blades. In metal storage box.

26999

- **Hex Metric:** .71, .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm
- **lbs.** .36



SHOP



26989 **9 Piece Hex Inch Precision Blade Set** Wiha ESD Safe precision collet lock handle & 8 Wiha interchangeable blades. In metal storage box.

26989

- **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32”
- **lbs.** .35



SHOP



26995 **5 Piece TORX® Precision Blade Set** Wiha ESD Safe precision collet lock handle & 4 interchangeable blades. In metal storage box.

26995

- **TORX®:** T6, T7, T8, T9, T10, T15, T20
- **lbs.** .24



SHOP



26987 **8 Piece TORX® Precision Blade Set** Wiha ESD Safe precision collet lock handle & 7 interchangeable blades. In metal storage box.


26987 Set includes the following blades:

- **TORX® standard blades:** T3, T4, T5
- **TORX® reversible blades:** T6, T7, T8, T9, T10, T15, T20
- **lbs.** .33

Wiha SoftFinish® Handle - Ergonomic Cushion Grip

Wiha SoftFinish® Handle: **Featuring advanced technology dual material molding. A remarkable improvement in handle design, comfort and performance. The SoftFinish® ergonomic shape allows maximum torque and user comfort.**

Wiha exclusive *"SoftFinish® Zone"* features solid molded core with soft outer cushion grip. Requires less force, yet achieves 40% more torque than conventional handles



Wiha Nut Drivers **are precision formed to exact tolerances for a perfect fit every time**

All blades **are made of Wiha's exclusive formula chrome-vanadium-molybdenum tool steel, super hardened plated for unmatched durability**

Handle is molded directly onto the blade **for a permanent bond. Large optimized handle diameter allows higher torque with less user hand fatigue**



SHOP

341 **Nut Driver, With Wiha-SoftFinish® Handle** Inch sizes

Blade CVM steel, hardened. Deep drawn 1" socket. Solid shafts.
Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Inch	Inch	mm	mm	Inch	lbs.	pkg.
34134	9/64	5.0	125	238	9.4	.18	10
34135	5/32	5.0	125	238	9.4	.24	10
34136	3/16	5.0	125	238	9.4	.25	10
34137	7/32	5.0	125	238	9.4	.26	10
34138	1/4	5.0	125	246	9.7	.38	10
34139	5/16	5.0	125	246	9.7	.40	10
34140	11/32	5.0	125	246	9.7	.40	10
34141	3/8	5.0	125	246	9.7	.40	10
34142	7/16	5.0	125	246	9.7	.40	10
34143	1/2	5.0	125	246	9.7	.40	10
34144	9/16	5.0	125	246	9.7	.40	10
34145	5/8	5.0	125	246	9.7	.40	10



SHOP

341 **Nut Driver, With Wiha-SoftFinish® Handle** Metric sizes

Blade CVM steel, hardened. Deep drawn 1" socket. Solid shafts.
Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
34120	5.0	125	5.0	238	9.4	.14	10
34121	5.5	125	5.0	238	9.4	.14	10
34122	6.0	125	5.0	238	9.4	.15	10
34123	7.0	125	5.0	238	9.4	.25	10
34124	8.0	125	5.0	238	9.4	.25	10
34125	9.0	125	5.0	238	9.4	.26	10
34126	10.0	125	5.0	238	9.4	.27	10
34127	11.0	125	5.0	247	9.7	.37	10
34128	12.0	125	5.0	247	9.7	.40	10
34129	13.0	125	5.0	247	9.7	.40	10
34130	14.0	125	5.0	247	9.7	.40	10
34131	15.0	125	5.0	247	9.7	.40	10
34132	16.0	125	5.0	249	9.8	.42	10
34133	17.0	125	5.0	249	9.8	.42	10



#34193 #34195

SHOP

34193 **7 Pcs. Nut Driver Set** Inch sizes. Blade CVM steel, hardened. Deep drawn 1" socket. Wiha-SoftFinish® handle, multi-component.

Item No.		Inch	Inch		Inch	Inch	lbs.
34193	34136	3/16	5.0	34141	3/8	5.0	1.89
	34138	1/4	5.0	34142	7/16	5.0	
	34139	5/16	5.0	34143	1/2	5.0	
	34140	11/32	5.0				

34195 **10 Piece Nut Driver Set** Inch sizes

Item No.		Inch	Inch		Inch	Inch	lbs.
34195	34136	3/16	5.0	34141	3/8	5.0	3.12
	34137	7/32	5.0	34142	7/16	5.0	
	34138	1/4	5.0	34143	1/2	5.0	
	34139	5/16	5.0	34144	9/16	5.0	
	34140	11/32	5.0	34145	5/8	5.0	



SHOP

34194 **7 Piece Nut Driver Set** Metric sizes

Item No.		mm	mm		mm	mm	lbs.
34194	34120	5.0	125	34124	8.0	125	1.93
	34121	5.5	125	34126	10.0	125	
	34122	6.0	125	34129	13.0	125	
	34123	7.0	125				

Wiha SoftFinish® Heavy Duty Nut Drivers



SHOP

347 **Nut Driver, With Hex Bolster & Wiha-SoftFinish® Handle**

Blade CVM steel, hardened. Deep drawn 1" socket. Hex bolster for additional torque, Solid shafts. Wiha-SoftFinish® cushion grip handle.

Item							
No.	mm	mm	mm	mm	Inch	lbs.	pkg.
34712	7.0	125	10.0	238	9.4	.25	10
34715	8.0	125	10.0	238	9.4	.25	10
34718	9.0	125	10.0	238	9.4	.26	10
34721	10.0	125	10.0	238	9.4	.27	10
34724	11.0	125	13.0	247	9.7	.37	10
34727	12.0	125	13.0	247	9.7	.40	10
34730	13.0	125	13.0	247	9.7	.40	10

SHOP

347 **Nut Driver, Hex Bolster & Wiha-SoftFinish® Handle** Inch sizes

Item								
No.	Inch	Inch	mm	Inch	mm	Inch	lbs.	pkg.
34753	3/16	5.0	125	5/16	231	9.1	.18	10
34759	1/4	5.0	125	3/8	238	9.4	.24	10
34765	5/16	5.0	125	3/8	238	9.4	.25	10
34771	3/8	5.0	125	3/8	238	9.4	.26	10
34774	7/16	5.0	125	1/2	246	9.7	.38	10
34777	1/2	5.0	125	1/2	246	9.7	.40	10



SHOP

34791 **5 Piece Nut Driver Set** Metric sizes

Item							
No.		mm	mm		mm	mm	lbs.
34791	34120*	5.0	125	34721	10.0	125	1.42
	34122*	6.0	125	34724	11.0	125	
	34715	8.0	125				

*Standard blade - no hex bolster



SHOP

34792 **6 Piece Nut Driver Set** Inch sizes

Item							
No.		Inch	Inch		Inch	Inch	lbs.
34792	34753	3/16	5.0	34771	3/8	5.0	1.94
	34759	1/4	5.0	34774	7/16	5.0	
	34765	5/16	5.0	34777	1/2	5.0	

Long Flexible Shaft Nut Drivers, SoftFinish® Handle - Ergonomic Cushion Grip



SHOP

372 **Long Flexible Shaft Nut Driver, With Wiha-SoftFinish®**

Handle Inch sizes. Heavy Duty flexible shaft of braided steel with protective sleeve. Hardened mounted socket for optimal torque. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item							
No.	Inch	Inch	mm	mm	Inch	lbs.	pkg.
37220	3/16	5.9	150	261	10.2	.30	1
37222	1/4	5.9	150	261	10.2	.42	1
37224	5/16	5.9	150	261	10.2	.44	1
37226	3/8	6.9	175	261	10.2	.44	1
37228	7/16	6.9	175	261	10.2	.44	1
37230	1/2	6.9	175	261	10.2	.44	1



SHOP

37290 **6 Piece Flexible Shaft Nut Driver Set, Inch Sizes**

Item							
No.		Inch	Inch		Inch	Inch	lbs.
37290	37220	3/16	5.9	37226	3/8	6.9	2.50
	37222	1/4	5.9	37228	7/16	6.9	
	37224	5/16	5.9	37230	1/2	6.9	



SHOP

372 **Long Flexible Shaft Nut Driver, With Wiha-SoftFinish®**

Handle Metric sizes. Heavy Duty flexible shaft of braided steel with protective sleeve. Hardened mounted socket for optimal torque. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item							
No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
37235	5.0	150	5.9	261	10.2	.16	1
37236	5.5	150	5.9	261	10.2	.16	1
37237	6.0	150	5.9	261	10.2	.17	1
37238	7.0	150	5.9	261	10.2	.28	1
37239	8.0	150	5.9	261	10.2	.28	1
37241	10.0	175	6.9	261	10.2	.44	1
37244	13.0	175	6.9	261	10.2	.44	1

SHOP

37291 **7 Piece Flexible Shaft Nut Driver Set, Metric Sizes**

Item							
No.		mm	mm		mm	mm	lbs.
37291	37235	5.0	150	37239	8.0	150	1.93
	37236	5.5	150	37241	10.0	175	
	37237	6.0	150	37244	13.0	175	
	37238	7.0	150				

Wiha SoftFinish® Nut Drivers - Hollow Shaft



343 **Hollow Shaft Nut Driver-Wiha-SoftFinish® Handle** Inch sizes

Item No.	Inch	Inch	mm	mm	Inch	lbs.	pkg.
34336	3/16	2.75	70	175	7.0	.18	10
34338	1/4	2.75	70	175	7.0	.24	10
34339	5/16	2.75	70	175	7.0	.25	10
34340	11/32	2.75	70	182	7.5	.25	10
34341	3/8	2.75	70	182	7.5	.26	10
34342	7/16	2.75	70	187	7.6	.38	10
34343	1/2	2.75	70	187	7.6	.40	10



Inch Color Coded To Size



34390 **7 Piece Hollow Shaft Nut Driver Set** Inch Sizes

Item No.		Inch	Inch		Inch	Inch	lbs.
34390	34336	3/16	2.75	34341	3/8	2.75	1.55
	34338	1/4	2.75	34342	7/16	2.75	
	34339	5/16	2.75	34343	1/2	2.75	
	34340	11/32	2.75				

- Hollow shafts allow for fit over extended bolts
- Finally a handle that makes Nut Drivers useful
- Get 40% more power with SoftFinish cushion grip
- Soft ergonomic molded shape for maximum comfort
- Heavy duty hollow shaft - 3.7” depth
- Hardened for maximum torque and wear resistance
- Chrome plated anti corrosion finish



343 **Hollow Shaft Nut Driver With Wiha-SoftFinish® Handle** Metric

Item No.	mm	mm	mm	Inch	lbs.	pkg.
34302	5.0	70	175	7.0	.14	10
34304	5.5	70	175	7.0	.14	10
34306	6.0	70	175	7.0	.15	10
34308	7.0	70	182	7.5	.25	10
34310	8.0	70	182	7.5	.25	10
34312	10.0	70	187	7.6	.27	10
34314	13.0	70	187	7.6	.40	10



34391 **7 Piece Hollow Shaft Nut Driver Set** Metric Sizes

Item No.		mm	mm		mm	mm	lbs.
34391	34302	5.0	70	34310	8.0	70	1.41
	34304	5.5	70	34312	10.0	70	
	34306	6.0	70	34314	13.0	70	
	34308	7.0	70				

Wiha SoftFinish® Triangle Nut Drivers



SHOP

344 **Triangle Nut Driver, With Wiha-SoftFinish® Handle**

Blade Chrome-vanadium-molybdewnum steel, hardened.
Wiha-SoftFinish® cushion grip handle.

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
34474	M4	6.8	.267"	125	5"	236	9.3	.00	10
34475	M5	8.3	.326	125	5"	236	9.3	.00	10
34476	M6	10.1	.413	125	5"	236	9.3	.00	10
34478	M8	12.1	.474	125	5"	243	9.6	.00	10
34480	M10	15.1	.592	125	5"	243	9.6	.00	10
34482	M12	16.1	.651	125	5"	243	9.6	.00	10

Wiha T-Handle Nut Drivers



SHOP

336 **Nut Driver, With Wiha T-handle** Blade CVM steel, hardened, nickel-plated. Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item					
No.	mm	mm	mm	lbs.	pkg.
33603	6.0	125	100	.16	10
33606	8.0	125	100	.18	10
33607	8.0	200	100	.22	10
33609	9.0	125	100	.23	10
33612	10.0	125	100	.24	10
33614	10.0	230	100	.26	10
33620	12.0	125	100	.26	10
33622	13.0	125	100	.27	10
33623	13.0	230	100	.30	10



SHOP

336 **Nut Driver, With Wiha T-handle** Blade CVM steel, hardened, nickel-plated. Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item					
No.	Inch	Inch	Inch	lbs.	pkg.
33653	3/16	6.0	4.0	.16	10
33659	1/4	6.0	4.0	.18	10
33665	5/16	6.0	4.0	.19	10
33671	3/8	6.0	4.0	.20	10
33674	7/16	6.0	4.0	.26	10
33677	1/2	6.0	4.0	.30	10



SHOP

33691 **5 Piece Nut Driver T-handle Set** Metric Sizes

Blade CVM steel, hardened, nickel-plated. Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item							
No.		mm	mm		mm	mm	lbs.
33691	33603	6.0	125	33612	10.0	125	1.61
	33606	8.0	125	33622	13.0	125	
	33609	9.0	125				



SHOP

33690 **6 Piece Nut Driver T-handle Set** Inch Sizes

Blade CVM steel, hardened, nickel-plated. Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item							
No.		Inch	Inch		Inch	Inch	lbs.
33690	33653	3/16	6.0	33671	3/8	6.0	1.58
	33659	1/4	6.0	33674	7/16	6.0	
	33665	5/16	6.0	33677	1/2	6.0	



SHOP

38800 **Bit Holder With Wiha T-handle**

Magnetic, holds bit and screw. Retainer out of stainless steel.
Hex shaft chrome-vanadium-molybdenum steel, nickel-plated.
Wiha T-handle high quality plastic, impact resistant.

Item							
No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
38800	1/4	150	6.0	80	3.0	.18	1

Wiha Drive-Loc VI Nut Drivers


Drive-Loc VI

For Adjustable Length Locking Blades



Locking mechanism in SoftFinish cushion grip ergonomic handle. Blade length can be adjusted from 40mm-120mm. (1.7 to 4.7" In 1/8" increments)

See Drive-Loc VI Handles & Screwdrivers on pages 20-22



The blade length can be adjusted from 40mm-120mm. (1.7 to 4.7")





SHOP

281 Drive-Loc VI Inch Nut Driver Blades

High alloy CVM steel, through hardened, hard chrome finish.

OAL blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Inch	OAL	lbs.	pkg.
28156	3/16	5.9"	.11	1
28157	7/32	5.9"	.11	1
28158	1/4	5.9"	.11	1
28159	9/32	5.9"	.12	1
28160	5/16	5.9"	.13	1
28161	11/32	5.9"	.14	1
28162	3/8	5.9"	.15	1
28163	7/16	5.9"	.17	1
28164	1/2	5.9"	.18	1



SHOP

281 Drive-Loc VI Metric Nut Driver Blades

High alloy CVM steel, through hardened, hard chrome finish.

OAL blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	mm	OAL	lbs.	pkg.
28168	4.0	150mm	.10	1
28169	4.5	150mm	.10	1
28170	5.0	150mm	.11	1
28171	5.5	150mm	.11	1
28172	6.0	150mm	.12	1
28173	7.0	150mm	.13	1
28174	8.0	150mm	.13	1
28177	9.0	150mm	.14	1
28175	10.0	150mm	.15	1
28176	11.0	150mm	.20	1

SHOP

28196 8 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch Set includes Drive-Loc VI handle & 7 Inch Nut Driver blades.

Item	lbs.
No. 28196	1.22

Inch: 3/16, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2"

Wiha SoftFinish® Cushion Grip Blade Lock Handle

SHOP

28198 8 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch Set includes Drive-Loc VI handle & 7 Metric Nut Driver blades.

Item	lbs.
No. 28198	1.00

Metric: 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0mm

Wiha SoftFinish® Cushion Grip Blade Lock Handle



SHOP

28144 Extension Blade For Drive-Loc VI Blades

High alloy CVM steel, through hardened, hard chrome finish.

OAL blade length 6.5". Blades fit all Drive-Loc VI handles.

Item No.	mm	OAL	lbs.	pkg.
28144	6.0	150mm	.14	1

Wiha Nut Driver Precision Series



265 Metric **Metric Nut Driver With Precision Handle**

SHOP

Metric sizes. Blade CVM steel. Hard chrome finished.

Item No.	mm	mm	Inch	mm	Inch	mm	mm	lbs.	pkg.
26510	1.5	60	2.4	140	5.5	2.5	3.0	.03	10
26515	1.8	60	2.4	140	5.5	2.9	3.5	.03	10
26520	2.0	60	2.4	140	5.5	3.2	4.0	.04	10
26525	2.5	60	2.4	155	6.1	4.0	4.0	.04	10
26530	3.0	60	2.4	155	6.1	5.0	5.0	.05	10
26532	3.2	60	2.4	155	6.1	5.0	5.0	.05	10
26535	3.5	60	2.4	155	6.1	5.3	6.0	.05	10
26540	4.0	60	2.4	155	6.1	5.5	6.0	.05	10
26545	4.5	60	2.4	155	6.1	6.2	7.0	.05	10
26550	5.0	60	2.4	155	6.1	6.8	7.0	.05	10
26555	5.5	60	2.4	170	6.7	7.6	8.0	.06	10
26560	6.0	60	2.4	170	6.7	8.2	9.0	.06	10
26570	7.0	60	2.4	170	6.7	9.6	10.0	.06	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26590 **8 Pc. Precision Nut Driver Set - Metric** Blade CVM steel.

Item No.		lbs.
26590	**Metric Nut Drivers:** 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0mm x 60mm	.48

26592 **Set 7 Pcs. Nut Driver Metric**

Item No. 26592 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm



265 Inch **Inch Nut Driver With Precision Handle**

SHOP

Inch sizes. Blade CVM steel. Hard chrome finished.

Item No.	Inch	mm	Inch	mm	Inch	Inch	Inch	lbs.	pkg.
26523	3/32	60	2.4	155	6.1	.16	.16	.04	10
26527	7/64	60	2.4	155	6.1	.20	.20	.05	10
26531	1/8	60	2.4	155	6.1	.20	.20	.05	10
26536	9/64	60	2.4	155	6.1	.21	.24	.05	10
26539	5/32	60	2.4	155	6.1	.22	.24	.05	10
26547	3/16	60	2.4	155	6.1	.25	.28	.05	10
26556	7/32	60	2.4	170	6.7	.30	.32	.06	10
26563	1/4	60	2.4	170	6.7	.34	.36	.06	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26591 **8 Pc. Precision Nut Driver Set - Inch** Blade CVM steel.

Item No.		lbs.
26591	**Inch Nut Drivers:** 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	.47



SHOP

26598 **8 Pc. Precision Nut Driver Set - Metric**

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.		lbs.
26598	**Metric Nut Drivers:** 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0mm x 60mm	.70



SHOP

26599 **8 Pc. Precision Nut Driver Set - Inch**

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.		lbs.
26599	**Inch Nut Drivers:** 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	.72

Pico Soft Grip Nut Drivers Inch & Metric



SHOP

265 **Inch Nut Drivers, With Precision Soft PicoFinish Handle**

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	○ Inch	Inch	mm	Inch	mm	pkg.
26571	3/32	2.4	60	6.3	160	10
26572	7/64	2.4	60	6.3	160	10
26573	1/8	2.4	60	6.3	160	10
26574	9/64	2.4	60	6.3	160	10
26575	5/32	2.4	60	6.3	160	10
26576	3/16	2.4	60	6.3	160	10
26577	7/32	2.4	60	6.3	160	10
26578	1/4	2.4	60	6.3	160	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26593 **8 Piece Inch Nut Driver Set, With Precision Soft PicoFinish Handle** In storage pouch

Item No.		
26593	**Inch Nut Drivers:** 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	lbs. .72



SHOP

265 **Metric Nut Drivers, With Precision PicoFinish Handle**

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	○ mm	mm	Inch	mm	Inch	pkg.
26579	1.5	60	2.4	160	6.3	10
26581	2.0	60	2.4	160	6.3	10
26582	2.5	60	2.4	160	6.3	10
26583	3.0	60	2.4	160	6.3	10
26584	3.5	60	2.4	160	6.3	10
26585	4.0	60	2.4	160	6.3	10
26586	4.5	60	2.4	160	6.3	10
26587	5.0	60	2.4	160	6.3	10
26588	5.5	60	2.4	160	6.3	10
26589	6.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26596 **8 Piece Metric Nut Driver Set, With Precision Soft PicoFinish Handle** In storage pouch

Item No.		
26596	**Metric Nut Drivers:** 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5 x 60mm	lbs. .66





SHOP

269 **SYSTEM 4 Nut Driver Inch, Interchangeable Blade.**

High alloy chrome-vanadium-molybdenum steel, hardened, corrosion protected. On 4mm Hex shaft. 120mm/4.7" OAL

Item No.	○ Inch	Inch	Inch	lbs.
26962	3/32	.16	.16	.04
26963	7/64	.20	.20	.04
26964	1/8	.20	.20	.04
26965	9/64	.21	.24	.04
26966	5/32	.22	.24	.04
26967	3/16	.26	.28	.04
26968	7/32	.30	.32	.04
26969	1/4	1.34	.36	.04



SHOP

269 **SYSTEM 4 Nut Driver Metric, Interchangeable Blade** High alloy chrome-vanadium-molybdenum steel, hardened, corrosion protected. On 4mm Hex Shaft. 120mm/4.7" OAL

Item No.	○ mm	○ mm	Inch	Inch	lbs.
26940	1.5 + 1.8		.12	.12	.03
26941	2.0 + 2.5		.16	.16	.03
26938	1.5 -		.11	.11	.04
26939	1.8 -		.12	.12	.04
26949	2.0 -		.13	.13	.06
26950	2.5 -		.16	.16	.06
26942	3.0 -		.20	.20	.06
26943	3.2 -		.20	.20	.06
26944	3.5 -		.22	.24	.06
26945	4.0 -		.22	.24	.06
26946	4.5 -		.25	.28	.06
26947	5.0 -		.27	.28	.06
26948	5.5 -		.30	.32	.06

SYSTEM 4 Sets in Compact Fold-out box



- ESD Safe Precision Handle
- High alloy CVM steel, hardened
- Exact fit tips
- In metal storage box

D

SHOP

26988 **9 Pc. Nut Driver Inch Precision**

Blade Set Wiha ESD Safe precision collet lock handle & 8 Wiha interchangeable blades.

26988 **Set includes the following blades:**

Nut Driver Inch:

3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4”

lbs. .39



In metal storage boxes

D

SHOP

26998 **9 Pc. Nut Driver Metric Precision**

Blade Set Wiha ESD Safe precision collet lock handle and 8 Wiha interchangeable blades.

26998 **Set includes the following blades:**

Nut Driver Metric:

2.0, 2.5, 3.0, 3.2, 3.5, 4.0, 4.5, 5.0, 5.5mm

lbs. .40



SYSTEM 4 Nut Driver Sets

D

SHOP

ESD Safe



28088 **9 Piece Nut Driver Inch Precision**

Blade Set Wiha ESD Safe precision collet lock handle and 8 Wiha interchangeable blades.

28088 **Set includes the following blades:**

Nut Driver Inch:

3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4”

lbs. .37

D

SHOP

ESD Safe



28098 **8 Piece Nut Driver Metric Precision**

Blade Set Wiha ESD Safe precision collet lock handle and 7 Wiha interchangeable blades.

28098 **Set includes the following blades:**

Nut Driver Metric:

3.0, 3.2, 3.5, 4.0, 4.5, 5.0, 5.5mm

lbs. .40

Item No.	Page
15305	28
15310	28
15315	28
15325	28
15330	28
15335	28
15340	28
16112	28
16134	28
18601	28
18603	28
18606	28
18609	28
18612	28
18615	28
18624	28
18627	28
18630	28
18642	28
18645	28
18648	28
18651	28
18654	28
18657	28
18663	28
18678	28
18681	28
20700	28
20705	28
20710	28
20715	28
20720	28
20725	28
20756	28
20757	28
20758	28
20759	28
20760	28
20790	28
20799	28
21103	15
22220	28
22230	28
22240	28
26000	29
26001	29
26008	29
26010	29
26012	29
26015	29
26018	29
26020	29
26022	29
26023	29
26025	29
26027	29
26028	29
26030	29
26032	29
26033	29
26034	29
26035	29
26040	29
26041	29

Item No.	Page
26042	29
26050	34
26051	34
26052	34
26053	34
26054	34
26055	34
26056	34
26060	34
26061	34
26063	34
26065	34
26066	34
26068	34
26070	34
26072	34
26073	34
26074	34
26076	34
26079	34
26080	34
26090	29
26092	30
26093	34
26099	29
26100	30
26101	30
26102	30
26105	30
26107	30
26108	30
26109	30
26110	30
26113	30
26114	30
26115	30
26130	34
26132	34
26133	34
26135	34
26136	34
26140	34
26142	34
26145	34
26190	30
26192	30
26193	34
26194	30
26199	30
26205	31
26210	31
26307	31
26309	31
26313	31
26315	31
26316	31
26320	31
26323	31
26325	31
26327	31
26330	31
26331	31
26333	31
26336	31

Item No.	Page
26340	31
26341	36
26343	36
26345	36
26347	36
26349	36
26351	36
26353	36
26363	36
26367	36
26369	36
26371	36
26390	31
26391	31
26392	36
26393	36
26399	31
26413	32
26415	32
26416	32
26419	32
26420	32
26423	32
26425	32
26427	32
26430	32
26431	32
26436	32
26439	32
26440	32
26441	36
26443	36
26445	36
26447	36
26449	36
26455	36
26457	36
26459	36
26461	36
26463	36
26465	36
26467	36
26490	32
26491	32
26493	36
26499	32
26510	47
26515	47
26520	47
26523	47
26525	47
26527	47
26530	47
26531	47
26532	47
26535	47
26536	47
26539	47
26540	47
26545	47
26547	47
26550	47
26555	47
26556	47

Item No.	Page
26560	47
26563	47
26570	47
26571	48
26572	48
26573	48
26574	48
26575	48
26576	48
26577	48
26578	48
26579	48
26581	48
26582	48
26583	48
26584	48
26585	48
26586	48
26587	48
26588	48
26589	48
26590	47
26591	47
26592	47
26593	48
26596	48
26598	47
26599	47
26701	33
26702	33
26703	33
26704	33
26705	33
26706	33
26707	33
26708	33
26709	33
26710	33
26715	33
26720	33
26721	35
26723	35
26725	35
26727	35
26729	35
26731	35
26732	35
26733	35
26735	35
26736	35
26737	35
26739	35
26741	35
26743	35
26745	35
26747	35
26749	35
26751	35
26761	33
26762	33
26763	33
26764	33
26765	33
26766	33

Item No.	Page
26790	33
26791	33
26792	33
26793	35
26794	33
26796	35
26798	35
26799	33
26810	29
26815	35
26900	38
26901	38
26903	38
26904	38
26905	38
26911	38
26912	38
26913	39
26914	39
26915	39
26916	39
26917	39
26918	39
26919	39
26920	39
26921	39
26922	38
26923	39
26924	39
26925	39
26926	39
26927	39
26928	39
26929	39
26932	38
26933	38
26934	38
26935	38
26936	38
26937	38
26938	48
26939	48
26940	48
26941	48
26942	48
26943	48
26944	48
26945	48
26946	48
26947	48
26948	48
26949	48
26950	48
26951	39
26952	39
26953	39
26954	39
26955	39
26956	39
26957	39
26958	39
26959	39
26960	39
26961	39

Item No.	Page
26962	48
26963	48
26964	48
26965	48
26966	48
26967	48
26968	48
26969	48
26971	38
26972	38
26973	38
26974	38
26975	39
26976	39
26977	39
26978	39
26979	39
26980	39
26981	39
36982	39
26985	39
26987	41
26988	49
26989	41
26990	40
26991	40
26992	40
26993	40
26995	41
26996	41
26997	41
26998	49
26999	41
28000	38
28001	38
28002	39
28003	39
28004	39
28005	39
28006	39
28007	39
28008	39
28009	39
28010	39
28011	39
28012	39
28013	39
28014	39
28015	39
28016	39
28017	39
28021	38
28023	38
28024	38
28025	38
28026	38
28027	38
28028	38
28029	38
28033	38
28034	38
28035	38
28036	38
28037	38

Item No.	Page
28080	40
28084	41
28087	41
28088	49
28091	41
28094	40
28097	41
28098	49
28106	20
28107	20
28108	20
28109	20
28110	20
28112	20
28114	21
28116	21
28117	21
28118	21
28119	21
28120	21
28122	21
28123	21
28124	21
28126	21
28127	21
28128	21
28129	21
28130	21
28132	21
28133	21
28134	21
28135	21
28136	21
28137	20
28138	21
28139	21
28140	21
28142	21
28143	21
28144	46
28149	21
28150	21
28151	21
28156	22,46
28157	22,46
28158	22,46
28159	22,46
28160	22,46
28161	22,46
28162	22,46
28163	22,46
28164	22,46
28168	22,46
28169	22,46
28170	22,46
28171	22,46
28172	22,46
28173	22,46
28174	22,46
28175	22,46
28176	22,46
28177	22,46
28189	22
28191	21

Item No.	Page
28194	22
28196	22,46
28197	22
28198	22,46
28199	22
28486	20
28487	20
28488	20
30202	6
30203	6
20204	6
30205	6
30206	6
30208	6
30210	6
30211	6
30212	6
30215	6
30216	6
30217	6
30218	6
30219	6
30220	6
30221	6
30222	6
30223	6
30225	6
30226	6
30227	6
30230	6
30232	6
30235	6
30236	6
30237	8
30238	6
30239	6
30255	6
30265	6
30276	8
30290	8
30291	8
30294	7
30295	7
30297	7
30298	7
30299	8
30517	8
30520	8
30523	8
30526	8
30530	8
30535	8
30540	8
30550	8
30560	8
30580	8
30813	5
30814	5
30815	5
30816	5
30817	5
30820	5
30825	5
30830	5

Item No.	Page
30835	5
30836	14
30845	14
30855	14
30865	14
30890	14
30892	5
30896	5
30898	5
31105	6
31110	6
31112	6
31114	6
31115	6
31117	6
31118	6
31120	6
31125	6
31135	6
31137	8
31140	6
31190	7
31191	7
31192	7
31193	7
31194	8
31201	5
31202	5
31203	5
31211	14
31212	14
31213	14
31305	6
31310	6
31312	6
31315	6
31320	6
31401	14
31402	14
31403	14
33603	45
33606	45
33607	45
33609	45
33612	45
33614	45
33620	45
33622	45
33653	45
33659	45
33623	45
33665	45
33671	45
33674	45
33677	45
33690	45
33691	45
34120	42
34121	42
34122	42
34123	42
34124	42
34125	42
34126	42

Item No.	Page
34127	42
34128	42
34129	42
34130	42
34131	42
34132	42
34133	42
34134	42
34135	42
34136	42
34137	42
34138	42
34139	42
34140	42
34141	42
34142	42
34143	42
34144	42
34145	42
34193	42
34194	42
34195	42
34302	44
34304	44
34306	44
34308	44
34310	44
34312	44
34314	44
34336	44
34338	44
34339	44
34340	44
34341	44
34342	44
34343	44
34390	44
34391	44
34474	45
34475	45
34476	45
34478	45
34480	45
34482	45
34712	43
34715	43
34718	43
34721	43
34724	43
34727	43
34730	43
34753	43
34759	43
34765	43
34771	43
34774	43
34777	43
34791	43
34792	43
35800	6
35801	6
35802	6
35803	6
35894	6
36201	10
36202	9
36203	9
36205	25
36207	9
36210	25
36211	11
36212	25
36215	25
36220	25
36223	11
36225	25
36228	11
36229	11
36230	25
36233	11
36234	9
36235	25
36238	11
36239	11
36240	25
36243	11
36244	9
36245	25
36248	11
36249	9
36250	25
36253	11
36254	9
36255	11
36256	9
36257	9
36258	9
36259	11
36264	10
36266	10
36267	10
36268	10
36269	11
36270	10
36271	11
36272	10
36273	11
36274	10
36275	11
36276	10
36277	11
36278	10
36279	11
36280	10
36281	11
36282	10
36283	11
36284	10
36285	11
36286	10
36287	11
36288	10
36290	9
36291	10
36292	25
36293	25
36294	10
36296	11
36298	11
36299	11
36710	12
36713	12
36715	13
36716	12
36719	12
36720	13
36723	12
36725	13
36726	12
36728	12
36730	13
36732	12
36734	12
36736	12
36738	12
36740	13
36742	12
36744	12
36750	13
36760	13
36780	13
36786	13
36790	13
36791	12
36792	13
36793	12
36794	12
37220	43
37222	43
37224	43
37226	43
37228	43
37230	43
37235	43
37236	43
37237	43
37238	43
37239	43
37241	43
37244	43
37290	43
37291	43
37608	14
37609	14
37610	14
37615	14
37620	14
37625	14
37627	14
37630	14
37640	14
37690	14
38800	45
39700	9
39701	9
39702	9
39825	9
39830	9
39840	9
39850	9
39860	9
39892	9
39896	9
40010	27
44590	40
45040	16
45050	16
45052	16
45054	16
45055	16
45056	16
45057	16
45058	16
45060	16
45061	16
45062	16
45064	16
45065	16
45067	16
45069	16
45135	16
45137	16
45140	16
45142	16
45144	16
45147	16
45150	16
45152	16
45205	17
45207	17
45215	17
45220	17
45225	17
45230	17
45235	17
45504	17
45505	26
45506	26
45507	17
45508	17
45509	17
45510	17
45511	26
45515	17
45516	26
45520	17
45521	26
45522	26
45525	17
45526	26
45527	17
45530	17
45531	26
45536	26
45540	17
45541	26
45545	17
45546	26
45550	17
45551	26
45556	26
45561	26
45589	26
45591	26
45592	26
45593	17
45595	18
45597	18
45598	18
46094	17
46095	17
46097	17
46098	16
46099	16
46702	19
46704	19
46706	19
46708	19
46710	19
46712	19
46714	19
46715	18
46716	19
46718	19
46720	18
46722	19
46724	19
46725	18
46726	19
46728	19
46730	18
46740	18
46750	18
46760	18
46780	18
46786	18
46793	19
46794	19
46796	18
46797	19
46799	18
46803	15
46806	15
46812	15
46815	15
46912	15
46915	15
46921	15
46924	15
46933	15
46991	15
48106	15
48190	15
48400	26
48401	16
51020	27
51025	27
51030	27
51035	27
51040	27
51055	27
51065	27
51080	27
51090	27
51099	27
51105	27
51110	27
51120	27
52005	23
52010	23
52020	23
52025	23
52035	23
52040	23
52050	23
52090	23
52097	23
52098	23
52099	23
52105	23
52110	23
52115	23
52120	23
52125	23
52650	24
52711	25
52713	25
52716	25
52719	25
52722	25
52726	25
52729	25
52732	25
52790	25
52791	25
53010	4
53015	4
53020	4
53025	4
53027	4
53035	4
53040	4
53075	5
53090	4
53096	5
53097	4
53099	5
53110	4
53115	4
53120	4
53310	24
53315	24
53320	24
53325	24
53330	24
53390	24
53398	24
53405	24
53410	24
53425	24
62990	37
62993	37
62994	37
62995	37
65090	37
90000	27
91118	30
92190	33
92191	32
95190	37
96800	37

(800) 494-6104
fax: (800) 494-7456
email: cservice@wihatools.com

SEE OUR GREAT WEB SPECIALS!

wiha Premium Tools



Wiha Quality Tools
1348 Dundas Circle
Monticello, MN 55362
tel: 763.295.6591
fax: 763.295.6598

Wiha Tools Canada Ltd.
www.wihatools.ca
Brampton, ONT L6T 4X4
tel: 866.494.0096 or 763.295.6591
fax: 763.295.6598

To:

Catalog Item No. 99002 .wo
version - 5/15/14

Subject to change without notice

©2014 Willi Hahn Corporation

®Torx is a registered trademark of
Acument Intellectual Properties LLC.



91330.wo - Tooling Catalog



99004.wo - Shop Tools Catalog



99914.wo - TORX Catalog



99951.wo - Bits Catalog



99919.wo - Insulated Catalog



99001.wo - TorqueControl Catalog



99934.wo - Hex Tools Catalog



99006.wo - Tech Tools Catalog



99945.wo - ESD Catalog




99977.wo - Pliers/Crimpers Catalog


2014

wiha
Premium Tools




Professional
Pliers/Cutters & Crimpers



Complete Pliers/Cutters Program



Insulated Pliers/Cutters

	Description	Page
	Insulated Lineman's Pliers	4
	Insulated Combination Pliers	4
	Insulated Heavy Duty Diagonal Cutters	5
	Insulated High Leverage Diagonal Cutters	5
	Insulated Serrated Edge Cutters	5
	Insulated Pliers - Long & Flat Nose	6
	Insulated Pliers - Bent & Round Nose	6
	Insulated Wire Stripper	6
	Insulated Waterpump Pliers	7
	Insulated Pliers Sets	8
	Insulated Belt Pack Pouch Sets	7

Insulated Adjustable Wrenches

	Description	Page
	Insulated Adjustable Wrenches 8", 10", 12", 15" OAL	9

Insulated Industrial Pliers/Cutters

	Description	Page
	Insulated Lineman's Pliers	9
	Insulated Long Nose Pliers	9
	Insulated Diagonal Cutters	9
	Insulated High Leverage Cutters	10
	Insulated Serrated Edge Cutters	10
	Insulated Stripping Pliers	10
	Insulated Crimping Pliers	10
	Insulated Industrial Tool Sets	10-11

Insulated Inomic Pliers

	Description	Page
	Insulated Inomic Pliers Inomic Combo Pliers Inomic Long Nose Pliers Inomic Diagonal Cutters	8

Vinyl Grip Pliers & Cutters

	Description	Page
	Combination Pliers	12
	Stripping Pliers	13
	Long Nose Pliers	13
	Bent Long Nose Pliers	13
	Long Flat Nose Pliers	13
	Long Round Nose Pliers	13
	Adjustable Pliers	14
	Cable Cutters	15
	Diagonal Cutters	15
	High Lev. End Cutting Nippers	16
	Carpenter's End Nippers	16
	Mason Nippers	16
	Retaining Ring Pliers	18-19
	MagicTip Safety Notched Ring Pliers	20-21
	Crimping Pliers	15,45
	Standard Pliers/Cutters Sets	17
	Belt Pack Pouch Sets	17
	Molded Grip Shears	16

Pipe Wrenches Narrow Style

	Description	Page
	Narrow Style Pipe Wrenches S-Jaw, 45° Angle, 90° Angle	22

ComfortGrip Crimpers

	Description	Page
	Ratchet End Sleeve Crimper	23
	Ratchet Crimper For Standard Connectors	23
	Ratchet Crimper Push On Terminals	23
	Ratchet Crimper For Eye Terminals	23



Industrial SoftGrip Pliers & Cutters

	Description	Page
	Combination Pliers	24
	Linemans Crimpers	24
	Stripping Pliers	24
	Long Nose Pliers	25
	Bent Long Nose Pliers	25
	Flat Nose Pliers	25
	Long Round Nose	25
	Diagonal Cutters	26
	Cable Cutters	26
	Adjustable Pliers	26
	Industrial SoftGrip Tool Sets	27

Precision Electronic Pliers/Cutters

	Description	Page
	Electronic Diagonal Cutters Wide Pointed Head	28
	Electronic Diagonal Cutters Wide Shape with Wire Holding Spring	28
	Electronic Diagonal Cutters Narrow Shape	28
	Electronic Diagonal Cutters Full Flush Cutters w/Wire Trapping Spring	29
	Electronic Diagonal Cutters 48° Front Cutter/Long Nose Pliers	29
	Electronic Diagonal Cutters Oblique 30° Cutting Nippers	29
	Electronic Diagonal Cutters Short Nose Precision Pliers	29
	Electronic Stripping Pliers	25,29

ESD Safe Pliers/Cutters

	Description	Page
	ESD Safe Diagonal Cutters Small, Wide & Oval Tapered Head	30-32
	ESD Safe Diagonal Cutters With Carbide Cutters	32
	ESD Safe Oblique Angled Cutters	33
	ESD Safe Oblique Front Cutters	33
	ESD Safe End Cutters	34
	ESD Safe Snipe/Bent Nose Pliers	34
	ESD Safe Needle Nose Pliers	34
	ESD Safe Short Round Nose	35
	ESD Safe Short Flat Nose	35
	ESD Safe Tool Sets	33,35

ESD Safe Proturn Pliers & Cutters


	Description	Page
	Proturn Wire Strippers 30 to 20 AWG	36
	Proturn Pliers Long, Flat, Bent, Round Nose	36-37
	Precision Cutters/Flush Cut 21° & 45° Angle	37-38

Stripping & Crimping Tools

	Description	Page
	PortaCrimp Frame	39
	PortaCrimp Dies	40-42
	PortaCrimp Sets	39
	Professional Crimp Tools	42
	Crimping Tools	43-44
	Self Adj. Cut & Strip Tools	45

Insulation Standards:
EN/IEC 60900, ASTM F-1505-01,
VDE 0682/part 201, NFPA70E and CSA

Wiha Insulated Pliers & Cutters



Wiha Canvas Pliers Holster



- Canvas holster with belt clip and belt loop
- Security pliers strap
- Screwdriver holder in the front

SHOP

91256 Pliers Canvas Holster

Item No.	Width Size		Height Size	lbs.	pkg.
91256	3.5	x	6.75	.15	1

Insulated Lineman's Pliers With Crimpers

1000volt

5-in-1 Lineman's Pliers



With lower crimping jaw

SHOP

32821 Insulated Lineman's Pliers "5-in-1" Professional Design Insulation According to EN/IEC, ASTM, NFPA70E & CSA, up to 1000 Volt. Individually Tested. Deep cut radius conduit jaws for non-slip griping. Extra long induction hardened precision matched cutting edges. Lower crimping jaw accepts most standard non-insulated electrical connectors. Large head with square anvil surface on each side. Made from premium C70 tool steel forgings. 64HRC cutting edges.

Item No.	mm	Inch	Cutting Capacity Copper AWG	Pkg.	lbs.
32821	225	9.0	#4	1	.88

Insulated Combination Lineman's Pliers

Serrated jaws



1000volt

SHOP

328 Combination Pliers. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E and CSA, up to 1000 Volt. Individually Tested. DIN ISO 5746 Extra long cutting edge for flat & round cables. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel forgings, Chrome finish. Use for gripping and holding as well as cutting soft and hard wires and cables.

Item No.	mm	Inch	Cutting Capacity Copper AWG	Pkg.	lbs.
32814	160	6.3	#10	1	.53
32816	180	7.0	#9	1	.58
32818	200	8.0	#8	1	.72

Insulated High Leverage Combination Pliers

1000volt



Lineman's

SHOP

32820 High Leverage Combination Pliers. Insulation According to EN/IEC 60900, ASTM F-1505-01, NFPA70E and CSA, up to 1000 Volt. Individually Tested. DIN ISO 5746 Extra long cutting edge for flat and round cables. Cutting edges additionally induction hardened to approx. 64HRC. C70 Special tool steel. Use for gripping, pulling & holding as well as cutting wires and cables ranging in hardness from soft to extremely hard. Two component soft grip ergonomic handles.

Item No.	mm	Inch	Cutting Capacity Copper AWG	Pkg.	lbs.
32820	225	9.0	#4	1	.86

Insulated Crimping Pliers



SHOP

32841 Insulated Crimping Pliers. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E and CSA, up to 1000 Volt. Individually Tested.
Semi-circular profiles for secure connection between end sleeve and conductor. Long life is achieved through additional induction hardening to 64HRC. C70 special tool steel hardened & tempered.

Item No.	mm	Inch	mm2	AWG	Pkg.	lbs.
32841	180	7.0	0.25-2.5	6-30	1	.57

Insulated Electrician's Diagonal Cutters



1000volt

SHOP

32861 Diagonal Cutters W/Stripping Holes. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E and CSA, up to 1000 Volt. Individually Tested.

Drop-forged from special tool steel, cutters additionally induction hardened to approx. 64HRC, chrome-nickel plated, mirror-polished. Ergonomic comfort grip with slip guard. Holes in the cutting edge for stripping copper wire of Ø 1.5 and 2.5. Strips AWG sizes #10 & #14.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32861	160	6.3	#6	1	.55

Insulated Diagonal Cutters



1000volt

SHOP

328 Diagonal Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E and CSA, up to 1000 Volt. Individually Tested. DIN ISO 5749 Low wear lap joint, riveted and able to withstand high levels of load. Lightweight action, clean cutting. Long term cutting is achieved through additional inductive hardening to approx. 64HRC. Special tool steel hardened & tempered. For soft & medium hard wire. 32832 & 32834 for soft, hard & piano wire.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32830	140	5.5	#6	1	.47
32832	160	6.3	#6	1	.49
32834	180	7.0	#6	1	.62

Insulated High Leverage Diagonal Cutters



New dynamic joint provides 40% easier cuts and significantly longer tool life

1000volt

SHOP

328 High Leverage Diagonal Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E and CSA, up to 1000 Volt. Individually Tested. DIN ISO 5749

Semi-circular. Low wear lap joint, riveted and able to withstand high levels of load. Lightweight action, clean cutting. Long term cutting is achieved through additional inductive hardening to approx. 64HRC. C70 special tool steel hardened and tempered to high quality. For soft, hard and piano wire, lay-on joint, optimized power transmission.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32835	160	6.3	#6	1	.64
32836	180	7.0	#5	1	.67
32838	200	8.0	#4	1	.80

Insulated Serrated Edge Cable Cutters



1000volt

SHOP

328 Serrated Edge Cable Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E and CSA, up to 1000 Volt. Individually Tested. Light, clean cutting ground precision cutting edges. Durable cutting is achieved through additional inductive hardening to approx. 64HRC. Special tool steel, hardened & tempered. For cutting of copper & aluminum cables without crushing.

Item						
No.	mm	Inch	Ø	mm2	Pkg.	lbs.
32826	160	6.3	16	50	1	.42
32828	200	8.0	20	60	1	.67

Insulated Stripping Pliers



64HRC cutting edges


1000volt

SHOP

32860 Stripping Pliers. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E and CSA, up to 1000 Volt. Individually Tested. Heavy duty forged with induction hardened cutting edges for even stripping of insulation. Drop-forged from special tool steel, chrome & nickel plated, mirror-polished. Ergo comfort grip with slip guard. Spring & adjusting screw, for stripping up to Ø 5mm/#4 Awg.

Item			Stripping Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32860	160	6.3	#8 - #28	1	.50

Insulated Long Nose Pliers



SHOP

328 **Long Nose Pliers With Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, up to 1000 Volt. Individually Tested.** Drop-forged from C70 special tool steel, cutters additionally induction hardened to approx. 64HRC, chrome-nickel plated, mirror-polished, ergonomic comfort grip with slip guard, half-round jaws, serrated gripping surface.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32806	160	6.3	#10	1	.32
32808	200	8.0	#8	1	.42

Insulated Bent Nose Pliers

Angled 40°



SHOP

328 **Bent Nose Pliers With Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E and CSA, up to 1000 Volt. Individually Tested.** Drop-forged from C70 special tool steel, cutters additionally induction hardened to approx. 64HRC, chrome-nickel plated, mirror-polished. Ergonomic comfort grip with slip guard. Half-round jaws, serrated gripping surface, nose bent 40°.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32804	200	8.0	#8	1	.43
32807	160	6.3	#10	1	.32

Round Nose Pliers



SHOP

32870 **Round Nose Pliers. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E and CSA, up to 1000 Volt. Individually Tested.** Drop-forged from C70 special tool steel, individually induction hardened, chrome and nickel plated, mirror-polished. Ergonomic comfort grip with slip guard. Serrated jaws.

Item				
No.	mm	Inch	Pkg.	lbs.
32870	160	6.3	1	.34

Insulated Long Flat Nose Pliers



SHOP

32810 **Long Flat Nose Pliers. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E and CSA, up to 1000 Volt. Individually Tested. DIN ISO 5745** Extra long head. Serrated Jaws are induction hardened. Special C70 tool steel forgings, Chrome finish. Two component Soft Grip handles. Use for Gripping and right-angle bending of wires and sheet metal parts.

Item				
No.	mm	Inch	Pkg.	lbs.
32810	160	6.3	1	.39

Wiha Insulated Ratcheting Cable Cutters

NEW

Insulation: VDE, EN/IEC, ASTM, NFPA70E, CSA & OSHA Tested to 10,000 volts with 1000 volts safety rating



1000Volt

SHOP

11980 **Insulated ACSR Ratcheting Cable Cutter** Replaceable tool steel cutting blades are securely mounted for accurate cutting. Handles lock in closed position for easier storage. High leverage ratchet mechanism for best cutting performance.

Item	OAL	OAL	up to	Inch			
No.	mm	Inch	MCM	Dia.	Capacity	lbs.	pkg.
11980	353	13.9	477	1.25”	32ml	3.42	1



Insulation: VDE, EN/IEC, ASTM, NFPA70E and CSA,1000 Volt. Individually Tested.

1000Volt

SHOP

119 **High Voltage Double-Insulated Ratcheting Cable Cutters** High leverage ratchet cable cutter with shear type blades cuts stranded and flexible copper and aluminum cable. Not for use on steel. Features built in safety release in all cutting positions, and high-visibility comfort grip handles.

Item	OAL	OAL	up to	Inch			
No.	mm	Inch	MCM	Dia.	Capacity	lbs.	pkg.
11960	250	10.0”	500	1.25”	32ml	1.58	1
11975	280	11.0”	750	2.0”	52ml	2.02	1

Insulated Stripping Pliers



SHOP

1000Volt

10250 **Insulated Stripping Pliers. Insulation According to EN/IEC 60900, DIN ISO 8976, ASTM F-1505 & CSA Specification. Individually Tested.** Wide long head with ridged gripping surface, shears blade and firm wire stripping stations. Wire stripping stations 0.81 / 1.0 / 1.3 / 1.6 / 2.0 / 2.59mm, AWG 20 / 18 / 16 / 14 / 12 / 10.

Item No.	mm	Inch	Ø	AWG	Pkg.	lbs.
10250	160	6.3”	0.81-2.59	20-10	5	.26

Insulated End Cutters



For cutting solid aluminum, copper & medium hard wires

SHOP

1000Volt

29250 **End Cutters, With Insulated Handle. Insulation According to EN/IEC 60900, DIN ISO 8976, ASTM F-1505 & CSA Specification. Individually Tested.** Blade alloyed tool steel. Induction hardened.

Item No.	OAL mm	OAL Inch	Capacity Inch	lbs.	pkg.
29250	250	10.0”	7/8”	1.1	1

Wiha Insulated Waterpump Pliers



SHOP

1000Volt

29240 **Waterpump Pliers, With Insulated Handle Insulation According to EN/IEC 60900, DIN ISO 8976, ASTM F-1505 & CSA Specification, Up To 1000 Volt. Individually Tested.** Box joint. Chrome-vanadium steel, drop forged, oil hardened.

Item No.	OAL mm	OAL Inch	Capacity Inch	lbs.	pkg.
29240	240	9.5”	7/8”	1.1	1

NEW



SHOP

1000Volt

116 **Waterpump Pliers, With Insulated Handle Insulation According to EN/IEC 60900, DIN ISO 8976, ASTM F-1505 & CSA Specification, Up To 1000 Volt. Individually Tested.** Chrome-vanadium steel, drop forged, oil hardened.

Item No.	OAL mm	OAL Inch	lbs.	pkg.
11625	250	10.0”	1.2	1
11630	300	12.0”	1.8	1

Wiha Insulated Belt Pack Pouch Sets

1000Volt





32871 **3 Piece Insulated Pliers/Cutters & Multi-Bit Set In Belt Pack Pouch. Tools meet EN/IEC, ASTM, VDE, NFPA70E & CSA standards.** Pliers chrome finish for long lasting corrosion protection. Soft grip ergo designed handle body, safety slip guard. Insulated Multi-bit screwdriver includes Slotted, Phillips & Square bits.

Item No.	Pliers/Cutters & Multi-Bit Set
32871	6.3” / 160mm Diagonal Cutters
	8.0” / 200mm Long Nose Pliers
lbs.	**Set Includes Bit Holder & The Following Bits:**
1.67	Slotted: 4.5, 6.5mm Phillips: 1, 2 Square: 1, 2

SHOP

1000Volt





SHOP

32873 **3 Piece Insulated Pliers/Cutters In Belt Pack Pouch. Tools meet EN/IEC, ASTM, VDE, NFPA70E & CSA standards.** Pliers chrome finish for long lasting corrosion protection. Soft grip ergo designed handle body, safety slip guard.

Item No.	Pliers & Cutters
32873	6.3” / 160mm Diagonal Cutters
	8.0” / 200mm Long Nose Pliers
lbs. 2.07	8.0” / 200mm Combination Pliers

1000Volt





32872 **5 Piece Insulated Pliers/Cutters & Screwdrivers In Belt Pack Pouch. Tools meet EN/IEC, ASTM, VDE, NFPA70E & CSA standards.** Pliers chrome finish for long lasting corrosion protection. Soft grip ergo designed handle body, safety slip guard. Insulated cushion grip drivers, multi-component. Blade CVM tool steel, hardened.

Item No.	Pliers/Cutters & Screwdrivers
32872	6.3” / 160mm Diagonal Cutters
	8.0” / 200mm Long Nose Pliers
lbs.	**Insulated Screwdrivers:**
1.77	Slotted: 3.0, 4.5mm Phillips: 2

SHOP

Wiha Insulated Pliers and Cutters Sets



- Pliers drop-forged from special tool steel, individually high frequency induction hardened, chrome and nickel plated, mirror-polished.
- In zipper carry case

1000volt

32891 **10 Piece Pliers & Screwdriver Set. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E and CSA, up to 1000 volt. Individually Tested.** SHOP

Item# 32891 Set Includes:	lbs. 5.44
32818 - 8.0" Combination Pliers	32808 - 8.0" Long Nose
32838 - 8.0" Side Cutters	32848 - 6.75" Cable Cutters
32860 - 6.3" Universal Wire Stripper	
Insulated Phillips #1, #2, #3	Insulated Slotted 4.5, 6.5mm



- Pliers drop-forged from special tool steel, individually high frequency induction hardened, chrome and nickel plated, mirror-polished.

1000volt

32889 **8 Piece Pliers & Cutters Set. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E and CSA, up to 1000 volt. Individually Tested.** SHOP

Item# 32889 Set Includes:	lbs. 4.53
32806 - 6.3" Long Nose Pliers	32808 - 8.0" Long Nose Pliers
32814 - 6.3" Lineman's Pliers	32832 - 6.3" Diagonal Cutters
32820 - 9.0" Lineman's Pliers	32838 - 8.0" High Lev. Cutters
32860 - 6.3" Wire Stripping Pliers	15000 - Electrician's Knife

Wiha Inomic 1000Volt Insulated Pliers

Insulation Standards:
EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA

Tools Meet 10,000 Volt Test Standards Rated to 1000 Volt ac or 1500 Volt dc



#32850



#32852



#32854

1000volt SHOP

32850 **Inomic Combo Pliers. Insulation According to EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, up to 1000 volt. Individually Tested. DIN ISO 5749** Precision machined forged head. Induction hardened for longest tool life. Cross hatched flat jaw & deep cut radius jaws for secure gripping of the work piece. Cutting edges are matched for precise cutting action. Award winning ergonomic design with head mounted at 23° angle to grip for reduced user fatigue. Palm side of grip has molded soft panel for added comfort in prolonged use.


Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32850	180	7.0	#6	1	.46

32852 **Inomic Long Nose Pliers**

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32852	160	6.3	#6	1	.43

32854 **Inomic Diagonal Cutters**

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32854	160	6.3	#6	1	.41



Award winning ergonomic design with head mounted at 23° angle to grip for reduced user fatigue

Each tool includes a convenient jaw lock & handle return spring

Heads drop forged CV premium tool steel

Tools Meet 10,000 Volt Test Standards Rated to 1000 Volt ac or 1500 Volt dc



SHOP

1000V

32859 **3 Pc. Insulated Inomic Pliers/Cutters Set**
Meets ASTM, EN/IEC, NFPA, CSA, ISO specifications. Award winning ergonomic design with head mounted at 23° angle to grip for reduced user fatigue.



Three Holsters Included

Item# 32859 Set Includes:	lbs. 1.45
32850 - Combo Pliers	32854 - Diagonal Cutters
32852 - Long Nose Pliers	91230 - Inomic Holster (Includes 3)

SHOP

91230 **Inomic Canvas Holster**

Item	Width		Height		
No.	Size		Size	lbs.	pkg.
91230	4.0	x	4.5	.05	1

Holds any Inomic Pliers



Wiha Insulated Adjustable Wrenches



1000Volt

SHOP

76208 **Insulated 8” Adjustable Wrench**

Insulation According to ASTM, EN/IEC, NFPA, CSA and ISO Specification, up to 1000 Volt. Individually Tested. Etched on scale for pre-setting size. Slip guard handle for added protection.

Item No.	OAL Inch	OAL mm	Capacity Opening	lbs.	pkg.
76208	8.0	200	1”	.7	1

SHOP

1000Volt

76210 **Insulated 10” Adjustable Wrench**

Item No.	OAL Inch	OAL mm	Capacity Opening	lbs.	pkg.
76210	10.0	250	1-1/4”	1.4	1

SHOP

1000Volt

76212 **Insulated 12” Adjustable Wrench**

Item No.	OAL Inch	OAL mm	Capacity Opening	lbs.	pkg.
76212	12.0	300	1-1/2”	1.9	1

SHOP

1000Volt

76215 **Insulated 15” Adjustable Wrench**

Item No.	OAL Inch	OAL mm	Capacity Opening	lbs.	pkg.
76215	15.0	380	1-11/16”	2.8	1



1000Volt

SHOP

76290 **3 Pc. Insulated Adjustable Wrenches** Etched on scale for pre-setting size. Slip guard handle for added protection.

Item No. 76290	Set includes the following:
lbs. 4.0	8.0”, 10.0”, 12.0” Adjustable Pliers

Proturn Insulated Electrician’s Shears

NEW



1000volt

SHOP

32951 **Proturn Insulated Electrician’s Shears**

Insulation meets VDE, ASTM F1505, EN/IEC 60900, CSA, NFPA 70E, OSHA Specifications. Made from stainless 420 grade steel

Item No.	mm	Inch	Pkg.	lbs.
32951	160	6.3	1	.22


Insulated Industrial Pliers & Cutters

10,000 Volt tested
1000 Volt Rated

Induction hardened jaws and cutters to 64HRC

Two component ergo cushion grip handles

Industrial brushed finish



1000V

New dynamic joint provides 40% easier cuts and significantly longer tool life

Insulated Lineman’s Pliers With Crimpers



1000volt

Long life high performance dynamic 60/40 joint

SHOP

32917 **Insulated Industrial Lineman’s Pliers “5-In-1” Professional Design Insulation According to EN/IEC, ASTM, NFPA70E & CSA, up to 1000 volt. Individually Tested.**

Item No.	mm	Inch	Cutting Capacity Copper AWG	Pkg.	wt.
32917	225	9.0	#4	1	.98

Insulated Long Nose Pliers With Cutters




1000volt

SHOP

329 **Insulated Industrial Long Nose Pliers With Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, up to 1000 volt. Individually Tested.**

Item No.	mm	Inch	Cutting Capacity Copper AWG	Pkg.	wt.
32926	160	6.3	#10	1	.36
32923	200	8.0	#8	1	.46

Insulated Diagonal Cutters



1000volt

Long life high performance dynamic 60/40 joint

SHOP

329 **Insulated Industrial Diagonal Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, up to 1000 volt. Individually Tested. DIN ISO 5749**

Item No.	mm	Inch	Cutting Capacity Copper AWG	Pkg.	wt.
32933	160	6.3	#6	1	.64
32929	200	8.0	#6	1	.80

Insulated Combo Pliers With Dynamic Joint



1000volt

Long life high performance dynamic 60/40 joint

SHOP

32930 **Insulated Industrial High Leverage Combination Pliers. Insulation According to EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, 1000 volt. Individually Tested. DIN ISO 5746**

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	wt.
32930	200	8.0	#4	1	.92

Insulated Heavy Duty Cable Cutters



1000volt

SHOP

32927 **Insulated Industrial Serrated Edge Cable Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E and CSA, 1000 Volt. Individually Tested.**

Item						
No.	mm	Inch	Ø	mm2	Pkg.	lbs.
32927	200	8.0	20	60	1	.78

Insulated Stripping Pliers



1000volt

SHOP

32947 **Insulated Industrial Stripping Pliers. Insulation According to VDE 0682/part 201, DIN 7437, EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, 1000 volt rated. Individually Tested. DIN ISO 5745**

Item			Stripping Capacity		
No.	mm	Inch	Copper AWG	Pkg.	wt.
32947	160	6.3	#8 - #28	1	.46

Insulated Crimpers



1000volt

SHOP

32945 **Insulated Industrial Crimping Pliers. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E and CSA, 1000 Volt. Individually Tested.**

Item						
No.	mm	Inch	mm2	AWG	Pkg.	wt.
32945	180	7.0	0.25-2.5	6-30	1	.64

Insulated Water Pump Pliers



Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards

1000volt

SHOP

32954 **Insulated Industrial Water Pump Pliers**

10 opening settings provides optimal adjustment to objects being gripped. Chrome-vanadium tool steel forgings, hardened and tempered.

Item			Capacities			
No.	mm	Inch	Round	Hex	Pkg.	wt.
32954	250	10.0	1 3/4	2	1	.90

Insulated Push Button Water Pump Pliers



Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards

1000volt


SHOP

32956 **Insulated Industrial Push Button Water Pump Pliers** Extra narrow head for working in small spaces. Rapid and simple push button setting & locking. Finger jam protection for safe operation at all settings.

Item			Capacities			
No.	mm	Inch	Round	Hex	Pkg.	wt.
32956	250	10.0	1 3/4	2”	1	.90

Wiha Insulated Industrial Tool Sets

Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards



1000Volt

SHOP

32981 **3 Pc. Insulated Industrial Pliers & Cutters**

Item No.	Insulated Pliers & Cutters
32981	8.0” Combo Pliers, 8.0” Long Pliers, 8.0” Diagonal Cutters
	lbs. 2.18



Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards

1000Volt

SHOP

32983 **5 Pc. Insulated Industrial Diagonal Cutters & Screwdrivers**

Item No.	Insulated Diagonal Cutters & Screwdrivers
32983	6.3”/160mm Diagonal Cutter
	Insulated Divers: Slotted: 3.0, 4.5mm • Phillips: #1, #2
	lbs. 1.17

SHOP

32984 **6 Pc. Insulated Industrial Combo Pliers & Screwdrivers**

Item No.	Insulated Combination Pliers & Screwdrivers
32984	8.0” Combination Pliers & 8” Long Nose Pliers
	Divers: Slotted: 3.0, 4.5mm • Phillips: #2 • Square: #2
	lbs. 2.06

Wiha Insulated Industrial Tool Sets

In Roll Out Pouch



1000Volt

SHOP

32986 **11 Pc. Pliers/Cutters & Screwdriver Set. Insulation According to VDE 0682/part 201, DIN EN 60900, EN/IEC 60900, ASTM F-1505-01, NFPA70E, up to 1000 volt. Individually Tested.**

Item# 32986	Set Includes:	lbs. 3.62
32926 - 6.3" Long Nose Pliers	32933 - 6.3" Diagonal Cutters	
32930 - 8.0" Combination Pliers	32947 - 6.3" Stripping Pliers	
Insulated Slotted: 3.0, 4.5, 5.5mm		
Insulated Phillips: #1, #2	Insulated Square: #1, #2	

In Roll Out Pouch



1000Volt

SHOP

32987 **8 Pc. Pliers & Cutters Set. Insulation According to VDE 0682/part 201, DIN EN 60900, EN/IEC 60900, ASTM F-1505-01, NFPA70E, up to 1000 volt. Individually Tested.** In Roll Out Pouch

Item# 32987	Set Includes:	lbs. 5.52
32926 - 6.3" Long Nose Pliers	32933 - 6.3" Diagonal Cutters	
32923 - 8.0" Long Nose Pliers	32929 - 8.0" H.D. Diagonal Cutters	
32917 - 9.0" Lineman's w/Cutters	32947 - 6.3" Stripping Pliers	
32927 - 8.0" Cable Cutters	32945 - 7.0" Crimpers	

1000Volt



In Roll Out Pouches

SHOP

32988 **22 Pc. Pliers/Cutters & *SlimLine* Blade Set. Insulation According to VDE 0682/part 201, DIN EN 60900, EN/IEC 60900, ASTM F-1505-01, NFPA70E, up to 1000 volt. Individually Tested.**

Item# 32988	Set Includes:	lbs. 5.74
32923 - 8.0" Long Nose Pliers	32933 - 6.3" Diagonal Cutters	
32917 - 9.0" Lineman's w/Cutters	32929 - 8.0" H.D. Diagonal Cutters	
32927 - 8.0" Cable Cutters	32947 - 6.3" Stripping Pliers	
32945 - 7.0" Crimpers		
15 Pc. *SlimLine* Blade Set includes: Insulated *SlimLine* Blade Holder		
Slotted: 3.0, 4.0, 5.5, 6.5	Phillips: #1, #2	Xeno: #1, #2
TORX®: T8, T10, T15, T20	Square: #1, #2	

Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards



In Belt Pack Pouch

1000Volt

SHOP

32985 **7 Pc. Insulated Industrial Pliers/Cutters & Screwdrivers**

Item No.	Insulated Pliers/Cutters & Screwdrivers
32985	8.0" Combo Pliers, 6.3" Long Nose, 6.3" Diagonal Cutters
	Insulated Divers: Slotted: 3.0, 4.5mm • Phillips: #1, #2
	lbs. 2.30

NEW

Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards



Tool box set in blow molded tray

1000Volt

SHOP

32999 **9 Piece Insulated Industrial Pliers & Cutters Set**

Insulated pliers & cutters set in a light weight tool box tray.

Item No.		
32999	9.0" Lineman's Pliers	8.0" High Leverage Combo Pliers
	6.3" Long Nose Pliers	8.0" Cable Cutters
	8.0" Long Nose Pliers	6.3" Stripping Pliers
lbs.	6.3" Diagonal Cutters	7.0" Crimping Pliers
6.34	8.0" Diagonal Cutters	



1000Volt


SHOP

32390 **11 Pc. Pliers & Driver Set. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA, up to 1000 volt. Individually Tested.** In canvas tool bag

Item# 32390	Set Includes:	lbs. 7.5
8.0" Linemans Pliers	6.3" Long Nose Pliers W/Cutters	
8.0" Long Nose Pliers W/Cutters	6.3" Diagonal Cutters	
8.0" High Leverage Cutters		
Insulated Phillips #0	Insulated Slotted 3.0mm(1/8")	
Insulated Phillips #1	Insulated Slotted 4.5mm(3/16")	
Insulated Phillips #2	Insulated Slotted 6.5mm(1/4")	

Wiha Soft Grip Pliers & Cutters

Wiha Pliers & Cutters, professional quality at competitive prices. A wide selection covering most applications in which pliers & cutters are required.



Lineman's Pliers With Crimpers

5-in-1 Lineman's Pliers



With Lower Crimping Jaw

SHOP

32616 Lineman's Pliers "5-in-1" Professional Design

Deep cut radius conduit jaws for non-slip griping. Extra long induction hardened precision matched 64HRC cutting edges. Lower crimping jaw accepts most standard non-insulated electrical connectors. Large head with square anvil surface on each side. Made from premium C70 tool steel forgings. Vinyl coated cushion grips for best user comfort.

Item	↔	↔	Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32616	225	9.0	#4	1	.88

Combination Pliers With Cutters



SHOP

326 Combination Pliers With Cutters DIN ISO 5746

Extra long cutting edge for flat and round cables. Serrated jaws. Cutting edges additionally induction hardened to approx. 64HRC. C70 Special tool steel. For gripping and holding as well as cutting soft and hard wires and cables. Soft vinyl grips, oil & solvent resistant.

Item	↔	↔	Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32603	160	6.3	#10	1	.41
32606	180	7.0	#9	1	.50
32609	200	8.0	#8	1	.63

High Leverage Combination Pliers



SHOP

326 High Leverage Heavy Duty Combination Pliers DIN ISO 5746

Extra long cutting edge for flat and round cables. Serrated jaws. Cutting edges additionally induction hardened to approx. 64HRC. C70 Special tool steel forgings. Use For gripping, pulling & holding as well as cutting soft, hard & piano wires and cables. Soft vinyl grips are oil & solvent resistant.

Item	↔	↔	Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32612	200	8.0	#4	1	.61
32615	225	9.0	#4	1	.78

Long Nose Pliers With Cutters



SHOP

326 Long Nose Pliers With Cutters DIN ISO 5745

Long nose pliers. Extra long cutters for flat and round cables. Serrated Jaws. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel forgings. Soft vinyl grips are oil & solvent resistant.

Item	↔	↔	Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32618	160	6.3	#10	1	.28
32621	200	8.0	#8	1	.86

Bent Long Nose Pliers With Cutters

Angled 40°



SHOP

326 Bent Long Nose Pliers With Cutters DIN ISO 5745

Long nose pliers angled 40°. Extra long cutters for flat and round wire. Partially Serrated Jaws. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel forgings. Soft vinyl grips are oil & solvent resistant.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32623	160	6.3	#10	1	.28
32625	200	8.0	#8	1	.96

Long Flat Nose Pliers



SHOP

32630 Long Flat Nose Pliers DIN ISO 5745

Extra long head. Serrated Jaws are induction hardened. Special C70 tool steel forgings. Use for gripping and right-angled bending of wires and sheet metal parts. Soft vinyl grips are oil & solvent resistant.

Item				
No.	mm	Inch	Pkg.	lbs.
32630	160	6.3	1	.26

Long Round Nose Pliers



SHOP

32633 Long Round Nose Pliers DIN ISO 5745

Extra long head. Serrated Jaws are induction hardened. Special C70 tool steel forgings. Use for gripping and uniform round bending of wires and sheet metal parts. Soft vinyl grips are oil & solvent resistant.

Item				
No.	mm	Inch	Pkg.	lbs.
32633	160	6.3	1	.25

Stripping Pliers



SHOP

32645 Stripping Pliers DIN ISO 5744

Heavy duty forged with induction hardened cutting edges for even stripping of insulation. Easy to use adjusting screw allows the stripping diameter to be set. Opening spring for effortless and sensitive handling of pliers. C70 special tool steel. 64HRC cutting edges. For Stripping up to Ø 5mm/#4 AWG conductor cross-section. Soft vinyl grips.

Item			Stripping Capacity		
No.	mm	Inch	Copper Awg#	Pkg.	lbs.
32645	160	6.3	#8 - #28	1	.31

Proturn Stripping Pliers



57872 Proturn Stripping Pliers

Wide long head with ridged gripping surface, shears blade and firm wire stripping stations. With opening spring and locking mechanism. Wire stripping stations 0.81 / 1.0 / 1.3 / 1.6 / 2.0 / 2.59mm, AWG 20 / 18 / 16 / 14 / 12 / 10.

#57872	mm	Inch	Ø	AWG	Pkg.	lbs.
	180	7.0	0.81-2.59	20-10	1	.124

SHOP

Wiha Soft Grip Pliers & Cutters

Standard Adjustable Pliers



SHOP

326 Adjustable Pliers - Box Type DIN ISO 5745

10 different opening sizes provide optimal adjustment to objects being gripped. Long durability achieved through additional induction hardening of jaws to approx. 58-60 HRC. Chrome-vanadium tool steel, hardened and tempered. Soft vinyl grips are oil and solvent resistant.

Item	⟷	⟷	Capacities			
No.	mm	Inch	Round	Hex	Pkg.	lbs.
32660	180	7.0	1.25	1 1/2	1	.35
32661	250	10.0	1.75	2.0	1	.67
32663	300	12.0	2.0	2 1/4	1	1.17

Slide Lock Adjustable Pliers - "QuickFix"



SHOP

- Open and slide to adjust opening size
- Audible click at each locking position
- Close to lock

32668 Slide Lock Adjustable Pliers - Wiha QuickFix - Box Type

DIN ISO 8976 Super fast and easily adjusted pliers. Long durability achieved through additional induction hardening of jaws to approx. 56 HRC. Finger jam protection for safe operation in all settings. Chrome-vanadium tool steel, hardened and tempered. Soft vinyl grips.

Item	⟷	⟷	Capacities			
No.	mm	Inch	Round	Hex	Pkg.	lbs.
32668	250	10.0	1 1/4	1 1/2	1	.72

Rapid Adjustable - Push Button Pliers



- Fast push button jaw release
- Finger jam protection in all settings

SHOP

326 Push Button Adjustable Water Pump Pliers - DIN ISO 8976

Extra narrow head for working in restricted spaces. Rapid and simple push button setting and locking. Long durability achieved by additional inductive hardening of gripper jaws to approx. 58-60 HRC. Finger jam protection in all settings ensures safe operation. Chrome-vanadium tool steel, hardened and tempered. Soft vinyl grips. For gripping and holding pipes and angular profiles such as hex nuts in the installation area.

Item	⟷	⟷	Capacities			
No.	mm	Inch	Round	Hex	Pkg.	lbs.
32664	180	7.0	1.25	1 1/2	1	.35
32665	250	10.0	1.75	2.0	1	.80
32667	300	12.0	2.0	2 1/4	1	1.21



SHOP

32669 3 Piece Push Button Set

Drop-forged from special tool steel, individually high frequency induction hardened. Precision formed. Soft vinyl grips, oil & solvent resistant.

Item# 32669 Set Includes: lbs. 2.50

32664 - Push Button Adjustable Water Pump Pliers - 7.0"
32665 - Push Button Adjustable Water Pump Pliers - 10.0"
32667 - Push Button Adjustable Water Pump Pliers - 12.0"



SHOP

32670 3 Piece Adjustable Pliers Set

Drop-forged from special tool steel, individually high frequency induction hardened. Precision formed. Soft vinyl grips, oil & solvent resistant.

Item# 32670 Set Includes: lbs. 2.52

32660 - Adjustable Pliers, Box Type - 7.0"
32661 - Adjustable Pliers, Box Type - 10.0"
32663 - Adjustable Pliers, Box Type - 12.0"

Wiha Soft Grip Pliers & Cutters

Diagonal Cutters



SHOP

326 Diagonal Cutters DIN ISO 5749

Low wear lap joint, riveted and able to withstand high levels of load. Low force cutting action, clean cutting. Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel hardened and tempered. For soft & medium hard wire. Soft vinyl grips.

Item	↔	↔	Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32638	140	5.5	#6	1	.33
32642	160	6.3	#6	1	.49
32639	180	7.0	#6	1	.54

High Leverage Cutters



SHOP

326 High Leverage Cutters DIN ISO 5749

Semi-circular. Low wear lap joint, riveted and able to withstand high levels of load. Low force action, clean cutting. Long life is achieved through additional induction hardening of cutting edge to 64HRC. C70 special tool steel hardened and tempered. Soft vinyl grips.

Item	↔	↔	Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32646	160	6.3	#6	1	.42
32649	180	7.0	#5	1	.50
32652	200	8.0	#4	1	.63

Cable Cutters




64HRC
cutting edges

SHOP

326 Cable Cutters Light, energy-saving & clean cutting with specially ground precision cutting edges. Long life is achieved through additional induction hardening of cutting edge to 64HRC. C70 special tool steel hardened and tempered. Soft vinyl grips. For cutting of copper & aluminum cables without crushing, also suitable for stripping. Not for steel cable, wires and copper conductors with hard coatings.

Item	↔	↔	Cutting Capacity		
No.	mm	Inch	Copper/Aluminum	Pkg.	lbs.
32600	160	6.3	16mm	1	.34
32602	200	7.9	20mm	1	.62

Flush Cutting Diagonal Cutters



- Flush cutting, with return spring

SHOP

326 Flush Cutting Diagonal Cutters With Return Spring For Cutting Plastic DIN ISO 5749 Low wear lap joint, riveted and able to withstand high levels of load. Lightweight action, clean cutting. Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel hardened and tempered. For cutting plastic tie wraps & injection mold components. Soft vinyl grips.

Item	↔	↔		
No.	mm	Inch	Pkg.	lbs.
32607	127	5.0	1	.14
32614	160	6.3	1	.36

Soft Grip Crimping Pliers



SHOP

326 Crimping Pliers DIN ISO 5743

Semi-circular profiles for secure connection between end sleeve and conductor. Long life is achieved through additional induction hardening to 64HRC. C70 special tool steel hardened & tempered. Soft vinyl grips.

Item	↔	↔				
No.	mm	Inch	mm2	AWG	Pkg.	lbs.
32604	145	5.75	0.25-2.5	14-32	1	.29
32605	180	7.0	0.25-16	6-32	1	.57

Wiha Soft Grip Pliers & Cutters



SHOP

32698 **3 Piece Pliers & Cutters Set**

Drop-forged from special tool steel, individually high frequency induction hardened. Precision formed. Soft vinyl grips, oil & solvent resistant.

Item# 32698 Set Includes:	lbs. 1.39
32606 - Combination Pliers	32642 - Diagonal Cutters
32618 - Long Nose Pliers	



SHOP

32648 **2 Piece Pliers & Cutters Set**

Drop-forged from special tool steel, individually high frequency induction hardened. Precision formed. Soft vinyl grips, oil & solvent resistant.

Item# 32648 Set Includes:	lbs. .78
32621 - Long Nose Pliers With Cutters - 8.0”	
32642 - Diagonal Cutters - 6.3”	



SHOP

32610 **Multipurpose Electrician’s Heavy Duty Shears**

High alloy carbon steel, hardened, burnished surface. Sturdy model, straight, very robust, micro-toothed cutting.

Item No.	mm	Inch	Pkg.	lbs.
32610	145	5.75	1	.05

32611 **SoftGrip Electrician’s & Craftsman Shears**

Item No.	mm	Inch	Pkg.	lbs.
32611	145	5.75	1	.05

Wiha Soft Grip Nippers



SHOP

326 **High Leverage End Cutting Nippers DIN ISO 5749** Low wear lap joint, riveted and able to withstand high levels of load. Low force action, clean cutting. Long life cutting edges are achieved through additional induction hardening to approx. 60 HRC. Special C70 tool steel forgings hardened and tempered. Soft vinyl grips are oil & solvent resistant.

Item No.	mm	Inch	Cutting Capacity Copper AWG	Pkg.	lbs.
32657	160	6.3	#6	1	.41
32658	180	7.0	#6	1	.61
32659	200	8.0	#6	1	.75



SHOP

326 **Carpenter’s End Nippers DIN ISO 9243**

High cutting performance and reduced effort achieved through the precise formation of the cutting blade after assembly. Long life cutting edges achieved by additional induction hardening. Special C70 tool steel, hardened and tempered. Soft vinyl grips are oil & solvent resistant.

Item No.	mm	Inch	Pkg.	lbs.
32671	180	7.0	1	.62
32672	200	8.0	1	.86



SHOP

326 **Mason Nippers DIN ISO 9243**

High cutting performance and reduced effort achieved through the precise formation of the cutting blade after assembly. Long life induction hardened cutting edges. Special C70 tool steel, hardened & tempered. Soft vinyl Grips are oil & solvent resistant.

Item No.	mm	Inch	Cutting Capacity Hard Wire AWG	Pkg.	lbs.
32674	220	8.75	#12	1	.76
32676	250	10.0	#12	1	.98
32678	280	11.0	#12	1	1.00
32680	300	12.0	#12	1	1.06

Wiha Soft Grip Pliers & Cutters



SHOP

32601 **4 Piece Pliers & Cutters Set**

Drop-forged from C70 special tool steel, individually high frequency induction hardened. Precision formed. Soft vinyl grips, oil & solvent resistant. In roll-up pouch.

Item# 32601 Set Includes:	lbs. 3.16
32609 - Combination Pliers - 8.0”	32661 - Water Pump Pliers - 10.0”
32618 - Long Nose Pliers - 6.3”	32642 - Diagonal Cutters - 6.3”



SHOP

32608 **8 Piece Pliers & Cutters In Canvas Pouch**

Pliers precision formed. Jaws & cutters induction hardened. Long life edge is achieved through additional induction hardening to approx. 60 HRC. Soft vinyl grips are oil & solvent resistant.

Item No.	Set Includes:
32608	6.3” / 160mm Combination Pliers
	6.3” / 160mm Long Nose Pliers
	8.0” / 200mm Long Nose Pliers
lbs.	6.3” / 160mm Diagonal Cutters
4.42	6.3” / 160mm Long Flat Nose Pliers
	6.3” / 160mm Long Round Nose Pliers
	8.0” / 200mm High Leverage Cutters
	9.0” / 225mm High Leverage Combo Pliers

Wiha Soft Grip Pliers & Cutters

NEW



Tool box set in blow molded tray

Wiha Soft Grip Belt Pack Pouch Sets



Durable Canvas Belt Pack Pouch

SHOP

32653 **3 Piece Pliers/Cutters In Belt Pack Pouch**

Pliers precision formed. Jaws & cutters induction hardened. Soft vinyl grips are oil & solvent resistant. SoftFinish cushion grip drivers, multi-component. Durable canvas belt pack pouch.

Item No.	**Pliers & Cutters**
32653	8.0” / 200mm High Leverage Cutters
	8.0” / 200mm Combo Pliers
	8.0” / 200mm Long Nose Pliers
	lbs. 2.02





Durable Canvas Belt Pack Pouch

SHOP

32655 **5 Piece Pliers/Cutters & Screwdrivers In Belt Pack Pouch**

Pliers precision formed. Jaws & cutters induction hardened. Soft vinyl grips are oil & solvent resistant. Screwdriver blades CVM tool steel, hardened, hard chromed. SoftFinish cushion grip drivers, multi-component. Durable canvas belt pack pouch.

Item No.	**Pliers & Cutters**
32655	6.3” / 160mm Diagonal Cutters
	8.0” / 200mm Long Nose Pliers
	Cushion Grip Screwdrivers:
	Slotted: 3.0, 4.5mm Phillips: 2
	lbs. 1.62

SHOP

32679 **9 Piece Pliers & Cutters Set In Tool Box Tray**

Pliers & cutters set in a light weight tool box tray.

Item No.		
32679	9.0” Lineman’s Pliers	8.0” Combo Pliers
	6.3” Long Nose Pliers	8.0” Cable Cutters
	8.0” Long Nose Pliers	6.3” Stripping Pliers
lbs.	6.3” Diagonal Cutters	7.0” Crimping Pliers
6.34	8.0” Diagonal Cutters	

Wiha Soft Grip Pliers & Cutters

Retaining Ring Pliers - Internal



SHOP

326 **Straight Internal Retaining Ring Pliers DIN ISO 5256**

Shape C, straight tips. Die forged cylindrical precision formed. Chrome-vanadium special tool steel. For inserting & removing internal retaining rings.

Item	⟷ mm	⟷ Inch	○ Inch	○ mm	● Tip Inch/mm	Pkg.	lbs.
32681	139	5.5	5/16-1/2	8-13	.035/.9	1	.27
32682	140	5.5	1/2-1	12-25	.050/1.3	1	.27
32683	180	7.0	3/4-2 3/8	19-60	.070/1.5	1	.42
32684	225	8.9	1 1/2-4	40-100	.090/2.3	1	.63
32654	310	12.2	3.5-5.5	85-140	.126/3.2	1	1.13

90° Angle Retaining Ring Pliers - Internal



SHOP

326 **90° Angle Internal Retaining Ring Pliers DIN ISO 5254**

Shape D, 90° angled tips. Die forged cylindrical precision formed. CV Special tool steel. For inserting & removing internal retaining rings. Soft vinyl grips.

Item	⟷ mm	⟷ Inch	○ Inch	○ mm	● Tip Inch/mm	Pkg.	lbs.
32685	139	5.5	5/16-1/2	8-13	.035/.9	1	.27
32686	140	5.5	1/2-1	12-25	.050/1.3	1	.27
32687	165	7.0	3/4-2 3/8	19-60	.070/1.5	1	.43
32688	225	8.9	1 1/2-4	40-100	.090/2.3	1	.62
32656	310	12.2	3.5-5.5	85-140	.126/3.2	1	1.14

Retaining Ring Pliers - External




SHOP

326 **Straight External Retaining Ring Pliers DIN ISO 5254**

Shape A, straight tips. Die forged cylindrical precision formed. CV special tool steel. For fitting & removing external retaining rings. Soft vinyl grips.

Item	⟷ mm	⟷ Inch	○ Inch	○ mm	● Tip Inch/mm	Pkg.	lbs.
32689	139	5.5	1/8-3/8	3-10	.035/.9	1	.28
32690	140	5.5	3/8-1	10-25	.050/1.3	1	.28
32691	180	7.0	3/4-2 3/8	19-60	.070/1.5	1	.45
32692	225	8.9	1 1/2-4	40-100	.090/2.3	1	.62
32662	310	12.2	3.5-5.5	85-140	.126/3.2	1	1.13

90° Angle Retaining Ring Pliers - External



SHOP

326 **90° Angled External Retaining Ring Pliers DIN ISO 5254**

Shape B, 90° angled tips. Die forged cylindrical precision formed. CV special tool steel. For fitting & removing external retaining rings. Soft vinyl grips.

Item	⟷ mm	⟷ Inch	○ Inch	○ mm	● Tip Inch/mm	Pkg.	lbs.
32694	139	5.5	1/8-3/8	3-10	.035/.9	1	.28
32695	140	5.5	3/8-1	10-25	.050/1.3	1	.28
32696	180	7.0	3/4-2 3/8	19-60	.070/1.5	1	.44
32697	225	8.9	1 1/2-4	40-100	.090/2.3	1	.63
32666	310	12.2	3.5-5.5	85-140	.126/3.2	1	1.16

Wiha Forged Retaining Ring Pliers



SHOP

32693 **8 Piece Straight Retaining Ring Pliers Set** Straight tips. Die forged cylindrical precision formed. Chrome-vanadium special tool steel. For inserting & removing internal and external retaining rings.

Item# 32693 Set Includes:	lbs. 3.65
Internal Retaining Ring - Shape C	External Retaining Ring - Shape A
32681 5/16-1/2" / 8-13mm / tip .035	32689 1/8 - 3/8" / 3-10mm / tip .035
32682 1/2-1" / 12-25mm / tip .050	32690 3/8 - 1" / 10-25mm / tip .050
32683 3/4-2-3/8" / 19-60mm / tip .070	32691 3/4 - 2-3/8" / 19-60mm / tip .070
32684 1-1/2-4" / 40-100mm / tip .090	32692 1/2 - 4" / 40-100mm / tip .090



SHOP

32626 **4 Piece Straight Internal Ring Pliers Set** Shape C, straight tips. Die forged cylindrical precision formed. Chrome-vanadium special tool steel. For inserting & removing internal retaining rings.

Item# 32626 Set Includes:	lbs. 1.60
32681 5/16-1/2" / 8-13mm / tip .035	32683 3/4-2 3/8" 19-60mm / tip .070
32682 1/2-1" 12-25mm / tip .050	32684 1 1/2-4" 40-100mm / tip .090



SHOP

32628 **4 Piece Straight External Ring Pliers Set** Shape A, straight tips. Die forged cylindrical precision formed. CV special tool steel. For fitting & removing external retaining rings. Soft vinyl grips.

Item# 32628 Set Includes:	lbs. 1.52
32689 1/8-3/8" / 3-10mm / tip .035	32691 3/4-2 3/8" 19-60mm / tip .070
32690 3/8-1" 10-25mm / tip .050	32692 1 1/2-4" 40-100mm / tip .090



SHOP

32627 **4 Piece 90° Angle Internal Ring Pliers Set** Shape D, 90° angled tips. Die forged cylindrical precision formed. CV Special tool steel. For inserting & removing internal retaining rings. Soft vinyl grips.

Item# 32627 Set Includes:	lbs. 1.56
32685 5/16-1/2" / 8-13mm / tip .035	32687 3/4-2 3/8" 19-60mm / tip .070
32686 1/2-1" 12-25mm / tip .050	32688 1 1/2-4" 40-100mm / tip .090



SHOP

32629 **4 Piece 90° Angle External Ring Pliers Set** Shape B, 90° angled tips. Die forged cylindrical precision formed. CV special tool steel. For fitting & removing external retaining rings. Soft vinyl grips.

Item# 32629 Set Includes:	lbs. 1.52
32694 1/8-3/8" / 3-10mm / tip .035	32696 3/4-2 3/8" 19-60mm / tip .070
32695 3/8-1" 10-25mm / tip .050	32697 1 1/2-4" 40-100mm / tip .090

Wiha MagicTip Safety Ring Pliers

Patents Pending



High performance precision notched tips for maximum stability & secure holding
(Safety notched on .070, .090 & .126)

Hardened MagicTips are notched to hold rings securely on .070, .090 & .126 sizes

Tips made of premium quality hardened CVM tool steel, HRC 64

Heavy duty forged pliers with soft vinyl grips

- **Faster & Easier Application**
- **Fewer Lost Rings**
- **Safer To Use**
- **Saves Time & Money**



MagicTip Safety Ring Pliers-Internal



346 **MagicTip Straight Internal Safety Ring Pliers DIN ISO 5256**

Shape C, straight tips. Precision machined tips of Chrome-vanadium special tool steel. For inserting & removing internal retaining rings.

Item	⟷	⟷	◯	◯	● Tip	▬	
No.	mm	Inch	Inch	mm	Inch/mm	Pkg.	lbs.
34610	180	7.1	3/4-2 3/8	19-60	.070/1.5	1	.34
34611	220	8.7	1 1/2-4	40-100	.090/2.3	1	.54
34612	305	12.0	3.5-5.5	85-140	.126/3.2	1	.90

MagicTip 90° Angle Safety Ring Pliers - Internal



346 **MagicTip 90° Angle Internal Safety Ring Pliers DIN ISO 5254**

Shape D, 90° angled tips. Precision machined tips of Chrome-vanadium Special tool steel. For inserting & removing internal retaining rings. Soft vinyl grips.

Item	⟷	⟷	◯	◯	● Tip	▬	
No.	mm	Inch	Inch	mm	Inch/mm	Pkg.	lbs.
34615	180	7.1	3/4-2 3/8	19-60	.070/1.5	1	.34
34616	220	8.7	1 1/2-4	40-100	.090/2.3	1	.54
34617	305	12.0	3.5-5.5	85-140	.126/3.2	1	.94



Hardened MagicTips are notched to hold rings securely on .070, .090 & .126 sizes

Safety Notched "MagicTips"

Precision Machined To Hold Rings Securely

Saves Time & Money

Improves Productivity

MagicTip Safety Ring Pliers-External



SHOP

346 **MagicTip Straight External Safety Ring Pliers DIN ISO 5254**

Shape A, straight tips. Precision machined tips of Chrome-vanadium special tool steel. For fitting & removing external retaining rings. Soft vinyl grips.

Item No.	mm	Inch	Inch	mm	●Tip Inch/mm	Pkg.	lbs.
34620	185	7.3	3/4-2 3/8	19-60	.070/1.5	1	.34
34621	240	9.5	1 1/2-4	40-100	.090/2.3	1	.57
34622	300	11.8	3.5-5.5	85-140	.126/3.2	1	1.04

MagicTip 90° Angle Safety Ring Pliers - External



SHOP

346 **MagicTip 90° Angled External Safety Ring Pliers DIN ISO 5254**

Shape B, 90° angled tips. Precision machined tips of Chrome-vanadium special tool steel. For fitting & removing external retaining rings. Soft vinyl grips.

Item No.	mm	Inch	Inch	mm	●Tip Inch/mm	Pkg.	lbs.
34625	185	7.3	3/4-2 3/8	19-60	.070/1.5	1	.36
34626	240	9.5	1 1/2-4	40-100	.090/2.3	1	.57
34627	300	11.8	3.5-5.5	85-140	.126/3.2	1	1.06



In Canvas Roll-Up Pouch

SHOP

34697 **6 Pc. Straight Internal & External Ring Pliers Set**

Precision machined tips of Chrome-vanadium special tool steel.
For inserting & removing retaining rings. Soft vinyl grips

Item# 34697 Set Includes:	lbs. 4.04
34610 3/4-2-3/8" / 19-60mm / tip .070	34620 3/4-2-3/8" / 19-60mm / tip .070
34611 1-1/2-4" / 40-100mm / tip .090	34621 1-1/2-4" / 40-100mm / tip .090
34612 3.5-5.5" / 85-140mm / tip .126	34622 3.5-5.5" / 85-140mm / tip .126



In Canvas Roll-Up Pouch

SHOP

34699 **12 Pc. Straight And 90° Internal & External Ring Pliers Set**

Precision machined tips of Chrome-vanadium special tool steel.
For inserting & removing retaining rings. Soft vinyl grips

Item# 34699 Set Includes:	lbs. 8.52
34610 3/4-2-3/8" / 19-60mm / tip .070	34620 3/4-2-3/8" / 19-60mm / tip .070
34611 1-1/2-4" / 40-100mm / tip .090	34621 1-1/2-4" / 40-100mm / tip .090
34612 3.5-5.5" / 85-140mm / tip .126	34622 3.5-5.5" / 85-140mm / tip .126
34615 3/4-2-3/8" / 19-60mm / tip .070	34625 3/4-2-3/8" / 19-60mm / tip .070
34616 1-1/2-4" / 40-100mm / tip .090	34626 1-1/2-4" / 40-100mm / tip .090
34617 3.5-5.5" / 85-140mm / tip .126	34627 3.5-5.5" / 85-140mm / tip .126



In Canvas Roll-Up Pouch

SHOP

34698 **6 Pc. 90° Angle Internal & External Ring Pliers Set**

Precision machined tips of Chrome-vanadium special tool steel.
For inserting & removing retaining rings. Soft vinyl grips

Item# 34698 Set Includes:	lbs. 4.06
34615 3/4-2-3/8" / 19-60mm / tip .070	34625 3/4-2-3/8" / 19-60mm / tip .070
34616 1-1/2-4" / 40-100mm / tip .090	34626 1-1/2-4" / 40-100mm / tip .090
34617 3.5-5.5" / 85-140mm / tip .126	34627 3.5-5.5" / 85-140mm / tip .126

Wiha Pipe Wrenches Narrow Style

Pipe Wrenches Narrow Style / S-Jaw



SHOP

329 **Pipe Wrenches Narrow Style / S-Jaw**

S-Jaw shape angled 45°. Self clamping gripping of pipes and hex nuts at 3 points. Comfortable handle profile. Rapid adjusting nut. Hardened chrome-vanadium steel, induction hardened jaws. Safe and secure grip on pipes and hex nuts.

Item No.	Inch Length	Max. grip pipe dia.	maximum jaw opening	lbs.	Pkg.
32970	12.60	1	40mm (1.5”)	2.4	1
32971	16.38	1.5	55mm (2.1”)	2.4	1
32972	21.06	2	67mm (2.6”)	3.9	1



Pipe Wrenches Narrow Style - 45°



SHOP

329 **Pipe Wrenches Narrow Style - 45°**

Narrow shape angled 45°. Safe and secure grip angled jaw teeth. Comfortable handle profile. Rapid adjusting nut. Hardened chrome-vanadium steel, induction hardened jaws. Safe and secure grip on pipes, flat work-pieces and nuts.

Item No.	Inch Length	Max. grip pipe dia.	Clamping range	lbs.	Pkg.
32974	12.36	1	40mm (1.5”)	1.8	1
32975	16.77	1.5	55mm (2.1”)	2.1	1
32976	22.44	2	67mm (2.6”)	6.3	1



SHOP

32995 **3 Piece Pipe Wrench Sets**

Hardened chrome-vanadium steel, induction hardened jaws. Safe and secure grip on pipes, flat work-pieces and nuts.

Item# 32995 Set Includes:	lbs. 5.60
32970 - 12.60” S-Jaws	32978 - 12.20” 90° Jaws
32974 - 12.36” 45° Jaws	

Pipe Wrenches Narrow Style - 90°




SHOP

329 **Pipe Wrenches Narrow Style - 90°**

Narrow shape angled 90°. Safe and secure grip angled jaw teeth. Comfortable handle profile. Rapid adjusting nut. Hardened chrome-vanadium steel, induction hardened jaws. Safe and secure grip on pipes, flat work-pieces and nuts.

Item No.	Inch Length	Max. grip pipe dia.	Clamping range	lbs.	Pkg.
32978	12.20	1	40mm (1.5”)	2.2	1
32979	16.54	1.5	55mm (2.1”)	3.2	1
32980	22.05	2	67mm (2.6”)	6.0	1



SHOP

32996 **3 Piece Narrow Style 90° Pipe Wrench Sets**

Narrow shape angled 90°. Safe and secure grip angled jaw teeth. Comfortable handle profile. Rapid adjusting nut.

Item# 32996 Set Includes:	lbs. 10.80
32978 - 12.20” Narrow Style 90°	32980 - 22.05” Narrow Style 90°
32979 - 16.54” Narrow Style 90°	

Wiha Ratchet Crimpers

Ratchet End Sleeve Crimper



5 die nests
side entry
crimp



SHOP

43612 **Ratchet End Sleeve Crimper**

Crimps Insulated & non-insulated end sleeves. 6 crimp positions range AWG 26-18, 18-16, 14, 12, 10, 8. Soft grip non-slip handles. Factory set auto release at end of crimp cycle.

Item No.	Inch Length	AWG Range	lbs.	Pkg.
43612	220mm/8.6"	26-8	1.18	1

Ratchet Crimper Push On Terminals



Crimp Profile
"F"/"B"



SHOP

43624 **Ratchet Crimper Push On Terminals**

Crimps Insulated & non-insulated terminals. 4 crimp positions range AWG 24-20, 20-18, 16-14, 12-10. Soft grip non-slip handles. Factory set auto release at end of crimp cycle.

Item No.	Inch Length	AWG Range	lbs.	Pkg.
43624	220mm/8.6"	24-10	1.06	1

Ratchet Crimper For Standard Connectors



Crimp Profile



SHOP

43618 **Ratchet Crimper For Standard Connectors**

Crimps Insulated & non-insulated connectors. 3 crimp positions range AWG 20-18 red, 16-14 blue, 12-10 yellow. Soft grip non-slip handles. Factory set auto release at end of crimp cycle.

Item No.	Inch Length	AWG Range	lbs.	Pkg.
43618	220mm/8.6"	20-10	1.06	1

Ratchet Crimper For Eye Terminals





Self adjusting
side entry crimp



SHOP

43643 **Ratchet Crimper For Eye Terminals**

Crimps Insulated & non-insulated terminals. 4 crimp positions range AWG 26-22, 20-18, 12-10, 8-6. Soft grip non-slip handles. Factory set auto release at end of crimp cycle.

Item No.	Inch Length	AWG Range	lbs.	Pkg.
43643	220mm/8.6"	26-6	1.02	1

Wiha Industrial SoftGrip Pliers & Cutters

Made by Wiha

Maximum comfort in daily use, smooth operation & optimum force transmission without uncomfortable pressure points. Natural brushed finish.



Industrial SoftGrip Combination Pliers



SHOP

309 Industrial Combination Pliers DIN ISO 5746

Extra long cutting edge for flat and round cables. Serrated jaws. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel. For gripping and holding as well as cutting soft and hard wires and cables. Two component Industrial SoftGrip ergonomic handles.

Item	⟷	⟷	Cutting Capacity		
No.	mm	Inch	AWG	Pkg.	lbs.
30901	160	6.3	#10	1	.52
30903	180	7.0	#9	1	.67
30905	200	8.0	#8	1	.83

Industrial SoftGrip Heavy Duty Combo Pliers



SHOP

309 Industrial Heavy Duty Combination Pliers DIN ISO 5746

Larger Head and extra long cutting edges for flat and round cables. Serrated jaws. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel. For gripping & holding as well as cutting wires & cables ranging in hardness from soft to extremely hard. Two component SoftGrip ergo handles.

Item	⟷	⟷	Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
30907	200	8.0	#7	1	.81
30909	225	9.0	#6	1	1.02

Industrial SoftGrip Linemans Crimpers



SHOP

30912 Industrial Linemans Crimpers DIN ISO 5746

Extra large head and extra long cutting edges for flat and round cables. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel. For gripping & holding as well as cutting wires & cables ranging in hardness from soft to extremely hard. Two component SoftGrip ergo handles.

Item	⟷	⟷	Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
30912	225	9.0	#4	1	1.05

Industrial SoftGrip Stripping Pliers



For stripping up to Ø 5mm/#4 AWG

SHOP

30947 Industrial Stripping Pliers DIN ISO 5743

Heavy duty forged with induction hardened cutting edges for even stripping of insulation. Easy to use adjustment screw allows stripping diameter to be quickly changed. Return spring for effortless use. Special C70 tool steel edges. Stripping Diameter: .019" to .393".

Item	⟷	⟷	Stripping Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
30947	160	6.3	#8 - #28	1	.48

Made by Wiha

Industrial SoftGrip Long Nose Pliers



SHOP

309 **Industrial Long Nose Pliers With Cutting Edge DIN ISO 5745**

Long nose pliers. Extra long cutters for flat and round wires. Gripping surfaces serrated in parts. Cutting edges additionally induction hardened to approx. 64HRC. C70 Special tool steel. Two component SoftGrip handle.

Item			Cutting Capacity		
No.	mm	Inch	AWG	Pkg.	lbs.
30911	160	6.3	#10	1	.41
30913	200	8.0	#8	1	.56

Industrial SoftGrip Bent Long Nose Pliers

Angled approx. 40°



SHOP

309 **Industrial Bent Nose Pliers With Cutters DIN ISO 5745**

Long nose pliers angled approx. 40°. Extra long cutting edge for flat and round wires. Gripping surfaces serrated in parts. Cutting edges additionally induction hardened to approx. 64HRC. C70 Special tool steel. Two component SoftGrip handle.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
30915	160	6.3	#10	1	.42
30917	200	8.0	#8	1	.57

Industrial SoftGrip Flat Nose Pliers



SHOP

30919 **Industrial Long Flat Nose Pliers DIN ISO 5745**

Extra long head. Gripping surfaces serrated and induction hardened. C70 Special tool steel. Two component SoftGrip handle. Gripping and right-angled bending of wires and sheet metal parts.

Item				
No.	mm	Inch	Pkg.	lbs.
30919	160	6.3	1	.43

Industrial SoftGrip Long Round Nose Pliers



SHOP

30921 **Industrial Long Round Nose Pliers DIN ISO 5745**

Extra long head. Gripping surfaces serrated and induction hardened. C70 Special tool steel. Two component SoftGrip handle. Gripping and bending of wires and sheet metal parts.

Item				
No.	mm	Inch	Pkg.	lbs.
30921	160	6.3	1	.39

Stripping Pliers



SHOP

56871 **Stripping Pliers**

Wide long head with ridged gripping surface, shears blade and firm wire stripping stations. With opening spring and locking mechanism. Wire stripping stations 0.81 / 1.0 / 1.3 / 1.6 / 2.0 / 2.59mm, AWG 20 / 18 / 16 / 14 / 12 / 10.

#56871	mm	Inch	Ø	AWG	Pkg.	lbs.
	180	7.0	0.81-2.59	20-10	5	.15

Industrial SoftGrip Cable Cutters



SHOP

309 **Industrial Cable Cutters DIN ISO 5749**

Energy saving & clean cutting cable cutters with specially ground precision cutting edges. Long life cutting edges are achieved through additional induction hardening to approx. 64HRC. C70 special CV tool steel hardened and tempered. Two component SoftGrip ergo handle.

Item			Cutting Capacity		
No.	mm	Inch	Copper/Aluminum	Pkg.	lbs.
30926	160	6.3	16mm	1	.56
30928	200	8.0	20mm	1	.87

Wiha Industrial SoftGrip Pliers & Cutters

Made by Wiha

Industrial SoftGrip Diagonal Cutters



SHOP

309 Industrial Diagonal Cutters DIN ISO 5749

Low wear lap joint, riveted and able to withstand high levels of load. Low force action, clean cutting. Long life cutting edge is achieved with additional induction hardening to approx. 64HRC. Special C70 tool steel forgings hardened and tempered. For soft & medium hard wire.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
30923	140	5.5	#6	1	.45
30925	160	6.3	#6	1	.57
30927	180	7.0	#6	1	.69

Industrial SoftGrip H. Leverage Diag. Cutters



SHOP

309 Industrial High Leverage Diagonal Cutters DIN ISO 5749

Semi-circular. Low wear lap joint, riveted and able to withstand high levels of load. Low force action, clean cutting. Long life cutting edges are achieved through additional induction hardening to approx. 64HRC. C60 special C70 tool steel hardened and tempered.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
30929	160	6.3	#6	1	.57
30931	180	7.0	#5	1	.68
30933	200	8.0	#4	1	.89

Industrial SoftGrip Heavy Duty End Nippers



30939 Industrial Heavy Duty End Cutting Nippers

Induction hardened cutting edges. Special tool steel. Two component SoftGrip handle. Gripping and right-angled bending of wires and sheet metal parts. Two component SoftGrip handle.

Item				
No.	mm	Inch	Pkg.	lbs.
30939	200	8.0	1	.54

SHOP

Industrial SoftGrip Standard Adj. Pliers



With box joint

SHOP

30937 Industrial Adjustable Pliers DIN ISO 8976

10 opening settings provides optimal adjustment to objects being gripped. Long life achieved through additional induction hardening of jaws to approx. 64HRC. Chrome-vanadium tool steel forgings, hardened and tempered. Two component SoftGrip ergonomic handle. Black finish.

Item			Capacities			
No.	mm	Inch	Round	Hex	Pkg.	lbs.
30937	250	10.0	1 3/4"	2"	1	.94

Industrial SoftGrip Push Button Adj. Pliers



With box joint

SHOP

30943 Industrial Slide Lock Adjustable Pliers - Box Joint - With Push Button Setting. DIN ISO 8976 Extra narrow head for working small spaces. Rapid and simple push button setting and locking. Long life achieved through additional induction hardening of jaws to approx. 64HRC. Finger jam protection for safe operation at all settings. CVM tool steel forgings, hardened and tempered. SoftGrip handles.

Item			Capacities			
No.	mm	Inch	Round	Hex	Pkg.	lbs.
30943	250	10.0	1 3/4"	2"	1	.95

Made by Wiha

ComfortGrip Slide Lock Adjustable Pliers

With box joint



Rapid adjust

- Close to lock
- Open and slide to adjust opening size
- Audible click at each locking position

SHOP

32969 **Slide Lock Adjustable Pliers - Wiha QuickFix - Box Joint**

DIN ISO 8976 Super fast and easily adjusted pliers. Long durability achieved through additional induction hardening of jaws to approx. 56 HRC. Finger jam protection for safe operation at all settings. Chrome-vanadium tool steel forgings, hardened and tempered. Chrome finish with ergonomic ComfortGrip handles.

Item			Capacities			
No.	mm	Inch	Round	Hex	Pkg.	lbs.
32969	250	10.0	1 1/4”	1 1/2”	1	.80

Industrial SoftGrip Pliers & Cutters Sets



SHOP

30993 **3 Piece Industrial SoftGrip Pliers & Cutters Set**

Maximum comfort in daily use, smooth operation and optimum force transmission without uncomfortable pressure points. Cutters additionally induction hardened. Anti-slip soft dual material handles for safe gripping, ergonomic shape for maximum user comfort.

Item# 30993 Set Includes:	
30905 Combination Pliers - 8.0”	lbs.
30925 Diagonal Cutters - 6.3”	1.76
30911 Long Nose Pliers - 6.3”	



SHOP

30990 **4 Piece Industrial SoftGrip Pliers & Cutters Set**

Maximum comfort in daily use, smooth operation and optimum force transmission without uncomfortable pressure points. Cutters additionally induction hardened. Anti-slip soft dual material handles for safe gripping, ergonomic shape for maximum user comfort.

Item# 30990 Set Includes:	
9.0” - Heavy Duty Combination Pliers	lbs.
8.0” - Long Nose Pliers	2.81
8.0” - High Leverage Diagonal Cutters	
7.0” - ComfortGrip Stripping Pliers	

Industrial SoftGrip Pliers & Cutters Sets



SHOP

30998 **8 Piece Industrial SoftGrip Pliers & Cutters Set**

Maximum comfort in daily use, smooth operation and optimum force transmission without uncomfortable pressure points. Cutters additionally induction hardened. Anti-slip soft dual material handles for safe gripping, ergonomic shape for maximum user comfort.

Item# 30998 Set Includes:	
6.3” - Combination Pliers	lbs.
9.0” - Heavy Duty Combination Pliers	4.91
6.3” - Long Nose Pliers	
8.0” - Long Nose Pliers	
5.5” - Diagonal Cutters	
8.0” - High Leverage Diagonal Cutters	
10.0” - Adjustable Pliers	
7.0” - ComfortGrip Stripping Pliers	



SHOP

30991 **18 Piece Industrial SoftGrip Pliers/Cutters, Screwdrivers & Wrenches Set** Maximum comfort in daily use, smooth operation and optimum force transmission without uncomfortable pressure points. Cutters additionally induction hardened. Anti-slip soft dual material handles for safe gripping, ergonomic shape for maximum user comfort.


Item# 30991 Set Includes:	
8.0” - Combination Pliers	lbs.
6.3” - Long Nose Pliers	6.76
6.3” - Diagonal Cutters	
10.0” - Adjustable Pliers	
Slotted: 5/32, 1/4” Phillips: 1, 2	
Torx: T15, T20, T25 Square: 1, 2	
Wrenches: 1/4”x5/16”, 3/8x7/16”, 1/2x9/16”, 3/4x7/8”	

Wiha Precision Electronic Pliers & Cutters



Electronic Diagonal Cutters





Full Flush

56818 **Precision Electronic Diagonal Cutters, Wide Pointed Head**


Cutting edge - full flush. With return spring. C70 special tool steel. For an absolutely flush cut of copper wire.

#56818	mm	Inch	Cut Capacity	Pkg.	lbs.
	138	5.5	1.3mm/16AWG	1	.22

SHOP

Electronic Diagonal Cutters





Semi Flush

56815 **Precision Electronic Diagonal Cutters, Wide Pointed Head**

Cutting edge - semi flush. With return spring. C70 special tool steel. Universal small diagonal cutter for cutting copper wires.


Item No.			Cut	Medium		
#56815	mm	Inch	Capacity	Hard Wire	Pkg.	lbs.
	138	5.5	2.0mm/16AWG	0.8	1	.23

SHOP

Electronic Diagonal Cutters



Wire Holding Spring



Full Flush


56825 **Precision Electronic Diagonal Cutters, Wide Shape With Wire Holding Spring** Wide, Pointed head. Cutting edge - full flush. With return spring & fixture for holding ends of wires that have been cut off. C70 special tool steel. For an absolutely flush cut of copper wire.

#56825	mm	Inch	Cut Capacity	Pkg.	lbs.
	138	5.5	1.3mm/16AWG	1	.23

SHOP

Electronic Diagonal Cutters





Full Flush

56812 **Precision Electronic Diagonal Cutters, Narrow Shape**

Extra narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. With return spring. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.


#56812	mm	Inch	Cut Capacity	Pkg.	lbs.
	118	4.5	0.8mm/16AWG	1	.19

SHOP

Electronic Diagonal Cutters



Wire Holding Spring



Full Flush


56813 **Precision Electronic Diagonal Full Flush Cutters With Wire Trapping Spring** Extra narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. With return spring. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

#56813	mm	Inch	Cut Capacity	Pkg.	lbs.
	128	5.0	1.0mm/16AWG	1	.19

SHOP

Electronic Oblique 48° Cutter





Full Flush


56833 **Electronic Oblique 48° Cutter**
Wide pointed head. Cutting edge - full flush. With cutting edge at 48° for cutting obliquely from above or from the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

#56833	mm	Inch	Cut Capacity	Pkg.	lbs.
	138	5.5	1.3mm/16AWG	1	.22

SHOP

Narrow Front Cutter/Long Nose Pliers





Full Flush


56830 **Electronic Narrow 30° Front Cutter / Long Nose Pliers**
Extremely narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. Edge at 30° to face end of pliers for cutting obliquely from above or form the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

#56830	mm	Inch	Cut Capacity	Pkg.	lbs.
	118	4.5	0.6mm/16AWG	1	.19

SHOP

Electronic Pointed Pliers






56801 **Electronic Short Nose Precision Pliers**
Narrow, short head. Smooth jaws. Width at tip is only 1.2mm. C70 special tool steel. For holding small components as well as for holding and angling wires.

#56801	mm	Inch	Pkg.	lbs.
	138	5.5	1	.23

SHOP

Electronic Stripping Pliers





56871 **Electronic Stripping Pliers**
Wide long head with ridged gripping surface, shears blade and firm wire stripping stations. With opening spring and locking mechanism. Wire stripping stations 0.81 / 1.0 / 1.3 / 1.6 / 2.0 / 2.59mm, AWG 20 / 18 / 16 / 14 / 12 / 10.

#56871	mm	Inch	Ø	AWG	Pkg.	lbs.
	180	7.0	0.81-2.59	20-10	1	.15

SHOP


Wiha ESD Safe Pliers & Cutters



Precision Cutters Tapered Head

Semi Flush





32703 **Precision Cutters, Small Tapered Head, Semi Flush**


Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1


#32703	mm	Inch	Copper	Head Wdth	Pkg.	lbs.
	115	4.5	1.0	9.5mm	1	.19

SHOP

Precision Cutters Tapered Head

Flush





32705 **Precision Cutters, Small Tapered Head, Flush**

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1


#32705	mm	Inch	Copper	Head Wdth	Pkg.	lbs.
	115	4.5	1.0	9.5mm	1	.19

SHOP

Precision Cutters Tapered Head

Semi Flush





32702 **Precision Cutters, Small Tapered Head With Hollow Ground Back, Semi Flush**

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1


#32702	mm	Inch	Copper	Head Wdth	Pkg.	lbs.
	115	4.5	1.0	9.5mm	1	.19

SHOP

Precision Cutters Tapered Head

Flush





32704 **Precision Cutters, Small Tapered Head With Hollow Ground Back, Flush**

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#32704	mm	Inch	Copper	Head Wdth	Pkg.	lbs.
	115	4.5	1.0	9.5mm	1	.19

SHOP

Wiha ESD Safe Pliers & Cutters

Precision Cutters Wide Tapered Head

Bevel



32706 **Precision Cutters, Wide Tapered Head, Bevel**

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#32706	mm	Inch	Copper	Head Wdth	Pkg.	lbs.
	115	4.5	1.4	11.0mm	1	.20

SHOP

Precision Cutters Wide Tapered Head

Flush



32708 **Precision Cutters, Wide Tapered Head, Flush**

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#32708	mm	Inch	Copper	Head Wdth	Pkg.	lbs.
	115	4.5	1.2	11.0mm	1	.19

SHOP

Precision Cutters Wide Tapered Head

Full Flush



32710 **Precision Cutters, Wide Tapered Head, Full Flush**

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#32710	mm	Inch	Copper	Head Wdth	Pkg.	lbs.
	115	4.5	1.0	11.0mm	1	.23

SHOP

Precision Cutters Wide Tapered Head

Flush



32711 **Precision Cutters, Wide Tapered Head With Wire Trapping Device, Flush**

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#32711	mm	Inch	Copper	Head Wdth	Pkg.	lbs.
	115	4.5	1.2	11.0mm	1	.19

SHOP

Precision Cutters Slim Oval Form

Flush



32712 **Precision Cutters, Slim Oval Head, Flush**

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#32712	mm	Inch	Copper	Head Wdth	Pkg.	lbs.
	115	4.5	1.0	10.5mm	1	.23


SHOP

Wiha ESD Safe Pliers & Cutters

Precision Cutters Slim Oval Form

Full Flush





32714 **Precision Cutters, Slim Oval Head, Full Flush**

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1


#32714	mm	Inch	Copper	Head Wdth	Pkg.	lbs.
	115	4.5	1.0	10.0mm	1	.23

SHOP

Precision Cutters Wide Oval Form

Bevel





32716 **Precision Cutters, Wide Oval Head, Bevel**

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1


#32716	mm	Inch	Copper	Head Wdth	Pkg.	lbs.
	115	4.5	1.4	11.0mm	1	.19

SHOP

Precision Cutters Wide Oval Form

Flush





32720 **Precision Cutters, Wide Oval Head, Flush**

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1


#32720	mm	Inch	Copper	Head Wdth	Pkg.	lbs.
	115	4.5	1.2	11.0mm	1	.19

SHOP

Precision Cutters Wide Oval Form And Carbide Edge

Bevel





32718 **Precision Cutters, Wide Oval Head Carbide Cutting Edges, Bevel**

Cutters drop-forged for an ideal material structure. Precise aligned carbide cutting edge. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1


#32718	mm	Inch	Copper	Head Wdth	Pkg.	lbs.
	110	4 3/8	1.6	11.0mm	1	.20

SHOP

Precision Cutters Wide Oval Form

Flush





32721 **Precision Cutters, Wide Oval Head With Wire Trapping Device, Flush**

Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#32721	mm	Inch	Copper	Head Wdth	Pkg.	lbs.
	115	4.5	1.2	11.0mm	1	.23

SHOP

Wiha ESD Safe Pliers & Cutters

Oblique Angled Cutters

Flush



32722 **Oblique Angled Cutters, 29°, Flush**


Oblique Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#32722	mm	Inch	Copper	Head Wdth	Pkg.	lbs.
	115	4.5	1.2	12.0mm	1	.24

SHOP

Oblique Angled Cutters

Ultra Full Flush



32724 **Oblique Angled Cutters, 29°, Full Flush**

Oblique Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#32724	mm	Inch	Copper	Head Wdth	Pkg.	lbs.
	115	4.5	1.0	12.0mm	1	.24

SHOP

Oblique Angled Cutters

Semi Flush



32726 **Oblique Angled Cutters, 29°, Short Head, Semi Flush**


Oblique Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#32726	mm	Inch	Copper	Head Wdth	Pkg.	lbs.
	115	4.5	1.2	12.0mm	1	.24

SHOP

Oblique Front Cutters

Flush



32728 **Oblique Front Cutters, Very Small Head, 40°, Flush**

Oblique Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#32728	mm	Inch	Copper	Head Wdth	Pkg.	lbs.
	130	5.1	0.8	8.5mm	1	.21

SHOP

ESD Safe Tool Set In Canvas Pouch



32793 **11 Piece Set, 4 ESD Safe Pliers, Slotted & Phillips Screwdrivers** Pliers drop-forged for an ideal material structure. Two component non-slip soft grip handle. ESD standard IEC 61340-5-1

#32793 11 piece ESD Safe Pliers & Slotted/Phillips Precision Drivers Set in custom case includes:


ESD Safe Pliers & Cutters	
32705 4.5" Tapered Flush Cutters	32742 4.5" Snipe Nose Pliers
32728 4.375" Oblique Cutters	32746 5.7" Long Nose Pliers
ESD Safe Screwdrivers	
27220 Slotted 2.0mm	27305 Phillips #00
27225 Slotted 2.5mm	27310 Phillips #0
27230 Slotted 3.0mm	27320 Phillips #1
27235 Slotted 3.5mm	
lbs. 2.43	


SHOP

Wiha ESD Safe Pliers & Cutters

End Cutters Extra Slim

Semi Flush





32732 **End Cutters, Extra Slim, Semi Flush**

End Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#32732	mm	Inch	Copper	Tip Wdth	Pkg.	lbs.
	130	5.1	0.6	4.1mm	1	.16

SHOP

End Cutters Wide Head

Flush





32734 **End Cutters, Wide Head, Flush**


End Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1


#32734	mm	Inch	Copper	Head Wdth	Pkg.	lbs.
	115	4.5	1.4	11.0mm	1	.18

SHOP

ESD Safe Pliers

Short Snipe Nose





32742 **ESD Safe Pliers, Short Snipe Nose (Chain Nose)**

Straight, Serrated Jaws

Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1


#32742	mm	Inch	Head Wdth	Pkg.	lbs.
	120	4 3/4	9.5mm	1	.20

SHOP

ESD Safe Pliers

Bent Snipe Nose 45°





32744 **ESD Safe Pliers, Snipe Nose (Chain Nose)**

Bent 45°, Smooth Jaws

Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1


#32744	mm	Inch	Head Wdth	Pkg.	lbs.
	120	4 3/4	9.5mm	1	.20

SHOP

ESD Safe Pliers

Long Needle Nose





32746 **ESD Safe Pliers, Long Needle Nose Pliers,**

Straight, Serrated Jaws

Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1


#32746	mm	Inch	Head Wdth	Pkg.	lbs.
	145	5 3/4	12.0mm	1	.27

SHOP

Wiha ESD Safe Pliers & Cutters

ESD Safe Pliers

Needle Nose, Bent 90°



32748 **ESD Safe Pliers, Needle Nose Pliers, Bent 90°, Smooth Jaws**


Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#32748	mm	Inch	Head Wdth	Pkg.	lbs.
	145	5 3/4	12.0mm	1	.21

SHOP

ESD Safe Pliers

Short Round Nose Pliers



32750 **ESD Safe Pliers, Short Round Nose Pliers, Smooth Jaws**


Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#32750	mm	Inch	Head Wdth	Pkg.	lbs.
	120	4 3/4	9.5mm	1	.17

SHOP

ESD Safe Pliers

Short Flat Nose Pliers



32752 **ESD Safe Pliers, Short Flat Nose Pliers, Smooth Jaws**

Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative. ESD standard IEC 61340-5-1

#32752	mm	Inch	Head Wdth	Pkg.	lbs.
	120	4 3/4	9.5mm	1	.16

SHOP



SHOP

32790 **4 Piece ESD Safe Pliers Set In Custom Case** Pliers drop-forged for an ideal material structure. Two component non-slip soft grip handle. ESD Safe Dissipative. ESD standard IEC 61340-5-1

#32790	4 piece ESD Safe Pliers Set	
	Set includes:	
32716 4.5” Oval Side Cutters		32746 5.75” Long Nose Pliers
32752 4.75” Flat Nose Pliers		32728 4.375” Oblique Cutters
lbs. 2.06		



ESD standard IEC 61340-5-1

SHOP

32791 **11 Pc. Set, 4 ESD Safe Pliers, SYSTEM 4 Slotted & Phillips 5 Pc. Set & 2 ESD Safe Tweezers** Pliers drop-forged for an ideal material structure. Two component non-slip soft grip handle. ESD Safe Precision handle & 4 CVM tool steel blades. Tweezers anti-static conductive, ESD Safe Hypo allergenic, anti-magnetic stainless.

#32791	11 piece ESD Safe Pliers, Tweezers & SYS 4 precision Set in custom case includes:	
ESD Safe Pliers & Cutters		
32716 4.5” Oval Side Cutters		32746 5.75” Long Nose Pliers
32752 4.75” Flat Nose Pliers		32728 4.375” Oblique Cutters
SYSTEM 4 Set in separate pouch		
28000 ESD Safe Conductive Precision Handle		
Slotted: 1.5, 2.0, 3.0 & 4.0		Phillips: 000, 00, 0 & 1
ESD Safe Tweezers: 44501 AA SA ESD		44510 7a SA ESD
lbs. 2.43		

Wiha ESD Safe Proturn Pliers & Cutters

proturn



Tested ESD Safe handle with non-slip soft grip surface, protects the hand and reduces manual effort & user fatigue

Glare free black finish

Hardened steel return spring


ESD standard IEC 61340-5-1

D

Surface resistance of handles is 10^6 - 10^9 Ohms

ESD Safe Wire Stripper





45810 Proturn ESD Safe Wire Stripper


ESD standard IEC 61340-5-1. C70 special tool steel.
Glare free, black finish. ESD Safe handle with non-slip grips.
Strips 0.2, 0.3, 0.4, 0.5, 0.6, 0.8mm

#45810	mm	Inch	Strips AWG	A	B	C	Pkg.	lbs.
	165	6.5	30 to 20	30mm	12mm	4mm	1	.25

SHOP

ESD Safe Long Nose Pliers





45811 Proturn ESD Safe Long Nose Pliers


ESD standard IEC 61340-5-1. C70 special tool steel.
Glare free, black finish. ESD Safe handle with non-slip grips.

#45811	mm	Inch	A	B	C	Pkg.	lbs.
	160	6.3	2mm	30mm	3mm	1	.18

SHOP

ESD Safe Flat Nose Pliers





45812 Proturn ESD Safe Flat Nose Smooth Jaws Pliers

ESD standard IEC 61340-5-1. C70 special tool steel.
Glare free, black finish. ESD Safe handle with non-slip grips.

#45812	mm	Inch	A	B	C	Pkg.	lbs.
	160	6.3	2mm	32mm	3mm	1	.18


SHOP

Wiha ESD Safe Proturn Pliers & Cutters

Surface resistance of handles is 10^6 - 10^9 Ohms

ESD Safe Bent Nose Pliers





45813 **Proturn ESD Safe Bent Nose Pliers**

ESD standard IEC 61340-5-1. C70 special tool steel.


Glare free, black finish. ESD Safe handle with non-slip grips.

#45813	mm	Inch	A	B	C	Pkg.	lbs.
	152	6.0	2mm	30mm	4mm	1	.18

SHOP

ESD Safe Round Nose Pliers





45814 **Proturn ESD Safe Round Nose Pliers**

ESD standard IEC 61340-5-1. C70 special tool steel.


Glare free, black finish. ESD Safe handle with non-slip grips.

#45814	mm	Inch	A	B	C	Pkg.	lbs.
	152	6.0	2mm	22mm	3mm	1	.17

SHOP

ESD Safe Diagonal Cutters





45820 **Proturn ESD Safe 21° Precision Cutters/Flush Cut**

ESD standard IEC 61340-5-1. C70 special tool steel.


Glare free, black finish. ESD Safe handle with non-slip grips.

#45820	mm	Inch	AWG	A	B	C	Pkg.	lbs.
	127	5.0	18/1mm	13mm	12mm	3mm	1	.16

SHOP

ESD Safe Diagonal Cutters





45821 **Proturn ESD Safe 45° Precision Cutters/Flush Cut**

ESD standard IEC 61340-5-1. C70 special tool steel.


Glare free, black finish. ESD Safe handle with non-slip grips.

#45821	mm	Inch	AWG	A	B	C	Pkg.	lbs.
	127	5.0	18/1mm	10mm	9mm	2mm	1	.14

SHOP

ESD Safe Diagonal Cutters





45822 **Proturn ESD Safe 21° Precision Cutters/Flush Cut**

ESD standard IEC 61340-5-1. C70 special tool steel.

Glare free, black finish. ESD Safe handle with non-slip grips.

#45822	mm	Inch	AWG	A	B	C	Pkg.	lbs.
	140	5.5	16/1.3mm	13mm	12mm	3mm	1	.15

SHOP

Wiha ESD Safe Proturn Pliers & Cutters

Surface resistance of handles is 10^6 - 10^9 Ohms

ESD Safe Diagonal Cutters




45823 **Proturn ESD Safe 21° Precision Cutters/Flush Cut**

ESD standard IEC 61340-5-1. C70 special tool steel. Glare free, black finish. ESD Safe handle with non-slip grips.

#45823	mm	Inch	AWG	A	B	C	Pkg.	lbs.
	133	5.25	14/1.6mm	10mm	10mm	2mm	1	.14

SHOP

ESD Safe Diagonal Cutters



45824 **Proturn ESD Safe 45° Precision Cutters/Flush Cut**

ESD standard IEC 61340-5-1. C70 special tool steel. Glare free, black finish. ESD Safe handle with non-slip grips.

#45824	mm	Inch	AWG	A	B	C	Pkg.	lbs.
	140	5.5	14/1.6mm	13mm	12mm	2.5mm	1	.16

SHOP

Wiha ESD Safe Proturn Pliers/Cutters, Precison Drivers & MicroBits Set



D

ESD standard IEC 61340-5-1

Surface resistance of handles is 10^6 - 10^9 Ohms

SHOP

45890 **26 Pc. Set, Proturn ESD Safe Pliers, Precision Slotted & Phillips Screwdrivers, Precision Micro Bit Set & ESD Safe Tweezers**

ESD Proturn Pliers glare free, black finish, ESD Safe non-slip soft grips. ESD Safe Precision Slotted & Phillips screwdrivers, CVM tool steel blades. Precision ESD Safe Micro Bit handle holds Micro Bit extension and 4mm Micro bits. Anti-static Tweezer conductive, ESD Safe Hypo allergenic, anti-magnetic stainless.

#45890 26 Piece ESD Safe Pliers, Precision Screwdrivers, Micro Bit Set & ESD Tweezer In Custom Case Includes:

ESD Safe Proturn Strippers, Pliers & Cutters

45810 - 6.5" Wire Stripper — 45811 - 6.3" Long Nose Pliers

45813 - 6.0" Bent Nose Pliers — 45823 - 5.25" 21° Precision Cutters

ESD Safe Slotted & Phillips Precision Screwdrivers

Slotted: 2.0, 2.5, 3.0mm — Phillips: 0, 1

ESD Micro Bit Handle, Micro Bit Extension & 14 Micro Bits 4mm

Hex: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0 — Torx: T4, T5, T6, T7, T8, T9, T10

ESD Safe Tweezer: 44532 00 SA ESD - 120mm Heavy Duty Strong, Tapered To Strong Point

lbs. 2.05

PortaCrimp Dies, Frame & Sets

PortaCrimp Tools

Parallel action mimics applicator type performance



One piece dies - held together to prevent mix up and loss



Tested to 50,000 Crimps

Reliable, ratchet controlled, ensures consistent and accurate crimp

PortaCrimp Tool Frame







SHOP

43149 **PortaCrimp Tool Frame** Parallel action frame gives better performance. Symmetrical pressure with equal force mimics applicator performance. One piece die held together to prevent mix up and loss.

#43149	mm	Inch	lbs.	Pkg.
	234	9.75	1.1	1





Each die includes storage clip









- **Top Quality:** 50,000 cycle tested frame for longest life & consistent performance
- **Reliable:** Parallel, full cycle, ratchet controlled action ensures consistent accurate crimps
- **Easy To Use:** Designed to give user full visibility of the crimping process
- **Versatile:** Quickly and easily inter-change crimp dies on the job
- **No More Lost Die Parts!** Practical design uses guide pin to keeps die components together
- **Practical:** Pocket size dies are compact & easy to carry
- **Ergonomic:** Reduced effort ratchet assisted crimping use one hand or two with extended grip
- **Economical:** One tool frame to do the job of many, select only the dies you need

PortaCrimp Tool Sets





SHOP

43190 **4 Piece PortaCrimp Die Set Electrical**

Reliable, ratchet controlled, ensures consistent and accurate crimp.

Item No.	Set includes: Tool frame &	lbs.	Pkg.
43190	43129, 43128, 43142	5.0	1





SHOP

43191 **4 Piece PortaCrimp Die Set Industrial**

Reliable, ratchet controlled, ensures consistent and accurate crimp.

Item No.	Set includes: Tool Frame &	lbs.	Pkg.
43191	43129, 43127, 43147	5.0	1





SHOP

43192 **4 Piece PortaCrimp Die Set Data Com Telco**

Reliable, ratchet controlled, ensures consistent and accurate crimp.

Item No.	Set includes: Tool Frame &	lbs.	Pkg.
43192	43144, 43136, 43132	5.0	1

PortaCrimp Dies

One piece die, held together to prevent mix up & loss. Easily interchangeable crimp dies are kept together with a special pin to simplify handling. Reliable crimping performance is consistent and accurate with a parallel action stroke, good to 50,000 cycles.



SHOP





43128 **PortaCrimp Die Set For Green & Yellow Insulated Terminals & Splices**

Item No.	Crimps	AWG	lbs.	Pkg.
43128	4-6 & 0.1-0.4mm²	26-22 & 12-10	1.2	1

SHOP





43129 **PortaCrimp Die Set For Red & Blue Insulated Terminals & Splices** Die set for 22-16 AWG (0.5 - 1.5mm).

Item No.	Crimps	AWG	lbs.	Pkg.
43129	1.5-2.5 & 0.5-1.5mm²	22-16	1.2	1

SHOP





43142 **PortaCrimp Die Set For Non-Insulated Terminals, Lugs & Splices**

Item No.	Crimps	AWG	lbs.	Pkg.
43142	4-6 & 0.5-2.5mm²	12-10 & 22-14	1.2	1

SHOP





43137 **PortaCrimp Die Set For Non-Insulated Terminals, Lugs & Splices**

Item No.	Crimps	Awg	lbs.	Pkg.
43137	2.5/1.5/0.75mm²	14/16/20	1.2	1

SHOP






43139 **PortaCrimp Die Set For Non-Insulated Terminals, Lugs & Splices**

Item No.	Crimps	AWG	lbs.	Pkg.
43139	10/6/4mm²	8/10/12	1.2	1

SHOP





43127 **PortaCrimp Wire Ferrules - Insulated & Non-Insulated** Die set for 24-8 AWG (0.25-10mm).

Item No.	Crimps	AWG	lbs.	Pkg.
43127	10/6/4/2.5/1-1.5/.25-.75mm²	8-24	1.2	1

SHOP






43153 **PortaCrimp Wire Ferrules - Insulated & Non-Insulated** Die set for 6-4 AWG (16-25mm).

Item No.	Crimps	AWG	lbs.	Pkg.
43153	25 & 16mm²	6 & 4	1.2	1

SHOP





43154 **PortaCrimp Wire Ferrules - Insulated & Non-Insulated** Die set for 2-1/0 AWG (35-50mm).

Item No.	Crimps	AWG	lbs.	Pkg.
43154	50 & 35mm²	1/0 & 2	1.2	1

SHOP





43146 **PortaCrimp Open Barrel, Non-Insulated Standard Commercial Terminals & Lugs - .250"(6.3mm) Push On Terminals**

Item No.	Crimp	AWG	lbs.	Pkg.
43146	4-6/1.5-2.5/0.5-1.0mm²	22-10	1.2	1

PortaCrimp Dies



One piece die, held together to prevent mix up & loss. Easily interchangeable crimp dies are kept together with a special pin to simplify handling. Reliable crimping performance is consistent & accurate with a parallel action stroke, good to 50,000 cycles.



SHOP

43150 PortaCrimp Open Barrel Non-Insulated Push On Terminals DIN 46247-1 .110" (2.8mm) Tab

Item No.	Crimps	AWG	lbs.	Pkg.
43150	0.5-1.0/0.25-0.5/0.1-0.25mm²	26-18	1.2	1



SHOP

43151 PortaCrimp Open Barrel Non-Insulated Push On Terminals DIN 46247-2 .187" (4.8mm) Tab


Item No.	Crimps	AWG	lbs.	Pkg.
43151	1.5-2.5 & 0.5-1.5mm²	22-14	1.2	1



SHOP

43143 PortaCrimp Weather Pack Open Barrel Terminals

Item No.	Crimps	AWG	lbs.	Pkg.
43143	3.0-0.5mm²	12-20	1.2	1



SHOP

43141 PortaCrimp Fiber Optic Die set for SMA, SMB, SFR, ST, SC fiber optic connectors (.178"/.213"/.151"/.128" hex)

Item No.	Crimps		lbs.	Pkg.
43141	4.52/5.41/3.84/3.25mm	(.178/.213/.151/.128")	1.2	1



SHOP

43136 PortaCrimp Coaxial Network & Communications

Die set for RG58, RG59, RG62AU BNC/TNC Coaxial Connectors (.213"/.255"/.068" hex).

Item No.	Crimps	lbs.	Pkg.
43136	1.69/5.41/6.48mm (.213/.255/.068"hex)	1.2	1



SHOP

43138 PortaCrimp Coaxial Network & Communications, CATV, HDTV, Video Die set for RG6, Belden 1694A, Twinax BNC, CATV F Coaxial Connectors (.360"/.324" Hex).

Item No.	Crimps		lbs.	Pkg.
43138	9.14 & 8.23mm	(.360/.324")	1.2	1



SHOP

43140 PortaCrimp Coaxial Network & Communications

Die set for RG174, RG179 BNC/TNC Coaxil Connectors (.178"/.128"/.068" Hex, .028"(0.7mm)Sq.

Item No.	Crimps	lbs.	Pkg.
43140	4.52/3.25/1.69mm hex 0.7mm sq. (.178"/.128"/.068" hex, .028" sq.)	1.2	1



SHOP

43144 PortaCrimp Datacom/Telecom Modular Plug

Die set for 8-position 8-contact (RJ45).

Item No.	RJ45	lbs.	Pkg.
43144		1.2	1



SHOP

43132 PortaCrimp Datacom/Telecom Modular Plug

Die set for 6-position 6-contact (RJ11).

Item No.	RJ11	lbs.	Pkg.
43132		1.2	1

PortaCrimp Dies



One piece die, held together to prevent mix up & loss. Easily interchangeable crimp dies are kept together with a special pin to simplify handling. Reliable crimping performance is consistent & accurate with a parallel action stroke, good to 50,000 cycles.

SHOP





43147 **PortaCrimp Power Contacts**

Item No.	Crimps	AWG	lbs.	Pkg.
43147	4 / .14-1 / 2.5 / 1.5mm	26-12	1.2	1

SHOP





43148 **PortaCrimp Power Contacts**

Item No.	Crimps	AWG	lbs.	Pkg.
43148	6 & 10mm	10-8	1.2	1

SHOP





43158 **PortaCrimp** Die set for heat shrink connectors:
0.5-1.5mm² red & 1.5-2.5mm² blue.

Item No.	Crimps	lbs.	Pkg.
43158	0.5-1.5mm² (22-16AWG) red 1.5-25mm² (16-14 AWG) blue	1.2	1

SHOP





43162 **PortaCrimp** Die set for heat shrink connectors:
4-6mm² yellow & 0.32-0.75mm² green.

Item No.	Crimps	lbs.	Pkg.
43162	4-6mm² (12-10AWG) yellow 0.32-0.75mm² (22-18AWG) green	1.2	1

Professional Crimping Tools



SHOP

43652 **Crimping Tool Frame** Parallel action ratchet crimp tool designed to provide the best crimp without compromise on modular plug terminals. Ratchet action to ensure full crimp cycle with safety release.

#43652	mm	Inch	lbs.	Pkg.
	200	7.87		1

SHOP



43654 **Tool Die D-RJ11**

Item no.	lbs.	Pkg.
43654	1.0	1

Crimps: 6/6, 6/4 RJ11

SHOP



43657 **Crimping Tool Die D-RJ45U (universal)**

Item no.	lbs.	Pkg.
43657	1.0	1

Crimps: 8/8, 8/6, 8/4, Universal RJ45
(Primary strain relief punch only)

SHOP



43655 **Tool Die D-RJ22**

Item no.	lbs.	Pkg.
43655	1.0	1

Crimps: 4/4, 4/2 RJ22

SHOP



43658 **Crimping Tool Die D-MMJ (DEC)**

Item no.	lbs.	Pkg.
43658	1.0	1

Crimps: 6 pos. DEC/6

SHOP



43656 **Tool Die D-RJ45**

Item no.	lbs.	Pkg.
43656	1.0	1

Crimps: 8/8, 8/6, 8/4 RJ45
(Primary & secondary strain relief punches)

SHOP



43659 **Tool Die D-10POS**

Item no.	lbs.	Pkg.
43659	1.0	1

Crimps: 10 pos.

Professional PortaCrimp Solar Connectors



SHOP

43164 PortaCrimp Die - Multi-Contact MC3

Item No.	lbs.	Pkg.
43164	.14	1

Crimps MC3 Solar Connectors: 14-10 AWG



SHOP

43165 PortaCrimp Die - Multi-Contact MC4

Item No.	lbs.	Pkg.
43165	.16	1

Crimps MC4 Solar Connectors: 14-10 AWG



SHOP

43166 PortaCrimp Die For Tyco Solarlok

Item No.	lbs.	Pkg.
43166	.14	1

SOLARLOK: 14-10 AWG

Crimping Tools

Non-Insulated Crimping Tool



Self adjusting side entry crimp

Die Profile



SHOP

43632 **Non-Insulated Crimping Tool** For Non-insulated terminals, lugs, wire splices and solid/standard wires ranging from 0.75 - 6.0mm². Ratchet action to ensure full crimp cycle with safety release. Factory set for precise crimping to guarantee performance.


#43632	mm	Inch	AWG	lbs.	Pkg.
	255	10.0	22 - 10 (0.75-6.0mm²)	1.2	1

50,000 Cycle Rated

Ergonomic Coaxial Crimping Tool



Crimp Profile
3.25/4.52/1.69mm
(.128/.178/.068"hex)



Die Profile





SHOP

43613 **Ergonomic Coaxial SMA, SMB, SMC Crimping Tool**
Precision ratchet crimp tool designed to provide consistent & reliable crimp connections on SMA, SMB, SMC coaxial connectors RG174, RG179 A/F. Ratchet action to ensure full crimp cycle with safety release. Factory set for precise crimping to guarantee performance.


#43613	mm	Inch	Hex Crimp Dim.	lbs.	Pkg.
	212	8.35	3.25/4.52/1.69mm (.128"/.178"/.068"hex)	1.1	1

50,000 Cycle Rated

Ergonomic Coaxial Crimping Tool



Crimp Profile
10.9/5.41/2.54/1.69mm
(.429/.213/.100/.068"hex)



Die Profile





SHOP


43628 **Ergonomic Coaxial BNC, TNC Crimping Tool**
Precision ratchet crimp tool designed to provide consistent & reliable crimp connections on BNC, TNC coaxial connectors RG58, RG8, RG11, Ethernet, Thinnet. Ratchet action to ensure full crimp cycle with safety release. Factory set for precise crimping to guarantee performance.

#43628	mm	Inch	Hex Crimp Dim.	lbs.	Pkg.
	261	10.28	5.41/10.9/2.54/1.69mm (.429"/.213"/.100"/.068"hex)	1.2	1

50,000 Cycle Rated

Crimping Tools

Ergonomic Coaxial Crimping Tool




43687 **Ergonomic Coaxial Twinax CATV, F Crimping Tool**

Precision ratchet crimp tool designed to provide consistent & reliable crimp connections on Twinax CATV, F coaxial connectors RG6, RG6 Quad, 1695, Twinax. Ratchet action ensures full crimp cycle with safety release. Factory set for precise crimping to guarantee performance.

#43687	mm	Inch	Hex Crimp Dim.	lbs.	Pkg.
	261	10.28	8.23/9.14/1.73mm (.360/.324/.068"hex)	1.2	1

50,000 Cycle Rated

Ergo D Sub UnInsulated/Open Barrel Crimping Tool



43615 **Ergonomic D Sub UnInsulated/Open Barrel Crimping Tool**

Precision ratchet crimp tool designed to provide consistent & reliable crimp connections on UnInsulated/Open Barrel, D Sub wires ranging from 0.05 - 0.5mm². Ratchet action to ensure full crimp cycle with safety release. Factory set for precise crimping to guarantee performance.

#43615	mm	Inch	AWG	lbs.	Pkg.
	212	8.35	30 - 20 (0.08-0.5mm²)	1.1	1

50,000 Cycle Rated

Ergo D Sub UnInsulated/Open Barrel Crimping Tool



43617 **Ergonomic D Sub UnInsulated/Open Barrel Crimping Tool**

Precision ratchet crimp tool designed to provide consistent & reliable crimp connections on UnInsulated/Open Barrel, D Sub wires ranging from 0.08 - 0.5mm². Ratchet action to ensure full crimp cycle with safety release. Factory set for precise crimping to guarantee performance.

#43617	mm	Inch	AWG	lbs.	Pkg.
	212	8.35	28 - 20 (0.08-0.5mm²)	1.1	1

50,000 Cycle Rated

Soft Grip Crimping Pliers



326 **Crimping Pliers DIN ISO 5743**

Semi-circular profiles for secure connection between end sleeve and conductor. Long life is achieved through additional induction hardening. C70 special tool steel hardened & tempered. Soft vinyl grips.

Item No.	mm	Inch	mm2	AWG	Pkg.	lbs.
32604	145	5.75	0.25-2.5	14-32	1	.29
32605	180	7.0	0.25-16	6-32	1	.57

(See other soft vinyl grip pliers & cutters on pages 16-22)

Automatic Stripping Tool



Interchangeable stripping blade cassettes



Cuts & strips up to 10mm²/8 AWG - Strips PVC, THHW, TEFLON insulations



Ergonomic design with non-slip two component handles



Easy/snag free wire removal from tool - jaws stay open after strip

Self Adjusting Cut & Strip Tool



Straight Blade Cassette Stripping Range 0.02 - 10.0mm²





Cables: Conduit wire, Flex mains cable, Equipment wire, Flat modplug cable etc.

34-8 AWG

44212 **Self Adjusting Cutting & Stripping Tool**

Easily interchangeable stripping cassettes enables a wide range of insulations from PVC to PTFE. Light weight soft grip handle qualified for high volume production and portable/field usage.

#44212	mm	Inch	AWG	Strip Dim.	lbs.	Pkg.
	191	7.5	34 - 8	0.02-10mm²	.30	1

SHOP

Replaceable Cassette - Straight Blade



Straight Blade Cassette Stripping Range 0.02 - 10.0mm²



Straight

34-8 AWG

SHOP

44214 **Straight Blade Cassette, PVC Insulations**

Fine adjustability ensures that thin insulations can be stripped without damage to conductors. At the end of the stripping function, the stripping blades open and remain open during the return phase of the strip cycle facilitating easy/snag free wire removal from the tool.

#44214	AWG	Strip Range	lbs.	Pkg.
	34 - 8	0.02-10mm²	.02	1

Replaceable Cassette - 4-16mm²



Stripping Range 4-16mm²



Radius Blade

10-5 AWG

SHOP

44269 **Replaceable Cassette, 4-16mm Stripping Range**

Fine adjustability ensures that thin insulations can be stripped without damage to conductors. At the end of the stripping function, the stripping blades open and remain open during the return phase of the strip cycle facilitating easy/snag free wire removal from the tool.

#44269	AWG	Strip Range	lbs.	Pkg.
	10 - 5	4-16mm²	.02	1

Replaceable Cassette - "V" Blade



"V" Blade Stripping Range 0.1 - 4mm²



VBC for PTFE

28-12 AWG

SHOP

44213 **Replaceable VBC or PTFE Cassette, "V" Blade**

Fine adjustability ensures that thin insulations can be stripped without damage to conductors. At the end of the stripping function, the stripping blades open and remain open during the return phase of the strip cycle facilitating easy/snag free wire removal from the tool.

#44213	AWG	Strip Range	lbs.	Pkg.
	28 - 12	0.1-4mm²	.02	1

Item No.	Page
10250	7
11625	7
11630	7
11960	6
11975	6
11980	6
29240	7
29250	7
30901	24
30903	24
30905	24
30907	24
30909	24
30911	25
30912	24
30913	25
30915	25
30917	25
30919	25
30921	25
30923	26
30925	26
30926	26
30927	26
30928	26
30929	26
30931	26
30933	26
30937	26
30939	26
30943	26
30947	24
30990	27
30991	27
30993	27
30998	27
32390	11
32600	15
32601	17
32602	15
32603	12
32604	15,44
32605	15,44
32606	12
32607	15
32608	17
32609	12
32610	16
32611	16
32612	12
32614	15
32615	12
32616	12
32618	13

Item No.	Page
32621	13
32623	13
32625	13
32626	19
32627	19
32628	19
32629	19
32630	13
32633	13
32638	15
32639	15
32642	15
32645	13
32646	15
32648	16
32649	15
32652	15
32653	17
32654	18
32655	17
32656	18
32657	16
32658	16
32659	16
32660	14
32661	14
32662	18
32663	14
32664	14
32665	14
32666	18
32667	14
32668	14
32669	14
32670	14
32671	16
32672	16
32674	16
32676	16
32678	16
32679	17
32680	16
32681	18
32682	18
32683	18
32684	18
32685	18
32686	18
32687	18
32688	18
32689	18
32690	18
32691	18
32692	18

Item No.	Page
32693	19
32694	18
32695	18
32696	18
32697	18
32698	16
32702	30
32703	30
32704	30
32705	30
32706	31
32708	31
32710	31
32711	31
32712	31
32714	32
32716	32
32718	32
32720	32
32721	32
32722	33
32724	33
32726	33
32728	33
32732	34
32734	34
32742	34
32744	34
32746	34
32748	35
32750	35
32752	35
32790	35
32791	35
32793	33
32804	6
32806	6
32807	6
32808	6
32810	6
32814	4
32816	4
32818	4
32820	4
32821	4
32826	5
32828	5
32830	5
32832	5
32834	5
32835	5
32836	5
32838	5
32841	4

Item No.	Page
32850	8
32852	8
32854	8
32859	8
32860	5
32861	5
32870	6
32871	7
32872	7
32873	7
32889	8
32891	8
32917	9
32923	9
32926	9
32927	10
32929	9
32930	10
32933	9
32945	10
32947	10
32951	9
32954	10
32956	10
32969	27
32970	22
32971	22
32972	22
32974	22
32975	22
32976	22
32978	22
32979	22
32980	22
32981	10
32983	10
32984	10
32985	11
32986	11
32987	11
32988	11
32995	22
32996	22
32999	11
34610	20
34611	20
34612	20
34615	20
34616	20
34617	20
34620	21
34621	21
34622	21
34625	21

Item No.	Page
34626	21
34627	21
34697	21
34698	21
34699	21
43127	40
43128	40
43129	40
43132	41
43136	41
43137	40
43138	41
43139	40
43140	41
43141	41
43142	40
43143	41
43144	41
43146	40
43147	42
43148	42
43149	39
43150	41
43151	41
43153	40
43154	40
43158	42
43162	42
43164	43
43165	43
43166	43
43190	39
43191	39
43192	39
43612	23
43613	43
43615	44
43617	44
43618	23
43624	23
43628	43
43632	43
43643	23
43652	42
43654	42
43655	42
43656	42
43657	42
43658	42
43659	42
43687	44
44212	45
44213	45
44214	45


Item No.	Page
44269	45
45810	36
45811	36
45812	36
45813	37
45814	37
45820	37
45821	37
45822	37
45823	38
45824	38
45890	38
56801	29
56812	28
56813	29
56815	28
56818	28
56825	28
56830	29
56833	29
56871	25,29
57872	13
76208	9
76210	9
76212	9
76215	9
76290	9
91230	8
91256	4

NOTES:

(800) 494-6104
fax: (800) 494-7456
email: cservice@wihatools.com
www.wihatools.com

SEE OUR GREAT WEB SPECIALS!

wiha Premium Tools



Wiha Quality Tools
1348 Dundas Circle
Monticello, MN 55362
tel: 763.295.6591
fax: 763.295.6598

Wiha Tools Canada Ltd.
www.wihatools.ca
Brampton, ONT L6T 4X4
tel: 866.494.0096 or 763.295.6591
fax: 763.295.6598

To:

Catalog Item No. 99977.wo
version - 5/15/14

Subject to change without notice

©2014 Willi Hahn Corporation



91330.wo - Tooling Catalog



99004.wo - Shop Tools Catalog



99914.wo - TORX Catalog



99002.wo - Screwdrivers Catalog



99919.wo - Insulated Catalog



99001.wo - TorqueControl Catalog



99934.wo - Hex Tools Catalog



99006.wo - Tech Tools Catalog



99945.wo - ESD Catalog



99951.wo - Bits Catalog

2014

wiha
Premium Tools

Professional Tech Tools



Complete Tech Tools Program



wiha Premium Tools

Wiha Precision Screwdrivers



Description	Page
Precision Slotted Drivers	4-5
Precision Phillips Drivers	5
Precision Pozidriv® Drivers	6
Precision Hex Drivers	6
Precision Ball End Drivers	7
Precision Nut Drivers	8
Precision Torx® Drivers	9
Precision Pentalobe Drivers	9
Precision Chip Lifters	4

Wiha Magnetizer/Demagnetizer



Description	Page
Torque Cable Keys	7
TorqueControl Handle	7

Wiha Precision Screwdriver Accessories



Description	Page
Precision Master Tech Set	9
Precision Pocket Clip	4
Precision Stand	4
Precision Pouch	11,13

Wiha Precision PicoFinish Drivers



Description	Page
PicoFinish Screwdrivers Slotted, Phillips, Torx, TorxPlus, Hex, MagicSpring, Ball End Hex, Chip Lifter & Nut Drivers	10-13

Wiha Magnetizer/Demagnetizer



Description	Page
Magnetizer/Demagnetizer	13

Wiha Precision Proturn Drivers



Description	Page
Proturn Drivers & Blade Sets Slotted, Phillips, Torx, Chip Lifter	14

Wiha ESD Safe Precision Handles/Blades



Description	Page
SYSTEM 4 Handles/Blades	15-16
SYSTEM 4 Sets	18-19

Wiha ESD Safe Precision Handle & Blades





Description	Page
SYSTEM 4 Drive-Loc Handle & Blades	17
SYSTEM 4 Drive-Loc Set	17

ESD Safe Micro Bit Handles, Bits & Sets







Description	Page
Micro Bits Handles/Bits/Sets	20-22
Micro Bit Storage Handle Sets	21
ESD Safe Micro Bit Sets	23

Precision Electronic Pliers/Cutters

	Description	Page
	Electronic Diagonal Cutters Wide Pointed Head	24
	Electronic Diagonal Cutters Wide Shape w/Wire Holding Spring	24
	Electronic Diagonal Cutters Narrow Shape	24
	Electronic Diagonal Cutters Full Flush Cutters w/Wire Trapping Spring	25
	Electronic Diagonal Cutters 48° Front Cutter/Long Nose Pliers	25
	Electronic Diagonal Cutters Oblique 30° Cutting Nippers	25
	Electronic Diagonal Cutters Short Nose Precision Pliers	25
	Electronic Stripping Pliers	25
	Flush Cutting Diagonal Cutters	25

Wiha Stripping Tools

	Description	Page
	Self Adj. Cut & Strip Tools	34
	Adjustable Cable Stripper	35
	Adjustable Stripping Tool	35
	CATV/Satellite Stripper	35
	2 Step Stripping Tools	36
	3 Step Stripping Tools	37

Wiha Professional Tweezers

	Description	Page
	ESD Safe Tweezers	26-28
	Inspection Mirrors	29

Stripping & Crimping Tools

	Description	Page
	PortaCrimp Frame	30
	PortaCrimp Dies	31-33
	PortaCrimp Sets	30

Wiha ESD Safe Tech Tools

ESD Safe Precision Drivers Slotted/Phillips/Torx®/ TorxPlus®/Hex/Nut Drivers/ Chip Lifter

ESD Safe Ceramic Drivers

ESD Safe SYSTEM 4 Handles/Blades/Sets

ESD Safe Drive-Loc Handles/Blades/Sets

ESD Safe Pliers & Cutters



Catalog 99945.wo

Rotating cap
for precise turning and control with fingertip

Precision handle
high quality plastic, cadmium free

Molded on tapered handle
allows rapid rotation

High performance blades
chrome-vanadium-molybdenum steel, Hard chrome finished

Tip
precision ground for exact fit, hard chromed non-slip surface



Wiha Precision Chip Lifter & Accessories



SHOP

26810 Precision Chip Lifter

Blade chrome-vanadium-molybdenum steel, hardened, chrome-plated.
Precision handle high quality plastic, impact resistant. Standard handle

Item No.	mm	mm	mm	mm	Inch	lbs.	pkg.
26810	1	3.5	50	145	5.7	.07	1

*Metric dimensions actual - Inch dimensions approximate



SHOP

26001 Pocket Clip for Precision Screwdrivers

Tool clips turn Precision Screwdrivers into Pocket Screwdrivers.

Item No.		lbs.	pkg.
26001	Fits all Precision handles	.0035	1



SHOP

26000 Plastic Precision Tool Rack

Rack holds 6 precision screwdrivers, can be set on workbench.
Also has holes for hanging. Made from high quality plastic.

Item No.		lbs.	pkg.
26000	Rack for 6 Precision screwdrivers	.08	1

Wiha Long Life Precision Series



SHOP

260 Slotted Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26008	.80	1/32	40	1.6	0.16	.01	120	4.7	.02	10
26010	1.0	.039	40	1.6	0.18	.01	120	4.7	.02	10
26012	1.2	3/64	40	1.6	0.20	.01	120	4.7	.02	10
26015	1.5	1/16	40	1.6	0.25	.01	120	4.7	.02	10
26018	1.8	.070	40	1.6	0.30	.01	120	4.7	.02	10
26020	2.0	5/64	40	1.6	0.40	.02	120	4.7	.02	10
26022	2.0	5/64	50	2.0	0.40	.02	145	5.7	.02	10
26023	2.0	5/64	100	3.9	0.40	.02	180	7.1	.03	10
26025	2.5	3/32	50	2.0	0.40	.02	145	5.7	.03	10
26027	2.5	3/32	100	3.9	0.40	.02	195	7.7	.03	10
26028	2.5	3/32	150	6.0	0.40	.02	245	9.6	.04	10
26030	3.0	1/8	50	2.0	0.50	.02	145	5.7	.03	10
26032	3.0	1/8	60	2.4	0.50	.02	170	6.7	.04	10
26033	3.0	1/8	100	3.9	0.50	.02	210	8.3	.04	10
26034	3.0	1/8	150	5.9	0.50	.02	260	10.2	.05	10
26035	3.5	9/64	60	2.4	0.60	.02	170	6.7	.05	10
26040	4.0	5/32	60	2.4	0.80	.03	170	6.7	.05	10
26041	4.0	5/32	100	3.9	0.80	.03	210	8.3	.06	10
26042	4.0	5/32	150	5.9	0.80	.03	260	10.2	.07	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26090 6 Piece Precision Slotted Set

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.		lbs.
26090	**Slotted:**	
	1.5, 2.0 x 40mm	.27
	2.5, 3.0 x 50mm	
	3.5, 4.0 x 60mm	



SHOP

26099 8 Piece Precision Slotted Set

Blade high alloy chrome-vanadium-molybdenum steel.
Hard chrome finished. In canvas storage pouch

Item No.		lbs.
26099	**Slotted:** 1.0, 1.2, 1.5, 2.0 x 40mm	
	2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54

Wiha Precision Slotted/Phillips Drivers




261 **Phillips Screwdriver, With Precision Handle** SHOP

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26102	000	40	1.6	2.0	.08	120	4.7	.02	10
26100	00	40	1.6	2.0	.08	120	4.7	.02	10
26101	00	75	3.0	2.0	.08	155	6.1	.02	10
26105	0	50	2.0	3.0	.12	145	5.7	.02	10
26108	0	75	3.0	3.0	.12	170	6.7	.03	10
26107	0	100	3.9	3.0	.12	195	7.6	.05	10
26109	0	150	5.9	3.0	.12	245	9.6	.06	10
26110	1	60	2.4	4.0	.16	170	6.7	.05	10
26113	1	80	3.1	4.0	.16	190	7.5	.05	10
26114	1	100	3.9	4.0	.16	210	8.2	.06	10
26115	1	150	5.9	4.0	.16	260	10.2	.07	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26092 **7 Piece Precision Slotted & Phillips Set** Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		lbs.
26092	**Slotted:** 2.5 x 50mm,	.30
	2.5, 3.0, 4.0 x 100mm	
	3.0, 4.0 x 150mm	
	Phillips: 0 x 75mm	



SHOP

26190 **7 Piece Precision Slotted & Phillips Set** Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		lbs.
26190	**Slotted:** 1.5 x 40mm	.31
	2.0, 2.5 x 50mm	
	3.0 x 60mm	
	Phillips: 00 x 40mm	
	0 x 50mm, 1 x 60mm	



SHOP

26194 **4 Piece Precision Phillips Set**

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.		lbs.
26194	**Phillips:** 000, 00 x 40mm	
	0 x 50mm, 1 x 60mm	.18



In canvas storage pouch

SHOP

26199 **8 Piece Precision Slotted/Phillips Set**

Blade high alloy CVM steel, hard chrome finished.

Item No.		lbs.
26199	**Slotted:** 1.0, 2.0 x 40mm,	
	3.0 x 50mm, 4.0 x 60mm	.55
	Phillips: 000, 00 x 40mm,	
	0 x 50mm, 1 x 60mm	



SHOP

26192 **5 Piece Precision Slotted & Phillips Set** Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		lbs.
26192	**Slotted:** 2.5, 3.0, 4.0 x 150mm	.44
	Phillips: 0, 1 x 150mm	

Wiha Pozidriv® Precision Series



SHOP

262 **Pozidriv® Screwdriver, With Precision Handle**

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26205	0	50	2.0	3.0	.12	145	5.7	.03	10
26210	1	60	2.4	4.0	.16	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate

Wiha Hex Metric Precision Series



SHOP

263 Metric **Metric Hex Driver, With Precision Handle**

Metric sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26307	.7	.028	40	1.6	120	4.7	.02	10
26309	.9	.035	40	1.6	120	4.7	.02	10
26313	1.3	.050	40	1.6	120	4.7	.02	10
26315	1.5	-	50	2.0	145	5.7	.03	10
26320	2.0	5/64	50	2.0	145	5.7	.03	10
26325	2.5	-	60	2.4	170	6.7	.04	10
26330	3.0	-	60	2.4	170	6.7	.04	10
26340	4.0	-	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26390 **7 Pc. Precision Hex Driver Set - Metric** Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Hex Metric:	lbs.
26390	.7, .9, 1.3 x 40mm	.28
	1.5, 2.0 x 50mm	
	2.5, 3.0 x 60mm	

Wiha Hex Inch Precision Series



SHOP

263 Inch **Inch Hex Driver, With Precision Handle**

Inch sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Inch	mm	mm	Inch	mm	Inch	lbs.	pkg.
26307	0.028	0.7	40	1.6	120	4.7	.02	10
26309	0.035	0.9	40	1.6	120	4.7	.02	10
26313	0.05	1.3	40	1.6	120	4.7	.02	10
26316	1/16	-	50	2.0	145	5.7	.03	10
26320	5/64	2.0	50	2.0	145	5.7	.03	10
26323	3/32	-	60	2.4	170	6.7	.04	10
26327	7/64	-	60	2.4	170	6.7	.04	10
26331	1/8	-	60	2.4	170	6.7	.04	10
26333	9/64		60	2.4	170	6.7	.05	10
26336	5/32		60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26391 **8 Pc. Precision Hex Driver Set - Inch** Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Hex Inch:	lbs.
26391	.028, .035, .050 x 1.6”	.32
	1/16, 5/64 x 2.0”	
	3/32, 7/64, 1/8 x 2.4”	



SHOP


26399 **8 Piece Precision Hex Driver Set - Inch**

Blade high alloy chrome-vanadium-molybdenum steel.

Hard chrome finished. In canvas storage pouch

Item No.	Hex Inch:	lbs.
26399	.028, .035, .050 x 1.6”, 1/16, 5/64 x 2.0”, 3/32, 7/64, 1/8 x 2.4”	.55

Wiha Ball End Precision Series




SHOP

264 Inch **Ball End Hex Inch Screwdriver With Precision Handle**

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finish.

Item No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26413	0.05	40	1.6	120	4.7	.02	10
26416	1/16	50	2.0	145	5.7	.03	10
26419	5/64	50	2.0	145	5.7	.03	10
26423	3/32	50	2.0	145	5.7	.03	10
26427	7/64	60	2.4	170	6.7	.03	10
26431	1/8	60	2.4	170	6.7	.05	10
26436	9/64	60	2.4	170	6.7	.05	10
26439	5/32	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

264 Metric **Ball End Hex Metric Screwdriver With Precision Handle**

Angle entry up to 30°. Blade high alloy CVM steel.

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26413	1.3	.050	40	1.6	120	4.7	.02	10
26415	1.5	-	50	2.0	145	5.7	.03	10
26420	2.0	-	50	2.0	145	5.7	.03	10
26425	2.5	-	60	2.4	170	6.7	.04	10
26430	3.0	-	60	2.4	170	6.7	.05	10
26440	4.0		60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26491 **5 Piece Ball End Hex Driver Set - Metric** Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum-steel.

Item No.	Ball End Hex Metric:	lbs.
26491	1.3 x 40mm	.25
	1.5, 2.0 x 50mm	
	2.5, 3.0 x 60mm	



SHOP

26490 **8 Piece Ball End Hex Driver Set - Inch** Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		lbs.
26490	**Hex Inch:** .050 x 1.6, 1/16, 5/64, 3/32 x 2.0, 7/64, 1/8, 9/64, 5/32 x 2.4"	.28



In canvas storage pouch

SHOP

26499 **8 Piece Ball End Hex Driver Set - Inch** Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.		lbs.
26499	**Ball End Hex Inch:** .050 x 1.6", 1/16, 5/64, 3/32 x 2.0" 7/64, 1/8, 9/64, 5/32 x 2.4"	.62

Wiha Torque Cable Keys

NEW



SHOP

286 **Torque Cable Key For Threaded Hex Connectors**

For torque controlled fastening of cable plug connectors with Hex heads. Used with Wiha-TorqueControl Screwdrivers.

Item No.	Size	mm	mm	mm	Max Nm	pkg.	lbs.
28620	8mm	4.0	78	218	1.0	1	.06
28622	9mm	4.0	78	218	1.0	1	.06
28624	11mm	4.0	78	218	1.5	1	.06
28626	12mm	4.0	78	218	1.5	1	.06
28627	13mm	4.0	78	218	1.5	1	.06
28629	14mm	4.0	78	218	1.5	1	.06
28632	17mm	4.0	78	218	1.5	1	.06
28633	18mm	4.0	78	218	1.5	1	.06
28637	22mm	4.0	90	233	2.0	1	.10
28638	24mm	4.0	90	233	2.0	1	.10

28644 **Torque Cable Key For Threaded Hex Connectors** - Inch

Item No.	Size	mm	mm	mm	Max Nm	pkg.	lbs.
28644	1/2"	4.0	78	218	1.5	1	.06

+/-6% accuracy tolerance
Certificate of calibration



SHOP

28552 **Adjustable TorqueVario-S Handle - In Newton Meter Scale**

EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle.

Item No.	Newton Meter Scale	Increments	mm	lbs.	pkg.
28552	0.8 - 2.0Nm	.10 Nm	126 - 131	.45	1

Wiha Nut Driver Precision Series



265 Metric **Metric Nut Driver With Precision Handle** SHOP

Metric sizes. Blade CVM steel. Hard chrome finished.

Item No.	mm	mm	Inch	mm	Inch	mm	mm	lbs.	pkg.
26510	1.5	60	2.4	140	5.5	2.5	3.0	.03	10
26515	1.8	60	2.4	140	5.5	2.9	3.5	.03	10
26520	2.0	60	2.4	140	5.5	3.2	4.0	.04	10
26525	2.5	60	2.4	155	6.1	4.0	4.0	.04	10
26530	3.0	60	2.4	155	6.1	5.0	5.0	.05	10
26532	3.2	60	2.4	155	6.1	5.0	5.0	.05	10
26535	3.5	60	2.4	155	6.1	5.3	6.0	.05	10
26540	4.0	60	2.4	155	6.1	5.5	6.0	.05	10
26545	4.5	60	2.4	155	6.1	6.2	7.0	.05	10
26550	5.0	60	2.4	155	6.1	6.8	7.0	.05	10
26555	5.5	60	2.4	170	6.7	7.6	8.0	.06	10
26560	6.0	60	2.4	170	6.7	8.2	9.0	.06	10
26570	7.0	60	2.4	170	6.7	9.6	10.0	.06	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26590 **8 Pc. Precision Nut Driver Set - Metric** Blade CVM steel.

Item No.		lbs.
26590	**Metric Nut Drivers:** 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0 x 60mm	.48

26592 **Set 7 Pcs. Nut Driver Metric**

Item No. 26592 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm



SHOP

26598 **8 Pc. Precision Nut Driver Set - Metric**

Blade high alloy chrome-vanadium-molybdenum steel.
Hard chrome finished. In canvas storage pouch

Item No.		lbs.
26598	**Metric Nut Drivers:** 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0 x 60mm	.70



265 Inch **Inch Nut Driver With Precision Handle** SHOP

Inch sizes. Blade CVM steel. Hard chrome finished.

Item No.	Inch	mm	Inch	mm	Inch	Inch	Inch	lbs.	pkg.
26523	3/32	60	2.4	155	6.1	.16	.16	.04	10
26527	7/64	60	2.4	155	6.1	.20	.20	.05	10
26531	1/8	60	2.4	155	6.1	.20	.20	.05	10
26536	9/64	60	2.4	155	6.1	.21	.24	.05	10
26539	5/32	60	2.4	155	6.1	.22	.24	.05	10
26547	3/16	60	2.4	155	6.1	.25	.28	.05	10
26556	7/32	60	2.4	170	6.7	.30	.32	.06	10
26563	1/4	60	2.4	170	6.7	.34	.36	.06	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26591 **8 Pc. Precision Nut Driver Set - Inch** Blade CVM steel.

Item No.		lbs.
26591	**Inch Nut Drivers:** 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	47




SHOP

26599 **8 Pc. Precision Nut Driver Set - Inch**

Blade high alloy chrome-vanadium-molybdenum steel.
Hard chrome finished. In canvas storage pouch

Item No.	Inch Nut Drivers:	lbs.
26599	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	.72

Wiha Precision Screwdriver Set



SHOP

92191 **51 Piece Precision Tool Tray Set**

Tool box tray. Equipped with 51 precision drivers.

Item No.	
92191	**Slotted:** .8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0
	Phillips: #000, #00, #0, #1
lbs. 3.14	**Torx®:** T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
	Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0, 4.0
	Inch Hex: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Metric Nut Drivers: 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5
	26810 Chip Lifter

Wiha TORX® Precision Series



267 **TORX® Screwdriver, With Precision Handle** SHOP

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26701	T1	40	1.6	120	4.7	.01	10
26702	T2	40	1.6	120	4.7	.02	10
26703	T3	40	1.6	120	4.7	.02	10
26704	T4	40	1.6	120	4.7	.02	10
26705	T5	40	1.6	120	4.7	.02	10
26706	T6	40	1.6	120	4.7	.02	10
26707	T7	40	1.6	120	4.7	.02	10
26708	T8	40	1.6	120	4.7	.03	10
26709	T9	50	2.0	145	5.7	.03	10
26710	T10	50	2.0	145	5.7	.03	10
26715	T15	60	2.4	170	6.7	.05	10
26720	T20	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26790 **6 Pc. TORX® Screwdriver Set**

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	TORX®:	lbs.
26790	T6, T7, T8 x 40mm	.30
	T9, T10 x 50mm	
	T15 x 60mm	

26791 **Set 8 Pcs. TORX® Screwdriver Set**

Item No. 26791 T1, T2, T3, T4, T5, T6, T7, T8



SHOP

26799 **8 Pc. TORX® Screwdriver Set**

Blade high alloy chrome-vanadium-molybdenum steel.

Hard chrome finished. In canvas storage pouch

Item No.		lbs.
26799	TORX®: T3, T4, T5, T6, T7, T8 x 40mm	
	T9 x T10 x 50mm	.50



SHOP

26792 **7 Pc. TORX® Screwdriver Set**

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	TORX®:	lbs.
26792	T5, T6, T7, T8 x 40mm	.33
	T9, T10 x 50mm	
	T15 x 60mm	

Wiha Pentalobe IPR Precision Series

Wiha Pentalobe IPR drivers will fit fasteners used in "Apple" brand products including iPhone, Mac Book & Mac Air

NEW

- Exact fit precision machined Pentalobe tips
- High performance CRM72 tool steel
- Hard chromed finish blades & tips
- Tapered ergonomic handle
- Easy spin finger tip control cap





267 **Pentalobe IPR Screwdriver, With Precision Handle**

Blade high alloy chrome-vanadium-molybdenum steel. SHOP

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26761	P1	40	1.6	120	4.7	.01	1
26762	P2	40	1.6	120	4.7	.02	1
26763	P3	40	1.6	120	4.7	.02	1
26764	P4	40	1.6	120	4.7	.02	1
26765	P5	40	1.6	120	4.7	.02	1
26766	P6	40	1.6	120	4.7	.02	1

*Metric dimensions actual - Inch dimensions approximate



SHOP

26794 **6 Pc. Precision Pentalobe IPR Screwdriver Set**

Blade high alloy chrome-vanadium-molybdenum steel.

Hard chrome finished. Super hardened best wear resistance long life

Item No.	Pentalobe IPR Drivers:	lbs.
26794	P1, P2, P3, P4,	.35
	P5, P6	

Wiha Precision Screwdriver Set



SHOP

92190 **Master Technicians Bench Top Set**

Metal frame. Equipped with 50 precision drivers.

Item No.	
92190	**Slotted:** .8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0
	Phillips: #000, #00, #0, #1
lbs. 2.86	**TORX®:** T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
	Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0
	Inch Hex: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Metric Nut Drivers: 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5
	26810 Chip Lifter

Wiha Soft Grip PicoFinish Precision Screwdrivers

The Comfortable Precision Screwdriver



Color coded symbols on rotating cap gives easy recognition of individual styles & sizes





Ergonomic multi-component handle with rotating cap for maximum user comfort and precise control



260 **Slotted Precision Screwdriver, With PicoFinish Handle**

Blade CVM steel, hardened, hard chromed.

SHOP

Item No.	mm	Inch	mm	Inch	mm	Inch	Pkg.
26050	0.8	.03	40	1.6	134	5.3	10
26051	1.0	.04	40	1.6	134	5.3	10
26052	1.2	.05	40	1.6	134	5.3	10
26053	1.5	.06	40	1.6	134	5.3	10
26054	1.5	.06	60	2.4	154	6.1	10
26055	1.8	.07	40	1.6	134	5.3	10
26056	1.8	.07	60	2.4	154	6.1	10
26060	2.0	.08	40	1.6	140	5.5	10
26061	2.0	.08	60	2.4	160	6.3	10
26063	2.0	.08	100	3.9	200	7.9	10
26065	2.5	.09	50	2.0	150	5.9	10
26066	2.5	.09	75	3.0	175	6.9	10
26068	2.5	.09	100	3.9	200	7.9	10
26070	3.0	.13	50	2.0	150	5.9	10
26072	3.0	.13	100	3.9	200	7.9	10
26073	3.0	.13	150	5.9	250	9.8	10
26074	3.5	.14	60	2.4	160	6.3	10
26076	4.0	.16	60	2.4	160	6.3	10
26079	4.0	.16	100	3.9	200	7.9	10
26080	4.0	.16	150	5.9	250	9.8	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26093 **8 Pc. Slotted Precision Screwdriver Set, With Soft PicoFinish Handle** In storage pouch

Item No.		
26093	**Slotted:** .8, 1.2, 1.5, 2.0 x 40mm	lbs.
	2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54



261 **Phillips Precision Screwdriver, With Soft PicoFinish Precision Handle** Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

SHOP

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	pkg.
26130	000	40	1.6	2.0	.08	134	5.3	10
26132	00	40	1.6	2.0	.08	134	5.3	10
26133	00	60	2.4	2.0	.08	154	6.1	10
26135	0	50	2.0	3.0	.12	150	5.9	10
26136	0	75	3.0	3.0	.12	175	6.9	10
26140	1	60	2.4	4.0	.16	160	6.3	10
26142	1	80	3.1	4.0	.16	180	7.1	10
26145	1	150	5.9	4.0	.16	250	9.8	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26193 **8 Pc. Slotted & Phillips Precision Driver Set, With Soft PicoFinish Handle** Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.		
26193	**Slotted:** 1.0, 1.5, 2.0 x 40mm	lbs.
	2.5 x 50mm, 3.5 x 60mm	.55
	Phillips: 00 x 40mm	
	0 x 50mm, 1 x 60mm	

Wiha Pico Soft Grip TORX®



267 **TORX® Screwdriver, With Precision Soft PicoFinish Handle**
Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

SHOP

Item No.	Size	mm	Inch	mm	Inch	pkg.
26732	T1	40	1.6	134	5.3	10
26733	T2	40	1.6	134	5.3	10
26735	T3	40	1.6	134	5.3	10
26736	T4	40	1.6	134	5.3	10
26737	T5	40	1.6	134	5.3	10
26739	T6	40	1.6	140	5.5	10
26741	T7	40	1.6	140	5.5	10
26743	T8	40	1.6	140	5.5	10
26745	T9	50	2.0	150	5.9	10
26747	T10	50	2.0	150	5.9	10
26749	T15	60	2.4	160	6.3	10
26751	T20	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26793 **8 Pc. TORX® Precision Driver Set, With Soft PicoFinish Handle** Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.		
26793	TORX® : T1, T2, T3, T4, T5, T6, T7, T8 x 40mm	lbs. .50



SHOP

26796 **8 Pc. TORX® Precision Driver Set, Soft PicoFinish Handle** Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.		
26796	TORX®: T5, T6, T7, T8 x 40mm T9, T10 x 50mm, T15, T20 x 60mm	lbs. .57

Wiha Pico Soft Grip Screw Holding



267 **MagicSpring Screw Holding TORX® Screwdriver, With Wiha-Precision Soft PicoFinish Handle** Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips.

SHOP

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26721	T6	40	1.6	140	5.5	.03	10
26723	T7	40	1.6	140	5.5	.03	10
26725	T8	40	1.6	140	5.5	.03	10
26727	T9	50	2.0	150	5.9	.04	10
26729	T10	50	2.0	150	5.9	.04	10
26731	T15	60	2.4	160	6.3	.04	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26798 **6 Pc. MagicSpring Screw Holding TORX® Screwdriver Set, With Wiha-Precision Soft PicoFinish Handle** Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips. In storage pouch

Item No.		
26798	MagicSpring TORX®: T6, T7, T8 x 40mm T9, T10, T15 x 50mm	lbs. .45

Pico Soft Grip Precision Chip Lifter



SHOP

26815 **Soft PicoFinish Precision Chip Lifter**
Blade chrome-vanadium-molybdenum steel, hardened, hard chromed.

Item No.	mm	mm	mm	mm	Inch	lbs	pkg.
26815	1	3.5	50	150	5.9	.03	1

Standard Soft PicoFinish handle



SHOP

91118 **Rugged Polyester Canvas Storage Pouch**
Holds 8 Precision Tools up to 170mm in length.
Folding pouch. Has security flaps and velcro closer.

Item No.	Size	lbs.	pkg.
91118	14 1/2" W x 7 3/4" L	.13	1

Pico Soft Grip Hex Inch & Metric



SHOP

263 **Hex Inch Screwdriver, With Precision Soft PicoFinish Handle**

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	Inch	mm	Inch	mm	Inch	pkg.
26341	0.028(0.7)	40	1.6	134	5.3	10
26343	0.035(0.9)	40	1.6	134	5.3	10
26345	0.05(1.3)	40	1.6	134	5.3	10
26349	5/64(2.0)	50	2.0	150	5.9	10
26363	1/16	50	2.0	144	5.7	10
26367	3/32	60	2.4	160	6.3	10
26369	7/64	60	2.4	160	6.3	10
26371	1/8	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

SHOP

26392 **8 Piece Hex Inch Precision Driver Set, Soft PicoFinish Handle** Blade high alloy CVM steel, hardened, hard chromed.

Item No.		
26392	**Hex Inch:** .028, .035, .050 x 1.6”	lbs.
	5/64, 1/16 x 2.0”, 3/32, 7/64, 1/8 x 2.4”	.24



263 **Hex Metric Driver, With Precision Soft PicoFinish Handle**

Blade high alloy CVM tool steel, hardened, hard chrome finish.

SHOP

Item No.	mm	mm	Inch	mm	Inch	pkg.
26341	.71(.028)	40	1.6	134	5.3	10
26343	.89(.035)	40	1.6	134	5.3	10
26345	1.27(.050)	40	1.6	134	5.3	10
26347	1.5	50	2.0	144	5.7	10
26349	2.0(5/64)	50	2.0	150	5.9	10
26351	2.5	60	2.4	160	6.3	10
26353	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

SHOP

26393 **7 Piece Hex Metric Precision Driver Set, Soft PicoFinish Handle** Blade high alloy CVM steel, hardened, hard chromed.

Item No.		
26393	**Hex Metric:** .71, .89, 1.27 x 40mm	lbs.
	1.5, 2.0 x 50mm, 2.5, 3.0 x 60mm	.22

Pico Soft Grip Ball End Inch & Metric



SHOP

264 **Ball End Hex Inch Screwdriver, With Precision Soft PicoFinish Handle** Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	Inch	Inch	mm	Inch	mm	pkg.
26455	1/16	2.0	50	5.9	150	10
26457	5/64	2.0	50	5.9	150	10
26459	3/32	2.0	50	5.9	150	10
26461	7/64	2.4	60	6.3	160	10
26463	1/8	2.4	60	6.3	160	10
26465	9/64	2.4	60	6.3	160	10
26467	5/32	2.4	60	6.3	160	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26493 **7 Piece Inch Ball End Hex Precision Driver Set, With Soft PicoFinish Handle** Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.		
26493	**Ball End Hex Inch:**	lbs.
	1/16, 5/64, 3/32 x 2.0”	.27
	7/64, 1/8, 9/64, 5/32 x 2.4”	



SHOP

264 **Ball End Hex Metric Screwdriver, With Precision Soft PicoFinish Handle.** Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	mm	mm	Inch	mm	Inch	pkg.
26441	1.3	40	1.6	134	5.3	10
26443	1.5	50	2.0	150	5.9	10
26445	2.0	50	2.0	150	5.9	10
26447	2.5	60	2.4	160	6.3	10
26449	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate

Pico Soft Grip Nut Drivers Inch & Metric



SHOP

265 Inch Nut Drivers, With Precision Soft PicoFinish Handle

Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	○ Inch	Inch	mm	Inch	mm	pkg.
26571	3/32	2.4	60	6.3	160	10
26572	7/64	2.4	60	6.3	160	10
26573	1/8	2.4	60	6.3	160	10
26574	9/64	2.4	60	6.3	160	10
26575	5/32	2.4	60	6.3	160	10
26576	3/16	2.4	60	6.3	160	10
26577	7/32	2.4	60	6.3	160	10
26578	1/4	2.4	60	6.3	160	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26593 8 Piece Inch Nut Driver Set, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish. Chrom-Top finish on tip for a perfect fit. In storage pouch

Item No.		lbs.
26593	**Inch Nut Drivers:** 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	.72



SHOP

91118 Rugged Polyester Canvas Storage Pouch

Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

Item No.	Size	lbs.	pkg.
91118	14 1/2" W x 7 3/4" L	.13	1



SHOP

265 Metric Nut Drivers, With Precision PicoFinish Handle

Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	○ mm	mm	Inch	mm	Inch	pkg.
26579	1.5	60	2.4	160	6.3	10
26581	2.0	60	2.4	160	6.3	10
26582	2.5	60	2.4	160	6.3	10
26583	3.0	60	2.4	160	6.3	10
26584	3.5	60	2.4	160	6.3	10
26585	4.0	60	2.4	160	6.3	10
26586	4.5	60	2.4	160	6.3	10
26587	5.0	60	2.4	160	6.3	10
26588	5.5	60	2.4	160	6.3	10
26589	6.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26596 8 Piece Metric Nut Driver Set, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish. Chrom-Top finish on tip for a perfect fit. In storage pouch

Item No.		lbs.
26596	**Metric Nut Drivers:** 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5 x 60mm	.66

Wiha Magnetizer/Demagnetizer

Magnetize or Demagnetize tools and small parts instantly

Shatterproof Box is made from high quality plastic

Uses 2 C8 industrial permanent magnets



(+) to Magnetize

(-) to Demagnetize

40010 Magnetizer and Demagnetizer

SHOP

To magnetize and demagnetize steel screwdriver blades, tweezers and similar tools. Box high quality plastic, shock-resistant, green, cadmium free.


Application:

To magnetize, lead tool slowly through the (+) opening, to demagnetize guide tool slowly through the (-) opening.

Item No.	Dimensions	lbs.
40010	2.1" x 2.0" x 1.1"	.30

(Parts under 1" Length or 1/8" Diameter may not demagnetize)

Wiha Proturn Precision Screwdrivers





SHOP

95190 **6 Piece Slotted/Phillips Proturn Precision Screwdriver Set**

Molded on precision handle. Blade high alloy chrome-vanadium-molybdenum tool steel, black finish.

Item No.		↕◐ mm	▭ mm		⊕ Size	▭ mm	lbs.
95190	Slotted:	1.5mm	40	Phillips:	00	40	.27
		2.5mm	50		0	50	
		3.5mm	60		1	60	



SHOP

65090 **9 Piece Slotted/Phillips Proturn Precision Screwdriver Set**

Molded on precision handle. Blade high alloy chrome-vanadium-molybdenum tool steel, black finish.

Item No.		↕◐ mm	▭ mm	↕◐ mm	▭ mm		⊕ Size	▭ mm
65090	Slotted:	1.5	40	3.0	60	Phillips:	00	40
		2.0	50	3.5	60		0	50
		2.5	60	4.0	60		1	60



SHOP

96800 **Proturn Precision Chip Lifter**

Molded on precision handle. Blade chrome-vanadium-molybdenum tool steel, hardened, black finish.

Item No.	▭ Size	▭ mm	▭ mm	▭ Inch	lbs.	pkg.
96800	1.0	50	145	5.7	.07	1



SHOP

62990 **5 Piece Slotted & Phillips Pocket Pack Set** Wiha Proturn precision ball retainer handle & 4 Wiha interchangeable blades.

62990 Set includes the following blades:

- ↕◐ **Slotted:** 1.5, 2.0, 3.0, 4.0
- ⊕ **Phillips:** #000, #00, #0, #1
- **lbs.** .15



SHOP

62993 **9 Piece Slotted/Phillips/TORX® Work Station Set** Wiha Proturn precision ball retainer handle & 8 Wiha interchangeable blades.

62993 Set includes the following blades:

- ↕◐ **Slotted:** 1.5, 2.0, 3.0, 4.0
- ⊕ **Phillips:** #000, #00, #0, #1
- ✪ **TORX®:** T6, T7, T8, T9, T10, T15, T20
- **lbs.** .64

#62995 #62994





SHOP

62995 **22 Piece Slotted/Phillips/TORX®/Ball End Hex Inch & Metric Tech Pack** Wiha Proturn precision ball retainer handle & 21 Wiha interchangeable blades. Set in canvas storage pouch

62995 Set includes the following blades:

- ↕◐ **Slotted:** 1.5, 2.0, 3.0, 4.0
- ⊕ **Phillips:** #000, #00, #0, #1
- ✪ **TORX®:** T6, T7, T8, T9, T10, T15, T20
- ⬢ **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32”
- ⬢ **Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0mm
- **lbs.** .87

62994 **14 Piece Inch/Metric Ball End Hex Work Tech Pack**


Proturn precision ball retainer handle & 13 Wiha interchangeable blades.

62994 Set includes the following blades:

- ⬢ **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32”
- ⬢ **Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0mm
- **lbs.** .66 Set in canvas storage pouch

SHOP

Wiha SYSTEM 4 Precision Handles and Blades





SHOP

26900 SYS 4 Standard Precision Handle, with rotating control cap. Accepts all SYSTEM 4 interchangeable blades. Wiha Precision handle, tapered, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item	○ mm	○ Inch	mm	Inch	lbs.
No.					
26900	4.0	.1574	14.0	.55	.04



SHOP

26901 SYSTEM 4 Standard Precision Adjustable handle with rotating control cap.

Advantages:

- Allows adjustable blade from 15 to 95mm.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item	○ mm	○ Inch	mm	Inch	lbs.
No.					
26901	4.0	.1574	14.0	.55	.06



SHOP

28000 ESD Safe Dissipative Precision Handle with rotating control cap. Surface resistant 10^6-10^9 Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item	○ mm	○ Inch	mm	Inch	lbs.
No.					
28000	4.0	.1574	14.0	.55	.04



SHOP

28001 ESD Safe Dissipative Precision Adjustable Handle with rotating control cap.

Advantages:

- Use in ESD sensitive applications. Surface resistant 10^6-10^9 Ohms.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item	○ mm	○ Inch	mm	Inch	lbs.
No.					
28001	4.0	.1574	14.0	.55	.04



269 SYSTEM 4 Slotted Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

SHOP

Item	↕◐ mm	↕◐ mm	mm	Inch	lbs.
No.					
26903	1.5	+ 3.0	120	4.7	.05
26904	2.0	+ 3.5	120	4.7	.05
26905	2.5	+ 4.0	120	4.7	.06



269 SYSTEM 4 Phillips Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item	✚ Size	✚ Size	mm	Inch	lbs.
No.					
26911	000	+ 00	120	4.7	.03
26912	0	+ 1	120	4.7	.03

SHOP



269 SYSTEM 4 Combined Slotted/Phillips Reversible Blade High alloy CVM steel, hardened, hard chromed.

SHOP

Item	↕◐ mm	✚ Size	mm	Inch	lbs.
No.					
26971	1.5	+ 000	120	4.7	.05
26972	2.0	+ 00	120	4.7	.05
26973	3.0	+ 0	120	4.7	.05
26974	4.0	+ 1	120	4.7	.06



269 SYSTEM 4 Pozidriv® Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

SHOP

Item	✚ Size	✚ Size	mm	Inch	lbs.
No.					
26922	0	+ 1	120	4.7	.03



269 SYS 4 TORX® Reversible Blade High alloy CVM steel, hardened, vapor chrome protected, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL.

SHOP

Item	✪ Size	✪ Size	lbs.
No.			
26951	T6	+ T8	.03
26952	T7	+ T9	.03
26953	T10	+ T15	.03
26954	T15	+ T20	.03



269 SYSTEM 4 TORX® Interchangeable Blade High alloy CVM steel, hardened, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL

SHOP

Item	✪ Size	lbs.
No.		
26955	T3	.03
26956	T4	.03
26957	T5	.03

Wiha SYSTEM 4 Precision Blades



SHOP

269 SYSTEM 4 Inch Hex Sizes,
Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.


Item No.	Inch	mm	Inch	lbs.
26921	.050	120	4.7	.06
26923	1/16	120	4.7	.06
26924	5/64	120	4.7	.06
26925	3/32	120	4.7	.06
26926	7/64	120	4.7	.06
26927	1/8	120	4.7	.06
26928	9/64	120	4.7	.06
26929	5/32	120	4.7	.06



SHOP

269 SYSTEM 4 Metric Hex Sizes,
Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.


Item No.	mm	mm	Inch	lbs.
26913	0.7	120	4.7	.06
26914	0.9	120	4.7	.06
26915	1.3	120	4.7	.06
26916	1.5	120	4.7	.06
26917	2.0	120	4.7	.06
26918	2.5	120	4.7	.06
26919	3.0	120	4.7	.06
26920	4.0	120	4.7	.06



SHOP

280 SYSTEM 4 Inch Ball End Hex
Interchangeable Blade High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item No.	Inch	mm	Inch	lbs.
28021	.050	120	4.7	.06
28023	1/16	120	4.7	.06
28024	5/64	120	4.7	.06
28025	3/32	120	4.7	.06
28026	7/64	120	4.7	.06
28027	1/8	120	4.7	.06
28028	9/64	120	4.7	.06
28029	5/32	120	4.7	.06



SHOP

280 SYSTEM 4 Metric Ball End Hex
Interchangeable Blade High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item No.	mm	mm	Inch	lbs.	pkg.
28033	1.5	120	4.7	.06	1
28034	2.0	120	4.7	.06	1
28035	2.5	120	4.7	.06	1
28036	3.0	120	4.7	.06	1
28037	4.0	120	4.7	.06	1



269 SYS 4 Metric Ball End & Standard Hex, Reversible Blade CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips. One side hex, other side ballpoint hex.

SHOP

Item No.	mm	mm	mm	Inch	lbs.
26932	1.3 +	1.3	120	4.7	.05
26933	1.5 +	1.5	120	4.7	.05
26934	2.0 +	2.0	120	4.7	.06
26935	2.5 +	2.5	120	4.7	.06
26936	3.0 +	3.0	120	4.7	.06
26937	4.0 +	4.0	120	4.7	.06



SHOP

269 SYSTEM 4 Nut Driver Inch,
Interchangeable Blade High alloy chrome-vanadium-molybdenum steel, hardened, corrosion protected. 120mm/4.7" OAL

Item No.	Inch	Inch	Inch	lbs.
26962	3/32	.16	.16	.04
26963	7/64	.20	.20	.04
26964	1/8	.20	.20	.04
26965	9/64	.21	.24	.04
26966	5/32	.22	.24	.04
26967	3/16	.26	.28	.04
26968	7/32	.30	.32	.04
26969	1/4	1.34	.36	.04



SHOP

269 SYSTEM 4 Nut Driver Metric,
Interchangeable Blade High alloy chrome-vanadium-molybdenum steel, hardened, corrosion protected. 120mm/4.7" OAL

Item No.	mm	mm	Inch	Inch	lbs.
26940	1.5 +	1.8	.12	.12	.03
26941	2.0 +	2.5	.16	.16	.03
26938	1.5 -		.11	.11	.04
26939	1.8 -		.12	.12	.04
26949	2.0 -		.13	.13	.06
26950	2.5 -		.16	.16	.06
26942	3.0 -		.20	.20	.06
26943	3.2 -		.20	.20	.06
26944	3.5 -		.22	.24	.06
26945	4.0 -		.22	.24	.06
26946	4.5 -		.25	.28	.06
26947	5.0 -		.27	.28	.06
26948	5.5 -		.30	.32	.06

Wiha SYSTEM 4 Drive-Loc Precision Locking Tools



26961 **ESD Safe Dissipative Precision Drive-Loc Handle**

Surface resistant 10^6-10^9 Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL

Item No.	mm	Inch	mm	Inch	lbs.
26961	4.0	.1574	23	.91	.08

SHOP



269 **SYSTEM 4 Slotted Drive-Loc Reversible Locking Blades**

On 4mm Hex blades

Item No.	mm		mm	lbs.
26958	1.5	+	3.0	.02
26959	2.0	+	3.5	.02
26960	2.5	+	4.0	.02

SHOP



269 **SYSTEM 4 Phillips Drive-Loc Reversible Locking Blades**

On 4mm Hex blades

Item No.	Size		Size	lbs.
26975	000	+	00	.02
26976	0	+	1	.02

SHOP



269 **SYSTEM 4 TORX® Drive-Loc Reversible Locking Blades**

On 4mm Hex blades

Item No.	Size		Size	lbs.
26977	T1	+	T2	.02
26978	T3	+	T4	.02
26979	T5	+	T6	.02
26980	T6	+	T8	.02
26981	T7	+	T9	.02
26982	T10	+	T15	.02



280 **SYSTEM 4 Pozidriv® Drive-Loc Reversible Locking Blades**

On 4mm Hex blades

Item No.	Size		Size	lbs.
28002	0	+	1	.02

SHOP



280 **SYSTEM 4 Metric Hex Drive-Loc Reversible Locking Blades**

On 4mm Hex blades

Item No.	mm		mm	lbs.
28003	1.3	+	1.3	.02
28004	1.5	+	1.5	.02
28005	2.0	+	2.0	.02
28006	2.5	+	2.5	.02
28007	3.0	+	3.0	.02
28008	4.0	+	4.0	.02

SHOP



280 **SYSTEM 4 Metric Nut Drivers Drive-Loc Reversible Locking Blades** On 4mm Hex blades

Item No.	mm		mm	lbs.
28009	1.5	+	1.8	.02
28010	2.0	+	2.5	.02
28011	3.0	+	3.0	.02
28012	3.2	+	3.2	.02
28013	3.5	+	3.5	.02
28014	4.0	+	4.0	.02
28015	4.5	+	4.5	.02
28016	5.0	+	5.0	.02
28017	5.5	+	5.5	.02

SHOP



26985 **12 Piece SYSTEM 4 Precision ESD Drive-Loc Set**


In storage pouch

Item No.	
26985	**ESD Safe Drive-Loc Handle**
	Slotted: 1.5x3.0, 2.0x3.5, 2.5x4.0
lbs. .44	**Phillips:** 000x00, 0x1
	TORX®: T1xT2, T3xT4, T5xT6, T6xT8, T7xT9, T10xT15

SHOP

Wiha Canvas Pouch Sets

D




SHOP



26990 **4 Piece Slotted & Phillips Precision Interchangeable Blade Set**
Wiha ESD Safe precision collet lock handle and 3 Wiha interchangeable blades.
26990 Set includes the following blades:
- **Slotted:** 2.0, 3.0, 4.0mm
- **Phillips:** 00, 0, 1
- **lbs.** .17

D




SHOP



26991 **6 Piece Slotted & Phillips Precision Interchangeable Blade Set** Wiha ESD Safe precision collet lock handle and 5 Wiha interchangeable blades. In canvas pouch.
26991 Set includes the following blades:
- **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm
- **Phillips:** 000, 00, 0, 1
- **lbs.** .29

D




SHOP



26992 **17 Pc. Slotted, Phillips and Ball End Hex Metric/Inch Precision Interchangeable Blade Set** Wiha ESD Safe precision collet lock handle and 15 Wiha interchangeable blades.
26992 Set include the following blades:
- **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- **Phillips:** 000, 00, 0, 1
- **Ball End Hex Inch:** .050,1/16, 5/64, 7/64, 3/32,1/8"
- **Ball End Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0mm
- **ESD Safe Precision Chip Lifter**
- **lbs.** .63

D



SHOP




28080 **22 Piece Slotted, Phillips, TORX® & Hex Precision Interchangeable Blade Set**
Wiha ESD Safe precision collet lock handle and 20 Wiha interchangeable blades.
28080 Set includes the following blades:
- **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- **Phillips:** 000, 00, 0, 1
- **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
- **Hex:** .028, .035
- **Ball Hex:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- **ESD Safe Precision Chip Lifter**
- **lbs.** .33

ESD Technicians Kit

Precision Screwdrivers & Tweezers





SHOP

D




44590 **12 Pc. Slotted, Phillips and TORX® Precision Interchangeable Blade Set** Wiha ESD Safe precision collet lock handle, 7 Wiha interchangeable blades & 4 ESD Safe Tweezers.
44590 Set includes the following blades:
- **Slotted:** 2.0, 3.0, 4.0mm
- **Phillips:** 00, 0, 1
- **TORX®:** T6, T7, T8, T9, T10, T15

ESD Safe Precision Tweezers:
- 44501 Fine Point - AA SA
- 44509 Extra Fine Point - 5 SA
- 44505 Flat and Blunt - 2a SA
- 44510 Curved Fine Point - 7a SA
- **lbs.** .60

Slotted, Phillips, TORX® Set In Steel Box

D




SHOP



28094 **11 Piece Slotted, Phillips & TORX® Precision Interchangeable Blade Set** Wiha ESD Safe precision collet lock handle and 10 Wiha interchangeable blades.
28094 Set includes the following blades:
- **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- **Phillips:** 000, 00, 0, 1
- **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
- **lbs.** 1.51

Slotted & Phillips Set In Steel Box

D




SHOP



26993 **6 Piece Slotted & Phillips Precision Interchangeable Blade Set**
Wiha ESD Safe precision collet lock handle and 5 Wiha interchangeable blades.
26993 Set includes the following blades:
- **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm
- **Phillips:** 000, 00, 0, 1
- **lbs.** .87

ESD Anti-Static Vinyl Pouch Set



SHOP

ESD Safe



28091 **6 Piece Slotted & Phillips Precision Interchangeable Blade Set**

Wiha-ESD Safe precision collet lock handle and 5 Wiha interchangeable blades.

28091 **Set includes the following blades:**

- **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm
- **Phillips:** 000, 00, 0, 1
- **lbs.** .25



SHOP

ESD Safe




28097 **9 Piece Slotted, Phillips and TORX® Precision Interchangeable Blade Set**

Wiha ESD Safe precision collet lock handle and 8 Wiha Interchangeable blades.

28097 **Set includes the following blades:**

- **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- **Phillips:** 000, 00, 0, 1
- **TORX®:** T5, T6, T7, T8, T9, T10, T15
- **lbs.** .33



SHOP

ESD Safe



28084 **13 Piece Slotted, Phillips and Ball End Hex Inch Precision Interchangeable Blade Set** Wiha ESD Safe precision collet lock handle and 12 Wiha interchangeable blades.

28084 **Set includes the following blades:**

- **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- **Phillips:** 000, 00, 0, 1
- **Ball End Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32”
- **lbs.** .44



SHOP

ESD Safe




28087 **8 Piece TORX® Precision Interchangeable Blade Set**

Wiha-ESD Safe precision collet lock handle and 7 Wiha interchangeable blades.

28087 **Set includes the following blades:**

- **TORX® Sizes on standard blades:** T3, T4, T5
- **TORX® Sizes on reversible blades:** T6, T7, T8, T9, T10, T15, T20
- **lbs.** .29



SHOP



26996 **5 Piece Slotted & Phillips Precision Interchangeable Blade Set**

Wiha ESD Safe precision collet lock handle and 4 Wiha interchangeable blades.

26996 **Phillips:** 000, 00, 0, 1

Slotted: 1.5, 2.0, 3.0, 3.5mm

lbs. .54



SHOP



26997 **9 Pc. Slotted, Phillips and TORX® Precision Interchangeable Blade Set**

Wiha ESD Safe precision collet lock handle and 8 Wiha Interchangeable blades.

26997 **Phillips:** 000, 00, 0, 1

Slotted: 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm

TORX®: T6, T7, T8, T9, T10, T15

lbs. .64



SHOP



26999 **9 Piece Hex Metric Precision Blade Set**

Wiha ESD Safe precision collet lock handle and 8 Wiha interchangeable blades.

26999 **Hex Metric:** .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm

lbs. .66



SHOP



26989 **9 Piece Hex Inch Precision Blade Set**

Wiha ESD Safe precision collet lock handle and 8 Wiha interchangeable blades.

26989 **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32”

lbs. .64



SHOP



26995 **5 Piece TORX® Precision Blade Set**

Wiha ESD Safe precision collet lock handle and 4 interchangeable blades.

26995 **TORX®:** T6, T7, T8, T9, T10, T15, T20

lbs. .52



SHOP



26987 **8 Piece TORX® Precision Blade Set**

Wiha ESD Safe precision collet lock handle and 7 interchangeable blades.

26987 **Set includes the following blades:**

- **TORX® standard blades:** T3, T4, T5
- **TORX® reversible blades:** T6, T7, T8, T9, T10, T15, T20
- **lbs.** .62

Wiha SYSTEM 4 Micro Bits





75800 SYSTEM 4 Standard Precision Bit

Handle Accepts all SYSTEM 4 Series bits. 110mm/4.3" OAL

Item No.	○ mm	○ Inch	▬ mm	▬ Inch	lbs.
75800	4.0	.1574	14.0	.55	.06



75801 SYSTEM 4 ESD Safe Dissipative

Precision Bit Handle 110mm/4.3" OAL

Advantages:

- For working in ESD sensitive applications Surface resistant 10^6-10^9 Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits

Item No.	○ mm	○ Inch	▬ mm	▬ Inch	lbs.
75801	4.0	.1574	14.0	.55	.06

SYSTEM 4 Micro Bit Extension Blades



75900 Extension Blade For SYS 4 Micro Bits

Shaft CVM steel, hardened, corrosion protected. Ball retainer bit extension for 4mm bits.

Item No.	⬢ Size	▬ mm	⬢ mm	lbs.
75900	4.0	100	4.0	.07



75901 Magnetic Bit Extension Blade For

SYS 4 Micro Bits Shaft CVM steel, hardened, corrosion protected. Magnetic bit holder.

Item No.	⬢ Size	▬ mm	⬢ mm	lbs.
75901	4.0	100	4.0	.04



750 SYSTEM 4 Slotted Micro Bits

CVM steel, hardened, on 4 mm hex stock.

Item No.	↕◐ mm	▬ mm	▬ Inch	lbs.
75008	0.8	28	1.1	.01
75012	1.2	28	1.1	.01
75015	1.5	28	1.1	.01
75018	1.8	28	1.1	.01
75020	2.0	28	1.1	.01
75025	2.5	28	1.1	.01
75030	3.0	28	1.1	.01
75035	3.5	28	1.1	.01
75040	4.0	28	1.1	.01



751 SYSTEM 4 Phillips Micro Bits

CVM steel, hardened, on 4 mm hex stock.

Item No.	⊕ Size	▬ mm	▬ Inch	lbs.
75105	000	28	1.1	.01
75110	00	28	1.1	.01
75115	0	28	1.1	.01
75120	1	28	1.1	.01



753 SYSTEM 4 Hex Metric Micro Bits

CVM steel, hardened, on 4 mm hex stock.

Item No.	⬢ mm	▬ mm	▬ Inch	lbs.
75307	.7	28	1.1	.01
75309	.9	28	1.1	.01
75313	1.3	28	1.1	.01
75315	1.5	28	1.1	.01
75320	2.0	28	1.1	.01
75325	2.5	28	1.1	.01
75330	3.0	28	1.1	.01
75340	4.0	28	1.1	.01



753 SYSTEM 4 Hex Inch Micro Bits

CVM steel, hardened, on 4 mm hex stock.

Item No.	⬢ Inch	▬ mm	▬ Inch	lbs.
75307	.028	28	1.1	.01
75309	.035	28	1.1	.01
75313	.050	28	1.1	.01
75350	1/16	28	1.1	.01
75352	5/64	28	1.1	.01
75354	3/32	28	1.1	.01
75356	7/64	28	1.1	.01
75358	1/8	28	1.1	.01
75360	9/64	28	1.1	.01
75340	5/32	28	1.1	.01



757 SYSTEM 4 TORX® Micro Bits

CVM steel, hardened, on 4 mm stock.

Item No.	✪ Size	▬ mm	▬ Inch	lbs.
75703	T3	28	1.1	.01
75704	T4	28	1.1	.01
75705	T5	28	1.1	.01
75706	T6	28	1.1	.01
75707	T7	28	1.1	.01
75708	T8	28	1.1	.01
75709	T9	28	1.1	.01
75710	T10	28	1.1	.01
75715	T15	28	1.1	.01
75720	T20	28	1.1	.01



757 SYSTEM 4 Security TORX® Micro Bits

CVM steel, hardened, on 4 mm stock.

Item No.	✪ Size	▬ mm	▬ Inch	lbs.
75727	T7s	28	1.1	.01
75728	T8s	28	1.1	.01
75729	T9s	28	1.1	.01
75735	T10s	28	1.1	.01
75739	T15s	28	1.1	.01
75742	T20s	28	1.1	.01



753 SYS 4 Metric Security Hex Micro Bits

CVM steel, hardened, on 4 mm hex stock.

Item No.	⬢ mm	▬ mm	▬ Inch	lbs.
75322	2.0	28	1.1	.01
75327	2.5	28	1.1	.01
75332	3.0	28	1.1	.01
75342	4.0	28	1.1	.01

753 SYS 4 Security Hex Inch Micro Bits

Item No.	⬢ Inch	▬ mm	▬ Inch	lbs.
75362	5/64	28	1.1	.01
75364	3/32	28	1.1	.01
75366	7/64	28	1.1	.01
75368	1/8	28	1.1	.01
75370	9/64	28	1.1	.01
75372	5/32	28	1.1	.01

Micro Bit 1/4" Drive Power Tool Adapter



75902 Micro Bit 1/4" Drive Power Tool

Adapter Shaft CVM steel, hardened, corrosion protected. For 4mm bits. 2.3" OAL

Item No.	⬢ Size	▬ mm	⬢ mm	lbs.
75902	4.0	60	4.0	.07

Wiha SYSTEM 4 Micro Bits



757 SYSTEM 4 Pentalobe IPR Micro Bits

CVM steel, hardened, on 4 mm hex stock.

Item No.	Size	mm	Inch	lbs.
75743	P1	28	1.1	.01
75744	P2	28	1.1	.01
75745	P3	28	1.1	.01
75746	P4	28	1.1	.01
75747	P5	28	1.1	.01
75748	P6	28	1.1	.01



758 SYSTEM 4 Metric & Inch Nut Setters

CVM steel, hardened, on 4 mm hex stock.

Item No.		mm	Inch	lbs.
Metric	mm	mm	Inch	lbs.
75820	2.0	30	1.2	.01
75821	2.5	30	1.2	.01
75822	3.0	30	1.2	.01
75823	3.5	30	1.2	.01
75824	4.0	30	1.2	.01
75825	4.5	30	1.2	.01
75826	5.0	30	1.2	.01
75827	5.5	30	1.2	.01
Inch	mm	mm	Inch	lbs.
75810	5/64	30	1.2	.01
75811	3/32	30	1.2	.01
75812	7/64	30	1.2	.01
75813	1/8	30	1.2	.01
75814	9/64	30	1.2	.01
75815	5/32	30	1.2	.01
75816	3/16	30	1.2	.01
75817	7/32	30	1.2	.01

1/4" Drive Micro Bit Tool Adapters

#75802



#75803

75802 Micro Bit To 1/4" Drive Insert Bit Adapter magnets to hold 4mm Micro Bits

Item No.	Size	mm	mm	lbs.
75802	4.0	25	4.0	.01

75803 Long Micro Bit To 1/4" Drive Insert Bit Adapter Uses spring clip non-magnetic to hold 4mm Micro Bits

Item No.	Size	mm	mm	lbs.
75803	4.0	38	4.0	.02

Micro Bit Handle Storage Sets





75981 Micro Bit Handle Storage Slotted & Phillips Bit Set, 7 Pcs.

Wiha precision storage handle & 6 Micro Bit interchangeable 4mm bits.

Item No.	Set with Micro Bit Precision Storage Handle
75981	**Slotted:** 1.2, 1.5, 2.0mm
	Phillips: 000, 00, 0
	lbs. .08



75985 Micro Bit Handle Storage TORX® Bit Set, 7 Pcs.

Wiha precision storage handle & 6 Micro Bit interchangeable 4mm bits.

Item No.	Set with Micro Bit Precision Storage Handle
75985	**TORX®** T3, T4, T5, T6, T7, T8
	lbs. .08



75983 Micro Bit Handle Storage Hex Inch Bit Set, 7 Pcs.

Wiha precision storage handle & 6 Micro Bit interchangeable 4mm bits.

Item No.	Set with Micro Bit Precision Storage Handle
75983	**Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8"
	lbs. .08

Proturn Precision Power Driver Bit Set

75989 SYSTEM 4 Proturn Precision Power Screwdriver Set With Micro Bits, 40 Pcs. In Storage Box. Includes Wiha precision handle, Proturn Power Screwdriver & 38 interchangeable Micro bits.

Item No.	Set with System 4 Standard Precision Handle
75989	**Set includes the following bits:**
	Slotted: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
lbs.	**Phillips:** 000, 00, 0, 1
1.18	**TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
	Hex Metric: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"



Wiha SYS 4 Micro Bits & Compact Bit Sets

75999 **SYSTEM 4 Slotted, Phillips, Hex Inch & Metric Precision Interchangeable Bit Set, 26 Pcs. In Compact Fold Out Box.** Wiha precision handle, bit extension & 24 interchangeable bits.

Item No.	Combination Bit Set
75999	Set with Standard Precision Handle
	Set includes the following bits:
	Slotted: 1.5, 2.0, 3.0, 4.0mm
	Phillips: 000, 00, 0, 1
	Hex Metric: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	100mm Bit Extension
	lbs. .64

SHOP


26 Pc. Set

75792 **SYSTEM 4 TORX® Precision Interchangeable Bit Set, 11 Pcs. In Compact Fold Out Box.** Sets includes Wiha precision handle, bit extension and 9 Wiha interchangeable bits.

Item No.	SYSTEM 4 TORX® Bit Set
75792	Set with ESD Safe Precision Handle and the following bits:
	TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15
	100mm Bit Extension
	lbs. .54

SHOP


11 Pc. Set

75395 **SYSTEM 4 Hex Inch & Metric Precision Interchangeable Bit Set, 18 Pcs. In Compact Fold Out Box.** Wiha precision handle, bit extension and 16 Wiha interchangeable bits.

Item No.	Combination Bit Set
75395	Set with Standard Precision Handle
	Includes the following bits:
	Hex Metric: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	100mm Bit Extension
	lbs. .58

SHOP


18 Pc. Set

759 sets **SYSTEM 4 Slotted/Phillips/Hex Inch/ TORX® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box.** Sets include your choice of Wiha precision handle, bit extension and 25 Wiha interchangeable bits.

Item No.	Handle Options for SYSTEM 4 Combination Bit Sets
75991	Set with Standard Precision Handle
75992	Set with ESD Safe Precision Handle
	Sets include the following bits:
	Slotted: 1.5, 2.0, 3.0, 4.0mm
	Phillips: 000, 00, 0, 1
	TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	100mm Bit Extension
	lbs. .64

SHOP


27 Pc. Set

75996 **SYSTEM 4 Interchangeable Bit Set, 40 Pcs. In Storage Box.** Includes Wiha precision handle, bit extension & 38 interchangeable bits.

Item No.	SYSTEM 4 Combination Bit Set
75996	Set with ESD Safe Precision Handle
	Set includes the following bits:
	Slotted: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
	Phillips: 000, 00, 0, 1
	TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15
	Hex Metric: 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
	Hex Inch: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	100mm Bit Extension
	lbs. 1.04

SHOP

D


40 Pc. Set

75994 **SYSTEM 4 Slotted/Phillips/Hex Metric/TORX® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box.** Set includes Wiha precision handle, bit extension and 25 Wiha interchangeable bits.


Item No.	SYSTEM 4 Combination Bit Set
75994	Set with ESD Safe Precision Handle
	Set includes the following bits:
	Slotted: 1.5, 2.0, 3.0, 4.0mm
	Phillips: 000, 00, 0, 1
	TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15
	Hex Metric: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
	100mm Bit Extension
	lbs. .64

SHOP


27 Pc. Set

Technicians MicroBit Sets

- Micro Precision Bits on 4mm Hex Drive
- Bits of Exclusive CRM-72 Tool Steel
- Handle uses non-magnetic ball retainer
- Use bits in extension only
- Standard extension adds 4" to length
- Non-magnetic bit extension



Surface resistance of handles is 10^6 - 10^9 Ohms



75093 **SYSTEM 4 Slotted, Phillips, TORX® Compact ESD Precision Interchangeable Bit Set, 16 Pcs.** Wiha precision handle, bit extension & 14 interchangeable bits.

SHOP

Item No.	Combination Bit Set
75093	Set with ESD Safe Precision Handle
	Slotted: 1.5, 2.0, 2.5, 3.0mm
	Phillips: 00, 0, 1
	TORX®: T6, T7, T8, T9, T10, T15, T20
	100mm Bit Extension
	lbs. .17



75094 **SYSTEM 4 Slotted, Phillips, Hex Inch Compact ESD Precision Interchangeable Bit Set, 16 Pcs.** Wiha precision handle, bit extension & 14 interchangeable bits.

SHOP

Item No.	Combination Bit Set
75094	Set with ESD Safe Precision Handle
	Slotted: 1.5, 2.0, 2.5, 3.0mm
	Phillips: 00, 0, 1
	Hex Inch: .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8"
	100mm Bit Extension
	lbs. .17



75095 **SYSTEM 4 Slotted, Phillips, Hex Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs.** Wiha precision handle, bit extension & 14 interchangeable bits.

SHOP

Item No.	Combination Bit Set
75095	Set with ESD Safe Precision Handle
	Slotted: 1.5, 2.0, 2.5, 3.0mm
	Phillips: 00, 0, 1
	Hex Metric: .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
	100mm Bit Extension
	lbs. .17




D

75096 **SYSTEM 4 Hex Inch & Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs.** Wiha precision handle, bit extension & 14 interchangeable bits.

SHOP

Item No.	Combination Bit Set
75096	Set with ESD Safe Precision Handle
	Hex Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Hex Metric: .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
	100mm Bit Extension
	lbs. .17

SYS 4 Interchangeable Bit Sets



40 Pc. Set

D

75990 **SYSTEM 4 Interchangeable Bit Set, 40 Pcs. In Canvas Pouch.** Includes Wiha precision handle, bit extension & 38 interchangeable bits.

Item No.	SYSTEM 4 Combination Bit Set
	Set with ESD Safe Precision Handle
75990	**Set includes the following bits:**
	Slotted: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
	Phillips: 000, 00, 0, 1
	TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15
	Hex Metric: 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
	Hex Inch: .028(.7), .035(.9), .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	100mm Bit Extension
	lbs. .65

SHOP



D

75965 **SYSTEM 4 Master Tech ESD & Ratchet With Micro Bits, 65 Pieces In Storage Box.** Includes Wiha precision ESD Safe handle, micro bit extension, 72 tooth ratchet & 62 interchangeable micro bits.

Item No.	With ESD Precision Handle, 1/4" Ratchet, Micro Bit Extension
75965	**Set includes the following micro bits:**
	Slotted: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
	Phillips: 000, 00, 0, 1
	TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15, T20
	Hex Metric: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
	Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Nut Drivers Metric: 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm
	Nut Drivers Inch: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32"
	Pentalobe: P1, P2, P3, P4, P5, P6
	Magnetic 1/4" to 4mm Adapter
	lbs. 1.16


SHOP

Wiha Precision Electronic Pliers & Cutters



Electronic Diagonal Cutters





Full Flush

56818 **Precision Electronic Diagonal Cutters, Wide Pointed Head**


Cutting edge - full flush. With return spring. C70 special tool steel. For an absolutely flush cut of copper wire.

#56818	mm	Inch	Cut Capacity	Pkg.	lbs.
	138	5.5	1.3mm/16AWG	1	.22

SHOP

Electronic Diagonal Cutters





Semi Flush

56815 **Precision Electronic Diagonal Cutters, Wide Pointed Head**


Cutting edge - semi flush. With return spring. C70 special tool steel. Universal small diagonal cutter for cutting copper wires.

Item No.			Cut	Medium		
#56815	mm	Inch	Capacity	Hard Wire	Pkg.	lbs.
	138	5.5	2.0mm/12AWG	0.8	1	.23

SHOP

Electronic Diagonal Cutters





Full Flush


56825 **Precision Electronic Diagonal Cutters, Wide Shape With Wire Holding Spring** Wide, Pointed head. Cutting edge - full flush. With return spring & fixture for holding ends of wires that have been cut off. C70 special tool steel. For an absolutely flush cut of copper wire.

#56825	mm	Inch	Cut Capacity	Pkg.	lbs.
	138	5.5	1.3mm/16AWG	1	.23

SHOP

Electronic Diagonal Cutters





Full Flush

56812 **Precision Electronic Diagonal Cutters, Narrow Shape**

Extra narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. With return spring. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.


#56812	mm	Inch	Cut Capacity	Pkg.	lbs.
	118	4.5	0.8mm/20AWG	1	.19

SHOP

Electronic Diagonal Cutters



Wire Holding Spring



Full Flush


56813 **Precision Electronic Diagonal Full Flush Cutters With Wire Trapping Spring** Extra narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. With return spring. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

#56813	mm	Inch	Cut Capacity	Pkg.	lbs.
	128	5.0	1.0mm/18AWG	1	.19

SHOP

Electronic Oblique 48° Cutter





Full Flush


56833 **Electronic Oblique 48° Cutter**
Wide pointed head. Cutting edge - full flush. With cutting edge at 48° for cutting obliquely from above or from the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

#56833	mm	Inch	Cut Capacity	Pkg.	lbs.
	138	5.5	1.3mm/16AWG	1	.22

SHOP

Narrow Front Cutter/Long Nose Pliers





Full Flush


56830 **Electronic Narrow 30° Front Cutter / Long Nose Pliers**
Extremely narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. Edge at 30° to face end of pliers for cutting obliquely from above or form the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

#56830	mm	Inch	Cut Capacity	Pkg.	lbs.
	118	4.5	0.6mm/22AWG	1	.19

SHOP

Electronic Pointed Pliers






56801 **Electronic Short Nose Precision Pliers**
Narrow, short head. Smooth jaws. Width at tip is only 1.2mm. C70 special tool steel. For holding small components as well as for holding and angling wires.

#56801	mm	Inch	Pkg.	lbs.
	138	5.5	1	.23

SHOP

Electronic Stripping Pliers





56871 **Electronic Stripping Pliers**
Wide long head with ridged gripping surface, shears blade and firm wire stripping stations. With opening spring and locking mechanism. Wire stripping stations 0.81 / 1.0 / 1.3 / 1.6 / 2.0 / 2.59mm, AWG 20 / 18 / 16 / 14 / 12 / 10.

#56871	mm	Inch	Ø	AWG	Pkg.	lbs.
	180	7.0	0.81-2.59	20-10	1	.15

SHOP

Flush Cutting Diagonal Cutters



- Flush cutting, with return spring

SHOP

326 **Flush Cutting Diagonal Cutters With Return Spring For Cutting Plastic DIN ISO 5749** Low wear lap joint, riveted and able to withstand high levels of load. Lightweight action, clean cutting. Long life edge is achieved through additional induction hardening to approx. 60 HRC. Special C70 tool steel hardened and tempered. For cutting plastic tie wraps & injection mold components. Soft vinyl grips.

Item No.	mm	Inch	Pkg.	lbs.
32607	127	5.0	1	.14
32614	160	6.3	1	.36

Professional Quality ESD Tweezers

ESD SAFE • STATIC DISSIPATIVE • HYPO ALLERGENIC COATED • TEXTURED GRIPPING SURFACE



Universal Fine Point Tweezers

Item No.	Description	wt.
44501	AA SA ESD - 130mm	.09

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

SHOP



Sturdy Long, Fine Round Points

Item No.	Description	wt.
44502	GG SA ESD - 130mm	.09

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

SHOP



Long Narrow Body Low Force

Item No.	Description	wt.
44503	SS SA ESD - 135mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

SHOP



Reduced Body To Medium Point

Item No.	Description	wt.
44504	2 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

SHOP



Flat Round Tip Smooth Sides

Item No.	Description	wt.
44505	2a SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

SHOP



Fine Round Points For Assembly

Item No.	Description	wt.
44506	3 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

SHOP



Fine Round Points Shorter

Item No.	Description	wt.
44507	3c SA ESD - 110mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

SHOP



Very Fine Points/Tapered To Tip

Item No.	Description	wt.
44508	4 SA ESD - 110mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

SHOP



Extra Fine Points/Tapered To Tip

Item No.	Description	wt.
44509	5 SA ESD - 110mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

SHOP



Curved Extra Fine Rounded Tips

Item No.	Description	wt.
44510	7a SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

SHOP

Wiha Professional Quality ESD Safe Tweezers



Holds 0.8 to 2mm Diameter

Item No.	Description	wt.
44511	50 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.

SHOP



Narrow Rounded Tip Serrated, Guide Pin

Item No.	Description	wt.
44518	22 SA ESD - 150mm	.10

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.

SHOP



Holds 1.5 to 3mm Diameter

Item No.	Description	wt.
44512	51 SA ESD - 130mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.

SHOP



Universal Blunt Tip Serrated

Item No.	Description	wt.
44520	40 SA ESD - 145mm	.11

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.

SHOP



Holds 3.5 to 7mm Diameter

Item No.	Description	wt.
44513	52 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.

SHOP



MicroTip 45° Hook 1x1x2mm

Item No.	Description	wt.
44521	12 SA-SMD ESD - 120mm	.09

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.

SHOP



Holds 6.5 to 10mm Diameter

Item No.	Description	wt.
44514	53 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.

SHOP



MicroTip For Chips Angled 1.6 x 1 x 1mm

Item No.	Description	wt.
44522	13 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.

SHOP



Angled 3.5 to 7mm Diameter

Item No.	Description	wt.
44515	54 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.

SHOP



Long Rounded to 1.0mm Wide No Serration

Item No.	Description	wt.
44523	PSF SA ESD - 125mm	.09

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy.
Special stainless steel, anti-magnetic and acid resistant.

SHOP

Wiha Professional Quality ESD Safe Tweezers



Flat Bent 35°, 3mm Diameter Grip

Item No.	Description	wt.
44524	58 SA-SMD ESD - 117mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

SHOP



MicroTip Bent 30° 1.6mm

Item No.	Description	wt.
44529	8b SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

SHOP



Curved Extra Fine, 3mm Long Straight Tip

Item No.	Description	wt.
44525	7abb SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

SHOP



Flat Bent 35° - 2mm Diameter Grip Radius

Item No.	Description	wt.
44530	59 SA-SMD ESD - 117mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

SHOP



Narrow Body Low Force Bent 35° - 3mm Tip

Item No.	Description	wt.
44526	SSbb SA ESD - 140mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

SHOP



ESD Safe General Purpose Fine Point

Item No.	Description	wt.
44531	1 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

SHOP



Angled Extra Fine Points Bent 30° - 3mm Long Tips

Item No.	Description	wt.
44527	5abb SA ESD - 117mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

SHOP



Heavy Duty Strong Tweezers Tapered To Strong Point

Item No.	Description	wt.
44532	00 SA ESD - 120mm	.09

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

SHOP



Extra Fine Points Bent 30° - 3mm Long Tips

Item No.	Description	wt.
44528	5bb SA ESD - 107mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

SHOP




Angled & Slightly Bent With Extra Fine Tips


Item No.	Description	wt.
44533	7 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.

SHOP

Inspection Mirrors
All Stainless Detachable & Boilable





SHOP

Inspection Mirror - Stainless 10mm


Item No.	Description	wt.
40410	#0 IM - 185mm	.09



SHOP

Inspection Mirror - Stainless 22mm Short Stem


Item No.	Description	wt.
40422	#4 IM -175mm	.10



SHOP

Inspection Mirror - Stainless 30mm


Item No.	Description	wt.
40430	#8 IM - 215mm	.10



SHOP

Inspection Mirror - Stainless 14mm


Item No.	Description	wt.
40414	#0 IM - 200mm	.09



SHOP

Inspection Mirror - Stainless 24mm Short Stem

Item No.	Description	wt.
40424	#5 IM - 175mm	.10




SHOP

Disposable Inspection Mirrors

Item No.	Description	wt.
40425	5 Pack - Plastic	.10

Set includes: White disposable inspection mirror
#5 Inspection Mirrors - 24mm x 146mm



SHOP

Inspection Mirror - Stainless 20mm

Item No.	Description	wt.
40420	#3 IM - 205mm	.09



SHOP

Inspection Mirror - Stainless 26mm

Item No.	Description	wt.
40426	#6 IM - 215mm	.10

PortaCrimp Dies, Frame & Sets

PortaCrimp Tools

Parallel action mimics applicator type performance



One piece dies - held together to prevent mix up and loss



Tested to 50,000 Crimps

Reliable, ratchet controlled, ensures consistent and accurate crimp






- **Top Quality:** 50,000 cycle tested frame for longest life & consistent performance
- **Reliable:** Parallel, full cycle, ratchet controlled action ensures consistent accurate crimps
- **Easy To Use:** Designed to give user full visibility of the crimping process
- **Versatile:** Quickly and easily inter-change crimp dies on the job
- **No More Lost Die Parts!** Practical design uses guide pin to keeps die components together
- **Practical:** Pocket size dies are compact & easy to carry
- **Ergonomic:** Reduced effort ratchet assisted crimping use one hand or two with extended grip
- **Economical:** One tool frame to do the job of many, select only the dies you need

PortaCrimp Tool Frame





SHOP

43149 **PortaCrimp Tool Frame** Parallel action frame gives better performance. Symmetrical pressure with equal force mimics applicator performance. One piece die held together to prevent mix up and loss.

Item No.	mm	Inch	lbs.	Pkg.
43149	234	9.75	1.1	1




Each die includes storage clip

PortaCrimp Tool Sets






SHOP

43190 **4 Piece PortaCrimp Die Set Electrical**

Reliable, ratchet controlled, ensures consistent and accurate crimp.

Item No.	Set includes: Tool frame &	lbs.	Pkg.
43190	43129, 43128, 43142	5.0	1






SHOP

43191 **4 Piece PortaCrimp Die Set Industrial**

Reliable, ratchet controlled, ensures consistent and accurate crimp.

Item No.	Set includes: Tool Frame &	lbs.	Pkg.
43191	43129, 43127, 43147	5.0	1






SHOP

43192 **4 Piece PortaCrimp Die Set Data Com Telco**

Reliable, ratchet controlled, ensures consistent and accurate crimp.

Item No.	Set includes: Tool Frame &	lbs.	Pkg.
43192	43144, 43136, 43132	5.0	1

PortaCrimp Dies

One piece die, held together to prevent mix up & loss. Easily interchangeable crimp dies are kept together with a special pin to simplify handling. Reliable crimping performance is consistent and accurate with a parallel action stroke, good to 50,000 cycles.









SHOP

43128 **PortaCrimp Die Set For Green & Yellow Insulated Terminals & Splices**

Item No.	Crimps	AWG	lbs.	Pkg.
43128	4-6 & 0.1-0.4mm²	26-22 & 12-10	1.2	1








SHOP

43129 **PortaCrimp Die Set For Red & Blue Insulated Terminals & Splices** Die set for 22-16 AWG (0.5 - 1.5mm).

Item No.	Crimps	AWG	lbs.	Pkg.
43129	1.5-2.5 & 0.5-1.5mm²	22-16	1.2	1







SHOP

43142 **PortaCrimp Die Set For Non-Insulated Terminals, Lugs & Splices**

Item No.	Crimps	AWG	lbs.	Pkg.
43142	4-6 & 0.5-2.5mm²	12-10 & 22-14	1.2	1








SHOP

43137 **PortaCrimp Die Set For Non-Insulated Terminals, Lugs & Splices**

Item No.	Crimps	Awg	lbs.	Pkg.
43137	2.5/1.5/0.75mm²	14/16/20	1.2	1







SHOP

43139 **PortaCrimp Die Set For Non-Insulated Terminals, Lugs & Splices**

Item No.	Crimps	AWG	lbs.	Pkg.
43139	10/6/4mm²	8/10/12	1.2	1







SHOP

43127 **PortaCrimp Wire Ferrules - Insulated & Non-Insulated** Die set for 24-8 AWG (0.25-10mm).

Item No.	Crimps	AWG	lbs.	Pkg.
43127	10/6/4/2.5/1-1.5/.25-.75mm²	8-24	1.2	1







SHOP

43153 **PortaCrimp Wire Ferrules - Insulated & Non-Insulated** Die set for 6-4 AWG (16-25mm).

Item No.	Crimps	AWG	lbs.	Pkg.
43153	25 & 16mm²	6 & 4	1.2	1







SHOP

43154 **PortaCrimp Wire Ferrules - Insulated & Non-Insulated** Die set for 2-1/0 AWG (35-50mm).

Item No.	Crimps	AWG	lbs.	Pkg.
43154	50 & 35mm²	1/0 & 2	1.2	1







SHOP

43146 **PortaCrimp Open Barrel, Non-Insulated Standard Commercial Terminals & Lugs - .250"(6.3mm) Push On Terminals**

Item No.	Crimp	AWG	lbs.	Pkg.
43146	4-6/1.5-2.5/0.5-1.0mm²	22-10	1.2	1

PortaCrimp Dies



One piece die, held together to prevent mix up & loss. Easily interchangeable crimp dies are kept together with a special pin to simplify handling. Reliable crimping performance is consistent & accurate with a parallel action stroke, good to 50,000 cycles.



SHOP

43150 PortaCrimp Open Barrel Non-Insulated Push On Terminals DIN 46247-1 .110" (2.8mm) Tab

Item No.	Crimps	AWG	lbs.	Pkg.
43150	0.5-1.0/0.25-0.5/0.1-0.25mm²	26-18	1.2	1



SHOP

43151 PortaCrimp Open Barrel Non-Insulated Push On Terminals DIN 46247-2 .187" (4.8mm) Tab

Item No.	Crimps	AWG	lbs.	Pkg.
43151	1.5-2.5 & 0.5-1.5mm²	22-14	1.2	1



SHOP

43143 PortaCrimp Weather Pack Open Barrel Terminals

Item No.	Crimps	AWG	lbs.	Pkg.
43143	3.0-0.5mm²	12-20	1.2	1



SHOP

43141 PortaCrimp Fiber Optic Die set for SMA, SMB, SFR, ST, SC fiber optic connectors (.178"/.213"/.151"/.128" hex)

Item No.	Crimps		lbs.	Pkg.
43141	4.52/5.41/3.84/3.25mm	(.178/.213/.151/.128")	1.2	1



SHOP

43136 PortaCrimp Coaxial Network & Communications

Die set for RG58, RG59, RG62AU BNC/TNC Coaxial Connectors (.213"/.255"/.068" hex).

Item No.	Crimps	lbs.	Pkg.
43136	1.69/5.41/6.48mm (.213/.255/.068"hex)	1.2	1



SHOP

43138 PortaCrimp Coaxial Network & Communications, CATV, HDTV, Video Die set for RG6, Belden 1694A, Twinax BNC, CATV F Coaxial Connectors (.360"/.324" Hex).

Item No.	Crimps		lbs.	Pkg.
43138	9.14 & 8.23mm	(.360/.324")	1.2	1



SHOP

43140 PortaCrimp Coaxial Network & Communications

Die set for RG174, RG179 BNC/TNC Coaxil Connectors (.178"/.128"/.068" Hex, .028"(0.7mm)Sq.

Item No.	Crimps	lbs.	Pkg.
43140	4.52/3.25/1.69mm hex 0.7mm sq. (.178"/.128"/.068" hex, .028" sq.)	1.2	1




SHOP

43144 PortaCrimp Datacom/Telecom Modular Plug

Die set for 8-position 8-contact (RJ45).

Item No.	RJ45	lbs.	Pkg.
43144		1.2	1



SHOP

43132 PortaCrimp Datacom/Telecom Modular Plug

Die set for 6-position 6-contact (RJ11).

Item No.	RJ11	lbs.	Pkg.
43132		1.2	1

PortaCrimp Dies



One piece die, held together to prevent mix up & loss. Easily interchangeable crimp dies are kept together with a special pin to simplify handling. Reliable crimping performance is consistent & accurate with a parallel action stroke, good to 50,000 cycles.





SHOP

43147 **PortaCrimp Power Contacts**

Item No.	Crimps	AWG	lbs.	Pkg.
43147	4 / .14-1 / 2.5 / 1.5mm	26-12	1.2	1





SHOP

43148 **PortaCrimp Power Contacts**

Item No.	Crimps	AWG	lbs.	Pkg.
43148	6 & 10mm	10-8	1.2	1





SHOP

43158 **PortaCrimp** Die set for heat shrink connectors: 0.5-1.5mm² red & 1.5-2.5mm² blue.

Item No.	Crimps	lbs.	Pkg.
43158	0.5-1.5mm² (22-16AWG) red 1.5-25mm² (16-14 AWG) blue	1.2	1





SHOP

43162 **PortaCrimp** Die set for heat shrink connectors: 4-6mm² yellow & 0.32-0.75mm² green.

Item No.	Crimps	lbs.	Pkg.
43162	4-6mm² (12-10AWG) yellow 0.32-0.75mm² (22-18AWG) green	1.2	1

Ratchet End Sleeve Crimper





5 die nests side entry crimp

SHOP

43612 **Ratchet End Sleeve Crimper**

Crimps Insulated & non-insulated end sleeves. 6 crimp positions range AWG 26-18, 18-16, 14, 12, 10, 8. Soft grip non-slip handles. Factory set auto release at end of crimp cycle.

Item No.	Inch Length	AWG Range	lbs.	Pkg.
43612	220mm/8.6"	26-8	1.18	1

Ratchet Crimper For Standard Connectors





Crimp Profile

SHOP

43618 **Ratchet Crimper For Standard Connectors**

Crimps Insulated & non-insulated connectors. 3 crimp positions range AWG 20-18 red, 16-14 blue, 12-10 yellow. Soft grip non-slip handles. Factory set auto release at end of crimp cycle.

Item No.	Inch Length	AWG Range	lbs.	Pkg.
43618	220mm/8.6"	20-10	1.06	1

Ratchet Crimper Push On Terminals





Crimp Profile "F"/"B"

SHOP

43624 **Ratchet Crimper Push On Terminals**

Crimps Insulated & non-insulated terminals. 4 crimp positions range AWG 24-20, 20-18, 16-14, 12-10. Soft grip non-slip handles. Factory set auto release at end of crimp cycle.

Item No.	Inch Length	AWG Range	lbs.	Pkg.
43624	220mm/8.6"	24-10	1.06	1

Ratchet Crimper For Eye Terminals





Self adjusting side entry crimp

SHOP

43643 **Ratchet Crimper For Eye Terminals**

Crimps Insulated & non-insulated terminals. 4 crimp positions range AWG 26-22, 20-18, 12-10, 8-6. Soft grip non-slip handles. Factory set auto release at end of crimp cycle.

Item No.	Inch Length	AWG Range	lbs.	Pkg.
43643	220mm/8.6"	26-6	1.02	1

Automatic Stripping Tool



Interchangeable stripping blade cassettes



Cuts & strips up to 10mm²/8 AWG - Strips PVC, THHW, TEFLON insulations



Ergonomic design with non-slip two component handles



Easy/snag free wire removal from tool - jaws stay open after strip

Self Adjusting Cut & Strip Tool



Straight Blade Cassette Stripping Range 0.02 - 10.0mm²





Cables: Conduit wire, Flex mains cable, Equipment wire, Flat modplug cable etc.

34-8 AWG

44212 **Self Adjusting Cutting & Stripping Tool**

Easily interchangeable stripping cassettes enables a wide range of insulations from PVC to PTFE. Light weight soft grip handle qualified for high volume production and portable/field usage.

Item No.	mm	Inch	AWG	Strip Dim.	lbs.	Pkg.
44212	191	7.5	34 - 8	0.02-10mm²	.30	1

SHOP

Replaceable Cassette - Straight Blade



Straight Blade Cassette Stripping Range 0.02 - 10.0mm²



Straight

34-8 AWG

44214 **Straight Blade Cassette, PVC Insulations**

Fine adjustability ensures that thin insulations can be stripped without damage to conductors. At the end of the stripping function, the stripping blades open and remain open during the return phase of the strip cycle facilitating easy/snag free wire removal from the tool.

Item No.	AWG	Strip Range	lbs.	Pkg.
44214	34 - 8	0.02-10mm²	.02	1

SHOP

Replaceable Cassette - 4-16mm²



Stripping Range 4-16mm²



Radius Blade

10-5 AWG

44269 **Replaceable Cassette, 4-16mm Stripping Range**

Fine adjustability ensures that thin insulations can be stripped without damage to conductors. At the end of the stripping function, the stripping blades open and remain open during the return phase of the strip cycle facilitating easy/snag free wire removal from the tool.

Item No.	AWG	Strip Range	lbs.	Pkg.
44269	10 - 5	4-16mm²	.02	1

SHOP

Replaceable Cassette - "V" Blade



"V" Blade Stripping Range 0.1 - 4mm²



VBC for PTFE

28-12 AWG


44213 **Replaceable VBC or PTFE Cassette, "V" Blade**

Fine adjustability ensures that thin insulations can be stripped without damage to conductors. At the end of the stripping function, the stripping blades open and remain open during the return phase of the strip cycle facilitating easy/snag free wire removal from the tool.

Item No.	AWG	Strip Range	lbs.	Pkg.
44213	28 - 12	0.1-4mm²	.02	1

SHOP

Heavy Duty Adjustable Cable Stripper



Circular + Straight
Window Strip
Circular + Spiral Strip



Cables: Power cable. Multi-conductor control, fiber optic and copper trunk cables

44217 Jacket Stripper - Heavy Duty Adjustable

Professional stripping tool for cables of all insulations types. Positive locking positions for circular, lengthways and spiral strips. Interchangeable cable retention hooks give cable stripping capacity of up to 40mm/1.57 inch diameter. Replacement cutting blades can be stored within the tool.

Item No.	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
44217	168	6.6	4.5-40mm²	0-4.5mm	.26	1

SHOP

Replacement Blade





Replacement cutting blades can be stored within the tool

44218 Replacement Blade For 44217 Stripper

Interchangeable cable retention hooks give cable stripping capacity of up to 40mm/1.57 inch diameter. Replacement cutting blades can be stored within the tool.

Item No.	Replacement Blade For	lbs.	Pkg.
44218	44217 Stripper	.01	1

SHOP

Precision Adjustable Stripping Tool



Replaceable Blade



Cables: Multi core cable, Modplug cable. Fiber optic cable etc.



44220 Precision Adjustable Stripping Tool

Professional stripping tool removes the outer cable jacket from signal, telephone, audiovisual, instrumentation and data transmission copper and fiber optic cables up to 11mm/0.43" diameter. The tool features a 9 position indexed blade height adjustment wheel ensuring accurate & repeatable stripping results. Simply squeeze together to open the stripping cavity - insert cable, rotate once and pull off the scrap insulation. Smooth, Lightweight and pocket size. No open blade, replacement blades encased within cassette.

Item No.	mm	Inch	Strip Range	Strip Range	lbs.	Pkg.
44220	90.5	3.6	2.5-11mm	.10"/0.43"	.06	1

SHOP

Replacement Blade





Replacement Blade

44221 Replacement Blade For 44220 Stripper

Stripping capacity of up to 2.5-11mm/0.43" diameter.

Item No.	Strip Range	Strip Dim.	lbs.	Pkg.
44221	2.5-11mm	11mm/0.43"	.01	1

SHOP

CATV/Satellite Stripper



Strips: RG59 & RG6 CATV coaxial cables



44206 CATV/Satellite Stripper

Quickly & simply strips RG59 & RG6 coaxial cables for CATV "F" type connectors giving industry standard strip lengths of 6.35mm/.25" for both the braid and the conductor. Patented spring-like action and built-in stop eliminates the need for manual adjustment for different cables.

Item No.	mm	Inch	Strip Length	lbs.	Pkg.
44206	83	3.3"	6.35mm/.25" Braid/Conductor	.05	1


SHOP



Adjustable Screw For Precise Blade Positioning




4 Cable V-blocks



Reversible Cassettes Long Life



Stepped Stripping Depth For Reduced Friction



	44237 Blue	44238 Red	44239 Yellow	44240 Orange
"B" mm	6.8	6.0	12.0	9.2
"B" Inch	0.27"	0.24"	0.47"	0.36"
"A"	User adjusted			

Blue Cassette Stripping Tool Kit





Cables: RG 58/59/62/174/180/188/ 195/316/6/ Belden 8281

44227 **Blue Cassette Hand-Stripping Tool Kit**

Accurate & versatile coaxial hand-stripping tool, designed to provide 2 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 2.5-7.6mm. Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

Item No.	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
44227	90	3.54	1.87-7.6mm	6.8mm	.09	1
			0.10"-0.30"	0.27"		

SHOP

2 Step Red Cassette Stripping Tool Kit





Cables: RG 58/59/62/174/180/188/ 195/316/6/ Belden 8281

44222 **2 Step Red Cassette Hand-Stripping Tool Kit**

Accurate & versatile coaxial hand-stripping tool, designed to provide 2 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 6.0mm/.24". Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

Item No.	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
44222	90	3.54	1.87-7.6mm	6.0mm	.09	1
			0.10"-0.30"	0.24"		

SHOP

2 Step Yellow Cassette Stripping Tool Kit





Cables: RG 58/59/62/174/180/188/ 195/316/6/ Belden 8281

44224 **2 Step Yellow Cassette Hand-Stripping Tool Kit**

Accurate & versatile coaxial hand-stripping tool, designed to provide 2 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 12.0mm/.47". Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.


Item No.	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
44224	90	3.54	1.87-7.6mm	12.0mm	.09	1
			0.10"-0.30"	0.47"		

SHOP

2 Step Replacement Stripping Cassettes



Cables: RG 58/59/62/174/180/ 188/195/316/6/ Belden 8281



SHOP

442 **2 Step Replacement Stripping Cassettes** High quality steel blade cassettes with razor sharp edges for long, effective use.

Item No.	Color	Strip Range	Strip Dim.	lbs.	Pkg.
44237	Blue	1.87-7.6mm	6.8(0.27")	.01	1
44238	Red	1.87-7.6mm	6.0(0.24")	.01	1
44239	Yellow	1.87-7.6mm	12.0(0.47")	.01	1
44240	Orange	1.87-7.6mm	9.2(0.36")	.01	1

Stripping Tool - No Cassette






44200 **Cassette Hand-Stripping Tool** Accurate & versatile coaxial hand-stripping tool. Holds all 2 or 3 step cassettes.

Item No.	lbs.	Pkg.
44200	.07	1

SHOP

Stripping Tool Set





44290 **10 Piece Set, Cassette Hand-Stripping Tool**

Accurate & versatile coaxial hand-stripping tool, designed to provide 2 strip steps on chosen cable. Universal tool body accepts all cassettes.

Item No.	Set includes: Stripping Tool, L-key,	lbs.	Pkg.
44290	4 Cable V-blocks & 4 Stripping Cassettes	.10	1

SHOP



Adjustable Screw For Precise Blade Positioning




4 Cable V-blocks



Reversible Cassettes Long Life



Stepped Stripping Depth For Reduce Friction



	44251 Brown	44255 Green	44259 White	44260 Dk. Brown	44261 Black
"C" mm	8.3	6.0	6.8	7.5	5.5
"B" mm	2.7	6.0	2.5	3.5	5.5
"A"	User adjusted				

3 Step Brown Cassette Kit



Cables: RG 58/59/62/174/180/188/ 195/316/6/ Belden 8282



44241 **3 Step Brown Cassette Kit**

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 2.5-7.6mm. Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

Item No.	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
44241	90	3.54	1.87-7.6mm	8.3mm(B)	.08	1
			0.10"-0.30"	2.7mm(C)		

SHOP

3 Step Green Cassette Kit



Cables: RG 58/59/62/174/180/188/ 195/316/6/ Belden 8283



44245 **3 Step Green Cassette Kit**

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 2.5-7.6mm. Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

Item No.	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
44245	90	3.54	1.87-7.6mm	6.0mm(B)	.08	1
		0.10"-0.30"		6.0mm(C)		

SHOP

3 Step White Cassette Kit



Cables: RG 58/59/62/174/180/188/ 195/316/6/ Belden 8284




44249 **3 Step White Cassette Kit**

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 2.5-7.6mm. Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

Item No.	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
44249	90	3.54	1.87-7.6mm	6.8mm(B)	.08	1
			0.10"-0.30"	2.5mm(C)		

SHOP

3 Step Replacement Stripping Cassettes



Cables: RG 58/59/62/174/180/188/ 195/316/6

SHOP

442 **3 Step Replacement Stripping Cassettes**

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. High quality steel blade cassettes with razor sharp edges for long, effective use.

Item No.	Color	Strip B	Strip C	lbs.	Pkg.
44251	Brown	2.7mm/.11"	8.3mm/.33"	.01	1
44255	Green	6.0mm/.24"	6.0mm/.24"	.01	1
44259	White	2.5mm/.10"	6.8mm/.27"	.01	1
44260	Dk.Brown	3.5mm/.14"	7.5mm/.30"	.01	1
44261	Black	5.5mm/.22"	5.5mm/.22"	.01	1

Stripping Tool Set



44292 **11 Piece Set, Cassette Hand-Stripping Tool**

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. Universal tool body accepts all cassettes.

Item No.	Set includes: Stripping Tool, L-key,	lbs.	Pkg.
44292	4 Cable V-blocks, 5 Stripping Cassettes	.11	1

SHOP

Item No.	Page
26000	4
26001	4
26008	4
26010	4
26012	4
26015	4
26018	4
26020	4
26022	4
26023	4
26025	4
26027	4
26028	4
26030	4
26032	4
26033	4
26034	4
26035	4
26040	4
26041	4
26042	4
26050	10
26051	10
26052	10
26053	10
26054	10
26055	10
26056	10
26060	10
26061	10
26063	10
26065	10
26066	10
26068	10
26070	10
26072	10
26073	10
26074	10
26076	10
26079	10
26080	10
26090	4
26092	5
26093	10
26099	4
26100	5
26101	5
26102	5
26105	5
26107	5
26108	5
26109	5
26110	5
26113	5
26114	5
26115	5
26130	10
26132	10
26133	10
26135	10
26136	10
26140	10
26142	10
26145	10
26190	5
26192	5
26193	10
26194	5
26199	5
26205	6
26210	6
26307	6
26309	6
26313	6
26315	6
26316	6
26320	6
26323	6
26325	6
26327	6
26330	6
26331	6
26333	6
26336	6
26340	6
26341	12
26343	12
26345	12
26347	12
26349	12
26351	12
26353	12
26363	12
26367	12
26369	12
26371	12
26390	6
26391	6
26392	12
26393	12
26399	6
26413	7
26415	7
26416	7
26419	7
26420	7
26423	7
26425	7
26427	7
26430	7
26431	7
26436	7
26439	7
26440	7
26441	12
26443	12
26445	12
26447	12
26449	12
26455	12
26457	12
26459	12
26461	12
26463	12
26465	12
26467	12
26490	7
26491	7
26493	12
26499	7
26510	8
26515	8
26520	8
26523	8
26525	8
26527	8
26530	8
26531	8
26532	8
26535	8
26536	8
26539	8
26540	8
26545	8
26547	8
26550	8
26555	8
26556	8
26560	8
26563	8
26570	8
26571	13
26572	13
26573	13
26574	13
26575	13
26576	13
26577	13
26578	13
26579	13
26581	13
26582	13
26583	13
26584	13
26585	13
26586	13
26587	13
26588	13
26589	13
26590	8
26591	8
26592	8
26593	13
26596	13
26598	8
26599	8
26701	9
26702	9
26703	9
26704	9
26705	9
26706	9
26707	9
26708	9
26709	9
26710	9
26715	9
26720	9
26721	11
26723	11
26725	11
26727	11
26729	11
26731	11
26732	11
26733	11
26735	11
26736	11
26737	11
26739	11
26741	11
26743	11
26745	11
26747	11
26749	11
26751	11
26761	9
26762	9
26763	9
26764	9
26765	9
26766	9
26790	9
26791	9
26792	9
26793	11
26794	9
26796	11
26798	11
26799	9
26810	4
26815	11
26900	15
26901	15
26903	15
26904	15
26905	15
26911	15
26912	15
26913	16
26914	16
26915	16
26916	16
26917	16
26918	16
26919	16
26920	16
26921	16
26922	15
26923	16
26924	16
26925	16
26926	16
26927	16
26928	16
26929	16
26932	16
26933	16
26934	16
26935	16
26936	16
26937	16
26938	16
26939	16
26940	16
26941	16
26942	16
26943	16
26944	16
26945	16
26946	16
26947	16
26948	16
26949	16
26950	16
26951	15
26952	15
26953	15
26954	15
26955	15
26956	15
26957	15
26958	17
26959	17
26960	17
26961	17
26962	16
26963	16
26964	16
26965	16
26966	16
26967	16
26968	16
26969	16
26971	15
26972	15
26973	15
26974	15
26975	17
26976	17
26977	17
26978	17
26979	17
26980	17
26981	17
26982	17
26985	17
26987	19
26989	19
26990	18
26991	18
26992	18
26993	18
26995	19
26996	19
26997	19
26999	19
28000	15
28001	15
28002	17
28003	17
28004	17
28005	17
28006	17
28007	17
28008	17
28009	17
28010	17
28011	17
28012	17
28013	17
28014	17
28015	17
28016	17
28017	17
28021	16
28023	16
28024	16
28025	16
28026	16
28027	16
28028	16
28029	16
28033	16
28034	16
28035	16
28036	16
28037	16
28080	18
28084	19
28087	19
28091	19
28094	18
28097	19
28552	7
28620	7
28622	7
28624	7
28626	7
28627	7
28629	7
28632	7
28633	7
28637	7

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
28638	7	44241	37	75018	20	75747	21
28644	7	44245	37	75020	20	75748	21
32607	25	44249	37	75025	20	75792	22
32614	25	44251	37	75030	20	75800	20
40010	13	44255	37	75035	20	75801	20
40410	29	44259	37	75040	20	75802	21
40414	29	44260	37	75093	23	75803	21
40420	29	44261	37	75094	23	75810	21
40422	29	44269	34	75095	23	75811	21
40424	29	44290	36	75096	23	75812	21
40425	29	44292	37	75105	20	75813	21
40426	29	44501	26	75110	20	75814	21
40430	29	44502	26	75115	20	75815	21
43127	31	44503	26	75120	20	75816	21
43128	31	44504	26	75307	20	75817	21
43129	31	44505	26	75309	20	75820	21
43132	32	44506	26	75313	20	75821	21
43136	32	44507	26	75315	20	75822	21
43137	31	44508	26	75320	20	75823	21
43138	32	44509	26	75322	20	75824	21
43139	31	44510	26	75325	20	75825	21
43140	32	44511	27	75327	20	75826	21
43141	32	44512	27	75330	20	75827	21
43142	31	44513	27	75332	20	75900	20
43143	32	44514	27	75340	20	75901	20
43144	32	44515	27	75342	20	75902	20
43146	31	44518	27	75350	20	75965	23
43147	33	44520	27	75352	20	75981	21
43148	33	44521	27	75354	20	75983	21
43149	30	44522	27	75356	20	75985	21
43150	32	44523	27	75358	20	75989	21
43151	32	44524	28	75360	20	75990	23
43153	31	44525	28	75362	20	75991	22
43154	31	44526	28	75364	20	75992	22
43158	33	44527	28	75366	20	75994	22
43162	33	44528	28	75368	20	75996	22
43190	30	44529	28	75370	20	75999	22
43191	30	44530	28	75372	20	91118	11,13
43192	30	44531	28	75395	22	92190	9
43612	33	44532	28	75703	20	92191	8
43618	33	44533	28	75704	20	95190	14
43624	33	44590	18	75705	20	96800	14
43643	33	56801	25	75706	20		
44200	36	56812	24	75707	20		
44206	35	56813	25	75708	20		
44212	34	56815	24	75709	20		
44213	34	56818	24	75710	20		
44214	34	56825	24	75715	20		
44217	35	56830	25	75720	20		
44218	35	56833	25	75727	20		
44220	35	56871	25	75728	20		
44221	35	62990	14	75729	20		
44222	36	62993	14	75735	20		
44224	36	62994	14	75739	20		
44227	36	62995	14	75742	20		
44237	36	65090	14	75743	21		
44238	36	75008	20	75744	21		
44239	36	75012	20	75745	21		
44240	36	75015	20	75746	21		

Notes:

(800) 494-6104
fax: (800) 494-7456
email: cservice@wihatools.com
www.wihatools.com

SEE OUR GREAT WEB SPECIALS!

wiha Premium Tools



Wiha Quality Tools
1348 Dundas Circle
Monticello, MN 55362
tel: 763.295.6591
fax: 763.295.6598

Wiha Tools Canada Ltd.
www.wihatools.ca
Brampton, ONT L6T 4X4
tel: 866.494.0096 or 763.295.6591
fax: 763.295.6598

To:

Catalog Item No. 99006.wo
version - 5/15/14


Subject to change without notice

©2014 Willi Hahn Corporation

®Torx is a registered trademark of
Acument Intellectual Properties LLC.



91330.wo - Tooling Catalog



99004.wo - Shop Tools Catalog



99914.wo - TORX Catalog



99002.wo - Screwdrivers Catalog



99919.wo - Insulated Catalog



99001.wo - TorqueControl Catalog



99934.wo - Hex Tools Catalog



99951.wo - Bits Catalog



99945.wo - ESD Catalog



99977.wo - Pliers/Crimpers Catalog

2014

wiha
Premium Tools

Professional Shop Tools



Complete Shop Tools Program





wiha Premium Tools

Toll Free: (800) 494-6104

Wiha Wrenches Index

Description	Page
Open End Inch/Metric	4-5
Soft Grip Wrenches	6
Combination Inch/Metric	7-10
Box Wrenches Inch/Metric	11

Wiha Torx® & Hex Bit Sockets Index

Description	Page
Torx® 1/4" Square Drive	12
Torx® 3/8" Square Drive	12
Torx® 3/8"-5/16" Bits	12
Security Torx® 1/4" & 3/8" Sq. Drive	12
Security Torx® 3/8"-5/16" Bits	12
TorxPlus® 1/4" & 3/8" Sq. Dr.	12
Hex 1/4" Sq. Dr. Bit Sockets	14
Hex 3/8" Sq. Dr. Bit Sockets	14

Wiha 1/2" Square Drive Bit Sockets Index

Description	Page
Torx® 1/2" Sq. Drive	13
Security Torx® 1/2" Sq. Dr.	13
Slotted 1/2" Square Drive	13
Phillips 1/2" Square Drive	13

Wiha Sockets Index

Description	Page
External Torx® Sockets 1/4", 3/8", 1/2"	13
6" Bit Sockets 1/4" & 3/8" Drive	15
1/4" Hex to Sq. Adapter	15
Socket Sets on Molded Rails	16-17
1/4" Sockets & Sets	18
1/4" Socket Accessories	19
3/8" Sockets & Sets	20-21
3/8" Socket Accessories	22-23
3/8" Spark Plug Socket	23
1/2" Sockets & Sets	24-25
1/2" Socket Accessories	26-27
1/2" Spark Plug Socket	28
Socket Rail System	28

Wiha Impact Bit Holding Sockets Index

Description	Page
Impact Bit Holding Sockets 1/4" Drive Bits	14

Wiha Scrapers & Awls Index

	Description	Page
	SoftFinish Scraper Handle & Blades	29
	Square Reaming Awls	29
	Gasket Scraper	29


Wiha Maxiflex Hose System Index

	Description	Page
	Maxiflex Hose System 1/4”	34
	Maxiflex Hose System 1/2”	35

Wiha Metric Punches Index

	Description	Page
	Tapered Punches	30
	Center Punches	30
	Parallel Pin Punches	30

Wiha Calipers/Rulers/Levels Index

	Description	Page
	Digital Caliper	36
	Dial Caliper-ESD & Standard	36
	Vernier Caliper	36
	Torpedo Level	36
	Maxiflex Folding Rulers	37

Wiha Hammers Index

	Description	Page
	Dead Blow Hammers	31
	Sledge Hammers	31
	Hammer Faces	31-32
	Hickory Handles	31
	Split Head Mallets	32
	Mallet Housing	33
	Split Head Mallet Handles	33
	Split Head Hammer Sets	33

Wiha Open End Wrenches

Meets DIN 3110 / ISO10102 Specifications

Satin Chromed Sure Grip Body

31CRV3 tool steel forgings Precision formed for an exact fit

Narrow profile for better access in tight locations


Wide I-beam for better gripping

The wrench specified by BMW, Mercedes & Rolls Royce



- Open End Inch/Metric
- Soft Grip Wrenches
- Combination Inch/Metric
- Box Wrenches Inch/Metric






SHOP

350 Open End Wrenches Metric DIN 3110 / ISO 10102

Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit.

Item No.	MM mm	MM mm	OAL mm	OAL Inch	H mm	D¹ mm	D² mm	lbs.	pkg.
35001	4.0 x	5.0	103	4.0	3.3	11.6	13.7	.02	10
35002	5.0 x	5.5	104	4.1	3.3	13.7	14.7	.02	10
35003	5.5 x	7.0	122	4.8	3.6	15.7	17.7	.04	10
35004	6.0 x	7.0	122	4.8	3.6	15.7	17.7	.04	10
35006	8.0 x	9.0	140	5.5	3.9	20.8	22.9	.07	10
35007	8.0 x	10.0	140	5.5	3.9	20.8	22.9	.07	10
35008	10.0 x	11.0	156	6.1	4.8	23.9	26.9	.12	10
35009	10.0 x	13.0	172	6.7	5.3	24.0	30.0	.15	10
35010	12.0 x	13.0	172	6.7	5.3	28.0	31.0	.13	10
35011	12.0 x	14.0	172	6.7	5.3	28.0	31.0	.13	10
35012	13.0 x	14.0	190	7.5	5.7	32.5	34.9	.20	10
35013	14.0 x	15.0	190	7.5	5.7	32.5	34.9	.20	10
35014	16.0 x	17.0	204	8.0	5.9	36.1	39.2	.23	10
35015	16.0 x	18.0	204	8.0	5.9	36.1	39.2	.23	10
35016	18.0 x	19.0	223	8.7	6.5	40.2	42.3	.33	1
35017	19.0 x	22.0	236	9.3	6.8	44.9	48.4	.42	1
35018	20.0 x	22.0	236	9.3	6.8	44.9	48.4	.41	1
35019	21.0 x	23.0	250	9.8	7.3	47.4	51.5	.58	1
35020	22.0 x	24.0	250	9.8	7.3	47.4	51.5	.57	1
35021	24.0 x	26.0	265	10.4	7.8	52.5	58.6	.70	1
35022	24.0 x	27.0	265	10.4	7.8	52.5	58.6	.68	1
35023	25.0 x	28.0	280	11.0	8.1	55.2	61.3	.77	1
35024	27.0 x	29.0	280	11.0	8.1	58.6	64.4	.79	1
35025	27.0 x	30.0	280	11.0	8.1	58.6	64.4	.78	1
35026	30.0 x	32.0	302	11.8	8.6	64.8	70.3	1.06	1
35027	32.0 x	36.0	325	12.7	8.8	66.5	74.5	1.21	1
35028	36.0 x	41.0	358	14.0	8.8	74.5	84.0	1.61	1
35029	46.0 x	50.0	450	17.6	10.8	93.5	105.0	3.23	1





SHOP

350 Open End Wrenches Inch DIN 3110 / ISO 10102

Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit.

Item No.	AF Inch	AF Inch	OAL mm	OAL Inch	H mm	D¹ mm	D² mm	lbs.	pkg.
35032	1/4 x	5/16	130	5.1	5.7	32.5	34.9	.20	10
35033	5/16 x	3/8	140	5.5	5.9	36.1	39.2	.23	10
35034	3/8 x	7/16	157	6.2	6.8	44.9	48.4	.45	10
35035	7/16 x	1/2	170	6.7	7.3	47.4	51.5	.58	10
35036	1/2 x	9/16	190	7.5	5.7	32.5	34.9	.20	10
35037	9/16 x	5/8	190	7.5	5.7	32.5	34.9	.20	10
35038	19/32 x	11/16	204	8.0	5.9	36.1	29.2	.24	10
35039	5/8 x	11/16	204	8.0	5.9	36.1	29.2	.23	10
35040	5/8 x	3/4	223	8.7	6.5	40.2	42.3	.34	1
35041	11/16 x	3/4	223	8.7	6.5	40.2	42.3	.33	1
35042	3/4 x	25/32	236	9.3	6.8	44.9	48.4	.42	1
35043	3/4 x	7/8	236	9.3	6.8	44.9	48.4	.41	1
35044	13/16 x	7/8	236	9.3	6.8	44.9	48.4	.40	1
35045	7/8 x	15/16	250	9.8	7.3	47.4	51.5	.57	1
35046	15/16 x	1	265	10.4	7.8	52.5	58.6	.68	1
35047	1 x	1-1/8	280	11.0	8.1	55.7	61.3	.76	1
35048	1-1/16x	1-1/4	302	11.8	8.6	59.7	69.9	1.01	1
35049	1-1/8x	1-5/16	302	11.8	8.6	64.8	70.3	1.06	1
35050	1-3/16x	1-5/16	302	11.8	8.6	64.8	70.3	1.03	1
35051	1-1/4 x	1-3/8	325	12.7	8.8	66.5	74.5	1.22	1
35052	1-5/16x	1-1/2	325	12.7	8.8	66.5	74.5	1.19	1
35053	1-7/16x	1-5/8	358	14.0	8.8	74.5	84.0	1.60	1
35054	1-1/2 x	1-5/8	358	14.0	8.8	74.5	84.0	1.56	1
35055	1-11/16x	1-7/8	400	15.7	9.8	84.0	93.5	2.18	1
35056	1-13/16 x	2	450	17.6	10.8	93.5	105.0	3.22	1

Wiha Open End Wrenches



- Made from 31CRV3 high performance tool steel
- Satin chromed sure grip body
- Precision formed for exact fit

SHOP

35090 **12 Piece Set Metric Open End Wrenches**

Item No. 35090 Includes:	
4.0 x 5.0, 5.0 x 5.5, 6.0 x 7.0, 8.0 x 9.0, 10.0 x 11.0, 12.0 x 13.0, 14.0 x 15.0, 16.0 x 17.0, 18.0 x 19.0, 21.0 x 23.0, 20.0 x 22.0, 24.0 x 26.0	lbs. 3.30



SHOP

35092 **15 Piece Set Metric Open End Wrenches** In tool box

Item No. 35092 Includes:	
6.0 x 7.0, 8.0 x 9.0, 10.0 x 11.0, 12.0 x 13.0, 14.0 x 15.0, 16.0 x 17.0, 18.0 x 19.0, 20.0 x 22.0, 21.0 x 23.0, 24.0 x 26.0, 25.0 x 28.0, 27.0 x 29.0, 30.0 x 32.0, 36.0 x 41.0, 46.0 x 50.0	lbs. 15.00

35094 **10 Piece Set Metric Open End Wrenches**

Item No. 35094 Includes:	
6.0 x 7.0, 8.0 x 9.0, 10.0 x 11.0, 12.0 x 13.0, 14.0 x 15.0, 16.0 x 17.0, 18.0 x 19.0, 20.0 x 22.0, 21.0 x 23.0, 24.0 x 26.0	lbs. 3.31



SHOP

35096 **7 Piece Set Metric Open End Wrenches**

Item No. 35096 Includes:	lbs. 1.50
6.0 x 7.0, 8.0 x 9.0, 10.0 x 11.0, 12.0 x 13.0, 14.0 x 15.0, 16.0 x 17.0, 18.0 x 19.0	



SHOP

35098 **5 Piece Set Metric Open End Wrenches**

Item No. 35098 Includes:
4.0 x 5.0, 5.0 x 5.5, 6.0 x 7.0, 8.0 x 9.0, 10.0 x 11.0
lbs. .55



- Made from 31CRV3 high performance tool steel
- Satin chromed sure grip body
- Precision formed for exact fit



SHOP

35091 **11 Piece Set Inch Open End Wrenches** In tool box

Item No. 35091 Includes:	
1/4x5/16, 3/8x7/16, 7/16x1/2, 1/2x9/16, 5/8x11/16, 3/4x25/32, 13/16x7/8, 15/16x1, 1x1-1/8, 1-1/16x1-1/4, 1-1/8x1-5/16”	lbs. 8.92



SHOP

35093 **15 Piece Set Inch Open End Wrenches** In tool box

Item No. 35093 Includes:	
1/4x5/16, 3/8x7/16, 7/16x1/2, 1/2x9/16, 5/8x11/16, 3/4x25/32, 13/16x7/8, 15/16x1, 1x1-1/8, 1-1/16x1-1/4, 1-1/8x1-5/16, 1-5/16x1-1/2, 1-7/16x1-5/8, 1-11/16x1-7/8, 1-13/16x2”	lbs. 17.7

35095 **10 Piece Set Inch Open End Wrenches** In tool box

Item No. 35095 Includes:	
3/8x7/16, 1/2x9/16, 5/8x11/16, 3/4x25/32, 13/16x7/8, 15/16x1, 1-1/16x1-1/4, 1-1/8x1-5/16, 1-1/4x1-3/8, 1-5/16x1-1/2”	lbs. 8.92



SHOP

35097 **7 Piece Set Inch Open End Wrenches**

Item No. 35097 Includes:	
1/4x5/16, 3/8x7/16, 1/2x9/16, 5/8x11/16, 3/4x25/32, 13/16x7/8, 15/16x1”	lbs. 2.70




SHOP

35099 **5 Piece Set Inch Open End Wrenches**

Item No. 35099 Includes:
3/8x7/16, 1/2x9/16, 9/16x5/8, 11/16x3/4, 13/16x7/8”
lbs. 1.55

Wiha Soft Grip Wrenches






- Made from 31CRV3 high performance tool steel
- Precision formed for exact fit
- Soft grip body

SHOP

500 Soft Grip Wrenches Inch DIN 3113A/ISO 3318 - ISO 7738

Item No.	AF Inch	OAL mm	OAL Inch	H¹ mm	H² mm	D¹ mm	D² mm	lbs.	pkg.
50043	1/4	100	3.9	5.0	3.9	10.1	15.7	.03	1
50044	5/16	120	4.7	5.9	4.4	12.9	19.0	.05	1
50045	3/8	140	5.5	6.9	5.0	15.9	22.8	.09	1
50046	7/16	150	5.9	7.4	5.2	17.3	25.4	.11	1
50047	1/2	170	6.7	8.4	5.8	20.2	29.3	.14	1
50048	9/16	180	7.1	8.9	6.1	21.6	31.2	.19	1
50050	5/8	200	7.8	9.8	6.6	24.6	34.5	.23	1
50051	11/16	210	8.2	10.3	6.9	25.9	37.3	.30	1
50052	3/4	230	9.0	11.1	7.3	28.8	40.4	.34	1
50054	13/16	250	9.8	11.7	7.7	31.7	44.2	.45	1
50055	7/8	260	10.2	12.0	7.9	33.0	46.6	.51	1
50056	15/16	280	11.0	12.7	8.3	35.8	50.1	.63	1
50057	1	290	11.4	13.0	8.5	37.3	52.8	.65	1
50058	1-1/16	310	12.2	13.6	8.9	40.2	55.9	.83	1
50059	1-1/8	330	13.0	14.2	9.3	42.8	59.8	.98	1





- Made from 31CRV3 high performance tool steel
- Precision formed for exact fit
- Soft grip body

SHOP

500 Soft Grip Wrenches Metric DIN 3113A/ISO 3318 - ISO 7738

Item No.	MM mm	OAL mm	OAL Inch	H¹ mm	H² mm	D¹ mm	D² mm	lbs.	pkg.
50004	8.0	120	4.7	5.9	4.4	12.9	19.0	.05	1
50005	9.0	130	5.1	6.4	4.7	14.5	20.9	.07	1
50006	10.0	140	5.5	6.9	5.0	15.9	22.8	.09	1
50007	11.0	150	5.9	7.4	5.2	17.3	25.4	.11	1
50008	12.0	160	6.3	7.9	5.5	18.7	26.7	.13	1
50009	13.0	170	6.7	8.4	5.8	20.2	29.3	.14	1
50011	14.0	180	7.1	8.9	6.1	21.6	31.2	.19	1
50012	15.0	190	7.5	9.3	6.3	23.1	33.0	.21	1
50013	16.0	200	7.8	9.8	6.6	24.6	34.5	.23	1
50014	17.0	210	8.2	10.3	6.9	25.4	37.3	.30	1
50015	18.0	220	8.6	10.8	7.1	27.4	38.4	.32	1
50016	19.0	230	9.0	11.1	7.3	28.8	40.4	.34	1
50017	20.0	240	9.4	11.4	7.5	30.2	42.3	.39	1
50019	22.0	260	10.2	12.0	7.9	33.0	46.6	.51	1
50027	24.0	280	11.0	12.7	8.3	35.8	50.1	.62	1




SHOP

50089 15 Piece Set Inch Combination Wrenches Roll up pouch

Item No. 50089 Includes: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8

lbs. 7.03



SHOP

50095 10 Piece Set Inch Combination Wrenches Roll up pouch

Item No. 50095 - 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1”

lbs. 3.54



SHOP

50091 12 Piece Set Inch Combination Wrenches Roll up pouch

Item No. 50091 Includes: 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1”

lbs. 4.78




SHOP

50087 15 Piece Set Metric Combination Wrenches Roll up pouch

Item No. 50087 Includes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24mm

lbs. 5.16



SHOP

50094 10 Piece Set Metric Combination Wrenches Roll up pouch

Item No. 50094 Includes: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

lbs. 3.13




SHOP

50088 12 Piece Set Metric Combination Wrenches Roll up pouch

Item No. 50088 Includes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

lbs. 3.26

Wiha Combination Wrenches



SHOP

400 **Combination Wrenches Inch DIN 3113A/ISO 3318 - ISO 7738**

Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit.

Item	AF	OAL	OAL	H¹	H²	D¹	D²		
No.	Inch	mm	Inch	mm	mm	mm	mm	lbs.	pkg.
40043	1/4	100	3.9	5.0	3.9	10.1	15.7	.03	10
40044	5/16	120	4.7	5.9	4.4	12.9	19.0	.05	10
40045	3/8	140	5.5	6.9	5.0	15.9	22.8	.09	10
40046	7/16	150	5.9	7.4	5.2	17.3	25.4	.11	10
40047	1/2	170	6.7	8.4	5.8	20.2	29.3	.14	10
40048	9/16	180	7.1	8.9	6.1	21.6	31.2	.19	10
40049	19/32	190	7.5	9.3	6.3	23.1	33.0	.21	10
40050	5/8	200	7.8	9.8	6.6	24.6	34.5	.23	10
40051	11/16	210	8.2	10.3	6.9	25.9	37.3	.30	10
40052	3/4	230	9.0	11.1	7.3	28.8	40.4	.34	1
40053	25/32	240	9.4	11.4	7.5	30.2	42.3	.39	1
40054	13/16	250	9.8	11.7	7.7	31.7	44.2	.45	1
40055	7/8	260	10.2	12.0	7.9	33.0	46.6	.51	1
40056	15/16	280	11.0	12.7	8.3	35.8	50.1	.63	1
40057	1	290	11.4	13.0	8.5	37.3	52.8	.65	1
40058	1-1/16	310	12.2	13.6	8.9	40.2	55.9	.83	1
40059	1-1/8	330	13.0	14.2	9.3	42.8	59.8	.98	1
40060	1-1/4	360	14.1	15.2	9.9	47.2	66.9	1.31	1
40061	1-5/16	360	14.1	15.2	9.9	47.2	66.9	1.28	1
40062	1-3/8	400	15.7	22.8	14.1	54.6	77.5	2.56	1
40063	1-7/16	400	15.7	22.8	14.1	54.6	77.5	2.38	1
40064	1-1/2	400	15.7	22.8	14.1	54.6	77.5	2.33	1
40065	1-5/8	450	17.6	25.8	15.8	62.1	83.7	3.19	1
40066	1-3/4	500	19.6	28.8	17.5	69.6	93.1	4.44	1
40067	1-13/16	500	19.6	28.8	17.5	69.6	93.1	4.31	1
40068	2	540	21.2	31.2	18.9	75.6	102.6	5.72	1



SHOP

30098 **15 Piece Set Metric Economy Contractor Wrenches**

Economy Chrome-vanadium contractor wrenches, polished. Import

Item No.	Metric:	lbs. 5.10
30098	8.0, 9.0, 10.0, 11.0, 12.0, 13.0, 14.0, 15.0, 16.0, 17.0, 18.0, 19.0, 20.0, 22.0, 24.0mm	

30099 **15 Piece Set Inch Economy Contractor Wrenches**

Economy Chrome-vanadium contractor wrenches, polished. Import

Item No.	Inch:	lbs. 5.60
30099	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8”	



SHOP

40089 **15 Piece Set Inch Combination Wrenches** Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit. In roll up pouch

Item			OAL			OAL
No.		Inch	mm		Inch	mm
40089	40043	1/4	100	40052	3/4	230
	40044	5/16	120	40054	13/16	250
lbs.	40045	3/8	140	40055	7/8	260
6.38	40046	7/16	150	40056	15/16	280
	40047	1/2	170	40057	1	290
	40048	9/16	180	40058	1-1/16	310
	40050	5/8	200	40059	1-1/8	330
	40051	11/16	210			



SHOP

40091 **12 Piece Set Inch Combination Wrenches**

Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit. In roll up pouch

Item			OAL			OAL
No.		Inch	mm		Inch	mm
40091	40044	5/16	120	40051	11/16	210
	40045	3/8	140	40052	3/4	230
lbs.	40046	7/16	150	40054	13/16	250
7.50	40047	1/2	170	40055	7/8	260
	40048	9/16	180	40056	15/16	280
	40050	5/8	200	40057	1	290

Wiha Combination Wrenches



SHOP

40093 **7 Piece Set Inch Combination Wrenches**

Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit.

Item			OAL			OAL
No.		Inch	mm		Inch	mm
40093	40045	3/8	140	40050	5/8	200
	40046	7/16	150	40051	11/16	210
lbs. 1.60	40047	1/2	170	40052	3/4	230
	40048	9/16	180			



SHOP

40097 **15 Piece Set Inch Combination Wrenches** Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit. In molded tool box

Item			OAL			OAL
No.		Inch	mm		Inch	mm
40097	40044	5/16	120	40054	13/16	250
	40045	3/8	140	40055	7/8	260
	40046	7/16	150	40056	15/16	280
lbs.	40047	1/2	170	40057	1	290
11.0	40048	9/16	180	40058	1-1/16	310
	40050	5/8	200	40059	1-1/8	330
	40051	11/16	210	40060	1-1/4	360
	40052	3/4	230			



SHOP

40095 **10 Piece Set Inch Combination Wrenches**

Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit. In roll up pouch

Item			OAL			OAL
No.		Inch	mm		Inch	mm
40095	40046	7/16	150	40052	3/4	230
	40047	1/2	170	40054	13/16	250
lbs. 7.50	40048	9/16	180	40055	7/8	260
	40050	5/8	200	40056	15/16	280
	40051	11/16	210	40057	1	290




SHOP

40099 **26 Piece Set Inch Combination Wrenches** Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit. In molded tool box

Item			OAL			OAL
No.		Inch	mm		Inch	mm
40099	40043	1/4	100	40056	15/16	280
	40044	5/16	120	40057	1	290
lbs.	40045	3/8	140	40058	1-1/16	310
38.5	40046	7/16	150	40059	1-1/8	330
	40047	1/2	170	40060	1-1/4	360
	40048	9/16	180	40061	1-5/16	360
	40049	19/32	190	40062	1-3/8	400
	40050	5/8	200	40063	1-7/16	400
	40051	11/16	210	40064	1-1/2	400
	40052	3/4	230	40065	1-5/8	450
	40053	25/32	240	40066	1-3/4	500
	40054	13/16	250	40067	1-13/16	500
	40055	7/8	260	40068	2	540

Wiha Combination Wrenches





SHOP

400 **Combination Wrenches Metric DIN 3113A/ISO 3318 - ISO 7738**

Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit.

Item	MM	OAL	OAL	H^1	H^2	D^1	D^2		
No.	mm	mm	Inch	mm	mm	mm	mm	lbs.	pkg.
40001	5.5	100	3.9	5.0	3.0	10.1	15.7	.03	10
40002	6.0	100	3.9	5.0	3.9	10.1	15.7	.03	10
40003	7.0	110	4.3	5.5	4.2	11.5	17.0	.04	10
40004	8.0	120	4.7	5.9	4.4	12.9	19.0	.05	10
40005	9.0	130	5.1	6.4	4.7	14.5	20.9	.07	10
40006	10.0	140	5.5	6.9	5.0	15.9	22.8	.09	10
40007	11.0	150	5.9	7.4	5.2	17.3	25.4	.11	10
40008	12.0	160	6.3	7.9	5.5	18.7	26.7	.13	10
40009	13.0	170	6.7	8.4	5.8	20.2	29.3	.14	10
40011	14.0	180	7.1	8.9	6.1	21.6	31.2	.19	10
40012	15.0	190	7.5	9.3	6.3	23.1	33.0	.21	10
40013	16.0	200	7.8	9.8	6.6	24.6	34.5	.23	10
40014	17.0	210	8.2	10.3	6.9	25.4	37.3	.30	10
40015	18.0	220	8.6	10.8	7.1	27.4	38.4	.32	10
40016	19.0	230	9.0	11.1	7.3	28.8	40.4	.34	10
40017	20.0	240	9.4	11.4	7.5	30.2	42.3	.39	1
40018	21.0	250	9.8	11.7	7.7	31.7	44.2	.44	1
40019	22.0	260	10.2	12.0	7.9	33.0	46.6	.51	1
40020	23.0	270	10.6	12.4	8.1	34.5	48.8	.56	1
40027	24.0	280	11.0	12.7	8.3	35.8	50.1	.62	1
40028	25.0	290	11.4	13.0	8.5	37.3	52.8	.66	1
40029	26.0	300	11.8	13.3	8.7	38.7	53.9	.74	1
40030	27.0	310	12.2	13.6	8.9	40.2	55.9	.83	1
40031	28.0	320	12.5	13.9	9.1	41.5	57.8	.88	1
40032	29.0	330	12.9	14.2	9.3	42.8	59.8	.97	1
40033	30.0	340	13.3	14.6	9.5	44.3	62.6	1.08	1
40034	32.0	360	14.1	15.2	9.9	47.2	66.9	1.30	1
40035	34.0	380	14.9	15.8	10.3	50.1	69.5	1.50	1
40036	36.0	400	15.7	22.8	14.1	54.6	77.5	2.40	1
40037	38.0	400	15.7	22.8	14.1	54.6	77.5	2.35	1
40038	41.0	450	17.6	25.8	15.8	62.1	83.7	3.19	1
40039	46.0	500	19.6	28.8	17.5	69.6	93.1	4.31	1
40040	50.0	540	21.1	31.2	18.9	75.6	102.6	5.72	1



SHOP

40088 **14 Piece Set Metric Combination Wrenches**

Made from 31CRV3 high performance tool steel. In roll up pouch

Item			OAL			OAL
No.		mm	mm		mm	mm
40088	40002	6.0	100	40009	13.0	170
	40003	7.0	110	40011	14.0	180
lbs.	40004	8.0	120	40012	15.0	190
2.3	40005	9.0	130	40013	16.0	200
	40006	10.0	140	40014	17.0	210
	40007	11.0	150	40015	18.0	220
	40008	12.0	160	40016	19.0	230



SHOP

40087 **15 Piece Set Metric Combination Wrenches** Made from 31CRV3 high performance tool steel. In roll up pouch

Item			OAL			OAL
No.		mm	mm		mm	mm
40087	40004	8.0	120	40013	16.0	200
	40005	9.0	130	40014	17.0	210
lbs.	40006	10.0	140	40015	18.0	220
6.75	40007	11.0	150	40016	19.0	230
	40008	12.0	160	40017	20.0	240
	40009	13.0	170	40019	22.0	260
	40011	14.0	180	40027	24.0	280
	40012	15.0	190			



SHOP

40094 **10 Piece Set Metric Combination Wrenches**

Made from 31CRV3 high performance tool steel. In roll up pouch

Item			OAL			OAL
No.		mm	mm		mm	mm
40094	40006	10.0	140	40012	15.0	190
	40007	11.0	150	40013	16.0	200
lbs. 2.85	40008	12.0	160	40014	17.0	210
	40009	13.0	170	40015	18.0	220
	40011	14.0	180	40016	19.0	230

Wiha Combination Wrenches



SHOP

40086 **9 Piece Set Metric Combination Wrenches**

Made from 31CRV3 high performance tool steel.

Item			OAL			OAL
No.		mm	mm		mm	mm
40086	40003	7.0	110	40008	12.0	160
	40004	8.0	120	40009	13.0	170
lbs. 1.3	40005	9.0	130	40011	14.0	180
	40006	10.0	140	40012	15.0	190
	40007	11.0	150			



SHOP

40098 **18 Piece Set Metric Combination Wrenches**

Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit. In molded tool box.

Item			OAL			OAL
No.		mm	mm		mm	mm
40098	40003	7.0	110	40013	16.0	200
	40004	8.0	120	40014	17.0	210
lbs.	40005	9.0	130	40015	18.0	220
8.7	40006	10.0	140	40016	19.0	230
	40007	11.0	150	40017	20.0	240
	40008	12.0	160	40018	21.0	250
	40009	13.0	170	40019	22.0	260
	40011	14.0	180	40020	23.0	270
	40012	15.0	190	40027	24.0	280



SHOP

40096 **15 Piece Set Metric Combination Wrenches**

Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit. In molded tool box

Item			OAL			OAL
No.		mm	mm		mm	mm
40096	40003	7.0	110	40012	15.0	190
	40004	8.0	120	40013	16.0	200
lbs.	40005	9.0	130	40014	17.0	210
6.75	40006	10.0	140	40015	18.0	220
	40007	11.0	150	40016	19.0	230
	40008	12.0	160	40017	20.0	240
	40009	13.0	170	40018	21.0	250
	40011	14.0	180			




SHOP

40092 **26 Piece Set Metric Combination Wrenches** Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit. In molded tool box

Item			OAL			OAL
No.		mm	mm		mm	mm
40092	40002	6.0	100	40016	19.0	230
	40003	7.0	110	40017	20.0	240
lbs.	40004	8.0	120	40018	21.0	250
15.3	40005	9.0	130	40019	22.0	260
	40006	10.0	140	40020	23.0	270
	40007	11.0	150	40027	24.0	280
	40008	12.0	160	40028	25.0	290
	40009	13.0	170	40029	26.0	300
	40011	14.0	180	40030	27.0	310
	40012	15.0	190	40031	28.0	320
	40013	16.0	200	40032	29.0	330
	40014	17.0	210	40033	30.0	340
	40015	18.0	220	40034	32.0	360


Wiha Box Wrenches



475 **Box Wrenches Metric DIN 838 / ISO 10104** SHOP

Satin chromed sure grip body. Made from 31CRV3 high performance forged tool steel. Precision formed for an exact fit. 12 point drive.


Item No.	MM	MM	OAL mm	OAL Inch	H¹ mm	H² mm	D¹ mm	D² mm	lbs.	pkg.
47501	5.5	x 7.0	165	6.5	5.8	6.3	10.6	12.2	.09	10
47502	6.0	x 7.0	165	6.5	5.8	6.3	10.6	12.2	.09	10
47541	7.0	x 8.0	170	6.7	6.0	6.7	12.2	13.5	.12	10
47503	8.0	x 9.0	180	7.1	6.7	7.3	13.7	15.1	.13	10
47504	10.0	x 11.0	195	7.6	7.5	8.1	16.4	17.9	.19	10
47505	12.0	x 13.0	216	8.5	8.4	9.0	19.7	20.9	.26	10
47506	14.0	x 15.0	238	9.3	9.6	10.1	22.4	25.0	.33	10
47507	16.0	x 17.0	262	10.3	10.2	10.4	25.4	27.0	.44	10
47508	18.0	x 19.0	290	11.4	10.8	11.0	27.8	29.7	.55	1
47509	20.0	x 22.0	320	12.5	11.5	12.2	31.8	34.0	.75	1
47510	21.0	x 23.0	326	12.8	11.8	12.5	32.4	35.3	.77	1
47511	24.0	x 26.0	337	13.2	12.8	13.9	37.0	41.0	.92	1
47512	25.0	x 28.0	346	13.6	13.0	14.2	29.2	43.0	1.1	1
47513	27.0	x 29.0	346	13.6	13.9	14.6	40.5	45.3	1.1	1
47514	30.0	x 32.0	360	14.1	13.9	15.5	45.5	49.0	1.3	1
47515	30.0	x 34.0	380	14.9	14.8	16.5	45.5	51.8	1.3	1
47516	36.0	x 41.0	440	17.3	18.0	19.5	53.5	60.5	2.5	1
47517	46.0	x 50.0	500	19.6	21.4	22.4	67.0	73.0	3.6	1



475 **Box Wrenches Inch DIN 838 / ISO 10104** SHOP

Satin chromed sure grip body. Made from 31CRV3 high performance forged tool steel. Precision formed for an exact fit. 12 point drive.

Item No.	AF Inch Inch	OAL mm	OAL Inch	H¹ mm	H² mm	D¹ mm	D² mm	lbs.	pkg.
47518	1/4x5/16	170	6.7	6.0	6.7	12.2	13.5	.12	10
47519	5/16x3/8	180	7.1	6.7	7.5	13.7	16.4	.14	10
47520	3/8x7/16	195	7.6	7.5	8.1	16.4	17.9	.19	10
47521	7/16x1/2	216	8.5	8.4	9.0	18.3	20.9	.24	10
47522	1/2x9/16	239	9.4	9.0	9.3	20.9	22.3	.32	10
47523	9/16x5/8	239	9.4	9.3	9.7	22.3	25.0	.32	10
47524	5/8x11/16	262	10.3	10.2	10.4	25.4	27.0	.42	10
47525	5/8x3/4	290	11.4	10.2	11.0	25.4	29.7	.51	10
47526	11/16x3/4	290	11.4	10.8	11.0	27.8	29.7	.58	1
47527	3/4x25/32	290	11.4	11.0	11.4	29.7	31.8	.57	1
47528	3/4x7/8	320	12.5	11.0	12.2	29.7	34.0	.67	1
47529	13/16x7/8	320	12.5	11.5	12.2	31.8	34.0	.69	1
47530	7/8x15/16	326	12.8	12.2	12.8	34.0	37.0	.77	1
47531	15/16x 1	337	13.2	12.8	13.9	37.0	41.0	.98	1
47532	1x1-1/8	346	13.6	13.0	14.2	39.2	43.0	1.1	1
47533	1-1/16x1-1/4	358	14.0	13.9	15.5	42.0	49.0	1.3	1
47534	1-1/8x1-5/16	360	14.1	14.6	15.5	45.5	50.0	1.2	1
47535	1-3/16x1-5/16	360	14.1	14.6	15.5	45.5	50.0	1.3	1
47536	1-1/4x1-3/8	412	16.2	17.0	18.2	48.2	53.5	1.8	1
47537	1-5/16x1-1/2	412	16.2	17.0	18.2	48.2	53.5	1.8	1
47538	1-7/16x1-5/8	440	17.3	18.0	19.5	53.5	60.5	2.3	1
47539	1-11/16x1-7/8	476	18.7	19.7	21.4	63.0	70.0	2.8	1
47540	1-13/16x2	500	19.6	21.4	22.4	67.0	73.0	3.4	1



47590 **10 Piece Set Metric Box Wrenches** SHOP

Item No.			OAL mm			OAL mm
47590	47501	5.5 x 7.0	165	47506	14.0 x 15.0	238
	47502	6.0 x 7.0	165	47507	16.0 x 17.0	262
lbs. 3.95	47503	8.0 x 9.0	180	47508	18.0 x 19.0	290
	47504	10.0 x 11.0	195	47509	20.0 x 22.0	320
	47505	12.0 x 13.0	216	47510	21.0 x 23.0	326



47591 **8 Piece Set Inch Box Wrenches** SHOP

Item No.			OAL mm			OAL mm
47591	47518	1/4 x 5/16	170	47525	5/8 x 3/4	290
	47520	3/8 x 7/16	195	47526	11/16 x 3/4	290
lbs. 2.55	47521	7/16 x 1/2	216	47529	13/16 x 7/8	320
	47522	1/2 x 9/16	239			
	47523	9/16 x 5/8	239			

Wiha TORX®, TORXPlus® & Security TORX® Sockets



Set Screw Replaceable Bit

SHOP

761 TORX® Sockets, 1/4" Square Drive

Item No.	Size	mm	lbs.
76106	T6	38	.04
76107	T7	38	.04
76109	T8	38	.04
76111	T9	38	.04
76113	T10	38	.04
76117	T15	38	.04
76119	T20	38	.04
76121	T25	38	.04
76123	T27	38	.04
76129	T30	38	.05
76131	T40	38	.05



SHOP

763 TORX® Sockets, 3/8" Square Drive,

Set Screw Replaceable Bit 1/4" Bits

Item No.	Size	mm	lbs.
76312	T9	42	.09
76314	T10	42	.09
76316	T15	42	.09
76318	T20	42	.09
76322	T25	42	.09
76324	T27	42	.09
76326	T30	42	.09
76328	T40	42	.09



SHOP

763 TORX® Sockets, 3/8" Square Drive,

Set Screw Replaceable Bit 5/16" Bit. 2" OAL

Item No.	Size	mm	lbs.
76346	T40	51	.11
76348	T45	51	.11
76352	T50	51	.11
76354	T55	51	.13



SHOP

716 TORXPlus® Sockets, 1/4" Square Drive,

Set Screw Replaceable Bit 1/4" Bits

Item No.	Size	mm	lbs.
71661	IP6	38	.04
71662	IP7	38	.04
71663	IP8	38	.04
71664	IP9	38	.04
71665	IP10	38	.04
71666	IP15	38	.04
71667	IP20	38	.04
71668	IP25	38	.04
71669	IP27	38	.04
71670	IP30	38	.04
71671	IP40	38	.04



SHOP

716 TORXPlus® Sockets, 3/8" Square Drive,

Set Screw Replaceable Bit 1/4" Bits

Item No.	Size	mm	lbs.
71673	IP9	42	.09
71674	IP10	42	.09
71675	IP15	42	.09
71676	IP20	42	.09
71677	IP25	42	.09
71678	IP27	42	.09
71680	IP30	42	.09
71681	IP40	42	.09



Set Screw Replaceable Bit

SHOP

763 Security TORX® Sockets

3/8" Square drive, 5/16" bits.

Item No.	Size	mm	lbs.
76339	T40s	51	.11
76340	T45s	51	.11
76341	T50s	51	.11
76342	T55s	51	.13



Set Screw Replaceable Bit

SHOP

763 Security TORX® Sockets

1/4" Square drive, 1/4" bits.

Item No.	Size	mm	lbs.
76329	T7s	38	.04
76330	T8s	38	.04
76331	T9s	38	.04
76332	T10s	38	.04
76333	T15s	38	.04
76334	T20s	38	.04
76335	T25s	38	.04
76336	T27s	38	.04
76337	T30s	38	.05
76338	T40s	38	.05



Set Screw Replaceable Bit

SHOP

701 Security TORX® Sockets

3/8" Square drive, 1/4" bits. 2" OAL

Item No.	Size	mm	lbs.
70107	T7s	42	.09
70108	T8s	42	.09
70109	T9s	42	.09
70110	T10s	42	.09
70113	T15s	42	.09
70115	T20s	42	.09
70117	T25s	42	.09
70119	T27s	42	.09
70121	T30s	42	.09
70123	T40s	42	.09

Wiha External Sockets





SHOP

773 TORX® External Sockets

1/4" Square drive socket.

Item No.	Size	mm	lbs.
77304	E4	25	.03
77305	E5	25	.03
77306	E6	25	.03
77307	E7	25	.04
77308	E8	25	.04
77310	E10	25	.04

SHOP

773 TORX® External Sockets

3/8" Square drive socket.

Item No.	Size	mm	lbs.
77331	E8	28	.07
77333	E10	28	.07
77335	E12	28	.07
77337	E14	28	.08



SHOP

773 TORX® External Sockets

1/2" Square drive socket.

Item No.	Size	mm	lbs.
77341	E12	37	.12
77343	E14	37	.12
77345	E16	37	.14
77347	E18	37	.14
77349	E20	37	.15
77353	E24	40	.24

Wiha E-TORX® Socket Set On Molded Rail



SHOP

77391 8 Piece E- TORX® Socket Set

Item No.	lbs.	Set includes the following:
77391	.62	1/4" drive: E6, E7, E8, E10
		3/8" drive: E12, E14
		1/2" drive: E16, E18

1/2" Square Drive Sockets



Set Screw Replaceable Bit

SHOP

764 TORX® Sockets, 1/2" Square Drive

Item No.	Size	mm	lbs.	pkg.
76403	T30	59	.10	1
76404	T40	59	.10	1
76405	T45	59	.10	1
76406	T50	59	.10	1
76407	T55	59	.11	1



Set Screw Replaceable Bit

SHOP

764 Security TORX® Sockets

1/2" Square Drive

Item No.	Size	mm	lbs.	pkg.
76411	T40s	59	.11	1
76412	T45s	59	.11	1
76413	T50s	59	.11	1
76414	T55s	59	.12	1



Set Screw Replaceable Bit

SHOP

764 Slotted Bit Sockets, 1/2" Square Drive

Item No.	mm	mm	lbs.	pkg.
76417	8	59	.12	1
76418	10	59	.12	1
76419	12	59	.12	1



Set Screw Replaceable Bit

SHOP

764 Phillips Bit Sockets, 1/2" Square Drive

Item No.	Size	mm	lbs.	pkg.
76422	2	59	.15	1
76423	3	59	.15	1
76424	4	59	.15	1

Wiha Sockets



713 Hex Inch Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item No.	Inch	mm	lbs.
71371	1/16	38	.05
71370	5/64	38	.05
71372	3/32	38	.05
71374	7/64	38	.05
71376	1/8	38	.05
71378	9/64	38	.05
71380	5/32	38	.05
71382	3/16	38	.05
71384	7/32	38	.05
71386	1/4	38	.05



713 Hex Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM tool steel.

Item No.	Inch	mm	lbs.
71375	1/8	42	.09
71377	9/64	42	.09
71379	5/32	42	.09
71381	3/16	42	.09
71383	7/32	42	.09
71385	1/4	42	.09
71388	5/16	42	.10
71390	3/8	42	.10



713 Hex Metric Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item No.	mm	mm	lbs.
71301	1.5	38	.04
71302	2.0	38	.04
71305	2.5	38	.04
71313	3.0	38	.04
71314	4.0	38	.04
71317	5.0	38	.05
71319	6.0	38	.05
71327	8.0	38	.05
71340	10.0	38	.05



713 Hex Metric Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item No.	mm	mm	lbs.
71300	2.0	42	.09
71316	2.5	42	.09
71341	3.0	42	.09
71331	4.0	42	.09
71323	5.0	42	.09
71325	6.0	42	.09
71320	8.0	42	.10
71322	10.0	42	.11



713 Hex Metric Sockets 3/8" Square drive socket. Replaceable bit. 5/16" bits CVM steel.

Item No.	mm	mm	lbs.
71332	12.0	75	.22



761 Security Hex Inch Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item No.	Inch	mm	lbs.
76164	5/64	42	.09
76165	3/32	42	.09
76166	7/64	42	.09
76167	1/8	42	.09
76168	9/64	42	.09
76169	5/32	42	.09
76170	3/16	42	.09
76171	7/32	42	.09
76172	1/4	42	.09



761 Security Hex Metric Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item No.	mm	mm	lbs.
76132	2.0	42	.09
76133	2.5	42	.09
76134	3.0	42	.09
76135	4.0	42	.09
76136	5.0	42	.09
76137	6.0	42	.09
76138	8.0	42	.09



717 Ball End Hex Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item No.	Inch	mm	lbs.
71761	3/32	38	.09
71762	7/64	38	.09
71763	1/8	38	.09
71764	9/64	38	.09
71765	5/32	38	.09
71766	3/16	38	.09
71767	7/32	38	.09
71768	1/4	38	.09



717 Ball End Hex Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item No.	mm	mm	lbs.
71771	1.5	38	.09
71772	2.0	38	.09
71773	2.5	38	.09
71774	3.0	38	.09
71775	4.0	38	.09
71776	5.0	38	.09
71777	6.0	38	.09



720 Impact Bit Holding Socket With Retaining Ring For 1/4" drive bits.

Item No.	Bit	mm	Drive	lbs.
72001	1/4	25	1/4"	.05
72002	1/4	30	3/8"	.10
72003	1/4	35	1/2"	.21

72090 3 Piece Bit Holding Socket Set
for use with 1/4" Insert bits
Drive: 1/4", 3/8", 1/2" wt. .40



720 Impact Bit Holding Socket With Retaining Ring For 5/16" drive bits.

Item No.	Bit	mm	Drive	lbs.
72004	5/16	25	1/4"	.04
72005	5/16	30	3/8"	.04
72006	5/16	35	1/2"	.04

Wiha Long Blade Sockets & Sets



771 Hex Inch Sockets

1/4" Drive 6" Long Bit Socket

SHOP

Item No.	Size	Inch	lbs.
77128	3/32	6	.12
77130	7/64	6	.12
77132	1/8	6	.12
77134	9/64	6	.12
77136	5/32	6	.12
77138	3/16	6	.12
77139	7/32	6	.12
77141	1/4	6	.12

77191 8 Piece Hex Inch Socket Blade Set

Inch: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" wt. .97



771 Hex Inch Sockets

3/8" Drive 6" Long Bit Socket

SHOP

Item No.	Size	Inch	lbs.
77165	3/32	6	.18
77167	7/64	6	.18
77169	1/8	6	.18
77171	9/64	6	.18
77173	5/32	6	.18
77175	3/16	6	.18
77177	7/32	6	.18
77179	1/4	6	.18



771 Hex Metric Sockets

1/4" Drive 6" Long Bit Socket

SHOP

Item No.	Size	Inch	lbs.
77140	2.5	6	.13
77142	3.0	6	.13
77144	4.0	6	.13
77146	5.0	6	.13
77148	6.0	6	.13

77192 5 Pc. Hex Metric Socket Blade Set

Metric: 2.5, 3.0, 4.0, 5.0, 6.0mm

lbs. .70



771 TORX® Sockets

1/4" Drive 6" Long Bit Socket

SHOP

Item No.	Size	Inch	lbs.
77151	T8	6	.12
77153	T9	6	.12
77152	T10	6	.12
77154	T15	6	.12
77156	T20	6	.12
77158	T25	6	.12
77160	T27	6	.13
77162	T30	6	.13
77164	T40	6	.13

77193 7 Piece TORX® Socket Blade Set

TORX®: T10, T15, T20, T25, T27, T30, T40 wt. .87



771 TORX® Sockets

3/8" Drive 6" Long Bit Socket

SHOP

Item No.	Size	Inch	lbs.
77101	T8	6	.12
77103	T9	6	.12
77105	T10	6	.12
77107	T15	6	.12
77109	T20	6	.12
77111	T25	6	.12
77113	T27	6	.12
77115	T30	6	.12
77117	T40	6	.12

77195 9 Piece TORX® Socket Blade Set

TORX®: T8, T9, T10, T15, T20, T25, T27, T30, T40 wt. 1.08



SHOP

77198 22 Piece Hex & TORX® Long Blade Socket Set, 1/4" Drive

Inch Hex: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Metric Hex: 2.5, 3.0, 4.0, 5.0, 6.0mm

TORX®: T8, T9, T10, T15, T20, T25, T27, T30, T40

lbs. 2.82

Wiha Socket Adapters



SHOP

721 Hex To Square 1/4" socket bit adapter.

Item No.	Size	mm	Drive	lbs.
72110	1/4"	25	1/4"	.03
72115	1/4"	30	3/8"	.05




SHOP

724 Tool Shaft

1/4" drive socket power adapter.

Item No.	Drive	mm	Drive	lbs.
72401	1/4"	100	1/4"	.09
72405	1/4"	50	1/4"	.03
72410	1/4"	100	3/8"	.17
72415	1/4"	50	3/8"	.06


Wiha Socket Sets On Molded Rails



SHOP

76191 **10 pc. TORX® Socket Set** 1/4" Square Drive Replaceable Bit Socket. Bits CVM tool steel. OAL 1.5"

Item No.		
76191	lbs.	**Set includes the following:**
	.49	T7, T8, T9, T10, T15, T20, T25, T27, T30, T40



SHOP

76194 **6 pc. TORX® Socket Set**
1/4" Square Drive Replaceable Bit Socket. Bits CVM tool steel.

Item No.		
76194	lbs.	**Set includes the following:**
	.20	T10, T15, T20, T25, T27, T30



SHOP

76395 **8 pc. TORX® Socket Set** 3/8" Square Drive Replaceable Bit Socket. Bits CVM tool steel. OAL 1.5"

Item No.		
76395	lbs.	**Set includes the following:**
	.75	T9, T10, T15, T20, T25, T27, T30, T40




SHOP

76396 **8 pc. TORX® Socket Set** 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel. OAL 1.65"

Item No.		
76396	lbs.	**Set includes the following:**
	.87	1/4": T20, T25, T27, T30, T40
		5/16": T45, T50, T55


Security Torx®



SHOP

70195 **10 pc. Security TORX® Socket Set** 1/4" Square drive replaceable bit socket. 1/4" Bits CVM tool steel.


Item No.		
70195	lbs.	**Set includes the following:**
	.48	T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s



SHOP

76397 **9 pc. Security TORX® Socket Set** 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel.

Item No.		
76397	lbs.	**Set includes the following:**
	.85	1/4": T10s, T15s, T20s, T27s, T30s
		3/8": T40s (1/4" bit)
		3/8": T45s, T50s (5/16" bit)



SHOP

76399 **12 pc. Security TORX® Socket Set** 1/4" & 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel.

Item No.		
76399	lbs.	**Set includes the following:**
	.80	1/4": T7s, T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
		5/16": T45s, T50s, T55s




SHOP

71698 **8 pc. TORXPlus® Socket Set On Rail, In Vinyl Pouch**
1/4" & 3/8" Square Drive Replaceable Bit Socket. Bits Chrome-vanadium-molybdenum tool steel.

Item No.		
71698	lbs.	**Set includes the following:**
	.60	1/4": IP9, IP10, IP15, IP20
		3/8": IP25, IP27, IP30, IP40

Wiha Socket Sets On Molded Rails



SHOP

71391 **10 Piece Hex Inch Socket Set** 1/4" Square drive replaceable bit socket. Bits CVM tool steel. OAL 1.5"

Item No.		
71391	lbs.	**Set includes the following:**
	.48	1/16, 5/64, 3/32, 7/64, 1/8
		9/64, 5/32, 3/16, 7/32, 1/4"



SHOP

71798 **8 Piece Ball End Hex Inch Socket Set**
1/4" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.

Item No.		
71798	lbs.	**Set includes the following:**
	.72	3/32, 7/64, 1/8, 9/64, 5/32,
		3/16, 7/32, 1/4"



SHOP

71398 **7 Piece Ball End Hex Inch Socket Set**
1/4" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.

Item No.		
71398	lbs.	**Set includes the following:**
	.48	3/32, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



SHOP

71797 **7 Piece Ball End Hex Metric Socket Set** 1/4" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.

Item No.		
71797	lbs.	**Set includes the following:**
	.72	Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm



SHOP

71392 **8 Piece Hex Inch Socket Set** 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel. OAL 1.65"

Item No.		
71392	lbs.	**Set includes the following:**
	.78	1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"



SHOP

71393 **5 Piece Hex Inch Socket Set** 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits Chrome-vanadium-molybdenum tool steel.

Item No.		
71393	lbs.	**Set includes the following:**
	.54	Hex Inch: 1/8, 3/16, 1/4, 5/16, 3/8"



SHOP

71394 **5 Piece Hex Metric Socket Set** 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.


Item No.		
71394	lbs.	**Set includes the following:**
	.56	Hex Metric: 4.0, 5.0, 6.0, 8.0, 10.0mm



SHOP

71996 **9 Piece Hex Metric Socket Set** 1/4" & 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel. OAL 1.65"

Item No.		
71996	lbs.	**Set includes the following:**
	.66	1/4": 1.5, 2.0, 2.5, 3.0, 4.0mm
		3/8": 5.0, 6.0, 8.0, 10.0mm



SHOP

71999 **9 Piece Tamper Resistant Hex Inch Socket Set**
3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.

Item No.		
71999	lbs.	**Set includes the following:**
	.86	Tamper Resistant Hex Inch: 5/64, 3/32, 7/64,
		1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



SHOP

71989 **7 Piece Tamper Resistant Hex Metric Socket Set**
3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.

Item No.		
71989	lbs.	**Set includes the following:**
	.74	Tamper Resistant Hex Metric:
		2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm

Wiha 1/4” Sockets & Sets



SHOP

601 **1/4” Sockets - 6 Points**

Hard chrome finish, fully polished with ball retaining groove.

Item No.	mm	mm	wt.
60115	4.0	25	.02
60116	4.5	25	.02
60117	5.0	25	.02
60118	5.5	25	.02
60119	6.0	25	.02
60120	7.0	25	.02
60121	8.0	25	.02
60122	9.0	25	.03
60123	10.0	25	.03
60124	11.0	25	.03
60125	12.0	25	.04
60126	13.0	25	.04
60127	14.0	25	.04



SHOP

601 **1/4” Sockets - 6 Points**

Hard chrome finish, fully polished with ball retaining groove.

Item No.	Inch	Inch	wt.
60101	1/8	.98	.02
60102	5/32	.98	.02
60103	3/16	.98	.02
60104	7/32	.98	.02
60105	1/4	.98	.02
60106	9/32	.98	.02
60107	5/16	.98	.02
60108	11/32	.98	.03
60109	3/8	.98	.03
60110	7/16	.98	.03
60111	1/2	.98	.04
60112	9/16	.98	.05



SHOP

60190 **17 Piece 6 Point Socket Set - Metric**

1/4” Square Drive Hex Metric Socket. Chrome-vanadium sockets.

Item No. 60190	Set includes the following:
	4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0,
	9.0, 10.0, 11.0, 12.0, 13.0mm
60145	1/4” Rev. Ratchet Varicat 32 tooth - 140mm
lbs. 60131	1/4” Sliding T-handle - 115mm
1.54 60133	1/4” Extension Bar - 100mm
60136	1/4” Universal Joint - 35mm
60139	1/4” Spinner Handle - 145mm



SHOP

60192 **12 Pc. 1/4” Sockets 6 Point - Metric** 1/4” Square Drive Socket.

Item No. 60192	Set includes the following:
lbs.	1/4” Hex Metric: 4.0, 4.5, 5.0 , 5.5, 6.0,
.48	7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0mm



SHOP

60191 **17 Piece 6 Point Socket Set - Inch**

1/4” Square Drive Hex Inch Socket. Chrome-vanadium sockets.

Item No. 60191	Set includes the following:
	1/8, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16,
	11/32, 3/8, 7/16, 1/2, 9/16”
60145	1/4” Rev. Ratchet Varicat 32 tooth - 5.5”
lbs. 60131	1/4” Sliding T-handle - 14.5”
1.65 60133	1/4” Extension Bar - 3.9”
60136	1/4” Universal Joint - 1.4”
60139	1/4” Spinner Handle - 5.7”



SHOP

60193 **12 Pc. 1/4” Sockets 6 Point - Inch** 1/4” Square Drive Socket.

Item No. 60193	Set includes the following:
lbs.	1/4” Hex Inch: 1/8, 5/32, 3/16, 7/32, 1/4, 9/32,
.50	5/16, 11/32, 3/8, 7/16, 1/2, 9/16”

Wiha 1/4” Socket Accessories



SHOP

60145 **1/4” Reversible Ratchet Varicat - 32 Tooth**

DIN 3122 D - ISO 3315

Forged body, satin finish, nickel and hard chrome.

Item			
No.	Inch	mm	wt.
60145	5.5	140	.18



SHOP

60146 **1/4” Reversing Ratchet - 20 Tooth, Push Through Type**

20 tooth ratchet. DIN 3122 C - ISO 3315

Forged ratchet body, satin finish, nickel and hard chrome.

Item			
No.	Inch	mm	wt.
60146	6.0	150	.18



SHOP

60131 **1/4” Sliding T-handle**

DIN 3122 A - ISO 3316

Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60131	4.5	114	.09



SHOP

601 **1/4” Extension Bar**

DIN 3123 B - ISO 3316

Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60132	2.17	50	.05
60133	3.93	100	.10
60134	5.90	150	.14



SHOP

60135 **1/4” Wobble Extension** Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60135	3.93	100	.10



SHOP

60136 **1/4” Universal Joint** Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60136	1.4	35	.05



SHOP

60137 **1/4” Swivel Handle** Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60137	6.10	155	.25



SHOP

60138 **1/4” Spinner Handle** Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60138	6.10	155	.25



SHOP

60139 **1/4” Flexible Extension** Hard chrome finish.

Item			
No.	Inch	mm	wt.
60139	4.72	120	.11



SHOP

60140 **1/4” Converter To 3/8”** Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60140	1.06	27	.04



SHOP

60141 **1/4” Square Coupler** Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60141	.79	20	.01

Wiha 3/8” Sockets & Sets

METRIC



SHOP

602 **3/8” Sockets - 12 Point - Metric**

Hard chrome finish, fully polished with ball retaining groove.

Item No.	mm	mm	wt.
60227	6.0	25.5	.02
60228	7.0	25.5	.02
60229	8.0	25.5	.02
60230	9.0	25.5	.03
60231	10.0	25.5	.03
60232	11.0	25.5	.03
60233	12.0	25.5	.04
60234	13.0	25.5	.04
60235	14.0	26	.04
60236	15.0	27	.04
60237	16.0	27	.04
60238	17.0	27	.04
60239	18.0	27	.04
60240	19.0	29	.04
60241	20.0	29	.04
60242	21.0	29	.04
60243	22.0	31	.04



SHOP

60292 **24 Piece 12 Point Socket Set - Metric**

Hard chrome finish, fully polished with ball retaining groove.

Item No.	
60292	**Set includes the following:**
	6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0, 14.0,
	15.0, 16.0, 17.0, 18.0, 19.0, 20.0, 21.0, 22.0
	3/8” Slotted Screwdriver Bit Socket
	60266- 3/8” Rev. Ratchet Varicat - 200mm - 32 tooth
	60248- 3/8” Speed Brace - 300mm
lbs.	60250- 3/8” Sliding T-handle - 200mm
5.48	60251- 3/8” Extension Bar - 125mm
	60255- 3/8” Extension Bar - 250mm
	60257- 3/8” Universal Joint - 50mm



SHOP

60294 **15 Piece 12 Point Socket Set - Metric**

Hard chrome finish, fully polished with ball retaining groove.

Item No.	
60294	**Set includes the following:**
	8.0, 9.0, 10.0, 11.0, 12.0, 13.0, 14.0,
lbs.	15.0, 16.0, 17.0, 18.0, 19.0mm
2.85	60266- 3/8” Rev. Ratchet Varicat - 200mm - 32 tooth
	60251- 3/8” Extension Bar - 125mm
	60257- 3/8” Universal Joint - 50mm

Wiha 3/8” Drive Socket Sets On Rails



SHOP

60296 **12 Piece 3/8” Sockets 12 Point - Metric**

3/8” Square Drive Socket.

Item No.		
60296	lbs.	**Set includes the following:**
	1.02	3/8” Hex Metric: 8.0, 9.0, 10.0, 11.0, 12.0, 13.0, 14.0, 15.0, 16.0, 17.0, 18.0, 19.0mm

Wiha 3/8” Sockets & Sets

INCH



SHOP

602 **3/8” Sockets - 12 Point - Inch**

Hard chrome finish, fully polished with ball retaining groove.

Item No.	Inch	Inch	wt.
60210	1/4	1.00	.02
60211	9/32	1.00	.02
60212	5/16	1.00	.02
60213	11/32	1.00	.02
60214	3/8	1.00	.02
60215	7/16	1.00	.02
60216	1/2	1.00	.02
60217	9/16	1.04	.03
60218	19/32	1.06	.03
60219	5/8	1.06	.03
60220	21/32	1.06	.04
60221	11/16	1.06	.05
60222	3/4	1.14	.05
60223	25/32	1.14	.05
60224	13/16	1.14	.05
60225	7/8	1.22	.05



SHOP

60293 **23 Piece 12 Point Socket Set - Inch**

Hard chrome finish, fully polished with ball retaining groove.

Item No.	
60293	**Set includes the following:**
	1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 19/32,
	5/8, 21/32, 11/16, 3/4, 25/32, 13/16, 7/8”
	3/8” Slotted Screwdriver Bit Socket
	60266- 3/8” Rev. Ratchet Varicat - 7.9” - 32 tooth
lbs.	60248- 3/8” Speed Brace - 11.8”
5.34	60250- 3/8” Sliding T-handle - 7.9”
	60251- 3/8” Extension Bar - 4.9”
	60255- 3/8” Extension Bar - 9.8”
	60257- 3/8” Universal Joint - 2.0”



SHOP

60295 **15 Piece 12 Point Socket Set - Inch**

Hard chrome finish, fully polished with ball retaining groove.

Item No.	
60295	**Set includes the following:**
lbs.	1/4, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 19/32,
3.11	5/8, 21/32, 11/16, 3/4”
	60266- 3/8” Rev. Ratchet Varicat - 7.9” - 32 tooth
	60251- 3/8” Extension Bar - 4.9”
	60257- 3/8” Universal Joint - 2.0”

Wiha 3/8” Drive Socket Sets On Rails



SHOP

60297 **12 Piece 3/8” Sockets 12 Point - Inch**

3/8” Square Drive Socket.

Item No.		
60297		**Set includes the following:**
	lbs.	3/8” Hex Inch: 1/4, 9/32, 5/16, 11/32, 3/8, 7/16,
	.96	1/2, 9/16, 19/32, 5/8, 11/16, 3/4”

Wiha 3/8" Socket Accessories



SHOP

60265 **3/8" Reversible Ratchet**

45 tooth ratchet. DIN 3122 D - ISO 3315

hard chrome finish, polished head.

Item No.	Inch	mm	wt.
60265	7.8	198	.63



SHOP

60266 **3/8" Reversible Ratchet Varicat**

32 tooth ratchet. DIN 3122 D - ISO 3315

Forged ratchet body, satin finish, nickel and hard chrome finish.

Spring-loaded retaining ball.

Item No.	Inch	mm	wt.
60266	7.9	200	.54



SHOP

60267 **3/8" Ratchet Push-Thru Type**

30 tooth. DIN 3122 C - ISO 3315

hard chrome finish, polished head.

Item No.	Inch	mm	wt.
60267	7.9	200	.54



SHOP

60268 **3/8" Flexible Head Reversible Ratchet**

60 tooth ratchet.

hard chrome finish, polished head.

Item No.	Inch	mm	wt.
60268	10.04	255	.73



Provides ratcheting feature for non ratcheting tools. Use with, extension bars, speed brace, sliding T-handle and swivel handle.

SHOP

60249 **3/8" Reversible Ratchet Unit**

60 tooth ratchet. DIN 3122 A - ISO 3315

Hard chrome finish, satin finish with spring-loaded retaining ball.

Item No.	Inch	mm	wt.
60249	1.97	50	.48



602 **3/8" Extension Bar**

DIN 3123 B - ISO 3316

Hard chrome finish, fully polished with spring-loaded retaining ball.

SHOP

Item No.	Inch	mm	wt.
60252	2.95	75	.14
60251	4.92	125	.20
60255	9.84	250	.38



602 **3/8" Wobble Extension**

Hard chrome finish, fully polished with spring-loaded retaining ball.

SHOP

Item No.	Inch	mm	wt.
60253	2.95	75	.13
60254	5.91	150	.23
60256	9.84	250	.36



60248 **3/8" Speed Brace**

DIN 3122 B - ISO 3315

Hard chrome finish, fully polished with spring-loaded retaining ball.

SHOP

Item No.	Inch	mm	wt.
60248	11.97	304	.57



60250 **3/8" Sliding T-handle**

DIN 3122 A - ISO 3315

Hard chrome finish, fully polished with spring-loaded retaining ball.

SHOP

Item No.	Inch	mm	wt.
60250	7.9	200	.35

Wiha 3/8” Socket Accessories



60257 **3/8” Universal Joint** Hard chrome finish, fully polished with spring-loaded retaining ball.

SHOP

Item No.	Inch	mm	wt.
60257	1.97	50	.13



60258 **3/8” Swivel Handle** Hard chrome finish, fully polished with spring-loaded retaining ball.

SHOP

Item No.	Inch	mm	wt.
60258	8.82	224	.47



60259 **3/8” Converter To 1/4”** Hard chrome finish, fully polished with spring-loaded retaining ball.

SHOP

Item No.	Inch	mm	wt.
60259	.98	25	.07



60260 **3/8” Converter To 1/2”** Hard chrome finish, fully polished with spring-loaded retaining ball.

SHOP

Item No.	Inch	mm	wt.
60260	1.38	35	.11



60261 **3/8” Square Coupler** Hard chrome finish, fully polished with spring-loaded retaining ball.

SHOP

Item No.	Inch	mm	wt.
60261	.98	25	.03

Wiha 3/8” Spark Plug Sockets



60262 **Spark Plug Socket** DIN 3124 / ISO 2725 Hard chrome finish, head polished extra deep. Ball retaining groove with rubber insert. 3/8” Drive. 12 point

SHOP

Item No.	Inch	mm	mm	Inch	wt.
60262	13/16”	20.6	65	2.6	.39

60263 **Spark Plug Socket** DIN 3124 / ISO 2725 Hard chrome finish, head polished extra deep. Ball retaining groove with rubber insert. 3/8” Drive. 12 point

Item No.	mm	mm	Inch	wt.
60263	18	65	2.6	.28





60264 **Spark Plug Socket** DIN 3124 / ISO 2725 Hard chrome finish, head polished extra deep. Ball retaining groove with rubber insert. 3/8” Drive. 6 point

SHOP

Item No.	Inch	mm	mm	Inch	wt.
60264	5/8”	16	65	2.6	.25

Wiha 1/2” Sockets & Sets



SHOP

603 **1/2” Sockets Metric - 12 Point**

Hard chrome finish, fully polished with ball retaining groove.

Item No.	mm	mm	wt.
60321	8.0	40	.12
60322	9.0	40	.12
60323	10.0	40	.12
60324	11.0	40	.12
60325	12.0	40	.12
60326	13.0	40	.13
60327	14.0	40	.13
60328	15.0	40	.15
60329	16.0	40	.15
60330	17.0	40	.15
60331	18.0	40	.16
60332	19.0	40	.16
60333	20.0	40	.17
60334	21.0	40	.17
60335	22.0	40	.19
60336	23.0	43	.23
60337	24.0	43	.24
60338	25.0	43	.29
60339	26.0	43	.30
60340	27.0	43	.32
60341	28.0	43	.34
60342	29.0	43	.40
60343	30.0	43	.36
60344	32.0	43	.40
60345	33.0	43	.40
60346	34.0	43	.42



SHOP

60396 **24 Piece 12 Point Socket Set - Metric**

1/2” Square Drive Hex Metric Socket. Chrome-vanadium sockets.

Item No.	
60396	**Set includes the following:**
	12, 13, 14, 15, 16, 17, 18, 19, 20,
	21, 22, 23, 24, 26, 27, 28, 30, 32mm
	60676- 1/2” Rev. Ratchet Varicat 32 tooth - 275mm
	60350- 1/2” Speed Brace - 405mm
lbs.	60352- 1/2” Sliding T-handle - 300mm
11.9	60353- 1/2” Extension Bar - 125mm
	60357- 1/2” Extension Bar - 250mm
	60359- 1/2” Universal Joint - 80mm

Wiha 1/2” Drive Socket Sets On Rails



SHOP

60393 **12 Piece 1/2” Sockets 12 Point Metric**

1/2” Square Drive Socket.

Item No.		
60393	lbs.	**Set includes the following:**
	2.09	1/2” Hex Metric: 10.0, 11.0, 12.0, 13.0, 14.0, 15.0
		16.0, 17.0, 18.0, 19.0, 20.0, 22.0mm

Wiha 1/2” Sockets & Sets



SHOP

603 **1/2” Sockets Inch - 12 Point**

Hard chrome finish, fully polished with ball retaining groove.

No.	Inch	Inch	wt.
60301	3/8	1.57	.12
60302	7/16	1.57	.12
60303	1/2	1.57	.13
60304	9/16	1.57	.13
60305	19/32	1.57	.15
60306	5/8	1.57	.15
60307	11/16	1.57	.16
60308	3/4	1.57	.16
60309	25/32	1.57	.18
60310	13/16	1.57	.17
60311	7/8	1.57	.19
60312	15/16	1.69	.24
60313	31/32	1.69	.28
60314	1	1.69	.30
60315	1-1/16	1.69	.32
60316	1-1/8	1.69	.36
60317	1-3/16	1.69	.37
60318	1-1/4	1.69	.39



SHOP

60397 **24 Piece 12 Point Socket Set - Inch**

1/2” Square Drive Hex Inch Socket. Chrome-vanadium sockets.

Item No.	
60397	**Set includes the following:**
	3/8, 7/16, 1/2, 9/16, 19/32, 5/8, 11/16, 3/4, 25/32
	13/16, 7/8, 15/16, 31/32, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4”
	60676- 1/2” Rev. Ratchet Varicat 32 tooth - 10.8”
lbs.	60350- 1/2” Speed Brace - 15.9”
12.0	60352- 1/2” Sliding T-handle - 11.8”
	60353- 1/2” Extension Bar - 4.9”
	60357- 1/2” Extension Bar - 9.8”
	60359- 1/2” Universal Joint - 3.1”

Wiha 1/2” Drive Socket Sets On Rails



SHOP

60395 **12 Piece 1/2” Sockets 12 Point Inch**

1/2” Square Drive Socket.

Item No.		
60395	lbs.	**Set includes the following:**
	2.51	1/2” Hex Inch: 3/8, 7/16, 1/2, 9/16, 19/32, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1”

Wiha 1/2” Socket Accessories



SHOP

60375 **1/2” Reversible Ratchet**

45 tooth ratchet. DIN 3122 D - ISO 3315

hard chrome finish, polished head.

Item No.	Inch	mm	wt.
60375	10.6	270	1.1



SHOP

60376 **1/2” Reversible Ratchet Varicat**

32 tooth ratchet. DIN 3122 D - ISO 3315

Forged ratchet body, satin finish, nickel and hard chrome finish.

Spring-loaded retaining ball.

Item No.	Inch	mm	wt.
60376	10.8	275	1.2



SHOP

60377 **1/2” Ratchet - Push-thru type**

30 tooth. DIN 3122 C - ISO 3315

hard chrome finish, polished head.

Item No.	Inch	mm	wt.
60377	10.6	270	1.1



SHOP

60378 **1/2” Drive Flexible Head Reversible Ratchet**

Gears with 60 teeth.

hard chrome finish, polished head.

Item No.	Inch	mm	wt.	Pkg.
60378	11.2	285	1.2	5



SHOP

60379 **1/2” Flexible Head Reversible Ratchet Long**

60 tooth ratchet.

hard chrome finish, polished head.

Item No.	Inch	mm	wt.
60379	15.5	395	1.6



Provides ratcheting feature for non ratcheting tools. Use with, extension bars, speed brace, sliding T-handle and swivel handle.

SHOP

60351 **1/2” Reversible Ratchet Unit**

60 tooth ratchet. DIN 3122 A - ISO 3315

Hard chrome finish, satin finish with spring-loaded retaining ball.

Item No.	Inch	mm	wt.
60351	2.17	55	.49



SHOP

60364 **1/2” Converter To 3/8”** Hard chrome finish, fully polished with spring-loaded retaining ball.

Item No.	mm	wt.
60364	36	.11



SHOP

60365 **1/2” Converter To 3/4”** Hard chrome finish, fully polished with spring-loaded retaining ball.

Item No.	mm	wt.
60365	45	.26



SHOP

60366 **1/2” Square Coupler** Hard chrome finish, fully polished with spring-loaded retaining ball.

Item No.	mm	wt.
60366	34	.10

Wiha 1/2” Socket Accessories



SHOP

60350 **1/2” Speed Brace**

DIN 3122 B - ISO 3315

Hard chrome finish, fully polished with spring-loaded retaining ball

Item			
No.	Inch	mm	wt.
60350	15.9	405	1.3



60352 **1/2” Sliding T-handle**

DIN 3122 A - ISO 3315

Hard chrome finish, fully polished with spring-loaded retaining ball.

SHOP

Item			
No.	Inch	mm	wt.
60352	11.8	300	.88



SHOP

603 **1/2” Swivel Handle** Hard chrome finish, fully polished with spring-loaded retaining ball.

Item		
No.	mm	wt.
60360	250	1.0
60361	375	1.5
60362	450	2.1



SHOP

60363 **1/2” Offset Handle** Hard chrome finish, fully polished with spring-loaded retaining ball.

Item		
No.	mm	wt.
60363	200	.59



SHOP

603 **1/2” Extension Bar**

DIN 3123 B - ISO 3316

Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60354	2.95	75	.30
60353	4.92	125	.40
60357	9.84	250	.72



SHOP

603 **1/2” Wobble Extension** Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60355	1.97	50	.20
60356	4.92	125	.40
60358	9.84	250	.72



SHOP

60359 **1/2” Universal Joint** Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60359	3.15	80	.35

Wiha 1/2” Spark Plug Sockets



SHOP

60370 **Spark Plug Socket** DIN 3124 / ISO 2725

Hard chrome finish, head polished extra deep. Ball retaining groove with rubber insert. 1/2” Drive

Item No.	Inch	mm	mm	wt.
60370	13/16”	20.8	80	.31

SHOP

60371 **Spark Plug Socket** DIN 3124 / ISO 2725

Hard chrome finish, head polished extra deep. Ball retaining groove with rubber insert. 19mm hexagon plug. 1/2” Drive

Item No.	Inch	mm	mm	wt.
60371	5/8”	16	80	.28

Notes:

Wiha Universal Socket Rail System



SHOP

91095 **Universal Rail For 1/4, 3/8 and 1/2” Sockets**

Select any combination of socket drive sizes. Socket snaps firmly into place for a secure hold. Clips required.

Item No.	lbs.	pkg.	lbs.
91095	.057	1	.06



SHOP

91110 **Replacement 1/4” Clips For The Universal Socket Rail**

Package of 10 pieces.

Item No.	lbs.
91110	.03



SHOP

91112 **Replacement 3/8” Clips For The Universal Socket Rail**

Package of 10 pieces.

Item No.	lbs.
91112	.03



SHOP

91114 **Replacement 1/2” Clips For The Universal Socket Rail**

Package of 10 pieces.

Item No.	lbs.
91114	.05

Wiha Awls Screwdrivers



SHOP

30002 **Square Reaming Awl, With Plastic Handle**

Blade chrome-vanadium-molybdenum steel, hardened, nickel-plated.
Round handle cellulose-acetate, impact resistant.

Item No.	■ mm	■ Inch	mm	Inch	mm	Inch	lbs.	pkg.
30002	6.0	.236	100	3.9	185	7.3	.15	10



SHOP

30102 **Round Awl, With Plastic Handle**

Blade chrome-vanadium-molybdenum steel, hardened, nickel-plated.
Plastic handle cellulose-acetate, impact resistant.

Item No.	● mm	● Inch	mm	Inch	mm	Inch	lbs.	pkg.
30102	6.0	.236	100	4.0	185	7.3	.15	10

Wiha Gasket Scraper



SHOP

43020 **Extra Heavy Duty Gasket Scraper** 1" wide scraper for removing sealers and other gasket materials hardened and tempered tool steel with hard chrome finish.

Item No.	mm	Inch	mm	Inch	lbs.	pkg.
43020	150	5.9	260	10.2	.45	10

Wiha Universal Razor Edged Scraper



SoftFinish "Cushion" Grip

43090 **Universal Razor Edged Scraper, With Wiha-SoftFinish®**

Handle Removes sealing material, glue residue, layers of film and labels. Includes item #43092 - 10 replacement blades.

SHOP

Item No.	mm	Inch	lbs.	pkg.
43090	170	6.7	.22	1

43040 **Universal Razor Edged Scraper, With Wiha-SoftFinish®**

Handle Removes sealing material, glue residue, layers of film and labels. Handle only.

SHOP

Item No.	mm	Inch	lbs.	pkg.
43040	140	5.5	.15	10

43092 **Replacement Blades for Universal Razor Edged Scraper**

Package of 10 blades. Standard.



SHOP

Item No.	lbs.
43092	.07

43093 **Replacement Blades for Universal Razor Edged Scraper**

Package of 10 blades. Standard.



SHOP

Item No.	lbs.
43093	.07

43094 **Replacement Blades for Universal Razor Edged Scraper**

Package of 10 blades.



SHOP

Item No.	lbs.
43094	.07

43095 **Replacement Blades for Universal Razor Edged Scraper**

Package of 10 blades.



SHOP

Item No.	lbs.
43095	.07

43096 **Replacement Blades for Universal Razor Edged Scraper**

Package of 10 blades.



SHOP

Item No.	lbs.
43096	.07


43097 **Replacement Blades for Universal Razor Edged Scraper**

Combo Pack. Package of 10 blades - 2 of each blade.

SHOP

Item No.	lbs.
43097	.07

Precision Machined Metric Punches





SHOP

124 Heavy Duty Solid Tapered Metric Punches

Hardened tool steel punches, precision machined to exact tolerances.
Heavy duty hex shanks, hardened for optimum long life performance.

Item	Tip	Tip	Shaft Diameter			
No.	mm	Inch Dia.	mm	mm	lbs.	pkg.
12411	1	.04	10	120	.17	1
12412	2	.08	10	120	.17	1
12413	3	.12	10	120	.17	1
12414	4	.16	10	120	.17	1
12415	5	.20	10	120	.17	1
12416	6	.24	10	120	.18	1
12419	7	.28	12	150	.25	1
12420	8	.32	12	150	.25	1
12421	9	.35	12	150	.25	1
12422	10	.39	12	150	.25	1
12423	12	.47	14	150	.39	1
12424	14	.55	16	175	.60	1
12425	16	.63	18	175	.76	1
12426	18	.71	20	200	.96	1



SHOP

12490 8 Piece Set Metric Taper Pin Punches

Hardened tool steel punches, precision machined to exact tolerances.

Item			
No.	Set Includes:	lbs.	pkg.
12490	1, 2, 3, 4, 5, 6, 7, 8mm	1.4	1



SHOP

12492 14 Piece Set Metric Taper Pin Punches

Hardened tool steel punches, precision machined to exact tolerances.

Item			
No.	Set Includes: 1, 2, 3, 4, 5, 6, 7,	lbs.	pkg.
12492	8, 9, 10, 12, 14, 16, 18mm	5.1	1



Painted finished bodies

SHOP

234 Heavy Duty Solid Metric Parallel Pin Punches

Hardened tool steel punches, precision machined to exact tolerances.
Heavy duty hex shanks, hardened for optimum long life performance.

Item	Tip	Tip	Shaft Diameter			
No.	mm	Inch Dia.	mm	mm	lbs.	pkg.
23420	2	.08	10	150	.19	1
23421	2.5	.10	10	150	.13	1
23422	3	.12	10	150	.18	1
23423	3.5	.14	10	150	.18	1
23424	4	.16	10	150	.17	1
23425	4.5	.18	10	150	.17	1
23426	5	.20	10	150	.18	1
23427	6	.24	10	150	.15	1
23428	7	.28	10	150	.18	1
23429	8	.32	10	150	.18	1
23432	9	.35	12	150	.24	1
23433	10	.39	12	150	.25	1
23434	12	.47	14	150	.40	1
23435	14	.55	16	175	.55	1
23436	16	.63	18	200	.82	1
23437	18	.71	20	200	.95	1
23438	20	.79	22	250	1.56	1



SHOP

23490 8 Piece Set Metric Parallel Pin Punches

Hardened tool steel punches, precision machined to exact tolerances.

Item			
No.	Set Includes:	lbs.	pkg.
23490	2, 2.5, 3, 3.5, 4, 4.5, 5, 6mm	1.3	1

SHOP

23491 15 Piece Set Metric Parallel Pin Punches

Hardened tool steel punches, precision machined to exact tolerances.

Item			
No.	Set Includes: 3, 3.5, 4, 4.5, 5, 6, 7,	lbs.	pkg.
23491	8, 9, 10, 12, 14, 16, 18, 20mm	5.6	1



SHOP

124 Heavy Duty Solid Tapered Metric Center Punches

Hardened tool steel punches, precision machined to exact tolerances.
Heavy duty hex shanks, hardened for optimum long life performance.
Painted finished bodies.

Item	Tip	Tip	Shaft Diameter			
No.	mm	Inch Dia.	mm	mm	lbs.	pkg.
12436	4	.16	10	120	.14	1
12437	5	.20	12	120	.20	1
12438	5	.20	12	150	.26	1
12439	6	.24	14	150	.35	1


SHOP

12491 3 Piece Set Metric Taper Center Punches

Hardened tool steel punches, precision machined to exact tolerances.

Item			
No.	Set Includes:	lbs.	pkg.
12491	4x120mm, 5x120mm, 6x150mm	.71	1

Dead Blow and Sledge Hammers



SHOP

802 Dead Blow, Medium Hard Face Hammer, Recoilless, Polyurethane, Steel Tube Shaft. "GS" Sign, Cushion Grip.

- Preserves sensitive surfaces and edges
- Increases striking power
- Avoids hand fatigue

Application:

- Machine tools and gear box construction
- Sheet metal shops and repair shops

Faces polyurethane, shatterproof, wear resistant, extremely durable
Faces replaceable. Tubular handle, lacquered in blue, cushion grip.

Item No.	mm	Inch	mm	Inch	mm	Inch	oz.	pkg.
80225	25	1.0	106	4.2	288	11.3	18	1
80230	30	1.2	115	4.5	290	11.4	21	1
80235	35	1.4	118	4.6	300	11.8	24	1
80240	40	1.6	125	4.9	305	12.0	30	1
80245	45	1.8	130	5.1	310	12.2	37	1
80250	50	2.0	130	5.1	365	14.4	49	1
80260	60	2.3	156	6.1	375	14.7	72	1
80270	70	2.8	161	6.3	385	15.1	97	1



SHOP

80290 3 Piece Dead Blow Hammer Set - Medium hard

Item No.			lbs.
80290	80230	30	6.35
	80240	40	
	80250	50	




For 800 & 802 Hammers

SHOP

802 Replacement Hammer Faces - Medium hard

Item No.	mm	Inch	lbs.	pkg.
80200	25	1.0	.04	1
80202	30	1.2	.04	1
80204	35	1.4	.05	1
80206	40	1.6	.08	1
80208	45	1.8	.12	1
80210	50	2.0	.16	1
80213	60	2.3	.29	1
80216	70	2.8	.39	1



SHOP

800 Dead Blow, Medium Hard Face, Recoilless, Polyurethane Face, Hickory Handle. Application:

- Tools, engineering gear box construction
- Sheet metal and repair shops, heavy industry

Steel head for incredible strength. Faces polyurethane, shatterproof, wear resistant, extremely durable. Faces replaceable. Hickory handle.

Item No.	mm	Inch	mm	Inch	mm	Inch	oz.	pkg.
80025	25	1.0	106	4.2	320	12.5	11	1
80030	30	1.2	113	4.4	350	13.7	16	1
80035	35	1.4	115	4.5	355	13.9	20	1
80040	40	1.6	123	4.8	375	14.7	26	1
80045	45	1.8	130	5.1	380	14.9	35	1
80050	50	2.0	134	5.3	385	15.1	44	1
80060	60	2.3	158	6.2	420	16.5	70	1
80070	70	2.8	158	6.2	430	16.9	91	1



SHOP

800 Hickory Replacement Handles - For Dead Blow Hammers

Item No.	Fits Hammer		lbs.	pkg.
80071	80025	25mm	.11	1
80072	80030 & 80035	30/35mm	.19	1
80074	80040 & 80045	40/45mm	.29	1
80076	80050	50mm	.38	1
80078	80060 & 80070	60/70mm	.44	1
80079	80280	80mm	1.76	1
80081	80299	100mm	2.31	1



SHOP

802 Dead Blow Sledge, Medium Hard Face, Recoilless, Polyurethane Face, Hickory Handle. Application:

- Tools, engineering gear box construction
- Sheet metal and repair shops, heavy industry.

Faces polyurethane, shatterproof, wear resistant, extremely durable.
Faces replaceable. Hickory handle.


Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
80280	80	3.1	205	8.0	882	34.6	10.0	1
80299	100	3.9	210	8.2	1002	39.3	15.1	1

802 Replacement Hammer Faces - Medium hard.

Item No.	mm	Inch	lbs.	pkg.
80219	80	3.1	.06	1
80222	100	3.9	.10	1



Heavy Duty Split Head Mallets



- Easy replacement with standard components
- Malleable cast iron heads
- Color coded faces
- D-21 to D-80 shore hardness
- Rugged hickory handles



SHOP

832 Malleable Cast Iron Split Head Mallets With Hickory Handle

- Safety ribbed housings for handle & faces
- 5 head diameters 1.2" to 3.1"
- 5 face shore hardness: D-21 to D-80
- Sturdy Hickory Handles

Faces polyurethane, shatterproof, wear resistant, extremely durable.
Faces replaceable.

Item No.	mm	Inch	Faces	mm	Inch	lbs.	pkg.
83230	30	1.2	Hard/Soft	260	10.2	10.6oz	1
83240	40	1.5	Hard/Soft	280	11.0	1.4	1
83250	50	2.0	Hard/Soft	310	12.2	2.4	1
83260	60	2.4	Hard/Soft	340	13.3	3.7	1
83280	80	3.1	MedSoft/X-hard	400	15.8	6.5	1

832 Malleable Cast Iron Split Head Sledge Hammer With Hickory Handle

SHOP

Item No.	mm	Inch	Faces	mm	Inch	lbs.	pkg.
83289	80	3.1	MedSoft/X-hard	800	31.5	7.6	1



Soft Face

SHOP

833 Replacement Square Hammer Faces

Item No.		mm	Inch	lbs.	pkg.
83346	**Soft** - Blue	40	1.57	.10	1
83347	**Medium Hard** - yellow	40	1.57	.14	1



Latex Rubber Nylon

SHOP

832 Color Coded Faces For Heavy Duty Split Head Mallets - 80mm Diameter (3.1") Mallet Faces

Item No.	mm	Inch	Shore Type	Hardness	Material	Color Code	lbs.	pkg.
83282	80	3.1	MedSoft	45-D	Latex Rubber	Black	.90	1
83285	80	3.1	X-Hard	80-D	Nylon	White	.88	1



TPE Latex Rubber Polyurethane Cell Acetate Nylon

SHOP

832 Color Coded Faces For Heavy Duty Split Head Mallets - 30mm Diameter (1.2") Mallet Faces

Item No.	mm	Inch	Shore Type	Hardness	Material	Color Code	pkg.
83231	30	1.2	Soft	21-D	TPE	Blue	1
83232	30	1.2	MedSoft	45-D	Latex Rubber	Black	1
83233	30	1.2	MedHard	65-D	Polyurethane	Yellow	1
83234	30	1.2	Hard	72-D	Cell Acetate	Orange	1
83235	30	1.2	X-Hard	80-D	Nylon	White	1



TPE Latex Rubber Polyurethane Cell Acetate Nylon

SHOP

832 Color Coded Faces For Heavy Duty Split Head Mallets - 40mm Diameter (1.5") Mallet Faces

Item No.	mm	Inch	Shore Type	Hardness	Material	Color Code	lbs.	pkg.
83241	40	1.5	Soft	21-D	TPE	Blue	.15	1
83242	40	1.5	MedSoft	45-D	Latex Rubber	Black	.15	1
83243	40	1.5	MedHard	65-D	Polyurethane	Yellow	.15	1
83244	40	1.5	Hard	72-D	Cell Acetate	Orange	.15	1
83245	40	1.5	X-Hard	80-D	Nylon	White	.15	1



TPE Latex Rubber Polyurethane Cell Acetate Nylon

SHOP

832 Color Coded Faces For Heavy Duty Split Head Mallets - 50mm Diameter (2.0") Mallet Faces

Item No.	mm	Inch	Shore Type	Hardness	Material	Color Code	lbs.	pkg.
83251	50	2.0	Soft	21-D	TPE	Blue	.26	1
83252	50	2.0	MedSoft	45-D	Latex Rubber	Black	.26	1
83253	50	2.0	MedHard	65-D	Polyurethane	Yellow	.26	1
83254	50	2.0	Hard	72-D	Cell Acetate	Orange	.26	1
83255	50	2.0	X-Hard	80-D	Nylon	White	.26	1



TPE Latex Rubber Polyurethane Cell Acetate Nylon

SHOP

832 Color Coded Faces For Heavy Duty Split Head Mallets - 60mm Diameter (2.4") Mallet Faces

Item No.	mm	Inch	Shore Type	Hardness	Material	Color Code	lbs.	pkg.
83261	60	2.4	Soft	21-D	TPE	Blue	.42	1
83262	60	2.4	MedSoft	45-D	Latex Rubber	Black	.42	1
83263	60	2.4	MedHard	65-D	Polyurethane	Yellow	.42	1
83264	60	2.4	Hard	72-D	Cell Acetate	Orange	.42	1
83265	60	2.4	X-Hard	80-D	Nylon	White	.42	1

Build A Mallet - Handle & Housing Assembly



SHOP

832 Malleable Cast Iron Split Head Housing With Hickory Handle

- Safety ribbed housings for handle & faces
- Sturdy Hickory Handles

Item No.	mm	Inch	mm	Inch	lbs.	pkg.
83221	30	1.2	260	10.2	.87	1
83222	40	1.5	280	11.0	1.5	1
83223	50	2.0	310	12.2	2.3	1
83224	60	2.4	340	13.3	3.2	1
83225	80	3.1	400	15.8	5.6	1
83226	80	3.1	800	31.5	7.2	1



SHOP

832 Replacement Heavy Duty Mallet Housing

For split head mallets made of malleable cast iron

Item No.	mm	Inch	lbs.	pkg.
83238	30	1.2	.50	1
83248	40	1.6	1.0	1
83258	50	2.0	1.6	1
83268	60	2.4	2.7	1
83288	80	3.1	4.4	1



SHOP

832 Hickory Replacement Handles -

For split head replaceable face mallets

Item No.	Fits Housing	mm	Inch	lbs.	pkg.
83273	83238 30mm	260	10.2	.18	1
83274	83248 40mm	280	11.0	.24	1
83275	83258 50mm	310	12.2	.39	1
83276	83268 60mm	340	13.3	.49	1
83277	83288 80mm	400	15.8	.68	1
83279	83288 80mm	800	31.5	1.3	1



SHOP

83290 15 Piece Split Head Mallet Set - In 16" Tool Box

Item No. 83290

Mallet Housing		W/Hickory Handle	Hex Assembly Keys	
	mm		mm	
83221	30mm	260	35309	5.0
83223	50mm	310	35312	8.0

Mallet Faces			Shore Hardness	lbs.
83231	30mm	Blue	Soft	21-D	
83232	30mm	Black	Med Soft	45-D	8.7
83233	30mm	Yellow	Med Hard	65-D	
83234	30mm	Orange	Hard	72-D	
83235	30mm	White	Ex Hard	80-D	
83251	50mm	Blue	Soft	21-D	
83252	50mm	Black	Med Soft	45-D	
83253	50mm	Yellow	Med Hard	65-D	
83254	50mm	Orange	Hard	72-D	
83255	50mm	White	Ex Hard	80-D	



SHOP

83295 10 Piece Safety Heavy Duty Split Head Mallet Set

Item No. 83295

Mallet Housing & Handle		Hex Assembly L-key	
83222	40mm	35260	6.0mm

Mallet Faces			Shore Hardness	lbs.
83241	40mm	Blue	Soft	21-D	
83346	40mm	Blue	Soft Sq.	21-D	5.10
83243	40mm	Yellow	Med Hard	65-D	
83347	40mm	Yellow	M. Hard Sq.	65-D	
83244	40mm	Orange	Hard	72-D	
83245	40mm	White	Ex Hard	80-D	
83242	40mm	Black	Med Soft	45-D	
83242	40mm	Black	Med Soft	45-D	

Wiha Maxiflex Hose System 1/4”

All components are in single unit package

34490 Maxiflex Starter Kit
2 Threaded Connectors 1/4” & 1/8” NPT
3 Cylindrical Nozzles 1/16”, 1/8”, 7/32”
22 Segments - 11”. lbs. .17

Item No.	OAL	pkg.
34490	320mm/12.6”	1



SHOP

34401 Bulk Segments
1/4” - 28 pc. segments. lbs. 2.38

Item No.	OAL	pkg.
34401	25.75 ft.	1



34402 Segments 1/4” - Pack with 22 segments 11”. lbs. .08

Item No.	OAL	pkg.
34402	280mm/11.0”	1



34404 1/16” Nozzle
1/4” - Nozzle Ø 1.6mm - 1/16”. lbs. .02

Item No.	Dia.	pkg.
34404	1.6mm/.620”	1



34406 1/8” Nozzle
1/4” - Nozzle Ø 3.2mm - 1/8”. lbs. .02

Item No.	Dia.	pkg.
34406	3.2mm/.125”	1



34408 7/32” Nozzle
1/4” - Nozzle Ø 5.6mm - 7/32”. lbs. .02

Item No.	Dia.	pkg.
34408	5.6mm/.22”	1



34410 Straight Flat Nozzle
1/4” - Flat Nozzle 24mm wide. lbs. .03

Item No.	Width	pkg.
34410	24mm/.94”	1



34412 Straight Multi Hole Nozzle
1/4” - Multi Hole Nozzle. lbs. .02

Item No.	Width	pkg.
34412	24mm/.94	1



7 Holes

.060 Hole Diameter

34414 1/16” Nozzle 90° Bend 1/4” - Angular Nozzle Ø 1.6mm-1/16”. lbs. .02

Item No.	Dia.	pkg.
34414	1.6mm/.620”	1



34416 1/8” Nozzle 90° Bend 1/4” - Angular Nozzle Ø 3.2mm-1/8”. lbs. .02

Item No.	Dia.	pkg.
34416	3.2mm/.125”	1



34418 7/32” Nozzle 90° Bend 1/4” - Angular Nozzle Ø 5.6mm-7/32”. lbs. .02

Item No.	Dia.	pkg.
34418	5.6mm/.22”	1



SHOP

34420 Multi Hole Spray Bar 1/4” - Right Angle Multi Hole Nozzle. lbs. .02

Item No.	Width	pkg.
34420	24mm/.94”	1



7 Holes

.078 Hole Diameter

34432 Adapter for LcLn-1/4” lbs. .02

Item No.	OAL	pkg.
34432	7x2mm	1



34434 Male Double End Segment

Item No.	Size	lbs.	pkg.
34434	1/4”	.02	1



34436 Female Double End Segment

Item No.	Size	lbs.	pkg.
34436	1/4”	.02	1



34422 BSPT Threaded Connector
NPT 1/8” lbs. .03

Item No.	Size	pkg.
34422	1/8”	1



34424 BSPT Threaded Connector
NPT 1/4” lbs. .03

Item No.	Size	pkg.
34424	1/4”	1



34426 NPT Threaded Connector
NPT 1/8” lbs. .02

Item No.	Size	pkg.
34426	1/8”	1



34428 NPT Threaded Connector
NPT 1/4” lbs. .02

Item No.	Size	pkg.
34428	1/4”	1



34430 1/4” Y-Junction lbs. .02

Item No.	Size	pkg.
34430	1/4”	1



34438 In Line Valve lbs. .03

Item No.	Size	pkg.
34438	1/4”	1



34440 Segment Clip lbs. .02

Item No.	Size	pkg.
34440	1/4”	1



34442 Separation Wedge lbs. .06

Item No.	Size	pkg.
34442	1/4”	1



34444 Assembly Pliers lbs. .38

Item No.	Size	pkg.
34444	1/4”	1



Wiha Maxiflex Hose System 1/2”

All components are in single unit package

34090 **Maxiflex Starter Kit**
2 Threaded Connectors 1/2” & 3/8” NPT
Straight, 90° Bend & Multi Hole Nozzles
12 Segments - 12.6”. lbs. .30

Item No.	OAL	pkg.
34090	320mm/12.6”	1



34001 **Bulk Segments**
1/2” - 28 pc. segments. lbs. 5.71

Item No.	OAL	pkg.
34001	25.75 ft.	1



34000 **Segments** 1/2” - Pack with
12 segments 11”. lbs. .21

Item No.	OAL	pkg.
34000	279mm/11”	1



34046 **1/2” Pipe Segment** lbs. .06

Item No.	OAL	pkg.
34046	4.75”	1



34048 **1/2” Segment Clamp**
Including Screws. lbs. .08

Item No.	pkg.
34048	1



34002 **1/2” Straight Nozzle**
1/2” - Nozzles Ø 10mm. lbs. .03

Item No.	Dia.	pkg.
34002	10mm/.393”	1



34008 **Straight Multi Hole Nozzle**
1/2”-Multi Hole Nozzle. lbs. .04

Item No.	Width	pkg.
34008	30mm/1.2”	1



6 Holes

.118 Hole Diameter

34004 **Straight Flat Nozzle**
1/2” - Flat Nozzle 30mm wide. lbs. .04

Item No.	Width	pkg.
34004	30mm/1.2”	1



34006 **Straight Flat Nozzle**
1/2” - Flat Nozzle 60mm wide. lbs. .05

Item No.	Width	pkg.
34006	60mm/2.4”	1



34012 **Nozzle 90° Bend**
1/2” - Angular Nozzle Ø 7mm. lbs. .03

Item No.	Dia.	pkg.
34012	7mm/.275”	1



34010 **Nozzle 90° Bend**
1/2” - Angular Nozzle Ø 10mm. lbs. .03

Item No.	Dia.	pkg.
34010	10mm/.393”	1



34014 **Multi Hole Angular Nozzle** 1/2”
Right Angle Side Spray Nozzle. lbs. .04

Item No.	Width	pkg.
34014	45mm/1.7”	1



8 Holes

.125 Hole Diameter

34028 **Reducer Adapter 1/2” to 1/4”**

Item No.	Size	lbs.	pkg.
34028	1/2”	.03	1



34030 **Adapter - 1/2” LcLn**

Item No.	Size	lbs.	pkg.
34030	1/2”	.04	1



34034 **Female Double End Segment**

Item No.	Size	lbs.	pkg.
34034	1/2”	.04	1



34036 **Male Double End Segment**

Item No.	Size	lbs.	pkg.
34036	1/2”	.04	1



34016 **BSPT Threaded Connector**
NPT 3/8” lbs. .03

Item No.	Size	pkg.
34016	1/8”	1



34018 **BSPT Threaded Connector**
NPT 1/2” lbs. .03

Item No.	Size	pkg.
34018	1/4”	1



34020 **NPT Threaded Connector**
NPT 3/8” lbs. .03

Item No.	Size	pkg.
34020	1/8”	1



34022 **NPT Threaded Connector**
NPT 1/2” lbs. .03

Item No.	Size	pkg.
34022	1/4”	1



34024 **Y-Junction** lbs. .05

Item No.	Size	pkg.
34024	1/2”	1



34026 **Y Reducer Junction 1/2”-1/4”**

Item No.	Size	lbs.	pkg.
34026	1/2”	.05	1



34038 **In Line Valve** lbs. .07

Item No.	Size	pkg.
34038	1/2”	1



34040 **Segment Clip** lbs. .03

Item No.	Size	pkg.
34040	1/2”	1



34042 **Separation Wedge** lbs. .15


Item No.	Size	pkg.
34042	1/2”	1



34044 **Assembly Pliers** lbs. .42

Item No.	Size	pkg.
34044	1/2”	1





Digital Caliper DigiMax



SHOP

41101 Digital Caliper DigiMax

Non-metallic high-tech material with 60% fiber glass content. 5 digit digital display with 7.5mm numeral height for easy reading. For outside, inside, depth and step measurements. Switches on automatically when used and switches off automatically after five minutes of non-use. Zero setting possible in every position for quick comparison measurements.

Item No.	Reading	Inch	Reading	mm	Pkg.	lbs.
41101	0.0005"	6	0.01mm	150	1	.11

Vernier - CaliMax Metric & Inch



SHOP

41103 Vernier Caliper CaliMax

Non-metallic high-tech material with 60% fiber glass content. For outside, inside, depth and step measurements. Almost parallax-free reading of the measurement value. Neon green vernier scale in with strong contrast for optimal reading. Vernier for millimeter & inch display.

Item No.	Reading	mm	Inch	Pkg.	lbs.
41103	.1mm + 1/64"	150	6	1	.10

Non-metallic high-tech material with 60% fiber glass content, extremely high rigidity. For improved accuracy to .0005"

Dial Caliper DialMax - Metric & Inch




SHOP

411 Dial Caliper DialMax - Metric & Inch

Non-metallic high-tech material with 60% fiber glass content. For outside, inside, depth and step measurements. Impact resistant dial can be recalibrated to zero.

Item No.	Reading	mm	Inch		Pkg.	lbs.
41102	0.1mm	150	6	Metric	1	.10
41104	.001"	150	6	Inch	1	.10

ESD Safe Dial Caliper DialMax - Metric/Inch



For working in sensitive electronic components

Conductive, Anti-static, Dissipative

ESD Standard IEC 61340-5-1

D

SHOP

411 ESD Safe Dial Caliper DialMax - Metric & Inch

Non-metallic high-tech material with 60% fiber glass content. For outside, inside, depth and step measurements. Impact resistant dial can be recalibrated to zero.

Item No.	Reading	mm	Inch		Pkg.	lbs.
41105	.001"	150	6	Inch	1	.10
41106	0.1mm	150	6	Metric	1	.10

Wiha Molded Torpedo Level



SHOP


61670 Molded Torpedo Level

Super light weight, waterproof resistant. 3 vial with magnetic base.

Item No.	OAL	lbs.	pkg.
61670	8.0"	.46	1

Wiha Long Life Maxiflex Folding Rulers

From KWB division of Wiha in Switzerland



Patented play free joint with steel spring pin, wear resistant & maintenance free

90° positive stop joints

Reinforced with 30% fiberglass, rugged polyimide is scratch resistant

Deep embossed water proof scales

Tough and Flexible, impact resistant

Chemical and weather resistant for outdoor use



Deep embossed scale on both sides of ruler

SHOP

61662 Combination Metric & Inch Long Life MaxiFlex Folding Rulers Molded 30% fiber glass reinforced polyimide scratch, chemical & weather resistant both tough & flexible, impact resistant. Patented play free joint with steel spring is wear and maintenance free. 90° positive stop joints. Metric rules have 10cm red marking.

Item No.	Meter	Inch	Width	Sections	Increments	lbs.	pkg.
61662	2	78”	15mm	10	1/16 & 1mm	.31	1




Deep embossed scale on both sides of ruler

SHOP

61619 Outside Reading Long Life MaxiFlex Folding Rulers Molded 30% fiber glass reinforced polyimide scratch, chemical & weather resistant both tough & flexible, impact resistant. Patented play free joint with steel spring is wear and maintenance free. 90° positive stop joints. Inch rules have 16” red stud wall marking.

Item No.	Ft.	Width	Sections	Increments	lbs.	pkg.
61619	6’	5/8”	12	1/16”	.39	1



Deep embossed scale on both sides of ruler

SHOP

61609 Inside Reading Long Life MaxiFlex Folding Rulers Molded 30% fiber glass reinforced polyimide scratch, chemical & weather resistant both tough & flexible, impact resistant. Patented play free joint with steel spring is wear and maintenance free. 90° positive stop joints. Inch rules have 16” red stud wall marking.

Item No.	Ft.	Width	Sections	Increments	lbs.	pkg.
61609	6’	5/8”	12	1/16”	.46	1



SHOP

61620 Outside Reading 6” Depth Extension Long Life MaxiFlex Folding Rulers Molded 30% fiber glass reinforced polyimide scratch, chemical & weather resistant both tough & flexible, impact resistant. Patented play free joint with steel spring is wear and maintenance free. 90° positive stop joints. Deep embossed scale on both sides of rules. Inch rules have 16” red stud wall marking.

Item No.	Ft.	Depth	Width	Sections	Increments	lbs.	pkg.
61620	6’	6”	5/8”	12	1/16”	.40	1



SHOP

61602 Outside Reading Metric Long Life MaxiFlex Folding Rulers Molded 30% fiber glass reinforced polyimide scratch, chemical & weather resistant both tough & flexible, impact resistant. Patented play free joint with steel spring is wear and maintenance free. 90° positive stop joints. Deep embossed scale on both sides of rules. Metric rules have 10cm red marking.

Item No.	Meter	Width	Sections	Increments	lbs.	pkg.
61602	2	15mm	10	1mm to CM	.40	1



SHOP

61601 MaxiFlex Folding Rulers

Item No.	Compact Pocket Ruler Inch/Meter	Width	Sections	Increments	lbs.	pkg.
61601	39”/1	1/2”	10	1/16 & 1mm	.12	1



Super rigid laminated design

SHOP

616 Composite Long Life MaxiFlex Folding Rulers Laminated layers with longitudinal fiberglass strands to ensure unmatched rigidity, water proof outdoor grade. Play-free, wear-free, dirt resistant joint with spring pin for constant tension. 90° & 180° joint click. High visibility white on black with permanent deep embossing with protective steel caps.

Item No.	Meter	Width	Sections	Increments	lbs.	pkg.
61604	2	1/2”	10	1mm w/reverse scale	.28	1
61606	2	1/2”	10	1mm & 1/16”	.28	1

Numerical Index by Item Number

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
12411	30	34404	34	35054	4	40086	10	50005	6	60146	19
12412	30	34406	34	35055	4	40087	9	50006	6	60190	18
12413	30	34408	34	35056	4	40088	9	50007	6	60191	18
12414	30	34410	34	35090	5	40089	7	50008	6	60192	18
12415	30	34412	34	35091	5	40091	7	50009	6	60193	18
12416	30	34414	34	35092	5	40092	10	50011	6	60210	21
12419	30	34416	34	35093	5	40093	8	50012	6	60211	21
12420	30	34418	34	35094	5	40094	9	50013	6	60212	21
12421	30	34420	34	35095	5	40095	8	50014	6	60213	21
12422	30	34422	34	35096	5	40096	10	50015	6	60214	21
12423	30	34424	34	35097	5	40097	8	50016	6	60215	21
12424	30	34426	34	35098	5	40098	10	50017	6	60216	21
12425	30	34428	34	35099	5	40099	8	50019	6	60217	21
12426	30	34430	34	40001	9	41101	36	50027	6	60218	21
12436	30	34432	34	40002	9	41102	36	50043	6	60219	21
12437	30	34434	34	40003	9	41103	36	50044	6	60220	21
12438	30	34436	34	40004	9	41104	36	50045	6	60221	21
12439	30	34438	34	40005	9	41105	36	50046	6	60222	21
12490	30	34440	34	40006	9	41106	36	50047	6	60223	21
12491	30	34442	34	40007	9	43020	29	50048	6	60224	21
12492	30	34444	34	40008	9	43040	29	50050	6	60225	21
23420	30	34490	34	40009	9	43090	29	50051	6	60227	20
23421	30	35001	4	40011	9	43092	29	50052	6	60228	20
23422	30	35002	4	40012	9	43093	29	50054	6	60229	20
23423	30	35003	4	40013	9	43094	29	50055	6	60230	20
23424	30	35004	4	40014	9	43095	29	50056	6	60231	20
23425	30	35006	4	40015	9	43096	29	50057	6	60232	20
23426	30	35007	4	40016	9	43097	29	50058	6	60233	20
23427	30	35008	4	40017	9	47501	11	50059	6	60234	20
23428	30	35009	4	40018	9	47502	11	50087	6	60235	20
23429	30	35010	4	40019	9	47503	11	50088	6	60236	20
23432	30	35011	4	40020	9	47504	11	50089	6	60237	20
23433	30	35012	4	40027	9	47505	11	50091	6	60238	20
23434	30	35013	4	40028	9	47506	11	50094	6	60239	20
23435	30	35014	4	40029	9	47507	11	50095	6	60240	20
23436	30	35015	4	40030	9	47508	11	60101	18	60241	20
23437	30	35016	4	40031	9	47509	11	60102	18	60242	20
23438	30	35017	4	40032	9	47510	11	60103	18	60243	20
23490	30	35018	4	40033	9	47511	11	60104	18	60248	22
23491	30	35019	4	40034	9	47512	11	60105	18	60249	22
30002	29	35020	4	40035	9	47513	11	60106	18	60250	22
30098	7	35021	4	40036	9	47514	11	60107	18	60251	22
30099	7	35022	4	40037	9	47515	11	60108	18	60252	22
30102	29	35023	4	40038	9	47516	11	60109	18	60253	22
34000	35	35024	4	40039	9	47517	11	60110	18	60254	22
34001	35	35025	4	40040	9	47518	11	60111	18	60255	22
34002	35	35026	4	40043	7	47519	11	60112	18	60256	22
34004	35	35027	4	40044	7	47520	11	60115	18	60257	23
34006	35	35028	4	40045	7	47521	11	60116	18	60258	23
34008	35	35029	4	40046	7	47522	11	60117	18	60259	23
34010	35	35032	4	40047	7	47523	11	60118	18	60260	23
34012	35	35033	4	40048	7	47524	11	60119	18	60261	23
34014	35	35034	4	40049	7	47525	11	60120	18	60262	23
34016	35	35035	4	40050	7	47526	11	60121	18	60263	23
34018	35	35036	4	40051	7	47527	11	60122	18	60264	23
34020	35	35037	4	40052	7	47528	11	60123	18	60265	22
34022	35	35038	4	40053	7	47529	11	60124	18	60266	22
34024	35	35039	4	40054	7	47530	11	60125	18	60267	22
34026	35	35040	4	40055	7	47531	11	60126	18	60268	22
34028	35	35041	4	40056	7	47532	11	60127	18	60292	20
34030	35	35042	4	40057	7	47533	11	60131	19	60293	21
34034	35	35043	4	40058	7	47534	11	60132	19	60294	20
34036	35	35044	4	40059	7	47535	11	60133	19	60295	21
34038	35	35045	4	40060	7	47536	11	60134	19	60296	20
34040	35	35046	4	40061	7	47537	11	60135	19	60297	21
34042	35	35047	4	40062	7	47538	11	60136	19	60301	25
34044	35	35048	4	40063	7	47539	11	60137	19	60302	25
34046	35	35049	4	40064	7	47540	11	60138	19	60303	25
34048	35	35050	4	40065	7	47541	11	60139	19	60304	25
34090	35	35051	4	40066	7	47590	11	60140	19	60305	25
34401	34	35052	4	40067	7	47591	11	60141	19	60306	25
34402	34	35053	4	40068	7	50004	6	60145	19	60307	25

Item No.	Page
60308	25
60309	25
60310	25
60311	25
60312	25
60313	25
60314	25
60315	25
60316	25
60317	25
60318	25
60321	24
60322	24
60323	24
60324	24
60325	24
60326	24
60327	24
60328	24
60329	24
60330	24
60331	24
60332	24
60333	24
60334	24
60335	24
60336	24
60337	24
60338	24
60339	24
60340	24
60341	24
60342	24
60343	24
60344	24
60345	24
60346	24
60350	27
60351	26
60352	27
60353	27
60354	27
60355	27
60356	27
60357	27
60358	27
60359	27
60360	27
60361	27
60362	27
60363	27
60364	26
60365	26
60366	26
60370	28
60371	28
60375	26
60376	26
60377	26
60378	26
60379	26
60393	24
60395	25
60396	24
60397	25
61598	12
61601	37
61602	37
61604	37
61606	37
61609	37
61619	37

Item No.	Page
61620	37
61662	37
61670	36
70107	12
70108	12
70109	12
70110	12
70113	12
70115	12
70117	12
70119	12
70121	12
70123	12
70195	16
71300	14
71301	14
71302	14
71305	14
71313	14
71314	14
71316	14
71317	14
71319	14
71320	14
71322	14
71323	14
71325	14
71327	14
71331	14
71332	14
71340	14
71341	14
71370	14
71371	14
71372	14
71374	14
71375	14
71376	14
71377	14
71378	14
71379	14
71380	14
71381	14
71382	14
71383	14
71384	14
71385	14
71386	14
71388	14
71390	14
71391	17
71392	17
71393	17
71394	17
71398	17
71661	12
71662	12
71663	12
71664	12
71665	12
71666	12
71667	12
71668	12
71669	12
71670	12
71671	12
71673	12
71674	12
71675	12
71676	12
71677	12
71678	12

Item No.	Page
71680	12
71681	12
71698	16
71761	14
71762	14
71763	14
71764	14
71765	14
71766	14
71767	14
71768	14
71771	14
71772	14
71773	14
71774	14
71775	14
71776	14
71777	14
71797	17
71798	17
71989	17
71996	17
71999	17
72001	14
72002	14
72003	14
72004	14
72005	14
72006	14
72090	14
72110	15
72115	15
72401	15
72405	15
72410	15
72415	15
76106	12
76107	12
76109	12
76111	12
76113	12
76117	12
76119	12
76121	12
76123	12
76129	12
76131	12
76132	14
76133	14
76134	14
76135	14
76136	14
76137	14
76138	14
76164	14
76165	14
76166	14
76167	14
76168	14
76169	14
76170	14
76171	14
76172	14
76191	16
76194	16
76312	12
76314	12
76316	12
76318	12
76322	12
76324	12
76326	12

Item No.	Page
76328	12
76329	12
76330	12
76331	12
76332	12
76333	12
76334	12
76335	12
76336	12
76337	12
76338	12
76339	12
76340	12
76341	12
76342	12
76346	12
76348	12
76352	12
76354	12
76395	16
76396	16
76397	16
76399	16
76403	13
76404	13
76405	13
76406	13
76407	13
76411	13
76412	13
76413	13
76414	13
76417	13
76418	13
76419	13
76422	13
76423	13
76424	13
77101	15
77103	15
77105	15
77107	15
77109	15
77111	15
77113	15
77115	15
77117	15
77128	15
77130	15
77132	15
77134	15
77136	15
77138	15
77139	15
77140	15
77141	15
77142	15
77144	15
77146	15
77148	15
77151	15
77152	15
77153	15
77154	15
77156	15
77158	15
77160	15
77162	15
77164	15
77165	15
77167	15
77169	15

Item No.	Page
77171	15
77173	15
77175	15
77177	15
77179	15
77191	15
77192	15
77193	15
77195	15
77198	15
77304	13
77305	13
77306	13
77307	13
77308	13
77310	13
77331	13
77333	13
77335	13
77337	13
77341	13
77343	13
77345	13
77347	13
77349	13
77353	13
77391	13
80025	31
80030	31
80035	31
80040	31
80045	31
80050	31
80060	31
80070	31
80071	31
80072	31
80074	31
80076	31
80078	31
80079	31
80081	31
80200	31
80202	31
80204	31
80206	31
80208	31
80210	31
80213	31
80216	31
80219	31
80222	31
80225	31
80230	31
80235	31
80240	31
80245	31
80250	31
80260	31
80270	31
80280	31
80290	31
80299	31
83221	33
83222	33
83223	33
83224	33
83225	33
83226	33
83230	32
83231	32
83232	32

Item No.	Page
83233	32
83234	32
83235	32
83238	33
83240	32
83241	32
83242	32
83243	32
83244	32
83245	32
83248	33
83250	32
83251	32
83252	32
83253	32
83254	32
83255	32
83258	33
83260	32
83261	32
83262	32
83263	32
83264	32
83265	32
83268	33
83273	33
83274	33
83275	33
83276	33
83277	33
83279	33
83280	32
83282	32
83285	32
83288	33
83289	32
83290	33
83295	33
83346	32
83347	32
91095	28
91110	28
91112	28
91114	28

(800) 494-6104
fax: (800) 494-7456
email: cservice@wihatools.com
www.wihatools.com

SEE OUR GREAT WEB SPECIALS!

wiha Premium Tools



Wiha Quality Tools
1348 Dundas Circle
Monticello, MN 55362
tel: 763.295.6591
fax: 763.295.6598

Wiha Tools Canada Ltd.
www.wihatools.ca
Brampton, ONT L6T 4X4
tel: 866.494.0096 or 763.295.6591
fax: 763.295.6598

To:

Catalog Item No. 99004.wo
version - 5/15/14

Subject to change without notice

©2014 Willi Hahn Corporation

®Torx is a registered trademark of Acument Intellectual Properties LLC.



91330.wo - Tooling Catalog



99006.wo - Tech Tools Catalog



99914.wo - TORX Catalog



99002.wo - Screwdrivers Catalog



99919.wo - Insulated Catalog



99001.wo - TorqueControl Catalog



99934.wo - Hex Tools Catalog



99951.wo - Bits Catalog



99945.wo - ESD Catalog



99977.wo - Pliers/Crimpers Catalog