




Wilson Bohannon
Padlocks
Product Catalog

Since 1860



MADE IN AMERICA

*Celebrating
150 years*



1860 2010



Unlimited Uses

Since 1860




Government Agencies

Industry

- Prisons
- Universities
- Highway Departments

- Lockout/Tagout
- Security/Gates
- Carwash/Newsrack



Construction

Utilities/Pipeline

Transportation



- Tool Sheds
- Gang Boxes
- Heavy Equipment

- Transformers
- Meters
- Valves



- Common Carriers
- Railroads
- Food Transport




TABLE OF CONTENTS

Over 140 Years of Protection


- Wilson Bohannan Company Overview

Wilson Bohannan Customer Service

- How to Order
- Warranty
- Terms

Wilson Bohannan Solid Brass Padlocks

- WB Padlocks
- Double Ball Padlocks
- Interchangeable Core Locks
- Lockout/Tagout Padlocks



Special Features & Accessories

- Custom Monogramming
- Identification Tags
- Rim and Mortise Cylinders
- Color Coding
- Safety Lockout Hasps
- Chains

Wilson Bohannan Price Lists

- WB Padlocks
- Double Ball Padlocks
- Interchangeable Core Locks

OUR STORY OF TRADITIONAL AMERICAN CRAFTSMANSHIP

The Wilson Bohannon Company, an eight generation family owned and operated brass padlock manufacturer, has been providing industry unmatched security since 1860. A true expression of American craftsmanship, the all brass WB padlocks continue to reinforce a long-standing reputation for uncommon quality and uncommon reliability. In security sensitive industries and institutions including government and military installations, utilities, railroads, refineries and manufacturing operations... indoors and out... chances are rustproof WB padlocks will be ensuring security.

After more than a century of manufacturing its singular line of WB padlocks, Wilson Bohannon Company expanded its proven commercial product line, introducing Interchangeable Core padlocks and Double Ball padlocks. The look of our locks has changed over the years but our quality construction, precision engineering and commitment to total customer satisfaction remain unchanged. Our locks are still all brass and still engineered to the highest standards.

Since 1927, the Wilson Bohannon manufacturing plant in Marion, Ohio, has produced the only American-made padlock that offers true rustproof protection under the harshest conditions. Our locks are subjected to ongoing quality control unmatched in the industry. This translates to total reliability of each and every lock that leaves our plant; explaining why each lock carries a lifetime guarantee against manufacturing defects.



HOW TO ORDER

1-800-382-3639
Fax: 740-383-1653
EDI Accessible

The Wilson Bohannon Company was established in 1860 and has been providing unmatched customer service for over 140 years to its customers. We are proud to say our products are Made in the USA. When calling our 800 number you will be directly connected to our sales department which is staffed with knowledgeable, courteous, experienced personnel who will personalize service for you when handling your order. All order histories are computerized and files are maintained to access records. Emergency service is also available.

Lifetime Guarantee: The Wilson Bohannon padlocks have been manufactured to last a lifetime. Should your padlock fail to perform due to a manufacturing defect,

simply return the lock and key, together with proof of purchase, postage prepaid, to The Wilson Bohannon Company, 621 Buckeye Street, Marion, Ohio 43302. We will, at our discretion, repair your lock or send you a new lock. Wilson Bohannon shall not be liable for any incidental or consequential damages resulting from use of this lock.

Terms: Net 30 days. FOB Marion, Ohio.





Locks Since Lincoln

Wilson Bohannan Padlocks

Key reasons to buy Wilson Bohannan Padlocks

- Top quality padlocks at a competitive price
- Rustproof solid brass construction
- Customized monogramming and numbering
- Multiple keying options including other manufacturers' keyways
- Reliable and courteous customer service
- Satisfaction guaranteed

Made in USA



Since 1860

Wilson Bohannan Co.


P.O. Box 504 • Marion, Ohio 43301-0504

e-mail: wbc@padlocks.com

website: www.padlocks.com

Fax: 740-383-1653

Toll Free: 800-382-3639






Since 1860

WILSON BOHANNAN SOLID BRASS PADLOCKS

America's All Brass, All Weather, All Purpose Padlocks

ORDERING INFORMATION

How to read and use model numbers



*Fourth and fifth digit can be added to three digit model number for (4) keying and (5) accessories.

Locks keyed alike, 1 key furnished.
Locks keyed differently, 2 keys furnished.


Digit #4 (keying)

- 0 = "0" BITTED
- 1 = KA: Keyed Alike
- 2 = KD: Keyed Differently
- 3 = KA-MK: KA Master Keyed
- 4 = KD-MK: KD Master Keyed
- 5 = KA-GMK: KA Grand Master Keyed
- 6 = KD-GMK: KD Grand Master Keyed
- 7 = Special Keyway

Digit #5 (accessories)

- 0 = NONE
- 1 = 9" STEEL CHAIN ATTACHED TO BODY
- 2 = 9" STEEL CHAIN ATTACHED TO SHACKLE
- 3 = 9" BRASS CHAIN ATTACHED TO BODY
- 4 = 9" BRASS CHAIN ATTACHED TO SHACKLE
- 5 = 15" BRASS CHAIN ATTACHED TO BODY
- 6 = 15" BRASS CHAIN ATTACHED TO SHACKLE
- 7 = BRASS ID TAG ATTACHED TO BODY
- 8 = BRASS ID TAG ATTACHED TO SHACKLE
- 9 = ANODIZED ALUMINUM TAG ATTACHED TO BODY
- A = ANODIZED ALUMINUM TAG ATTACHED TO SHACKLE

WB SERIES



Approximate Net Weight Per Dozen

Chains attached, additional 12 oz.

Series No. 03 lbs.
Series No. 16 lbs.
Series No. 56 lbs.
Series No. 68 lbs.
Series No. 912 lbs.

Minimum order one dozen.
For special shackles, consult factory.
Lubricate padlocks with powdered graphite.

THE WILSON BOHANNAN COMPANY



SOLID BRASS PIN TUMBLER PADLOCKS



Model #001

KB4

MFG. SERIES NO. 0	SHACKLE SIZES		SHACKLE MATERIAL	UPC CODE 7-27407-
	A Diameter	B Clearance		
4 PIN, 1-1/8" SOLID BRASS BODY				
MODEL #				
001	3/16"	5/8"	BRASS	00100-2
021	3/16"	1"	BRASS	02100-0
061	3/16"	2"	BRASS	06100-6

MFG. SERIES NO. A	SHACKLE SIZES		SHACKLE MATERIAL	UPC CODE 7-27407-
	A Diameter	B Clearance		
5 PIN, 1-1/2" SOLID BRASS BODY				
MODEL #				
A11	3/16"	7/8"	BRASS	01100-1



Model #111

KB5

MFG. SERIES NO. 1	SHACKLE SIZES		SHACKLE MATERIAL	UPC CODE 7-27407-
	A Diameter	B Clearance		
5 PIN, 1-1/2" SOLID BRASS BODY				
MODEL #				
111	1/4"	7/8"	BRASS	11100-8
112	1/4"	7/8"	STEEL	11200-5
141	1/4"	1-1/2"	BRASS	14100-5
142	1/4"	1-1/2"	STEEL	14200-2
161	1/4"	2"	BRASS	16100-3
162	1/4"	2"	STEEL	16200-0
172	1/4"	3"	STEEL	17200-9
1H1	1/4"	3-1/2"	BRASS	10100-9
181	1/4"	4"	BRASS	18100-1
182	1/4"	4"	STEEL	18200-8
192	1/4"	5"	STEEL	19200-7
1A1	1/4"	6"	BRASS	10100-9
1B1	1/4"	8"	BRASS	11010-0
1B2	1/4"	8"	STEEL	11320-0




Model #511

KB5

MFG. SERIES NO. 5	SHACKLE SIZES		SHACKLE MATERIAL	UPC CODE 7-27407-
	A Diameter	B Clearance		
5 PIN, 1-1/2" SOLID BRASS BODY				
MODEL #				
511	9/32"	7/8"	BRASS	51100-6
512	9/32"	7/8"	STEEL	51200-3
513	9/32"	7/8"	STAINLESS STEEL	51300-0
531	9/32"	1-1/4"	BRASS	53100-4
541	9/32"	1-1/2"	BRASS	54100-3
542	9/32"	1-1/2"	STEEL	54200-0
543	9/32"	1-1/2"	STAINLESS STEEL	54300-7
571	9/32"	3"	BRASS	57100-0
572	9/32"	3"	STEEL	57200-7

SOLID BRASS PIN TUMBLER PADLOCKS



Model #611

MFG. SERIES NO. 6	SHACKLE SIZES		SHACKLE MATERIAL	UPC CODE 7-27407-
	A Diameter	B Clearance		
5 PIN, 1-3/4" SOLID BRASS BODY				
MODEL #				
611	5/16"	7/8"	BRASS	61100-3
612	5/16"	7/8"	STEEL	61200-0
613	5/16"	7/8"	STAINLESS STEEL	61300-7
631	5/16"	1-1/4"	BRASS	63100-1
633	5/16"	1-1/4"	STAINLESS STEEL	63300-5
651	5/16"	1-5/8"	BRASS	65100-9
652	5/16"	1-5/8"	STEEL	65200-6
653	5/16"	1-5/8"	STAINLESS STEEL	65300-3
6C1	5/16"	1-3/4"	BRASS	60100-4
661	5/16"	2"	BRASS	66100-8
662	5/16"	2"	STEEL	66200-5
663	5/16"	2"	STAINLESS STEEL	66300-2
6D1	5/16"	2-1/2"	BRASS	69100-5
671	5/16"	3"	BRASS	67100-7
672	5/16"	3"	STEEL	67200-4
673	5/16"	3"	STAINLESS STEEL	67300-1
681	5/16"	4"	BRASS	68100-6
682	5/16"	4"	STEEL	68200-3



Model #921

MFG. SERIES NO. 9	SHACKLE SIZES		SHACKLE MATERIAL	UPC CODE 7-27407-
	A Diameter	B Clearance		
5 PIN, 2" SOLID BRASS BODY				
MODEL #				
921	3/8"	1"	BRASS	92100-3
922	3/8"	1"	STEEL	92200-0
923	3/8"	1"	STAINLESS STEEL	92300-7
941	3/8"	1-1/2"	BRASS	94100-1
961	3/8"	2"	BRASS	96100-9
962	3/8"	2"	STEEL	96200-6
963	3/8"	2"	STAINLESS STEEL	96300-3
9D1	3/8"	2-1/2"	BRASS	90100-5
981	3/8"	4"	BRASS	98100-7
982	3/8"	4"	STEEL	98200-4

For Grand Master Keying, Consult Factory.




Model #412

SOLID BRASS METER LOCKS

MFG. SERIES NO. 4	PIN SIZES		PIN MATERIAL	UPC CODE 7-27407-
	A Diameter	B Clearance		
5 PIN, 1-1/2" SOLID BRASS BODY				
MODEL #				
402	3/8"	5/8"	STEEL	40200-7
412	3/8"	7/8"	STEEL	41200-6
472	3/8"	3"	STEEL	47200-0

DOUBLE BALL PADLOCK

Ball Lock



Shackle - Shackle available in case hardened steel for maximum resistance to cutting. Also available in brass or stainless steel specifically designed to stand up to the weather.

Locking System - Stainless steel heel and toe locking mechanism to provide for the highest resistance to pulling and prying (available in either key or non-key retaining).

Case - Solid brass body to eliminate any chance of rusting.

Model No. XG2

Tumbler Mechanism - Five pin tumbler mechanism allows for wide diversity of keying systems featuring keyed alike, keyed different and master keyed (can also be keyed into many existing keyways).

Since 1860



THE

WILSON BOHANNAN COMPANY




TRADITIONAL
AMERICAN
CRAFTSMANSHIP

P.O. BOX 504 • MARION, OHIO 43302-0504
PH 800-382-3639 • FAX 740-383-1653
www.padlocks.com wbco@padlocks.com

ORDERING INFORMATION

How to read and use model numbers

Typical Three Digit Model Number **X G 2 2* 1***



*Fourth and fifth digit can be added to three digit model number for (4) keying and (5) accessories.


Locks keyed alike, 1 key furnished. Locks keyed differently, 2 keys furnished.

MFG. SERIES NO. V	SHACKLE SIZES		SHACKLE MATERIAL	UPC CODE 7-27407-
	A Diameter	B Clearance		
5 PIN, 1-1/2" SOLID BRASS BODY				
MODEL #				
VG1	9/32"	1-1/8"	BRASS	99956-9
VG2	9/32"	1-1/8"	STEEL	99957-6
VG3	9/32"	1-1/8"	STAINLESS STEEL	99958-3
V61	9/32"	2"	BRASS	99959-0
V62	9/32"	2"	STEEL	99960-6
V63	9/32"	2"	STAINLESS STEEL	99979-8
V71	9/32"	3"	BRASS	99961-3
V72	9/32"	3"	STEEL	99962-0
V73	9/32"	3"	STAINLESS STEEL	99980-4

MFG. SERIES NO. X	SHACKLE SIZES		SHACKLE MATERIAL	UPC CODE 7-27407-
	A Diameter	B Clearance		
5 PIN, 1-3/4" SOLID BRASS BODY				
MODEL #				
XG1	5/16"	1-1/8"	BRASS	99963-7
XG2	5/16"	1-1/8"	STEEL	99964-4
XG3	5/16"	1-1/8"	STAINLESS STEEL	99965-1
X43	5/16"	1-1/2"	STAINLESS STEEL	99981-1
X61	5/16"	2"	BRASS	99966-8
X62	5/16"	2"	STEEL	99967-5
X63	5/16"	2"	STAINLESS STEEL	99978-1
X71	5/16"	3"	BRASS	99968-2
X72	5/16"	3"	STEEL	99969-9
X73	5/16"	3"	STAINLESS STEEL	99982-8
X82	5/16"	4"	STEEL	99983-5

MFG. SERIES NO. Y	SHACKLE SIZES		SHACKLE MATERIAL	UPC CODE 7-27407-
	A Diameter	B Clearance		
5 PIN, 2" SOLID BRASS BODY				
MODEL #				
YG1	3/8"	1-1/8"	BRASS	99970-5
YG2	3/8"	1-1/8"	STEEL	99971-2
YG3	3/8"	1-1/8"	STAINLESS STEEL	99972-9
Y61	3/8"	2"	BRASS	99973-6
Y62	3/8"	2"	STEEL	99974-3
Y63	3/8"	2"	STAINLESS STEEL	99977-4
Y71	3/8"	3"	BRASS	99975-0
Y72	3/8"	3"	STEEL	99976-7
Y73	3/8"	3"	STAINLESS STEEL	99984-2
Y92	3/8"	5"	STEEL	99985-9

BALL LOCK DIMENSIONS



Digit #4 (keying)

Non-Key Retaining

- 0 = "0" BITTED
- 1 = KA
- 2 = KD
- 3 = KA-MK
- 4 = KD-MK
- 5 = KA-GMK
- 6 = KD-GMK
- 7 = SPECIAL KEYWAY

Key Retaining

- A = "0" BITTED
- B = KA
- C = KD
- D = KA-MK
- E = KD-MK
- F = KA-GMK
- G = KD-GMK
- H = SPECIAL KEYWAY

Digit #5 (accessories)

- 0 = NONE
- 1 = 9" Steel Chain Attached to Body
- 2 = 9" Steel Chain Attached to Shackle
- 3 = 9" Brass Chain Attached to Body
- 4 = 9" Brass Chain Attached to Shackle
- 5 = 15" Brass Chain Attached to Body
- 6 = 15" Brass Chain Attached to Shackle
- 7 = Brass ID Tag Attached to Body
- 8 = Brass ID Tag Attached to Shackle
- 9 = Anodized Aluminum Tag Attached to Body
- A = Anodized Aluminum Tag Attached to Shackle

ADDED FEATURES

- ** Non-Key Retaining Standard
- ** Key Retaining Available
- ** Key Numbering & Stamping
- ** Padlock Numbering & Custom Monogramming (Company Name, Logo, Dept., Etc.)
- ** Steel or Brass Chains
- ** ID Tags
- ** Color Coding

Minimum order one dozen.

For special shackles, consult factory.

Lubricate padlocks with powdered graphite.

Wilson Bohannan Interchangeable Core Locks



Wilson Bohannan Interchangeable Core Locks



- Rustproof solid brass construction
- Stainless steel double ball locking
- Accepts Best, KSP, Arrow and comparable cores (6 or 7 pin, spacers not needed)
- Available key or non-key retaining
- Customized monogramming and numbering
- Colored or brass tags
- Brass or steel chains

Made in USA



Since 1860

Wilson Bohannan Co.

P.O. Box 504 • Marion, Ohio 43301-0504

e-mail: wbc@padlocks.com

website: www.padlocks.com

Toll Free 800-382-3639 • Fax 740-383-1653

Interchangeable Core Locks and Cores

MFG. SERIES NO. 84	SHACKLE SIZES		SHACKLE MATERIAL	UPC CODE 7-27407-
	A Diameter	B Clearance		
1-3/4" SOLID BRASS BODY				
MODEL #				
8411	9/32"	1-1/8"	BRASS	84110-3
8412	9/32"	1-1/8"	STEEL	84120-2
8413	9/32"	1-1/8"	STAINLESS STEEL	84130-1
8421	9/32"	2"	BRASS	84210-0
8422	9/32"	2"	STEEL	84220-9
8423	9/32"	2"	STAINLESS STEEL	84230-8
8431	9/32"	3"	BRASS	84310-7
8432	9/32"	3"	STEEL	84320-6
8433	9/32"	3"	STAINLESS STEEL	84330-5

MFG. SERIES NO. 85	SHACKLE SIZES		SHACKLE MATERIAL	UPC CODE 7-27407-
	A Diameter	B Clearance		
1-3/4" SOLID BRASS BODY				
MODEL #				
8511	5/16"	1-1/8"	BRASS	85110-2
8512	5/16"	1-1/8"	STEEL	85120-1
8513	5/16"	1-1/8"	STAINLESS STEEL	85130-0
8521	5/16"	2"	BRASS	85210-9
8522	5/16"	2"	STEEL	85220-8
8523	5/16"	2"	STAINLESS STEEL	85230-7
8531	5/16"	3"	BRASS	85310-6
8532	5/16"	3"	STEEL	85320-5
8533	5/16"	3"	STAINLESS STEEL	85730-2
8542	5/16"	4"	STEEL	85820-0

MFG. SERIES NO. 86	SHACKLE SIZES		SHACKLE MATERIAL	UPC CODE 7-27407-
	A Diameter	B Clearance		
2" SOLID BRASS BODY				
MODEL #				
8611	3/8"	1-1/8"	BRASS	86110-1
8612	3/8"	1-1/8"	STEEL	86120-0
8613	3/8"	1-1/8"	STAINLESS STEEL	86130-9
8621	3/8"	2"	BRASS	86210-8
8622	3/8"	2"	STEEL	86220-7
8623	3/8"	2"	STAINLESS STEEL	86230-6
8631	3/8"	3"	BRASS	86310-5
8632	3/8"	3"	STEEL	86320-4
8633	3/8"	3"	STAINLESS STEEL	86330-3
8652	3/8"	5"	STEEL	86920-6

Minimum order one dozen.
For special shackles, consult factory.
For key retaining add KR to model number.
Lubricate padlocks with powdered graphite.

CORES - UNCOMBINATED			
PART NUMBER	DESCRIPTION	KEYWAY PROFILE	FINISHES
WB206	6 Pin Core	See Chart	#4 or #26D
WB207	7 pin Core	See Chart	#4 or #26D



ORDER EXAMPLE: WB206-A-26D Uncombined

CORES - COMBINED			
PART NUMBER	DESCRIPTION	KEYWAY PROFILE	FINISHES
WB206C	6 Pin Core	See Chart	#4 or #26D
WB207C	7 Pin Core	See Chart	#4 or #26D

ORDER EXAMPLE: WB206C-A-26D Combined

FINISHES: #4 (Satin Brass) #26D (Satin Chromium Plated)

KEYWAY CHART



Also available in 2" body width and 15/16" depth

Wilson Bohannan Co.

621 Buckeye St. • P.O. Box 504 • Marion, Ohio 43301-0504

e-mail: wbc@padlocks.com

website: www.padlocks.com

Toll Free 800-382-3639 • Fax 740-383-1653



Padlocks


Lockout/Tagout

Since 1860

DANGER

LOCKED OUT
TO PROTECT
WORKERS
REPAIRING
EQUIPMENT

DT260 EMED Co., Inc. • 1-800-443-3663



Made in USA

Since 1860

DT260 EMED Co., Inc. • 1-800-443-3663


Safety Lockout Products

Wilson Bohannon's Safety Lockout Padlocks help you comply with OSHA's "Lockout/Tagout" standard which requires industry to lockout all machinery during maintenance or service operations. With so many options to choose from, you can meet OSHA's needs as well as the needs of your company. Eliminate smudged or unreadable hand written labels with permanent custom monogramming on the lock or tag with your company name, departments, or employee names and clock numbers. For quick recognition of departments, color

code your safety locks with anodized aluminum tags or durable painted locks. (Both available in all OSHA safety colors and more) All locks are available keyed alike, keyed different and master keyed. For more information or help in meeting the needs of your company please call us at 800-382-3639. Trust the company that has been protecting American industry since 1860 and always remember to take the time to be safe.

MFG Model No.	Shackle Sizes		Shackle Material
	A	B	
5 Pin, 1 1/2" Solid Brass Body			
111	1/4"	7/8"	Brass
112	1/4"	7/8"	Steel
161	1/4"	2"	Brass
162	1/4"	2"	Steel
172	1/4"	3"	Steel
1H1	1/4"	3 1/2"	Brass


Locks available in other body sizes, shackle clearances and diameters. (consult factory)



Safety Lockout Hasps

These safety lockout hasps are specifically designed for locking out power sources such as disconnects, switches or valves. These bright zinc-plated steel hasps feature interlocking tabs that help prevent the lockout from being removed improperly

and a red vinyl coating serves as a warning tag. Each hasp will accept up to 6 padlocks and will accept a maximum shackle diameter of 5/16".



MFG Model No.	A Clearance (ID)	B Max. Shkl. Diameter
HSL-1	1"	5/16"
HSL-2	1 1/2"	5/16"



Wilson Bohannon Padlock Co.

P.O. Box 504 • Marion, Ohio 43301-0504

e-mail: wbco@padlocks.com

website: www.padlocks.com

Toll Free 800-382-3639 • Fax 740-383-1653

WB CUSTOM FEATURES



CUSTOM MONOGRAMMING

▲ Wilson Bohannon has the capability to stamp your company's name, logo, clock numbers and to number locks and keys to your specifications.

IDENTIFICATION TAGS

▲ Round tags are available in solid brass or colored anodized aluminum. Brass tags can be painted in a wide variety of colors. Anodized aluminum tags are available in red, orange, green, blue, gold, or purple. Tags may be attached to the shackle with a collar or to the padlock body with a clevis. Custom stamping of tags is also available.



CYLINDERS

▲ Rim and mortise cylinders are also available from Wilson Bohannon Co. Both can be manufactured to integrate with any existing or future Wilson Bohannon keying system. Cylinders can be adapted to most other standard OEM keyways and systems. Mortise cylinders are 1 1/8" in length and rim cylinders feature a breakaway tail-piece to fit the thickness of any standard door. Cylinders are available with pictured cams and with US3, US4, US10B, US26, US26D standard finishes.






COLOR CODING

- ▲ Wilson Bohannon offers color coding for all WB locks in a wide variety of colors including all OSHA safety colors. Color coded locks provide quick recognition for departmental locks.

SAFETY LOCKOUT HASPS

- ▲ Vinyl coated case hardened steel for multiple lockouts. One inch clearance accommodates six padlocks with up to a 5/16" diameter shackle.



CHAINS

- ▲ Wilson Bohannon offers steel and brass chains for securing padlocks to gates and doorways. Chains are available in 9" brass or steel and 15" brass. Chains can be attached with a collar to the shackle or to the padlock body with a clevis.

10 **KEY** reasons to buy Wilson Bohannon padlocks

- 1** Solid Brass ConstructionRustproof & weatherproof under the toughest weather conditions.
- 2** Custom Stamping Features.....Customize padlocks with company name, logo, or even employee name.
- 3** Restricted KeywaysOffered for additional security.
- 4** Keying To Other SystemsWe can key into most existing keyed alike systems. Just send us a key and we will make a sample for testing and approval.
- 5** Shackle ClearancesFrom 5/8" to 8" to satisfy almost every need. (Available in brass, steel, and stainless)
- 6** Color CodingQuick recognition for safety lockout programs.
- 7** Interchangeable CoreOur I.C. core locks accept Arrow, Best, Falcon, and KSP cores and are competitively priced.
- 8** Customer Service.....Staffed with knowledgeable professionals to answer any questions you may have.
- 9** Emergency DeliveryCall us in an emergency situation and we will do our best to meet your delivery needs.
- 10** Made In America.....Since "1860" Wilson Bohannon has been protecting American industry with quality solid brass padlocks.

1-800-382-3639
Fax 740-383-1653



P.O. Box 504
Marion, Oh 43301-0504

www.padlocks.com



Since 1860



THE

WILSON BOHANNAN COMPANY

621 Buckeye Street, P.O. Box 504, Marion, Ohio 43302

Phone 740-382-3639

Fax 740-383-1653

Uncommon Quality. Uncommon Reliability. Since 1860.

1-800-382-3639

EDI Accessible



TRADITIONAL
AMERICAN
CRAFTSMANSHIP