


www.ytai.com



Facebook




Twitter



Google+

CONNECT
With YOTI



WENZHOU YONGTAI ELECTRIC CO.,LTD

Add:Yangfan Rd,Liushi Foreign Industrial Zone, Yueqing City,
Zhejiang Province, 325604 China

Tel:86-577-57572006 Fax:86-577-57572037

E-mail:ytai@ytai.com Web:www.ytai.com





- THRESHOLDS
- DOOR BOTTOMS
- WEATHERSTRIP
- ASTRAGALS
- PATIO DOOR HANDLE SET
- CONTINUOUS GEARED HINGES



YOTI Catalog



86-577-57572006
www.ytai.com





Who We Are?

As the Hardware Manufacturing Branch Company of Wenzhou Yongtai Electric Co., Ltd, We have more than 10 years of experience in manufacturing in aluminum extrusion, casting and processing. We can also provide OEM manufacturing according to customer's sample and design. Over years we have expanded our product line into a full line of architectural door trim products to include thresholds, door bottoms, brush seals, astragals, continuous geared hinges, patio door handle, door hardware and various of tubing.

We export 80% products to the United States. As always, our commitment is to deliver the highest quality, cost-effective service and value to our customer. Please consider our company and team for your future cooperation requirements.



Scan here to search online!ytai.com



PRODUCT INDEX

General Information

Who We Are	1-2
What We Offer	3
Product Index	4
General Information & Terms	5
Materials & Finishes	6

Thresholds

Saddle Thresholds	8-9
Retrofit Thresholds	10
Latching Panic Exit Saddles	10
Bumper Thresholds For Outswing Doors	10
Adjustable Wood Sills	11-12

Door Bottoms

Door Bottom Sweeps	13
Brush Door Sweeps	14-15
Door Top Weatherstrip	16
Automatic Door Bottoms	16-17
Door Shoes	18-19

Weatherstrip

Standard Weatherstrip	20-21
Adhesive Weatherstrip	21

Continuous Geared Aluminum Hinges

Full-Mortise Hinges	23
Full Surface Hinges	24
Half Surface Hinges	25

Astragals

"T" Astragals	26
Locking Astragals	26

Patio Door Handle Set

Patio Door Handle Set	27
-----------------------	----

Push/Pull Handle & Push Bar Hardware

Pull Handle	28
Push Handle	28
Push Bar	28
Combo Push/Pull Handle	29
Combo Pull Handle/Push Bar	29
Combo Push Bar	29
Combo Pull Handle	29
Combo Push Handle	29

Aluminum Conduit, Coupling, Elbow


Rigid Aluminum Conduit	30-31
Conduit Couplings	30-31
Rigid Standard 90° Elbows	30-31

Tubing

Stainless Steel Handl For Truck	32-33
Steel Handl For Truck	34
Strut Rod Assemblies For Truck	34-35
Aluminum Pipe With Bracket	35

Customized Products

Patio Door Security Bar	36
Sliding Door Lock	36
Skate Scooter	36
Aluminum Beach Chair	36
Aluminum Wiring Terminal	37
Door Track	37
Aluminum Hinge	37
Aluminum Die Casting Product	38
Aluminum LED Profile	38
Flagstaff Bracket	38
Extension Aluminum Tube	38
Aluminum Paddle	38
Aluminum Pole	38



General Information

How to Order (Product Number Designations):

When placing your order, please specify the product profile number, finish, insert and size/length. Also make sure to clearly state any special fabrication needs, optional fasteners or custom finishes/sizes required.

Standard Products:

Example: Y DT 100 A V 36

YOTI	Product Description:	Serial Number	Finish:	Insert Material	Size/Length:
	DT=Door Thresholds		A	V=Vinyl	36=36"
	DS=Door Shoes		D	S=Silicone	48=48"
	DB=Door Bottoms		PW	NB=Nylon Brush	3680=1PIECE @ 36"
					+2PIECES @ 80"
					3684=1PIECE @ 36"
					+2PIECES @ 84"



Materials and Finishes Information

Metals:

YOTI's extruded metal products are made from 6063 aluminum alloy.

Standard Finishes:



A - Mill Finish Aluminum



BL - Black Anodized Aluminum



C - Clear Anodized Aluminum



D - Dark Bronze Anodized Aluminum



G - Gold Anodized Aluminum



PW - Printed White Aluminum

*Other colors are available according your requirement.

Inserts:

YOTI manufactures many products with gasket inserts (seals). See insert information below for all inserts (seals) designations.

N - Neoprene

SN - Sponge Neoprene

NB - Nylon Brush

SS - Sponge Silicone

P - Polyurethane

V - Vinyl

S - Silicone Seal

Mill Lengths:


Most extrusions are available in mill lengths, Cut lengths over 12 feet are charged as mill lengths.



Saddle Thresholds

YDT308

Available Finishes: A, C, D, G




YDT303

Available Finishes: A, C, D, G




YDT309

Available Finishes: A, C, D, G




YDT302

Available Finishes: A, C, D, G




YDT310

Available Finishes: A, C, D, G




YDT315

Available Finishes: A, C, D, G




YDT307

Available Finishes: A, C, D, G



YDT301

Available Finishes: A, C, D, G



NOTE: Products shown in this section may not be drawn to scale.


Available Finishes For Products Shown On This Page (see General Information section for finish chart)

A (Mill Finish Aluminum) C (Clear Anodized Aluminum) D (Dark Bronze Anodized Aluminum) G (Gold Anodized Aluminum)

Saddle Thresholds (Cont.)


YDT305

Available Finishes: A, C, D, G




YDT306

Available Finishes: A, C, D, G




YDT304

Available Finishes: A, C, D, G



YDT311

Available Finishes: A, C, D, G




YDT313

Available Finishes: A, C, D, G




YDT312

Available Finishes: A, C, D, G



YDT316

Available Finishes: A, C, D, G



NOTE: Products shown in this section may not be drawn to scale.

Available Finishes For Products Shown On This Page (see General Information section for finish chart)


A (Mill Finish Aluminum) C (Clear Anodized Aluminum) D (Dark Bronze Anodized Aluminum) G (Gold Anodized Aluminum)

Retrofit Thresholds

- Use a door bottom shoes or sweep with these thresholds
- Made of sturdy extruded aluminum to seal out the elements


YDT102

Available Finishes: A, C, D, G




YDT103

Available Finishes: A, C, D, G



YDT104


Available Finishes: A, C, D, G



Latching Panic Exit Saddles

YDT105

Available Finishes: A, C, D, G




Bumper Thresholds For Outswing Doors

- In the closed position, the door butts up to bumper seal on threshold cresting a seal against the elements.


YDT100

Available Finishes: A, C, D, G



YDT101

Available Finishes: A, C, D, G



NOTE: Products shown in this section may not be drawn to scale.


Available Finishes For Products Shown On This Page (see General Information section for finish chart)

A (Mill Finish Aluminum) C (Clear Anodized Aluminum) D (Dark Bronze Anodized Aluminum) G (Gold Anodized Aluminum)

Adjustable Wood Sills


YDT501

Available Finishes: A, C, D, G




YDT505

Available Finishes: A, C, D, G




YDT507

Available Finishes: A, C, D, G



YDT512

Available Finishes: A, C, D, G



NOTE: Products shown in this section may not be drawn to scale.


Available Finishes For Products Shown On This Page (see General Information section for finish chart)

A (Mill Finish Aluminum) C (Clear Anodized Aluminum) D (Dark Bronze Anodized Aluminum) G (Gold Anodized Aluminum)

Adjustable Wood Sills(Cont.)


YDT509

Available Finishes:A,C,D,G




YDT510

Available Finishes:A,C,D,G



YDT511


Available Finishes:A,C,D,G



Extenders For All Adjustable Wood Sills


EXT3/4

Available Finishes:
A,C,D,G




EXT2

Available Finishes:
A,C,D,G



EXT3

Available Finishes:
A,C,D,G



NOTE: Products shown in this section may not be drawn to scale.

Available Finishes For Products Shown On This Page(see General Information section for finish chart)


A (Mill Finish Aluminum) C (Clear Anodized Aluminum) D(Dark Bronze Anodized Aluminum) G (Gold Anodized Aluminum)

Door Bottom Sweeps

YDB101


Available Finishes:
A,C,D,G,PW

Finished product
supplied with
BLACK insert.
GRAY available
upon request.




YDB110

Available Finishes:
A,C,D,G,PW




YDB102

Available Finishes:
A,C,D,G,PW




YDB103

Available Finishes:
A,C,D,G,PW




YDB104

Available Finishes:
A,C,D,G,PW




YDB105

Available Finishes:
A,C,D,G,PW




YDB109

Available Finishes:
A,C,D,G




YDB111

Available Finishes:
A,C,D,G




YDB201

Available Finishes:
C,D



YDB402

Available Finishes:
A,C,D,G,PW



NOTE: Products shown in this section may not be drawn to scale.

Available Finishes For Products Shown On This Page(see General Information section for finish chart)



A (Mill Finish Aluminum) C (Clear Anodized Aluminum) D(Dark Bronze Anodized Aluminum) G (Gold Anodized Aluminum)

PW (Painted White)

BRUSH DOOR SWEEPS




The Most Effective
Weather Sealing Solution



Brush Door Sweeps


YDB202

Available Finishes: C, D




YDS601

Available Finishes: A, C, D, G, PW




YDS602

Available Finishes: A, C, D, G, PW




YDS604

Available Finishes: A, C, D, G, PW




YDS605

Available Finishes: A, C, D, G, PW



YDS607

Available Finishes: A, C, D, G, PW



NOTE: Products shown in this section may not be drawn to scale.


Available Finishes For Products Shown On This Page (see General Information section for finish chart)

A (Mill Finish Aluminum) C (Clear Anodized Aluminum) D (Dark Bronze Anodized Aluminum) G (Gold Anodized Aluminum)
PW (Painted White)

Door Top Weatherstrip


YDB106

Available Finishes:
A,C,D,G



YDB107


Available Finishes:
A,C,D,G



Automatic Door Bottoms


YDB108

Available Finishes:
A,C,D,G




YDB301

Available Finishes:
A,C,D




YDB303

Available Finishes:
A,C,D



YDB309

Available Finishes:
A,C,D










NOTE: Products shown in this section may not be drawn to scale.

Available Finishes For Products Shown On This Page(see General Information section for finish chart)

A (Mill Finish Aluminum) C (Clear Anodized Aluminum) D(Dark Bronze Anodized Aluminum) G (Gold Anodized Aluminum)

Automatic Door Bottoms (Cont.)

YDB310Available Finishes:
A,C,D**YDB302**Available Finishes:
A,C,D**YDB311**Available Finishes:
A,C,D**YDB304**Available Finishes:
A,C,D**YDB305**Available Finishes:
A,C,D**YDB307**Available Finishes:
A,C,D**YDB308**Available Finishes:
A,C,D

NOTE: Products shown in this section may not be drawn to scale.

Available Finishes For Products Shown On This Page(see General Information section for finish chart)


A (Mill Finish Aluminum) C (Clear Anodized Aluminum) D(Dark Bronze Anodized Aluminum)

Door Shoes

- Available with Vinyl
- Slotted holes for easy adjustment
- Rain drip model is deal for deflecting rain away from the bottom of door


YDS100

Available Finishes:
A,C,D,G,PW




YDS101

Available Finishes:
A,C,D,G,PW




YDS102

Available Finishes:
A,C,D,G,PW




YDS103

Available Finishes:
A,C,D,G,PW




YDS104

Available Finishes:
A,C,D,G,PW



YDS105

Available Finishes:
A,C,D,G,PW




NOTE: Products shown in this section may not be drawn to scale.

Available Finishes For Products Shown On This Page(see General Information section for finish chart)


A (Mill Finish Aluminum) C (Clear Anodized Aluminum) D(Dark Bronze Anodized Aluminum) G (Gold Anodized Aluminum)
PW (Painted White)

Door Shoes (Cont.)


YDS106

Available Finishes:
A,C,D,G,PW


YDS107

Available Finishes:
A,C,D,G,PW


YDS108

Available Finishes:
A,C,D,G,PW


YDS109

Available Finishes:
A,C,D,G,PW

YDS110

Available Finishes:
A,C,D,G,PW

YDS111

Available Finishes:
A,C,D,G,PW

NOTE: Products shown in this section may not be drawn to scale.

Available Finishes For Products Shown On This Page(see General Information section for finish chart)


A (Mill Finish Aluminum) C (Clear Anodized Aluminum) D(Dark Bronze Anodized Aluminum) G (Gold Anodized Aluminum)
PW (Painted White)

Standard Weatherstrip

- Rigid jamb weatherstrip shown mounted on openings with $1/16$ " gaps; however, each weatherstrip can seal gaps up to the depth of its seal. Seal depth provided on each illustration (example: the YDW204 has a $1/4$ " seal; therefore, it can seal up to a $1/4$ " gap)
- Punched on 6" centers with slotted holes for adjustment


YDW103

Available Finishes:
A,C,D,G,PW




YDW104

Available Finishes:
A,C,D,G,PW




YDW201

Available Finishes:
A,C,D,G,PW




YDW202

Available Finishes:
A,C,D,G,PW




YDW203

Available Finishes:
A,C,D,G,PW




YDW204

Available Finishes:
A,C,D,G,PW




YDW205

Available Finishes:
A,C,D,G,PW




YDW206

Available Finishes:
A,C,D,G,PW



YDW207

Available Finishes:
A,C,D,G,PW



NOTE: Products shown in this section may not be drawn to scale.


Available Finishes For Products Shown On This Page(see General Information section for finish chart)

A (Mill Finish Aluminum) C (Clear Anodized Aluminum) D(Dark Bronze Anodized Aluminum) G (Gold Anodized Aluminum)
PW (Painted White)

Standard Weatherstrip(Cont.)


YDW208

Available Finishes:
A,C,D,G,PW




YDW209

Available Finishes:
A,C,D,G,PW




YDW210

Available Finishes:
A,C,D,G,PW




YDW101

Available Finishes:
D,W



YDW102

Available Finishes:
D,W



NOTE: Products shown in this section may not be drawn to scale.

Available Finishes For Products Shown On This Page(see General Information section for finish chart)


A (Mill Finish Aluminum) C (Clear Anodized Aluminum) D(Dark Bronze Anodized Aluminum) G (Gold Anodized Aluminum)
PW (Painted White)

Adhesive Weatherstrip

YDW100

Available Finishes:BL,C,D,GR,W
Available Lengths:17',18',20',21',25',30',204',510'


- Seal begins compressing at 1/4";compresses to seal up to a 1/16" gap



YDW105

Available Finishes:BL,C,D,GR,W
Available Lengths:17',18',20',21',25',30',204',510'

- Designed for tighter frames
- Demonstrates extremely low closing force
- Seal begins compressing at 5/16";compresses to seal up to a 1/16" gap



Available Finishes For Products Shown On This Page

BL(Black) C(Clear) D(Dark Brown) GR(Light Gray) W(White)



**CONTINUOUS GEARED
ALUMINUM
HINGES**



Full-Mortise Hinges


Concealed/Mortise Leaf • Any Door Material • Heavy Duty

Heavy Duty for high frequency 1 3/4" doors or heavy medium frequency doors up to 450lbs.


YHG004(Heavy Duty), YHG005(Heavy Duty)

MODEL#	LENGTH		SCREW COUNT		CLEARANCE
	IN	CM	DOOR	JAMB	
YHG004	83	210.8	19	19	5/16" (8mm) hinge side plus standard lockside clearance
YHG004	95	241.3	19	19	
YHG005	83	210.8	19	19	
YHG005	95	241.3	19	19	

- **FASTENERS:** Self-Tapping screws
Full Mortise Hinges
1.All fasteners are No. 12-24 x 1/16" Type C,FHUC
a. Heavy Duty Hinges -10 required for each leaf
- **LENGTH OPTIONS:** 83" & 95"
- **DOOR REINFORCEMENT:** None needed to 200 lbs
Use 16 gauge channel over 200 lbs
- **FRAME REINFORCEMENT:** None needed to 200 lbs
Use 16 gauge channel over 200 lbs
- **FIRE RATING:** Up to 3 Hours.
- **SPECIAL FEATURES:** For new construction
For renovation with new door and / or frames
No mortising of doors or frame required
Will cover hinge cut outs in frames
Flush mount no inset
Frame and door leaf alignment ribs for proper hinge location



YHG004



YHG005

Available Finishes For Products Shown On This Page(see General Information section for finish chart)

BL (Black Anodized Aluminum) C (Clear Anodized Aluminum) D(Dark Bronze Anodized Aluminum)

G (Gold Anodized Aluminum) PW(Painted White)

Full Surface Hinges

Full Surface • Any Door Material • Heavy Duty

Heavy Duty for high frequency 1 3/4" doors or heavy medium frequency doors up to 450 lbs.

YHG001 (Heavy Duty), YHG002 (Heavy Duty), YHG003 (Heavy Duty)

MODEL#	LENGTH		SCREW COUNT		CLEARANCE
	IN	CM	DOOR	JAMB	
YHG001	83	210.8	19	19	1/32" (1mm) minimum recommended for hinge side plus standard lockside clearance
YHG001	95	241.3	20	20	
YHG002	83	210.8	19	19	1/32" (1mm) minimum recommended for hinge side plus standard lockcase clearance 1 5/8" (41mm) minimum frame face required plus 3/16" (5mm) rotational clearance
YHG002	95	241.3	20	20	
YHG003	83	210.8	8	8	1/32" (1mm) minimum required between doors
YHG003	95	241.3	9	9	

FASTENERS:

Self-Tapping screws
Full Surface Hinges

1) Frame Portion

- a) All fasteners are No. 12-24 x 1/16" Type C, FHUC
- i) Heavy Duty Hinges - 10 required for each leaf

2) Door Portion

- a) Thru-bolt 1/4-20 x 1 5/8" PCH
- i) Heavy Duty Hinges – 6 required for each leaf
- b) Shoulder bolt 1/4 -20 x 1" PCH
- i) Heavy Duty Hinges – 6 required
- c) Pan Head Self Drilling No. 12 x 3/4"
- i) Heavy Duty Hinges – 4 required

83" & 95"

LENGTH OPTIONS:

DOOR REINFORCEMENT: None needed

FRAME REINFORCEMENT: None needed to 200 lbs.


Use 16 gauge channel over 200 lbs

FIRE RATING: Up to 3 Hours.


SPECIAL FEATURES: Replacement for existing doors and frames

7/8" minimum frame


1/16" inset



YHG002



YHG001



YHG003

Available Finishes For Products Shown On This Page(see General Information section for finish chart)

BL (Black Anodized Aluminum) C (Clear Anodized Aluminum) D(Dark Bronze Anodized Aluminum)

G (Gold Anodized Aluminum) PW(Painted White)

Half Surface Hinges

Full Surface • Any Door Material • Heavy Duty

Heavy Duty for high frequency 1 3/4 " doors or heavy medium frequency doors up to 450 lbs.

YHG006 (Heavy Duty)

MODEL#	LENGTH		SCREW COUNT		CLEARANCE
	IN	CM	DOOR	JAMB	
YHG006	83	210.8	8	9	5/32"(4mm) minimum recommended hinge side plus standard lockside clearance
YHG006	95	241.3	19	19	

○ FASTENERS:

Self-Tapping screws

Half Surface Hinges

1) Frame Portion

- a) All fasteners are No. 12-24 x 1/16 "Type C, FHUC
- i) Heavy Duty Hinges - 10 required for each leaf

2) Door Portion

- a) Thru-bolt 1/4-20 x 1 5/8 " PCH
- i) Heavy Duty Hinges – 6 required for each leaf
- b) Shoulder bolt 1/4 -20 x 1" PCH
- i) Heavy Duty Hinges – 6 required
- c) Pan Head Self Drilling No. 12 x 3/4"
- i) Heavy Duty Hinges – 4 required

○ LENGTH OPTIONS:

83" & 95"

○ DOOR REINFORCEMENT:

None needed

○ FRAME REINFORCEMENT:


None needed to 200 lbs.
Use 16 gauge channel over 200 lbs

○ FIRE RATING:

Up to 3 Hours

○ SPECIAL FEATURES:

For new construction
For renovation with new doors and / or frames
No mortising of doors or frames required
Will cover hinge cut outs in frames
Flush mount no inset
Frame and door leaf alignment ribs for proper hinge location




Available Finishes For Products Shown On This Page(see General Information section for finish chart)

C (Clear Anodized Aluminum) D(Dark Bronze Anodized Aluminum)

"T" Astragals


YDW403

Available Finishes:
C,D,G,PW



YDW602

Available Finishes:
C,D,G,PW




Locking Astragals

Colonial Style

Colonial style with locking spring bolt

YDW601

Available Finishes:
C,D,G,PW



Available Finishes For Products Shown On This Page(see General Information section for finish chart)

A (Mill Finish Aluminum) C (Clear Anodized Aluminum) D(Dark Bronze Anodized Aluminum)

G (Gold Anodized Aluminum) PW(Painted White)

Patio Door Handle Set




Handle Set

C-1055 Aluminum

C-1073 Black


- Extruded aluminum inside latch and outside pull
- Extruded aluminum saw-tooth style clamp
- Locks door automatically when clamp is in the locked position and the door is being closed



Handle Set

C-1058 Black

- Extruded aluminum inside latch
- Diecast outside pull
- Stamped steel thumb turn
- Non-handed




Handle Set

C-1005 Aluminum

C-1006 Black

- Extruded aluminum inside latch and outside pull
- Stamped steel clamp flips down to engage door jamb
- No keeper required
- Clamp profile is 1/4"
- Clamp projection is 1/2" when clamp is in the locked position



Handle Set

C-1191*1 Black


- Diecast inside latch with wood pull
- Diecast outside pull
- Diecast and stamped steel thumb turn
- Non-handed

Pull Handle

PH401

9" Exterior pull handle. AL/Bronze diecast


*AL=Aluminum, LH=Left Hand, RH=Right Hand



SINGLE ACTING

Push Handle

PH402



SINGLE ACTING


Push Bar

PB401-36

For Doors up to 36"

PB401-42

For Doors up to 42"



SINGLE ACTING

Combo Push/Pull Handle

CH40



Combo Pull Handle/Push Bar

DH40



Combo Push Bar

DH41



Combo Push Handle

DH43



Combo Pull Handle

DH42



Aluminum Conduit, Coupling, Elbow

Standards:

UL-6A

Material:

Rigid Aluminum Conduit is made from 6063 Aluminum alloy in temper designation T-5.
The fittings are of the same alloy.

Light Weight

Rigid aluminum conduit is approximately 1 / 3 the weight of steel.

Corrosion Resistant

Aluminum resists most corrosive atmospheres in industrial environments.

Easy to Install

Aluminum conduit can be easily cut, bent and threaded without special tools.

Low Maintenance

Aluminum conduit does not corrode or leave discoloring streaks of stains.




Rigid Aluminum Conduit

RAC Dimensions and Weight Chart(Standard:UL6A)


Trade Size	Metric Designator	Nominal Outside		Nominal Wall Thickness		Approx. Wt. Per 100 Ft.(30.5M)		Qty. In Master Bundle pcs
		in.	mm	in.	mm	lb.	kg	
1/2	16	0.84	21.3	0.104	2.64	27.4	12.4	250
3/4	21	1.05	26.7	0.107	2.72	36.4	16.48	250
1	27	1.315	33.4	0.126	3.2	53	24.01	200
1-1/4	35	1.66	42.2	0.133	3.38	69.6	31.54	100
1-1/2	41	1.9	48.3	0.138	3.51	86.2	39.08	100
2	53	2.375	60.3	0.146	3.71	115	52.1	45
2-1/2	63	2.875	73	0.193	4.9	182.5	82.7	30
3	78	3.5	88.9	0.205	5.21	236.4	107.12	20
3-1/2	91	4	101.6	0.215	5.46	287.8	130.41	20
4	103	4.5	114.3	0.225	5.72	336.7	152.58	20
5	129	5.563	141.3	0.245	6.22	478.9	217.2	8
6	155	6.625	168.3	0.266	6.76	630.4	285.9	6

Note:Length=10 ft. (3.05m) with a tolerance of +/- .25" (6.35mm)


Conduit Couplings



Trade Size	Metric Designator	Nominal Wall Thickness		Length		Approx. Wt. Per 100 Ft. (30.5M)		Standard Carton pcs
		in.	mm	in.	mm	lb.	kg	
1/2	16	1.08	27.4	1.56	39.6	6.1	2.8	100
3/4	21	1.33	33.8	1.62	41.1	9.1	4.1	50
1	27	1.56	39.6	2.00	50.8	12.5	5.7	50
1 1/4	35	1.95	49.5	2.06	52.3	18.9	8.6	50
1 1/2	41	2.22	56.4	2.06	52.3	23.3	10.6	50
2	53	2.75	69.8	2.12	53.8	34.6	15.7	50
2 1/2	63	3.28	83.3	3.12	79.2	68.3	31.0	25
3	78	3.94	100.8	3.25	82.6	91.4	41.5	25
3 1/2	91	4.44	112.8	3.37	85.6	108.0	49.0	10
4	103	5.00	127	3.50	88.9	142.0	64.4	10
5	129	6.30	160	3.75	95.3	241.9	109.7	8
6	155	7.39	187.7	4.00	101.6	321.0	145.6	6

NOTE:Dimensions, lengths and weights are nominal

Rigid Standard 90° Elbows




Trade Size	Metric Designator	Nominal Dimensions						Approx. Wt. Per 100 Ft. (30.5M)	
		A		B		C		lb.	kg
1/2	16	4.0	102.0	6.50	165.1	2.50	63.5	29	13.2
3/4	21	4.5	114.0	7.25	184.2	2.75	69.9	43	14.5
1	27	5.75	146.0	8.375	212.7	2.875	73.0	71	32.2
1 1/4	35	7.25	184.0	10.25	260.6	3.00	76.2	110	49.9
1 1/2	41	8.25	210.0	11.875	301.6	3.625	92.1	153	69.4
2	53	9.5	241.0	14.0	355.6	4.50	114.3	249	112.9
2 1/2	63	10.5	266.7	15.750	400.1	5.25	133.4	437	198.2
3	78	13	330.2	18.750	476.3	5.75	146.1	767	347.9
3 1/2	91	15	381.0	21.750	552.5	6.75	171.5	1036	469.9
4	103	16	406.4	23.000	584.2	7	177.8	1228	557.0
5	129	24	609.6	36.000	914.4	11	279.4	2490	1129.5
6	155	30	762.0	42.500	1079.5	12.5	317.5	3850	1746.3

NOTE:Special radius elbows are available upon request


Stainless Steel Handle For Truck

- Material: Premium non-magnetic 304 stainless steel tubing
- Single piece construction with no welded joints
- Come with slotted holes for adjustment when mounting to the truck
- Rubber Grip encased for slip resistant purpose
- Fits on most high clearance vehicles, heavy and medium trucks


18-54067-000



18-54067-001




18-54067-003




Stainless Steel Handle For Truck(Cont.)


18-54067-004



18-64594-000




18-64594-001



Steel Handle For Truck

- Material: Carbon steel
- Finish: Available in black powder coat finish with texture or any colors you want
- Powder coat finish with texture for slip resistant purpose
- With tube inserts in both ends to reinforce to have a maximum strength
- Single piece construction with no welded joints
- Come with slotted holes for adjustment when mounting to the truck
- Designed for both interior and exterior
- Fits on most high clearance vehicles, heavy and medium trucks.


A18-47759-000



Strut Rod Assemblies For Truck


- Material: Carbon steel
- Finish: Available in black powder coat finish or any colors you want
- With tube inserts in both ends to reinforce to have a maximum strength
- Come with holes
- Designed to reduce the vibration of the engine to provide longer life to any vehicle system

A05-26769-000




Strut Rod Assemblies For Truck (Cont.)

A05-26770-000




A05-26771-000



Aluminum Pipe With Bracket

8442D44H02/ 8442D44H03/ 8442D44H04



Customized Products

Patio Door Security Bar



Sliding Door Lock



Skate Scooter



Aluminum Beach Chair



NOTE: Products shown in this section may not be drawn to scale.

Customized Products(Cont.)

Aluminum Wiring Terminal



Door Track



Aluminum Hinge



Customized Products(Cont.)

Aluminum Diecasting Product



Aluminum LED Profile



Flagstaff Bracket



Extension Aluminum Tube



Aluminum Paddle



Aluminum Pole



NOTE: Products shown in this section may not be drawn to scale.