



Weatherstripping


Kerf frame weatherstripping



8810




8800




8052

8810S




Finishes: BK, WH
ANSI/BHMA: 8810S ROE186
BHMA CERTIFIED

8800S




Finishes: BK, WH
ANSI/BHMA: 8800S ROE186
BHMA CERTIFIED

8052N




Finishes: BK
ANSI/BHMA: 8052N ROC186
BHMA CERTIFIED
Closed cell sponge neoprene rubber.

8812S




Finishes: BK, WH
ANSI/BHMA: 8812S ROE186
BHMA CERTIFIED

8841R



Finishes: BK
ANSI/BHMA: 8841R ROJ186
BHMA CERTIFIED
EPDM rubber.

8004N



Finishes: BK
ANSI/BHMA: 8004N ROB186
BHMA CERTIFIED

See Weatherstripping Accessories & options page for details.

Finishes:

BK Black
BR Brown
CL Clear
GY Gray
WH White
B Architectural mill finish bronze
Z Mill finish Zinc

Options:

PSA Pressure-sensitive adhesive
ZAG Ligature-resistant gasketing

Note:

See door manufacturer specifications for minimum required clearance between door and frame. Most models shown are available in neoprene (N) or silicone (S). Both materials are self-extinguishing and non-staining.

Kerf frame weatherstripping

Thresholds

Automatic door bottoms

Perimeter seals

Weatherstripping


Intumescent

Sound control

Specialty applications


Appendix

8043N




Finishes: BK
ANSI/BHMA: 8043N ROE186
BHMA CERTIFIED

8048S




Finishes: BK
ANSI/BHMA: 8048S ROE186
BHMA CERTIFIED

8054S




Finishes: BK, WH
ANSI/BHMA: 8054S ROE186
BHMA CERTIFIED

8055S




Finishes: BK, WH
ANSI/BHMA: 8055S ROE186
BHMA CERTIFIED

8056S



Finishes: WH
ANSI/BHMA: 8056S ROE186
BHMA CERTIFIED

8053Q



Finishes: BR, WH
ANSI/BHMA: 8053Q ROY186
BHMA CERTIFIED
Vinyl-covered foam.

See Weatherstripping Accessories & options page for details.

Finishes:

BK Black
BR Brown
CL Clear
GY Gray
WH White
B Architectural mill finish bronze
Z Mill finish Zinc

Options:

PSA Pressure-sensitive adhesive
ZAG Anti-ligature gasketing


Note:

See door manufacturer specifications for minimum required clearance between door and frame. Most models shown are available in neoprene (N) or silicone (S). Both materials are self-extinguishing and non-staining.


Weatherstripping

Self-adhesive weatherstripping


Solid neoprene and silicone seals



188 /488




8144



8042

188S/188FS/188BIO




Material/ Finishes:	Options:	ANSI/BHMA:
S: BK, BR, CL, GY, WH	ZAG	188S R0E151
FS: BK	ZAG	188FS R0U154
BIO: BR	ZAG	-



S: PSA standard. 20-minute fire rating.
 FS: Intumescent rubber for fire and smoke protection. PSA standard. 45-minute fire rating.
 BIO: BioWall antimicrobial rubber. PSA standard.

8144S/8144FS




Finishes:	Options:	ANSI/BHMA:
S: BK, WH	ZAG	8144S R0E154
FS: BK	ZAG	8144FS R0U154



S: PSA standard.
 FS: Intumescent rubber for fire and smoke protection. PSA standard.

8042S




Finishes:	Options:	ANSI/BHMA:
BK	ZAG	8042S R0E154



PSA standard.

488S/488FS/488BIO




Material/ Finishes:	Options:	ANSI/BHMA:
S: BK, BR, CL, GY, WH	ZAG	488S R0E154
FS: BK	ZAG	488FS R0U154
BIO: BR	ZAG	-



S: PSA standard.
 FS: Intumescent rubber for fire and smoke protection. PSA standard.
 BIO: BioWall antimicrobial rubber. PSA standard.

8145S




Finishes:	Options:	ANSI/BHMA:
BK, BR	ZAG	8145S R0E154



PSA standard.

824N



Finishes:	Options:	ANSI/BHMA:
BK	ZAG	824N R0B154



PSA standard.

See Weatherstripping Accessories & options page for details.

Finishes:

BK	Black
BR	Brown
CL	Clear
GY	Gray
WH	White
B	Architectural mill finish bronze
Z	Mill finish Zinc


Options:

PSA	Pressure-sensitive adhesive
ZAG	Ligature-resistant gasketing

Self-adhesive weatherstripping

Solid neoprene and silicone seals (cont.)


8216S



Finishes: BK
Options: ZAG
ANSI/BHMA: 8216S R0E154

PSA standard.


117S



Finishes: BK
Options: ZAG
ANSI/BHMA: 117S R0E154

PSA standard.

8150S




Finishes: BK
Options: ZAG
ANSI/BHMA: 8150S R0E154

PSA standard.

Closed cell sponge neoprene seals


8172N



Finishes: BK
Options: ZAG
ANSI/BHMA: 8172N R0C155

PSA standard.


8770N



Finishes: BK
Options: ZAG
ANSI/BHMA: 8770N R0C155

PSA standard.


312N



Finishes: BK
Options: ZAG
ANSI/BHMA: 312N R0C155

PSA standard.


8780N



Finishes: BK
Options: PSA, ZAG
ANSI/BHMA: 8780N R0C155


Mullion seal

139N



Finishes: BK
Options: PSA, ZAG


826N



Finishes: BK
Options: ZAG
ANSI/BHMA: 826N R0C155

PSA standard.


926N



Finishes: BK
Options: PSA, ZAG
ANSI/BHMA: 926N R0C155


PSA standard.

318N



Finishes: BK
Options: PSA, ZAG

3708N



Finishes: BK
Options: PSA, ZAG

See Weatherstripping Accessories & options page for details.

Finishes:

BK Black
BR Brown
CL Clear
GY Gray
WH White
B Architectural mill finish bronze
Z Mill finish Zinc

Options:

PSA Pressure-sensitive adhesive
ZAG Ligature-resistant gasketing


Weatherstripping

Self-adhesive weatherstripping

Closed cell sponge neoprene seals (cont.)




2070N




Finishes:
BK

810N




Finishes: BK
Options: ZAG
PSA standard.

811N




Finishes: BK
Options: ZAG
PSA standard.

812N



Finishes: BK
Options: ZAG
PSA standard.

813N




Finishes: BK
Options: ZAG
PSA standard.




Pile brush seals

137P




Finishes: BK, GY
Also suitable for glass door application -- see Specialized Solutions. PSA standard.

8136P



Finishes: GY

34P



Finishes: BK, GY
Options: PSA

See Weatherstripping Accessories & options page for details.

Finishes:

BK Black
BR Brown
CL Clear
GY Gray
WH White
B Architectural mill finish bronze
Z Mill finish Zinc

Options:

PSA Pressure-sensitive adhesive
ZAG Ligature-resistant gasketing