



Price Sheet MERIT-3.18 | Effective: March 5, 2018 | Cancels Price Sheet MERIT-9.17 of September 4, 2017

**FOR THE MOST CURRENT PRODUCT/PRICING INFORMATION ON ANVIL PRODUCTS,  
PLEASE VISIT OUR WEBSITE AT [WWW.ANVILINTL.COM](http://WWW.ANVILINTL.COM)**

#### **PRICING**

- Pricing is subject to change without notice. Go to Anvil's Web site for the most current list price information, or contact your local Anvil representative.
- All orders are accepted on the basis of prices in effect at the time of shipment.
- To the prices and terms quoted, there will be added any manufacturers or sales tax payable on the transaction under any effective statute.

#### **SHIPPING**

- All prices are F.O.B. point of shipment. Title of goods shall pass to the buyer upon delivery of the shipment to the carrier.
- All goods are shipped at buyer's risk. Shipments should be carefully examined upon delivery and before the carrier's delivery receipt is signed. If any loss or damage is evident, the buyer should make an appropriate notation on the delivery receipt and insist that the carrier's driver initial such exception. The contents of all packages should be carefully examined for concealed damage as soon as possible after delivery, so that the carrier can be requested, within 48 hours after delivery, to arrange for prompt inspection of the damaged goods.
- Anvil reserves the right to select the carrier for all shipments.

#### **GENERAL**

- Upc numbers are available upon request.
- To obtain current ISO certifications, listings, and other approvals, visit Anvil's Web site at [www.anvilintl.com](http://www.anvilintl.com).

**NORTHERN REGION  
CUSTOMER SERVICE CENTER  
800-301-2701**

**SOUTHERN REGION  
CUSTOMER SERVICE CENTER  
800-451-4414**

[www.anvilintl.com](http://www.anvilintl.com)

## 1. CONTROLLING PROVISIONS:

These terms and conditions shall control with respect to any purchase order or sale of Seller's products. No waiver, alteration or modification of these terms and conditions whether on Buyer's purchase order or otherwise shall be valid unless the waiver, alteration or modification is specifically accepted in writing and signed by an authorized representative of Seller.

## 2. DELIVERY:

Seller will make every effort to complete delivery of products as indicated on Seller's acceptance of an order, but Seller assumes no responsibility or liability, and will accept no backcharge, for loss or damage due to delay or inability to deliver caused by acts of God, war, labor difficulties, accident, delays of carriers, by contractors or suppliers, inability to obtain materials, shortages of fuel and energy, or any other causes of any kind whatever beyond the control of Seller. Seller may terminate any contract of sale of its products without liability of any nature, by written notice to Buyer, in the event that the delay in delivery or performance resulting from any of the aforesaid causes shall continue for a period of sixty (60) days. Under no circumstances shall Seller be liable for any special or consequential damages or for loss, damage, or expense (whether or not based on negligence) directly or indirectly arising from delays or failure to give notice of delay.

## 3. WARRANTY:

Seller warrants for one year from the date of shipment Seller's manufactured products to the extent that Seller will replace those having defects in material or workmanship when used for the purpose and in the manner which Seller recommends. If Seller examination shall disclose to its satisfaction that the products are defective, and an adjustment is required, the amount of such adjustment shall not exceed the net sales price of the defective products only and no allowance will be made for labor or expense of repairing or replacing defective products or workmanship of damage resulting from the same. Seller warrants the products which it sells of other manufacturers to the extent of the warranties of their respective makers. Where engineering design or fabrication work is supplied. Buyer's acceptance of Seller's design or of delivery of work shall relieve Seller of all further obligation, other than expressed in Seller's product warranty. THIS IS SELLER'S SOLE WARRANTY. SELLER MAKES NO OTHER WARRANTY OF ANY KIND, EXPRESSED OR IMPLIED AND ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FOR A PARTICULAR PURPOSE WHICH EXCEED SELLER'S AFORESTATED OBLIGATION ARE HEREBY DISCLAIMED BY SELLER AND EXCLUDED FROM THIS WARRANTY. Seller neither assumes, nor authorizes any person to assume for it, any other obligation in connection with the sale of its engineering designs or products. This warranty shall not apply to any products or parts of products which (a) have been repaired or altered outside of Seller's factory, in any manner; (b) have been subjected to misuse, negligence or accidents; (c) have been used in a manner contrary to Seller's instructions or recommendations. Seller shall not be responsible for design errors due to inaccurate or incomplete information supplied by Buyer or its representatives.

## 4. SELLER'S LIABILITY:

Seller will not be liable for any loss, damage, cost of repairs, incidental or consequential damages of any kind, whether based upon warranty (except for the obligation accepted by Seller under "Warranty" above), contract or negligence, arising in connection with the design, manufacture, sale, use or repair of the products or of the engineering designs supplied to Buyer.

## 5. RETURNS:

Seller cannot accept return of any products unless its written permission has been first obtained, in which case same will be credited subject to the following (a) All material returned must, on its arrival at Seller's Plant, be found to be in first-class condition; if not, cost of putting in saleable condition will be deducted from credit memoranda; (b) A handling charge deduction of twenty percent (20%) will be made from all credit memoranda issued for material returned; (c) Transportation charges, if not prepaid will be deducted from credit memoranda.

## 6. SHIPMENTS:

All products sent out will be carefully examined, counted and packed. The cost of any special packing or special handling caused by Buyer's requirements or requests shall be added to the amount of the order. No claim for shortages will be allowed unless made in writing within ten (10) days of receipt of a shipment.

Claims for products damaged or lost in transit should be made on the carrier, as Seller's responsibility ceases, and title passes, on delivery to the carrier.

## 7. SPECIAL PRODUCTS:

Orders covering special or nonstandard products are not subject to cancellation except on such terms as Seller may specify on application.

## 8. PRICES AND DESIGNS:

Prices and designs are subject to change without notice. All prices are F.O.B. Point of shipment, unless otherwise stated.

## 9. TAXES:

The amount of any sales, excise or other taxes, if any, applicable to the products covered by this order, shall be paid by Buyer unless Buyer provides Seller with an exemption certificate acceptance to the taxing authorities.

## 10. NUCLEAR PLANTS:

Where the products, engineering design or fabrication is for nuclear plant applications. Buyer agrees (a) to take all necessary steps to add Seller as an insured under the American Nuclear Insurers' (ANI) pool and under the Mutual Atomic Energy Reinsurance Pool (MAERP) for property damage and liability insurance and if necessary steps could have been taken, but are not taken, Buyer shall hold Seller harmless against all such losses which could have been thus covered (b) Buyer agrees to hold Seller harmless with respect to any personal injury (or death), property damage or other loss in a nuclear incident which is caused directly or indirectly by defective design, material, workmanship furnished by Seller (or which could be so covered but with respect to which Buyer has elected to self-insure), and further agrees to waive subrogation by its carriers of such insurance against Seller, and (c) as to nuclear hazards for which Buyer cannot obtain insurance coverage, the liability of Seller for any personal injury (or death), property damage or other loss directly caused by defective design, material, or workmanship furnished by Seller shall not exceed the value at the time of the loss occurrence.

## 11. MINIMUM INVOICE:

Domestic: \$100 plus transportation.  
International: \$500 plus transportation.

## 12. TERMS:

Cash, net 30 days unless otherwise specified.

NOTE: All orders are accepted on the basis of prices in effect at the time of shipment.

NOTICE: The prices and terms quoted, there will be added any manufacturers or sales tax payable on the transaction under any effective statute.

FREIGHT ALLOWANCE: All prices are F.O.B. point of shipment. On shipments weighing 2,500 pounds or more, rail freight or motor freight at the lowest published rate, is allowed to all continental U.S. rail points or all U.S. highway points listed in published tariffs (Alaska and Hawaii excluded). In no case will more than actual freight be allowed. Shipments (weighing less than 2,500 pounds) will be shipped prepaid. The buyer will be invoiced for freight costs at the applicable published class, exception or commodity rate(s) or charge(s). Anvil reserves the right to select the carrier for all shipments.

## Table of Contents

<b>Merit Welded Outlets</b> .....	<b>4 – 7</b>
Merit 300 Tee-Let <sup>®</sup> , Female NPT Welding Outlet.....	4
Merit Weld-Miser <sup>®</sup> Tee-Let <sup>®</sup> , Type A Female NPT Welding Outlet.....	5
Merit Weld-Miser <sup>®</sup> Tee-Let <sup>®</sup> , Type C Sch. 40 Cut Groove Welding Outlet.....	6
Merit Weld-Miser <sup>®</sup> Tee-Let <sup>®</sup> , Type C/R Sch.10 Roll Groove Welding Outlet.....	7
<b>Eliminator Adjustable Drop Nipple</b> .....	<b>8</b>

## Merit 300 Tee-Let<sup>®</sup>, Female NPT Welding Outlet



- Fittings are manufactured from highly weldable steel conforming to ASTM A-53, Grades A or B, Type E or AISI 1010.
- Threads are cut in accordance with the requirement of ASME B1.20.1, NPT tapered pipe threads. ISO7-1 taper threads are available.
- cULus Listed and FM Approved for use in fire sprinkler systems installed in accordance with the requirements of NFPA 13.
- Rated for 300 PSI operation in fire sprinkler systems.

NOM. OUTLET SIZE (INCHES)	NOM. HEADER SIZE (INCHES)	NOMINAL SIZE (MM)	WGT. EACH (LBS.)	LIST PRICE	BOX QUANTITY	BOX WEIGHT
1/2	x 1 1/4-2 1/2	13 x 32 - 40	0.17	\$5.80	350 ■	59.50
	x 3-8	13 x 40 - 50	0.17	\$5.80	350	59.50
3/4	x 1 1/4-2	2019 x 32 - 40	0.25	\$5.80	250 ■	62.50
	x 2 1/2-8	19 x 40 - 50	0.25	\$5.80	250 ■	62.50
1	x 1 1/4	25 x 32 - 40	0.33	\$8.41	175 ■	57.75
	x 1 1/2-2	25 x 40 - 50	0.33	\$8.41	175 ■	57.75
	x 2 1/2-4	25 x 50 - 65	0.33	\$8.41	175 ■	57.75
1 1/4	x 5-8	25 x 65 - 80	0.33	\$8.41	175	57.75
	x 1 1/2	32 x 40 - 50	0.54	\$12.29	95 ■	50.35
	x 2-2 1/2	32 x 50 - 65	0.54	\$12.29	95 ■	50.35
1 1/2	x 3-4	32 x 80 - 100	0.54	\$12.29	95 ■	50.35
	x 5-8	32 x 125 - 200	0.54	\$12.29	95	50.35
	x 1 1/2**	40 x 40	0.48	\$14.79	65	31.20
	x 2	40 x 50	0.47	\$14.79	65 ■	31.20
2	x 2 1/2	40 x 65	0.47	\$14.79	65 ■	31.20
	x 3-4	40 x 80 - 100	0.46	\$14.79	65 ■	31.20
	x 4	40 x 100	0.46	\$14.79	65	31.20
	x 5-8	40 x 125 - 200	0.46	\$14.79	65	31.20
2 1/2	x 2**	50 x 50	0.86	\$19.52	35	30.10
	x 2 1/2	50 x 65	0.73	\$19.52	35	29.05
	x 3	50 x 80	0.73	\$19.52	35 ■	29.05
	x 4	50 x 100	0.69	\$19.52	35 ■	28.00
	x 5	50 x 125	0.69	\$19.52	35	25.90
	x 6	50 x 150	0.69	\$19.52	35	25.90
3	x 8	50 x 200	0.69	\$19.52	35	25.90
	x 2 1/2	65 x 65	1.25	\$34.48	20	25.00
	x 3	65 x 80	1.20	\$34.48	20	24.00
	x 4	65 x 100	0.92	\$34.48	20	23.00
	x 5	65 x 125	0.92	\$34.48	20	23.00
	x 6	65 x 150	0.92	\$34.48	20	23.00
4	x 8	65 x 200	0.92	\$34.48	20	23.00
	x 3**	80 x 80	1.70	\$66.33	10	15.50
	x 4	80 x 100	1.70	\$66.33	10	14.50
	x 5	80 x 125	1.60	\$66.33	10	14.50
4	x 6	80 x 150	1.50	\$66.33	10	14.50
	x 8	80 x 200	1.50	\$66.33	10	14.50
	x 4**	100 x 100	2.50	\$106.45	5	14.25
	x 5	100 x 125	2.85	\$106.45	5	14.25
4	x 6	100 x 150	2.50	\$106.45	5	14.00
	x 8	100 x 200	2.50	\$106.45	5	14.00

■ This item sold only in full box quantities.

\*\* All size on size Tee-Lets are not FM Approved.

\*\*\* Not UL Listed or FM Approved.

## Weld-Miser® Tee-Let®, Type A Female NPT Welding Outlet



- Fittings are manufactured from highly weldable steel conforming to ASTM A-53, Grades A or B, Type E or AISI 1010.
- Threads are cut in accordance with the requirement of ASME B1.20.1, NPT tapered pipe threads. ISO7-1 taper threads are available.
- cULus Listed and FM Approved for use in fire sprinkler systems installed in accordance with the requirements of NFPA 13.
- Rated for 300 PSI operation in fire sprinkler systems.

NOM. OUTLET SIZE (INCHES)	NOM. HEADER SIZE (INCHES)	NOMINAL SIZE (MM)	WGT. EACH (LBS.)	LIST PRICE	BOX QUANTITY	BOX WEIGHT
¼***	x ¼ - 8	6 x 6 - 200	0.08	\$6.23	1000	80.00
	x 1 ¼ - 2	13 x 32 - 40	0.17	\$6.37	350 ■	59.50
½	x 2 - 2 ½	13 x 50 - 65	0.17	\$6.37	350 ■	59.50
	x 2 ½ - 8	13 x 65 - 200	0.17	\$6.37	350	59.50
¾	x 1 ¼ - 2	19 x 32 - 40	0.25	\$6.37	250 ■	65.00
	x 2 - 2 ½	19 x 50 - 65	0.25	\$6.37	250 ■	65.00
	x 2 ½ - 8	19 x 65 - 200	0.25	\$6.37	250 ■	65.00
	x 1 ¼ - 1 ½	25 x 32 - 40	0.33	\$9.26	175 ■	57.75
1	x 1 ½ - 2	25 x 40 - 50	0.33	\$9.26	175 ■	57.75
	x 2 - 2 ½	25 x 50 - 65	0.32	\$9.26	175 ■	56.00
	x 2 ½ x 4	25 x 65 - 80	0.31	\$9.26	175 ■	54.25
	x 5 - 8	25 x 125 - 200	0.29	\$9.26	175	50.75
	x 1 ½ - 2	32 x 40 - 50	0.43	\$13.51	95 ■	39.90
	x 2 - 2 ½	32 x 50 - 65	0.39	\$13.51	95 ■	39.90
1 ¼	x 2 ½ - 3	32 x 65 - 80	0.39	\$13.51	95 ■	38.95
	x 3 - 4	32 x 80 - 100	0.39	\$13.51	95 ■	37.05
	x 5 - 8	32 x 125 - 200	0.39	\$13.51	95	37.05
	x 1 ½**	40 x 40	0.48	\$16.28	65	31.20
	x 2	40 x 50	0.47	\$16.28	65 ■	31.20
	x 2 ½	40 x 65	0.47	\$16.28	65 ■	31.20
1 ½	x 3 - 4	40 x 80 - 100	0.46	\$16.28	65 ■	31.20
	x 4	40 x 100	0.46	\$16.28	65	31.20
	x 5 - 8	40 x 125 - 200	0.46	\$16.28	65	31.20
	x 2**	50 x 50	0.86	\$21.47	35	30.10
	x 2 ½	50 x 65	0.73	\$21.47	35	29.05
	x 3	50 x 80	0.73	\$21.47	35 ■	29.05
2	x 4	50 x 100	0.69	\$21.47	35 ■	28.00
	x 5	50 x 125	0.69	\$21.47	35	25.90
	x 6	50 x 150	0.69	\$21.47	35	25.90
	x 8	50 x 200	0.69	\$21.47	35	25.90
	x 2 ½**	65 x 65	1.25	\$37.93	20	25.00
	x 3	65 x 80	1.20	\$37.93	20	24.00
2 ½	x 4	65 x 100	0.92	\$37.93	20	23.00
	x 5	65 x 125	0.92	\$37.93	20	23.00
	x 6	65 x 150	0.92	\$37.93	20	23.00
	x 8	65 x 200	0.92	\$37.93	20	23.00
	x 3**	80 x 80	1.70	\$72.95	10	15.50
	x 4	80 x 100	1.70	\$72.95	10	14.50
33	x 5	80 x 125	1.60	\$72.95	10	14.50
	x 6	80 x 150	1.50	\$72.95	10	14.50
	x 8	80 x 200	1.50	\$72.95	10	14.50
	x 4**	100 x 100	2.50	\$117.09	5	14.25
4	x 5	100 x 125	2.85	\$117.09	5	14.25
	x 6	100 x 150	2.50	\$117.09	5	14.00
	x 8	100 x 200	2.50	\$117.09	5	14.00

■ This item sold only in full box quantities.

\*\* All size on size Tee-Lets are not FM Approved.

\*\*\* Not UL Listed or FM Approved.

**Weld-Miser<sup>®</sup> Tee-Let<sup>®</sup>, Type C Sch.40 Cut Groove Welding Outlet**


- Fittings are manufactured from highly weldable steel conforming to ASTM A-53, Grades A or B, Type E or AISI 1010.
- Threads are cut in accordance with the requirement of ASME B1.20.1, NPT tapered pipe threads. ISO7-1 taper threads are available.
- cULus Listed and FM Approved for use in fire sprinkler systems installed in accordance with the requirements of NFPA 13.
- Rated for 300 PSI operation in fire sprinkler systems.

NOM. OUTLET SIZE (INCHES)	NOM. HEADER SIZE (INCHES)	NOMINAL SIZE (MM)	WGT. EACH (LBS.)	LIST PRICE	BOX QUANTITY	BOX WEIGHT
1	x 2-2½	25 x 50 - 65	0.48	\$12.57	100	47.70
	x 2½-4	25 x 65 - 100	0.48	\$12.57	100	47.60
	x 5-8	25 x 125 - 200	0.46	\$12.57	100	46.20
1¼	x 1¼**	32 x 32	0.60	\$12.57	80	48.00
	x 1½	32 x 40	0.63	\$12.57	80	50.40
	x 2-2½	32 x 50 - 65	0.53	\$12.57	80 ■	42.40
	x 3-4	32 x 80 - 100	0.53	\$12.57	80	42.40
1½	x 5-8	32 x 125 - 200	0.53	\$12.57	80	42.40
	x 1½**	40 x 40	0.70	\$13.58	50	35.00
	x 2	40 x 50	0.68	\$13.58	50	34.00
	x 2½	40 x 65	0.68	\$13.58	50 ■	34.00
	x 3-4	40 x 80 - 100	0.66	\$13.58	50 ■	33.00
	x 5-8	40 x 125 - 200	0.66	\$13.58	50	33.00
	x 2**	50 x 50	0.92	\$14.72	30 ■	27.60
2	x 2½	50 x 65	0.88	\$14.72	30	26.40
	x 3	50 x 80	0.87	\$14.72	30	26.10
	x 4	50 x 100	0.88	\$14.72	30 ■	26.40
	x 5	50 x 125	0.88	\$14.72	30	26.40
	x 6	50 x 150	0.84	\$14.72	30 ■	25.20
2½	x 8	50 x 200	0.84	\$14.72	30	25.20
	x 2½**	65 x 65	1.45	\$20.83	20	29.00
	x 3	65 x 80	1.39	\$20.83	20	27.80
	x 4	65 x 100	1.38	\$20.83	20 ■	27.60
	x 5	65 x 125	1.38	\$20.83	20	27.60
	x 6	65 x 150	1.35	\$20.83	20 ■	27.00
3	x 8	65 x 200	1.35	\$20.83	20	27.00
	x 3**	80 x 80	2.07	\$27.27	15	31.05
	x 4	80 x 100	2.00	\$27.27	15	30.00
	x 5	80 x 125	2.00	\$27.27	15	30.00
	x 6	80 x 150	1.93	\$27.27	15	28.95
4	x 8	80 x 200	1.93	\$27.27	15	28.95
	x 4**	100 x 100	4.00	\$42.56	5	20.00
	x 5	100 x 125	4.00	\$42.56	5	20.00
	x 6	100 x 150	3.80	\$42.56	5	19.00
5	x 8	100 x 200	3.60	\$42.56	5	18.00
	x 5**	125 x 125	6.00	\$63.63	4	24.00
	x 6	125 x 150	6.00	\$63.63	4	24.00
6	x 8	125 x 200	5.75	\$63.63	4	23.00
	x 6**	150 x 150	8.00	\$86.28	3	24.00
8	x 8	150 x 200	8.00	\$86.28	3	24.00
	x 8**	200 x 200	10.00	\$109.12	-	10.00

■ This item sold only in full box quantities.

\*\* All size on size Tee-Lets are not FM Approved.

**Weld-Miser<sup>®</sup> Tee-Let<sup>®</sup>, Type C/R Sch.10 Roll Groove Welding Outlet**

- Fittings are manufactured from highly weldable steel conforming to ASTM A-53, Grades A or B, Type E or AISI 1010.
- Threads are cut in accordance with the requirement of ASME B1.20.1, NPT tapered pipe threads. ISO7-1 taper threads are available.
- cULus Listed and FM Approved for use in fire sprinkler systems installed in accordance with the requirements of NFPA 13.
- Rated for 300 PSI operation in fire sprinkler systems.

NOM. OUTLET SIZE (INCHES)	NOM. HEADER SIZE (INCHES)	NOMINAL SIZE (MM)	WGT. EACH (LBS.)	LIST PRICE	BOX QUANTITY	BOX WEIGHT
2½	x 2½**	65 x 65	1.00	\$17.24	20	20.00
	x 3	65 x 80	1.00	\$17.24	20	20.00
	x 4	65 x 100	0.95	\$17.24	20	19.00
	x 5	65 x 125	0.95	\$17.24	20	19.00
	x 6	65 x 150	0.95	\$17.24	20	19.00
	x 8	65 x 200	0.95	\$17.24	20	19.00
3	x 3**	80 x 80	1.33	\$23.00	15	19.95
	x 4	80 x 100	1.27	\$23.00	15	19.05
	x 5	80 x 125	1.27	\$23.00	15	19.05
	x 6	80 x 150	1.13	\$23.00	15	16.95
	x 8	80 x 200	1.13	\$23.00	15	16.95
4	x 4**	100 x 100	2.40	\$34.44	5	12.00
	x 5	100 x 125	2.20	\$34.44	5	11.00
	x 6	100 x 150	2.00	\$34.44	5	10.00
	x 8	100 x 200	2.00	\$34.44	5	10.00
6	x 6**	150 x 150	5.00	\$68.31	3	15.00
	x 8	150 x 200	5.00	\$68.31	3	15.00

\*\* All size on size Tee-Lets are not FM Approved.

## Eliminator Adjustable Drop Nipple, NPT Threads; ADN-102



- UL Listed, FM Approved, and BSA-NYC Approved for use in fire sprinkler systems installed in accordance to NFPA 13. VDS approved for the European Market.
- Fittings are manufactured from steel conforming to ASTM A-53, Grades A or B, Type E
- Threads are cut in accordance with the requirement of ASME B1.20.1 NPT tapered pipe threads. ISO7-1 taper threads are available.
- Rated for 300 PSI operation in fire sprinkler systems.

MODEL	INLET X OUTLET (INCHES)	ADJUSTMENT (INCHES)	WGT. EACH (LBS.)	LIST PRICE	BOX QUANTITY	BOX WEIGHT
F1.150	1 x ½	x 1	0.80	\$30.71	75 ■	60.00
F2.150	1 x ½	x 2	0.95	\$30.71	50	47.50
F3.150	1 x ½	x 3	1.25	\$30.71	50 ■	62.50
F3.175	1 x ¾	x 3	1.54	\$35.19	35	53.90
M1.150	1 x ½	x 1	1.00	\$37.92	50	50.00
M3.150	1 x ½	x 3	1.25	\$37.92	36	45.00
ME3.150	1 x ½	x 3	1.50	\$38.69	32	48.00

■ This item sold only in full box quantities.





## CORPORATE OFFICES

2 Holland Way  
Exeter, NH 03833  
Tel: 603-418-2800 • Fax: 603-418-2833  
E-mail: [marketing@anvilintl.com](mailto:marketing@anvilintl.com)

## CUSTOMER SERVICE CENTERS

### UNITED STATES

Tel: 800-301-2701 • Fax: 708-534-5441  
Email: [customerservice@anvilintl.com](mailto:customerservice@anvilintl.com)

### LATIN AMERICA

Tel: 800-301-2701 • Fax: 708-534-5441  
Email: [latinoamerica@anvilintl.com](mailto:latinoamerica@anvilintl.com)

### CANADA

Tel: 519-426-4551 • Fax: 519-426-5509  
Email: [canadacs@anvilintl.com](mailto:canadacs@anvilintl.com)

### INTERNATIONAL

Tel: 800-301-2701 • Fax: 708-534-5441  
Email: [internationalsales@anvilintl.com](mailto:internationalsales@anvilintl.com)

## REGIONAL DISTRIBUTION CENTERS

### UNITED STATES

**Illinois**  
7979 W. 183rd Street, Unit D  
Tinley Park, IL 60484

**Texas**  
1401 Valley View Lane, Suite 150  
Irving, TX 75061

**Pennsylvania**  
800 Malleable Road  
Columbia, PA 17512

**California**  
1470 S. Vintage Avenue  
Ontario, CA 91761

**Florida**  
236 Outlook Point Drive, Suite 100  
Orlando, FL 32809

### INTERNATIONAL

**Canada**  
390 Second Avenue, Simcoe  
P.O. Box 40  
Ontario, Canada, N3Y 4K9

BUILDING CONNECTIONS THAT LAST

