

To obtain current ISO Certifications,
Listings and other Approvals visit Anvil's
website at www.anvilintl.com

ANVILStar™

Fire Products Division of Anvil International



MERIT® Products

PRICE SHEET MERIT 11.06

EFFECTIVE: November 6, 2006
(Cancels Price Sheet of December 6, 2004)

**SUBJECT TO CHANGE WITHOUT NOTICE
GO TO WEB SITE FOR MOST CURRENT
LIST PRICE INFORMATION/CHANGES OR
CONTACT AN ANVILSTAR REPRESENTATIVE**

APPLIES TO:
Weld-Miser Tee-Lets
Hand Held Hole Templates
Eliminator Adjustable Drop Nipples
Longneck™ Drop Nipples
Steel Slip-on, Blind and Reducing Flanges

**UPC Numbers are available upon request.
Please contact your local AnvilStar representative.**

www.anvilstar.com

FREIGHT ALLOWANCE:

All prices are F.O.B. point of shipment. On shipments weighing 2,500 lbs. or more, rail freight or motor freight at the lowest published rates, is allowed to all continental U.S. rail points or all U.S. highway points listed in published tariffs (Alaska and Hawaii excluded). In no case will more than actual freight be allowed.

NOTE:

All orders are accepted on the basis of prices in effect at the time of shipment.

NOTICE:

To the prices and terms quoted, there will be added any manufacturers or sales tax payable on the transaction under any effective statute.

1. CONTROLLING PROVISIONS:

These terms and conditions shall control with respect to any purchase order or sale of Seller's products. No waiver, alteration or modification of these terms and conditions whether on Buyer's purchase order or otherwise shall be valid unless the waiver, alteration or modification is specifically accepted in writing and signed by an authorized representative of Seller.

2. DELIVERY:

Seller will make every effort to complete delivery of products as indicated on Seller's acceptance of an order, but Seller assumes no responsibility or liability, and will accept no backcharge, for loss or damage due to delay or inability to deliver caused by acts of God, war, labor difficulties, accident, delays of carriers, by contractors or suppliers, inability to obtain materials, shortages of fuel and energy, or any other causes of any kind whatever beyond the control of Seller. Seller may terminate any contract of sale of its products without liability of any nature, by written notice to Buyer, in the event that the delay in delivery or performance resulting from any of the aforesaid causes shall continue for a period of sixty (60) days. Under no circumstances shall Seller be liable for any special or consequential damages or for loss, damage, or expense (whether or not based on negligence) directly or indirectly arising from delays or failure to give notice of delay.

3. WARRANTY:

Seller warrants for one year from the date of shipment Seller's manufactured products to the extent that Seller will replace those having defects in material or workmanship when used for the purpose and in the manner which Seller recommends. If Seller examination shall disclose to its satisfaction that the products are defective, and an adjustment is required, the amount of such adjustment shall not exceed the net sales price of the defective products only and no allowance will be made for labor or expense of repairing or replacing defective products or workmanship of damage resulting from the same. Seller warrants the products which it sells of other manufacturers to the extent of the warranties of their respective makers. Where engineering design or fabrication work is supplied. Buyer's acceptance of Seller's design or of delivery of work shall relieve Seller of all further obligation, other than expressed in Seller's product warranty. THIS IS SELLER'S SOLE WARRANTY. SELLER MAKES NO OTHER WARRANTY OF ANY KIND, EXPRESSED OR IMPLIED AND ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FOR A PARTICULAR PURPOSE WHICH EXCEED SELLER'S AFORESTATED OBLIGATION ARE HEREBY DISCLAIMED BY SELLER AND EXCLUDED FROM THIS WARRANTY. Seller neither assumes, nor authorizes any person to assume for it, any other obligation in connection with the sale of its engineering designs or products. This warranty shall not apply to any products or parts of products which (a) have been repaired or altered outside of Seller's factory, in any manner; (b) have been subjected to misuse, negligence or accidents; (c) have been used in a manner contrary to Seller's instructions or recommendations. Seller shall not be responsible for design errors due to inaccurate or incomplete information supplied by Buyer or its representatives.

4. SELLER'S LIABILITY:

Seller will not be liable for any loss, damage, cost of repairs, incidental or consequential damages of any kind, whether based upon warranty (except for the obligation accepted by Seller under "Warranty" above), contract or negligence, arising in connection with the design, manufacture, sale, use or repair of the products or of the engineering designs supplied to Buyer.

5. RETURNS:

Seller cannot accept return of any products unless its written permission has been first obtained, in which case same will be credited subject to the following (a) All material returned must, on its arrival at Seller's Plant, be found to be in first-class condition; if

not, cost of putting in saleable condition will be deducted from credit memoranda; (b) A handling charge deduction of twenty percent (20%) will be made from all credit memoranda issued for material returned; (c) Transportation charges, if not prepaid will be deducted from credit memoranda.

6. SHIPMENTS:

All products sent out will be carefully examined, counted and packed. The cost of any special packing or special handling caused by Buyer's requirements or requests shall be added to the amount of the order. No claim for shortages will be allowed unless made in writing within ten (10) days of receipt of a shipment.

Claims for products damaged or lost in transit should be made on the carrier, as Seller's responsibility ceases, and title passes, on delivery to the carrier.

7. SPECIAL PRODUCTS:

Orders covering special or nonstandard products are not subject to cancellation except on such terms as Seller may specify on application.

8. PRICES AND DESIGNS:

Prices and designs are subject to change without notice. All prices are F.O.B. Point of shipment, unless otherwise stated.

9. TAXES:

The amount of any sales, excise or other taxes, if any, applicable to the products covered by this order, shall be paid by Buyer unless Buyer provides Seller with an exemption certificate acceptable to the taxing authorities.

10. NUCLEAR PLANTS:

Where the products, engineering design or fabrication is for nuclear plant applications. Buyer agrees (a) to take all necessary steps to add Seller as an insured under the American Nuclear Insurers' (ANI) pool and under the Mutual Atomic Energy Reinsurance Pool (MAERP) for property damage and liability insurance and if necessary steps could have been taken, but are not taken, Buyer shall hold Seller harmless against all such losses which could have been thus covered (b) Buyer agrees to hold Seller harmless with respect to any personal injury (for death), property damage or other loss in nuclear incident which is caused directly or indirectly by defective design, material, workmanship furnished by Seller and which is covered by insurance maintained by Buyer (or which could be so covered but with respect to which Buyer has elected to self-insure), and further agrees to waive subrogation by its carriers of such insurance against Seller, and (c) as to nuclear hazards for which Buyer cannot obtain insurance coverage, the liability of Seller for any personal injury (or death), property damage or other loss directly caused by defective design, material, or workmanship furnished by Seller shall not exceed the value at the time of the loss occurrence.

11. MINIMUM INVOICE: \$50.00 plus transportation.

12. TERMS: Cash, net 30 days unless otherwise specified.

NOTE: All orders are accepted on the basis of prices in effect at the time of shipment.

NOTICE: The prices and terms quoted, there will be added any manufacturers or sales tax payable on the transaction under any effective statute.

FREIGHT ALLOWANCE: All prices are F.O.B. point of shipment. On shipments of 2,500 pounds or more, rail freight or motor freight at the lowest published rates is allowed to all continental U.S. rail points or all U.S. highway points listed in published tariffs (Alaska and Hawaii excluded). In no case will more than actual freight be allowed.

Table of Contents

Terms and Conditions	2
Weld-Miser® Tee-Let® Welding Outlets	4 – 7
Type A Female NPT Welding Outlet4
Type B Sch. 40 Male NPT Welding Outlet5
Type C Sch. 40 Cut Groove Welding Outlet6
Type C/R Sch.10 Roll Groove Welding Outlet7
Hand-Held Hole Templates7
Eliminator Adjustable Pipe Nipple	8
Longneck™ Drop Nipple	9
UL/FM Weld Flanges	10
Slip-on10
Reducing10
Blind10

Weld-Miser Tee-Let, Type A Female NPT Welding Outlet



- Fittings are manufactured from highly weldable steel conforming to ASTM A-53, Grades A or B, Type E.
- Threads are cut in accordance with the requirements of ANSI B1.20.1, 300 lb. class, national standard for tapered pipe threads. ISO7-1 Threads are available.
- UL/ULC Listed and FM Approved for use in fire sprinkler systems installed in accordance with the requirements of NFPA Bulletin 13.
- Rated for 300 PSI operation in fire sprinkler systems.

Nom. Outlet Size (Inches)	Nom. Header Size (Inches)	Nominal Size (MM)	Wgt. Each (Lbs.)	Part Number	List Price	Box Quantity	Box Wgt. (Lbs.)
1/4***	x 1/4 - 8	6 x 6 - 200	0.080	1002002	\$3.37	500	40
3/8***	x 3/8 - 8		0.100	1003003	\$3.37	425	43
1/2	x 1 1/4 - 1 1/2	13 x 32 - 40	0.171	1005012	\$3.47	350*	60
	x 1 1/2 - 2	13 x 40 - 50	0.171	1005015	\$3.47	350*	60
	x 2 - 2 1/2	13 x 50 - 65	0.171	1005020	\$3.47	350*	60
	x 2 1/2 - 8	13 x 65 - 200	0.169	1005025	\$3.47		59
3/4	x 1 1/4 - 1 1/2	19 x 32 - 40	0.260	1007012	\$3.47	250*	65
	x 1 1/2 - 2	19 x 40 - 50	0.260	1007015	\$3.47	250*	65
	x 2 - 2 1/2	19 x 50 - 65	0.260	1007020	\$3.47	250*	65
	x 2 1/2 - 8	19 x 65 - 200	0.256	1007025	\$3.47	250*	64
1	x 1 1/4 - 1 1/2	25 x 32 - 40	0.331	1010012	\$5.03	175*	58
	x 1 1/2 - 2	25 x 40 - 50	0.331	1010015	\$5.03	175*	58
	x 2 - 2 1/2	25 x 50 - 65	0.320	1010020	\$5.03	175*	56
	x 2 1/2 - 3	25 x 65 - 80	0.314	1010025	\$5.03	175*	55
	x 3 - 4	25 x 80 - 100	0.309	1010030	\$5.03	175*	54
1 1/4	x 5 - 8	25 x 125 - 200	0.291	1010050	\$5.03	175	51
	x 1 1/4**	32 x 32	0.432	1012012	\$7.35	95	41
	x 1 1/2 - 2	32 x 40 - 50	0.421	1012015	\$7.35	95*	40
	x 2 - 2 1/2	32 x 50 - 65	0.421	1012020	\$7.35	95*	40
	x 2 1/2 - 3	32 x 65 - 80	0.411	1012025	\$7.35	95*	39
1 1/2	x 3 - 4	32 x 80 - 100	0.389	1012030	\$7.35	95*	37
	x 5 - 8	32 x 125 - 200	0.389	1012050	\$7.35	95	37
	x 1 1/2**	40 x 40	0.477	1015015	\$8.84	65	31
	x 2	40 x 50	0.477	1015020	\$8.84	65*	31
	x 2 1/2	40 x 65	0.477	1015025	\$8.84	65*	31
	x 3 - 4	40 x 80 - 100	0.477	1015030	\$8.84	65*	31
2	x 4	40 x 100	0.477	1015040	\$8.84	65	31
	x 5 - 8	40 x 125 - 200	0.477	1015050	\$8.84	65	31
	x 2**	50 x 50	0.857	1020020	\$11.66	35	30
	x 2 1/2	50 x 65	0.829	1020025	\$11.66	35	29
	x 3	50 x 80	0.829	1020030	\$11.66	35*	29
	x 4	50 x 100	0.800	1020040	\$11.66	35*	28
	x 5	50 x 125	0.743	1020050	\$11.66		26
	x 6	50 x 150	0.743	1020060	\$11.66	35	26
2 1/2	x 8	50 x 200	0.743	1020080	\$11.66	35	26
	x 2 1/2**	65 x 65	1.250	1025025	\$20.60	20	25
	x 3	65 x 80	1.200	1025030	\$20.60	20	24
	x 4	65 x 100	1.150	1025040	\$20.60	20	23
	x 5	65 x 125	1.150	1025050	\$20.60		23
	x 6	65 x 150	1.150	1025060	\$20.60	20	23
	x 8	65 x 200	1.150	1025080	\$20.60	20	23
3	x 3**	80 x 80	3.100	1030030	\$39.64	10	31
	x 4	80 x 100	3.100	1030040	\$39.64		31
	x 5	80 x 125	3.100	1030050	\$39.64		31
	x 6	80 x 150	3.100	1030060	\$39.64		31
	x 8	80 x 200	3.100	1030080	\$39.64		31
4	x 4**	100 x 100	5.000	1040040	\$63.60	5	25
	x 5	100 x 125	5.000	1040050	\$63.60		25
	x 6	100 x 150	5.000	1040060	\$63.60		25
	x 8	100 x 200	5.000	1040080	\$63.60		25

* This item sold only in full box quantities.
 ** All size on size Tee-Lets are not FM Approved.
 *** Not UL Listed or Approved.

Weld-Miser™ Tee-Let®
 Welding Outlets
 Eliminator
 Adjustable Drop Nipples
 Manufactured Drop Nipples
 Longneck™
 UL/FM Weld Flanges
 Slip-on, Blind & Reducing

Weld-Miser Tee-Let, Type B Sch.40 Male NPT Welding Outlet; TB-700

- Fittings are manufactured from highly weldable steel conforming to ASTM A-53, Grades A or B, Type E.
- Threads are cut in accordance with the requirements of ANSI B1.20.1, 300 lb. class, national standard for tapered pipe threads. ISO7-1 Threads are available.
- UL/ULC Listed and FM Approved for use in fire sprinkler systems installed in accordance with the requirements of NFPA Buletin 13.
- Rated for 300 PSI operation in fire sprinkler systems.

Nom. Outlet Size (Inches)	Nom. Header Size (Inches)	Nominal Size (MM)	Wgt. Each (Lbs.)	Part Number	List Price	Box Quantity	Box Wgt. (Lbs.)
1	x 1¼ - 1½	25 x 32 - 40	0.550	1310012	\$6.13	100	55
	x 1½ - 2	25 x 40 - 50	0.550	1310015	\$6.13		55
	x 2 - 2½	25 x 50 - 65	0.550	1310020	\$6.13		55
	x 2½ - 4	25 x 65 - 100	0.550	1310025	\$6.13		55
	x 5 - 8	25 x 125 - 200	0.540	1310050	\$6.13		54
1¼	x 1¼**	32 x 32	0.625	1312012	\$6.13	80	50
	x 1½	32 x 40	0.625	1312015	\$6.13		50
	x 2 - 2½	32 x 50 - 65	0.600	1312020	\$6.13		48
	x 3 - 4	32 x 80 - 100	0.600	1312030	\$6.13		48
	x 5 - 8	32 x 125 - 200	0.595	1312050	\$6.13		48
1½	x 1½**	40 x 40	0.700	1315015	\$6.44	50	35
	x 2	40 x 50	0.680	1315020	\$6.44		34
	x 2½	40 x 65	0.680	1315025	\$6.44		34
	x 3 - 4	40 x 80 - 100	0.660	1315030	\$6.44		33
	x 5 - 8	40 x 125 - 200	0.660	1315050	\$6.44		33
2	x 2**	50 x 50	0.967	1320020	\$6.97	30	29
	x 2½	50 x 65	0.967	1320025	\$6.97		29
	x 3	50 x 80	0.933	1320030	\$6.97		28
	x 4	50 x 100	0.933	1320035	\$6.97		28
	x 5	50 x 125	0.933	1320050	\$6.97		28
	x 6	50 x 150	0.900	1320060	\$6.97		27
	x 8	50 x 200	0.900	1320080	\$6.97		27
2½	x 2½**	65 x 65	1.500	1325025	\$10.71	20	30
	x 3	65 x 80	1.450	1325030	\$10.71		29
	x 4	65 x 100	1.450	1325035	\$10.71		29
	x 5	65 x 125	1.450	1325050	\$10.71		29
	x 6	65 x 150	1.450	1325060	\$10.71		29
	x 8	65 x 200	1.400	1325080	\$10.71		28
3	x 3**	80 x 80	2.067	1330030	\$13.34	15	31
	x 3½	80 x 85	2.067	1330035	\$13.34		31
	x 4	80 x 100	2.000	1330040	\$13.34		30
	x 5	80 x 125	2.000	1330050	\$13.34		30
	x 6	80 x 150	1.933	1330060	\$13.34		29
	x 8	80 x 200	1.933	1330080	\$13.34		29
4	x 4**	100 x 100	4.000	1340040	\$20.88	5	20
	x 5	100 x 125	4.000	1340050	\$20.88		20
	x 6	100 x 150	3.800	1340060	\$20.88		19
	x 8	100 x 200	3.600	1340080	\$20.88		18
6	x 6**	150 x 150	8.000	1360060	\$20.88	3	40
	x 8	150 x 200	8.000	1360080	\$20.88		40
8	x 8**	200 x 200	10.000	1380080	\$20.88	1	50

** All size on size Tee-Lets are not FM Approved.

Weld-Miser™ Tee-Let®
Welding Outlets

Eliminator™
Adjustable Drop Nipples

Longneck™
Manufactured Drop Nipples

UL/FM Weld Flanges
Slip-on, Blind & Reducing

Weld-Miser Tee-Let, Type C Sch.40 Cut Groove Welding Outlet



Nom. Outlet Size (Inches)	Nom. Header Size (Inches)	Nominal Size (MM)	Wgt. Each (Lbs.)	Part Number	List Price	Box Quantity	Box Wgt. (Lbs.)
1	x 1¼ - 1½	25 x 32 - 40	0.550	2010012	\$6.82	100	55
	x 1½ - 2	25 x 40 - 50	0.550	2010015	\$6.82		55
	x 2 - 2½	25 x 50 - 65	0.550	2010020	\$6.82		55
	x 2½ - 4	25 x 65 - 100	0.550	2010025	\$6.82		55
	x 5 - 8	25 x 125 - 200	0.540	2010050	\$6.82		54
1¼	x 1¼**	32 x 32	0.625	2012012	\$6.82	80	50
	x 1½	32 x 40	0.625	2012015	\$6.82		50
	x 2 - 2½	32 x 50 - 65	0.600	2012020	\$6.82	80*	48
	x 3 - 4	32 x 80 - 100	0.600	2012030	\$6.82	80	48
	x 5 - 8	32 x 125 - 200	0.595	2012050	\$6.82		48
1½	x 1½**	40 x 40	0.700	2015015	\$7.37	50	35
	x 2	40 x 50	0.680	2015020	\$7.37	50	34
	x 2½	40 x 65	0.680	2015025	\$7.37	50*	34
	x 3 - 4	40 x 80 - 100	0.660	2015030	\$7.37	50*	33
	x 5 - 8	40 x 125 - 200	0.660	2015050	\$7.37	50	33
2	x 2**	50 x 50	0.967	2020020	\$7.99	30*	29
	x 2½	50 x 65	0.967	2020025	\$7.99	30	29
	x 3	50 x 80	0.933	2020030	\$7.99	30	28
	x 4	50 x 100	0.933	2020035	\$7.99	30*	28
	x 5	50 x 125	0.933	2020050	\$7.99		28
	x 6	50 x 150	0.900	2020060	\$7.99	30*	27
	x 8	50 x 200	0.900	2020080	\$7.99		27
2½	x 2½**	65 x 65	1.500	2025025	\$11.32	20	30
	x 3	65 x 80	1.450	2025030	\$11.32	20	29
	x 4	65 x 100	1.450	2025035	\$11.32	20*	29
	x 5	65 x 125	1.450	2025050	\$11.32		29
	x 6	65 x 150	1.450	2025060	\$11.32	20*	29
	x 8	65 x 200	1.400	2025080	\$11.32	20	28
3	x 3**	80 x 80	2.067	2030030	\$14.81	15	31
	x 4	80 x 100	2.000	2030040	\$14.81	15	30
	x 5	80 x 125	2.000	2030050	\$14.81		30
	x 6	80 x 150	1.933	2030060	\$14.81	15	29
	x 8	80 x 200	1.933	2030080	\$14.81	15	29
4	x 4**	100 x 100	4.000	2040040	\$23.12	5	20
	x 5	100 x 125	4.000	2040050	\$23.12		20
	x 6	100 x 150	3.800	2040060	\$23.12	5	19
	x 8	100 x 200	3.600	2040080	\$23.12		18
5	x 5**	125 x 125	6.000	2050050	\$34.56	4	24
	x 6	125 x 150	6.000	2050060	\$34.56		24
	x 8	125 x 200	5.750	2050080	\$34.56		23
6	x 6**	150 x 150	8.000	2060060	\$46.86	3	24
	x 8	150 x 200	8.000	2060080	\$46.86		24
8	x 8**	200 x 200	10.000	2080080	\$59.27	1	10

* This item sold only in full box quantities.
 ** All size on size Tee-Lets are not FM Approved.

Weld-Miser™ Tee-Let®
 Welding Outlets
 Eliminator
 Adjustable Drop Nipples
 Manufactured Drop Nipples
 Longneck™
 UL/FM Weld Flanges
 Slip-on, Blind & Reducing

Weld-Miser Tee-Let, Type C/R Sch.10 Roll Groove Welding Outlet

- Fittings are manufactured from highly weldable steel conforming to ASTM A-53, Grades A or B, Type E/ A-135/A-795.
- UL/ULC Listed and FM Approved for use in fire sprinkler systems installed in accordance with the requirements of NFPA Buletin 13.
- Rated for 300 PSI operation in fire sprinkler systems.

Nom. Outlet Size (Inches)	Nom. Header Size (Inches)	Nominal Size (MM)	Wgt. Each (Lbs.)	Part Number	List Price	Box Quantity	Box Wgt. (Lbs.)
2½	x 2½**	65 x 65	1.500	2225025	\$9.36	20	30
	x 3	65 x 80	1.450	2225030	\$9.36	20	29
	x 4	65 x 100	1.450	2225035	\$9.36	20	29
	x 5	65 x 125	1.450	2225050	\$9.36		29
	x 6	65 x 150	1.450	2225060	\$9.36	20	29
	x 8	65 x 200	1.400	2225080	\$9.36		28
3	x 3**	80 x 80	2.067	2230030	\$12.49	15	31
	x 4	80 x 100	2.000	2230040	\$12.49	15	30
	x 5	80 x 125	2.000	2230050	\$12.49		30
	x 6	80 x 150	1.933	2230060	\$12.49	15	29
	x 8	80 x 200	1.933	2230080	\$12.49		29
4	x 4**	100 x 100	4.000	2240040	\$18.71	5	20
	x 5	100 x 125	4.000	2240050	\$18.71		20
	x 6	100 x 150	3.800	2240060	\$18.71		19
	x 8	100 x 200	3.600	2240080	\$18.71		18
6	x 6**	150 x 150	8.000	2260060	\$37.11	TCR	24
	x 8	150 x 200	8.000	2260080	\$37.11		24

** All size on size Tee-Lets are not FM Approved.

Hand-Held Hole Templates; HT-800

- Hand-Held Hole Templates are sized to be used with air plasma cutting systems with standard torch cups measuring 1.1" (28mm) in diameter. If used with other torches, slight variations in the hole diameter required for Merit Tee-Lets may occur.
- Low cost hand-held templates fit on a range of branch or header pipes.
- Templates are sized for Merit Type A Threaded and Type C Grooved Tee-Lets.
- Unit includes bubble-type level and "V"-Block Mounting.
- Manufactured from nonconductive NEMA C Rated, glass impregnated, impact resistant plastic.

Nom. Outlet Size (Inches)	Nom. Header Size (Inches)	Part Number	List Price
½, ¾, 1	x All	61050710	\$484.00
½, ¾, 1 NAP	x All	61050710NAP	\$484.00
1¼	x 1½ - 2	611215	\$403.33
	x 2½ - 4	611225	\$403.33
1½	x 2 - 2½	611520	\$403.33
	x 3 - 4	611530	\$403.33
2	x 2½ - 3	612025	\$403.33
	x 4 - 8	612040	\$403.33
2½	x 3 - 4	612530	\$403.33
	x 6 - 8	612560	\$403.33

Eliminator Adjustable Drop Nipple, NPT Threads; ADN-102



- UL Listed, FM Approved, and BSA-NYC Approved for installation to NFPA Bulletin 13 requirements. VDS approved for the European Market.
- Cold formed from steel conforming to ASTM A-53, grades E or F/A-135.
- Each unit is hydrostatically tested to insure “O-Ring” integrity prior to shipment.
- Each unit is marked with a lot number to insure full traceability.
- Qualifying tests on all models are performed at 1500 PSI, while the various models are rated for 300 PSI operation.

Model	Inlet x Outlet (Inches)	Adjustment (Inches)	Wgt. Ea. (Lbs.)	Part Number	List Price	Box Quantity	Box Wgt. (Lbs.)
F1.150	1 x 1/2	x 1	0.80	501150	\$16.68	75*	60
F2.150	1 x 1/2	x 2	1.00	502150	\$16.68	50	50
F3.150	1 x 1/2	x 3	1.25	503150	\$16.68	50*	63
F3.175	1 x 3/4	x 3	1.40	503175	\$19.11	35	49

M1.150	1 x 1/2	x 1	1.00	531150	\$20.59	50	50
M3.150	1 x 1/2	x 3	1.25	533150	\$20.59	36	45
ME3.150	1 x 1/2	x 3	1.50	543150	\$21.01	32	48

* This item sold only in full box quantities.

Longneck™ Drop Nipple, NPT Threads; LN-302



Model	Inlet x Outlet (Inches)	Approx. Length (Inches)	Wgt. Ea. (Lbs.)	Part Number	List Price	Box Quantity	Box Wgt. (Lbs.)
LN06.150	1 x ½	x 6.675	0.97	70100506	\$6.93	50	48
LN08.150		x 8.675	1.25	70100508	\$8.09	45	56
LN10.150		x 10.675	1.53	70100510	\$8.29	35	54
LN12.150		x 12.675	1.81	70100512	\$8.79	1000	1809
LN18.150		x 18.675	2.65	70100518	\$10.85	750	1986
LN24.150		x 24.675	3.49	70100524	\$13.87	500	1744
LN30.150		x 30.675	4.33	70100530	\$15.57	400	1731
LN36.150		x 36.675	5.17	70100536	\$17.55	350	1808
LN06.175	1 x ¾	x 6.675	0.93	70100706	\$7.38	50	46
LN08.175		x 8.675	1.21	70100708	\$8.55	45	54
LN10.175		x 10.675	1.49	70100710	\$8.79	35	52
LN12.175		x 12.675	1.77	70100712	\$9.24	1000	1765
LN18.175		x 18.675	2.60	70100718	\$11.30	750	1953
LN24.175		x 24.675	3.44	70100724	\$14.32	500	1722
LN30.175		x 30.675	4.28	70100730	\$17.17	400	1713
LN36.175		x 36.675	5.12	70100736	\$19.23	350	1793
LNP06.150	Plain x ½	x 6.675	0.97	71100506	\$6.67	50	48
LNP08.150		x 8.675	1.25	71100508	\$7.29	45	56
LNP10.150		x 10.675	1.53	71100510	\$8.00	35	54
LNP12.150		x 12.675	1.81	71100512	\$8.45	1000	1809
LNP18.150		x 18.675	2.65	71100518	\$10.37	750	1986
LNP24.150		x 24.675	3.49	71100524	\$13.21	500	1744
LNP30.150		x 30.675	4.33	71100530	\$15.47	400	1731
LNP36.150		x 36.675	5.17	71100536	\$17.41	350	1808
LNP06.175	Plain x ¾	x 6.675	0.93	71100706	\$6.85	50	46
LNP08.175		x 8.675	1.21	71100708	\$7.48	45	54
LNP10.175		x 10.675	1.49	71100710	\$8.22	35	52
LNP12.175		x 12.675	1.77	71100712	\$8.68	1000	1765
LNP18.175		x 18.675	2.60	71100718	\$10.64	750	1953
LNP24.175		x 24.675	3.44	71100724	\$13.54	500	1722
LNP30.175		x 30.675	4.28	71100730	\$15.85	400	1713
LNP36.175		x 36.675	5.12	71100736	\$17.86	350	1793
DLN38.138	Double ¾	x 37.35	5.30	73100336	\$23.71	350	1854
DLN06.150	Double ½	x 7.35	1.10	73100506	\$8.23	50	55
DLN08.150		x 9.35	1.38	73100508	\$8.90	45	62
DLN10.150		x 11.35	1.66	73100510	\$9.70	35	58
DLN12.150		x 13.35	1.94	73100512	\$10.18	1000	1939
DLN18.150		x 19.35	2.78	73100518	\$12.19	750	2084
DLN24.150		x 25.35	3.62	73100524	\$15.20	500	1809
DLN30.150		x 31.35	4.46	73100530	\$16.62	400	1783
DLN36.150		x 37.35	5.30	73100536	\$22.78	330	1854
DLN06.175	Double ¾	x 7.35	1.01	73100706	\$8.23	50	51
DLN08.175		x 9.35	1.29	73100708	\$8.90	45	58
DLN10.175		x 11.35	1.57	73100710	\$9.70	35	55
DLN12.175		x 13.35	1.85	73100712	\$10.16	1000	1851
DLN18.175		x 19.35	2.69	73100718	\$12.33	750	2018
DLN24.175		x 25.35	3.53	73100724	\$15.20	500	1765
DLN30.175		x 31.35	4.37	73100730	\$16.62	400	1748
DLN36.175		x 37.35	5.21	73100736	\$22.78	330	1823

- Nipples are manufactured from standard weight pipe conforming to ASTM A-53/A-135.
- Tapered threads are cut in accordance with the requirements of ANSI B1.20.1 NPT or ISO7-1.
- UL Listed and FM Approved
- Rated for 300 PSI operation in fire sprinkler systems.
- Prompt delivery on special lengths on request.

Weld-Miser™ Tee-Let®
 Welding Outlets
 Eliminator
 Adjustable Drop Nipples
 Longneck™
 Manufactured Drop Nipples
 UL/FM Weld Flanges
 Slip-on, Blind & Reducing

Steel Slip-on, Blind and Reducing Flanges UL/FM



- UL/ULC Listed and FM Approved.
- Flanges have a primed finish.

Nominal Size	Wgt. Ea. (lb.)	Part No.	Price
Slip-On			
2" (6 OD)	4.2	400200	\$23.83
2½" (7 OD)	5.6	400250	\$33.01
3" (7½ OD)	6.3	400300	\$36.05
4" (9 OD)	8.5	400400	\$49.16
6" (11 OD)	10.9	400600	\$69.16
8" (13½ OD)	15.6	400800	\$69.71
10" (16 OD)	20.0	401000	\$124.52
12" (19 OD)	33.1	401200	\$216.87
Blind			
2" (6 OD)	5.1	410200	\$28.75
2½" (7 OD)	7.1	410250	\$38.14
3" (7½ OD)	8.2	410300	\$54.09
4" (9 OD)	11.7	410400	\$56.24
6" (11 OD)	17.8	410600	\$89.65
8" (13½ OD)	27.2	410800	\$140.86
10" (16 OD)	38.1	411000	\$239.56
12" (19 OD)	63.1	411200	\$327.33
Reducing			
2½" x 2" (2 x 7 OD)	6.0	42025020	\$68.10
3" x 2" (2 x 7½ OD)	7.0	42030020	\$69.74
3" x 2½" (2½ x 7½ OD)	6.5	42030025	\$69.74
4" x 2" (2 x 9 OD)	10.3	42040020	\$81.07
4" x 2½" (2½ x 9 OD)	9.5	42040025	\$88.12
4" x 3" (3 x 9 OD)	9.0	42040030	\$90.50
6" x 2" (2 x 11 OD)	15.5	42060020	\$106.25
6" x 2½" (2½ x 11 OD)	14.5	42060025	\$106.25
6" x 3" (3 x 11 OD)	13.2	42060030	\$115.89
6" x 4" (4 x 11 OD)	12.2	42060040	\$115.89
8" x 3" (3 x 13½ OD)	25.1	42080030	\$172.89
8" x 4" (4 x 13½ OD)	20.2	42080040	\$172.89
8" x 6" (6 x 13½ OD)	17.3	42080060	\$172.89
10" x 6" (6 x 16 OD)	29.0	42100060	\$293.03
10" x 8" (8 x 16 OD)	25.0	42100080	\$293.03

Weld-Miser™ Tee-Let®
 Welding Outlets
Eliminator
 Adjustable Drop Nipples
Longneck™
 Manufactured Drop Nipples
UL/FM Weld Flanges
 Slip-on, Blind & Reducing

Notes



ANVIL®
INTERNATIONAL
Building Connections That Last

Corporate Offices
110 Corporate Drive, Suite 10 • P.O. Box 3180 • Portsmouth, NH 03802-3180
Tel: 603-422-8000 • Fax: 603-422-8033
E-mail address — Webmaster@anvilintl.com

For Sales and Service Information Contact the Regional Service Center Nearest You or Visit Our Website at www.anvilintl.com

U.S. Regional Service Centers

EASTERN REGION

Servicing: Connecticut, Delaware, Florida, Georgia, Maine, Maryland, Massachusetts, New Hampshire, New Jersey, New York, North and South Carolina, East Pennsylvania, Rhode Island, Vermont, Virginia

800 Malleable Road
Columbia, PA 19007
Tel: 708-534-1414 • Fax: 708-534-5441
Toll Free: 1-800-301-2701

SOUTHERN REGION

Servicing: Alabama, Arkansas, Kansas, Louisiana, Mississippi, Missouri, Oklahoma, Tennessee, Texas

1313 Avenue R
Grand Prairie, TX 75050
Tel: 972-343-9206 • Fax: 972-641-8946
Toll Free: 1-800-451-4414

NORTHERN REGION

Servicing: Illinois, Indiana, Iowa, Kentucky, Michigan, Minnesota, Nebraska, North and South Dakota, Ohio, West Pennsylvania, West Virginia, Wisconsin

750 Central Avenue
University Park, IL 60466
Tel: 708-534-1414 • Fax: 708-534-5441
Toll Free: 1-800-301-2701

WESTERN REGION

Servicing: Alaska, Arizona, California, Colorado, Hawaii, Idaho, Montana, Nevada, New Mexico, Oregon, Utah, Washington, Wyoming

1385 Greg Street
Sparks, NV 89431
Tel: 775-331-7029 • Fax: 775-331-5075
Toll Free: 1-800-572-0051

For Fire Protection Products Contact AnvilStar™

750 Central Avenue • University Park, IL 60466 • Tel: 708-534-1414 • Fax: 708-534-5441 • Toll Free: 1-800-301-2701

International Sales Representatives

English and Spanish Speaking Service Center (Se habla Español)

CANADA

Michael J. Warne, *General Manager*
470 Seaman Street
Stoney Creek, Ontario L8E 2V9
Tel: 905-664-1459 • Fax: 905-664-3190

EUROPE & MIDDLE EAST REGION

Rick van Meesen, *Sales Director*
The Netherlands
Tel: +31 53 5725570 • Fax: +31 53 5725579
U.S. Customer Service Tel: +1 708 534 1414

LATIN AMERICA

U.S. Customer Service Tel: +1 708 534 1414
Fax: +1 708 534 5441

PUERTO RICO

R.R. Barril, Inc.
Tel: +1 787 982 1550 • Fax: +1 787 982 1570
U.S. Customer Service Tel: +1 708 534 1414

MEXICO

Jose Antonio Bueno
Mexico Tel: +52 777 169 4546
U.S. Customer Service
Tel: +1 708 534 1414 • Fax: +1 708 534 5441

ANVIL INTERNATIONAL
WORLDWIDE CUSTOMER SERVICE CENTER
Tel: +1 708 534 1414 • Fax: +1 708 534 5441