

FIT[®] 80E-HC

Energy Recovery Ventilator (ERV)


Product #: 479402



Download
BIM model
and Specs



FIT 80 E - HC
Product Name CFM @ 0.4 in. wg. Energy Recovery Hard Connect



A		B		C		D		E		F	
in	mm	in	mm	in	mm	in	mm	in	mm	in	mm
20 5/8	523	18 3/16	462	21 5/8	548	18 1/4	463	10 1/16	255	9 1/4	235

Clearances:
8 in. (203 mm.) in front of the product for removal of core.
2 3/8 in. (61 mm.) above the electrical box to do the wire connections.

STANDARD FEATURES

- Hard-connect system, no power cord provided
- Warm supply and return air on the right-hand side
- Average airflow: 78 CFM (37 L/s) @ 0.4 in. wg. (100Pa)
- Compact design: 20 5/8 in. x 21 5/8 in. x 9 1/4 in. (523 mm. x 548 mm. x 235 mm.)
- Lightweight: 29 lbs (13 kg) including core
- Easy to install on ceiling or wall with mounting bracket included
- Energy recovery core
- Electrostatic filters (washable)
- No drain required
- Removable screw terminal for easy connection with external access
- Multiple speed operation
- Recommended Control: ECO-Feel[®] AUTO IAQ – Automatic IAQ Control

Fan Specifications							Motor Specifications				
Line	Qty	Model No.	Tag	CFM	SP	Fan RPM	Watts	Volts	Phase	Hertz	Insulation Class
1											A
2											A
3											A

Accessory Items				1	2	3	4	Accessory Items				1	2	3	4

Project: _____ Submitted: _____
Customer: _____ Approved: _____
Location: _____

United States 10048 Industrial Blvd. • Lenexa, KS 66215 • 1.800.747.1762 • www.fantech.net
Canada 50 Kanalfarkt Way • Bouctouche, NB E4S 3M5 • 1.800.565.3548 • www.fantech.net

Fantech reserves the right to make technical changes.
For updated documentation please refer to www.fantech.net

