


SPLIT SYSTEM HEAT PUMP

75010795

REV.
A

TYPICAL ILLUSTRATION




Part No.	Reference No.	Quantity	Description
75010796#4A6H5UP8~S	*		CABINENTRY
75010929#4A6H5UP8~S	*		CONTROLS
75010673#4A6H5UP8~S	*		FAN
75005587#4A6H5UP8~S	*		MODEL NUMBER DESCRIPTION
OPTIONS#4A6H5UP8~S	*		OPTIONAL FIELD INSTALLED ACCESSORIES
75010794#4A6H5UP8~S	*		REFRIGERATION
75010795_4A6H5UP8_165339~P	*		SPLIT SYSTEM HEAT PUMP PARTS LIST

SPLIT SYSTEM HEAT PUMP

75010795

REV.
A

TYPICAL ILLUSTRATION




REFRIGERATION

75010794

REV.
A

TYPICAL ILLUSTRATION




Part No.	Reference No.	Quantity	Description
75010794_4A6H5UP8_165345~P	*		REFRIGERATION PARTS LIST

REFRIGERATION

75010794

REV.
A

TYPICAL ILLUSTRATION




Part No.	Reference No.	Quantity	Description
SPC00386	*	1	SPACER; BASE, 5.50 X 1.00 X 0.50
TUB11538	*	1	TUBE; RUBBER-BULB-TUBING, 1.125 DIAMETER, 26.000 LENGTH
TUB11542	*	1	TUBE; RUBBER-EQUAL-TUBING, .375 DIAMETER, 25.000 LENGTH
WIR03324	*	1	WIRE, PLUG-SCROLL COMPRESSOR
COM11524	1	1	COMPRESSOR; SCROLL, ALLIANCE, SBA020C1CPZ, 1.75 TON, 20,000 BTUH, 208/230-60-1, R410-A, BRAZED, SUCTION 3/4, DISCHARGE 1/2, RLA 12.1
SWT03274	2	1	SWITCH, HIGH PRESSURE, SPST, OPEN @ 650 PSIG, CLOSE @ 500 PSIG, 75" YELLOW LEAD
VAL11813	3	1	VALVE; EXPANSION, 1 TON, 3/8 IN ODF INLET X 1/2 IN ODF OUTLET, 82/123 PSIG
SWT03876	4	1	SWITCH; LOW PRESSURE, OPENS AT 35 PSI AND CLOSSES AT 55 PSI.
BOD00114	5	1	BODY; VALVE, BRASS, 7/16 HEX, 7/16 -20 UNF-2A
FTG01333	5	1	NO DESCRIPTION AVAILABLE
VAL08991	6	1	VALVE; SWITCHOVER, 3 TON, .50 IDF X .75 OD, W/ 24V SOLENOID COIL
MFL00806	7	1	MUFFLER; 1/2 ODF CONNECTION (DRIER COULD BE PAINTED EITHER SMOKE GRAY OR NAVY BLUE)
DHY01451	8	1	DRIER; BI-FLOW; SERVICE FIRST; 8 CU. IN; DCB083S, 3/8 ODF CONNECTIONS; 2.3 TON CAPACITY; APPROVED FOR MINERAL OIL AND POE OIL REFRIGERANTS; MANUFACTUR
VAL09302	9	1	VALVE, SERVICE LIQUID, .31 ODF X .38 ODF
VAL09296	10	1	VALVE; SERVICE GAS ASSEMBLY, .75 ODS X .75 ODS, FEMALE BRAZE TO FEMALE BRAZE, LEFT HAND MOUNTING HOLES - D155662P02
SPC00512	12	1	SPACER; TUBING
SPC00513	14	3	SPACER; COIL
CLP00223	15	1	CLIP; BULB
COR00103	16	1	CORE; VALVE, .79 LENGTH, .206-36 UNS-1 MOD. THD
ISR00007	17	4	ISOLATOR; VIBRATION
SCR01914	17	4	SCREW, ASSEMBLY COMPRESSOR, 5/16-12 TYPE B, W/WASHER & SLEEVE
SPC00512	18	1	SPACER; TUBING
SPC00512	19	1	SPACER; TUBING
COL25362	20	1	COIL; SPINE FIN

FAN


75010673

REV
A

TYPICAL ILLUSTRATION



Part No.	Reference No.	Quantity	Description
75010673_4A6H5UP8_165342~P	*		FAN PARTS LIST




Part No.	Reference No.	Quantity	Description
COV03250	*	1	COVER; MOTOR, 6.86 DIA
FAN03657	1	1	FAN, 2 SWEPT BLADE, 23" DIA, 24.5 DEGREES PITCH, .50" BORE, CCW, ALUMINUM, 1 SET SCREW-STEEL, SPIDER .075 THK, FINISH/PAINT
MOT16968	2	1	MOTOR; 1/8 HP
GRL01347	3	1	GRILLE; FAN, 25.51 MOUNTING DIA
SCR02086	4	4	SCREW; 10-32 TR-3 HXW 3/8 S
GRD01415	5	1	GUARD, TROUGH-LEAD

CONTROLS

75010929

REV.
A

TYPICAL ILLUSTRATION




Part No.	Reference No.	Quantity	Description
75010929_4A6H5UP8_333518~P	*		CONTROLS PARTS LIST

CONTROLS

75010929

REV.
A

TYPICAL ILLUSTRATION




Part No.	Reference No.	Quantity	Description
CON00241	*	1	CONNECTOR; WIRE
PAI00248	*	1	PAINT; 12 OZ SPRAY, ANTHRACITE GRAY (SHIPPING UOM 12 OZ HAZ)
RES00118	*	2	RESISTOR; THERMISTOR , 260 OHMS AT 75 DEGREE F
CPT00977	1	1	CAPACITOR; DUAL, 35/5 MFD, 440V, ROUND, W/O RESISTOR
SHD00386	2	1	SHIELD; MOISTURE, 12.75 X 5.00
WIR07598	3	1	WIRE; HARNESS, 9 PIN TO J4 ON DFC
CNT07482	4	1	CONTROL, DEFROST BOARD
SEN01729	5	1	SENSOR; ASSEMBLY, 9.75K OHMS RESISTANCE AT 75 DEG F, YELLOW LEADS
SEN02353	6	1	SENSOR; ASSEMBLY, AMBIENT, 10 IN WIRE LENGTH, -40C TO 105C OP TEMP RANGE, 14 IN WIRE LENGTH
PNL31534	7	1	PANEL; VOLTAGE BARRIER; 4.45 X 3.06, BLACK POLYPROPYLENE
PNL13027	8	1	PANEL; CONTROL PANEL BASE, 31.14 HEIGHT
CPT02326	10	1	CAPACITOR; START, 112 MFD, 330V, ROUND, W/ RESISTOR
SRP00093	10	1	STRAP;CAPACITOR
RLY03339	11	1	RELAY, START, SPST, 50 A COIL
SHD00387	12	1	SHIELD; MOISTURE, 10.25 X 4.00
CTR00845	13	1	CONTACTOR; 30 AMP, 240/480/600V, 24V COIL, 1 POLE

CABINET

75010796

REV.
A

TYPICAL ILLUSTRATION




Part No.	Reference No.	Quantity	Description
75010796_4A6H5UP8_165346~P	*		CABINETRY PARTS LIST

CABINET

75010796

REV.
A

TYPICAL ILLUSTRATION



Part No.	Reference No.	Quantity	Description
PAI00207	*	1	PAINT; SPINNAKER GRAY (SHIPPING UOM 12 OZ HAZ) SPRAY CAN
PAI00248	*	1	PAINT; 12 OZ SPRAY, ANTHRACITE GRAY (SHIPPING UOM 12 OZ HAZ)
SCR02010	*	14	SCREW; 12-18 AB HXW 1/2 SN
COV04036	1	1	COVER; TOP, 29.40 X 32.36, SPINNAKER GRAY
PNL13162	2	1	PANEL; WRAPPER, 19.55 X 29.33
PNL26267	3	1	PANEL; CORNER POST, 3.5 x 29.3 INCHES
PNL13162	4	1	PANEL; WRAPPER, 19.55 X 29.33
COV04037	5	1	COVER; CONTROLS, 11 x 18 INCHES
BAS01833	6	1	BASE; 36.26 X 36.41 DIAGONALLY
COV03228	7	1	COVER, CONTROL BOTTOM
PNL13163	8	1	PANEL; ACCESS, 15.72 X 28.65
PNL26267	9	1	PANEL; CORNER POST, 3.5 x 29.3 INCHES
PNL13161	10	1	PANEL; WRAPPER, 23.22 X 29.33
PNL26267	11	1	PANEL; CORNER POST, 3.5 x 29.3 INCHES

MODEL NUMBER DESCRIPTION	75005587	REL C
OUTDOOR UNITS		
Example Model Number: 4 A 7 A 0 0 3 6 A 1 0 0 0 A A 1 - - - 5 - - - 10 - - - 15 Digit 1 – Refrigerant Type 2 = R-22 4 = R-410A Digit 2 – American Standard Digit 3 – Product Type 6,W = Split Heat Pump 7,T = Split Cooling Digit 4 – Product Family V = Variable Speed Z = Leadership - Two Stage X = Leadership R = Replacement/Retail M or B = Basic A = Light Commercial L = Side Discharge Digit 5 – Family SEER 3 = 13 7 = 17 4 = 14 8 = 18 5 = 15 9 = 19 6 = 16 0 = 20 Digits 6 – Split System Connections 1-6 Tons 0 = Braze Digits 7,8 – Nominal Capacity in 000s BTUs Digit 9 – Major Design Modifications Digit 10 – Power Supply 1 = 200-230/1/60 or 208-230/1/60 3 = 200-230/3/60 4 = 460/3/60 Digit 11,12,13 – Secondary Function Digit 14 – Minor Design Modifications Digit 15 – Unit Parts Identifier		
1 of 1		

Part No.	Reference No.	Quantity	Description
75005587_4A6H5UP8_165341~P	*		MODEL NUMBER DESCRIPTION PARTS LIST

MODEL NUMBER DESCRIPTION	75005587	REL C
OUTDOOR UNITS		
Example Model Number: 4 A 7 A 0 0 3 6 A 1 0 0 0 A A 1 - - - 5 - - - 10 - - - 15 Digit 1 – Refrigerant Type 2 = R-22 4 = R-410A Digit 2 – American Standard Digit 3 – Product Type 6,W = Split Heat Pump 7,T = Split Cooling Digit 4 – Product Family V = Variable Speed Z = Leadership - Two Stage X = Leadership R = Replacement/Retail M or B = Basic A = Light Commercial L = Side Discharge Digit 5 – Family SEER 3 = 13 7 = 17 4 = 14 8 = 18 5 = 15 9 = 19 6 = 16 0 = 20 Digits 6 – Split System Connections 1-6 Tons 0 = Braze Digits 7,8 – Nominal Capacity in 000s BTUs Digit 9 – Major Design Modifications Digit 10 – Power Supply 1 = 200-230/1/60 or 208-230/1/60 3 = 200-230/3/60 4 = 460/3/60 Digit 11,12,13 – Secondary Function Digit 14 – Minor Design Modifications Digit 15 – Unit Parts Identifier		
1 of 1		

Part No.	Reference No.	Quantity	Description
OPTIONS_4A6H5UP8_165347~P	*		OPTIONAL FIELD INSTALLED ACCESSORIES PARTS LIST

NO GRAPHIC AVAILABLE

75013702

REV
A

**NO
GRAPHIC
AVAILABLE**

Parts List Number :75010795#4A6H5UP8

Model Number :4A6H5024H1000AB

Part No.	Reference No.	Quantity	Description
AAYSPANL3343A	*	1	SERVICE VALVE PANEL ACCSY KIT
BAYAWGR0003	*	1	KIT; ALL WEATHER TOP (FITS BASE SIZES 33W X 30D)
BAYCCHT302RES	*	1	KIT; CRANKCASE HEATER FOR SCROLLS, 40W, 230V (BAYCCHT302RES), 5.5 DIA, 74 IN LENGTH
BAYECMT023	*	1	KIT; EXTREME MOUNTING CONDITION (BAYECMT023)
BAYISLT101	*	1	KIT; ISOLATOR (BAYISLT101) (CONTAINS A QTY OF 5 ISOLATORS)
BAYLEGS004	*	1	KIT; SNOW LEGS, CONTAINS (4) 4" MOUNTING LEGS
BAYLEGS007	*	1	KIT; SNOW LEGS, CONTAINS (4) 7" MOUNTING LEGS
BAYLOAM107	*	1	LOW AMBIENT KIT
BAYSDEN003	*	1	KIT; SOUND ENCLOSURE, (BAYSDEN003), (MODELS WITH SMALL FRAME (QUANTUM) SCROLL COMPRESSORS NO LARGER THAN 16.4" TALL OR 6.6" IN DIAMETER EXCEPT IN CABI
BAYSEAC001	*	1	KIT; SEA COAST (BAYSEAC001)
KIT02134	*	1	KIT-LOW TEMPERATURE COOLING (AY28X084)
PAI00309	*	1	PAINT; DARK BROWN, 12 OZ SPRAY CAN, HERESITE AIR DRY PHENOLIC COATING, VR-554T
TAYASCT501A	*	1	KIT; TIME DELAY (TAYASCT501A) - 5 MINUTE RELAY ONLY IS RLY01343