

Part No.	Reference No.	Quantity	Description
75009915#MXWUP5~S	*		ACCESSORIES
75009866#MXWUP5~S	*		GENERAL ASSEMBLY
75009913#MXWUP5~S	*		LINESETS ACCESSORIES
75009848#MXWUP5~S	*		MODEL NOMENCLATURE
MXWUP5_MXWUP5_201433~P	*		MXWUP5 PARTS LIST

NO GRAPHIC AVAILABLE

75013702

REV
A

**NO
GRAPHIC
AVAILABLE**

MODEL NOMENCLATURE										75009848					REV A
Indoor Unit – Inverter High Wall Systems															
Model Number Example 4 M X W 6 5 1 2 A 1 0 N 0 B A 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15															
Digit 1 = Refrigerant 4 = R-410a Digit 2 = Brand Name M = Mini-Split High Wall Unit Digit 3 = Functional Type X = Heat Pump Y = Cooling Only Inverter Digit 4 = Configuration Indoor Unit W = High Wall Unit Digit 5 = Efficiency Tier 6 = 16+ SEER 8 = 18+ SEER Digit 6 = Connection Type 5 = Flare Digit 7,8 = Nominal Capacity (Btu/h x 1,000) 09 = 9,000 Btu/h 12 = 12,000 Btu/h 18 = 18,000 Btu/h 24 = 24,000 Btu/h 30 = 30,000 Btu/h 36 = 36,000 Btu/h								Digit 9 = Major Development Sequence A = First Development Sequence Digit 10 = Electric Power Supply Characteristics 1 = 208-230/60/1 Digit 11 = Reserved for Future Use 0 = Not Currently Used Digit 12 = Regional Markets Served N = North America Market Digit 13 = Reserved for Future Use 0 = Not Currently Used Digit 14 = Minor Design Sequence A = First Design Sequence B = Second Design Sequence Digit 15 = Service Digit A = First Sequence							


Part No.	Reference No.	Quantity	Description
75009848_MXWUP5_201434~P	*		MODEL NOMENCLATURE PARTS LIST

MODEL NOMENCLATURE Indoor Unit – Inverter High Wall Systems	75009848	REV A		
Model Number Example 4 M X W 6 5 1 2 A 1 0 N 0 B A 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15				
<table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> Digit 1 = Refrigerant 4 = R-410a Digit 2 = Brand Name M = Mini-Split High Wall Unit Digit 3 = Functional Type X = Heat Pump Y = Cooling Only Inverter Digit 4 = Configuration Indoor Unit W = High Wall Unit Digit 5 = Efficiency Tier 6 = 16+ SEER 8 = 18+ SEER Digit 6 = Connection Type 5 = Flare Digit 7,8 = Nominal Capacity (Btu/h x 1,000) 09 = 9,000 Btu/h 12 = 12,000 Btu/h 18 = 18,000 Btu/h 24 = 24,000 Btu/h 30 = 30,000 Btu/h 36 = 36,000 Btu/h </td> <td style="width: 50%; vertical-align: top;"> Digit 9 = Major Development Sequence A = First Development Sequence Digit 10 = Electric Power Supply Characteristics 1 = 208-230/60/1 Digit 11 = Reserved for Future Use 0 = Not Currently Used Digit 12 = Regional Markets Served N = North America Market Digit 13 = Reserved for Future Use 0 = Not Currently Used Digit 14 = Minor Design Sequence A = First Design Sequence B = Second Design Sequence Digit 15 = Service Digit A = First Sequence </td> </tr> </table>			Digit 1 = Refrigerant 4 = R-410a Digit 2 = Brand Name M = Mini-Split High Wall Unit Digit 3 = Functional Type X = Heat Pump Y = Cooling Only Inverter Digit 4 = Configuration Indoor Unit W = High Wall Unit Digit 5 = Efficiency Tier 6 = 16+ SEER 8 = 18+ SEER Digit 6 = Connection Type 5 = Flare Digit 7,8 = Nominal Capacity (Btu/h x 1,000) 09 = 9,000 Btu/h 12 = 12,000 Btu/h 18 = 18,000 Btu/h 24 = 24,000 Btu/h 30 = 30,000 Btu/h 36 = 36,000 Btu/h	Digit 9 = Major Development Sequence A = First Development Sequence Digit 10 = Electric Power Supply Characteristics 1 = 208-230/60/1 Digit 11 = Reserved for Future Use 0 = Not Currently Used Digit 12 = Regional Markets Served N = North America Market Digit 13 = Reserved for Future Use 0 = Not Currently Used Digit 14 = Minor Design Sequence A = First Design Sequence B = Second Design Sequence Digit 15 = Service Digit A = First Sequence
Digit 1 = Refrigerant 4 = R-410a Digit 2 = Brand Name M = Mini-Split High Wall Unit Digit 3 = Functional Type X = Heat Pump Y = Cooling Only Inverter Digit 4 = Configuration Indoor Unit W = High Wall Unit Digit 5 = Efficiency Tier 6 = 16+ SEER 8 = 18+ SEER Digit 6 = Connection Type 5 = Flare Digit 7,8 = Nominal Capacity (Btu/h x 1,000) 09 = 9,000 Btu/h 12 = 12,000 Btu/h 18 = 18,000 Btu/h 24 = 24,000 Btu/h 30 = 30,000 Btu/h 36 = 36,000 Btu/h	Digit 9 = Major Development Sequence A = First Development Sequence Digit 10 = Electric Power Supply Characteristics 1 = 208-230/60/1 Digit 11 = Reserved for Future Use 0 = Not Currently Used Digit 12 = Regional Markets Served N = North America Market Digit 13 = Reserved for Future Use 0 = Not Currently Used Digit 14 = Minor Design Sequence A = First Design Sequence B = Second Design Sequence Digit 15 = Service Digit A = First Sequence			

GENERAL ASSEMBLY

75009866

REV
B




* NOT ILLUSTRATED
TYPICAL ILLUSTRATION

Part No.	Reference No.	Quantity	Description
75009866_MXWUP5_201435~P	*		GENERAL ASSEMBLY PARTS LIST

GENERAL ASSEMBLY

75009866

REV
B



* NOT ILLUSTRATED
TYPICAL ILLUSTRATION

Part No.	Reference No.	Quantity	Description
PNL31692	1	1	PANEL; FRONT ASSY
FLR07206	2	2	FILTER; SUB-ASSY (11122091)
LVR00923	3	3	LOUVER; AIR (10512141)
HNG00976	4	1	HINGE; HELICOID TONGUE
BRG01961	5	1	BEARING; RING
GKT04728	6	1	GASKET; O RING, BEARING
FAN04373	7	1	FAN; CROSS FLOW (10352030)
COL18459	8	1	COIL; ASSEMBLY, EVAPORATOR
FRM02078	9	1	FRAME; WALL MOUNTING
MOT14613	10	1	MOTOR; FAN
HSE01637	11	1	HOSE; DRAINAGE
MOT13801	12	1	MOTOR; STEP (1521300101)
BRD04355	13	1	BOARD; DISPLAY
LVR00922	14	1	LOUVER; GUIDE (10512118)
BRD02648	15	1	BOARD; TERMINAL,
BRD04337	16	1	BOARD; MAIN
CNT06827	18	1	CONTROL; ELECTRIC BOX ASSEMBLY
SEN01333	19	1	SENSOR; AMBIENT TEMPERATURE (390000451)
SEN02044	20	1	SENSOR; TEMPERATURE
CNT06824	21	1	CONTROL; REMOTE
COV05062	22	3	COVER; SCREW
CAS02044	23	1	CASING; FRONT ASSY
BUS02159	24	1	BUSHING; LEFT AXILE
PAN03945	25	1	PAN; DRAIN, REAR CASE ASSY
PLU01245	26	1	PLUG; DRAIN PAN
SUP05897	27	1	SUPPORT; EVAPORATOR
PLT05364	28	1	PLATE; MOTOR PRESS
COV05105	29	1	COVER; REFRIGERANT PIPE
TOL03841	30	1	TOOL; CRANK
BUS02047	31	2	BUSHING; AXILE
BOX02639	32	1	BOX; ELECTRIC
COV04803	33	1	COVER; ELECTRIC BOX 2
COV04805	34	1	COVER; ELECTRIC BOX 1
CAP01243	35	1	CAP; JUMPER
LVR01218	36	1	LOUVER; GUIDE, MESH ENCLOSURE(AIR OUTLET)
LVR00923	37	3	LOUVER; AIR (10512141)
COV05255	38	3	COVER; SHIELD OF ELECTRIC BOX

ACCESSORIES INDOOR UNITS

75009915

REV
B

* NOT ILLUSTRATED



All orderable Service Parts are identified for this product.

Parts that are not identified, will not be available to order.

This is a typical illustration. The unit in the field may not appear exactly as shown.

Part No.	Reference No.	Quantity	Description
75009915_MXWUP5_201439~P	*		ACCESSORIES PARTS LIST

ACCESSORIES INDOOR UNITS

75009915

REV
B

* NOT ILLUSTRATED



All orderable Service Parts are identified for this product.

Parts that are not identified, will not be available to order.

This is a typical illustration. The unit in the field may not appear exactly as shown.

Part No.	Reference No.	Quantity	Description
PMP01703	1	1	PUMP; MINI ORANGE CONDENSATE PUMP FOR MINI-SPLIT A/C SYSTEMS, 230V
PMP01705	2	1	PUMP; MINI LIME CONDENSATE PUMP FOR MINI-SPLIT A/C SYSTEMS, 230V
PMP01806	3	1	PUMP; MINI WHITE CONDENSATE PUMP FOR MINI-SPLIT A/C SYSTEMS, 230V
PMP01920	4	1	PUMP; MINI AQUA PUMP KIT 230V
PMP01914	5	1	PUMP; MAXI-LIME SLIM DUCT PUMP KIT; 230V WITH DUCT
CNT06868	6	1	CONTROL; REMOTE CONTROLLER, TRANE BRAND
CNT06869	6	1	CONTROL; REMOTE CONTROLLER, AMERICAN STANDARD BRAND
FLR07580	7	1	FILTER; REPLACEMENT FILTER MEDIA; 2-PACK MEDIA, 1 CARBON MEDIA FILTER AND 1 CATECHIN MEDIA

		Linesets for RS Multi-Split Launch			75009913
		Size and Length	Used for	Models (Trane Indoor Unit P/Ns)	
1	KIT16423	¼ x 3/8 – 25'	18 SEER 9MBh & 12 MBh	4MXW8509A10N0BA 4MXW8509A10N0CA	4MXW8512A10N0BA 4MXW8512A10N0CA
2	KIT16424	¼ x 3/8 – 35'	18 SEER 9MBh & 12 MBh	4MXW8509A10N0BA 4MXW8509A10N0CA	4MXW8512A10N0BA 4MXW8512A10N0CA
3	KIT15228	¼ x 3/8 – 50'	18 SEER 9MBh & 12 MBh	4MXW8509A10N0BA 4MXW8509A10N0CA	4MXW8512A10N0BA 4MXW8512A10N0CA
4	KIT16425	¼ x ½ - 25'	18 SEER 18MBh	4MXW8518A10N0BA 4MXW8518A10N0CA	
5	KIT16426	¼ x ½ - 35'	18 SEER 18MBh	4MXW8518A10N0BA 4MXW8518A10N0CA	
6	KIT15229	¼ x ½ - 50'	18 SEER 18MBh	4MXW8518A10N0BA 4MXW8518A10N0CA	

Part No.	Reference No.	Quantity	Description
75009913_MXWUP5_201438~P	*		LINESETS ACCESSORIES PARTS LIST

		Linesets for RS Multi-Split Launch			75009913
		Size and Length	Used for	Models (Trane Indoor Unit P/Ns)	
1	KIT16423	¼ x 3/8 – 25'	18 SEER 9MBh & 12 MBh	4MXW8509A10N0BA 4MXW8509A10N0CA	4MXW8512A10N0BA 4MXW8512A10N0CA
2	KIT16424	¼ x 3/8 – 35'	18 SEER 9MBh & 12 MBh	4MXW8509A10N0BA 4MXW8509A10N0CA	4MXW8512A10N0BA 4MXW8512A10N0CA
3	KIT15228	¼ x 3/8 – 50'	18 SEER 9MBh & 12 MBh	4MXW8509A10N0BA 4MXW8509A10N0CA	4MXW8512A10N0BA 4MXW8512A10N0CA
4	KIT16425	¼ x ½ - 25'	18 SEER 18MBh	4MXW8518A10N0BA 4MXW8518A10N0CA	
5	KIT16426	¼ x ½ - 35'	18 SEER 18MBh	4MXW8518A10N0BA 4MXW8518A10N0CA	
6	KIT15229	¼ x ½ - 50'	18 SEER 18MBh	4MXW8518A10N0BA 4MXW8518A10N0CA	

