



Part No.	Reference No.	Quantity	Description
0000157033~S	*		General Assembly 1
0000157034~S	*		General Assembly 2
0000157032~S	*		Model Number Description

Part No.	Reference No.	Quantity	Description
0000030675~P	*		General Assembly 1



Part No.	Reference No.	Quantity	Description
FLR08991	1	2	FILTER; INDOOR UNIT AIR FILTER
COV05145	2	3	COVER; SCREW
PNL33741	3	1	PANEL; FRONT CASE ASSEMBLY
LVR01199	4	3	LOUVER; AIR (MANUAL)
BRK04750	5	1	BRACKET; AIR OUTLET SUB ASSEMBLY
BUS02159	6	1	BUSHING; LEFT AXILE
CAS02084	7	1	CASE; REAR ASSEMBLY
PLU01245	8	1	PLUG; DRAIN PAN
BRG01961	9	1	BEARING; RING
FAN05632	10	1	FAN; CROSS FLOW
SUP06160	11	1	SUPPORT; COIL
EVP02924	12	1	EVAPORATOR; ASSEMBLY
FRM02297	13	1	FRAME; WALL MOUNTING
PLT05944	14	1	PLATE; MOTOR MOUNTING
FRM02297	15	1	FRAME; WALL MOUNTING
COV05142	16	1	COVER; REFRIGERANT PIPE
HSE01638	17	1	HOSE; DRAINAGE HOSE
MOT17358	18	1	MOTOR; STEPPER
LVR01187	19	1	LOUVER; SIDE GUIDE
LVR01188	20	1	LOUVER; GUIDE
BUS02047	21	2	BUSHING; AXILE

Part No.	Reference No.	Quantity	Description
0000030677~P	*		General Assembly 2



Part No.	Reference No.	Quantity	Description
BRD05637	1	1	BOARD; DISPLAY
CON02232	2	1	CONNECTOR; JUMPER
CNT08803	3	1	CONTROL; ELECTRIC BOX ASSEMBLY
SEN02447	4	1	SENSOR; TEMPERATURE
CNT08675	5	1	CONTROL; REMOTE

Part No.	Reference No.	Quantity	Description
0000030639~P	*		Model Number Description(Indoor Unit)

MODEL NUMBER DESCRIPTION		75015157	REV A
17/25 SEER Mini Split LOMO Indoor			
<i>Example Model Number:</i> 4MXW1709A10N0AA 1 - - - 5 - - - 10 - - - 15 Digits 1 – Refrigerant 4 = R-410A Digits 2 – Unit Type M = Indoor Unit Digits 3 – Functional Type X = Heat Pump Inverter Y = Cooling Only Inverter Digits 4 – Configuration Indoor Unit W = High Wall Unit Digits 5, 6 – Efficiency Tier 17 = 17 SEER 25 = 25 SEER Digits 7, 8 – Nominal Capacity (Btu/h x 1,000) 09 = 9,000 Btu/h 12 = 12,000 Btu/h 18 = 18,000 Btu/h 24 = 24,000 Btu/h 30 = 30,000 Btu/h 36 = 36,000 Btu/h Digits 9 – Major Development Sequence A = First Development Sequence Digits 10 – Electric Power Supply Characteristics 1 = 208-230/60/1 Digits 11 – Reserved for Future Use 0 = Not Currently Used Digits 12 – Regional Markets Served (1:1 Systems) N = North America Market Digits 13 – Reserved for Future Use 0 = Not Currently Used Digits 14 – Minor Design Sequence A = First Design Sequence Digits 15 – Service Digit A = First Sequence			
			1 of 1

