

| <b>Part No.</b> | <b>Reference No.</b> | <b>Quantity</b> | <b>Description</b>       |
|-----------------|----------------------|-----------------|--------------------------|
| 0000092874~S    | *                    |                 | CABINET                  |
| 0000092875~S    | *                    |                 | CONTROLS                 |
| 0000092876~S    | *                    |                 | FAN                      |
| 0000092873~S    | *                    |                 | GENERAL ASSEMBLY         |
| 0000092879~S    | *                    |                 | MODEL NUMBER DESCRIPTION |
| 0000092878~S    | *                    |                 | OPTIONAL ACCESSORIES     |
| 0000092877~S    | *                    |                 | REFRIGERATION            |

| Part No.    | Reference No. | Quantity | Description        |
|-------------|---------------|----------|--------------------|
| 000006345~P | *             |          | CABINET PARTS LIST |

CABINET

75010774

REV.  
A

TYPICAL ILLUSTRATION



| Part No. | Reference No. | Quantity | Description  |
|----------|---------------|----------|--|
| PAI00246 | *             | 1        | PAINT; SPRAY, TARPAULIN GRAY (SHIPPING UOM 12 OZ HAZ)  |
| PAI00248 | *             | 1        | PAINT; 12 OZ SPRAY, ANTHRACITE GRAY (SHIPPING UOM 12 OZ HAZ)   |
| PLT04086 | *             | 1        | PLATE; NAMEPLATE-TRANE LOGO, 9.0 X 1.82. THIS BADGE DOES NOT INCLUDE THE XR1# INSERT. FOR COMPLETE BADGE ORDER PLT03603, PLT04109 OR PLT04079. |
| SCR02010 | *             | 15       | SCREW; 12-18 AB HXW 1/2 SN   |
| COV03396 | 1             | 1        | COVER; TOP   |
| PNL23808 | 2             | 1        | PANEL; WRAPPER, 23.14 X 25.33  |
| PNL14723 | 3             | 1        | PANEL; CORNER POST, 25.33 X 3.570  |
| PNL23808 | 4             | 1        | PANEL; WRAPPER, 23.14 X 25.33  |
| COV03224 | 5             | 1        | COVER, CONTROL, 11.32 X 18.11  |
| BAS01834 | 6             | 1        | BASE; 41.78 X 41.81 DIAGONALLY   |
| COV03228 | 7             | 1        | COVER, CONTROL BOTTOM  |
| PNL26768 | 8             | 1        | PANEL, ACCESS, 19.84 X 24.6 INCHES   |
| PNL14723 | 9             | 1        | PANEL; CORNER POST, 25.33 X 3.570  |
| PNL26769 | 10            | 1        | PANEL; WRAPPER, 27 X 25.3 INCHES   |
| PNL14723 | 11            | 1        | PANEL; CORNER POST, 25.33 X 3.570  |


| Part No.    | Reference No. | Quantity | Description         |
|-------------|---------------|----------|---------------------|
| 000006996~P | *             |          | CONTROLS PARTS LIST |

CONTROLS

75010775

REV.  
A

TYPICAL ILLUSTRATION



| Part No. | Reference No. | Quantity | Description   |
|----------|---------------|----------|---|
| CON00241 | *             | 1        | CONNECTOR; WIRE   |
| RES00118 | *             | 2        | RESISTOR; THERMISTOR , 260 OHMS AT 75 DEGREE F  |
| CPT01844 | 1             | 1        | CAPACITOR, RUN, 40/5 MFD, 370V, ROUND, W/O RESISTOR   |
| SHD00386 | 2             | 1        | SHIELD; MOISTURE, 12.75 X 5.00  |
| WIR07598 | 3             | 1        | WIRE; HARNESS, 9 PIN TO J4 ON DFC   |
| CNT07932 | 4             | 1        | CONTROL; DEFROST  |
| PNL31534 | 5             | 1        | PANEL; VOLTAGE BARRIER; 4.45 X 3.06, BLACK POLYPROPYLENE                                    |
| SEN02353 | 6             | 1        | SENSOR; ASSEMBLY, AMBIENT, 10 IN WIRE LENGTH, -40C TO 105C OP TEMP RANGE, 14 IN WIRE LENGTH |
| PNL21731 | 7             | 1        | PANEL, CONTROL PANEL, 27.14 HEIGHT  |
| SEN02908 | 9             | 1        | SENSOR; COIL, 5/16 CLIP, YELLOW WIRES, 43 IN LENGTH   |
| SHD00387 | 10            | 1        | SHIELD; MOISTURE, 10.25 X 4.00  |
| CTR00845 | 11            | 1        | CONTACTOR; 30 AMP, 240/480/600V, 24V COIL, 1 POLE   |

| Part No.    | Reference No. | Quantity | Description    |
|-------------|---------------|----------|----------------|
| 000006448~P | *             |          | FAN PARTS LIST |

FAN

75010673

REV  
A

TYPICAL ILLUSTRATION



| <b>Part No.</b> | <b>Reference No.</b> | <b>Quantity</b> | <b>Description</b>   |
|-----------------|----------------------|-----------------|--|
| COV03250        | *                    | 1               | COVER; MOTOR, 6.86 DIA   |
| FAN04321        | 1                    | 1               | FAN; 2 SWEPT BLADE, 27.5" DIA, 21 DEGREES PITCH, .50" BORE, CCW, ALUMINUM, 1 SET SCREW-STEEL |
| MOT16968        | 2                    | 1               | MOTOR; 1/8 HP  |
| GRL01348        | 3                    | 1               | GRILLE; FAN, 29 IN DIA, SPIRAL WIRE, BASALT GREY   |
| SCR02086        | 4                    | 4               | SCREW; 10-32 TR-3 HXW 3/8 S  |
| GRD01416        | 5                    | 1               | GUARD, TROUGH-LEAD   |

| Part No.    | Reference No. | Quantity | Description              |
|-------------|---------------|----------|--------------------------|
| 000006274~P | *             |          | GENERAL ASSEMBLY GRAPHIC |

SPLIT SYSTEM HEAT PUMP

75010773

REV.  
A

TYPICAL ILLUSTRATION



| Part No.    | Reference No. | Quantity | Description          |
|-------------|---------------|----------|----------------------|
| 000006277~P | *             |          | MODEL NUMBER GRAPHIC |

MODEL NUMBER DESCRIPTION

75005586

REV  
D

OUTDOOR UNITS

*Example Model Number:*

**4 TWV 00 3 6 A 1 0 0 0 A A**  
1 - - - 5 - - - 10 - - - 15

**Digit 1 – Refrigerant Type**

2 = R-22  
4 = R-410A

**Digit 2 – Trane**

**Digit 3 – Product Type**

W = Split Heat Pump  
T = Split Cooling

**Digit 4 – Product Family**

V = Variable Speed  
Z = Leadership - Two Stage  
X = Leadership  
R = Replacement/Retail  
M or B = Basic  
A = Light Commercial  
L = Side Discharge

**Digit 5 – Family SEER**

3 = 13      7 = 17  
4 = 14      9 = 19  
5 = 15      9 = 19  
6 = 16      0 = 20

**Digits 6 – Split System Connections 1-6 Tons**

0 = Brazed

**Digits 7,8 – Nominal Capacity in 000s BTUs**

**Digit 9 – Major Design Modifications**

**Digit 10 – Power Supply**

1 = 200-230/1/60 or 208-230/1/60  
3 = 200-230/3/60  
4 = 460/3/60

**Digit 11,12,13 – Secondary Function**

**Digit 14 – Minor Design Modifications**

**Digit 15 – Unit Parts Identifier**

| Part No.    | Reference No. | Quantity | Description               |
|-------------|---------------|----------|---------------------------|
| 000006339~P | *             |          | OPTIONAL ACCESSORIES LIST |

| Part No.       | Reference No. | Quantity | Description   |
|----------------|---------------|----------|---|
| AY28X084       | *             | 1        | KIT; LOW TEMPERATURE COOLING (AY28X084)   |
| BAYCCHT302RES  | *             | 1        | KIT; CRANKCASE HEATER FOR SCROLLS, 40W, 230V (BAYCCHT302RES), 5.5 DIA, 74 IN LENGTH   |
| BAYECMT004     | *             | 1        | KIT; EXTREME MOUNTING CONDITION (BAYECMT004)  |
| BAYISLT101     | *             | 1        | KIT; ISOLATOR (BAYISLT101) (CONTAINS A QTY OF 5 ISOLATORS)  |
| BAYSKT263      | *             | 1        | KIT; COMPRESSOR START KIT   |
| BAYLEGS004     | *             | 1        | KIT; SNOW LEGS, CONTAINS (4) 4" MOUNTING LEGS   |
| BAYLEGS007     | *             | 1        | KIT; SNOW LEGS, CONTAINS (4) 7" MOUNTING LEGS   |
| BAYLOAM107     | *             | 1        | LOW AMBIENT KIT   |
| BAYSDEN003     | *             | 1        | KIT; SOUND ENCLOSURE, (BAYSDEN003), (MODELS WITH SMALL FRAME (QUANTUM) SCROLL COMPRESSORS NO LARGER THAN 16.4" TALL OR 6.6" IN DIAMETER EXCEPT IN CABI) |
| BAYSEAC001     | *             | 1        | KIT; SEA COAST (BAYSEAC001)   |
| BAYTWGR0004    | *             | 1        | KIT; WEATHERGUARD TOP (FITS BASE SIZES 37W X 34D)   |
| PAI00309       | *             | 1        | PAINT; DARK BROWN, 12 OZ SPRAY CAN, HERESITE AIR DRY PHENOLIC COATING, VR-554T  |
| TAYASCT501A    | *             | 1        | KIT; TIME DELAY (TAYASCT501A) - 5 MINUTE RELAY ONLY IS RLY01343   |
| TAYSVPANL0032A | *             | 1        | PANEL; SERVICE VALVE PANEL COVER KIT (TAYSVPANL0032A)   |

| Part No.    | Reference No. | Quantity | Description              |
|-------------|---------------|----------|--------------------------|
| 000007000~P | *             |          | REFRIGERATION PARTS LIST |

REFRIGERATION

75010794

REV  
A

TYPICAL ILLUSTRATION



| Part No. | Reference No. | Quantity | Description  |
|----------|---------------|----------|--|
| SPC00386 | *             | 1        | SPACER; BASE, 5.50 X 1.00 X 0.50   |
| TUB11542 | *             | 1        | TUBE; RUBBER-EQUAL-TUBING, .375 DIAMETER, 25.000 LENGTH  |
| TUB11543 | *             | 1        | TUBE; RUBBER-BULB-TUBING, 1.125 DIAMETER, 34.000 LENGTH  |
| WIR03324 | *             | 1        | WIRE, PLUG-SCROLL COMPRESSOR   |
| COM11525 | 1             | 1        | COMPRESSOR; SCROLL, ALLIANCE, SBA024C1CPZ, 2.0 TON, 24,000 BTUH, 208/230-60-1, R410-A, BRAZED, SUCTION 3/4, DISCHARGE 1/2, RLA 14.3                    |
| SWT03277 | 2             | 1        | SWITCH, HIGH PRESSURE, SPST, OPEN AT 650 PSIG, CLOSE AT 500 PSIG, 91 IN. YELLOW AND RED LEAD   |
| VAL19489 | 3             | 1        | VALVE; TEV HXCE 1 ZX200  |
| SWT03876 | 4             | 1        | SWITCH; LOW PRESSURE, OPENS AT 35 PSI AND CLOSSES AT 55 PSI.   |
| BOD00114 | 5             | 1        | BODY; VALVE, BRASS, 7/16 HEX, 7/16 -20 UNF-2A  |
| VAL08991 | 6             | 1        | VALVE; SWITCHOVER, 3 TON, .50 IDF X .75 OD, W/ 24V SOLENOID COIL   |
| MFL00806 | 7             | 1        | MUFFLER; 1/2 ODF CONNECTION (DRIER COULD BE PAINTED EITHER SMOKE GRAY OR NAVY BLUE)  |
| DHY01452 | 8             | 1        | DRIER; BI-FLOW; SERVICE FIRST; 16 CU. IN; DCB163S, 3/8 ODF CONNECTIONS; 5.7 TON CAPACITY; APPROVED FOR MINERAL OIL AND POE OIL REFRIGERANTS; MANUFACTU |
| VAL09302 | 9a            | 1        | VALVE, SERVICE LIQUID, .31 ODF X .38 ODF   |
| CAP01336 | 9b            | 1        | CAP; SERVICE LIQUID VALVE, BRASS, 0.75 OD X 0.57 ID X 11/16-28UN-2B  |
| VAL09296 | 10a           | 1        | VALVE; SERVICE GAS ASSEMBLY, .75 ODS X .75 ODS, FEMALE BRAZE TO FEMALE BRAZE, LEFT HAND MOUNTING HOLES - D155662P02                                    |
| CAP01315 | 10b           | 1        | CAP; SERVICE LIQUID VALVE, BRASS, 1.06 OD X 0.81 ID X 15/16-20UNEF-2B  |
| BRK03696 | 11            | 1        | BRACKET; VALVE   |
| SPC00512 | 12            | 1        | SPACER; TUBING   |
| SPC00513 | 14            | 6        | SPACER; COIL   |
| CLP00223 | 15            | 1        | CLIP; BULB   |
| COR00103 | 16            | 1        | CORE; VALVE, .79 LENGTH, .206-36 UNS-1 MOD. THD  |
| ISR00007 | 17a           | 4        | ISOLATOR; VIBRATION  |
| SCR01914 | 17b           | 4        | SCREW, ASSEMBLY COMPRESSOR, 5/16-12 TYPE B, W/WASHER & SLEEVE  |
| SPC00512 | 18            | 1        | SPACER; TUBING   |
| SPC00512 | 19            | 1        | SPACER; TUBING   |
| COL28902 | 20            | 1        | COIL ASM-REPL  |