


| Part No.     | Reference No. | Quantity | Description              |
|--------------|---------------|----------|--------------------------|
| 0000096912~S | *             |          | BLOWER DECK              |
| 0000096911~S | *             |          | BLOWER                   |
| 0000096913~S | *             |          | CABINET                  |
| 0000096914~S | *             |          | CONTROLS                 |
| 0000096997~S | *             |          | FAN                      |
| 0000096910~S | *             |          | GENERAL ASSEMBLY         |
| 0000096937~S | *             |          | MODEL NUMBER DESCRIPTION |
| 0000096915~S | *             |          | REFRIGERATION            |

| Part No.     | Reference No. | Quantity | Description       |
|--------------|---------------|----------|-------------------|
| 0000050086~P | *             |          | BLOWER PARTS LIST |

BLOWER

75013634

RP  
A



This is a typical illustration. The unit in the field may not appear exactly as shown.


| Part No. | Reference No. | Quantity | Description                                                                     |
|----------|---------------|----------|---------------------------------------------------------------------------------|
| BRK05028 |               | 1        | BRACKET; MOTOR MOUNT, 3.28 X 4.55, INCLUDES GROMMET                             |
| SCR02108 |               | 4        | SCREW; SCR 10-16 AB HXW 5/8 S                                                   |
| MOT19327 | 1             | 1        | MOTOR; CONSTANT TORQUE, PROGRAMMED, 3/4 HP, 230/50-60/1, 48 FRAME, BALL BEARING |
| BND00917 | 2a            | 1        | BAND; BELLY BAND ASSEMBLY, INCLUDES BAND, MOTOR LEGS, MOUNTING HARDWARE         |
| MOT19283 | 2b            | 4        | MOUNT; MOTOR MOUNT BRACKET, LEG & SCREW ASM                                     |
| NUT01063 | 4             | 1        | NUT; LOCKING NYLON                                                              |
| WHL03718 | 5             | 1        | WHEEL; BLOWER, 11.95 IN DIA, 11.93 IN WIDTH, 0.50 IN BORE, 54 BLADES, CW        |
| HUS04352 | 6             | 1        | HOUSING; BLOWER, METAL, 12.125 INTERIOR WIDTH                                   |

| Part No.     | Reference No. | Quantity | Description                 |
|--------------|---------------|----------|-----------------------------|
| 0000050111~P | *             |          | ASSY, HX PANEL, BLOWER DECK |

BLOWER DECK

75013635

RP  
A



This is a typical illustration. The unit in the field may not appear exactly as shown.


| Part No. | Reference No. | Quantity | Description                   |
|----------|---------------|----------|-------------------------------|
| SCR02108 |               | 16       | SCREW; SCR 10-16 AB HXW 5/8 S |
| PNL36689 | 2             | 1        | PANEL; HX PANEL ASSY          |
| NUT01063 | 4             | 4        | NUT; LOCKING NYLON            |

| Part No.     | Reference No. | Quantity | Description        |
|--------------|---------------|----------|--------------------|
| 0000050167~P | *             |          | CABINET PARTS LIST |

CABINET

75013628


RP  
A



This is a typical illustration. The unit in the field may not appear exactly as shown.

| Part No. | Reference No. | Quantity | Description                      |
|----------|---------------|----------|----------------------------------|
| SCR02108 |               | 79       | SCREW; SCR 10-16 AB HXW 5/8 S    |
| COV05735 | 1             | 1        | COVER; TOP ASSY                  |
| PNL36687 | 2             | 1        | PANEL; S&R PANEL ASSY            |
| BLW01605 | 3             | 1        | PANEL; BLOWER ACCESS             |
| SUP06570 | 4             | 1        | SUPPORT; CONTROL BOX CORNER POST |
| GRM00118 | 6             | 1        | GROMMET; 3/16 IN ID, NEOPRENE    |
| PNL36683 | 7             | 1        | PANEL; CONTROL BOX SIDE          |
| COV05736 | 8             | 1        | COVER; ASSY S/R                  |
| PAN04208 | 9             | 1        | PAN; PLASTIC DRAIN               |
| COV05734 | 10            | 1        | COVER; SUPPLY & RETURN ASSY      |
| PNL36698 | 12            | 1        | PANEL; ASSY, CNTRL BOX ACCESS    |
| PNL36685 | 13            | 1        | PANEL; COIL ACCESS               |
| SUP06568 | 14            | 1        | SUPPORT; MID-POST                |
| GRL02231 | 15            | 1        | GRILLE; OD WIRE                  |
| SUP06566 | 16            | 1        | SUPPORT; CORNER POST             |
| GRL02230 | 17            | 1        | GRILLE; OD WIRE                  |

| Part No.     | Reference No. | Quantity | Description            |
|--------------|---------------|----------|------------------------|
| 0000050118~P | *             |          | CONTROL BOX PARTS LIST |




| Part No. | Reference No. | Quantity | Description                                                                                                |
|----------|---------------|----------|------------------------------------------------------------------------------------------------------------|
| BRK05223 |               | 1        | BRACKET;                                                                                                   |
| CON00241 |               | 1        | CONNECTOR; WIRE                                                                                            |
| COV05654 |               | 1        | COVER; LOW VOLTAGE BARRIER                                                                                 |
| GRD01026 |               | 1        | GUARD; EDGE TRIM, 8.00 IN LENGTH                                                                           |
| INS00306 |               | 1        | INSULATION;                                                                                                |
| RES00843 |               | 1        | RESISTOR; 9.750 K OHMS                                                                                     |
| RTR01001 |               | 1        | RETAINER; CLIP                                                                                             |
| SCR01511 |               | 7        | SCREW; 10-16 B HXW 1/2 S                                                                                   |
| SCR01924 |               | 6        | SCREW; 6-32 X .75, THREAD ROLLING SCREWS-ZINC PLATED, HEX WASHER                                           |
| SCR02108 |               | 4        | SCREW; SCR 10-16 AB HXW 5/8 S                                                                              |
| SCR02321 |               | 1        | SCREW;                                                                                                     |
| SUP02752 |               | 1        | SUPPORT; SENSOR, BLACK PLASTIC, 0.50 X 1.68 X 3.10                                                         |
| TER00312 |               | 1        | TERMINAL; 8IN. TIE CABLE                                                                                   |
| TER00312 |               | 2        | TERMINAL; 8IN. TIE CABLE                                                                                   |
| WIR00767 |               | 2        | WIRE; SPLICE                                                                                               |
| CNT08175 | 1             | 1        | CONTROL; DEFROST                                                                                           |
| CPT01842 | 2             | 1        | CAPACITOR, RUN, 45/7.5 MFD, 370V, ROUND, W/O RESISTOR                                                      |
| SRP00269 | 2a            | 1        | STRAP; CAPACITOR                                                                                           |
| WIR10033 | 3             | 1        | WIRE; HARNESS, P6 TO DFC, CC,CF, 2 WIRES-RD & BK                                                           |
| CTR02994 | 4             | 1        | CONTACTOR; 1 POLE + SHUNT, NO, 40 FLA AT 240V, 50/60 HZ, 40 RES AMPS, 32V COIL, 40 FLA AT 240/277/480/600V |
| BRD00385 | 5             | 1        | BOARD; TERMINAL, FAN, 24V, 3 POLE                                                                          |
| RLY03876 | 6             | 1        | RELAY;                                                                                                     |
| WIR09687 | 7             | 1        | WIRE; HARNESS, INDOOR MOTOR TO CC, FTB, WITH 2-5 PIN PLUGS                                                 |
| LUG00014 | 9             | 1        | LUG, GROUND                                                                                                |
| FUS01089 | 10            | 1        | FUSE; 5 AMP, TAN, AUTOMOTIVE STYLE                                                                         |
| WIR10031 | 11            | 1        | WIRE; HARNESS, DFC, FTB, H, CC, CF, TNS, SOV, PPM TO OPTIONAL ELECTRIC HEAT                                |
| WIR09689 | 12            | 1        | WIRE; HARNESS, POWER, CC TO TNS, 2 WIRES-RD & BK                                                           |
| SEN02853 | 13            | 1        | SENSOR; COIL TEMP                                                                                          |
| RES00171 | 14            | 1        | RESISTOR; THERMISTOR, BLACK (OUTDOOR AIR SENSOR OR AMBIENT SENSOR)                                         |
| TRR02404 | 15            | 1        | TRANSFORMER; 50VA, 208/240 V PRI, 24V SEC                                                                  |

| Part No.     | Reference No. | Quantity | Description |
|--------------|---------------|----------|-------------|
| 0000050082~P | *             |          | FAN ASM     |

FAN

75013632

RP  
A



This is a typical illustration. The unit in the field may not appear exactly as shown.


| Part No. | Reference No. | Quantity | Description                                  |
|----------|---------------|----------|----------------------------------------------|
| NUT00845 |               | 4        | NUT; FLANGE NIBBED                           |
| MOT19173 | 1             | 1        | MOTOR; 1/5 HP-48 FRAME PSC                   |
| FAN06690 | 2             | 1        | FAN; (3) L                                   |
| GRD02078 | 3             | 1        | GUARD; THROUGHLEAD                           |
| ORF01695 | 4             | 1        | ORIFICE; PLASTIC INLET, 23.36 ID             |
| SCR02108 | 5             | 6        | SCREW; SCR 10-16 AB HXW 5/8 S                |
| GRL01863 | 6             | 1        | GRILL; OUTDOOR FAN, WIRE, 26.85 MOUNTING DIA |
| SCR02086 | 7             | 1        | SCREW; 10-32 TR-3 HXW 3/8 S                  |

| Part No.     | Reference No. | Quantity | Description              |
|--------------|---------------|----------|--------------------------|
| 0000008320~P | *             |          | GENERAL ASSEMBLY GRAPHIC |

14 SEER PACKAGED UNIT

75013624

REV  
B




This is a typical illustration. The unit in the field may not appear exactly as shown.

| Part No.     | Reference No. | Quantity | Description          |
|--------------|---------------|----------|----------------------|
| 0000008616~P | *             |          | MODEL NUMBER GRAPHIC |

| MODEL NUMBER DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 75011470 | REV<br>C |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| PACKAGED UNITS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |          |          |
| <p style="text-align: center;"><i>Example Model Number:</i><br/><b>4 Y C Y 5 0 4 8 A 1 0 9 0 A A</b><br/>1 - - - 5 - - - 10 - - - 15</p> <p><b>Digit 1 – Refrigerant</b><br/>4 = R-410A</p> <p><b>Digit 2 – Type</b><br/>Y = Gas Electric<br/>W = Heat Pump<br/>D = Dual Fuel<br/>T = Air Conditioner</p> <p><b>Digit 3 – Model Tier</b><br/>C = Convertible<br/>H = Horizontal (only)</p> <p><b>Digit 4 – Model Tier</b><br/>C = Entry Level<br/>X = Upgrade<br/>Y = Premium<br/>Z = Leadership - (2-Stage)<br/>A = RunTru Brand</p> <p><b>Digit 5 – Efficiency Tier</b><br/>3 = 13 SEER<br/>4 = 14 SEER<br/>5 = 15 SEER<br/>6 = 16 SEER</p> <p><b>Digits 6,7,8 – Capacity in 1000's (BTUH)</b><br/>018      042<br/>024      048<br/>030      060<br/>036</p> <p><b>Digit 9 – Major Design Change</b></p> <p><b>Digit 10 – Voltage &amp; Phase</b><br/>1 = 230V 1 Phase<br/>3 = 230V 3 Phase<br/>4 = 460V 3 Phase</p> <p><b>Digit 11,12,13 – Gas Heat Input (MBTU/H)</b><br/>000 (AC or HP)    075<br/>040                096<br/>064                120</p> <p><b>Digit 14 – Minor Design Change</b></p> <p><b>Digit 15 – Service Digit - Not Orderable</b></p> |          |          |
| 1 of 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |          |          |

| Part No.     | Reference No. | Quantity | Description           |
|--------------|---------------|----------|-----------------------|
| 0000050169~P | *             |          | REFRIGERANT SYSTEM HP |



| Part No.    | Reference No. | Quantity | Description                                                                                                                                            |
|-------------|---------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| BOF02507    |               | 1        | BLOCKOFF; TOP, INDOOR COIL                                                                                                                             |
| BRK05222    |               | 1        | BRACKET; CONNECTIVE, 30.17 X 1.33 X 0.50                                                                                                               |
| CLP00181    |               | 2        | CLIP; BULB                                                                                                                                             |
| DST00895    |               | 1        | DISTRIBUTOR; 5 OUTLETS, 19 ODS, .50 ODM INLET, BRASS                                                                                                   |
| DST00896    |               | 1        | DISTRIBUTOR; 6 OUTLETS, 19 ODS, .50 ODM INLET, BRASS                                                                                                   |
| KIT08039    |               | 4        | KIT; GROMMETS. COMPRESSOR MOUNTING. (CONSISTS OF 4), 0.44 ID X 1.63 OD NEOPRENE RUBBER-BLACK 45-55 DUROMETER                                           |
| SCR02108    |               | 3        | SCREW; SCR 10-16 AB HXW 5/8 S                                                                                                                          |
| SWT04689    |               | 1        | SWITCH; LOW PRESSURE BZ                                                                                                                                |
| TER00312    |               | 8        | TERMINAL; 8IN. TIE CABLE                                                                                                                               |
| TIE00023    |               | 2        | TIE;CABLE, 8.00IN.                                                                                                                                     |
| TIE00027    |               | 2        | TIE; CABLE                                                                                                                                             |
| VAL20620    |               | 1        | VALVE; EXPANSION                                                                                                                                       |
| VAL20621    |               | 1        | VALVE; EXPANSION                                                                                                                                       |
| COL32113    | 1             | 1        | COIL; ID ASSY, 3.5 TON                                                                                                                                 |
| DHY01451    | 3             | 1        | DRIER; BI-FLOW; SERVICE FIRST; 8 CU. IN; DCB083S, 3/8 ODF CONNECTIONS; 2.3 TON CAPACITY; APPROVED FOR MINERAL OIL AND POE OIL REFRIGERANTS; MANUFACTUR |
| COR00103    | 4b            | 2        | CORE; VALVE, .79 LENGTH, .206-36 UNS-1 MOD. THD                                                                                                        |
| TEE00095    | 4c            | 1        | TEE; COPPER                                                                                                                                            |
| VAL01483    | 4d            | 1        | VALVE; BODY, .44-20 THD X .25 ODS, STRAIGHT, BRASS, LESS CORE                                                                                          |
| BOD00114    | 7a            | 1        | BODY; VALVE, BRASS, 7/16 HEX, 7/16 -20 UNF-2A                                                                                                          |
| CAP00455    | 7b            | 2        | CAP; HUB, 7/16-20 STRAIGHT                                                                                                                             |
| BLT00809    | 9a            | 4        | BOLT; CARRIAGE, 5/16-18 X 1-3/4                                                                                                                        |
| GKT01820    | 9b            | 4        | GASKET; 3/4 OD X 7/16 ID X .06 THK                                                                                                                     |
| NUT00355    | 9d            | 4        | NUT; HEX, LOCK, 5/16IN.-18                                                                                                                             |
| NUT00890    | 9e            | 4        | NUT; PALLET, 5/16-18 UNC 2B THD.                                                                                                                       |
| WAS00638    | 9f            | 4        | WASHER; FLAT, 5/16 INCH                                                                                                                                |
| WIR03335    | 10            | 1        | WIRE; PLUG SCROLL COMPRESSOR                                                                                                                           |
| COL32110    | 13            | 1        | COIL; ASSY OD PLATEFIN 3.5T                                                                                                                            |
| PLT06752    | 14            | 1        | PLATE; OD COIL BRACKET REAR PLATE FIN                                                                                                                  |
| SWT03274    | 15            | 1        | SWITCH, HIGH PRESSURE, SPST, OPEN @ 650 PSIG, CLOSE @ 500 PSIG, 75" YELLOW LEAD                                                                        |
| COM12084    | 16            | 1        | COMPRESSOR; SCROLL; ALLIANCE; SBA036B1CPA; 3 TON; 36,000 BTUH; 208/230-60-1; R-410A; BRAZED; SUCTION 7/8; DISCHARGE 1/2                                |
| SBA036B1CPA | 16a           | 0        | COMPRESSOR SCROLL-#12084                                                                                                                               |
| VAL08884    | 17            | 1        | VALVE; SWITCHOVER, 6 TON, 5/8 IN ODF X 7/8 IDF CONNECTION (INCLUDES SOLENOID COIL)                                                                     |