


**2012 PRODUCT CATALOG**

# **Webstone**

**VALVE INNOVATION**

**QUALITY AND COMMITMENT  
TO TECHNOLOGY AND SERVICE SINCE 1954**



 **The ISOLATOR**  
UNI-FLANGE BALL VALVE®

**PRO-PAL**  
S E R I E S

**The ISOLATOR**  
**E·X·P**  
TWH SERVICE VALVES

**HYDRO-CORE**  
™

 **PRO-CONNECT**  
VALVES & FITTINGS



## The Isolator® Uni-Flange Ball Valve

Full Port Forged Brass Ball Valves

w/ Adjustable Packing Gland, Bonus Wing Style "T" Handle, Nuts & Bolts

**600 WOG  
ISO 9001**



| ITEM #              | SIZE   | P/CARTON | P/CASE | WT/CASE |
|---------------------|--------|----------|--------|---------|
| <b>IPS x Flange</b> |        |          |        |         |
| 40402               | 1/2"   | 2        | 20     | 30      |
| 40403               | 3/4"   | 2        | 20     | 34      |
| 40404               | 1"     | 2        | 20     | 41      |
| 40405               | 1 1/4" | 2        | 20     | 47      |
| 40406               | 1 1/2" | 2        | 20     | 63      |
| 40407HV             | 2"     | 2        | 10     | 42      |
| <b>SWT x Flange</b> |        |          |        |         |
| 50402               | 1/2"   | 2        | 20     | 30      |
| 50403               | 3/4"   | 2        | 20     | 34      |
| 50404               | 1"     | 2        | 20     | 40      |
| 50405               | 1 1/4" | 2        | 20     | 48      |
| 50406               | 1 1/2" | 2        | 20     | 66      |
| 50407HV             | 2"     | 2        | 10     | 43      |

1" - 1 1/2" also available for High Velocity Pumps — to order, add HV onto the end of the part #.

2" Available in High Velocity only, also fits standard size pumps.



## The Isolator® w/ Drain

Full Port Forged Brass Uni-Flange Ball Valves w/ Hi-Flow Hose Drain,  
Adjustable Packing Gland, Bonus Wing Style "T" Handle, Nuts & Bolts

**600 WOG  
ISO 9001**



| ITEM #              | SIZE   | P/CARTON | P/CASE | WT/CASE |
|---------------------|--------|----------|--------|---------|
| <b>IPS x Flange</b> |        |          |        |         |
| 40413               | 3/4"   | 2        | 20     | 47      |
| 40414               | 1"     | 2        | 20     | 54      |
| 40415               | 1 1/4" | 2        | 20     | 68      |
| 40416               | 1 1/2" | 2        | 10     | 43      |
| 40417HV             | 2"     | 1        | 10     | 62      |
| <b>SWT x Flange</b> |        |          |        |         |
| 50413               | 3/4"   | 2        | 20     | 47      |
| 50414               | 1"     | 2        | 20     | 56      |
| 50415               | 1 1/4" | 2        | 20     | 71      |
| 50416               | 1 1/2" | 2        | 10     | 46      |
| 50417HV             | 2"     | 1        | 10     | 64      |

1" - 1 1/2" also available for High Velocity Pumps — to order, add HV onto the end of the part #.

2" Available in High Velocity only, also fits standard size pumps.



## The Isolator® w/ Rotating Flange

Full Port Forged Brass Uni-Flange Ball Valves w/ Detachable Rotating Flange,  
Adjustable Packing Gland, Bonus Wing Style "T" Handle, Nuts & Bolts

**600 WOG  
ISO 9001**



| ITEM #                       | SIZE   | P/CARTON | P/CASE | WT/CASE |
|------------------------------|--------|----------|--------|---------|
| <b>IPS x Rotating Flange</b> |        |          |        |         |
| 41403                        | 3/4"   | 2        | 20     | 34      |
| 41404                        | 1"     | 2        | 20     | 43      |
| 41405                        | 1 1/4" | 2        | 20     | 52      |
| 41406                        | 1 1/2" | 2        | 20     | 54      |
| <b>SWT x Rotating Flange</b> |        |          |        |         |
| 51403                        | 3/4"   | 2        | 20     | 34      |
| 51404                        | 1"     | 2        | 20     | 43      |
| 51405                        | 1 1/4" | 2        | 20     | 52      |
| 51406                        | 1 1/2" | 2        | 20     | 52      |

Also available for High Velocity Pumps — to order, add HV onto the end of the part #.



## The Isolator® w/ Rotating Flange & Multi-Function Drain

Full Port Forged Brass Uni-Flange Ball Valves w/ Detachable Rotating Flange,  
Multi-Function Drain, Adjustable Packing Gland, Nuts & Bolts

**600 WOG  
ISO 9001**



| ITEM #                       | SIZE   | P/CARTON | P/CASE | WT/CASE |
|------------------------------|--------|----------|--------|---------|
| <b>IPS x Rotating Flange</b> |        |          |        |         |
| 41413                        | 3/4"   | 2        | 20     | 47      |
| 41414                        | 1"     | 2        | 20     | 57      |
| 41415                        | 1 1/4" | 2        | 20     | 78      |
| 41416                        | 1 1/2" | 2        | 10     | 39      |
| <b>SWT x Rotating Flange</b> |        |          |        |         |
| 51413                        | 3/4"   | 2        | 20     | 47      |
| 51414                        | 1"     | 2        | 20     | 58      |
| 51415                        | 1 1/4" | 2        | 20     | 77      |
| 51416                        | 1 1/2" | 2        | 10     | 38      |

Also available for High Velocity Pumps — to order, add HV onto the end of the part #.



## The Isolator® Check Valve

Full Port Forged Brass Uni-Flange Ball Valves, w/ Replaceable Integral Spring Check, Adjustable Packing Gland, Bonus Lever Style Handle, Nuts & Bolts

**150 PSI @ 200°F**  
**ISO 9001**



| ITEM #              | SIZE   | P/CARTON | P/CASE | WT/CASE |
|---------------------|--------|----------|--------|---------|
| <b>IPS × Flange</b> |        |          |        |         |
| 42403               | 3/4"   | 1        | 10     | 22      |
| 42404               | 1"     | 1        | 10     | 27      |
| 42405               | 1 1/4" | 1        | 10     | 32      |
| 42406               | 1 1/2" | 1        | 10     | 44      |
| <b>SWT × Flange</b> |        |          |        |         |
| 52403               | 3/4"   | 1        | 10     | 22      |
| 52404               | 1"     | 1        | 10     | 28      |
| 52405               | 1 1/4" | 1        | 10     | 32      |
| 52406               | 1 1/2" | 1        | 10     | 44      |

1" – 1 1/2" also available for High Velocity Pumps — to order, add HV onto the end of the part #.



## The Isolator® Check Valve w/ Rotating Flange

Full Port Forged Brass Uni-Flange Ball Valves, w/ Replaceable Integral Spring Check, Detachable Rotating Flange, Adjustable Packing Gland, Bonus Lever Style Handle, Nuts & Bolts

**150 PSI @ 200°F**  
**ISO 9001**



| ITEM #                       | SIZE   | P/CARTON | P/CASE | WT/CASE |
|------------------------------|--------|----------|--------|---------|
| <b>IPS × Rotating Flange</b> |        |          |        |         |
| 43403                        | 3/4"   | 1        | 10     | 20      |
| 43404                        | 1"     | 1        | 10     | 24      |
| 43405                        | 1 1/4" | 1        | 10     | 29      |
| 43406                        | 1 1/2" | 1        | 10     | 40      |
| <b>SWT × Rotating Flange</b> |        |          |        |         |
| 53403                        | 3/4"   | 1        | 10     | 20      |
| 53404                        | 1"     | 1        | 10     | 24      |
| 53405                        | 1 1/4" | 1        | 10     | 29      |
| 53406                        | 1 1/2" | 1        | 10     | 40      |

Also available for High Velocity Pumps — to order, add HV onto the end of the part #.



## The Isolator® Double Flanged Check

Forged Brass Check Valve w/ Rotating Flange End  
Includes One Set of Mounting Bolts & Full Faced Flange Gasket

**150 PSI @ 200°F**  
**ISO 9001**



| ITEM #                          | SIZE         | P/CARTON | P/CASE | WT/CASE |
|---------------------------------|--------------|----------|--------|---------|
| <b>Flange × Rotating Flange</b> |              |          |        |         |
| 13706HV                         | 1 1/2" or 2" | 1        | 10     | 23      |



## The Isolator® Circulator Pump Installation Kit

Your choice of Isolator and Isolator w/ Drain with 2 Full-Faced Flange Gaskets & Bonus Wing Style "T" Handle(s), Nuts & Bolts

**600 WOG**  
**ISO 9001**



| ITEM #                                                                   | SIZE   | P/CARTON | P/CASE | WT/CASE |
|--------------------------------------------------------------------------|--------|----------|--------|---------|
| <b>THE ISOLATOR® CIRCULATOR PUMP INSTALLATION KIT</b>                    |        |          |        |         |
| <b>IPS × Flange</b>                                                      |        |          |        |         |
| 40413KIT                                                                 | 3/4"   | 1        | 10     | 40      |
| 40414KIT                                                                 | 1"     | 1        | 10     | 47      |
| 40415KIT                                                                 | 1 1/4" | 1        | 10     | 57      |
| <b>SWT × Flange</b>                                                      |        |          |        |         |
| 50413KIT                                                                 | 3/4"   | 1        | 10     | 40      |
| 50414KIT                                                                 | 1"     | 1        | 10     | 48      |
| 50415KIT                                                                 | 1 1/4" | 1        | 10     | 59      |
| <b>THE ISOLATOR® W/ ROTATING FLANGE CIRCULATOR PUMP INSTALLATION KIT</b> |        |          |        |         |
| <b>IPS × Rotating Flange</b>                                             |        |          |        |         |
| 41413KIT                                                                 | 3/4"   | 1        | 10     | 38      |
| 41414KIT                                                                 | 1"     | 1        | 10     | 49      |
| 41415KIT                                                                 | 1 1/4" | 1        | 10     | 60      |
| <b>SWT × Rotating Flange</b>                                             |        |          |        |         |
| 51413KIT                                                                 | 3/4"   | 1        | 10     | 37      |
| 51414KIT                                                                 | 1"     | 1        | 10     | 47      |
| 51415KIT                                                                 | 1 1/4" | 1        | 10     | 60      |


Also available for High Velocity Pumps — to order, add HV onto the end of the part # before "KIT".




## The Isolator® Check Valve Accessories




| ITEM #                            | FITS VALVE SIZE | P/CARTON | P/CASE | WT/CASE |
|-----------------------------------|-----------------|----------|--------|---------|
| <b>REPLACEMENT INTEGRAL CHECK</b> |                 |          |        |         |
| C42403                            | 3/4"            | BULK     | BULK   | BULK    |
| C42404                            | 1"              | BULK     | BULK   | BULK    |
| C42405                            | 1 1/4"          | BULK     | BULK   | BULK    |
| C42406                            | 1 1/2"          | BULK     | BULK   | BULK    |
| <b>RETAINING RING</b>             |                 |          |        |         |
| RR42403                           | 3/4"            | BULK     | BULK   | BULK    |
| RR42404                           | 1"              | BULK     | BULK   | BULK    |
| RR42405                           | 1 1/4"          | BULK     | BULK   | BULK    |
| RR42406                           | 1 1/2"          | BULK     | BULK   | BULK    |




# Reversible handle directs flow into the **hi-flow** hose drain from either side of the ball




**Normal Handle  
Open Position**



**Normal Handle  
Closed Position**



**Reversed Handle  
Open Position**



**Reversed Handle  
Closed Position**



## Ball Drain™

Full Port Forged Brass Ball Valves w/ Hi-Flow Hose Drain,  
Adjustable Packing Gland & Reversible Handle

**600 WOG  
ISO 9001**



| ITEM #           | SIZE   | P/CARTON | P/CASE | WT/CASE |
|------------------|--------|----------|--------|---------|
| <b>IPS</b>       |        |          |        |         |
| 40612            | 1/2"   | 6        | 36     | 31      |
| 40613            | 3/4"   | 6        | 36     | 40      |
| 40614            | 1"     | 4        | 24     | 40      |
| 40615            | 1 1/4" | 2        | 12     | 30      |
| 40616            | 1 1/2" | 2        | 12     | 40      |
| 40617            | 2"     | 1        | 6      | 28      |
| <b>C×C</b>       |        |          |        |         |
| 50612            | 1/2"   | 6        | 36     | 30      |
| 50613            | 3/4"   | 6        | 36     | 40      |
| 50614            | 1"     | 4        | 24     | 40      |
| 50615            | 1 1/4" | 2        | 12     | 27      |
| 50616            | 1 1/2" | 2        | 12     | 41      |
| 50617            | 2"     | 1        | 6      | 30      |
| <b>SWT × IPS</b> |        |          |        |         |
| 54612            | 1/2"   | 6        | 36     | 30      |
| 54613            | 3/4"   | 6        | 36     | 40      |
| 54614            | 1"     | 4        | 24     | 40      |



## Union Ball Drain™

Full Port Forged Brass Ball Valves w/ Single Union End & Hi-Flow Hose Drain,  
Adjustable Packing Gland & Reversible Handle

**600 WOG  
ISO 9001**



| ITEM #                        | SIZE   | P/CARTON | P/CASE | WT/CASE |
|-------------------------------|--------|----------|--------|---------|
| <b>IPS Union × IPS × Hose</b> |        |          |        |         |
| 40433                         | 3/4"   | 6        | 24     | 50      |
| 40434                         | 1"     | 4        | 16     | 47      |
| 40435                         | 1 1/4" | 2        | 12     | 45      |
| 40436                         | 1 1/2" | 2        | 8      | 38      |
| <b>IPS Union × SWT × Hose</b> |        |          |        |         |
| 50433                         | 3/4"   | 6        | 24     | 51      |
| 50434                         | 1"     | 4        | 16     | 48      |
| 50435                         | 1 1/4" | 2        | 12     | 45      |
| 50436                         | 1 1/2" | 2        | 8      | 38      |





## Purge & Fill™

Full Port Forged Brass Ball Valves w/ (2) 3/4" Hi-Flow Hose Drains, Adjustable Packing Gland & Reversible Handle

600 WOG  
ISO 9001



| ITEM #     | SIZE   | P/CARTON | P/CASE | WT/CASE |
|------------|--------|----------|--------|---------|
| <b>IPS</b> |        |          |        |         |
| 48613      | 3/4"   | 1        | 12     | 21      |
| 48614      | 1"     | 1        | 12     | 29      |
| 48615      | 1 1/4" | 1        | 12     | 40      |
| 48616      | 1 1/2" | 1        | 12     | 56      |
| <b>SWT</b> |        |          |        |         |
| 58613      | 3/4"   | 1        | 12     | 22      |
| 58614      | 1"     | 1        | 12     | 29      |
| 58615      | 1 1/4" | 1        | 12     | 40      |
| 58616      | 1 1/2" | 1        | 12     | 55      |



## Purge-Tee™

Full Port Forged Brass Ball Valves – Primary/Secondary Loop Purge Tee, Adjustable Packing Gland & Reversible Handle

600 WOG  
ISO 9001



| ITEM #                           | SIZE            | P/CARTON | P/CASE | WT/CASE |
|----------------------------------|-----------------|----------|--------|---------|
| <b>C×C (1" Primary Loop)</b>     |                 |          |        |         |
| 58643                            | 1" × 3/4"       | 1        | 12     | 32      |
| 58644                            | 1" × 1"         | 1        | 12     | 35      |
| <b>C×C (1 1/4" Primary Loop)</b> |                 |          |        |         |
| 58652                            | 1 1/4" × 1/2"   | 1        | 12     | 42      |
| 58653                            | 1 1/4" × 3/4"   | 1        | 12     | 46      |
| 58654                            | 1 1/4" × 1"     | 1        | 12     | 50      |
| 58655                            | 1 1/4" × 1 1/4" | 1        | 12     | 53      |
| <b>C×C (1 1/2" Primary Loop)</b> |                 |          |        |         |
| 58662                            | 1 1/2" × 1/2"   | 1        | 12     | 62      |
| 58663                            | 1 1/2" × 3/4"   | 1        | 12     | 65      |
| 58664                            | 1 1/2" × 1"     | 1        | 12     | 70      |



## T-Drain™

Full Port Forged Brass Fitting w/ Hi-Flow Hose Drain

600 WOG  
ISO 9001



| ITEM #     | SIZE   | P/CARTON | P/CASE | WT/CASE |
|------------|--------|----------|--------|---------|
| <b>IPS</b> |        |          |        |         |
| 40672      | 1/2"   | 10       | 80     | 50      |
| 40673      | 3/4"   | 8        | 48     | 47      |
| 40674      | 1"     | 8        | 48     | 54      |
| 40675      | 1 1/4" | 6        | 24     | 34      |
| 40676      | 1 1/2" | 4        | 24     | 39      |
| 40677      | 2"     | 2        | 20     | 42      |
| <b>C×C</b> |        |          |        |         |
| 50672      | 1/2"   | 10       | 80     | 49      |
| 50673      | 3/4"   | 8        | 48     | 44      |
| 50674      | 1"     | 8        | 48     | 50      |
| 50675      | 1 1/4" | 6        | 24     | 28      |
| 50676      | 1 1/2" | 4        | 24     | 32      |
| 50677      | 2"     | 2        | 20     | 42      |



## Expansion Tank Pro Service Valve™

Full Port Forged Brass Ball Valves w/ Hi-Flow Hose Drain

600 WOG  
ISO 9001



| ITEM #                        | SIZE | P/CARTON | P/CASE | WT/CASE |
|-------------------------------|------|----------|--------|---------|
| <b>FIP × MIP × FIP × Hose</b> |      |          |        |         |
| 41672                         | 1/2" | 1        | 30     | 26      |

# IDEAL FOR USE WITH THE WEBSTONE AIR SEPARATOR





## Forged Brass Hydronic Valve Manifolds

Closely Spaced Tees w/ (2) Full Port Isolation Valves, Hi-Flow Hose Drains & Adjustable Packing Glands  
Requires Matching Hydro-Core Union Connection(s)

600 WOG  
ISO 9001



### RIGHT FLANGE MANIFOLDS • REQUIRES (1) HYDRO-CORE UNION CONNECTION

| ITEM #     | RUN SIZE | VALVE SIZE | CTN/CS | WT/CASE |
|------------|----------|------------|--------|---------|
| <b>FIP</b> |          |            |        |         |
| 48754-0    | 1 1/4"   | 1"         | 1/6    | 40      |
| 48764-0    | 1 1/2"   | 1"         | 1/6    | 43      |
| 48755-0    | 1 1/4"   | 1 1/4"     | 1/6    | 56      |
| 48765-0    | 1 1/2"   | 1 1/4"     | 1/6    | 53      |
| 48766-0    | 1 1/2"   | 1 1/2"     | 1/4    | 42      |
| <b>SWT</b> |          |            |        |         |
| 58744-0    | 1"       | 1"         | 1/6    | 40      |
| 58754-0    | 1 1/4"   | 1"         | 1/6    | 39      |
| 58764-0    | 1 1/2"   | 1"         | 1/6    | 41      |
| 58774-0    | 2"       | 1"         | 1/4    | 28      |
| 58755-0    | 1 1/4"   | 1 1/4"     | 1/6    | 51      |
| 58765-0    | 1 1/2"   | 1 1/4"     | 1/6    | 52      |
| 58775-0    | 2"       | 1 1/4"     | 1/4    | 36      |
| 58766-0    | 1 1/2"   | 1 1/2"     | 1/4    | 41      |
| 58776-0    | 2"       | 1 1/2"     | 1/4    | 44      |

### LEFT FLANGE MANIFOLDS • REQUIRES (1) HYDRO-CORE UNION CONNECTION

| ITEM #     | RUN SIZE | VALVE SIZE | CTN/CS | WT/CASE |
|------------|----------|------------|--------|---------|
| <b>FIP</b> |          |            |        |         |
| 48854-0    | 1 1/4"   | 1"         | 1/6    | 40      |
| 48864-0    | 1 1/2"   | 1"         | 1/6    | 43      |
| 48855-0    | 1 1/4"   | 1 1/4"     | 1/6    | 56      |
| 48865-0    | 1 1/2"   | 1 1/4"     | 1/6    | 53      |
| <b>SWT</b> |          |            |        |         |
| 58854-0    | 1 1/4"   | 1"         | 1/6    | 39      |
| 58864-0    | 1 1/2"   | 1"         | 1/6    | 41      |
| 58855-0    | 1 1/4"   | 1 1/4"     | 1/6    | 51      |
| 58865-0    | 1 1/2"   | 1 1/4"     | 1/6    | 49      |

### DOUBLE BALL DRAIN MANIFOLDS • REQUIRES (2) HYDRO-CORE UNION CONNECTIONS

| ITEM #     | RUN SIZE | VALVE SIZE | CTN/CS | WT/CASE |
|------------|----------|------------|--------|---------|
| <b>FIP</b> |          |            |        |         |
| 48354-0    | 1 1/4"   | 1"         | 1/6    | 33      |
| <b>SWT</b> |          |            |        |         |
| 58354-0    | 1 1/4"   | 1"         | 1/6    | 33      |



## Hydro-Core Union Connections

Requires Matching Hydro-Core Manifold

ISO 9001



### UNION CONNECTION

| ITEM #     | TAILPIECE SIZE | END SIZE | CTN/CS | WT/CASE |
|------------|----------------|----------|--------|---------|
| <b>FIP</b> |                |          |        |         |
| HCE4-43    | 3/4"           | 1"       | 6/24   | 14      |
| HCE4-44    | 1"             | 1"       | 6/24   | 11      |
| HCE5-44    | 1"             | 1 1/4"   | 6/24   | 20      |
| HCE5-45    | 1 1/4"         | 1 1/4"   | 6/24   | 15      |
| <b>SWT</b> |                |          |        |         |
| HCE4-53    | 3/4"           | 1"       | 6/24   | 11      |
| HCE4-54    | 1"             | 1"       | 6/24   | 11      |
| HCE5-54    | 1"             | 1 1/4"   | 6/24   | 16      |
| HCE5-55    | 1 1/4"         | 1 1/4"   | 6/24   | 16      |
| HCE6-56    | 1 1/2"         | 1 1/2"   | 4/24   | 22      |

### UNION CONNECTION W/ 1/4" NPT GAUGE PORT (PLUGGED)

| ITEM #     | TAILPIECE SIZE | END SIZE | CTN/CS | WT/CASE |
|------------|----------------|----------|--------|---------|
| <b>FIP</b> |                |          |        |         |
| HCE4-63    | 3/4"           | 1"       | 6/24   | 24      |
| HCE4-64    | 1"             | 1"       | 6/24   | 22      |
| HCE5-64    | 1"             | 1 1/4"   | 6/24   | 36      |
| HCE5-65    | 1 1/4"         | 1 1/4"   | 6/24   | 37      |
| <b>SWT</b> |                |          |        |         |
| HCE4-73    | 3/4"           | 1"       | 6/24   | 18      |
| HCE4-74    | 1"             | 1"       | 6/24   | 18      |
| HCE5-74    | 1"             | 1 1/4"   | 6/24   | 26      |
| HCE5-75    | 1 1/4"         | 1 1/4"   | 6/24   | 26      |

### UNION CONNECTION W/ MULTIPLE DEVICE PORTS

PLUGGED CONNECTIONS FOR (2) 3/4" DEVICES OR (1) 3/4" DEVICE & (1) 1/4" PRESSURE GAUGE

| ITEM #     | TAILPIECE SIZE | END SIZE | CTN/CS | WT/CASE |
|------------|----------------|----------|--------|---------|
| <b>SWT</b> |                |          |        |         |
| HCE4-94    | 1"             | 1"       | 6/24   | 27      |

### STAINLESS STEEL LIQUID FILLED DUAL SCALE PRESSURE GAUGE

2" DIAL w/ CENTER BACK CONNECTION 30 PSI

| ITEM # | SIZE     | P/CARTON | P/CASE | WT/CASE |
|--------|----------|----------|--------|---------|
| 31000  | 1/4" NPT | 1        | 100    | 38      |



## Hydro-Core Pump Connections

ISO 9001



### ROTATING FLANGE

| ITEM # | SIZE   | CTN/CS | WT/CASE |
|--------|--------|--------|---------|
| RF4-54 | 1"     | 6/24   | 24      |
| RF5-55 | 1 1/4" | 6/24   | 25      |

### ROTATING FLANGE W/ "Y" STRAINER

| ITEM #   | SIZE   | CTN/CS | WT/CASE |
|----------|--------|--------|---------|
| FSTR4-54 | 1"     | 6/24   | 41      |
| FSTR5-55 | 1 1/4" | 6/24   | 46      |



## Hydro-Core Complete Near Boiler Piping Kits

Fully Fabricated & Insulated Supply & Return Lines • Requires Matching Hydro-Core Manifold • Includes Union Connection

ISO 9001



### FOR FLOOR MOUNT BOILERS

| ITEM #   | FITS                            | CTN/CS | WT/CASE |
|----------|---------------------------------|--------|---------|
| NBP4-080 | Burnham ALP080/Lochinvar KBN081 | 1"     | 49      |
| NBP4-105 | Burnham ALP105/Lochinvar KBN106 | 1"     | 47      |
| NBP4-150 | Burnham ALP150/Lochinvar KBN151 | 1"     | 50      |
| NBP4-210 | Burnham ALP210/Lochinvar KBN211 | 1"     | 50      |

### FOR WALL HUNG BOILERS

| ITEM #   | FITS                             | CTN/CS | WT/CASE |
|----------|----------------------------------|--------|---------|
| NBP4-WBN | Lochinvar WBN051/081/106/151/211 | 1"     | 44      |
| NBP4-WHN | Lochinvar WHN055/085/110/155     | 1"     | 40      |



## Hydro-Core Near Boiler Component Kits


Requires Matching Hydro-Core Manifold • Includes Union Connection

ISO 9001

### FOR FLOOR STANDING MODELS

INCLUDES: (2) BOILER CONNECTION FITTINGS, (1) ROTATING FLANGE "Y" STRAINER, (1) UNION CONNECTION W/ 1/4" PLUGGED NPT GAUGE PORT

FLOOR STANDING / SIDE MOUNT KIT 1



FLOOR STANDING / SIDE MOUNT KIT 2



FLOOR STANDING / SIDE MOUNT KIT 3



FLOOR STANDING / TOP MOUNT KIT 1



FLOOR STANDING / TOP MOUNT KIT 2



FLOOR STANDING / TOP MOUNT KIT 3



| ITEM #                                   | TAILPIECE CONNECTION | CTN/CS | WT/CASE |
|------------------------------------------|----------------------|--------|---------|
| <b>Floor Standing / Side Mount Kit 1</b> |                      |        |         |
| FS-144                                   | 1" FIP               | 1"     | 34      |
| FS-184                                   | 1" MIP               | 1"     | 36      |
| FS-145                                   | 1 1/4" FIP           | 1 1/4" | 47      |
| FS-185                                   | 1 1/4" MIP           | 1 1/4" | 52      |
| <b>Floor Standing / Side Mount Kit 2</b> |                      |        |         |
| FS-245                                   | 1 1/4" FIP           | 1 1/4" | 44      |
| <b>Floor Standing / Side Mount Kit 3</b> |                      |        |         |
| FS-345                                   | 1 1/4" FIP           | 1 1/4" | 51      |
| <b>Floor Standing / Top Mount Kit 1</b>  |                      |        |         |
| FT-144                                   | 1" FIP               | 1"     | 32      |
| <b>Floor Standing / Top Mount Kit 2</b>  |                      |        |         |
| FT-245                                   | 1 1/4" FIP           | 1 1/4" | 47      |
| FT-2R45                                  | 1" FIP               | 1 1/4" | 49      |
| <b>Floor Standing / Top Mount Kit 3</b>  |                      |        |         |
| FT-344                                   | 1" FIP               | 1"     | 23      |

### FOR WALL HUNG MODELS

INCLUDES: (2) BOILER CONNECTION FITTINGS, (1) ROTATING FLANGE (1) UNION CONNECTION W/ 1/4" PLUGGED NPT GAUGE PORT


WALL HUNG KIT 1



WALL HUNG KIT 2



WALL HUNG KIT 3



| ITEM #                 | TAILPIECE CONNECTION | CTN/CS | WT/CASE |
|------------------------|----------------------|--------|---------|
| <b>Wall Hung Kit 1</b> |                      |        |         |
| WH-144                 | 1" FIP               | 1"     | 28      |
| WH-154                 | 1" SWT               | 1"     | 28      |
| WH-1R44                | 3/4" FIP             | 1"     | 29      |
| <b>Wall Hung Kit 2</b> |                      |        |         |
| WH-245                 | 1 1/4" FIP           | 1 1/4" | 42      |
| WH-255                 | 1 1/4" SWT           | 1 1/4" | 42      |
| <b>Wall Hung Kit 3</b> |                      |        |         |
| WH-345                 | 1 1/4" FIP           | 1 1/4" | 42      |

MATCH



SIZES TO SELECT  
A MANIFOLD'S  
COMPATIBLE  
ENDS

## INSTALLATION KITS AVAILABLE TO FIT OVER 165 DIFFERENT BOILERS FROM:

BAXI • BIASI • BOSCH • BURNHAM • CROWN BOILER • ECR - DUNKIRK • ECR - UTICA  
HAMILTON ENGINEERING • HEAT TRANSFER PRODUCTS • IBC TECHNOLOGIES • LAARS  
LOCHINVAR • NAVIEN • NORITZ • NY THERMAL INC • PEERLESS • PENSOTTI • RAYPAK • SIME  
SLANT FIN • TRIANGLE TUBE • VISSMANN • WEIL-MCLAIN • WILLIAMSON-THERMOFLO

**COMPATIBILITY LIST ONLINE AT [WWW.WEBSTONEVALVES.COM/HYDROCORE](http://WWW.WEBSTONEVALVES.COM/HYDROCORE)**

## Forged Brass Air Separator

w/ Removable Vent Head & Coalescing Medium

150 PSI  
ISO 9001




| ITEM #     | SIZE   | P/CARTON | P/CASE | WT/CASE |
|------------|--------|----------|--------|---------|
| <b>IPS</b> |        |          |        |         |
| 74003      | 3/4"   | 1        | 10     | 27      |
| 74004      | 1"     | 1        | 10     | 28      |
| 74005      | 1 1/4" | 1        | 10     | 29      |
| 74006      | 1 1/2" | 1        | 10     | 66      |
| 74007      | 2"     | 1        | 10     | 69      |
| <b>SWT</b> |        |          |        |         |
| 75003      | 3/4"   | 1        | 10     | 28      |
| 75004      | 1"     | 1        | 10     | 28      |
| 75005      | 1 1/4" | 1        | 10     | 28      |
| 75006      | 1 1/2" | 1        | 10     | 68      |
| 75007      | 2"     | 1        | 10     | 67      |

## Replacement Vent Assembly



| ITEM # | FITS                   | P/CARTON | P/CASE | WT/CASE |
|--------|------------------------|----------|--------|---------|
| 74000  | 3/4"-2" Air Separators | 1        | 50     | 13      |

# WHERE WOULD YOU USE WEBSTONE?



- A** Hydro-Core™ Manifold
- B** Hydro-Core™ Complete Near Boiler Piping Kit
- C** Isolator® w/ Rotating Flange & Drain
- D** Isolator® w/ Rotating Flange
- E** T-Drain™
- F** Union Ball Drain™
- G** Expansion Tank Pro Service Valve™
- H** Purge & Fill™
- I** Ball Drain™
- J** Purge Tee™
- K** Air Separator
- L** Brass Ball Valve
- M** Ball Valve w/ Hose End

### ADVANTAGES TO COMPLETE INSTALLATION

- **Total Leak Paths Avoided: 137**
- **Total Estimated Labor Savings: 20 hours, 33 minutes**

The ISOLATOR  
**E-X-P**  
TWH SERVICE VALVES

## The Isolator® E-X-P™

Tankless Water Heater Service Valve Kits • Hot & Cold Set of Full Port Forged Brass Ball Valves  
w/ Hi-Flow Drains, Pressure Relief Valve Outlet & Adjustable Packing Gland

**600 WOG**  
**ISO 9001**



| ITEM #                                                                                            | SIZE | P/CARTON | P/CASE | WT/CASE |
|---------------------------------------------------------------------------------------------------|------|----------|--------|---------|
| <b>IPS Union x IPS</b>                                                                            |      |          |        |         |
| 40443                                                                                             | 3/4" | 1        | 8      | 45      |
| <b>IPS Union x SWT</b>                                                                            |      |          |        |         |
| 50443                                                                                             | 3/4" | 1        | 8      | 44      |
| <b>IPS Union x Push-On</b>                                                                        |      |          |        |         |
| 60443                                                                                             | 3/4" | 1        | 8      | 51      |
| <b>INCLUDES RESIDENTIAL PRESSURE RELIEF VALVE (150 PSI/200,000 BTU)</b>                           |      |          |        |         |
| <b>IPS Union x IPS</b>                                                                            |      |          |        |         |
| 40443PR                                                                                           | 3/4" | 1        | 8      | 50      |
| <b>IPS Union x SWT</b>                                                                            |      |          |        |         |
| 50443PR                                                                                           | 3/4" | 1        | 8      | 50      |
| <b>IPS Union x Push-On</b>                                                                        |      |          |        |         |
| 60443PR                                                                                           | 3/4" | 1        | 8      | 56      |
| <b>INCLUDES COMMERCIAL GRADE PRESSURE RELIEF VALVE (150 PSI/2,703,000 BTU) &amp; CLOSE NIPPLE</b> |      |          |        |         |
| <b>IPS Union x IPS</b>                                                                            |      |          |        |         |
| 40443PR2                                                                                          | 3/4" | 1        | 6      | 38      |
| <b>IPS Union x SWT</b>                                                                            |      |          |        |         |
| 50443PR2                                                                                          | 3/4" | 1        | 6      | 38      |
| <b>IPS Union x Push-On</b>                                                                        |      |          |        |         |
| 60443PR2                                                                                          | 3/4" | 1        | 6      | 42      |


Certification covers hot and cold service valves only

The ISOLATOR  
**E-X-P E2**  
TWH SERVICE VALVES

## The Isolator® E-X-P E2™

Tankless Water Heater Service Valve Kits • Hot & Cold Set of Full Port Forged Brass Ball Valves  
w/ Hi-Flow Drains, Pressure Relief Valve Outlet & Adjustable Packing Gland

**500 WOG**  
**ISO 9001**



| ITEM #                                                                                            | SIZE | P/CARTON | P/CASE | WT/CASE |
|---------------------------------------------------------------------------------------------------|------|----------|--------|---------|
| <b>INCLUDES RESIDENTIAL PRESSURE RELIEF VALVE (150 PSI/200,000 BTU)</b>                           |      |          |        |         |
| <b>IPS Union x IPS</b>                                                                            |      |          |        |         |
| 44443PR                                                                                           | 3/4" | 1        | 10     | 36      |
| 44444PR                                                                                           | 1"   | 1        | 10     | 64      |
| <b>IPS Union x SWT</b>                                                                            |      |          |        |         |
| 54443PR                                                                                           | 3/4" | 1        | 10     | 41      |
| 54444PR                                                                                           | 1"   | 1        | 10     | 64      |
| <b>INCLUDES RESIDENTIAL PRESSURE RELIEF VALVE (30 PSI/200,000 BTU)</b>                            |      |          |        |         |
| <b>IPS Union x IPS</b>                                                                            |      |          |        |         |
| 44443PR3                                                                                          | 3/4" | 1        | 10     | 34      |
| 44444PR3                                                                                          | 1"   | 1        | 10     | 64      |
| <b>IPS Union x SWT</b>                                                                            |      |          |        |         |
| 54443PR3                                                                                          | 3/4" | 1        | 10     | 34      |
| 54444PR3                                                                                          | 1"   | 1        | 10     | 64      |
| <b>INCLUDES COMMERCIAL GRADE PRESSURE RELIEF VALVE (150 PSI/2,703,000 BTU) &amp; CLOSE NIPPLE</b> |      |          |        |         |
| <b>IPS Union x IPS</b>                                                                            |      |          |        |         |
| 44443PR2                                                                                          | 3/4" | 1        | 10     | 44      |
| 44444PR2                                                                                          | 1"   | 1        | 10     | 72      |
| <b>IPS Union x SWT</b>                                                                            |      |          |        |         |
| 54443PR2                                                                                          | 3/4" | 1        | 10     | 49      |
| 54444PR2                                                                                          | 1"   | 1        | 10     | 74      |

Certification covers hot and cold service valves only

The ISOLATOR  
**E-X-P E2**  
TWH SERVICE VALVES

## The Isolator® E-X-P E2™ w/ LEAD FREE CLEANBRASS CONSTRUCTION

Tankless Water Heater Service Valve Kits • Hot & Cold Set of Full Port Forged Brass Ball Valves  
w/ Hi-Flow Drains, Pressure Relief Valve Outlet & Adjustable Packing Gland

**500 WOG**  
**ISO 9001**



| ITEM #                                                                                            | SIZE | P/CARTON | P/CASE | WT/CASE |
|---------------------------------------------------------------------------------------------------|------|----------|--------|---------|
| <b>INCLUDES RESIDENTIAL PRESSURE RELIEF VALVE (150 PSI/200,000 BTU)</b>                           |      |          |        |         |
| <b>IPS Union x IPS</b>                                                                            |      |          |        |         |
| 44043PR                                                                                           | 3/4" | 1        | 10     | 36      |
| 44044PR                                                                                           | 1"   | 1        | 10     | 64      |
| <b>IPS Union x SWT</b>                                                                            |      |          |        |         |
| 54043PR                                                                                           | 3/4" | 1        | 10     | 41      |
| 54044PR                                                                                           | 1"   | 1        | 10     | 64      |
| <b>INCLUDES LEAD FREE RESIDENTIAL PRESSURE RELIEF VALVE (150 PSI/200,000 BTU)</b>                 |      |          |        |         |
| <b>IPS Union x IPS</b>                                                                            |      |          |        |         |
| 44043PR-LF                                                                                        | 3/4" | 1        | 10     | 36      |
| <b>IPS Union x SWT</b>                                                                            |      |          |        |         |
| 54043PR-LF                                                                                        | 3/4" | 1        | 10     | 41      |
| <b>INCLUDES COMMERCIAL GRADE PRESSURE RELIEF VALVE (150 PSI/2,703,000 BTU) &amp; CLOSE NIPPLE</b> |      |          |        |         |
| <b>IPS Union x IPS</b>                                                                            |      |          |        |         |
| 44043PR2                                                                                          | 3/4" | 1        | 10     | 44      |
| 44044PR2                                                                                          | 1"   | 1        | 10     | 72      |
| <b>IPS Union x SWT</b>                                                                            |      |          |        |         |
| 54043PR2                                                                                          | 3/4" | 1        | 10     | 49      |
| 54044PR2                                                                                          | 1"   | 1        | 10     | 72      |

Certification covers hot and cold service valves only

CONTINUED ON NEXT PAGE ►►





## The Isolator® E-X-P E3™

Tankless Water Heater Service Valve Kits • Hot & Cold Set of Full Port Forged Brass Ball Valves w/ Hi-Flow Drains, Adjustable Pressure Relief Valve Outlet & Adjustable Packing Gland

**500 WOG  
ISO 9001**



Certified to  
NSF/ANSI 61-8

| ITEM #                                                                  | SIZE | P/CARTON | P/CASE | WT/CASE |
|-------------------------------------------------------------------------|------|----------|--------|---------|
| <b>INCLUDES RESIDENTIAL PRESSURE RELIEF VALVE (150 PSI/200,000 BTU)</b> |      |          |        |         |
| <b>IPS Union x IPS</b>                                                  |      |          |        |         |
| 45443PR                                                                 | 3/4" | 1        | 10     | 42      |
| <b>IPS Union x SWT</b>                                                  |      |          |        |         |
| 55443PR                                                                 | 3/4" | 1        | 10     | 38      |



Certified to  
NSF/ANSI 61-8

|                                                                        |      |   |    |    |
|------------------------------------------------------------------------|------|---|----|----|
| <b>INCLUDES RESIDENTIAL PRESSURE RELIEF VALVE (30 PSI/200,000 BTU)</b> |      |   |    |    |
| <b>IPS Union x IPS</b>                                                 |      |   |    |    |
| 45443PR3                                                               | 3/4" | 1 | 10 | 42 |
| <b>IPS Union x SWT</b>                                                 |      |   |    |    |
| 55443PR3                                                               | 3/4" | 1 | 10 | 38 |



Certified to  
NSF/ANSI 61-8

|                                                                                                   |      |   |    |    |
|---------------------------------------------------------------------------------------------------|------|---|----|----|
| <b>INCLUDES COMMERCIAL GRADE PRESSURE RELIEF VALVE (150 PSI/2,703,000 BTU) &amp; CLOSE NIPPLE</b> |      |   |    |    |
| <b>IPS Union x IPS</b>                                                                            |      |   |    |    |
| 45443PR2                                                                                          | 3/4" | 1 | 10 | 50 |
| <b>IPS Union x SWT</b>                                                                            |      |   |    |    |
| 55443PR2                                                                                          | 3/4" | 1 | 10 | 46 |

Certification covers hot and cold service valves only



## The Isolator® E-X-P E3™ w/ LEAD FREE CLEANBRASS CONSTRUCTION

Tankless Water Heater Service Valve Kits • Hot & Cold Set of Full Port Forged Brass Ball Valves w/ Hi-Flow Drains, Adjustable Pressure Pressure Relief Valve Outlet & Adjustable Packing Gland

**500 WOG  
ISO 9001**



LEAD FREE  
**CLEAN  
BRASS**  
THE CLEAR CHOICE  
FOR THE PROFESSIONAL  
Certified to  
NSF/ANSI 61-8  
Complies w/  
NSF/ANSI 61 - ANNEX G

| ITEM #                                                                  | SIZE | P/CARTON | P/CASE | WT/CASE |
|-------------------------------------------------------------------------|------|----------|--------|---------|
| <b>INCLUDES RESIDENTIAL PRESSURE RELIEF VALVE (150 PSI/200,000 BTU)</b> |      |          |        |         |
| <b>IPS Union x IPS</b>                                                  |      |          |        |         |
| 45043PR                                                                 | 3/4" | 1        | 10     | 47      |
| <b>IPS Union x SWT</b>                                                  |      |          |        |         |
| 55043PR                                                                 | 3/4" | 1        | 10     | 44      |



LEAD FREE  
**CLEAN  
BRASS**  
THE CLEAR CHOICE  
FOR THE PROFESSIONAL  
Certified to  
NSF/ANSI 61-8  
Complies w/  
NSF/ANSI 61 - ANNEX G

|                                                                                                   |      |   |    |    |
|---------------------------------------------------------------------------------------------------|------|---|----|----|
| <b>INCLUDES COMMERCIAL GRADE PRESSURE RELIEF VALVE (150 PSI/2,703,000 BTU) &amp; CLOSE NIPPLE</b> |      |   |    |    |
| <b>IPS Union x IPS</b>                                                                            |      |   |    |    |
| 45043PR2                                                                                          | 3/4" | 1 | 10 | 55 |
| <b>IPS Union x SWT</b>                                                                            |      |   |    |    |
| 55043PR2                                                                                          | 3/4" | 1 | 10 | 52 |

Certification covers hot and cold service valves only

## The Isolator® E-X-P™ Tankless Water Heater Service Valves Accessories

**ISO 9001**



29032

28003

| ITEM #                                       | SIZE        | P/CARTON | P/CASE | WT/CASE |
|----------------------------------------------|-------------|----------|--------|---------|
| <b>UNION ADAPTER SET (FITS ORIGINAL EXP)</b> |             |          |        |         |
| 29032                                        | 3/4" x 1/2" | 1        | 250    | 63      |

### PRESSURE RELIEF VALVE RELOCATION ADAPTERS

|          |                          |    |     |    |
|----------|--------------------------|----|-----|----|
| 28003    | 3/4" (fits original EXP) | 1  | 100 | 85 |
| 28023    | 3/4" (fits E2)           | 1  | 100 | 55 |
| 28023-LF | 3/4" (fits Lead Free E2) | 10 | 40  | 22 |



28023  
28023-LF

28013  
28014

|                      |      |   |     |    |
|----------------------|------|---|-----|----|
| <b>PUSH FITTINGS</b> |      |   |     |    |
| 28013                | 3/4" | 1 | 100 | 38 |
| 28014                | 1"   | 1 | 100 | 55 |

### RESIDENTIAL PRESSURE RELIEF VALVE (150 PSI/200,000 BTU)

|       |      |   |     |    |
|-------|------|---|-----|----|
| 20713 | 3/4" | 1 | 100 | 49 |
|-------|------|---|-----|----|

### LEAD FREE RESIDENTIAL PRESSURE RELIEF VALVE (150 PSI/200,000 BTU)

|       |      |   |     |    |
|-------|------|---|-----|----|
| 20013 | 3/4" | 1 | 100 | 49 |
|-------|------|---|-----|----|

### RESIDENTIAL PRESSURE RELIEF VALVE (30 PSI/200,000 BTU)

|       |      |   |     |    |
|-------|------|---|-----|----|
| 20733 | 3/4" | 1 | 100 | 49 |
|-------|------|---|-----|----|

### COMMERCIAL GRADE PRESSURE RELIEF VALVE (150 PSI/2,703,000 BTU)

|       |      |   |    |    |
|-------|------|---|----|----|
| 20723 | 3/4" | 1 | 24 | 31 |
|-------|------|---|----|----|

### CLOSE NIPPLE

|       |      |   |     |    |
|-------|------|---|-----|----|
| 29003 | 3/4" | 1 | 100 | 11 |
|-------|------|---|-----|----|



20713  
20013  
20733

20723

29003



## The ISOLATOR® E·X·P TWH SERVICE VALVES COMPLETE

# A COMPLETE SOLUTION FOR ANY TANKLESS WATER HEATER INSTALLATION

## PREMIUM DESIGN



*The service valves of your choice, with the accessories you need.*

- High Flow 24" Stainless Steel Gas Connector
- Webstone CGA Gas Ball Valve
- Residential Pressure Relief Valve (150 PSI / 200,000 BTU)

The ISOLATOR®  
E·X·P E2  
TWH SERVICE VALVES

## SPACE SAVING

AVAILABLE WITH  
LEAD FREE  
**CLEAN BRASS**  
THE CLEAR CHOICE  
FOR THE PROFESSIONAL



AVAILABLE WITH  
LEAD FREE  
**CLEAN BRASS**  
THE CLEAR CHOICE  
FOR THE PROFESSIONAL

## RECESSED BOXES

The ISOLATOR®  
E·X·P E3  
TWH SERVICE VALVES

The ISOLATOR®  
E·X·P  
TWH SERVICE VALVES  
COMPLETE

**The Isolator® E-X-P Complete™**  
Tankless Water Heater Installation Kits

ISO 9001

Includes your choice of the EXP, E2 or E3 Service Valves with:

Residential Pressure Relief Valve (150 PSI/200,000 BTU), 3/4" CGA Gas Ball Valve & 24" x 3/4" Gas Flex Line

| ITEM #                                                              | SIZE | P/CARTON | P/CASE | WT/CASE |
|---------------------------------------------------------------------|------|----------|--------|---------|
| <b>THE ISOLATOR® E-X-P™</b>                                         |      |          |        |         |
| <b>IPS Union x IPS</b>                                              |      |          |        |         |
| 40443COM                                                            | 3/4" | 1        | 4      | 38      |
| <b>IPS Union x SWT</b>                                              |      |          |        |         |
| 50443COM                                                            | 3/4" | 1        | 4      | 38      |
| <b>THE ISOLATOR® E-X-P E2™</b>                                      |      |          |        |         |
| <b>IPS Union x IPS</b>                                              |      |          |        |         |
| 44443COM                                                            | 3/4" | 1        | 4      | 28      |
| <b>IPS Union x SWT</b>                                              |      |          |        |         |
| 54443COM                                                            | 3/4" | 1        | 4      | 31      |
| <b>THE ISOLATOR® E-X-P E2™ W/ LEAD FREE CLEANBRASS CONSTRUCTION</b> |      |          |        |         |
| <b>IPS Union x IPS</b>                                              |      |          |        |         |
| 44043COM                                                            | 3/4" | 1        | 4      | 28      |
| <b>IPS Union x SWT</b>                                              |      |          |        |         |
| 54043COM                                                            | 3/4" | 1        | 4      | 31      |
| <b>THE ISOLATOR® E-X-P E3™</b>                                      |      |          |        |         |
| <b>IPS Union x IPS</b>                                              |      |          |        |         |
| 45443COM                                                            | 3/4" | 1        | 4      | 30      |
| <b>IPS Union x SWT</b>                                              |      |          |        |         |
| 55443COM                                                            | 3/4" | 1        | 4      | 29      |
| <b>THE ISOLATOR® E-X-P E3™ W/ LEAD FREE CLEANBRASS CONSTRUCTION</b> |      |          |        |         |
| <b>IPS Union x IPS</b>                                              |      |          |        |         |
| 45043COM                                                            | 3/4" | 1        | 4      | 32      |
| <b>IPS Union x SWT</b>                                              |      |          |        |         |
| 55043COM                                                            | 3/4" | 1        | 4      | 31      |





## PRO-CONNECT Push™

Full Port Forged Dezincification Resistant Brass Ball Valves w/ Adjustable Packing Gland

200 PSI @ 200°F  
ISO 9001

Complies with  
NSF/ANSI 61-8  
& ASSE 1061

| ITEM #      | SIZE | P/CARTON | P/CASE | WT/CASE |
|-------------|------|----------|--------|---------|
| <b>PUSH</b> |      |          |        |         |
| 62702       | 1/2" | 10       | 60     | 31      |
| 62703       | 3/4" | 10       | 40     | 29      |
| 62704       | 1"   | 6        | 24     | 32      |



## PRO-CONNECT Push™ Fittings

Forged Dezincification Resistant Brass Fittings

200 PSI @ 200°F  
ISO 9001

Complies with  
NSF/ANSI 61-8  
& ASSE 1061

Complies with  
NSF/ANSI 61-8  
& ASSE 1061

Complies with  
NSF/ANSI 61-8  
& ASSE 1061

Complies with  
NSF/ANSI 61-8  
& ASSE 1061

Complies with  
NSF/ANSI 61-8  
& ASSE 1061

Complies with  
NSF/ANSI 61-8  
& ASSE 1061

| ITEM #                           | SIZE        | P/CARTON | P/CASE | WT/CASE |
|----------------------------------|-------------|----------|--------|---------|
| <b>STRAIGHT COUPLING</b>         |             |          |        |         |
| <b>Push x Push</b>               |             |          |        |         |
| 26102                            | 1/2"        | 10       | 100    | 17      |
| 26103                            | 3/4"        | 10       | 100    | 26      |
| 26104                            | 1"          | 5        | 50     | 22      |
| <b>FEMALE STRAIGHT CONNECTOR</b> |             |          |        |         |
| <b>FIP x Push</b>                |             |          |        |         |
| 26202                            | 1/2"        | 10       | 100    | 14      |
| 26203                            | 3/4"        | 10       | 100    | 21      |
| 26204                            | 1"          | 5        | 50     | 18      |
| 26223                            | 1/2" x 3/4" | 10       | 100    | 28      |
| <b>MALE STRAIGHT CONNECTOR</b>   |             |          |        |         |
| <b>MIP x Push</b>                |             |          |        |         |
| 26302                            | 1/2"        | 10       | 100    | 16      |
| 26303                            | 3/4"        | 10       | 100    | 21      |
| 26304                            | 1"          | 5        | 50     | 19      |
| <b>90° ELBOW</b>                 |             |          |        |         |
| <b>Push x Push</b>               |             |          |        |         |
| 26402                            | 1/2"        | 10       | 100    | 20      |
| 26403                            | 3/4"        | 10       | 100    | 35      |
| 26404                            | 1"          | 5        | 50     | 31      |
| <b>TEE</b>                       |             |          |        |         |
| <b>Push x Push x Push</b>        |             |          |        |         |
| 26502                            | 1/2"        | 10       | 100    | 29      |
| 26503                            | 3/4"        | 10       | 100    | 47      |
| 26504                            | 1"          | 5        | 50     | 43      |
| <b>END CAP</b>                   |             |          |        |         |
| <b>Push</b>                      |             |          |        |         |
| 26602                            | 1/2"        | 10       | 100    | 9       |
| 26603                            | 3/4"        | 10       | 100    | 15      |
| 26604                            | 1"          | 5        | 50     | 13      |

Certifications do not apply to 26223

## Contractor Push Fitting Kit

200 PSI @ 200°F  
ISO 9001


Includes: Plastic Divided Carrying Case, (2 each) 1/2" Straight Couplings, 3/4" Straight Couplings, 1/2" Female Straight Connectors, 3/4" Female Straight Connectors, 1/2" Male Straight Connectors, 3/4" Male Straight Connectors, 1/2" Elbows, 3/4" Elbows, 1/2" Pex Adapter Sets, 3/4" Pex adapter Sets, (1 each) 1/2" Tee, 3/4" Tee, 1/2" End Cap, 3/4" End Cap, 1/2" Removal Tool, 3/4" Removal Tool, (6 each) 1/2" Replacement Push Assemblies, 3/4" Replacement Push Assemblies

| ITEM #   | SIZE | P/CARTON | P/CASE | WT/CASE |
|----------|------|----------|--------|---------|
| 26000KIT | NA   | 1        | 4      | 29      |

## Water Heater Installation Kits

Includes: (2) Push x FIP Straight Connectors &amp; Removal Tool

200 PSI @ 200°F  
ISO 9001


| ITEM #   | SIZE        | P/CARTON | P/CASE | WT/CASE |
|----------|-------------|----------|--------|---------|
| 26203KIT | 3/4"        | 5        | 50     | 28      |
| 26223KIT | 1/2" x 3/4" | 5        | 50     | 28      |

## PRO-CONNECT Push™ Accessories

ISO 9001



| ITEM #                                      | SIZE | P/CARTON | P/CASE | WT/CASE |
|---------------------------------------------|------|----------|--------|---------|
| <b>REMOVAL TOOL</b>                         |      |          |        |         |
| 28112                                       | 1/2" | 1        | 300    | 2       |
| 28113                                       | 3/4" | 1        | 300    | 4       |
| 28114                                       | 1"   | 1        | 250    | 6       |
| <b>PEX CONNECTION ADAPTER (2 PIECE SET)</b> |      |          |        |         |
| 28212                                       | 1/2" | 1        | 300    | 2       |
| 28213                                       | 3/4" | 1        | 300    | 4       |
| 28214                                       | 1"   | 1        | 250    | 3       |
| <b>REPLACEMENT PUSH ASSEMBLY</b>            |      |          |        |         |
| 28312                                       | 1/2" | 1        | 100    | 1       |
| 28313                                       | 3/4" | 1        | 100    | 1       |
| 28314                                       | 1"   | 1        | 100    | 2       |



## MAKE ANY 1/2" THRU 2" SWT VALVE INTO A PRO-CONNECT UNIVERSAL™

The PRO-CONNECT Universal™ series is a full line of heavy duty brass valves featuring 2" copper tube-sized male extensions ideal for soldering or use with any solder-less crimp systems or quick-connect fittings available on the market today. Any Webstone sweat ball valve, gate valve, check valve, or globe valve sized 1/2" to 2" can be converted to PRO-CONNECT Universal™ according to your needs.

- **Heavy Duty Valves with Pre-Assembled 2" Copper Extensions**
- **Available on Virtually Any Webstone SWT Valve**
- **A Universal Solution for Solder, Crimp, or Push Connections!**
- **100% Tested, Cleaned & Capped**

### COMMITMENT TO QUALITY

PRO-CONNECT Universal™ extensions are machine soldered, de-burred, cleaned, polished, and 100% tested assuring a perfect connection every time. Each extension is outfitted with plastic caps to preserve the integrity of the copper right up until installation.

All PRO-CONNECT Universal™ valves are soldered and packaged to order. In most cases, your order will ship within 24 hours, larger orders may take a day or two more.

### TO ORDER

Add an "X" and the number of extensions to the end of the part number of the valve you wish to purchase. See Webstone's current List Price Guide and add the appropriate list price per extension to the list price of the valve you wish to purchase.

### FOR EXAMPLE

51703X2 is a 3/4" Full Port Brass Ball Valve with extensions on 2 ends. 58644X4 is a 1" × 1" Primary/Secondary Purge Tee with extensions on 4 ends.



## Full Port Forged Brass Ball Valves

w/ Adjustable Packing Gland

600 WOG / 150 WSP (400 WOG / 125 WSP for 2½" – 4")  
ISO 9001



| ITEM #                                              | SIZE   | P/CARTON | P/CASE | WT/CASE |
|-----------------------------------------------------|--------|----------|--------|---------|
| <b>IPS</b>                                          |        |          |        |         |
| <b>w/ Chrome Plated Lever Handle</b>                |        |          |        |         |
| 41700                                               | 1/4"   | 10       | 120    | 46      |
| 41701                                               | 3/8"   | 10       | 120    | 44      |
| 41702                                               | 1/2"   | 10       | 100    | 49      |
| 41703                                               | 3/4"   | 10       | 60     | 44      |
| 41704                                               | 1"     | 6        | 48     | 57      |
| 41705                                               | 1 1/4" | 4        | 32     | 57      |
| 41706                                               | 1 1/2" | 2        | 24     | 66      |
| 41707                                               | 2"     | 2        | 16     | 62      |
| 41708                                               | 2 1/2" | 2        | 6      | 48      |
| 41709                                               | 3"     | 1        | 3      | 35      |
| 41710                                               | 4"     | 1        | 2      | 36      |
| <b>w/ 304 Stainless Steel Lever Handle</b>          |        |          |        |         |
| 41702SSL                                            | 1/2"   | 10       | 100    | 49      |
| 41703SSL                                            | 3/4"   | 10       | 60     | 44      |
| 41704SSL                                            | 1"     | 6        | 48     | 57      |
| 41705SSL                                            | 1 1/4" | 4        | 32     | 57      |
| 41706SSL                                            | 1 1/2" | 2        | 24     | 66      |
| 41707SSL                                            | 2"     | 2        | 16     | 62      |
| <b>w/ Wing Style "T" Handle</b>                     |        |          |        |         |
| 41702T                                              | 1/2"   | 10       | 100    | 49      |
| 41703T                                              | 3/4"   | 10       | 60     | 44      |
| 41704T                                              | 1"     | 6        | 48     | 57      |
| <b>w/ 304 Stainless Steel Wing Style "T" Handle</b> |        |          |        |         |
| 41702SSW                                            | 1/2"   | 10       | 100    | 47      |
| 41703SSW                                            | 3/4"   | 10       | 60     | 41      |
| 41704SSW                                            | 1"     | 6        | 48     | 54      |



|                                                     |        |    |     |    |
|-----------------------------------------------------|--------|----|-----|----|
| <b>C×C</b>                                          |        |    |     |    |
| <b>w/ Chrome Plated Lever Handle</b>                |        |    |     |    |
| 51702                                               | 1/2"   | 10 | 100 | 51 |
| 51703                                               | 3/4"   | 10 | 60  | 46 |
| 51704                                               | 1"     | 6  | 48  | 62 |
| 51705                                               | 1 1/4" | 4  | 32  | 60 |
| 51706                                               | 1 1/2" | 2  | 24  | 71 |
| 51707                                               | 2"     | 2  | 12  | 53 |
| 51708                                               | 2 1/2" | 2  | 8   | 57 |
| 51709                                               | 3"     | 1  | 3   | 33 |
| 51710                                               | 4"     | 1  | 2   | 41 |
| <b>w/ 304 Stainless Steel Lever Handle</b>          |        |    |     |    |
| 51702SSL                                            | 1/2"   | 10 | 100 | 46 |
| 51703SSL                                            | 3/4"   | 10 | 60  | 43 |
| 51704SSL                                            | 1"     | 6  | 48  | 62 |
| 51705SSL                                            | 1 1/4" | 4  | 32  | 60 |
| 51706SSL                                            | 1 1/2" | 2  | 24  | 71 |
| 51707SSL                                            | 2"     | 2  | 12  | 53 |
| <b>w/ Wing Style "T" Handle</b>                     |        |    |     |    |
| 51702T                                              | 1/2"   | 10 | 100 | 51 |
| 51703T                                              | 3/4"   | 10 | 60  | 46 |
| 51704T                                              | 1"     | 6  | 48  | 62 |
| <b>w/ 304 Stainless Steel Wing Style "T" Handle</b> |        |    |     |    |
| 51702SSW                                            | 1/2"   | 10 | 100 | 51 |
| 51703SSW                                            | 3/4"   | 10 | 60  | 46 |
| 51704SSW                                            | 1"     | 6  | 48  | 62 |

## Full Port Forged Brass Ball Valves

w/ Adjustable Packing Gland

600 WOG / 150 WSP  
ISO 9001



| ITEM #     | SIZE   | P/CARTON | P/CASE | WT/CASE |
|------------|--------|----------|--------|---------|
| <b>IPS</b> |        |          |        |         |
| 44702      | 1/2"   | 10       | 100    | 49      |
| 44703      | 3/4"   | 10       | 90     | 58      |
| 44704      | 1"     | 4        | 48     | 53      |
| 44705      | 1 1/4" | 4        | 36     | 57      |
| 44706      | 1 1/2" | 2        | 24     | 55      |
| 44707      | 2"     | 2        | 12     | 41      |
| <b>C×C</b> |        |          |        |         |
| 54702      | 1/2"   | 10       | 100    | 43      |
| 54703      | 3/4"   | 10       | 80     | 58      |
| 54704      | 1"     | 4        | 48     | 52      |
| 54705      | 1 1/4" | 4        | 36     | 56      |
| 54706      | 1 1/2" | 2        | 24     | 54      |
| 54707      | 2"     | 2        | 12     | 49      |

## Full Port Forged Brass Ball Valves

w/ CleanBrass Construction &amp; Adjustable Packing Gland

600 WOG / 150 WSP  
ISO 9001


| ITEM #     | SIZE   | P/CARTON | P/CASE | WT/CASE |
|------------|--------|----------|--------|---------|
| <b>IPS</b> |        |          |        |         |
| 47002      | 1/2"   | 15       | 120    | 60      |
| 47003      | 3/4"   | 10       | 60     | 44      |
| 47004      | 1"     | 8        | 48     | 48      |
| 47005      | 1 1/4" | 4        | 24     | 41      |
| 47006      | 1 1/2" | 2        | 24     | 54      |
| 47007      | 2"     | 2        | 12     | 42      |
| <b>CxC</b> |        |          |        |         |
| 57002      | 1/2"   | 15       | 120    | 60      |
| 57003      | 3/4"   | 10       | 60     | 44      |
| 57004      | 1"     | 8        | 48     | 48      |
| 57005      | 1 1/4" | 4        | 24     | 41      |
| 57006      | 1 1/2" | 2        | 24     | 54      |
| 57007      | 2"     | 2        | 12     | 42      |

## Full Port Nickel Plated Forged Brass Ball Valves

w/ 304 Stainless Steel Lever Handle &amp; Adjustable Packing Gland

600 WOG / 150 WSP  
ISO 9001


| ITEM #     | SIZE   | P/CARTON | P/CASE | WT/CASE |
|------------|--------|----------|--------|---------|
| <b>IPS</b> |        |          |        |         |
| 40800      | 1/4"   | 20       | 120    | 43      |
| 40801      | 3/8"   | 20       | 120    | 39      |
| 40802      | 1/2"   | 20       | 120    | 57      |
| 40803      | 3/4"   | 14       | 84     | 59      |
| 40804      | 1"     | 8        | 48     | 56      |
| 40805      | 1 1/4" | 6        | 36     | 60      |
| 40806      | 1 1/2" | 4        | 24     | 60      |
| 40807      | 2"     | 2        | 16     | 57      |

## Standard Port Forged Brass Ball Valves

w/ Adjustable Packing Gland

400 WOG / 125 WSP  
ISO 9001


| ITEM #     | SIZE   | P/CARTON | P/CASE | WT/CASE |
|------------|--------|----------|--------|---------|
| <b>IPS</b> |        |          |        |         |
| 41820      | 1/4"   | 10       | 120    | 42      |
| 41821      | 3/8"   | 10       | 120    | 40      |
| 41822      | 1/2"   | 10       | 120    | 49      |
| 41823      | 3/4"   | 10       | 80     | 44      |
| 41824      | 1"     | 6        | 48     | 46      |
| 41825      | 1 1/4" | 4        | 32     | 44      |
| 41826      | 1 1/2" | 2        | 24     | 51      |
| 41827      | 2"     | 2        | 16     | 46      |
| 41828      | 2 1/2" | 2        | 4      | 26      |
| 41829      | 3"     | 1        | 3      | 31      |
| 41830      | 4"     | 1        | 2      | 31      |
| <b>CxC</b> |        |          |        |         |
| 51822      | 1/2"   | 10       | 120    | 44      |
| 51823      | 3/4"   | 10       | 80     | 42      |
| 51824      | 1"     | 6        | 48     | 49      |
| 51825      | 1 1/4" | 4        | 48     | 63      |
| 51826      | 1 1/2" | 2        | 32     | 63      |
| 51827      | 2"     | 2        | 20     | 38      |

**OVER 99% ORDER ACCURACY**  
**SAME DAY SHIPPING**  
**GUARANTEED FOR LIFE**



## Forged Brass Gas Ball Valves

1/2 to 175 WOG  
ISO 9001



| ITEM #                       | SIZE | P/CARTON | P/CASE | WT/CASE |
|------------------------------|------|----------|--------|---------|
| <b>IPS w/ Locking Device</b> |      |          |        |         |
| 21562                        | 1/2" | 12       | 144    | 57      |
| 21563                        | 3/4" | 12       | 96     | 60      |
| <b>IPS w/ T-Handle</b>       |      |          |        |         |
| 21532                        | 1/2" | 12       | 144    | 51      |
| 21533                        | 3/4" | 12       | 96     | 55      |
| <b>IPS w/ Square Head</b>    |      |          |        |         |
| 21542                        | 1/2" | 12       | 144    | 57      |
| 21543                        | 3/4" | 12       | 96     | 57      |

## Forged Brass Gas Ball Valves

1/2 to 175 WOG  
ISO 9001



| ITEM #               | SIZE        | P/CARTON | P/CASE | WT/CASE |
|----------------------|-------------|----------|--------|---------|
| <b>IPS</b>           |             |          |        |         |
| 22561                | 3/8"        | 12       | 144    | 38      |
| 22562                | 1/2"        | 12       | 144    | 49      |
| 22563                | 3/4"        | 12       | 144    | 73      |
| 22564                | 1"          | 12       | 72     | 66      |
| <b>Flare x FIP</b>   |             |          |        |         |
| 22521                | 3/8" x 1/2" | 10       | 120    | 49      |
| 22522                | 1/2" x 1/2" | 10       | 100    | 34      |
| 21526                | 5/8" x 3/4" | 6        | 96     | 57      |
| <b>Flare x Flare</b> |             |          |        |         |
| 21550                | 3/8" x 3/8" | 12       | 144    | 55      |
| 21551                | 1/2" x 1/2" | 12       | 144    | 55      |
| <b>Flare x MIP</b>   |             |          |        |         |
| 21571                | 3/8" x 1/2" | 12       | 144    | 51      |
| 21572                | 1/2" x 1/2" | 12       | 144    | 51      |

# MINI BALL VALVES

## Full Port Forged Brass Mini Ball Valves Pet Cock Style

600 WOG / 125 WSP  
ISO 9001



| ITEM #           | SIZE        | P/CARTON | P/CASE | WT/CASE |
|------------------|-------------|----------|--------|---------|
| <b>FIP x MIP</b> |             |          |        |         |
| 41685            | 1/8" x 1/8" | 10       | 100    | 21      |
| 41686            | 1/4" x 1/8" | 10       | 100    | 19      |
| 41687            | 1/4" x 1/4" | 10       | 100    | 20      |
| <b>FIP x FIP</b> |             |          |        |         |
| 41698            | 1/8" x 1/8" | 10       | 100    | 19      |
| 41699            | 1/4" x 1/4" | 10       | 100    | 18      |

## Chrome Plated Extruded Brass Mini Ball Valves Hex Body

110 WOG Non-Shock



| ITEM #           | SIZE | P/CARTON | P/CASE | WT/CASE |
|------------------|------|----------|--------|---------|
| <b>MIP x FIP</b> |      |          |        |         |
| 40790            | 1/8" | 50       | 300    | 20      |
| 40791            | 1/4" | 50       | 300    | 25      |
| 40792            | 3/8" | 50       | 300    | 24      |
| 40798            | 1/2" | 12       | 144    | 39      |
| <b>IPS</b>       |      |          |        |         |
| 40793            | 1/8" | 12       | 144    | 23      |
| 40794            | 1/4" | 50       | 300    | 29      |
| 40795            | 3/8" | 50       | 300    | 24      |
| 40796            | 1/2" | 40       | 240    | 42      |
| <b>Pex</b>       |      |          |        |         |
| 40782            | 1/2" | 12       | 144    | 31      |

## Full Port Forged Brass Ball Valves

w/ Wing Handle &amp; Adjustable Packing Gland

**160 WOG  
ISO 9001**


| ITEM #    | SIZE | P/CARTON | P/CASE | WT/CASE |
|-----------|------|----------|--------|---------|
| SWT x PEX |      |          |        |         |
| 50682     | 1/2" | 10       | 100    | 25      |

## Full Port Forged Brass Ball Valves

3 Way L-Port w/ Adjustable Packing Gland &amp; Reversible Handle

**600 WOG / 150 WSP  
ISO 9001**


| ITEM # | SIZE | P/CARTON | P/CASE | WT/CASE |
|--------|------|----------|--------|---------|
| IPS    |      |          |        |         |
| 40642  | 1/2" | 15       | 60     | 34      |
| 40643  | 3/4" | 10       | 40     | 32      |
| 40644  | 1"   | 6        | 24     | 34      |

## Full Port Forged Brass Ball Valves

w/ 1/4" Threaded Gauge Hole (Plugged), Adjustable Packing Gland &amp; Reversible Handle

**600 WOG / 150 WSP  
ISO 9001**


| ITEM # | SIZE   | P/CARTON | P/CASE | WT/CASE |
|--------|--------|----------|--------|---------|
| IPS    |        |          |        |         |
| 41722  | 1/2"   | 10       | 80     | 46      |
| 41723  | 3/4"   | 10       | 60     | 50      |
| 41724  | 1"     | 6        | 48     | 63      |
| 41725  | 1 1/4" | 4        | 32     | 67      |
| 41726  | 1 1/2" | 2        | 24     | 75      |
| 41727  | 2"     | 2        | 16     | 78      |

## Full Port Forged Brass Ball Valves

w/ Bleeder, Adjustable Packing Gland &amp; Reversible Handle

**600 WOG / 150 WSP  
ISO 9001**


| ITEM # | SIZE | P/CARTON | P/CASE | WT/CASE |
|--------|------|----------|--------|---------|
| IPS    |      |          |        |         |
| 40622  | 1/2" | 20       | 80     | 42      |
| 40623  | 3/4" | 12       | 48     | 38      |
| 40624  | 1"   | 8        | 32     | 41      |
| CxC    |      |          |        |         |
| 50622  | 1/2" | 25       | 100    | 50      |
| 50623  | 3/4" | 10       | 40     | 32      |
| 50624  | 1"   | 6        | 24     | 32      |

## Full Port Forged Brass Ball Valves

w/ Adjustable Packing Gland &amp; Reversible Handle

**600 WOG / 150 WSP  
ISO 9001**


| ITEM #    | SIZE | P/CARTON | P/CASE | WT/CASE |
|-----------|------|----------|--------|---------|
| MIP x FIP |      |          |        |         |
| 40530     | 1/4" | 12       | 96     | 35      |
| 40531     | 3/8" | 12       | 96     | 35      |
| 40532     | 1/2" | 12       | 96     | 47      |
| 40533     | 3/4" | 8        | 48     | 35      |
| 40534     | 1"   | 6        | 48     | 57      |

## Full Port Forged Brass Ball Valves

w/ Adjustable Packing Gland &amp; Reversible Handle

**600 WOG / 150 WSP  
ISO 9001**


| ITEM #    | SIZE | P/CARTON | P/CASE | WT/CASE |
|-----------|------|----------|--------|---------|
| SWT x FIP |      |          |        |         |
| 45702     | 1/2" | 10       | 100    | 46      |
| 45703     | 3/4" | 5        | 60     | 35      |
| 45704     | 1"   | 5        | 40     | 37      |

3/4" handle is not reversible

## Full Port Forged Brass Ball Valves

w/ Compression Ends &amp; Adjustable Packing Gland

**600 WOG / 150 WSP  
ISO 9001**


| ITEM #                    | SIZE | P/CARTON | P/CASE | WT/CASE |
|---------------------------|------|----------|--------|---------|
| Compression x Compression |      |          |        |         |
| 40632                     | 1/2" | 25       | 100    | 59      |
| 40633                     | 3/4" | 15       | 60     | 55      |
| 40634                     | 1"   | 10       | 40     | 58      |

## Full Port Forged Brass Ball Valves

w/ Cap, Strap, Adjustable Packing Gland &amp; Reversible Handle

**600 WOG / 150 WSP  
ISO 9001**


| ITEM #     | SIZE        | P/CARTON | P/CASE | WT/CASE |
|------------|-------------|----------|--------|---------|
| FIP x Hose |             |          |        |         |
| 40312      | 1/2" x 3/4" | 10       | 60     | 41      |
| 40313      | 3/4" x 3/4" | 10       | 60     | 52      |
| SWT x Hose |             |          |        |         |
| 50312      | 1/2" x 3/4" | 10       | 100    | 69      |
| 50313      | 3/4" x 3/4" | 10       | 60     | 48      |

## Full Port 316 Stainless Steel Ball Valves

Seal Welded w/ 304 Stainless Steel Locking Handle & Adjustable Packing Gland

2000 WOG  
ISO 9001



| ITEM #<br>IPS | SIZE   | P/CARTON | P/CASE | WT/CASE |
|---------------|--------|----------|--------|---------|
| 43710         | 1/4"   | 12       | 48     | 31      |
| 43712         | 1/2"   | 10       | 30     | 23      |
| 43713         | 3/4"   | 9        | 27     | 49      |
| 43714         | 1"     | 6        | 18     | 52      |
| 43715         | 1 1/4" | 2        | 8      | 30      |
| 43716         | 1 1/2" | 2        | 8      | 46      |
| 43717         | 2"     | 2        | 6      | 52      |

## Standard Port 316 Stainless Steel Ball Valves

Seal Welded w/ 304 Stainless Steel Locking Handle & Adjustable Packing Gland

2000 WOG



| ITEM #<br>IPS | SIZE | P/CARTON | P/CASE | WT/CASE |
|---------------|------|----------|--------|---------|
| 43814         | 1"   | 9        | 27     | 49      |
| 43817         | 2"   | 2        | 8      | 45      |

## Full Port 316 Stainless Steel Ball Valves

3 Piece Investment Cast w/ 304 Stainless Steel Locking Handle & Adjustable Packing Gland

1000 WOG / 150 WSP  
ISO 9001



| ITEM #<br>IPS | SIZE   | P/CARTON | P/CASE | WT/CASE |
|---------------|--------|----------|--------|---------|
| 43702         | 1/2"   | 1        | 40     | 40      |
| 43703         | 3/4"   | 2        | 24     | 32      |
| 43704         | 1"     | 2        | 24     | 48      |
| 43705         | 1 1/4" | 2        | 12     | 44      |
| 43706         | 1 1/2" | 2        | 8      | 37      |
| 43707         | 2"     | 2        | 10     | 59      |

## Full Port 316 Stainless Steel Ball Valves

2 Piece Investment Cast w/ 304 Stainless Steel Locking Handle & Adjustable Packing Gland

1000 WOG / 150 WSP  
ISO 9001



| ITEM #<br>IPS | SIZE   | P/CARTON | P/CASE | WT/CASE |
|---------------|--------|----------|--------|---------|
| 43720         | 1/4"   | 2        | 100    | 53      |
| 43721         | 3/8"   | 2        | 100    | 49      |
| 43722         | 1/2"   | 2        | 80     | 56      |
| 43723         | 3/4"   | 2        | 40     | 65      |
| 43724         | 1"     | 2        | 40     | 65      |
| 43725         | 1 1/4" | 2        | 20     | 78      |
| 43726         | 1 1/2" | 2        | 16     | 63      |
| 43727         | 2"     | 2        | 10     | 51      |

## Full Port 316 Stainless Steel Ball Valves

2 Piece Investment Cast w/ 304 Stainless Steel Oval Handle & Adjustable Packing Gland

1000 WOG / 150 WSP  
ISO 9001



| ITEM #<br>IPS | SIZE | P/CARTON | P/CASE | WT/CASE |
|---------------|------|----------|--------|---------|
| 43722-OH      | 1/2" | 1        | 40     | 40      |
| 43723-OH      | 3/4" | 1        | 30     | 33      |
| 43724-OH      | 1"   | 1        | 20     | 51      |

## Standard Port 316 Stainless Steel Ball Valves

1 Piece Investment Cast w/ 304 Stainless Steel Locking Handle & Adjustable Packing Gland

1000 WOG / 150 WSP  
ISO 9001



| ITEM #<br>IPS | SIZE   | P/CARTON | P/CASE | WT/CASE |
|---------------|--------|----------|--------|---------|
| 43900         | 1/4"   | 4        | 200    | 26      |
| 43901         | 3/8"   | 4        | 200    | 44      |
| 43902         | 1/2"   | 2        | 100    | 35      |
| 43903         | 3/4"   | 2        | 80     | 42      |
| 43904         | 1"     | 2        | 50     | 40      |
| 43905         | 1 1/4" | 2        | 40     | 55      |
| 43906         | 1 1/2" | 2        | 30     | 56      |
| 43907         | 2"     | 2        | 30     | 83      |

## Full Port B62 Bronze Ball Valves

3 Piece Design w/ 304 Stainless Steel Handle &amp; Adjustable Packing Gland

600 WOG / 150 WSP  
ISO 9001


| ITEM #     | SIZE   | P/CARTON | P/CASE | WT/CASE |
|------------|--------|----------|--------|---------|
| <b>IPS</b> |        |          |        |         |
| 43502      | 1/2"   | 5        | 50     | 62      |
| 43503      | 3/4"   | 6        | 36     | 70      |
| 43504      | 1"     | 4        | 24     | 64      |
| 43505      | 1 1/4" | 3        | 18     | 65      |
| 43506      | 1 1/2" | 2        | 12     | 55      |
| 43507      | 2"     | 2        | 8      | 58      |
| <b>CxC</b> |        |          |        |         |
| 53502      | 1/2"   | 5        | 50     | 56      |
| 53503      | 3/4"   | 6        | 36     | 59      |
| 53504      | 1"     | 4        | 24     | 59      |
| 53505      | 1 1/4" | 3        | 18     | 62      |
| 53506      | 1 1/2" | 2        | 12     | 55      |
| 53507      | 2"     | 2        | 8      | 58      |

## Full Port B62 Bronze Ball Valves

w/ 304 Stainless Steel Handle &amp; Adjustable Packing Gland

600 WOG / 150 WSP  
ISO 9001


| ITEM #     | SIZE   | P/CARTON | P/CASE | WT/CASE |
|------------|--------|----------|--------|---------|
| <b>IPS</b> |        |          |        |         |
| 40500      | 1/4"   | 10       | 180    | 36      |
| 40501      | 3/8"   | 10       | 180    | 33      |
| 40502      | 1/2"   | 10       | 120    | 43      |
| 40503      | 3/4"   | 10       | 90     | 46      |
| 40504      | 1"     | 6        | 60     | 50      |
| 40505      | 1 1/4" | 4        | 36     | 33      |
| 40506      | 1 1/2" | 4        | 24     | 48      |
| 40507      | 2"     | 2        | 12     | 60      |
| 40508      | 2 1/2" | 2        | 8      | 73      |
| 40509      | 3"     | 2        | 6      | 81      |

# PVC & CPVC BALL VALVES

## Full Port PVC Ball Valves

Fits Both Schedule 40 &amp; 80 Pipe

1/2" - 2" — 230 PSI @ 113° F  
2 1/2" - 6" — 150 PSI @ 113° F  
ISO 9001


| ITEM #                                                         | SIZE   | P/CARTON | P/CASE | WT/CASE |
|----------------------------------------------------------------|--------|----------|--------|---------|
| <b>Socket Ends (White)</b>                                     |        |          |        |         |
| 03822                                                          | 1/2"   | 1        | 195    | 47      |
| 03823                                                          | 3/4"   | 1        | 24     | 42      |
| 03824                                                          | 1"     | 1        | 24     | 13      |
| 03825                                                          | 1 1/4" | 1        | 12     | 10      |
| 03826                                                          | 1 1/2" | 1        | 12     | 12      |
| 03827                                                          | 2"     | 1        | 25     | 40      |
| 03828                                                          | 2 1/2" | 1        | 16     | 67      |
| 03829                                                          | 3"     | 1        | 6      | 23      |
| 03830                                                          | 4"     | 1        | 4      | 42      |
| 03831                                                          | 6"     | 1        | 1      | 21      |
| <b>IPS (White)</b>                                             |        |          |        |         |
| 03922                                                          | 1/2"   | 1        | 195    | 47      |
| 03923                                                          | 3/4"   | 1        | 120    | 42      |
| 03924                                                          | 1"     | 1        | 83     | 45      |
| 03925                                                          | 1 1/4" | 1        | 12     | 10      |
| 03926                                                          | 1 1/2" | 1        | 12     | 12      |
| 03927                                                          | 2"     | 1        | 25     | 19      |
| <b>True Union (Grey - includes both IPS &amp; Socket Ends)</b> |        |          |        |         |
| 04602                                                          | 1/2"   | 1        | 72     | 31      |
| 04603                                                          | 3/4"   | 1        | 60     | 26      |
| 04604                                                          | 1"     | 1        | 24     | 18      |
| 04605                                                          | 1 1/4" | 1        | 12     | 17      |
| 04606                                                          | 1 1/2" | 1        | 12     | 19      |
| 04607                                                          | 2"     | 1        | 12     | 35      |

## Full Port CPVC Ball Valves

Fits Schedule 40 &amp; 80 CPVC Tubing

230 PSI @ 194° F  
ISO 9001


| ITEM #             | SIZE   | P/CARTON | P/CASE | WT/CASE |
|--------------------|--------|----------|--------|---------|
| <b>Socket Ends</b> |        |          |        |         |
| 03722              | 1/2"   | 1        | 100    | 15      |
| 03723              | 3/4"   | 1        | 100    | 20      |
| 03724              | 1"     | 1        | 100    | 29      |
| 03725              | 1 1/4" | 1        | 100    | 58      |
| 03726              | 1 1/2" | 1        | 48     | 37      |
| 03727              | 2"     | 1        | 24     | 31      |

## Forged Brass Gate Valves

Hard Seat

200 WOG / 125 WSP  
ISO 9001



| ITEM #     | SIZE   | P/CARTON | P/CASE | WT/CASE |
|------------|--------|----------|--------|---------|
| <b>IPS</b> |        |          |        |         |
| 10132      | 1/2"   | 10       | 100    | 53      |
| 10133      | 3/4"   | 10       | 100    | 71      |
| 10134      | 1"     | 5        | 50     | 53      |
| 10135      | 1 1/4" | 5        | 30     | 44      |
| 10136      | 1 1/2" | 2        | 30     | 55      |
| 10137      | 2"     | 2        | 20     | 64      |
| 10138      | 2 1/2" | 1        | 10     | 49      |
| 10139      | 3"     | 1        | 10     | 71      |
| 10140      | 4"     | 1        | 4      | 51      |
| <b>C×C</b> |        |          |        |         |
| 10232      | 1/2"   | 10       | 100    | 55      |
| 10233      | 3/4"   | 10       | 100    | 66      |
| 10234      | 1"     | 5        | 50     | 51      |
| 10235      | 1 1/4" | 5        | 40     | 53      |
| 10236      | 1 1/2" | 2        | 30     | 53      |
| 10237      | 2"     | 2        | 20     | 68      |

## Heavy Pattern Brass Gate Valves

Hard Seat

300 WOG / 150 WSP  
ISO 9001



| ITEM #     | SIZE   | P/CARTON | P/CASE | WT/CASE |
|------------|--------|----------|--------|---------|
| <b>IPS</b> |        |          |        |         |
| 10150      | 1/4"   | 10       | 60     | 40      |
| 10151      | 3/8"   | 10       | 60     | 37      |
| 10152      | 1/2"   | 10       | 60     | 38      |
| 10153      | 3/4"   | 10       | 80     | 71      |
| 10154      | 1"     | 5        | 60     | 79      |
| 10155      | 1 1/4" | 5        | 40     | 72      |
| 10156      | 1 1/2" | 5        | 30     | 72      |
| 10157      | 2"     | 2        | 12     | 44      |
| 10158      | 2 1/2" | 1        | 6      | 41      |
| 10159      | 3"     | 1        | 6      | 56      |
| 10160      | 4"     | 1        | 4      | 54      |
| <b>C×C</b> |        |          |        |         |
| 10252      | 1/2"   | 10       | 60     | 36      |
| 10253      | 3/4"   | 10       | 80     | 70      |
| 10254      | 1"     | 5        | 60     | 74      |
| 10255      | 1 1/4" | 5        | 40     | 66      |
| 10256      | 1 1/2" | 5        | 30     | 68      |
| 10257      | 2"     | 2        | 12     | 40      |

## Heavy Pattern Bronze Gate Valves

Hard Seat

300 WOG/150 WSP  
ISO 9001



| ITEM #     | SIZE   | P/CARTON | P/CASE | WT/CASE |
|------------|--------|----------|--------|---------|
| <b>IPS</b> |        |          |        |         |
| 10102      | 1/2"   | 10       | 100    | 63      |
| 10103      | 3/4"   | 6        | 60     | 53      |
| 10104      | 1"     | 5        | 40     | 51      |
| 10105      | 1 1/4" | 5        | 30     | 56      |
| 10106      | 1 1/2" | 4        | 24     | 57      |
| 10107      | 2"     | 4        | 16     | 58      |
| 10108      | 2 1/2" | 2        | 8      | 55      |
| 10109      | 3"     | 1        | 6      | 56      |
| 10110      | 4"     | 1        | 4      | 65      |

# CHECK VALVES

## B62 Bronze (85-5-5-5) Swing Check Valves

Hard Seat

300 WOG / 150 WSP  
ISO 9001



| ITEM #     | SIZE   | P/CARTON | P/CASE | WT/CASE |
|------------|--------|----------|--------|---------|
| <b>IPS</b> |        |          |        |         |
| 10501      | 3/8"   | 10       | 120    | 51      |
| 10502      | 1/2"   | 10       | 120    | 52      |
| 10503      | 3/4"   | 10       | 80     | 47      |
| 10504      | 1"     | 5        | 60     | 48      |
| 10505      | 1 1/4" | 5        | 40     | 56      |
| 10506      | 1 1/2" | 5        | 30     | 54      |
| 10507      | 2"     | 2        | 24     | 63      |
| 10508      | 2 1/2" | 1        | 12     | 55      |
| 10509      | 3"     | 1        | 8      | 57      |
| 10510      | 4"     | 1        | 4      | 45      |



## Forged Brass Swing Check Valves

Hard Seat

200 WOG / 125 WSP  
ISO 9001



| ITEM #     | SIZE   | P/CARTON | P/CASE | WT/CASE |
|------------|--------|----------|--------|---------|
| <b>IPS</b> |        |          |        |         |
| 10540      | 1/4"   | 12       | 120    | 50      |
| 10541      | 3/8"   | 10       | 120    | 51      |
| 10542      | 1/2"   | 10       | 120    | 51      |
| 10543      | 3/4"   | 10       | 80     | 45      |
| 10544      | 1"     | 5        | 60     | 55      |
| 10545      | 1 1/4" | 5        | 40     | 55      |
| 10546      | 1 1/2" | 5        | 30     | 60      |
| 10547      | 2"     | 2        | 12     | 35      |
| 10548      | 2 1/2" | 2        | 8      | 42      |
| 10549      | 3"     | 1        | 8      | 67      |
| 10550      | 4"     | 1        | 4      | 50      |
| <b>C×C</b> |        |          |        |         |
| 10622      | 1/2"   | 10       | 120    | 51      |
| 10623      | 3/4"   | 10       | 80     | 48      |
| 10624      | 1"     | 5        | 60     | 56      |
| 10625      | 1 1/4" | 5        | 40     | 58      |
| 10626      | 1 1/2" | 5        | 30     | 58      |
| 10627      | 2"     | 2        | 24     | 73      |

## Forged Brass Swing Check Valves

Soft Seat

200 WOG / 125 WSP  
ISO 9001



| ITEM #     | SIZE   | P/CARTON | P/CASE | WT/CASE |
|------------|--------|----------|--------|---------|
| <b>IPS</b> |        |          |        |         |
| 10522      | 1/2"   | 12       | 120    | 53      |
| 10523      | 3/4"   | 10       | 80     | 49      |
| 10524      | 1"     | 5        | 60     | 50      |
| 10525      | 1 1/4" | 5        | 40     | 57      |
| 10526      | 1 1/2" | 5        | 30     | 55      |
| 10527      | 2"     | 2        | 24     | 71      |

## Brass In-Line Spring Check Valves

316 Stainless Steel Spring — Celcon Poppet — Soft Seat

300 PSI  
ISO 9001



| ITEM #     | SIZE   | P/CARTON | P/CASE | WT/CASE |
|------------|--------|----------|--------|---------|
| <b>IPS</b> |        |          |        |         |
| 10701      | 3/8"   | 60       | 240    | 45      |
| 10702      | 1/2"   | 10       | 100    | 29      |
| 10703      | 3/4"   | 7        | 70     | 35      |
| 10704      | 1"     | 5        | 50     | 35      |
| 10705      | 1 1/4" | 5        | 40     | 37      |
| 10706      | 1 1/2" | 5        | 30     | 35      |
| 10707      | 2"     | 2        | 20     | 35      |

# GLOBE VALVES

## Brass Globe Valves

Straight — Hard Seat

200 WOG / 125 WSP  
ISO 9001



| ITEM #     | SIZE   | P/CARTON | P/CASE | WT/CASE |
|------------|--------|----------|--------|---------|
| <b>IPS</b> |        |          |        |         |
| 10400      | 1/4"   | 10       | 120    | 63      |
| 10401      | 3/8"   | 10       | 120    | 63      |
| 10402      | 1/2"   | 10       | 120    | 69      |
| 10403      | 3/4"   | 10       | 80     | 60      |
| 10404      | 1"     | 5        | 40     | 48      |
| 10405      | 1 1/4" | 5        | 30     | 52      |
| 10406      | 1 1/2" | 4        | 24     | 59      |
| 10407      | 2"     | 2        | 16     | 59      |

## Brass Stop Valves (Globe)

Straight — Soft Seat

125 WOG  
ISO 9001



| ITEM #             | SIZE   | P/CARTON | P/CASE | WT/CASE |
|--------------------|--------|----------|--------|---------|
| <b>IPS</b>         |        |          |        |         |
| 11802              | 1/2"   | 12       | 72     | 40      |
| 11803              | 3/4"   | 12       | 72     | 45      |
| 11804              | 1"     | 5        | 40     | 46      |
| 11805              | 1 1/4" | 5        | 30     | 51      |
| 11806              | 1 1/2" | 4        | 24     | 59      |
| 11807              | 2"     | 2        | 16     | 60      |
| <b>C×C</b>         |        |          |        |         |
| 11822              | 1/2"   | 12       | 72     | 37      |
| 11823              | 3/4"   | 12       | 72     | 43      |
| <b>Compression</b> |        |          |        |         |
| 11882              | 1/2"   | 12       | 72     | 42      |
| 11883              | 3/4"   | 12       | 72     | 55      |

CONTINUED ON NEXT PAGE ►►

## Brass Globe Valves

Angled — Soft Seat

125 WOG  
ISO 9001



| Item #     | Size   | p/carton | p/case | wt/case |
|------------|--------|----------|--------|---------|
| <b>IPS</b> |        |          |        |         |
| 11854      | 1"     | 4        | 20     | 35      |
| 11855      | 1 1/4" | 2        | 10     | 39      |
| 11856      | 1 1/2" | 2        | 10     | 48      |
| 11857      | 2"     | 2        | 10     | 61      |

## Brass Stop & Waste Valves (Globe)

Straight — Soft Seat

125 WOG  
ISO 9001



| ITEM #             | SIZE | P/CARTON | P/CASE | WT/CASE |
|--------------------|------|----------|--------|---------|
| <b>IPS</b>         |      |          |        |         |
| 11842              | 1/2" | 12       | 72     | 40      |
| 11843              | 3/4" | 12       | 72     | 45      |
| <b>C×C</b>         |      |          |        |         |
| 11862              | 1/2" | 12       | 72     | 38      |
| 11863              | 3/4" | 12       | 72     | 44      |
| <b>Compression</b> |      |          |        |         |
| 11872              | 1/2" | 12       | 72     | 44      |
| 11873              | 3/4" | 12       | 72     | 56      |

# BOILER DRAINS

## Brass Boiler Drains

200 PSI  
ISO 9001



| ITEM #            | SIZE | P/CARTON | P/CASE | WT/CASE |
|-------------------|------|----------|--------|---------|
| <b>MIP × Hose</b> |      |          |        |         |
| 11702             | 1/2" | 12       | 72     | 30      |
| 11703             | 3/4" | 12       | 144    | 65      |
| <b>FIP × Hose</b> |      |          |        |         |
| 11707             | 1/2" | 12       | 72     | 30      |
| 11708             | 3/4" | 12       | 72     | 32      |

## Brass Boiler Drains

w/ Stuffing Box

200 PSI  
ISO 9001



| ITEM #                      | SIZE | P/CARTON | P/CASE | WT/CASE |
|-----------------------------|------|----------|--------|---------|
| <b>MIP × Hose (Hi-Flow)</b> |      |          |        |         |
| 11700                       | 1/2" | 12       | 72     | 38      |
| 11701                       | 3/4" | 12       | 72     | 39      |
| <b>MIP × Hose</b>           |      |          |        |         |
| 11704                       | 1/2" | 12       | 72     | 34      |
| 11705                       | 3/4" | 12       | 72     | 36      |
| <b>FIP × Hose</b>           |      |          |        |         |
| 11709                       | 1/2" | 12       | 72     | 34      |
| 11712                       | 3/4" | 12       | 72     | 35      |

## Brass Water Heater Drain Valve

125 PSI  
ISO 9001



| ITEM #            | SIZE | P/CARTON | P/CASE | WT/CASE |
|-------------------|------|----------|--------|---------|
| <b>MIP × Hose</b> |      |          |        |         |
| 11710             | 3/4" | 12       | 72     | 45      |

## Brass Water Heater Drain Valve

w/ Recirculating Elbow

125 PSI  
ISO 9001



| ITEM #                  | SIZE | P/CARTON | P/CASE | WT/CASE |
|-------------------------|------|----------|--------|---------|
| <b>FIP × FIP × Hose</b> |      |          |        |         |
| 11711-T                 | 3/4" | 12       | 72     | 49      |

# SILCOCKS & HOSE BIBBS

## Brass Silcocks

125 WOG  
ISO 9001



| ITEM #            | SIZE | P/CARTON | P/CASE | WT/CASE |
|-------------------|------|----------|--------|---------|
| <b>FIP × Hose</b> |      |          |        |         |
| 11892             | 1/2" | 12       | 72     | 34      |
| 11893             | 3/4" | 12       | 72     | 37      |
| <b>SWT × Hose</b> |      |          |        |         |
| 11884             | 1/2" | 12       | 72     | 40      |

CONTINUED ON NEXT PAGE ►►

## Brass Frost Free Sillcocks

Chrome Plated

125 WOG  
ISO 9001



| ITEM #                           | LENGTH | P/CARTON | P/CASE | WT/CASE |
|----------------------------------|--------|----------|--------|---------|
| <b>1/2 MIP or 1/2 SWT x Hose</b> |        |          |        |         |
| 11810                            | 4"     | 1        | 24     | 26      |
| 11812                            | 6"     | 1        | 24     | 29      |
| 11814                            | 8"     | 1        | 24     | 31      |
| 11816                            | 10"    | 1        | 24     | 33      |
| 11818                            | 12"    | 1        | 24     | 36      |
| 11820                            | 14"    | 1        | 24     | 38      |
| <b>3/4 MIP or 1/2 FIP x Hose</b> |        |          |        |         |
| 11815                            | 8"     | 1        | 24     | 31      |
| 11817                            | 10"    | 1        | 24     | 35      |
| 11819                            | 12"    | 1        | 24     | 36      |

## Brass Frost Free Sillcocks

Chrome Plated w/ Integral Vacuum Breaker

125 WOG  
ISO 9001



| ITEM #                           | LENGTH | P/CARTON | P/CASE | WT/CASE |
|----------------------------------|--------|----------|--------|---------|
| <b>1/2 MIP or 1/2 SWT x Hose</b> |        |          |        |         |
| 11832                            | 6"     | 1        | 24     | 30      |
| 11834                            | 8"     | 1        | 24     | 33      |
| 11836                            | 10"    | 1        | 24     | 35      |
| 11838                            | 12"    | 1        | 24     | 38      |

## Forged Brass Hose Bibbs

Ball Valve Action

125 WOG  
ISO 9001



| ITEM #                      | SIZE | P/CARTON | P/CASE | WT/CASE |
|-----------------------------|------|----------|--------|---------|
| <b>MIP x HOSE T-Handle*</b> |      |          |        |         |
| 30314                       | 1/2" | 12       | 72     | 33      |
| 30316                       | 3/4" | 12       | 72     | 36      |
| <b>Locking Handle*</b>      |      |          |        |         |
| 30312                       | 1/2" | 12       | 72     | 45      |
| 30313                       | 3/4" | 12       | 72     | 51      |

\* 1/2" is MIP or SWT x Hose

## Brass Hose Bibbs

125 WOG  
ISO 9001



| ITEM #                          | SIZE | P/CARTON | P/CASE | WT/CASE |
|---------------------------------|------|----------|--------|---------|
| <b>MIP or SWT x Plain Spout</b> |      |          |        |         |
| 30201                           | 1/2" | 12       | 72     | 28      |
| <b>MIP x Hose*</b>              |      |          |        |         |
| 30216                           | 1/2" | 12       | 72     | 28      |
| 30217                           | 3/4" | 12       | 72     | 31      |

\* 1/2" is MIP or SWT x Hose

## Brass Hose Bibbs

Chrome Plated

125 WOG  
ISO 9001



| ITEM #                   | SIZE | P/CARTON | P/CASE | WT/CASE |
|--------------------------|------|----------|--------|---------|
| <b>FIP Flange x Hose</b> |      |          |        |         |
| 30202                    | 1/2" | 12       | 72     | 35      |
| <b>MIP or SWT x Hose</b> |      |          |        |         |
| 30205                    | 1/2" | 12       | 72     | 26      |

## Brass Hose Bibbs

No Kink (RH = Round Handles)

125 WOG  
ISO 9001



| ITEM #             | SIZE | P/CARTON | P/CASE | WT/CASE |
|--------------------|------|----------|--------|---------|
| <b>MIP x Hose*</b> |      |          |        |         |
| 30218              | 1/2" | 12       | 72     | 27      |
| 30219              | 3/4" | 12       | 72     | 29      |
| 30219-RH           | 3/4" | 12       | 72     | 37      |
| <b>FIP x Hose</b>  |      |          |        |         |
| 30228              | 1/2" | 12       | 72     | 24      |
| 30229              | 3/4" | 12       | 72     | 27      |

\* 1/2" is MIP or SWT x Hose

## Brass Hose Bibb Vacuum Breakers

Anti-Siphon Device w/ Flat Washer (CP = Chrome Plated)

150 WOG  
ISO 9001



| ITEM #             | SIZE | P/CARTON | P/CASE | WT/CASE |
|--------------------|------|----------|--------|---------|
| <b>Hose x Hose</b> |      |          |        |         |
| 11850              | 3/4" | 12       | 144    | 35      |
| 11850-CP           | 3/4" | 12       | 144    | 35      |

## Brass Radiator Gate Valves

w/ Ground Joint Union Tailpiece &amp; Nut

125 PSI / 15 WSP  
ISO 9001


| ITEM #<br>IPS | SIZE   | P/CARTON | P/CASE | WT/CASE |
|---------------|--------|----------|--------|---------|
| 11523         | 3/4"   | 6        | 60     | 72      |
| 11524         | 1"     | 4        | 36     | 69      |
| 11525         | 1 1/4" | 2        | 24     | 65      |
| 11526         | 1 1/2" | 2        | 16     | 59      |

## Brass Steam Radiator Globe Valves

Angled w/ Ground Joint Union Tailpiece &amp; Nut

60 PSI / 15 WSP  
ISO 9001


| ITEM #<br>IPS | SIZE   | P/CARTON | P/CASE | WT/CASE |
|---------------|--------|----------|--------|---------|
| 11533         | 3/4"   | 6        | 48     | 57      |
| 11534         | 1"     | 4        | 36     | 56      |
| 11535         | 1 1/4" | 2        | 24     | 53      |
| 11536         | 1 1/2" | 2        | 16     | 48      |

## Brass Hot Water Radiator Globe Valves

Angled w/ Ground Joint Union Tailpiece &amp; Nut

60 PSI  
ISO 9001


| ITEM #<br>IPS | SIZE   | P/CARTON | P/CASE | WT/CASE |
|---------------|--------|----------|--------|---------|
| 11553         | 3/4"   | 6        | 60     | 52      |
| 11554         | 1"     | 4        | 36     | 56      |
| 11555         | 1 1/4" | 2        | 24     | 53      |
| 11556         | 1 1/2" | 2        | 16     | 48      |

## Brass Union Elbows & Nuts for Radiator Valves

Ground Joint Union Connection

60 PSI / 15 WSP  
ISO 9001


| ITEM #<br>FIP x MIP | SIZE   | P/CARTON | P/CASE | WT/CASE |
|---------------------|--------|----------|--------|---------|
| 11533-E             | 3/4"   | 10       | 100    | 59      |
| 11534-E             | 1"     | 7        | 70     | 70      |
| 11535-E             | 1 1/4" | 5        | 50     | 76      |

## Brass Union Tailpiece & Nut for Radiator Valves

Ground Joint Union Connection

60 PSI / 15 WSP  
ISO 9001


| ITEM #<br>FIP x MIP | SIZE   | P/CARTON | P/CASE | WT/CASE |
|---------------------|--------|----------|--------|---------|
| 11533-T             | 3/4"   | 22       | 220    | 67      |
| 11534-T             | 1"     | 16       | 160    | 70      |
| 11535-T             | 1 1/4" | 10       | 100    | 66      |

## Brass Balancing Valves

Butterfly Action — Screwdriver Slot

125 PSI  
ISO 9001


| ITEM #<br>CxC | SIZE | P/CARTON | P/CASE | WT/CASE |
|---------------|------|----------|--------|---------|
| 20103         | 3/4" | 12       | 72     | 33      |

## Brass Purge & Balancing Valves

Butterfly Action — Screwdriver Slot

125 PSI  
ISO 9001


| ITEM #<br>CxC | SIZE | P/CARTON | P/CASE | WT/CASE |
|---------------|------|----------|--------|---------|
| 11603         | 3/4" | 12       | 72     | 45      |

## Forged Brass Auto Steam Vent Valves

Stainless Steel Check Ball &amp; Spring

125 PSI  
ISO 9001


| ITEM #<br>IPS | SIZE | P/CARTON | P/CASE | WT/CASE |
|---------------|------|----------|--------|---------|
| 11516         | 1/8" | 50       | 500    | 29      |
| 11517         | 1/4" | 50       | 500    | 66      |

## Brass Steam Radiator Air Vent Valves

Chrome Plated Float Type — Non Vacuum

10 PSI  
ISO 9001


| ITEM #<br>Angle         | SIZE        | P/CARTON | P/CASE | WT/CASE |
|-------------------------|-------------|----------|--------|---------|
| 11511                   | 1/8"        | 12       | 72     | 12      |
| <b>Straight</b>         |             |          |        |         |
| 11512                   | 1/8"        | 12       | 72     | 13      |
| 11513                   | 1/4"        | 12       | 72     | 12      |
| 11514                   | 1/2" x 3/4" | 12       | 72     | 14      |
| <b>Adjustable Angle</b> |             |          |        |         |
| 11515-A                 | 1/8"        | 12       | 72     | 13      |

CONTINUED ON NEXT PAGE ►►

## Brass Tank Valves (Globe)

Hard Seat

**125 PSI**  
**ISO 9001**


| ITEM #           | SIZE        | P/CARTON | P/CASE | WT/CASE |
|------------------|-------------|----------|--------|---------|
| <b>MIP x MIP</b> |             |          |        |         |
| 11401            | 1/2" x 3/8" | 6        | 72     | 58      |
| <b>MIP x FLR</b> |             |          |        |         |
| 11403            | 1/2" x 3/8" | 6        | 72     | 63      |

## Heavy Pattern Forged Brass Oil Barrel Faucet

Plug Valve Design w/ Lockable Handle

**125 PSI**  
**ISO 9001**


| ITEM #     | SIZE | P/CARTON | P/CASE | WT/CASE |
|------------|------|----------|--------|---------|
| <b>IPS</b> |      |          |        |         |
| 11543      | 3/4" | 10       | 80     | 53      |

## Radiator Valve Spud Wrench



| ITEM # | FITS                     | P/CARTON | P/CASE | WT/CASE |
|--------|--------------------------|----------|--------|---------|
| 25011  | 1/2" - 2" Radiator Valve | 10       | 20     | 3       |

# SPECIALTY VALVES

## Bronze Wye Strainer

20 Mesh Screen

**300 WOG / 150 WSP**  
**ISO 9001**


| ITEM #     | SIZE   | P/CARTON | P/CASE | WT/CASE |
|------------|--------|----------|--------|---------|
| <b>IPS</b> |        |          |        |         |
| 10562      | 1/2"   | 12       | 60     | 47      |
| 10563      | 3/4"   | 8        | 48     | 60      |
| 10564      | 1"     | 8        | 32     | 55      |
| 10565      | 1 1/4" | 8        | 32     | 62      |
| 10566      | 1 1/2" | 2        | 16     | 55      |
| 10567      | 2"     | 2        | 8      | 49      |
| 10569      | 3"     | 1        | 4      | 59      |

## Brass Garden Valves

Bent Nose (Oval Handle)

**125 PSI**  
**ISO 9001**


| ITEM #            | SIZE | P/CARTON | P/CASE | WT/CASE |
|-------------------|------|----------|--------|---------|
| <b>FIP x Hose</b> |      |          |        |         |
| 30213             | 3/4" | 12       | 72     | 50      |
| 30214             | 1"   | 12       | 72     | 52      |

## Brass Evaporative Cooler Valves

**125 PSI**  
**ISO 9001**


| ITEM #             | SIZE | P/CARTON | P/CASE | WT/CASE |
|--------------------|------|----------|--------|---------|
| <b>FIP x Hose</b>  |      |          |        |         |
| 30223              | 3/4" | 12       | 72     | 36      |
| <b>Hose x Hose</b> |      |          |        |         |
| 30224              | 3/4" | 12       | 72     | 36      |

## Brass Evaporative Cooler Float Valves

**85 PSI**


| ITEM #            | SIZE | P/CARTON | P/CASE | WT/CASE |
|-------------------|------|----------|--------|---------|
| <b>Comp x FIP</b> |      |          |        |         |
| 30225             | 1/4" | 20       | 80     | 38      |

## Ice Maker Valves & Accessories



| ITEM #                                                                                                   | SIZE              | P/CARTON | P/CASE | WT/CASE |
|----------------------------------------------------------------------------------------------------------|-------------------|----------|--------|---------|
| <b>SELF-PIERCING BRASS SADDLE VALVES</b>                                                                 |                   |          |        |         |
| <b>(FITS 1/4" - 1 1/4" x 1/4" TUBE COMPRESSION OUTLET)</b>                                               |                   |          |        |         |
| 20179                                                                                                    | 1/4"              | 10       | 200    | 44      |
| <b>ICE MAKER KIT - 1/4" SELF-PIERCING SADDLE VALVE (20179) &amp; 1/4" x 25' POLY TUBE</b>                |                   |          |        |         |
| 20178                                                                                                    |                   | 1        | 50     | 17      |
| <b>CHROME PLATED THREADED SHANK x COMPRESSION (BALL VALVE ACTION)</b>                                    |                   |          |        |         |
| 30226                                                                                                    | 1/2" x 1/4"       | 25       | 100    | 45      |
| <b>OUTLET BOX</b>                                                                                        |                   |          |        |         |
| 50971                                                                                                    | 5 3/16" x 5 3/16" | 1        | 10     | 5       |
| <b>CHROME PLATED THREADED SHANK x COMPRESSION (30226), OUTLET BOX (50971) &amp; 1/4" x 25' POLY TUBE</b> |                   |          |        |         |
| 30227                                                                                                    | 1/2" x 1/4"       | 4        | 16     | 21      |

CONTINUED ON NEXT PAGE ►►



## Brass Washing Machine Shut-Off Valves



| ITEM #                        | SIZE | P/CARTON | P/CASE | WT/CASE |
|-------------------------------|------|----------|--------|---------|
| <b>C×C × Hose</b>             |      |          |        |         |
| 50950                         | 1/2" | 1        | 24     | 32      |
| <b>Threaded or SWT × Hose</b> |      |          |        |         |
| 50980                         | 1/2" | 1        | 40     | 60      |

## Brass Washing Machine Valves — Long Shank



| ITEM #                        | SIZE | P/CARTON | P/CASE | WT/CASE |
|-------------------------------|------|----------|--------|---------|
| <b>Straight Thread × Hose</b> |      |          |        |         |
| 50960                         | 1/2" | 12       | 72     | 37      |

## Forged Brass Washing Machine Valves

Long Shank — Chrome Plated 1/4 Turn



| ITEM #                             | HANDLE COLOR | P/CARTON | P/CASE | WT/CASE |
|------------------------------------|--------------|----------|--------|---------|
| <b>1/2" Straight Thread × Hose</b> |              |          |        |         |
| 50961                              | RED          | 25       | 100    | 46      |
| 50962                              | BLUE         | 25       | 100    | 44      |

## Washing Machine Outlet Boxes



| ITEM #                                                                                      | P/CARTON | P/CASE | WT/CASE |
|---------------------------------------------------------------------------------------------|----------|--------|---------|
| <b>ABS Outlet Box Only</b>                                                                  |          |        |         |
| 50970                                                                                       | 1        | 10     | 8       |
| <b>ABS Outlet Box w/ 2 Compression Valves (50960)</b>                                       |          |        |         |
| 50952                                                                                       | 1        | 4      | 19      |
| <b>ABS Outlet Box w/ 2 Ball Valves (1/4 Turn w/ Red (50961) &amp; Blue Handles (50962))</b> |          |        |         |
| 50963                                                                                       | 1        | 4      | 15      |

# SUPPLY STOPS

## Supply Stops — 1/4 Turn

Chrome Plated Forged Brass — Angle



Complies w/  
NSF/ANSI 61

| ITEM #                   | SIZE        | P/CARTON | P/CASE | WT/CASE |
|--------------------------|-------------|----------|--------|---------|
| <b>FIP × OD Comp</b>     |             |          |        |         |
| 11910                    | 3/8" × 3/8" | 10       | 150    | 36      |
| 11911                    | 1/2" × 3/8" | 10       | 150    | 40      |
| <b>OD SWT × OD Comp</b>  |             |          |        |         |
| 11915                    | 1/2" × 3/8" | 10       | 150    | 41      |
| <b>OD Comp × OD Comp</b> |             |          |        |         |
| 11918                    | 5/8" × 3/8" | 10       | 150    | 42      |

## Supply Stops — 1/4 Turn

Chrome Plated Forged Brass — Straight



Complies w/  
NSF/ANSI 61

| ITEM #                   | SIZE        | P/CARTON | P/CASE | WT/CASE |
|--------------------------|-------------|----------|--------|---------|
| <b>FIP × OD Comp</b>     |             |          |        |         |
| 11950                    | 3/8" × 3/8" | 10       | 150    | 35      |
| 11951                    | 1/2" × 3/8" | 10       | 150    | 39      |
| <b>OD SWT × OD Comp</b>  |             |          |        |         |
| 11955                    | 1/2" × 3/8" | 10       | 150    | 41      |
| <b>OD Comp × OD Comp</b> |             |          |        |         |
| 11958                    | 5/8" × 3/8" | 10       | 150    | 42      |

## Supply Stops

Chrome Plated Extruded Brass — Angle

ISO 9001



Complies w/  
NSF/ANSI 61-9

| ITEM #                   | SIZE        | P/CARTON | P/CASE | WT/CASE |
|--------------------------|-------------|----------|--------|---------|
| <b>FIP × OD Comp</b>     |             |          |        |         |
| 11900                    | 3/8" × 3/8" | 10       | 100    | 25      |
| 11901                    | 1/2" × 3/8" | 10       | 100    | 29      |
| <b>OD SWT × OD Comp</b>  |             |          |        |         |
| 11905                    | 5/8" × 3/8" | 10       | 100    | 24      |
| <b>OD Comp × OD Comp</b> |             |          |        |         |
| 11908                    | 5/8" × 3/8" | 10       | 100    | 28      |

## Supply Stops

Chrome Plated Extruded Brass — Straight

ISO 9001



Complies w/  
NSF/ANSI 61-9

| ITEM #                   | SIZE        | P/CARTON | P/CASE | WT/CASE |
|--------------------------|-------------|----------|--------|---------|
| <b>FIP × OD Comp</b>     |             |          |        |         |
| 11940                    | 3/8" × 3/8" | 10       | 100    | 30      |
| 11941                    | 1/2" × 3/8" | 10       | 100    | 35      |
| <b>OD SWT × OD Comp</b>  |             |          |        |         |
| 11945                    | 5/8" × 3/8" | 10       | 100    | 29      |
| <b>OD Comp × OD Comp</b> |             |          |        |         |
| 11948                    | 5/8" × 3/8" | 10       | 100    | 33      |

CONTINUED ON NEXT PAGE ►►

## Supply Stops

Chrome Plated Extruded Brass — Celcon Stem — Angle

ISO 9001



Complies w/  
NSF/ANSI 61-9

| ITEM #                   | SIZE        | P/CARTON | P/CASE | WT/CASE |
|--------------------------|-------------|----------|--------|---------|
| <b>FIP × OD Comp</b>     |             |          |        |         |
| 11900-C                  | 3/8" × 3/8" | 10       | 100    | 21      |
| 11901-C                  | 1/2" × 3/8" | 10       | 100    | 25      |
| <b>PEX × OD Comp</b>     |             |          |        |         |
| 11907-C                  | 1/2" × 3/8" | 10       | 100    | 20      |
| <b>OD Comp × OD Comp</b> |             |          |        |         |
| 11908-C                  | 5/8" × 3/8" | 10       | 100    | 25      |
| <b>OD CPVC × OD Comp</b> |             |          |        |         |
| 11909-C                  | 5/8" × 3/8" | 10       | 100    | 27      |

## Supply Stops

Chrome Plated Extruded Brass — Celcon Stem — Straight

ISO 9001



Complies w/  
NSF/ANSI 61-9

| ITEM #                   | SIZE        | P/CARTON | P/CASE | WT/CASE |
|--------------------------|-------------|----------|--------|---------|
| <b>FIP × OD Comp</b>     |             |          |        |         |
| 11940-C                  | 3/8" × 3/8" | 10       | 100    | 27      |
| 11941-C                  | 1/2" × 3/8" | 10       | 100    | 31      |
| <b>PEX × OD Comp</b>     |             |          |        |         |
| 11947-C                  | 1/2" × 3/8" | 10       | 100    | 26      |
| <b>OD Comp × OD Comp</b> |             |          |        |         |
| 11948-C                  | 5/8" × 3/8" | 10       | 100    | 30      |
| 11949-C                  | 5/8" × 1/2" | 10       | 100    | 32      |

## Dual Outlet Supply Stops

Chrome Plated Extruded Brass — Celcon Stem — Angle

ISO 9001



| ITEM #                             | SIZE               | P/CARTON | P/CASE | WT/CASE |
|------------------------------------|--------------------|----------|--------|---------|
| <b>OD Comp × OD Comp × OD Comp</b> |                    |          |        |         |
| 11991-C                            | 5/8" × 3/8" × 3/8" | 10       | 100    | 28      |
| <b>FIP × OD Comp × OD Comp</b>     |                    |          |        |         |
| 11992-C                            | 1/2" × 3/8" × 3/8" | 10       | 100    | 28      |

## Supply Stops

Chrome Plated Extruded Brass — w/ 5" Extention Tube & Bell Escutcheon — Angle (C = Celcon Stem)

ISO 9001



Complies w/  
NSF/ANSI 61-9

| ITEM #                  | SIZE        | P/CARTON | P/CASE | WT/CASE |
|-------------------------|-------------|----------|--------|---------|
| <b>OD SWT × OD Comp</b> |             |          |        |         |
| 11916                   | 5/8" × 3/8" | 6        | 96     | 38      |
| 11916-C                 | 5/8" × 3/8" | 6        | 96     | 34      |

## Supply Stops

Chrome Plated Extruded Brass — w/ 5" Extention Tube & Bell Escutcheon — Straight (C = Celcon Stem)

ISO 9001



Complies w/  
NSF/ANSI 61-9

| ITEM #                  | SIZE        | P/CARTON | P/CASE | WT/CASE |
|-------------------------|-------------|----------|--------|---------|
| <b>OD SWT × OD Comp</b> |             |          |        |         |
| 11936                   | 5/8" × 3/8" | 6        | 96     | 43      |
| 11936-C                 | 5/8" × 3/8" | 6        | 96     | 40      |

## Supply Stops

Rough Extruded Brass — Angle

ISO 9001



Complies w/  
NSF/ANSI 61-9

| ITEM #                   | SIZE        | P/CARTON | P/CASE | WT/CASE |
|--------------------------|-------------|----------|--------|---------|
| <b>OD SWT × OD Comp</b>  |             |          |        |         |
| 11904-RB                 | 5/8" × 1/4" | 10       | 100    | 22      |
| 11905-RB                 | 5/8" × 3/8" | 10       | 100    | 24      |
| <b>OD Comp × OD Comp</b> |             |          |        |         |
| 11908-RB                 | 5/8" × 3/8" | 10       | 100    | 28      |

cUPC certification does not apply to 11904-RB

## Supply Stops

Rough Extruded Brass — Straight

ISO 9001



Complies w/  
NSF/ANSI 61-9

| ITEM #                  | SIZE        | P/CARTON | P/CASE | WT/CASE |
|-------------------------|-------------|----------|--------|---------|
| <b>OD SWT × OD Comp</b> |             |          |        |         |
| 11944-RB                | 5/8" × 1/4" | 10       | 100    | 28      |
| 11945-RB                | 5/8" × 3/8" | 10       | 100    | 29      |

## Integral Supply Stops

Rough Extruded Brass w/ Screwdriver Slot — Straight

ISO 9001



Complies w/  
NSF/ANSI 61-9

| ITEM #              | SIZE        | P/CARTON | P/CASE | WT/CASE |
|---------------------|-------------|----------|--------|---------|
| <b>MIP × OD SWT</b> |             |          |        |         |
| 11898               | 1/2" × 5/8" | 10       | 100    | 26      |
| <b>MIP × FIP</b>    |             |          |        |         |
| 11899               | 1/2" × 1/2" | 10       | 100    | 32      |

**Exclusive 10 for 1 Warranty:** If a Webstone Supply Stop ever fails due to a manufacturing defect...  
**WE'LL REPLACE IT WITH 10 NEW ONES.**

## Chrome Plated Copper Supply Tubes



| ITEM #          | SIZE       | P/CARTON | P/CASE | WT/CASE |
|-----------------|------------|----------|--------|---------|
| <b>Lavatory</b> |            |          |        |         |
| 40100           | 3/8" × 12" | 20       | 500    | 50      |
| 40101           | 3/8" × 20" | 20       | 300    | 46      |
| 40102           | 3/8" × 30" | 20       | 200    | 46      |
| <b>Closet</b>   |            |          |        |         |
| 40301           | 3/8" × 20" | 20       | 300    | 46      |

## Unplated Copper Supply Tubes



| ITEM #          | SIZE       | P/CARTON | P/CASE | WT/CASE |
|-----------------|------------|----------|--------|---------|
| <b>Lavatory</b> |            |          |        |         |
| 40201           | 3/8" × 20" | 20       | 300    | 46      |
| <b>Closet</b>   |            |          |        |         |
| 40400           | 3/8" × 12" | 20       | 200    | 52      |

## PVC — Nylon Reinforced Supply Tubes



| ITEM #          | SIZE              | P/CARTON | P/CASE | WT/CASE |
|-----------------|-------------------|----------|--------|---------|
| <b>Lavatory</b> |                   |          |        |         |
| 40120           | 3/8" × 1/2" × 12" | 20       | 200    | 15      |
| 40122           | 3/8" × 1/2" × 20" | 20       | 200    | 19      |
| <b>Closet</b>   |                   |          |        |         |
| 40132           | 3/8" × 7/8" × 20" | 10       | 120    | 22      |

## PEX Supply Tubes



| ITEM #          | SIZE       | P/CARTON | P/CASE | WT/CASE |
|-----------------|------------|----------|--------|---------|
| <b>Lavatory</b> |            |          |        |         |
| 40150           | 3/8" × 12" | 10       | 200    | 10      |
| 40152           | 3/8" × 30" | 30       | 180    | 14      |
| <b>Closet</b>   |            |          |        |         |
| 40154           | 3/8" × 15" | 10       | 200    | 18      |
| 40155           | 3/8" × 12" | 10       | 200    | 16      |
| 40156           | 3/8" × 20" | 1        | 50     | 7       |

## Stainless Steel Braided Supply Tubes

ISO 9001



|                 |                   |    |     |    |
|-----------------|-------------------|----|-----|----|
| <b>Lavatory</b> |                   |    |     |    |
| 40450           | 3/8" × 1/2" × 12" | 10 | 200 | 39 |
| <b>Closet</b>   |                   |    |     |    |
| 40460           | 3/8" × 7/8" × 12" | 10 | 200 | 35 |

# COUPLINGS

## PVC Compression Couplings

White — Fits both Schedule 40 &amp; 80 Pipe

ISO 9001



| ITEM # | SIZE   | P/CARTON | P/CASE | WT/CASE |
|--------|--------|----------|--------|---------|
| 03301  | 3/8"   | 1        | 25     | 3       |
| 03302  | 1/2"   | 37       | 148    | 30      |
| 03303  | 3/4"   | 27       | 108    | 39      |
| 03304  | 1"     | 21       | 84     | 38      |
| 03305  | 1 1/4" | 13       | 52     | 34      |
| 03306  | 1 1/2" | 15       | 60     | 48      |
| 03307  | 2"     | 6        | 24     | 26      |
| 03308  | 2 1/2" | 1        | 5      | 20      |
| 03309  | 3"     | 1        | 8      | 22      |
| 03310  | 4"     | 1        | 8      | 34      |

## CPVC Compression Couplings

Fits CPVC Pipe (Copper Tubing Size)

ISO 9001



| ITEM # | SIZE | P/CARTON | P/CASE | WT/CASE |
|--------|------|----------|--------|---------|
| 03732  | 1/2" | 25       | 250    | 42      |
| 03733  | 3/4" | 10       | 200    | 53      |

## PVC Unions — White — Fits both Schedule 40 & 80 Pipe

ISO 9001



| ITEM #             | SIZE   | P/CARTON | P/CASE | WT/CASE |
|--------------------|--------|----------|--------|---------|
| <b>Socket Ends</b> |        |          |        |         |
| 04822              | 1/2"   | 1        | 320    | 45      |
| 04823              | 3/4"   | 1        | 72     | 39      |
| 04824              | 1"     | 1        | 60     | 18      |
| 04825              | 1 1/4" | 1        | 64     | 24      |
| 04826              | 1 1/2" | 1        | 36     | 26      |
| 04827              | 2"     | 1        | 32     | 31      |
| 04828              | 2 1/2" | 1        | 12     | 36      |
| 04829              | 3"     | 1        | 12     | 37      |
| 04830              | 4"     | 1        | 8      | 32      |
| <b>IPS</b>         |        |          |        |         |
| 04832              | 1/2"   | 1        | 320    | 55      |
| 04833              | 3/4"   | 1        | 72     | 15      |
| 04834              | 1"     | 1        | 60     | 18      |
| 04835              | 1 1/4" | 1        | 64     | 32      |
| 04836              | 1 1/2" | 1        | 36     | 26      |
| 04837              | 2"     | 6        | 24     | 31      |

## CPVC Unions — Fits CPVC Pipe (Copper Tubing Size)

ISO 9001



| ITEM #             | SIZE | P/CARTON | P/CASE | WT/CASE |
|--------------------|------|----------|--------|---------|
| <b>Socket Ends</b> |      |          |        |         |
| 03742              | 1/2" | 16       | 96     | 13      |
| 03743              | 3/4" | 12       | 96     | 18      |

## Dielectric Unions — Galvanized Steel & Brass – Nylon Insulator Ring

Max Temp 232° F



| ITEM #           | SIZE        | P/CARTON | P/CASE | WT/CASE |
|------------------|-------------|----------|--------|---------|
| <b>FIP x SWT</b> |             |          |        |         |
| 01102            | 1/2"        | 24       | 144    | 66      |
| 01103            | 3/4"        | 24       | 144    | 78      |
| 01103-2          | 3/4" x 1/2" | 24       | 144    | 72      |
| 01104            | 1"          | 12       | 120    | 77      |
| 01105            | 1 1/4"      | 12       | 48     | 68      |
| 01106            | 1 1/2"      | 12       | 36     | 53      |
| 01107            | 2"          | 6        | 24     | 59      |
| <b>MIP x SWT</b> |             |          |        |         |
| 02202            | 1/2"        | 24       | 144    | 68      |
| 02203            | 3/4"        | 8        | 96     | 62      |
| 02203-2          | 3/4" x 1/2" | 24       | 144    | 89      |

# PLUMBING ACCESSORIES

## Drop Ear Elbows — Brass

ISO 9001



| ITEM #           | SIZE | P/CARTON | P/CASE | WT/CASE |
|------------------|------|----------|--------|---------|
| <b>C x C</b>     |      |          |        |         |
| 20198            | 1/2" | 25       | 250    | 37      |
| <b>IPS x SWT</b> |      |          |        |         |
| 20199            | 1/2" | 25       | 250    | 40      |

## PTFE Thread Tape



| ITEM # | SIZE        | P/CARTON | P/CASE | WT/CASE |
|--------|-------------|----------|--------|---------|
| 05262  | 1/2" x 260" | 120      | 600    | 12      |
| 05263  | 3/4" x 260" | 120      | 600    | 18      |
| 05522  | 1/2" x 520" | 120      | 600    | 18      |
| 05523  | 3/4" x 520" | 120      | 600    | 18      |

## Pipe Repair Clamps



| ITEM # | PIPE SIZE | P/CARTON | P/CASE | WT/CASE |
|--------|-----------|----------|--------|---------|
| 23402  | 1/2"      | 10       | 100    | 44      |
| 23403  | 3/4"      | 1        | 50     | 26      |
| 23405  | 1 1/4"    | 5        | 50     | 50      |
| 23406  | 1 1/2"    | 5        | 50     | 53      |
| 23407  | 2"        | 1        | 50     | 62      |

## Heavy Pattern Brass Pop-Up & Waste Assembly — Chrome Plated

ISO 9001



| ITEM # | P/CARTON | P/CASE | WT/CASE |
|--------|----------|--------|---------|
| 30115  | 1        | 48     | 30      |

## Brass Fixed Grid Drain Assembly — Chrome Plated

ISO 9001



| ITEM #               | SIZE             | P/CARTON | P/CASE | WT/CASE |
|----------------------|------------------|----------|--------|---------|
| <b>Straight</b>      |                  |          |        |         |
| 30120                | 1 1/4" x 6"      | 1        | 24     | 16      |
| <b>ADA Compliant</b> |                  |          |        |         |
| 30121                | 1 1/4" x 7" x 9" | 1        | 20     | 16      |

|                                       |       |                                                                    |    |                                                            |       |
|---------------------------------------|-------|--------------------------------------------------------------------|----|------------------------------------------------------------|-------|
| AIR SEPARATORS                        | 8     | ISOLATOR CHECK VALVE W/ ROTATING FLANGE                            | 3  | PRO-PAL UNION BALL DRAIN                                   | 4     |
| AUTO STEAM VENT VALVES                | 24    | ISOLATOR CIRCULATOR PUMP INSTALLATION KIT                          | 3  | PRO-PAL UNION DRAIN BALL<br>(SEE PRO-PAL UNION BALL DRAIN) | 4     |
| BALANCING VALVES                      | 24    | ISOLATOR DOUBLE FLANGED CHECK                                      | 3  | PTFE THREAD TAPE                                           | 29    |
| BOILER DRAINS                         | 22    | ISOLATOR E-X-P                                                     | 9  | PURGE & BALANCING VALVES                                   | 24    |
| BRASS BALL VALVES                     | 14-17 | ISOLATOR E-X-P COMPLETE                                            | 11 | PVC BALL VALVES                                            | 19    |
| BRONZE BALL VALVES                    | 19    | ISOLATOR E-X-P E2                                                  | 9  | PVC COMPRESSION COUPLINGS                                  | 28    |
| CPVC BALL VALVES                      | 19    | ISOLATOR E-X-P E2 W/ CLEANBRASS                                    | 9  | PVC SUPPLY TUBES                                           | 28    |
| CPVC COMPRESSION COUPLINGS            | 28    | ISOLATOR E-X-P E3                                                  | 10 | PVC UNIONS                                                 | 29    |
| CPVC UNIONS                           | 29    | ISOLATOR E-X-P E3 W/ CLEANBRASS                                    | 10 | RADIATOR GATE VALVES                                       | 24    |
| DIELECTRIC UNIONS                     | 29    | ISOLATOR E-X-P TANKLESS WATER<br>HEATER SERVICE VALVES ACCESSORIES | 10 | RADIATOR VALVE SPUD WRENCH                                 | 25    |
| DROP EAR ELBOWS                       | 29    | ISOLATOR UNI-FLANGE BALL VALVE                                     | 2  | REPLACEMENT VENT ASSEMBLY                                  | 8     |
| EVAPORATIVE COOLER FLOAT VALVES       | 25    | ISOLATOR W/DRAIN                                                   | 2  | SILLCOCKS                                                  | 22    |
| EVAPORATIVE COOLER VALVES             | 25    | ISOLATOR W/ROTATING FLANGE                                         | 2  | SPRING CHECK VALVES                                        | 21    |
| FIXED GRID DRAIN ASSEMBLY             | 29    | ISOLATOR W/ROTATING FLANGE &<br>MULTI-FUNCTION DRAIN               | 2  | STAINLESS STEEL BALL VALVES                                | 18    |
| FROST FREE SILLCOCKS                  | 23    | MINI BALL VALVES                                                   | 16 | STEAM RADIATOR AIR VENT VALVES                             | 24    |
| GARDEN VALVES                         | 25    | NICKEL PLATED BRASS BALL VALVES                                    | 15 | STEAM RADIATOR GLOBE VALVES                                | 24    |
| GAS BALL VALVES                       | 16    | OIL BARREL FAUCET                                                  | 25 | STOP VALVES (GLOBE)                                        | 21    |
| GATE VALVES                           | 20    | PEX SUPPLY TUBES                                                   | 28 | STOP & WASTE VALVES (GLOBE)                                | 22    |
| GLOBE VALVES                          | 21-22 | PIPE REPAIR CLAMPS                                                 | 29 | SUPPLY STOPS                                               | 26-27 |
| HOSE BIBBS                            | 23    | POP-UP & WASTE ASSEMBLY                                            | 29 | SUPPLY TUBES                                               | 28    |
| HOSE BIBB VACUUM BREAKERS             | 23    | PRESSURE GAUGE                                                     | 6  | SWING CHECK VALVES                                         | 20-21 |
| HOT WATER RADIATOR GLOBE VALVES       | 24    | PRO-CONNECT PUSH                                                   | 12 | TANK VALVES (GLOBE)                                        | 25    |
| HYDRO-CORE COMPLETE                   |       | PRO-CONNECT PUSH ACCESSORIES                                       | 12 | UNION ELBOWS & NUTS FOR RADIATOR VALVES                    | 24    |
| NEAR BOILER PIPING KITS               | 7     | PRO-CONNECT PUSH FITTINGS                                          | 12 | UNION TAILPIECE & NUT FOR RADIATOR VALVES                  | 24    |
| HYDRO-CORE MANIFOLDS                  | 6     | PRO-CONNECT UNIVERSAL                                              | 13 | WASHING MACHINE OUTLET BOXES                               | 26    |
| HYDRO-CORE NEAR BOILER COMPONENT KITS | 7     | PRO-PAL BALL DRAIN                                                 | 4  | WASHING MACHINE SHUT-OFF VALVES                            | 26    |
| HYDRO-CORE PUMP CONNECTIONS           | 7     | PRO-PAL EXPANSION TANK PRO SERVICE VALVE                           | 5  | WASHING MACHINE VALVES                                     | 26    |
| HYDRO-CORE UNION CONNECTIONS          | 6     | PRO-PAL PURGE & FILL                                               | 5  | WATER HEATER DRAIN VALVE                                   | 22    |
| ICE MAKER VALVES & ACCESSORIES        | 25    | PRO-PAL PURGE-TEE                                                  | 5  | WATER HEATER INSTALLATION KITS                             | 12    |
| ISOLATOR CHECK VALVE                  | 3     | PRO-PAL T-DRAIN                                                    | 5  | WYE STRAINER                                               | 25    |
| ISOLATOR CHECK VALVE ACCESSORIES      | 3     |                                                                    |    |                                                            |       |

## INDEX BY PART NUMBER

| PART NUMBER | PAGE | PART NUMBER | PAGE | PART NUMBER | PAGE | PART NUMBER | PAGE | PART NUMBER | PAGE |
|-------------|------|-------------|------|-------------|------|-------------|------|-------------|------|
| 01102       | 29   | 04830       | 29   | 10501       | 20   | 11533       | 24   | 11873       | 22   |
| 01103       | 29   | 04832       | 29   | 10502       | 20   | 11533-E     | 24   | 11882       | 21   |
| 01103-2     | 29   | 04833       | 29   | 10503       | 20   | 11533-T     | 24   | 11883       | 21   |
| 01104       | 29   | 04834       | 29   | 10504       | 20   | 11534       | 24   | 11884       | 22   |
| 01105       | 29   | 04835       | 29   | 10505       | 20   | 11534-E     | 24   | 11892       | 22   |
| 01106       | 29   | 04836       | 29   | 10506       | 20   | 11534-T     | 24   | 11893       | 22   |
| 01107       | 29   | 04837       | 29   | 10507       | 20   | 11535       | 24   | 11898       | 27   |
| 02202       | 29   | 05262       | 29   | 10508       | 20   | 11535-E     | 24   | 11899       | 27   |
| 02203       | 29   | 05263       | 29   | 10509       | 20   | 11535-T     | 24   | 11900       | 26   |
| 02203-2     | 29   | 05522       | 29   | 10510       | 20   | 11536       | 24   | 11900-C     | 27   |
| 03301       | 28   | 05523       | 29   | 10522       | 21   | 11543       | 25   | 11901       | 26   |
| 03302       | 28   | 10102       | 20   | 10523       | 21   | 11553       | 24   | 11901-C     | 27   |
| 03303       | 28   | 10103       | 20   | 10524       | 21   | 11554       | 24   | 11904-RB    | 27   |
| 03304       | 28   | 10104       | 20   | 10525       | 21   | 11555       | 24   | 11905       | 26   |
| 03305       | 28   | 10105       | 20   | 10526       | 21   | 11556       | 24   | 11905-RB    | 27   |
| 03306       | 28   | 10106       | 20   | 10527       | 21   | 11603       | 24   | 11907-C     | 27   |
| 03307       | 28   | 10107       | 20   | 10540       | 21   | 11700       | 22   | 11908       | 26   |
| 03308       | 28   | 10108       | 20   | 10541       | 21   | 11701       | 22   | 11908-C     | 27   |
| 03309       | 28   | 10109       | 20   | 10542       | 21   | 11702       | 22   | 11908-RB    | 27   |
| 03310       | 28   | 10110       | 20   | 10543       | 21   | 11703       | 22   | 11909-C     | 27   |
| 03722       | 19   | 10132       | 20   | 10544       | 21   | 11704       | 22   | 11910       | 26   |
| 03723       | 19   | 10133       | 20   | 10545       | 21   | 11705       | 22   | 11911       | 26   |
| 03724       | 19   | 10134       | 20   | 10546       | 21   | 11707       | 22   | 11915       | 26   |
| 03725       | 19   | 10135       | 20   | 10547       | 21   | 11708       | 22   | 11916       | 27   |
| 03726       | 19   | 10136       | 20   | 10548       | 21   | 11709       | 22   | 11916-C     | 27   |
| 03727       | 19   | 10137       | 20   | 10549       | 21   | 11710       | 22   | 11918       | 26   |
| 03732       | 28   | 10138       | 20   | 10550       | 21   | 11711-T     | 22   | 11936       | 27   |
| 03733       | 28   | 10139       | 20   | 10562       | 25   | 11712       | 22   | 11936-C     | 27   |
| 03742       | 29   | 10140       | 20   | 10563       | 25   | 11802       | 21   | 11940       | 26   |
| 03743       | 29   | 10150       | 20   | 10564       | 25   | 11803       | 21   | 11940-C     | 27   |
| 03822       | 19   | 10151       | 20   | 10565       | 25   | 11804       | 21   | 11941       | 26   |
| 03823       | 19   | 10152       | 20   | 10566       | 25   | 11805       | 21   | 11941-C     | 27   |
| 03824       | 19   | 10153       | 20   | 10567       | 25   | 11806       | 21   | 11944-RB    | 27   |
| 03825       | 19   | 10154       | 20   | 10569       | 25   | 11807       | 21   | 11945       | 26   |
| 03826       | 19   | 10155       | 20   | 10622       | 21   | 11810       | 23   | 11945-RB    | 27   |
| 03827       | 19   | 10156       | 20   | 10623       | 21   | 11812       | 23   | 11947-C     | 27   |
| 03828       | 19   | 10157       | 20   | 10624       | 21   | 11814       | 23   | 11948       | 26   |
| 03829       | 19   | 10158       | 20   | 10625       | 21   | 11815       | 23   | 11948-C     | 27   |
| 03830       | 19   | 10159       | 20   | 10626       | 21   | 11816       | 23   | 11949-C     | 27   |
| 03831       | 19   | 10160       | 20   | 10627       | 21   | 11817       | 23   | 11950       | 26   |
| 03922       | 19   | 10232       | 20   | 10701       | 21   | 11818       | 23   | 11951       | 26   |
| 03923       | 19   | 10233       | 20   | 10702       | 21   | 11819       | 23   | 11955       | 26   |
| 03924       | 19   | 10234       | 20   | 10703       | 21   | 11820       | 23   | 11958       | 26   |
| 03925       | 19   | 10235       | 20   | 10704       | 21   | 11822       | 21   | 11991-C     | 27   |
| 03926       | 19   | 10236       | 20   | 10705       | 21   | 11823       | 21   | 11992-C     | 27   |
| 03927       | 19   | 10237       | 20   | 10706       | 21   | 11832       | 23   | 13706HV     | 3    |
| 04602       | 19   | 10252       | 20   | 10707       | 21   | 11834       | 23   | 20013       | 10   |
| 04603       | 19   | 10253       | 20   | 11401       | 25   | 11836       | 23   | 20103       | 24   |
| 04604       | 19   | 10254       | 20   | 11403       | 25   | 11838       | 23   | 20178       | 25   |
| 04605       | 19   | 10255       | 20   | 11511       | 24   | 11842       | 22   | 20179       | 25   |
| 04606       | 19   | 10256       | 20   | 11512       | 24   | 11843       | 22   | 20198       | 29   |
| 04607       | 19   | 10257       | 20   | 11513       | 24   | 11850       | 23   | 20199       | 29   |
| 04822       | 29   | 10400       | 21   | 11514       | 24   | 11850-CP    | 23   | 20713       | 10   |
| 04823       | 29   | 10401       | 21   | 11515-A     | 24   | 11854       | 22   | 20723       | 10   |
| 04824       | 29   | 10402       | 21   | 11516       | 24   | 11855       | 22   | 20733       | 10   |
| 04825       | 29   | 10403       | 21   | 11517       | 24   | 11856       | 22   | 21526       | 16   |
| 04826       | 29   | 10404       | 21   | 11523       | 24   | 11857       | 22   | 21532       | 16   |
| 04827       | 29   | 10405       | 21   | 11524       | 24   | 11862       | 22   | 21533       | 16   |
| 04828       | 29   | 10406       | 21   | 11525       | 24   | 11863       | 22   | 21542       | 16   |
| 04829       | 29   | 10407       | 21   | 11526       | 24   | 11872       | 22   | 21543       | 16   |



| PART NUMBER         | PAGE | PART NUMBER         | PAGE | PART NUMBER   | PAGE | PART NUMBER         | PAGE | PART NUMBER | PAGE |
|---------------------|------|---------------------|------|---------------|------|---------------------|------|-------------|------|
| 21550               | 16   | 40436               | 4    | 41824         | 15   | 50414/50414HV       | 2    | 54705       | 14   |
| 21551               | 16   | 40443               | 9    | 41825         | 15   | 50414KIT/50414HVKIT | 3    | 54706       | 14   |
| 21562               | 16   | 40443COM            | 11   | 41826         | 15   | 50415/50415HV       | 2    | 54707       | 14   |
| 21563               | 16   | 40443PR             | 9    | 41827         | 15   | 50415KIT/50415HVKIT | 3    | 55043COM    | 11   |
| 21571               | 16   | 40443PR2            | 9    | 41828         | 15   | 50416/50416HV       | 2    | 55043PR     | 10   |
| 21572               | 16   | 40450               | 28   | 41829         | 15   | 50417HV             | 2    | 55043PR2    | 10   |
| 22521               | 16   | 40460               | 28   | 41830         | 15   | 50433               | 4    | 55443COM    | 11   |
| 22522               | 16   | 40500               | 19   | 42403         | 3    | 50434               | 4    | 55443PR     | 10   |
| 22561               | 16   | 40501               | 19   | 42404/42404HV | 3    | 50435               | 4    | 55443PR2    | 10   |
| 22562               | 16   | 40502               | 19   | 42405/42405HV | 3    | 50436               | 4    | 55443PR3    | 10   |
| 22563               | 16   | 40503               | 19   | 42406/42406HV | 3    | 50443               | 9    | 57002       | 15   |
| 22564               | 16   | 40504               | 19   | 43403/43403HV | 3    | 50443COM            | 11   | 57003       | 15   |
| 23402               | 29   | 40505               | 19   | 43404/43404HV | 3    | 50443PR             | 9    | 57004       | 15   |
| 23403               | 29   | 40506               | 19   | 43405/43405HV | 3    | 50443PR2            | 9    | 57005       | 15   |
| 23405               | 29   | 40507               | 19   | 43406/43406HV | 3    | 50612               | 4    | 57006       | 15   |
| 23406               | 29   | 40508               | 19   | 43502         | 19   | 50613               | 4    | 57007       | 15   |
| 23407               | 29   | 40509               | 19   | 43503         | 19   | 50614               | 4    | 58354-0     | 6    |
| 25011               | 25   | 40530               | 17   | 43504         | 19   | 50615               | 4    | 58613       | 5    |
| 26000KIT            | 12   | 40531               | 17   | 43505         | 19   | 50616               | 4    | 58614       | 5    |
| 26102               | 12   | 40532               | 17   | 43506         | 19   | 50617               | 4    | 58615       | 5    |
| 26103               | 12   | 40533               | 17   | 43507         | 19   | 50622               | 17   | 58616       | 5    |
| 26104               | 12   | 40534               | 17   | 43702         | 18   | 50623               | 17   | 58643       | 5    |
| 26202               | 12   | 40612               | 4    | 43703         | 18   | 50624               | 17   | 58644       | 5    |
| 26203               | 12   | 40613               | 4    | 43704         | 18   | 50672               | 5    | 58652       | 5    |
| 26203KIT            | 12   | 40614               | 4    | 43705         | 18   | 50673               | 5    | 58653       | 5    |
| 26204               | 12   | 40615               | 4    | 43706         | 18   | 50674               | 5    | 58654       | 5    |
| 26223               | 12   | 40616               | 4    | 43707         | 18   | 50675               | 5    | 58655       | 5    |
| 26223KIT            | 12   | 40617               | 4    | 43710         | 18   | 50676               | 5    | 58662       | 5    |
| 26302               | 12   | 40622               | 17   | 43712         | 18   | 50677               | 5    | 58663       | 5    |
| 26303               | 12   | 40623               | 17   | 43713         | 18   | 50682               | 17   | 58664       | 5    |
| 26304               | 12   | 40624               | 17   | 43714         | 18   | 50950               | 26   | 58744-0     | 6    |
| 26402               | 12   | 40632               | 17   | 43715         | 18   | 50952               | 26   | 58754-0     | 6    |
| 26403               | 12   | 40633               | 17   | 43716         | 18   | 50960               | 26   | 58755-0     | 6    |
| 26404               | 12   | 40634               | 17   | 43717         | 18   | 50961               | 26   | 58764-0     | 6    |
| 26502               | 12   | 40642               | 17   | 43720         | 18   | 50962               | 26   | 58765-0     | 6    |
| 26503               | 12   | 40643               | 17   | 43721         | 18   | 50963               | 26   | 58766-0     | 6    |
| 26504               | 12   | 40644               | 17   | 43722         | 18   | 50970               | 26   | 58774-0     | 6    |
| 26602               | 12   | 40672               | 5    | 43722-OH      | 18   | 50971               | 25   | 58775-0     | 6    |
| 26603               | 12   | 40673               | 5    | 43723         | 18   | 50980               | 26   | 58776-0     | 6    |
| 26604               | 12   | 40674               | 5    | 43723-OH      | 18   | 51403/51403HV       | 2    | 58854-0     | 6    |
| 28003               | 10   | 40675               | 5    | 43724         | 18   | 51404/51404HV       | 2    | 58855-0     | 6    |
| 28013               | 10   | 40676               | 5    | 43724-OH      | 18   | 51405/51405HV       | 2    | 58864-0     | 6    |
| 28014               | 10   | 40677               | 5    | 43725         | 18   | 51406/51406HV       | 2    | 58865-0     | 6    |
| 28023               | 10   | 40782               | 16   | 43726         | 18   | 51413/51413HV       | 2    | 60443       | 9    |
| 28023-LF            | 10   | 40790               | 16   | 43727         | 18   | 51413KIT/51413HVKIT | 3    | 60443PR     | 9    |
| 28112               | 12   | 40791               | 16   | 43814         | 18   | 51414/51414HV       | 2    | 60443PR2    | 9    |
| 28113               | 12   | 40792               | 16   | 43817         | 18   | 51414KIT/51414HVKIT | 3    | 62702       | 12   |
| 28114               | 12   | 40793               | 16   | 43900         | 18   | 51415/51415HV       | 2    | 62703       | 12   |
| 28212               | 12   | 40794               | 16   | 43901         | 18   | 51415KIT/51415HVKIT | 3    | 62704       | 12   |
| 28213               | 12   | 40795               | 16   | 43902         | 18   | 51416/51416HV       | 2    | 74000       | 8    |
| 28214               | 12   | 40796               | 16   | 43903         | 18   | 51433 (see 50433)   | 4    | 74003       | 8    |
| 28312               | 12   | 40798               | 16   | 43904         | 18   | 51434 (see 50434)   | 4    | 74004       | 8    |
| 28313               | 12   | 40800               | 15   | 43905         | 18   | 51435 (see 50435)   | 4    | 74005       | 8    |
| 28314               | 12   | 40801               | 15   | 43906         | 18   | 51436 (see 50436)   | 4    | 74006       | 8    |
| 29003               | 10   | 40802               | 15   | 43907         | 18   | 51702               | 14   | 74007       | 8    |
| 29032               | 10   | 40803               | 15   | 44043COM      | 11   | 51702SSL            | 14   | 75003       | 8    |
| 30115               | 29   | 40804               | 15   | 44043PR       | 9    | 51702SSW            | 14   | 75004       | 8    |
| 30120               | 29   | 40805               | 15   | 44043PR2      | 9    | 51702T              | 14   | 75005       | 8    |
| 30121               | 29   | 40806               | 15   | 44043PR-LF    | 9    | 51703               | 14   | 75006       | 8    |
| 30201               | 23   | 40807               | 15   | 44044PR       | 9    | 51703SSL            | 14   | 75007       | 8    |
| 30202               | 23   | 41403/41403HV       | 2    | 44044PR2      | 9    | 51703SSW            | 14   | C42403      | 3    |
| 30205               | 23   | 41404/41404HV       | 2    | 44443COM      | 11   | 51703T              | 14   | C42404      | 3    |
| 30213               | 25   | 41405/41405HV       | 2    | 44443PR       | 9    | 51704               | 14   | C42405      | 3    |
| 30214               | 25   | 41406/41406HV       | 2    | 44443PR2      | 9    | 51704SSL            | 14   | C42406      | 3    |
| 30216               | 23   | 41413/41413HV       | 2    | 44443PR3      | 9    | 51704SSW            | 14   | FS-144      | 7    |
| 30217               | 23   | 41413KIT/41413HVKIT | 3    | 44444PR       | 9    | 51704T              | 14   | FS-145      | 7    |
| 30218               | 23   | 41414/41414HV       | 2    | 44444PR2      | 9    | 51705               | 14   | FS-184      | 7    |
| 30219               | 23   | 41414KIT/41414HVKIT | 3    | 44444PR3      | 9    | 51705SSL            | 14   | FS-185      | 7    |
| 30219-RH            | 23   | 41415/41415HV       | 2    | 44702         | 14   | 51706               | 14   | FS-245      | 7    |
| 30223               | 25   | 41415KIT/41415HVKIT | 3    | 44703         | 14   | 51706SSL            | 14   | FS-345      | 7    |
| 30224               | 25   | 41416/41416HV       | 2    | 44704         | 14   | 51707               | 14   | FSTR4-54    | 7    |
| 30225               | 25   | 41433 (see 40433)   | 4    | 44705         | 14   | 51707SSL            | 14   | FSTR5-55    | 7    |
| 30226               | 25   | 41434 (see 40434)   | 4    | 44706         | 14   | 51708               | 14   | FT-144      | 7    |
| 30227               | 25   | 41435 (see 40435)   | 4    | 44707         | 14   | 51709               | 14   | FT-245      | 7    |
| 30228               | 23   | 41436 (see 40436)   | 4    | 45043COM      | 11   | 51710               | 14   | FT-2R45     | 7    |
| 30229               | 23   | 41672               | 5    | 45043PR       | 10   | 51822               | 15   | FT-344      | 7    |
| 30312               | 23   | 41685               | 16   | 45043PR2      | 10   | 51823               | 15   | HCE4-43     | 6    |
| 30313               | 23   | 41686               | 16   | 45443COM      | 11   | 51824               | 15   | HCE4-44     | 6    |
| 30314               | 23   | 41687               | 16   | 45443PR       | 10   | 51825               | 15   | HCE4-53     | 6    |
| 30316               | 23   | 41698               | 16   | 45443PR2      | 10   | 51826               | 15   | HCE4-54     | 6    |
| 31000               | 6    | 41699               | 16   | 45443PR3      | 10   | 51827               | 15   | HCE4-63     | 6    |
| 40100               | 28   | 41700               | 14   | 45702         | 17   | 52403               | 3    | HCE4-64     | 6    |
| 40101               | 28   | 41701               | 14   | 45703         | 17   | 52404/52404HV       | 3    | HCE4-73     | 6    |
| 40102               | 28   | 41702               | 14   | 45704         | 17   | 52405/52405HV       | 3    | HCE4-74     | 6    |
| 40120               | 28   | 41702SSL            | 14   | 47002         | 15   | 52406/52406HV       | 3    | HCE4-94     | 6    |
| 40122               | 28   | 41702SSW            | 14   | 47003         | 15   | 53403/53403HV       | 3    | HCE5-44     | 6    |
| 40132               | 28   | 41702T              | 14   | 47004         | 15   | 53404/53404HV       | 3    | HCE5-45     | 6    |
| 40150               | 28   | 41703               | 14   | 47005         | 15   | 53405/53405HV       | 3    | HCE5-54     | 6    |
| 40152               | 28   | 41703SSL            | 14   | 47006         | 15   | 53406/53406HV       | 3    | HCE5-55     | 6    |
| 40154               | 28   | 41703SSW            | 14   | 47007         | 15   | 53502               | 19   | HCE5-64     | 6    |
| 40155               | 28   | 41703T              | 14   | 48354-0       | 6    | 53503               | 19   | HCE5-65     | 6    |
| 40156               | 28   | 41704               | 14   | 48613         | 5    | 53504               | 19   | HCE5-74     | 6    |
| 40201               | 28   | 41704SSL            | 14   | 48614         | 5    | 53505               | 19   | HCE5-75     | 6    |
| 40301               | 28   | 41704SSW            | 14   | 48615         | 5    | 53506               | 19   | HCE6-56     | 6    |
| 40312               | 17   | 41704T              | 14   | 48616         | 5    | 53507               | 19   | NBP4-080    | 7    |
| 40313               | 17   | 41705               | 14   | 48754-0       | 6    | 54043COM            | 11   | NBP4-105    | 7    |
| 40400               | 28   | 41705SSL            | 14   | 48755-0       | 6    | 54043PR             | 9    | NBP4-150    | 7    |
| 40402               | 2    | 41706               | 14   | 48764-0       | 6    | 54043PR2            | 9    | NBP4-210    | 7    |
| 40403               | 2    | 41706SSL            | 14   | 48765-0       | 6    | 54043PR-LF          | 9    | NBP4-WBN    | 7    |
| 40404/40404HV       | 2    | 41707               | 14   | 48766-0       | 6    | 54044PR             | 9    | NBP4-WHN    | 7    |
| 40405/40405HV       | 2    | 41707SSL            | 14   | 48854-0       | 6    | 54044PR2            | 9    | RF4-54      | 7    |
| 40406/40406HV       | 2    | 41708               | 14   | 48855-0       | 6    | 54443COM            | 11   | RF5-55      | 7    |
| 40407HV             | 2    | 41709               | 14   | 48864-0       | 6    | 54443PR             | 9    | RR42403     | 3    |
| 40413               | 3    | 41710               | 14   | 48865-0       | 6    | 54443PR2            | 9    | RR42404     | 3    |
| 40413KIT            | 3    | 41722               | 17   | 50312         | 17   | 54443PR3            | 9    | RR42405     | 3    |
| 40414/40414HV       | 2    | 41723               | 17   | 50313         | 17   | 54444PR             | 9    | RR42406     | 3    |
| 40414KIT/40414HVKIT | 3    | 41724               | 17   | 50402         | 2    | 54444PR2            | 9    | WH-144      | 7    |
| 40415/40415HV       | 2    | 41725               | 17   | 50403         | 2    | 54444PR3            | 9    | WH-1R44     | 7    |
| 40415KIT/40415HVKIT | 3    | 41726               | 17   | 50404/50404HV | 2    | 54612               | 4    | WH-154      | 7    |
| 40416/40416HV       | 2    | 41727               | 17   | 50405/50405HV | 2    | 54613               | 4    | WH-245      | 7    |
| 40417HV             | 2    | 41820               | 15   | 50406/50406HV | 2    | 54614               | 4    | WH-255      | 7    |
| 40433               | 4    | 41821               | 15   | 50407HV       | 2    | 54702               | 14   | WH-345      | 7    |
| 40434               | 4    | 41822               | 15   | 50413         | 2    | 54703               | 14   |             |      |
| 40435               | 4    | 41823               | 15   | 50413KIT      | 3    | 54704               | 14   |             |      |



## THE WEB WARRANTY • PRODUCTS BUILT TO LAST A LIFETIME

Webstone Company, Inc. warrants all of its products to be free from manufacturer defects in material and/or workmanship for the life of the product, provided they are professionally installed and operated under normal conditions. Webstone will replace, FREE OF CHARGE, any product or part thereof that proves defective in material and/or workmanship under normal installation, use, and service.

FOR FULL DETAILS CONTACT WEBSTONE COMPANY, INC. (800) 225-9529

### WEB TRACK SYSTEM SAME DAY SHIPPING AND MORE

All orders placed with Webstone are now processed by our automated Web Track System. Upon receipt of your order, the Web Track System processes it for shipment THE SAME DAY (if received by 1:00 PM EST). Upon shipment, Web Track information is transmitted to you via your preference of fax or email. It serves as your invoice and shipping confirmation. This confirmation invoice includes the carrier name, pro or tracking number, quantities shipped, quantities backordered (if any), and your costs. That means:

**NO MORE LONG LEAD TIMES FOR ORDER SHIPMENT**

**NO MORE CALLING TO CHECK  
ON YOUR ORDER STATUS**

**NO MORE WONDERING IF IT  
WILL SHIP COMPLETE OR PARTIAL**

And it doesn't stop there, through our website  
[WWW.WEBSTONEVALVES.COM](http://WWW.WEBSTONEVALVES.COM)  
you can do MUCH MORE!

**PLACE NEW ORDERS**

**FIND PART NUMBERS**

**PRINT SPECIFICATION/SUBMITTAL SHEETS**

**TRACK YOUR SHIPMENT**

**UPDATE ACCOUNT INFORMATION**

**PRINT INVOICES**

**DOWNLOAD CURRENT BROCHURES & CATALOGS**

**AND CONTACT US FOR ANY SPECIAL  
ASSISTANCE YOU MAY NEED!**

### TERMS OF SERVICE

#### TERMS OF PAYMENT

2% 10th of the following month. Cash discount is calculated on the total amount of the invoice before additions for freight. A 1 1/2% per month service charge will be added to any past due balances.

#### FREIGHT ALLOWANCE

Prepaid freight on orders of \$1500 net or greater to all contiguous US States & Canada or to the nearest Continental US port for all other locations.

#### MINIMUM ORDER

Webstone has no minimum order.

#### CLAIMS OF SHORTAGE OR VARIANCE

Claims of any character must be made within 10 days after receipt of goods. Settlements of any claims are at the discretion of Webstone Company, Inc.

#### RETURNS

Webstone reserves the right to charge a 30% restocking fee on any returned merchandise. In preparation for "The Reduction of Lead in Drinking Water Act" (S. 3874), effective January 1, 2012 Webstone reserves the right to refuse overstock returns for any brass product with a lead content > 0.25%.

#### ORDER CONFIRMATIONS

All orders are subject to acceptance by Webstone Company, Inc. Prices are subject to change without notice.

#### STANDARD PACKAGING

Typically, shipments are made in case and carton quantities. However, Webstone will ship any quantities ordered.

#### UPC BARCODING

100% of products will be shipped with barcodes if customer specifies the need.

### Third Party Approvals and Standards Organizations



**The Canadian Standards Association**  
[www.cga.ca](http://www.cga.ca)



**Universal Plumbing Code**  
Certified by the **International Association  
of Plumbing & Mechanical Officials**  
[www.iapmo.org](http://www.iapmo.org)



**American Society of Sanitary Engineering**  
[www.asse-plumbing.org](http://www.asse-plumbing.org)



**FM Global (Factory Mutual)**  
[www.fmglobal.com](http://www.fmglobal.com)



**Underwriters Laboratory Inc**  
[www.ul.com](http://www.ul.com)

**NSF/ANSI 61** Drinking water system components Health effects a standard for "chemical contaminants and impurities that are indirectly imparted to drinking water from products, components, and materials used in drinking water systems".

**CleanBrass™** Webstone Brass that contains less than 0.25% surface lead in the wetted areas.

#### Note:

Third Party Approval Agencies often can approve products to a wide variety of standards; some of the standards may be under the responsibility of another agency. For example, IAPMO can issue approvals to NSF/ANSI 61 standard, as can UL, CSA, etc.

#### Pressure Ratings

**WOG: Water, Oil & Gaseous service.** Indicates the maximum pressure of the valve body. Pressure of the valve may be limited by temperature or other features.

**WSP: Working Steam Pressure.** Indicates the maximum steam pressure of a valve body. This rating is independent from the WOG rating. Typically the WSP rating is lower than the WOG rating.

### WEBSTONE PHILOSOPHY

Since 1954, Webstone has been an industry leader and a pioneer in the development of high-quality innovative valves for the plumbing & heating industry. Through the years, we have grown to meet the ever-changing needs of our industry, introducing products designed to streamline installations and allow for easier service in the years to come.

Innovation in our designs and stability in our quality is why Webstone continues to grow in the many different markets we serve. Today, Webstone stands unmatched in the quality of both our products and our programs. We manufacture our unique line of valves and plumbing accessories with a single distinct mindset. Build them for life and our customers will come back again and again.

# Webstone

**VALVE INNOVATION**

**ONE APPIAN WAY WORCESTER, MA 01610  
P.O. BOX 59 WORCESTER, MA 01613**

**Phone:** (800) 225-9529

**Fax:** (800) 336-5133

**email:** [sales@webstonevalves.com](mailto:sales@webstonevalves.com)

**[www.webstonevalves.com](http://www.webstonevalves.com)**