

Ox Box™

Outlet Box

Patent Pending



- **STRONG**
Over the stud application offers the industry's strongest installation
- **FAST**
Installation times are cut in half
- **FLEXIBLE**
Separate boxes offer endless configuration options
- **DURABLE**
ABS material stands up to job site abuse
- **RATED**
All Standard Ox Box kits are UPC listed. All Fire-Rated Ox Box kits are Warnock Hersey certified




Supply • Drainage • Support • Testing • Specialties • Tools • Access

Sioux Chief
MANUFACTURING SINCE 1957



Ox Box Outlet Box

Washing Machine



Ice Maker



Lavatory



Toilet/Dishwasher



Solid Installations

Durable ABS boxes, a strong steel box clip and bracket stand up to job site abuse. Over-the-stud installation is the strongest in the industry. The box clip tab bends in for a secure installation over metal studs.




Separate Stud Bays

Over-the-stud installations allow for supply and drainage lines to be plumbed into separate stud bays, reducing solder joints, installation time, risk of leaks, and burned drain pipe.



Drain & Trap Together

Complete drain and vent line can be plumbed into a 16" on-center stud bay. No need to drill through the stud, saving time, structural strength, and money for pipe protection.



One Frame Size

All boxes share the same size frame. There will always be one frame in the warehouse, on the truck, and on the job. The frames are made from the same tough ABS material as the boxes, and the design appeals to today's demanding homeowner.

Options to Fit Every Job



Valve Options



The Ox Box is offered with or without arresters for laundry, ice maker, lavatory, and toilet applications.

Connection Options



Female Sweat




CPVC



1/2" PEX F 1807




3/8" PEX F 1807



PEX F 1960



PEX F 2080



Press-Fitting /
Male Sweat

Multiple Installation Choices



◀ **RECOMMENDED**



Separate supply and drain boxes allow the most installation configurations of any outlet box. Eliminate the need to source and stock a different box for each application. The Ox Box is able to replace all left-drain, center-drain, right-drain, and dual drain boxes.

Unique Features

Debris Cover



Covers snap firmly into either box, protecting the valves from drywall mud or paint. Covers come standard with all boxes.

Integrated Grip Tip Test Nipple




Small tip twists off for easy testing.



Water tester conveniently connects $\frac{5}{8}$ " O.D. nipple to water supply valve.


Drain Knockout



The drain knockout removes in one piece and won't fall down the drain.


Washing Machine Outlet Box

Standard Pack




- Boxes mount securely to stud
- Separates supply and drainage systems into two stud bays
- Separate boxes offer flexible layout
- Durable ABS stands up to job site abuse
- Drain knockout is easy to remove with pliers
- Available with two Mini-Rester water hammer arresters
- High-quality quarter-turn ball valves
- 3/4" hose outlet connections

Rough-In Pack*



Rough-In Pack with 26" Bar*



Display Box



Ball Valves

Item No.	Shank Connection	Min. Qty	Case Qty	List Price
STANDARD PACK				
696-2303MF	1/2" female sweat	10	10	27.80 EA
696-2303CF	1/2" CPVC male	10	10	29.10 EA
696-2303YF	3/8" PEX F 1807	10	10	31.40 EA
696-2303XF	1/2" PEX F 1807	10	10	28.25 EA
696-2303AF	1/2" PEX F 2080	10	10	37.90 EA
696-2303WF	1/2" PEX F 1960	10	10	30.90 EA
696-2303PF	1/2" press-fitting/male sweat	10	10	32.80 EA
ROUGH-IN PACK*				
696-2303MR	1/2" female sweat	10	10	25.80 EA
696-2303CR	1/2" CPVC male	10	10	27.10 EA
696-2303YR	3/8" PEX F 1807	10	10	29.40 EA
696-2303XR	1/2" PEX F 1807	10	10	26.25 EA
696-2303AR	1/2" PEX F 2080	10	10	35.90 EA
696-2303WR	1/2" PEX F 1960	10	10	28.90 EA
STANDARD PACK IN DISPLAY BOX				
696-2303MFPK4	1/2" female sweat	4	4	37.00 EA

Ball Valves with Arresters

Item No.	Shank Connection	Min. Qty	Case Qty	List Price
STANDARD PACK				
696-2313MF	1/2" female sweat	10	10	52.75 EA
696-2313CF	1/2" CPVC male	10	10	54.05 EA
696-2313YF	3/8" PEX F 1807	10	10	56.35 EA
696-2313XF	1/2" PEX F 1807	10	10	53.20 EA
696-2313AF	1/2" PEX F 2080	10	10	62.85 EA
696-2313WF	1/2" PEX F 1960	10	10	55.85 EA
696-2313PF	1/2" press fitting/male sweat	10	10	55.38 EA
ROUGH-IN PACK*				
696-2313MR	1/2" female sweat	10	10	50.75 EA
696-2313CR	1/2" CPVC male	10	10	52.05 EA
696-2313YR	3/8" PEX F 1807	10	10	54.35 EA
696-2313XR	1/2" PEX F 1807	10	10	51.20 EA
696-2313AR	1/2" PEX F 2080	10	10	60.85 EA
696-2313WR	1/2" PEX F 1960	10	10	53.85 EA
ROUGH-IN PACK WITH 26" BAR*				
696-2313MR26	1/2" female sweat	10	10	51.25 EA
696-2313CR26	1/2" CPVC male	10	10	52.55 EA
696-2313XR26	1/2" PEX F 1807	10	10	51.70 EA

*Purchase frames separately. See last page of brochure

Ice Maker Outlet Box


- Boxes mount securely to stud
- Durable ABS stands up to job site abuse
- Available with Mini-Rester water hammer arrester
- High-quality quarter-turn ball valve
- 1/4" O.D. compression outlet connection



Display Box

Ball Valve


Standard Pack



Rough-In Pack*



NEW Standard Pack with Stainless Steel Hose



Ball Valve with Arrester

Item No.	Shank Connection	Min. Qty	Case Qty	List Price
STANDARD PACK				
696-1000MF	1/2" female sweat	10	10	16.20 EA
696-1000CF	1/2" CPVC male	10	10	16.40 EA
696-1000YF	3/8" PEX F 1807	10	10	18.00 EA
696-1000XF	1/2" PEX F 1807	10	10	16.50 EA
696-1000AF	1/2" PEX F 2080	10	10	21.20 EA
696-1000WF	1/2" PEX F 1960	10	10	18.20 EA
696-1000PF	1/2" press-fitting/male sweat	10	10	18.70 EA
ROUGH-IN PACK*				
696-1000MR	1/2" female sweat	10	10	14.70 EA
696-1000CR	1/2" CPVC male	10	10	14.90 EA
696-1000YR	3/8" PEX F 1807	10	10	16.50 EA
696-1000XR	1/2" PEX F 1807	10	10	15.00 EA
696-1000AR	1/2" PEX F 2080	10	10	19.70 EA
696-1000WR	1/2" PEX F 1960	10	10	16.70 EA
STANDARD PACK WITH 72" STAINLESS STEEL HOSE				
696-1000MFS	1/2" female sweat	10	10	23.40 EA
696-1000CFS	1/2" CPVC male	10	10	23.60 EA
696-1000XFS	1/2" PEX F 1807	10	10	23.70 EA
STANDARD PACK IN DISPLAY BOX				
696-1000MFPK4	1/2" female sweat	5	5	22.25 EA

*Purchase frames separately. See last page of brochure


Item No.	Shank Connection	Min. Qty	Case Qty	List Price
STANDARD PACK				
696-1010MF	1/2" female sweat	10	10	32.25 EA
696-1010CF	1/2" CPVC male	10	10	32.90 EA
696-1010YF	3/8" PEX F 1807	10	10	34.05 EA
696-1010XF	1/2" PEX F 1807	10	10	32.48 EA
696-1010AF	1/2" PEX F 2080	10	10	37.30 EA
696-1010WF	1/2" PEX F 1960	10	10	33.80 EA
696-1010PF	1/2" press fitting/male sweat	10	10	32.50 EA
ROUGH-IN PACK*				
696-1010MR	1/2" female sweat	10	10	30.75 EA
696-1010CR	1/2" CPVC male	10	10	31.40 EA
696-1010YR	3/8" PEX F 1807	10	10	32.55 EA
696-1010XR	1/2" PEX F 1807	10	10	30.98 EA
696-1010AR	1/2" PEX F 2080	10	10	35.80 EA
696-1010WR	1/2" PEX F 1960	10	10	32.30 EA
STANDARD PACK WITH 72" STAINLESS STEEL HOSE				
696-1010MFS	1/2" female sweat	10	10	40.75 EA
696-1010CFS	1/2" CPVC male	10	10	41.40 EA
696-1010XFS	1/2" PEX F 1807	10	10	40.98 EA
ROUGH-IN PACK WITH 26" BAR*				
696-1010MR26	1/2" female sweat	10	10	31.25 EA
696-1010CR26	1/2" CPVC male	10	10	31.90 EA
696-1010XR26	1/2" PEX F 1807	10	10	31.48 EA

NEW Lavatory Outlet Box




- Strong installation, mounting on stud
- Integral nail holes offer quick installation
- Bracket track allows for adjustment between studs
- Durable ABS stands up to job site abuse
- Flip box for top supply
- High-quality quarter-turn ball valve(s)
- 3/8" O.D. compression outlet connection(s)

Lavatory Standard Pack



Lavatory Rough-In Pack*



Ball Valves

Item No.	Shank Connection	Min. Qty	Case Qty	List Price
LAVATORY STANDARD PACK				
696-2001MF	1/2" female sweat	10	10	26.05 EA
696-2001CF	1/2" CPVC male	10	10	27.35 EA
696-2001YF	3/8" PEX F 1807	10	10	29.65 EA
696-2001XF	1/2" PEX F 1807	10	10	26.50 EA
696-2001WF	1/2" PEX F 1960	10	10	29.15 EA
LAVATORY ROUGH-IN PACK				
696-2001MR	1/2" female sweat	10	10	24.05 EA
696-2001CR	1/2" CPVC male	10	10	25.35 EA
696-2001YR	3/8" PEX F 1807	10	10	27.65 EA
696-2001XR	1/2" PEX F 1807	10	10	24.50 EA
696-2001WR	1/2" PEX F 1960	10	10	27.15 EA


Ball Valves with Arresters

Item No.	Shank Connection	Min. Qty	Case Qty	List Price
LAVATORY STANDARD PACK				
696-2011MF	1/2" female sweat	10	10	51.00 EA
696-2011CF	1/2" CPVC male	10	10	52.30 EA
696-2011YF	3/8" PEX F 1807	10	10	54.60 EA
696-2011XF	1/2" PEX F 1807	10	10	51.45 EA
696-2011WF	1/2" PEX F 1960	10	10	54.10 EA
LAVATORY ROUGH-IN PACK				
696-2011MR	1/2" female sweat	10	10	49.00 EA
696-2011CR	1/2" CPVC male	10	10	50.30 EA
696-2011YR	3/8" PEX F 1807	10	10	52.60 EA
696-2011XR	1/2" PEX F 1807	10	10	49.45 EA
696-2011WR	1/2" PEX F 1960	10	10	52.10 EA

NEW Toilet/Dishwasher Outlet Box



Toilet/Dishwasher Standard Pack



Toilet/Dishwasher Rough-In Pack*



Ball Valve

Item No.	Shank Connection	Min. Qty	Case Qty	List Price
TOILET/DISHWASHER STANDARD PACK				
696-1001MF	1/2" female sweat	10	10	16.20 EA
696-1001CF	1/2" CPVC male	10	10	16.40 EA
696-1001YF	3/8" PEX F 1807	10	10	18.00 EA
696-1001XF	1/2" PEX F 1807	10	10	16.50 EA
696-1001WF	1/2" PEX F 1960	10	10	18.20 EA
TOILET/DISHWASHER ROUGH-IN PACK				
696-1001MR	1/2" female sweat	10	10	14.70 EA
696-1001CR	1/2" CPVC male	10	10	14.90 EA
696-1001YR	3/8" PEX F 1807	10	10	16.50 EA
696-1001XR	1/2" PEX F 1807	10	10	15.00 EA
696-1001WR	1/2" PEX F 1960	10	10	16.70 EA


Ball Valve with Arrester

Item No.	Shank Connection	Min. Qty	Case Qty	List Price
TOILET/DISHWASHER STANDARD PACK				
696-1011MF	1/2" female sweat	10	10	32.25 EA
696-1011CF	1/2" CPVC male	10	10	32.90 EA
696-1011YF	3/8" PEX F 1807	10	10	34.05 EA
696-1011XF	1/2" PEX F 1807	10	10	32.48 EA
696-1011WF	1/2" PEX F 1960	10	10	33.80 EA
TOILET/DISHWASHER ROUGH-IN PACK				
696-1011MR	1/2" female sweat	10	10	30.75 EA
696-1011CR	1/2" CPVC male	10	10	31.40 EA
696-1011YR	3/8" PEX F 1807	10	10	32.55 EA
696-1011XR	1/2" PEX F 1807	10	10	30.98 EA
696-1011WR	1/2" PEX F 1960	10	10	32.30 EA

*Purchase frames separately. See last page of brochure

NEW Fire-Rated Outlet Box

- Available in washing machine and ice maker outlet box offering
- Warnock Hersey certified
- Constructed using fire retardant plastic resin
- Over-the-stud installation is the quickest, easiest, strongest, and carries the highest rated fire certification in the industry



The Fire-Rated Ox Box is certified by Intertek/Warnock Hersey to the following Fire Rating Standards:

ASTM E-814

2 hours (F), 1½ hours (T)
for 2-hour design

1 hour (F), 31 min (T)
for 1-hour design


CAN/ULC S115

2 hours (F), 1½ hours (T)
for 2-hour design

1 hour (F), 31 min (T)
for 1-hour design

ASTM E119

UL 1479



Fire-Rated Washing Machine Standard Pack




Ball Valves

Item No.	Shank Connection	Min. Qty	Case Qty	List Price
STANDARD PACK				
696R2303MF	½" female sweat	10	10	76.95 EA
696R2303CF	½" CPVC male	10	10	77.15 EA
696R2303XF	½" PEX F 1807	10	10	77.25 EA
696R2303AF	½" PEX F 2080	10	10	80.15 EA
696R2303WF	½" PEX F 1960	10	10	77.95 EA
696R2303PF	½" press fitting/male sweat	10	10	80.95 EA

Ball Valves with Arresters

Item No.	Shank Connection	Min. Qty	Case Qty	List Price
STANDARD PACK				
696R2313MF	½" female sweat	10	10	101.73 EA
696R2313CF	½" CPVC male	10	10	102.73 EA
696R2313XF	½" PEX F 1807	10	10	102.33 EA
696R2313AF	½" PEX F 2080	10	10	105.13 EA
696R2313WF	½" PEX F 1960	10	10	102.78 EA
696R2313PF	½" press fitting/male sweat	10	10	105.73 EA

Fire-Rated Ice Maker Standard Pack



Ball Valve

Item No.	Shank Connection	Min. Qty	Case Qty	List Price
STANDARD PACK				
696R1000MF	½" female sweat	10	10	65.85 EA
696R1000CF	½" CPVC male	10	10	66.05 EA
696R1000XF	½" PEX F 1807	10	10	66.15 EA
696R1000AF	½" PEX F 2080	10	10	69.05 EA
696R1000WF	½" PEX F 1960	10	10	66.85 EA
696R1000PF	½" press fitting/male sweat	10	10	67.85 EA

Ball Valve with Arrester

Item No.	Shank Connection	Min. Qty	Case Qty	List Price
STANDARD PACK				
696R1010MF	½" female sweat	10	10	80.85 EA
696R1010CF	½" CPVC male	10	10	81.40 EA
696R1010XF	½" PEX F 1807	10	10	81.23 EA
696R1010AF	½" PEX F 2080	10	10	83.35 EA
696R1010WF	½" PEX F 1960	10	10	81.63 EA
696R1010PF	½" press fitting/male sweat	10	10	82.85 EA

Accessories

Boxes



696-1



696-2



696-3

Frames, Extensions, and Inserts



696-1F



696-2F



NEW 696-EX



NEW
696-LC



NEW
696-SC

Others



525-18



Water tester



696-BC



696-PN

Item No.	Description	Min. Qty	Case Qty	List Price
OUTLET BOX				
696-1	One-hole supply box	10	10	5.00 EA
696-2	Two-hole supply box	10	10	5.00 EA
696-3	Drain box	10	10	5.00 EA
696R3	Drain box with fire pad and frame	10	10	23.08 EA
FRAMES, EXTENSIONS, INSERTS				
696-1F	Single frame	10	10	1.50 EA
696-1FS	Single frame with 72" stainless steel hose for ice maker	10	10	8.50 EA
696-2F	Double frame	10	10	2.00 EA
696-EX	Frame extension	10	10	3.25 EA
696-LC	Louvered frame insert	10	10	4.00 EA
696-SC	Solid frame insert	10	10	4.00 EA
OTHERS				
525-18	18" support bracket	100	100	1.00 EA
525-26	26" support bracket	100	100	1.25 EA
696-BC	Box clip	10	10	2.00 EA
696-PN	Shank nut	50	50	0.30 EA
881-23CH	Water tester	1	10	31.60 EA

NEW Secondary Drainage Funnel

- Ideal for adding condensate lines to drain box
- Can be used in conjunction with washing machine drain hose
- Drains 7 gpm safely
- Securely sets into drain box through integral bottom ridges of the drain box
- Two-piece design snaps together for fast installation and easy cleaning
- Fingers in top housing hold ½" CTS-1" DWV piping firmly in place
- UPC listed to IAPMO PS 65-2002



696-CF



Item No.	Description	Min. Qty	Case Qty	List Price
SECONDARY DRAINAGE FUNNEL				
696-CF	Secondary drainage funnel	10	10	6.00 EA

DISTRIBUTED BY

24110 South Peculiar Drive
Peculiar, Missouri 64078
tel: 1-800-821-3944
fax: 1-800-758-5950
www.siouxchief.com



MANUFACTURING SINCE 1957