

PRODUCT-DETAILS

# 10H

## H-STRNGTH SPLITBLT CONN 1/0STR-4SLD



### General Information

Extended Product Type	10H
Product ID	7TAH006100R0001
EAN	5414363074144
Catalog Description	H-STRNGTH SPLITBLT CONN 1/0STR-4SLD
Long Description	Type H - High Strength Split-Bolt Connector, Conductor Range for Equal Main and Tap 1/0 Str-4 Sol, Conductor Range for Min Tap with One Max Main 14 Sol

### Ordering

EAN	5414363074144
-----	---------------

### Dimensions

Product Net Weight	.166 lb 75.283 g
--------------------	---------------------

### Container Information

Package Level 1 Units	50 piece
Package Level 1 Width	5.25 in 133 mm
Package Level 1 Height	3.63 in 92 mm

Package Level 1 Depth / Length	6.75 in 171 mm
Package Level 2 Units	300 piece
Package Level 2 Width	12 in 305 mm
Package Level 2 Height	9 in 229 mm
Package Level 2 Depth / Length	12 in 305 mm

### Additional Information

Application	Splicing, tapping or terminating conductors in power and grounding electrical connection.
Brand / Label	Blackburn
Color	Metallic
Material	Bronze Alloy
Number of Batteries	0
Product Name	SPLIT BOLT COUPLINGS
Product Type	Split-Bolt
Special Functions	Bolt and nut of high-strength corrosion-resistant bronze alloy. Copper pressure bar. Bolt and nut of hex design.
Standards	UL E9809
UPC	783786200146

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	10H
Instructions and Manuals	10H

### Classifications

ETIM 6	EC000491 - Earth terminal clamp
ETIM 7	EC000491 - Earth terminal clamp
UNSPSC	39121408
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4541 >> Mechanical connectors

### Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

